

[illegible]

[illegible]

56799	CUTTING FLUID LQ:650 ML	140	Approved	D55-117-084, 00201902, QI NSF INC NEW, EXTREME PRESSURE FLUID FOR MACHINING, MFR:DAK, FINE 2500 ACUS, NF PMAC 28, 0207, CUTTING FLUID, LUBRICANT TYPE: LIQUID, CAPACITY: 650 ML, INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; FUNCT LOC: PRIMARY/SECONDARY PLANT; ***** END DETAIL DESCRIPTION *****; NF 20130416 ML 20181029					Yes				
184921	FLUID TAPPING,350 G	12	Approved	D55-117-084, 00201902, QI NSF INC NEW, FLUID, MFR: EQUIPEX, TYPE: TAPPING, CONTAINER: 350 G, MCOOL, RFD, CLEANCAST CUTTING / TAPPING FLUID, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR, MCOOL, RFD, CLEANCAST CUTTING/TAPPING FLUID, CRACK APPLICATOR, CATEGORY 1 ***** END DETAIL DESCRIPTION *****; NF 20180626, NF 20131031, NF 20131032, NF 20131120, NF 20180601						Yes			
644339	CHEMICAL,NITRIC ACID PURE 60 PCT L	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, MFR: MERCK, CHEMICAL TYPE: NITRIC ACID 60% PURE, FORM: CLEAR SOLUTION, CONTAINER: CLEAR PLASTIC BOTTLE, CAPACITY: 5 L ***** END DETAIL DESCRIPTION ***** ML 20180504						Yes			
624549	SALT BEIGE COLORLESS,500 G	7	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR), PLASTIC COUPLER, AGAR (SALT), MFR: MERCK, (FNO, LIQUID), BEIGE TYPE: BEIGE COLORLESS, PACKAGE TYPE: WHITE PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G, FUNCT LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION *****; NF 20180517, ML 20180518						Yes			
912102	SALT BEIGE FINE,BOTTLE PLASTIC WHITE,500	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR), AGAR MALT EXTRACT (SALT), MFR:MERCK, TYPE: BEIGE SALT FINE, PACKAGE TYPE: WHITE PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G, FUNCT LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION *****; NF 20131010						Yes			
647103	SALT,BIPHENOL BLUE,BOTTLE GLASS AMBER	12	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, MFR: MERCK, TYPE: BIPHENOL BLUE, PACKAGE TYPE: GLASS AMBER BOTTLE, PACKAGE WEIGHT: 50 G ***** END DETAIL DESCRIPTION ***** ML 20171121, ML 20180625						Yes			
611769	SALT,COLORLESS FINE CRYSTALLINE POWDER	5	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR), SODIUM BROMIDE (SALT), MFR: MERCK, TYPE: COLORLESS FINE CRYSTALLINE POWDER, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 250 G, FUNCT LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION *****; NF 20131030						Yes			
639149	SALT,EDTA,BOTTLE PLASTIC,100 G	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, MFR: MERCK, TYPE: EDTA, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 100 G ***** END DETAIL DESCRIPTION ***** ML 20170815						Yes			
611259	SALT,FINE POWDER OFF WHITE,250 G	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR), RIBOPOL, P-METHANOLAND PHENOL SULFONATE (SALT), MFR: MERCK, TYPE: OFF WHITE FINE POWDER, PACKAGE TYPE: BLACK PLASTIC BOTTLE, PACKAGE WEIGHT: 250 G, FUNCT LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION *****; NF						Yes			
611817	SALT,FINE POWDER OFF WHITE,500 G	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR), SODIUM CARBONATE (SALT), MFR:MERCK, TYPE: OFF WHITE FINE POWDER, PACKAGE TYPE: WHITE PLASTIC CONTAINER, GREY CAP, GREY TIGHTEN WITHIN BLACK, PACKAGE WEIGHT: 500 G, FUNCT LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION *****; NF 20131118						Yes			
648119	SALT,PHENANTHROLINE,BOTTLE PLASTIC,100 G	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, MFR: MERCK, SALT TYPE: PHENANTHROLINE, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 100 G ***** END DETAIL DESCRIPTION ***** ML 20180322						Yes			
611862	SALT,REDISH(FINE),AMBER GLASS BOTTLE	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, (INTERNAL SAFETY DATA SHEET (SDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF-LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR), METHYL BESS (SALT), MFR: MERCK, TYPE: REDISH (FINE), PACKAGE TYPE: GLASS BOTTLE TAPPING, PACKAGE WEIGHT: 25000 G, FUNCT LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION *****; NF 20131018						Yes			
644417	SALT,SODIUM BROMIDE,BOTTLE PLASTIC WHITE	6	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, MFR: MERCK, TYPE: SODIUM BROMIDE, PACKAGE TYPE: WHITE PLASTIC BOTTLE, PACKAGE WEIGHT: 250 G ***** END DETAIL DESCRIPTION ***** ML 20171104, ML 20181110						Yes			
647105	SALT,SODIUM CARBONATE ANHYDROUS,500 G	3	Approved	C.O.C.: 0113180Q, QI NSF INC NEW, MFR: MERCK, TYPE: SODIUM CARBONATE ANHYDROUS, PACKAGE TYPE: WHITE PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** ML 20171125						Yes			

Chemicals	004933	SALT SODIUM CHLORIDE 500 G	12		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, TYPE: SODIUM CHLORIDE, PACKAGE TYPE: WHITE PLASTIC CONTAINER, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** HL 20170911						Yes				
	012181	SALT SODIUM HEXAFLUOROSILICATE 500 G	2		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM HEXAFLUOROSILICATE (SALT) TYPE ANALYTICAL, SINGLE LENSAR FORMULA AND SINGLE MOLECULAR WEIGHT 366.06, FORM POWDER, 2.88 G/ML AT 25 °C/1.1, HMF, UNLAR, TYPE: WHITE POWDERY, PACKAGE TYPE: WHITE PLASTIC CONTAINER/BULB CAP, PACKAGE WEIGHT: 500 G, FUNCT. LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20151214						Yes				
	014526	SALT TAN COLORED, BOTTLE PLASTIC 500 G	4		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; AGAR SABOURAUD DEXTROSE, (SALT), HMF, HENCK, TYPE: TAN COLORED, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G, FUNCT. LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20160210						Yes				
	013171	SALT WHITE CRYSTAL 500 G	2		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; POTASSIUM DIOXIDE, (SALT), HMF, HENCK, TYPE: WHITE CRYSTAL, PACKAGE TYPE: AMBER GLASS BOTTLE/LACK CAP, WRITTEN IN BLACK INK, PACKAGE WEIGHT: 500 G, FUNCT. LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20151214						Yes				
	011751	SALT WHITE POWDER, BOTTLE PLASTIC WHITE	2		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM METABISULFATE, (SALT), HMF, HENCK, TYPE: WHITE POWDER, PACKAGE TYPE: PLASTIC BOTTLE WHITE, PACKAGE WEIGHT: 500 G, FUNCT. LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20151214						Yes				
	014526	SALT WHITE, BOTTLE PLASTIC 500 G	4		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM THIOSULFATE, (SALT), HMF, HENCK, TYPE: WHITE, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G, FUNCT. LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20160217						Yes				
	045480	STANDARD ANALYTICAL TEST CHROMATE STANDARD	2		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, STANDARD, ANALYTICAL TEST: INTERNAL, CHROMATE STANDARD 100PPM, WEIGHT: 500 G, ***** END DETAIL DESCRIPTION ***** HL 20171210, HL 20151111						Yes				
	014111	STANDARD ANALYTICAL TEST IRON 500 ML	12		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; STANDARD ANALYTICAL TEST : HMF, HENCK, MATERIAL: IRON, WEIGHT: 500 ML, FUNCT. LOC: CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20160210, HL 20170929						Yes				
	045480	STANDARD ANALYTICAL TEST MERCURY 500 ML	2		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, STANDARD, ANALYTICAL TEST: INTERNAL, MERCURY, WEIGHT: 500 ML ***** END DETAIL DESCRIPTION ***** HL 20160222						Yes				
	157139	(INORGANIC SALT SULPHATE ALUMINUM) 3004310	2000		Approved	DSS-317-006, 013308Q, Q4 NSF NC NEV, INORGANIC SALT (ALUMINUM), SULPHATES, TYPE: ALUMINUM, GRADE: 1, CONCENTRATION: ALUMINUM AS AL2O3 - 10% IRON AS Fe2O3 - 0.5%, INSOLUBLE MATTER - 0.01%, PH OF 0.1% SOLUTION - 3.0, BOE - 0.5 SPM, CAL REGISTRATION NUMBER: 0, MOLECULAR FORMULA: AL2(SO4)3, PHYSICAL FORM: AMBER CRISTALL, CRUMBLIES OR POWDER, ENERGY NUMBER: 0, CONTAINER TYPE: BAG, CONTAINER CAPACITY: 3045, STORAGE CODE: CLOX, 0, MOES NUMBER: 0, INDUSTRY STANDARD: SABSONS 1241, STANDARD (ISSUED SOURCE: 0, IRON FREE CRACK APPROVED MATERIAL SAFETY DATA SHEETS THAT COMPLY WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT 'S REGULATIONS TO BE SUPPLIED, END DETAIL DESCRIPTION, INF 20051008, LT 20160201, INF 20120102, INF 20160702, YA 20150327, YA 20150922						Yes				
Buffer	150810	BUFFER SOLUTION CRACK WAVERED 500 ML 7	20		Approved	DSS-317-002, 0025090, Q2 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; PH 7.00 BUFFER SOLUTION CRACK WAVERED - CATEGORY 2, SUGGESTED SUPPLIER: MEDICAL DISTRIBUTIONS (PTY) LTD., (SOLE SOURCE) PACKAGING: 100ML, END DETAIL DESCRIPTION, INF 20051121, INF 20051127, INF 20051008, INF 20130905, YA 20060628						Yes				
	030107	SALT SULFATE IRON AGAR, BOTTLE PLASTIC	3		Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, TYPE: SULFATE IRON AGAR, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** HL 20170915						Yes				

040271	STANDARD ANALYTICAL TEST 4 ML	17		Approved	C.G.C. 011338Q2 Q/NF NC NEW INF. NERCK. MATERIAL: HYDROMAL WATER 0.25 L (040282) WEIGHT: 4 ML VIAL IN WHITE BOX ***** END DETAIL DESCRIPTION ***** PL 2023/08/05						Yes			
011338H	CHEMICAL HYDROMAL COLOUMAT COL LIQ 0.5 ML	40		Approved	C.G.C. 011338Q2 Q/NF NC NEW HYDROMAL COLOUMAT COL MFP BROWN ALBECCH 2 IN. 30 ML FORM LIQUID CONTAINER GLASS BROWN VIAL. CONTAINER CAPACITY 3 ML (TDS REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (INTERNAL SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) ONE YEAR); ***** END DETAIL DESCRIPTION ***** LOC 2023/05/05 INF 2023/01/04						Yes			
011338I	CHEMICAL TOLUENE CLEAR SOLUTION 2.5 L	16		Approved	C.G.C. 011338Q2 Q/NF NC NEW TOLUENE INF NERCK. CHEMICALS FORM: CLEAR SOLUTION; CONTAINER: BOTTLE GLASS; CONTAINER CAPACITY 2.5 L (TDS REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (INTERNAL SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) ONE YEAR); ***** END DETAIL DESCRIPTION ***** LOC 2023/05/05						Yes			
254723	SOLVENT DEV 3300R/WHITE	109		Approved	DSS-337-084-GROUP-A-000087Q2 Q/NF NC NEW SPOTCHECK DEVELOPER INF MAGNOLIA PLD 300 502 COLOR WHITE TRADE NAME SPOTCHECK DEVELOPER; CONTAINER: 3000R MATERIAL: SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); A MANUFACTURER CERTIFICATE OF ANALYSIS (COA) IS TO BE SUPPLIED, DEMONSTRATING THAT THE HALOGEN AND SULPHUR CONTENTS ARE <20PPM; ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; END DETAIL DESCRIPTION: INF 2023/01/04 INF 2023/05/05 PL 2023/11/28						Yes			
255647	INK-FLUORESCENT/WHITE-400 G	20		Approved	DSS-337-084-GROUP-A-000087Q2 Q/NF NC NEW FLUORESCENT INK INF MAGNOLIA PLD 349H PACKAGING: 400G; COLOR: WHITE; MATERIAL: SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); A MANUFACTURER CERTIFICATE OF ANALYSIS (COA) IS TO BE SUPPLIED, DEMONSTRATING THAT THE HALOGEN AND SULPHUR CONTENTS ARE <20PPM; ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; END DETAIL DESCRIPTION: INF 2023/06/20 INF 2024/07/02 PL 2023/11/28						Yes			
157916	AGENT CHEM DYNACIDE CASE 30 G	4556		Approved	DSS-337-084-002099Q2 Q/NF NC NEW AGENT. CHEMICAL TYPE: DYNACIDE UNIT PACKAGE TYPE: CASE; PACKAGE WEIGHT: 30 G; 01000 CANCER PLAN CATEGORY 3 MATERIAL: DATA SHEET REQUIRED WITH EVERY DELIVERY ***** END DETAIL DESCRIPTION ***** INF 2000/03/00 INF 2023/05/02 PL 2023/03/12						Yes			
256930	PENETRANT WATER WASHABLE 400 ML	20		Approved	DSS-337-084-GROUP-A-002099Q2 Q/NF NC NEW PENETRANT WATER WASHABLE INF MAGNOLIA PLD 363 MFC CONTAINER: 400 ML; COLOR: VISIBLE RED; MATERIAL: SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); A MANUFACTURER CERTIFICATE OF ANALYSIS (COA) IS TO BE SUPPLIED, DEMONSTRATING THAT THE HALOGEN AND SULPHUR CONTENTS ARE <20PPM; ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; END DETAIL DESCRIPTION: INF 2013/06/04 NO 2023/08/02 PL 2023/11/28						Yes			
248127	COMPOUND SEAL GLEAM	31		Approved	DSS-337-084/002099Q2 Q/NF NC NEW NUCLEAR GRADE COMPOUND SEAL SEAL COMPOUND INF FLUORINATE TYPE FSC-N-38 FUMIC LOC (CONSUMABLE) ***** END DETAIL DESCRIPTION ***** INF 2008/03/28						Yes			
256748	ADHESIVE REPOSITIONABLE SPRAY 75 TM	2		Approved	DSS-337-084-002099Q2 Q/NF NC NEW; MATERIAL: SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; 3M (TM) REPOSITIONABLE SPRAY 75 INF ATLANTIC ABRASIVE RANGE 500ML FUMIC LOC (NON FUMES) ***** END DETAIL DESCRIPTION ***** INF 2021/07/07 INF 2023/09/27						Yes			
094183	ADHESIVE LOCKTITE 9802 TUBE 500 ML	4		Approved	DSS-337-084-002099Q2 Q/NF NC NEW (3) ADHESIVE INF (E) TYPE: LOCKTITE 9802; CONTAINER: TUBE 500 ML; FUMIC LOC: 1/2 GHS 051 GA ***** END DETAIL DESCRIPTION ***** PL 2023/04/09						Yes			
256570	CHEMICAL ETHANOL 2.5 L	20		Approved	DSS-333-080E11338Q2 Q/NF NC NEW MATERIAL: SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; CATEGORY 2 CHEMICAL PRODUCT; ABSOLUTE ALCOHOL; CRACK APPROVED - CATEGORY 2 INF BISH PLD 3 00863 2000 PACKAGING: 2.5 LITRE ***** END DETAIL DESCRIPTION ***** INF 2011/06/25						Yes			
257276	CHEMICAL MANNITOL ANALAR POWDER 250 G	60		Approved	DSS-333-084-011338Q2 Q/NF NC NEW; CHEMICAL TYPE: MANNITOL ANALAR FORM PRODUCT CODE: RCH2000A; POWDER; CONTAINER CAPACITY: 250 G; CONTAINER: PLASTIC; MATERIAL: SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR; FUMIC LOC: CONSUMABLE; END DETAIL DESCRIPTION: INF 2011/08/02 CLC 2023/03/01 INF 2023/03/03 PL 2023/03/01 NO 2022/04/05 IN 2022/11/04 NO 2023/03/17						Yes			

587318	BOTTLE SAMPLE 250 ML POLYETHYLENE	100			Approved	C.O.C. 09040902 Q3 NSF NC NEV BOTTLE NSF MERCK PND: 120F 48 TYPE SAMPLE CAPACITY 250 ML MATERIAL: POLYETHYLENE STYLE: WIDE MOUTH, ROUND WITH CROWN CAP, COLOR: NATURAL ***** END DETAIL DESCRIPTION ***** ML 20200702									
584183	SALT POTASSIUM PERMANGANATE 50 G	11			Approved	C.O.C. 01131802 Q4 NSF NC NEV NSF MERCK SALT TYPE: POTASSIUM PERMANGANATE, PACKAGE TYPE: WHITE PLASTIC CONTAINER, PACKAGE WEIGHT: 50 G ***** END DETAIL DESCRIPTION ***** ML 20181023					Yes				
039118	SALT SODIUM NITRITE BOTTLE PLASTIC 500 G	7			Approved	C.O.C. 01131802 Q4 NSF NC NEV NSF MERCK TYPE: SODIUM NITRITE, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** ML 20170918					Yes				
013437	CHEMICAL HYDROGEN PEROXIDE 1 L	1			Approved	C.O.C. 01131802 Q4 NSF NC NEV (MATERIAL SAFETY DATA SHEET (MSDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT. ALL CHEMICALS WITH A SHELF-LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR, CHEMICAL NSF MERCK TYPE: HYDROGEN PEROXIDE FORM: COLORLESS LIQUID, CONTAINER: BOTTLE PLASTIC, CONTAINER CAPACITY: 1 L, FUNCT LOC: CONSUMABLE) ***** END DETAIL DESCRIPTION ***** INF					Yes				
244174	CUTTING FLUID DRUM 20 L	2000			Approved	250-317-084, 00090902, Q3 NSF NC NEV (MATERIAL DATA SHEET (MSDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT. ALL CHEMICALS WITH A SHELF-LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR, CHEMICAL NSF MERCK TYPE: SYNTHETIC CUTTING AND GRINDING FLUID, DRUM 20 L, FUNCT LOC: CONSUMABLE) ***** END DETAIL DESCRIPTION ***** INF 20200902, ML 20200910, ML 20210514, ML 20220906					Yes				
674268	COMPOUND HEAT TRANSFER TUBE 20 ML	10			Approved	250-317-084, 00090902, Q3 NSF NC NSA, COMPOUND NSF, IS COMPOUNDED PND 217320, TYPE: HEAT TRANSFER, CONTAINER: TUBE 20 ML, PHYSICAL FORM: SILICON THERMAL GREASE, FUNCT LOC: 12 INF 001, 006, 007 ML ***** END DETAIL DESCRIPTION ***** ML 20200520					Yes				
123121	CARTRIDGE IODINE 122127	650			Approved	C.O.C. 09040902 Q3 NSF NC S, IODINE CARTRIDGE, NSF (MOP), PND 122127, MSD N010228, NMAN 872, FUNCT LOC: 12 INF 006, ***** END DETAIL DESCRIPTION ***** INF 20091007, CLC 20130403, INF 20150309					Yes				