






DO NOT SCALE - IF IN DOUBT, ASK


NOTES

1. ALL STEELWORK TO BE STAINLESS STEEL GRADE 316
2. ALL WELDS TO BE 5mm FILLET WELDS TO BS EN 1090:2008 CHAPTER 7 OR AWS D11.1/D11M:2015
3. PROPRIETARY ROLLERS ARE TO ACCOMMODATE Ø50mm CABLES AND ALL METAL COMPONENTS SHALL BE STAINLESS STEEL GRADE 316
4. ALL ANCHORS TO BE EXPANDING STAINLESS STEEL GRADE 316L Ø16mm MASONRY ANCHORS



### QUANTITIES PER ROLLER SETUP

WET SERVICES TUNNEL SETUP #1			
ITEMS	NUMBER	MASS (kg)	TOTAL MASS (kg)
1. 6mm CURVED PLATE	2	12.56	25.12
2. FLAT BAR 50x6, 100 LONG	10	0.24	2.40
3. ANGLE SECTIONS 100X75X6, 150 LONG (2x18mm holes)	8	1.21	9.68
4. STAINLESS STEEL Ø16mm MASONARY ANCHORS	16	-	-
5. PROPRIETARY ROLLERS	22	-	-
ELECTRICAL SERVICES TUNNEL SETUP #2			
1. 6mm CURVED PLATE	2	12.56	25.12
2. FLAT BAR 50x6, 100 LONG	7	0.24	1.68
3. ANGLE SECTIONS 100X75X6, 150 LONG (2x18mm holes)	4	1.21	4.84
4. STAINLESS STEEL Ø16mm MASONARY ANCHORS	8	-	-
5. PROPRIETARY ROLLERS	16	-	-

[illegible]