



ADDENDUM D: PRICING SCHEDULE

1. The quantities reflected in this pricing schedule are estimated quantities provided for bid evaluation purposes only.
2. Bidders must verify all dimensions, quantities, locations, installation conditions, and associated requirements during the compulsory site inspection and detailed site audit.
3. Final quantities may vary and will be confirmed through approved shop drawings and the final bill of quantities.
4. Price must be quoted in South African currency and must be inclusive of Value Added Tax (VAT) and delivery costs.

PART A: PROFESSIONAL SERVICES

Item description	Unit of measure	Quantity	Unit Price	Total
1) Approved inception report	Lump Sum	1		
2) Completed site audit report and verifications	Lump Sum	1		
3) Approved drawings and technical documentation	Lump Sum	1		
4) Approved mock-ups and samples	Lump Sum	1		
5) Fabrication and installation of all signage per the approved programme	Lump Sum	1		
6) CMS configuration and integration into existing systems (Exterity IPTV and digital signage, and Crestronfor Committee Room booking system)	Lump Sum	1		
7) Digital signage commissioning and testing	Lump Sum	1		
8) User training and knowledge transfer	Per person	10		
9) Any other licences, administrative credentials and system documentation	Lump Sum	1		

PART B: INTERNAL SIGNAGE:

Standard non-illuminated signage

- a) Wall sign featuring a wood-trimmed room plaque panel highlighting the boardroom/office text and crest, featuring a modular sliding or magnetic channel, mounted.



Item description	Unit of measure	Estimated quantity	Unit Price	Total
1) Floor identification signs	Each	5		
2) Directory signs (lift lobbies)	Each	10		
3) Access control point signs	Each	10		
4) Office identification signs	Each	80		
5) Committee room signs	Each	16		
6) Accessible facility signs	Each	15		
7) Internal directional signs	Each	30		

PART C: BRANDING ELEMENTS

Wall Graphics and Frosting

- a) Printed vinyl.
- b) Acrylic (PMMA) e.g. PLEXIGLAS® GS or XT.
- c) 3D letters Brushed Metal e.g., aluminium, stainless steel, or brass.

Item description	Unit of measure	Estimated quantity	Unit Price	Total
1) Reception desk and wall branding	Each	5		
2) Mandate wall displays	Each	5		
3) Emblem and frosting to lift lobby doors	Each	10		
4) Parliament emblem graphics (additional locations)	Each	5		



PART D: DIGITAL SIGNAGE

Category 1: Indoor Information displays outside committee rooms

Minimum specifications:

- a) Commercial grade.
- b) 55" UHD / 4K native resolution screen.
- c) 24/7 operation.
- d) CMS compatible.
- e) Wall mounted.

Item description	Unit measure of	Estimated quantity	Unit Price	Total
Digital Information Display	Each	10		

Category 2: Interactive Directory Displays

Minimum Specifications:

- a) 55" Touchscreen
- b) Commercial Grade
- c) CMS Integrated

Item description	Unit measure of	Estimated quantity	Unit Price	Total
Interactive Wayfinding Kiosk	Each	4		

Category 3: LED Walls

i. NCOP Queen's Hall LED Wall:

Minimum Specifications:

- a) Indoor LED Wall - Size 6m × 2m to create an impact and display messages and content which are easily visible.
- b) Pixel Pitch ≤ P1.8 full HD.
- c) The Screen will be mounted from the ceiling, using a steel frame and cladding to create a professional finish.
- d) Integrated Controller.
- e) Content management integration.



ii. 90 Plein Upper ground floor – indoor LED screen:

Minimum specifications:

- a) Screen size (3.2m wide x 1.28m High) to create an impact and display messages and content which are easily visible.
- b) The Screen will be mounted directly on the wall, using a steel frame and cladding to create a professional finish.
- c) The pixel pitch (p1.8) will display a full HD resolution for a crisp and colourful display.
- d) An Engineering sign off and certificate, Health & Safety File and electrical COC are required.
- e) Wireless connectivity to the network or ethernet (subject to location of the screen).

iii. Good hope chamber:

- a) 115-inch 4K native resolution screen.
- b) Wi-Fi enabled.
- c) Slimline Wall mount.
- d) Wireless connectivity to the network.

Mobile LED upright digital banner:

- a) Mobile P1.86 LED Upright Digital Banner - 640mm(w) x 1920(h)

Item	Unit of measure	Estimated quantity	Unit Price	Total
1) LED Display Walls	Complete System	2		
2) 115-inch 4K native resolution screen	Complete System	1		
3) Mobile LED Upright Digital Banner	Complete System	4		

Category 4: Outdoor displays

Minimum specifications:

Lilly street - outdoor digital billboard displays

- a) Outdoor Digital Billboard Displays are fairly generic and common place in many public establishments.
- b) Billboard sign (4m wide x 2,5 m High) to create an impact and display messages and content which are easily visible from the walk-ways.
- c) The Screen will be installed on a Monopole Structure with a 3m Ground Clearance.
- d) Engineering sign off and certificate, Health & Safety File and electrical COC are required.
- e) Wireless connectivity to the network.



Item description	Unit of measure	Estimated quantity	Unit Price	Total
Presentation Display	Each	1		

Category 5: Digital Signage Software and Licensing

Minimum Specifications:

- a) Commercial Content Management System (CMS).
- b) Multi-screen scheduling.
- c) User access management.
- d) Compatible with Parliament ICT infrastructure including Centralised content management (Exterity IPTV and Digital Signage, and then Crestron as a Committee Room Booking System).
- e) Licence ownership transferable to Parliament.

Item description	Unit of measure	Estimated quantity	Unit Price	Total
1) CMS licences	Complete System	1		
2) CMS setup, configuration and integration	Complete System	1		

PART E: FEATURE INSTALLATIONS

Queen's Hall Feature Wall

- a) Queens hall feature wall: Steel studs + 18mm fire-retardant MDF (or similar), 50mm mineral wool insulation padding inside the frame.
- b) Matte white polyurethane paint (or anti-glare architectural laminate).
- c) Lighting: Aluminum channels + broadcast-grade LEDs + frosted polycarbonate diffusers. Branding: 3D resin emblem (gold-leaf finish) + solid brass lettering.
- d) Integrated Parliament branding
- e) Concealed cabling
- f) Complete installation

Item description	Unit of measure	Estimated quantity	Unit Price	Total
Queen's Hall Feature Wall including Parliament Emblem	Complete Installation	1		



PART F: EXTERNAL SIGNAGE

1. Building Identification

- a) Illuminated fabricated lettering.
- b) Solid anodized aluminum architecture to prevent rust and corrosion from coastal air.
- c) Satin-brushed brass or polished gold titanium-ion plating to match the historic parliamentary aesthetic.
- d) 3-Dimensional block lettering with a minimum height of 300mm and a return depth of 30mm–50mm to create a distinct 3D drop-shadow effect.
- e) Halo-lit (reverse channel) warm-white LED modules (e.g.3000K colour temperature) creating a soft glow against the stone wall at night.
- f) Weather-resistant.
- g) Complete electrical installation.

Item description	Unit of measure	Estimated quantity	Unit Price	Total
1) 90 Plein Street Building Identification	Per Location	2		
2) 100 Plein Street Building Identification	Per Location	2		
3) 120 Plein Street Building Identification	Per Location	2		
4) NCOP External Building Identification	Per Location	3		
5) Good Hope External Building Identification	Per Location	2		
6) Illuminated Entrance and Identification Elements	Per Location	6		

2. Wayfinding and Directional Signage

Item	Unit of measure	Estimated quantity	Unit Price	Total
1) External Directional Signs	Each	12		
2) Pedestrian Wayfinding Signs	Each	12		
3) Precinct Identification Signs	Each	12		
4) Boundary / Perimeter Signage	Each	8		



3. Pylons

Minimum specifications:

- a) Fabricated aluminium structure.
- b) Internal LED illumination.
- c) Directional pylon signage totem (approx. 3500 mm x 1100 mm) with brushed metallic bodies and white panels with text indicating directional.
- d) Illumination Type: Internal LED backlit panels.
- e) Engineering certification included.

Item description	Unit of measure	Estimated quantity	Unit Price	Total
1) Visitor orientation pylon	Each	1		
2) Good Hope identification pylon	Each	1		
3) Directional Pylons	Each	6		
4) Structural engineering certification	Lump sum	1		
5) Electrical compliance and COC	Lump sum	1		

PART G: MAINTENANCE AND SUPPORT:

Five-year maintenance and support pricing

Minimum requirements:

- a) The annual maintenance and support pricing shall include all preventative maintenance, helpdesk support, CMS support, digital signage monitoring, hardware inspections, reporting and related support services.

Item	Unit of measure	Quantity	Annual Price
1) Maintenance and support	Per Year	1	
2) Maintenance and support	Per Year	1	
3) Maintenance and support	Per Year	1	
4) Maintenance and support	Per Year	1	
5) Maintenance and support	Per Year	1	