

## TECHNICAL SCHEDULES A AND B

## Item 7:File, Hand, Flat, Second Cut, 350 mm SAP 12639

**Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		File, Hand, Flat, Second Cut, 350mm mm	350	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7:File, Hand, Flat, Second Cut, 350 mm SAP 12639

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: Tools: File Metal, Half Round, Second Cut, 200 mm SAP 12641

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2	3.15	File metal, Half RD, Second Cut, 200 mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: File metal, Half Round, Second Cut, 200mm SAP 12641

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 9:File Metal, Round, Second Cut, 200 mm SAP 12647

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2	3.15	File Metal, RD, Second Cut, 200mm mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 9:File Metal, Round, Second Cut, 200mm SAP 12647****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 10: File Metal, Round, Bastard, 300 mm SAP 12648

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2	3.15	File Metal, RD, Second Cut, 300 mm mm	300	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 10: Tools: File Metal, Round, Bastard, 300 mm SAP 12648

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 11: Tools: File Hand, Square, Second Cut, 150 mm SAP 12651

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2	3.15	File Hand, SQ, Second Cut, 150mm mm	150	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 11: Tools: File Hand, Square, Second Cut, 150 mm SAP 12651****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_Full name of company: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 12: Tools: File, Hand, Flat, Smooth, 250 mm SAP 12657

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		File, Hand, Flat, Smooth, 250mm mm	250	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 12: Tools: File, Hand, Flat, Smooth, 250 mm SAP 12657

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 13: Tools: File, Hand, Flat, Smooth, 300 mm SAP 12658

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		File, Hand, Flat, Smooth, 300 mm mm	300	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 13: Tools: File, Hand, Flat, Smooth, 300 mm SAP 12658

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 14: Handle, File: Medium 125 mm, Plastic SAP 12687

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A		Schedule B
1	3.1.5	Name of manufacturer	Required		
2		Handle, File: Medium 125 mm, Plastic mm	125		
3	3.15	Model identification reference	Required		
4	3.1.4	Bear SABS mark	Yes/No	Yes	
5	4.1	Type test according to SANS 60900	Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes	
7	5	Documentation- Catalogues	Yes/No	Yes	
8	6	Training provided	Yes/No	Yes	

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 14: Handle, File: Medium 125 mm, Plastic SAP 12687

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 15: Sand Paper P60, 230 x 280, Medium SAP 10289

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Sand Paper P60, 230 x 280, Medium mm	230 x 280	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 15: Sand Paper P60, 230 x 280, Medium SAP 10289

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 16: Sand Paper P80, 230 x 280, Medium SAP 11704

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Sand Paper P80, 230 x 280, Medium mm	230 x 280	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 16: Sand Paper P80, 230 x 280, Medium SAP 11704

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 17: Glass paper: P40, 230 x 280, Coarse SAP 11736

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Glass paper: P40,230x280	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS	Yes/No	Yes
6	5	Documentation- Catalogues	Yes/No	Yes
7	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 17: Glass paper: P40, 230 x 280, Coarse SAP 11736****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 18:Strapping 16 x 0.7 mm, SS, Heavy Duty SAP 10857****Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Description</b>	<b>Schedule A</b>	<b>Schedule B</b>
<b>1</b>	3.1.5	Name of manufacturer	Required	
<b>2</b>		Strapping 16 x 0.7 mm, SS, Heavy mm Duty	16 x 0.7 mm	
<b>3</b>	3.15	Model identification reference	Required	
<b>4</b>	3.1.4	Bear SABS mark	Yes/No	Yes
<b>5</b>	4.1	Type test according to SANS 60900	Yes/No	Yes
<b>6</b>	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
<b>7</b>	5	Documentation- Catalogues	Yes/No	Yes
<b>8</b>	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 18: Strapping 16 x 0.7 mm, SS, Heavy Duty SAP 10857

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 19:Strapping Tool, Band-IT C00169 SAP 12759

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Strapping Tool, Band-IT C00169 mm	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 19: Strapping Tool, Band-IT C00169 SAP 12759

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Hammer, Ball Pin, 200g SAP 12670

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Hammer: Ball Pin, 200g	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Hammer, Ball Pin, 200g SAP 12670

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 2:Hammer: Club, 1.8kg SAP 12672

**Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Hammer: Club, 1.8kg kg	1.8	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 2:Hammer, Club, 1.8kg SAP 12672

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Hammer, Ball Pin, 500 g SAP 12673

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Hammer: Ball Pin, 500 g	500	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 3: Tools: Hammer: Ball Pin, 500 g SAP 12673****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Hammer: Ball Pin, 700 g SAP 12674

**Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Hammer: Ball Pin, 700 g	700	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Item 4: Hammer: Ball Pin, 700 g SAP12674**  
**Deviation schedule**

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5: Hammer, Ball Pin, 900g SAP 12675

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Hammer: Ball pin, 900g	g	900
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5: Hammer: Ball Pin, 900 g SAP 12675

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Hammer: Claw, 700g SAP 12703

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Hammer: Claw, 700g	700	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 6: Hammer: Claw, 700g SAP 12703****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Tape Measure, 5 mm, Steel SAP 12745

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Tape Measure, 5 mm, Steel mm	5	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Tape Measure, 5 mm, Steel SAP 12745

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: Spirit Level-1.2 m length SAP 12694

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spirit Level 1.2 mm length	Mm	1.2
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 9: Spirit Level-1.2 m length SAP 12694

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 9: Laser distance measure 100m SAP 4903

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Laser distance measure 100m	m	100
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 9: Laser distance measure 100m SAP 4903****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Handle Pick: American Wood SAP 12686

**Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Handle Pick: American wood	Yes	Yes
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Handle Pick: American Wood SAP 12686

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 2: Pick Head:3 kg, Chisel and Point SAP 12705

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Pick Head: 3kg, Chisel and Point kg	3	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 2: Pick Head: 3kg, Chisel and Point SAP 12705

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Rake Garden 16 Tooth SAP 12715

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Rake Garden 16 Tooth	Yes	Yes
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Tools: Rake Garden 16 Tooth SAP 12715

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Fork Garden 5 Prong SAP 12744

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Fork Garden 5 Prong		
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Tools: Fork Garden 5 Prong SAP 12744

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5: Stamper for Compacting excavations SAP 4905

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Stamper for compacting excavation		
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5: Stamper for Compacting excavations SAP 4905

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Rake Garden 16 Tooth SAP 12715

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Rake Garden 16 Tooth	Yes	Yes
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Rake Garden 16 Tooth SAP12715

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Tools: Shovel, Round Nose SAP 12735

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Shovel, Round Nose	Yes/No	Yes
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Shovel, Round Nose SAP 12735

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: Tools: Spade, Garden, Size 2 SAP 12736

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spade, Garden, Size 2	Yes/No	Yes
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: Tools: Spade, Garden, Size 2 SAP 12736

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## Technical schedules A and B

## Item 1: Side Cutter, 150 mm, Insulated SAP 12706

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Side Cutter, 150 mm, Insulated mm	150	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Side Cutter, 150 mm, Insulated SAP 12706

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 2: Pliers, Gas, 200 mm SAP 12708****Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Pliers, Gas, 200 mm	mm	200
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Pliers Combination, 200 mm, Insulated SAP 12710

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Pliers long Nose, 200 mm, insulated SAP 12711

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Pliers long Nose, 200 mm, insulated mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Pliers long Nose, 200 mm, insulated SAP 12711

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5: Pliers Water pump, 300 mm, insulated SAP 12712

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Pliers Water pump, 300 mm, insulated mm	300	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5: Pliers Water pump, 300 mm, insulated SAP 12712

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Pliers Water pump, 250 mm, insulated SAP 12713

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Pliers Water pump, 250 mm, insulated mm	250	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Pliers Water pump, 250 mm, insulated SAP 12713

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Side Cutter 200 mm, Insulated SAP 12714

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Side Cutter 200 mm, Insulated mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 7: Side Cutter 200 mm, Insulated SAP 12714****Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Description</b>	<b>Schedule A</b>	<b>Schedule B</b>
1	3.1.5	Name of manufacturer	Required	
2		Side Cutter 200 mm, Insulated mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

**NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.**

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 7: Side Cutter 200 mm, Insulated SAP 12714****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: Tools: Tin Snip, Universal, 200 mm SAP 12732

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Tin Snip, Universal, 200 mm	mm	200
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 8: Tools: Tin Snip, Universal, 200 mm SAP 12732****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 9: Tools: Stripper, 200 mm, wire SAP 12779

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Stripper , 200 mm, wire mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 9: Tools: Stripper, 200 mm, wire SAP 12779****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 10: Vice Grip SAP 4081

**Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Vice Grip	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 10: Vice Grip, wire SAP 4081

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 11: Come Along 4 Ton Dual Gear Power Puller SAP 4198

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Come along 4 Ton Dual Gear Power Puller	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 11: Come Along 4 Ton Dual Gear Power Puller SAP 4198

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 12: Draw Vice Wire SAP 4197

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Draw Vice Grip Wire	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 12: Draw Vice wire SAP 4197

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 13: Crimping Insulated Hand Tool 1- 16mm Square Cable, SAP 4199

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Crimping Insulated Hand Tool 1- 16mm square Cable	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 13: Crimping Insulated Hand Tool 16mm Square Cable,SAP 4199****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Screw driver, 10 x 200 mm, Plastic, Insulated SAP 12721

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 10 x 200 mm, Plastic, mm Insulated	10 x 200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Screw driver, 10 x 200 mm, Plastic, Insulated SAP 12721

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 2: Screw driver, 3.5 x 100 mm, Plastic, Insulated SAP 12723

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 3.5 x 100 mm, Plastic, mm Insulated	3.5 x 100	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 2:Screw driver, 3.5 x 100 mm, Plastic, Insulated SAP 12723****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Screw driver, 150 mm x 6 mm, Insulated, flat tip SAP 12724

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 150 x 6 mm, Insulated, mm, Flat TIP	150 x 6	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Item 3: Screw driver, 150 mm x 6 mm, Insulated, Flat tip SAP 12724****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Screw driver, 4 x 200 mm, Plastic, Insulated SAP 12725

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 4 x 200 mm, Plastic, mm Insulated	4 x 200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Screw driver, 4 x 200 mm, Plastic, Insulated SAP 12725

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5:Screw driver, 250 x 6 mm, Plastic, Insulated SAP 12726

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 250 x 6mm, Plastic, mm Insulated	250 x 6	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 5:Screw driver, 250 x 6 mm, Plastic, Insulated SAP 12726

## Deviation schedule

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Screw driver, Star No. 2 100 mm, Plastic, Insulated CAP 12727

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, Star No. 2 100 mm, mm Plastic, Insulated	100	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 6: Screw driver, Star No. 2 100 mm, Plastic, Insulated SAP 12727

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, Star No. 2 100 mm, mm Plastic, Insulated	100	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 6 Screw driver, Star No. 2 100 mm, Plastic, Insulated SAP 12727****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Screw driver, Star No. 3,150 mm, Plastic, Insulated SAP 12728

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, Star No. 3 150 mm, mm Plastic, Insulated	150	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 7: Screw driver, Star No. 3,150 mm, Plastic, Insulated SAP 12728

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 8: Screw driver, Star No. 4, 200 mm, Plastic, Insulated SAP 12729

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, Star No. 4 200 mm, mm Plastic, Insulated	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 8: Screw driver, Star No. 4, 200 mm, Plastic, Insulated SAP 12729****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 9: Screw driver, 6 x 100 mm, Plastic, Insulated SAP 12749

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 6 x 100 mm, Plastic, mm Insulated	6 x 100	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Item 9: Screw driver, 6 x 100 mm, Plastic, Insulated SAP 12749****Deviation schedule**

<b>Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.</b>		
Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 10: Screw driver, 3.5 x 75 mm, Plastic, Insulated SAP 12757

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 3.5 x 75 mm, Plastic, mm Insulated	3.5 x 75	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 10: Screw driver, 3.5 x 75 mm, Plastic, Insulated SAP 12757

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 11:Screw driver, 6 x 40 mm, Plastic, Dumpy SAP 12758

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, 6 x 40 mm, Plastic, mm Dumpy	6 x 40	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 11: Screw driver, 6 x 40 mm, Plastic, Dumpy SAP 12758

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 12: Screw driver, No. 1.80 mm, plastic SAP 12777

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Screw driver, No. 1.80 mm, plastic mm	1.80	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 12: Screw driver, No. 1.80 mm, plastic SAP 12777****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 13: Allen key set-socket type SAP 4082

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Allen key set-socket type mm	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 13: Allen key set-socket type SAP 4082****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Schedule A: Item 14: Allen key 2 mm to 10 mm Screw SAP 4083

## Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Allen key 2 mm to 10 mm mm	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 14: Allen key 2 mm to 10 mm Screw SAP 4083

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 15: Spanner Shifting, 150 mm, No. 62 SAP 12737

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Shifting, 150 mm, No. 62 mm	150	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 15: Tools: Spanner Shifting, 150 mm, No. 62 SAP 12737****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 16: Spanner Shifting, 200 mm, No. 62 SAP 12738

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Shifting, 200 mm, No. 62 mm	200	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 16: Spanner Shifting, 200 mm, SAP 12738

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 17: Spanner Shifting, 250 mm, No. 62 SAP 12739

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Shifting, 250 mm, No. 62 mm	250	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 17: Spanner Shifting, 250 mm, No. 62 SAP 12739****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 18: Spanner Shifting, 300 mm, No. 62 SAP 12740

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Shifting, 300 mm, No. 62 mm	300	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 18: Spanner Shifting, 300 mm, No. 62 SAP 12740

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 19: Tools: Spanner Shifting, 375 mm, SAP 12741

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Shifting, 375 mm, No. 62 mm	375	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 19: Tools: Spanner Shifting, 375 mm, SAP 12741****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 20: Tools: Spanner Shifting, 450 mm, SAP 12742

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Shifting, 450 mm, No. 62 mm	450	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 20: Tools: Spanner Shifting, 450 mm, No. 62 SAP 12742

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Schedule A: Item 21: Socket 8 mm to 24 mm sockets SAP 4084****Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Socket 8 mm to 24 mm sockets mm	8-24	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 21: Socket 8 mm to 24 mm sockets SAP 4084

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 22: Socket set- ratchet short extension SAP 4085

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Socket set- ratchet short extension mm	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 22: Socket set- ratchet short extension SAP 4085

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 23: Tool Box, Metal, No. 126 SAP12750

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Tool Box, Metal, mm	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Item 23: Tool Box, Metal, No. 126 SAP 12750**  
**Deviation schedule**

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 24: Tool box insulated for live work SAP 4906

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Tool box insulated for live work, mm	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Item 24: Tool Box, Insulated for live work, SAP 4906**  
**Deviation schedule**

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

**Item 25: Tools: Wrench Pipe, 250 mm, Steel SAP 12751****Schedule A: Purchaser's specific requirements****Schedule B: Guarantees and technical particulars of equipment offered\***

**SPECIFICATION FOR HAND TOOLS****REFERENCE****REV****CP\_TSSPEC\_223****4****PAGE****228****OF 252**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Description</b>	<b>Schedule A</b>	<b>Schedule B</b>
1	3.1.5	Name of manufacturer	Required	
2		Wrench Pipe, 250 mm, Steel mm	250	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

**NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.**

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 25: Wrench Pipe, 250 mm, Steel SAP 12751****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 26: Wrench Pipe, 350 mm, Steel SAP 12752

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Wrench Pipe, 350 mm, Steel mm	350	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark Yes/No	Yes	
5	4.1	Type test according to SANS 60900 Yes/No	Yes	
6	4.1	Rockwell Hardest test : SANS 6508-1 Yes/No	Yes	
7	5	Documentation- Catalogues Yes/No	Yes	
8	6	Training provided Yes/No	Yes	

NOTE: TICKS [✓], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 26: Wrench Pipe, 350 mm, Steel SAP 12752

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 27: Torque Wrench (15 N.m to 55 N.m) SAP 4195

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Torque wrench(15 N.m to 55 N.m) N.m	15 to 55	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 27: Torque Wrench (15 N.m to 55 N.m) SAP 4195

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B**  
**Item 28: Combination Flat Spanner SAP 4200**

**Schedule A: Purchaser's specific requirements**

**Schedule B: Guarantees and technical particulars of equipment offered\***

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Combination Flat Spanner	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 28: Combination Flat Spanner SAP 4200****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 29: Tools: Spanners Insulated Full Set SAP 4907

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Spanner Insulated Full Set		
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 29: Tools: Spanners Insulated Full Set SAP 4907

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Schedule A: Item 30: Socket Set Insulated SAP 4908

Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Socket Set Insulated		
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 30: Socket Set Insulated SAP 4908**  
**Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Schedule A: Item 31: Tool bag SAP 4909

## Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Tool Bag		
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	5	Documentation- Catalogues	Yes/No	Yes

NOTE: TICKS [✓ X], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
 Name in block letters \_\_\_\_\_  
 Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 31: Tool Bag SAP 4909****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Ladder 3.9 pole type non extendable SAP 4086

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Ladder 3.9 pole type non extendable m	Required	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 1: Ladder 3.9 pole type non extendable SAP 4086

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_  
Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 2: Ladder 9.05 pole type extendable SAP 4087

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Ladder 9.05 pole type extendable	m	Required
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ ✗], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 2: Ladder 9.05 pole type extendable SAP 4087****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Step ladder 1.8 m fiberglass SAP 4088

## Schedule A: Purchaser's specific requirements

## Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		STEP LADDER 1.8 m fiberglass m	1.8	
3	3.15	Model identification reference	Required	
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 3: Step ladder 1.8 m fiberglass SAP 4088

## Deviation schedule

Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.

Item	Sub-clause of CP_TSSPEC_223	Proposed deviation

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## TECHNICAL SCHEDULES A AND B

## Item 4: Step ladder 2.4 m fiberglass SAP 4089

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered\*

Item	Sub-clause of CP_TSSPEC_223	Description	Schedule A	Schedule B
1	3.1.5	Name of manufacturer	Required	
2		Step ladder 2.4 m fiberglass	m 2.4	
3	3.15	Model identification reference		Required
4	3.1.4	Bear SABS mark	Yes/No	Yes
5	4.1	Type test according to SANS 60900	Yes/No	Yes
6	4.1	Rockwell Hardest test : SANS 6508-1	Yes/No	Yes
7	5	Documentation- Catalogues	Yes/No	Yes
8	6	Training provided	Yes/No	Yes

NOTE: TICKS [✓ x], ASTERISK [\*], WORD [NOTED], OR TBA [TO BE ADVISED] SHALL NOT BE ACCEPTED.

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_  
Name in block letters \_\_\_\_\_ Signature \_\_\_\_\_

Full name of company: \_\_\_\_\_

**TECHNICAL SCHEDULES A AND B****Item 4: Step ladder 2.4 mm fiberglass SAP 4089****Deviation schedule**

**Any deviations offered to this specification shall be listed below with reasons for deviation. In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by City Power.**

<b>Item</b>	<b>Sub-clause of CP_TSSPEC_223</b>	<b>Proposed deviation</b>

Tender Number: \_\_\_\_\_

Tenderer's Authorised Signatory: \_\_\_\_\_

Name in block letters

Signature

Full name of company: \_\_\_\_\_

## ANNEXURE D – STOCK ITEMS

## Material Group: Tools

Item No	Sap No	Long Description	Specification No.
1	12690	Knife: Hacking PVC,112mm,Steel	CP_TSSPEC_223
2	12691	Knife Putty:38mm,Steel	CP_TSSPEC_223
3	12692	Knife:Shoemaker,12mm	CP_TSSPEC_223
4	12693	Stanley Knife: No 199/ 2-10-199,Steel	CP_TSSPEC_223
5	11843	Blade:Stanley,60mm,20mm	CP_TSSPEC_223
6	2901	Knife: Cable preparation, Insulated 1000V	CP_TSSPEC_223
7	12691	Putty knife	CP_TSSPEC_223
8	10553	Bolt cutter	CP_TSSPEC_223
9	12583	Knife:Cable,112mm	CP_TSSPEC_223
10	2823	Scoring tool for XLPE cable,	CP_TSSPEC_223
11	12717	Frame:Hacksaw,300mm,Steel	CP_TSSPEC_223
12	10269	Blade,Hand Hacksaw:18TPI,Silicon Steel	CP_TSSPEC_223
13	10270	Blade,Hand Hacksaw:24TPI,Silicon Steel	CP_TSSPEC_223
14	10271	Blade,Hand Hacksaw:32TPI,Shatterproof	CP_TSSPEC_223
15	10272	Blade,Hacksaw:32TPI,Steel,150mm,Junior	CP_TSSPEC_223
16	10545	Blade Hacksaw: 2.5 per inch, Power	CP_TSSPEC_223
17	12584	Cutter,Cable,Hand Operated:CC22,Small	CP_TSSPEC_223
18	12587	Arbor,Hole Saw:20mm	CP_TSSPEC_223
19	12588	Arbor,Hole Saw:25mm	CP_TSSPEC_223
1	12595	AVS_Drill Steel H Speed 3.2 mm	CP_TSSPEC_223
2	12596	4.8 mm, Steel,High Speed	CP_TSSPEC_223
3	12599	Drill:6 mm,Concrete	CP_TSSPEC_223
4	12600	AVS_Disc Cuttin Masonry 230 mm	CP_TSSPEC_223
5	12601	Disk,Cutting:230 mm,Steel	CP_TSSPEC_223
6	12604	Drill:5mm,Steel,High Speed	CP_TSSPEC_223
7	12605	Drill 6mm H Speed Steel	CP_TSSPEC_223
8	12606	Drill 6.8mm H Speed Steel	CP_TSSPEC_223
9	12607	Drill 9.5mm H Speed Steel	CP_TSSPEC_223
10	12609	Disk,Cutting:115mm,2.5mm,22mm	CP_TSSPEC_223
11	12612	Drill:2.4mm,Steel,High Speed	CP_TSSPEC_223
12	12613	Drill:4mm,Steel,High Speed	CP_TSSPEC_223
13	12678	Drill:16mm,Concrete	CP_TSSPEC_223
14	12699	Drill:9.5mm,Masonry	CP_TSSPEC_223
15	12748	Avs_drill steel h speed 5.5MM	CP_TSSPEC_223
16	12755	Drill:12mm,Steel,High Speed	CP_TSSPEC_223
17	4901	Drill 12/18 Volt Cordless Machine	CP_TSSPEC_223
18	4902	Grinder 12/18 volt cordless	Cp_TSSPEC_223
1	12621	File Metal:Half RD,Bastard,150mm	CP_TSSPEC_223
2	12627	File Metal:RD,Bastard,100mm	CP_TSSPEC_223

3	12632	File,Hand:Square,Bastard,200mm	CP_TSSPEC_223
4	12635	File,Hand:Flat,Second Cut,150mm	CP_TSSPEC_223
5	12636	File,Hand:Flat,Second Cut,200mm	CP_TSSPEC_223
6	12637	File,Hand:Flat,Second Cut,250mm	CP_TSSPEC_223
7	12639	File,Hand:Flat,Second Cut,350mm	CP_TSSPEC_223
8	12641	File Metal:Half RD,Second Cut,200mm	CP_TSSPEC_223
9	12647	File Metal:RD,Second Cut,200mm	CP_TSSPEC_223
10	12648	File Metal:RD,Bastard,300mm	CP_TSSPEC_223
11	12651	File,Hand:SQ,Second Cut,150mm	CP_TSSPEC_223
12	12657	File,Hand:Flat,Smooth,250mm	CP_TSSPEC_223
13	12658	File,Hand:Flat,Smooth,300mm	CP_TSSPEC_223
14	12687	File Handle:Medium,125mm,Plastic	CP_TSSPEC_223
15	10289	SandPaper:P60,230x280,Medium	CP_TSSPEC_223
16	11704	Sand Paper:P80,230x280,Medium	CP_TSSPEC_223
17	11736	Glass paper: P40,230x280,coarse	CP_TSSPEC_223
18	10857	Strapping:16 X 0.7mm,S/S,Heavy Duty	CP_TSSPEC_223
19	12759	Strapping Tool:BAND-IT C00169	CP_TSSPEC_223
1	12670	Hammer:Ball Pin,200g	CP_TSSPEC_223
2	12672	Hammer:Club,1.8kg	CP_TSSPEC_223
3	12673	Hammer:Ball Pin,500g	CP_TSSPEC_223
4	12674	Hammer:Ball Pin,700g	CP_TSSPEC_223
5	12675	Hammer: Ball Pin,900g	CP_TSSPEC_223
6	12703	Hammer:Claw,700g	CP_TSSPEC_223
7	12745	Tape Measure: 5m,Steel	CP_TSSPEC_223
8	12694	Spirit level-1.2 m length	CP_TSSPEC_223
9	4903	Laser distance measure 100m	CP_TSSPEC_223
1	12686	Handle, Pick: American, Wood	CP_TSSPEC_223
2	12705	Pick Head:3kg,Chisel and Point	CP_TSSPEC_223
3	12715	Rake garden 16 tooth	CP_TSSPEC_223
4	12744	Fork garden 5 prong	CP_TSSPEC_223
5	4905	Stamper for compacting excavations	CP_TSSPEC_223
6	12715	Rake garden 16 tooth	CP_TSSPEC_223
7	12735	Shovel: Round Nose	CP_TSSPEC_223
8	12736	Spade: Garden, Size 2	CP_TSSPEC_223
1	12706	Side Cutter:150mm,Insulated 1000V	CP_TSSPEC_223
2	12708	Pliers: Gas,200mm	CP_TSSPEC_223
3	12710	Pliers: Combination:200mm,Insulated 1000V	CP_TSSPEC_223
4	12711	Pliers: Long Nose,200mm,Insulated 1000V	CP_TSSPEC_223
5	12712	Pliers:Waterpump,300mm,Insulated 1000V	CP_TSSPEC_223
6	12713	Pliers:Waterpump,250mm,Insulated 1000V	CP_TSSPEC_223
7	12714	Side Cutter:200mm,Insulated 1000V	CP_TSSPEC_223
8	12732	Tin Snip:Universal,200mm	CP_TSSPEC_223

## SPECIFICATION FOR HAND TOOLS

REFERENCE

REV

CP\_TSSPEC\_223

4

PAGE

252

OF 252

9	12779	Stripper:200mm,Wire	CP_TSSPEC_223
10	4081	Vice grip	CP_TSSPEC_223
11	4197	Draw Vice	CP_TSSPEC_223
12	4198	Come along 4 Ton dual gear power puller	CP_TSSPEC_223
13	4199	Crimping insulated hand tool 16mm square cable	CP_TSSPEC_223
1	12721	Screwdriver:10X200mm,Plastic,Insulated 1000V	CP_TSSPEC_223
2	12723	Screwdriver:3.5X100mm,Plastic,Insulated 1000V	CP_TSSPEC_223
3	12724	Screwdriver:150mm,6mm,Insulated,Flat Tip 1000V	CP_TSSPEC_223
4	12725	Screwdriver:4X200mm,Plastic,Insulated 1000V	CP_TSSPEC_223
5	12726	Screwdriver:250mm,6mm,Plastic,Insulated 1000V	CP_TSSPEC_223
6	12727	Screwdriver Star: No 2,100mm,Plastic insulated 1000V	CP_TSSPEC_223
7	12728	Screwdriver Star: No 3,150mm,Plastic insulated 1000V	CP_TSSPEC_223
8	12729	Screwdriver: No 4,200mm,Plastic insulated 1000V	CP_TSSPEC_223
9	12749	Screwdriver:6X100mm,Plastic,Insulated 1000V	CP_TSSPEC_223
10	12757	Screwdriver:3.5X75mm,Plastic,Insulated 1000V	CP_TSSPEC_223
11	12758	Screwdriver:6X40mm,Plastic,Dumpy insulated 1000V	CP_TSSPEC_223
12	12777	Screwdriver: No 1,80mm,Plastic insulated 1000V	CP_TSSPEC_223
13	4082	Allen key set-socket type ( 5 mm, 6 mm, 8 mm)	CP_TSSPEC_223
14	4083	Allen keys 2 mm to 10 mm	CP_TSSPEC_223
15	12737	Spanner Shifting:150mm,No. 62	CP_TSSPEC_223
16	12738	Spanner Shifting:200mm,No. 62	CP_TSSPEC_223
17	12739	Spanner Shifting:250mm,No. 62	CP_TSSPEC_223
18	12740	Spanner Shifting:300mm,No. 62	CP_TSSPEC_223
19	12741	Spanner Shifting:375mm,No. 62	CP_TSSPEC_223
20	12742	Spanner Shifting:450mm,No. 62	CP_TSSPEC_223
21	4084	Socket with 8 mm to 24 mm sockets	CP_TSSPEC_223
22	4085	Socket set – ratchet, short extension	CP_TSSPEC_223
23	12750	Tool Box: Metal,No 126	CP_TSSPEC_223
24	4906	Tool Box insulated for live work	CP_TSSPEC_223
25	12751	Wrench Pipe:250mm,Steel	CP_TSSPEC_223
26	12752	Wrench Pipe:350mm,Steel	CP_TSSPEC_223
27	4195	Torque Wrench (15 N.m to 55 N.m)	CP_TSSPEC_223
28	4200	Combination Flat Spanner	CP_TSSPEC_223
29	4907	Spanners Insulated Full Set	CP_TSSPEC_223
30	4908	Socket Set Insulated	CP_TSSPEC_223
31	4909	Tool bag	CP_TSSPEC_223
1	4086	Ladder-3.9 m pole-type non-extendable	CP_TSSPEC_223
2	4087	Ladder-9.05 pole-type extendable	CP_TSSPEC_223
3	4088	Step ladder- 1.8 m fiberglass	CP_TSSPEC_223
4	4089	Step ladder-2.4 m fiberglass	CP_TSSPEC_223