


**Type. S** Crealco Swift 38 or eq. approved top hung aluminium casement window, per layout. Casement sash 7235 x 900mm max capacity  
Fixing lugs suitable for fixing to plastered brickwork reveals.  
AAAMSA exposure category: A3. SANS613 - 2000Pa wind load capacity  
**Exposure** Class 2 powder coated to SANS 10322:2014; Coatings in accordance with SANS 1796 using powders in accordance with SANS 1578.  
**Coating:** TBC. Provisionally Mat Black  
**colour:** 500mm Stays, 13mm stack, capacity 28Kg. Crealco code STF-TH600S-304 or equal app  
**Furniture** Handles - Per manufacturers specification to suite operation indicated.  
Glazing Glazing throughout to be 12mm thick toughened safety glass , per PFG Armourplate.

QUANTITY:	
1	WG 76

WINDOW TYPE	S
QUANTITY	1
WINDOW	Powder coated aluminium casement window with top hung one opening section.
GLASS	12mm thick clear toughened safety glass
FITTINGS	Standard fittings as per manufacturer's specification
LOCATION	WG76
BURGLAR BAR	N/A

NOTES:  1. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO MANUFACTURE. 2. WINDOWS DRAWN AS VIEW FROM EXTERIOR.			REVISIONS		PROJECT: PORT SHEPSTONE HOSPITAL NEW PSYCHIATRIC WARD			Architect: ARTEK 4 ARCHITECTS (KZN) CC			
	Rev.	Date	Description	By	DRAWING DESCRIPTION: WINDOW SCHEDULE TYPICAL WARD WINDOW B - DINING/LOUNGE			Durban: 46 Lena Ahrens Road, Glenwood, Durban 4000 tel: 031 201 0445 fax: 031 201 6609 email: admin@artek4.co.za Port Shepstone: 19 Tradewinds, Marine Drive, Shelly Beach tel: 039 682 2447 fax: 039 682 2446 email: admin@artek4.co.za			
					Scale	Date	Drawn	Project No.	Drawing No.	Rev.	
					1:25	14.11.2022	WP	1518	401-19	-	