

ANNEXURE A- BATCH 1: AIR CONDITIONING UNITS

<u>Material nr.</u>	<u>Description</u>	<u>Long Description</u>	<u>Estimated 5yr. quantity</u>
220839	UNIT:HIGH WALL SPLIT INVERTER	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; UNIT; MNF: ALLIANCE; TYPE: HIGH WALL SPLIT INVERTER; MODEL NO: QHG009DS; APPLICATION: AIR CONDITIONING; WD 725 X HT 385 X DP 460 MM; POWER SOURCE: 220 -240 V; CAPACITY RATING: 9000 BTU/H; MOUNTING TYPE: HIGH WALL; REFRIGERANT: R410 A; FUNCT.LOC: 6 HFF001-004 AE;0 DWH 111-127AE; 6 DWI 123,124AE, 6 DWE 603,604AU; END DETAIL DESCRIPTION: JNF 2006/04/07; CLC 2012/10/17; ML 2020/01/22; ML 2020/03/06; YA 2023/05/29; ND 2023/07/10; YA 2024/02/08	85
588210	AIRCON:WALL UNIT;6000 W;R-410A	C.O.C; DATA SHEET; 0001/87C; Q4:NSF:NC:NEV; SEE EQUIVALENCE M012/14E; SEE OLD MATERIALNO.0040010; WALL AIR CONDITIONING UNIT; MFR:ALLIANCE; MODEL: FOUWH21/A; TYPE: WALL AIR CONDITIONING UNIT; CAPACITY RATING: 6000 W; REFRIGERANT: R-410A; WIDTH:660MM; HEIGHT:428MM; DEPTH:770MM; PHASE:SINGLE; VOLTAGE:220-240V; HEATING CAPACITY: 5500 W; M/MAN:022 VOL 3; FUNCT.LOC:1/2DVM 001,002AE; ***** END DETAIL DESCRIPTION *****; JNF 2014/06/10; JNF 2014/08/20; JNF 2014/12/17; ML 2018/01/17; ML 2021/03/29; ML 2022/06/20	10
640280	AIRCON:UNDER CEILING FIXED;36000 BTU	C.O.C;004/88; Q4:MSF:NC:NEV; MNF: ALLIANCE; TYPE: UNDERCEILING FIXED; CAPACITY RATING: 36000 BTU; FUNC LOC: 6 SSM 001,002 EV, 6 DWD 003, 005, 006 EV; END DETAIL DESCRIPTION: ML 2017/09/06; YA 2024/02/08	15
669604	AIRCON:INVERTER UNDERCEILING SPLIT UNIT	C.O.C; 0200/87Q; Q4:NSF:NC:NEV; AIR CONDITIONER; MNF: CARRIER-METRACLARK; P/NO: QZL060DT; YPE: INVERTER UNDERCEILING SPLIT UNIT; CAPACITY RATING: 60000 BTU; MOUNTING TYPE: WALL; REFRIGERANT: R410A; CONDENSER COOLING TYPE: AIR; POWER SOURCE: 380 V 3 PH 50 HZ; FUNC LOC: 0 DVB 003, 004 EV; 0DVB003CS; 0DVB004CS	5

ANNEXURE A- BATCH 1: AIR CONDITIONING UNITS

STM-107083	AIRCON:36 000 BTU;CEILING;R32;ROTARY	AIR CONDITIONER: TYPE: WALL MOUNTED AIR CONDITIONING UNIT; CAPACITY RATING: 36 000 BTU; MOUNTING TYPE: CEILING; REFRIGERANT: R32; COMPRESSOR UNIT TYPE: ROTARY; CONDENSER COOLING TYPE: AIR; POWER SOURCE: 220-240 V 50 HZ; DAIKIN PART NUMBER:FAA100A SKY AIR<LARGE<H/P<FAA<100 DIMENSIONS - UNIT - DEPTH X HEIGHT X WIDTH 240 X 340 X 1,200 MM SOUND PRESSURE LEVEL - COOLING - MEDIUM 45 DBA SOUND PRESSURE LEVEL - HEATING - MEDIUM 45 DBA POWER SUPPLY - FREQUENCY X PHASE X VOLTAGE 50 X 1~ X 220-240 HZ; SPECIFICATION CLASSIFICATION No.: 0002/93Q. SAFETY CLASS: NSF. QUALITY LEVEL: Q3. SEISMIC CLASS: NC. SAFETY LEVEL OF ORGANISATION: L3. ENVIRONMENTAL: NEV. SPEC No: DSG-312-085. IMPORTANCE: SR. CERTIFICATION REQUIRED: I.A.W. SPEC.	5
STM-169533	AIRCON:36 000 BTU;CEILING;R410A;AIR	ALLIANCE AQUA 36000BTU CEILING CASSETTE INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE: 220-240V	5
STM-148202	AIRCON:AIR CONDITIONER MIDWALL SPLIT	AIR CONDITIONER: TYPE: AIR CONDITIONER MIDWALL SPLIT; CAPACITY RATING: 18000 BTU; MOUNTING TYPE: WALL; COMPRESSOR UNIT TYPE: INVERTER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IFAPPLICABLE). AIR CONDITIONER: Y18I - York 18000Btu Inverter Midwall Split	15

ANNEXURE A- BATCH 1: AIR CONDITIONING UNITS

STM-150965	AIRCON:AIR CONDITIONER;36000 BTU;CEILING	SUPPLY 1 X CARRIER WATER CHILLED CEILING MOUNTED CASSETTE UNIT WITH ALL THE ACCESSORIES - PART NO: 42GW300CQGAA; IT MUST INCLUDE: INFRARED RECEIVER WTC-IS - PART No:33WT4000061M REMOTE CONTROL IR - PART No: 33WT500035M-ERCD CASSETTE GRILL INFRARED WITH MANUAL LOUVERS-20X30X40 - PART No: 42GW9041	15
STM-116252	AIRCON:CEILING CASSETTE;22000	CARRIER WATER CHILLED CEILING MOUNTED CASSETTE UNIT WITH ALL THE ACCESSORIES - PART NO: 42GW300CQGAA; IT MUST INCLUDE: INFRARED RECEIVER WTC-IS - PART No:33WT4000061M REMOTE CONTROL IR - PART No: 33WT500035M-ERCD CASSETTE GRILL INFRARED WITH MANUAL LOUVERS-20X30X40 - PART No: 42GW9041	5
STM-117431	AIRCON:INDOOR UNIT;18000;WALL	AIR CONDITIONER: TYPE: INDOOR UNIT; CAPACITY RATING: 18000; MOUNTING TYPE: WALL; 18000 AC YORK UNIT	5
STM-117434	AIRCON:INDOOR UNIT;24000;WALL	AIR CONDITIONER: TYPE: INDOOR UNIT; CAPACITY RATING: 24000; MOUNTING TYPE: WALL; 24000 AC YORK UNIT	5
STM-148165	AIRCON:INVERTER UNDERCEILING SPLIT UNIT	CARRIER 12000BTU INVERTER UNDERCEILING SPLIT UNIT REFRIGERANT:410A GAS;POWER SOURCE:220-240V;MANUF P/N:QHG012DS	5
STM-150818	AIRCON:INVERTER UNDERCEILING SPLIT UNIT	ALLIANCE AQUA 24000BTU MID-WALL INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V AIR CONDITIONER: TYPE: MIDWALL SPLIT UNIT; CAPACITY RATING: 24000 BTU; MOUNTING TYPE: MID-WALL SPLIT AIR-CON; REFRIGERANT: 410A GAS; COMPRESSOR UNIT TYPE: INVERTER AIR-CON; CONDENSER COOLING TYPE: TURBO MODE, FOLLOW ME FUNCTION	5
STM-161996	AIRCON:MIDWALL SPLIT UNIT;12000 BTU;WALL	ALLIANCE AQUA 12000BTU MID-WALL INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V	10

ANNEXURE A- BATCH 1: AIR CONDITIONING UNITS

STM-111312	AIRCON:MIDWALL SPLIT UNIT;12000BTU	AIR CONDITIONER: TYPE: MIDWALL SPLIT UNIT; CAPACITY RATING: 12000BTU; GREE, 12000BTU MIDWALL SPLIT UNIT - HEATING AND COOLING	5
STM-162005	AIRCON:MIDWALL SPLIT UNIT;18000 BTU	ALLIANCE AQUA 18000BTU MID-WALL INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V AIR CONDITIONER: TYPE: MIDWALL SPLIT UNIT; CAPACITY RATING: 18000 BTU; MOUNTING TYPE: MID-WALL SPLIT AIR-CON; REFRIGERANT: 410A GAS; COMPRESSOR UNIT TYPE: INVERTER AIR-CON; CONDENSER COOLING TYPE:TURBO MODE, FOLLOW ME FUNCTION	5
STM-162018	AIRCON:MIDWALL SPLIT UNIT;24000 BTU	ALLIANCE AQUA 24000BTU MID-WALL INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V AIR CONDITIONER: TYPE: MIDWALL SPLIT UNIT; CAPACITY RATING: 24000 BTU; MOUNTING TYPE: MID-WALL SPLIT AIR-CON; REFRIGERANT: 410A GAS; COMPRESSOR UNIT TYPE: INVERTER AIR-CON; CONDENSER COOLING TYPE:TURBO MODE, FOLLOW ME FUNCTION	5
STM-151112	AIRCON:MIDWALL SPLIT UNIT;36000 BTU;WALL	ALLIANCE AQUA 36000BTU MID-WALL INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V. AIR CONDITIONER: TYPE: MIDWALL SPLIT UNIT; CAPACITY RATING: 36000BTU; MOUNTING TYPE: MID-WALL SPLIT AIR-CON; REFRIGERANT: 410A GAS; COMPRESSOR UNIT TYPE: INVERTER AIR-CON; CONDENSER COOLING TYPE:TURBO MODE, FOLLOW ME FUNCTION	5
STM-170450	AIRCON:UNDER CEILING UNIT;12000 BTU	ALLIANCE AQUA 12000BTU UNDERCEILING INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V	5
STM-170427	AIRCON:UNDER CEILING SPLIT UNIT;18000	ALLIANCE AQUA 18000BTU UNDERCEILING INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V,	5
STM-170389	AIRCON:UNDER CEILING SPLIT UNIT;24000	ALLIANCE AQUA 24000 BTU MID-WALL INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V	5
STM-170371	AIRCON:UNDERCEILING SPLIT UNIT;36000 BTU	ALLIANCE AQUA 36000BTU UNDERCEILING INVERTER SPLIT AIR-CON UNIT,R410A REFRIGERANT GAS,POWER SOURCE - 220-240V	15