



The Petroleum Oil and Gas Corporation
Of South Africa (SOC) Ltd
Reg. No. 1970/008130/30

151 Frans Conradie Drive, Parow 7500

Private Bag X5, Parow 7499
Republic of South Africa

Tel: +27 (0)21 929 3000
Fax: +27 (0)21 929 3144

Our Ref: **AD0075**
Date: 29 AUGUST 2022

All Tenderers

Dear Sir/Madam,

INVITATION TO TENDER: ENQUIRY NO: AD0075
TENDER CLOSING DATE: 14H00, FRIDAY 9 SEPTEMBER 2022
TENDER SALE OF EXCESS CONCRETE MATTRESSES (29 OFF)
STORED IN CAPE TOWN HARBOUR

1. Introduction

The Petroleum, Oil and Gas Corporation of South Africa (SOC) Ltd (PetroSA) has excess concrete mattresses (29 off) for sale. Concrete mattresses are used for most pipeline cable and underwater protection and stabilisation systems. They are typically 10% heavier than comparable products, which gives a greater stability (see attached drawing).

The concrete mattresses are located in Cape Town Harbour in South Africa, and are now offered for sale through tender.

You are hereby invited to submit an offer for the above to PetroSA.

Your tender must be submitted in accordance with the requirements stipulated in the documentation listed below, which all form an integral part of this Invitation to Tender:

- This Letter of Invitation to Tender and Tender Form
- Standard Terms and Conditions of Tendering

IMPORTANT NOTICE

Please note that your tender will not be considered:

- **If it is not submitted and received at the address or at e-mail address provided by the closing date and time**

Directors:

Mr Nkululeko Poya (Chairperson),
Mr Llewellyn Delport, Mr Leon Haywood, Ms Nolubabalo Sondlo, Mr Mthozami Xiphu,
Group Chief Executive Officer Ms Sandisiwe Ncemané (Act.)
Group Company Secretary: Ms Marlene Khumalo

TENDER BID SUBMISSIONS

1. Tenderers are required to submit tenders to email tenders@petrosa.co.za .

2. Enquiries

Any enquiries regarding this Invitation to Tender should be addressed to:

Hennie Fortuin
Procurement Consultant
Tel: +27 (0)21 929 3211
Email: martinHennie.fortuin@petrosa.co.za or,

Andre Snell
Materials Manager
Tel.: +27 (0) 44-6012329
Email: ANDRE.Snell@petrosa.co.za

3. Contract Award

The award of the sale shall be communicated to the successful tenderer in writing by an authorised PetroSA representative.

Yours faithfully,

C Bunting
Group Supply Chain Manager

TENDER FORM

Tenderers to complete in full, check that all information on the check-list has been included, sign and submit to The Petroleum Oil and Gas Corporation of South Africa SOC Ltd as per instruction

ATTENTION: The Group Supply Chain Manager

Dear Sir,

ENQUIRY NO: AD0075

Tender Sale of Excess Concrete Mattresses

Having examined this Enquiry Document, including the Specifications, and Schedules for the above-named materials, I/We offer as per the attached signed bid schedule.

Declaration

I/We hereby declare that:

- a) the signatory is duly authorised to sign the tender document;
- b) I/We understand and acknowledge that any award made to me/us will be subject to the Tender Sale Terms and Conditions for PetroSA. I/We further acknowledge that it is my/our responsibility to peruse same prior to making any proposal to PetroSA. I/We understand and acknowledge that the Terms and Conditions for PetroSA shall be applicable. I/We have signed and initialled each page of the Terms and Conditions and submitted same together with my/our tender

Yours faithfully

SIGNATURE

ON BEHALF OF

ADDRESS

.....

.....

.....

.....

TELEPHONE NO. :

Email address. :

DATE :

WITNESSES : 1.

2.

TENDER SALE TERMS AND CONDITIONS

1. Tender sale shall be subject to acceptance by the board of PetroSA or the PetroSA Executive Procurement Committee.
2. Bids shall be valid for a period of 150 days from the closing date. PetroSA reserves the right to accept or reject any or all bids in their entirety, or parts thereof, without explanation or liability.
3. Equipment may be tendered on in any combination from single lot to entire package.
4. The successful bidder(s) will be required to lift the stocks within 30 days from the date of letter of acceptance issued by PetroSA.
5. In case the successful bidder(s) fails to lift the stocks within the stipulated period of 60 days, the bidder(s) shall be liable to pay rent and any other costs that might arise as a result of the delay. In addition, successful bidders shall be liable to pay 1% of the total value of the bid, per weekly delay.
6. Tenderers should, prior to the submission of tender, satisfy themselves about the condition, quality, and status of the material which are being offered for sale/ tender on **“as is where is basis”**. PetroSA gives no guarantee or warranty to the workability or condition of the equipment or materials for sale, other than allow each tenderer to familiarise themselves at the site prior to tendering in terms of the Consumer Protection Act. All equipment/material will be sold “Voetstoots”. No inquiry in this regard shall be entertained after submission of tender bids.
7. PetroSA reserves all the rights to withdraw item from sale at any time and also reserves all the right to cancel or postpone the tender/sale at any time without assigning any reason.
8. PetroSA reserves all the rights to withdraw lot or reject any price/ tender including the highest tendered amount without assigning any reason. In such an event, the money already paid will be refunded to the intending tenderer without any interest.
9. The purchaser is not entitled to any benefit/ advantage due to any clerical error inadvertent mistake in the terms and conditions or in the description of the property(s).
10. A person acting on behalf of another person shall produce a written authority letter with his identity proof from such other person authorizing him to act on behalf of such other person in all matters relating to tender/sale.
11. This document is governed by the laws of the Republic of South Africa





The Petroleum Oil and Gas Corporation
Of South Africa (SOC) Ltd
Reg. No. 1970/008130/30

151 Frans Conradie Drive, Parow 7500


Private Bag X5, Parow 7499
Republic of South Africa

Tel: +27 (0)21 929 3000

Fax: +27 (0)21 929 3144

Directors:

Mr Nkululeko Poya (Chairperson),
Mr Llewellyn Delpont, Mr Leon Haywood, Ms Nolubabalo Sondlo, Mr Mthozami Xiphu,
Group Chief Executive Officer Ms Sandisiwe Ncemané (Act.)
Group Company Secretary: Ms Marlene Khumalo



Materials
Certificate

Mix Design Certificate


MIX DESIGN

40 MPA 100% OPC MIX DESIGN AS PER CUBE

OPC	360 KG
WATER	180 LITER
CHRYSO PLAST 900	1.80 LITER
19MM STONE	1050 KG
CRUSHER DUST	250 KG
RIVERSAND	540 KG

MIX DESIGN AS PER CUBE.

DELIVERY TO PIPESHIELD – MÖSSEL BAY



21.10.2013

Ready Mix Concrete Cube Test Results

DATE CAST	7 DAYS RESULT (AVG)	28 DAYS RESULT (AVG)
15 th May 2013	38.1	45.7
18 th May 2013	43.9	48.6
24 th May 2013	41.6	49.5
27 th May 2013	35.3	48.8
28 th May 2013	45.8	49.9
29 th May 2013	41.9	47.2
31 st May 2013	43.2	52.4
5 th June 2013	43.8	50.9
6 th June 2013	44.3	49.3
7 th June 2013	42.8	51.0
10 th June 2013	42.3	52.8
11 th June 2013	42.8	45.3
12 th June 2013	45.3	46.6
13 th June 2013	47.7	56.8
14 th June 2013	46.2	53.4
18 th June 2013	44.3	48.8
20 th June 2013	31.5	54.7
21 st June 2013	43.0	48.7
24 th June 2013	43.3	48.1
25 th June 2013	37.7	47.7
26 th June 2013	46.4	53.6
27 th June 2013	46.0	48.8
2 nd July 2013	44.1	49.3
3 rd July 2013	47.6	54.6
4 th July 2013	49.4	53.2
5 th July 2013	49.3	57.9
8 th July 2013	45.1	51.1
9 th July 2013	45.9	52.7
10 th July 2013	48.6	56.4
11 th July 2013	43.6	52.6
12 th July 2013	42.6	49.9
15 th July 2013	43.2	53.7
16 th July 2013	46.7	53.8
17 th July 2013	50.1	52.9
18 th July 2013	47.3	56.8
19 th July 2013	43.1	50.9
22 nd July 2013	49.0	54.5
23 rd July 2013	44.7	53.9
24 th July 2013	49.0	51.7
25 th July 2013	43.3	50.4
26 th July 2013	43.9	53.7
29 th July 2013	45.1	51.4
1 st August 2013	46.0	52.8
2 nd August 2013	43.3	52.8

5 th August 2013	47.9	56.6
6 th August 2013	45.1	53.5
7 th August 2013	49.3	57.9
12 th August 2013	42.8	54.9
13 th August 2013	47.0	54.8
14 th August 2013	49.8	56.9
15 th August 2013	46.2	54.7
16 th August 2013	45.5	52.3
19 th August 2013	40.1	47.0
20 th August 2013	43.0	52.1
21 st August 2013	45.1	55.2
22 nd August 2013	31.0	54.0
23 rd August 2013	45.3	54.0
26 th August 2013	43.3	53.4
27 th August 2013	47.4	51.8
28 th August 2013	34.9	52.3
30 th August 2013	43.9	51.1
2 nd September 2013	44.2	52.4
3 rd September 2013	47.8	54.6
4 th September 2013	41.7	49.0
5 th September 2013	49.4	53.7
6 th September 2013	42.7	48.2
9 th September 2013	44.2	46.8
10 th September 2013	42.0	51.9

Endorsed by J. Pace *J. Pace*

Position Manager Mossel Bay

Date 31.10.2013

Polypropylene Rope Certificate of Warranty



FISHING INDUSTRIAL MINING MILITARY YACHTING

FAX:(021) 447-8207 PHONE:(021) 448-4978 P.O.Box 65,Woodstock, 7915 CapeTown SOUTH AFRICA

MILL CERTIFICATE OF FIBRE ROPES

It is hereby certified that the products described herein have been produced in accordance with the design, performance and quality standards stated in our Quality Assurance Manual and as cited in our Catalog.

This document certifies only that this product has been manufactured and inspected as described herein and no implication, certification or warrantee is made that this product is suitable for a particular use.

ROPES ARE MANUFACTURED TO SPECIFICATIONS EXCEEDING SABS 943, EN AND BS OF 2002 EDITION 2.2

Customer Name : PIPESHIELD
Customer O/No : GARY EMAIL DATED 15 AUGUST 2013
Customer Contact Details : GARY

Product Description : PP/POLYSTEEL®

Product Construction : 3 STRAND

Detail: PP/POLYSTEEL 3000 DENIER X 7, TWISTED X 13 ENDS, BLUE / YELLOW COLOUR
7.2 GRAMS PER DENIER MIN, U.V. INHIBITOR INCLUDED AT EXTRUSION

Size : 15 MM DIAMETER Qty: 60 COILS +/- 220 METERS EACH

Product code : R/PL/03/015/0220/CY

Break Load : 4 400 KG (Under Test Conditions) *** SPECIAL HIGH STRENGTH CONSTRUCTION ***

NOTE: SPLICING, KNOTTING AND BENDING OF FIBRES WILL REDUCE TENACITY OF PRODUCT

MILL CERTIFICATE NO: SR108639

DATE : 12 AUGUST 2013





FISHING INDUSTRIAL MINING MILITARY YACHTING

FAX:(021) 447-8207 PHONE:(021) 448-4978 P.O.Box 65,Woodstock, 7915 CapeTown SOUTH AFRICA

MILL CERTIFICATE OF FIBRE ROPES

It is hereby certified that the products described herein have been produced in accordance with the design, performance and quality standards stated in our Quality Assurance Manual and as cited in our Catalog.

This document certifies only that this product has been manufactured and inspected as described herein and no implication, certification or warrantee is made that this product is suitable for a particular use.

ROPES ARE MANUFACTURED TO SPECIFICATIONS EXCEEDING SABS 943, EN AND BS OF 2002 EDITION 2.2

Customer Name	: PIPESHIELD	
Customer O/No	: PIO-I30209	
Customer Contact Details	: GARY	
Product Description	: PP/POLYSTEEL®	
Product Construction	: 3 STRAND	Detail: PP/POLYSTEEL 3000 DENIER X 7, TWISTED X 13 ENDS, BLUE / YELLOW COLOUR 7.2 GRAMS PER DENIER MIN, U.V. INHIBITOR INCLUDED AT EXTRUSION
Size	: 15 MM DIAMETER	Qty: 450 COILS +/- 220 METERS EACH
Product code	: R/PL/03/015/0220/CY	
Break Load	: 4 400 KG (Under Test Conditions)	*** SPECIAL HIGH STRENGTH CONSTRUCTION ***

NOTE: SPLICING, KNOTTING AND BENDING OF FIBRES WILL REDUCE TENACITY OF PRODUCT

MILL CERTIFICATE NO: SR105949

DATE : 20 MAY 2013





FISHING INDUSTRIAL MINING MILITARY YACHTING

FAX: (021) 447-8207 PHONE: (021) 448-4978 P.O. Box 65, Woodstock, 7915 Cape Town SOUTH AFRICA

MILL CERTIFICATE OF FIBRE ROPES

It is hereby certified that the products described herein have been produced in accordance with the design, performance and quality standards stated in our Quality Assurance Manual and as cited in our Catalog.

This document certifies only that this product has been manufactured and inspected as described herein and no implication, certification or warranty is made that this product is suitable for a particular use.

ROPES ARE MANUFACTURED TO SPECIFICATIONS EXCEEDING SABS 943, EN AND BS OF 2002 EDITION 2.2

Customer Name : PIPESHIELD
Customer O/No : PIO-120177 (500 COILS)
Customer Contact Details : GARY

Product Description : PP/POLYSTEEL®

Product Construction : 3 STRAND

Detail: PP/POLYSTEEL 3000 DENIER X 7, TWISTED X 13 ENDS, TURQ COLOUR
7.2 GRAMS PER DENIER MIN, U.V. INHIBITOR INCLUDED AT EXTRUSION

Size : 15 MM DIAMETER Qty: 300 COILS +/- 220 METERS EACH

Product code : PP315220

Break Load : 4 400 KG (Under Test Conditions)

*** SPECIAL HIGH STRENGTH CONSTRUCTION ***

NOTE: SPLICING, KNOTTING AND BENDING OF FIBRES WILL REDUCE TENACITY OF PRODUCT

MILL CERTIFICATE NO: SR94999

DATE : 31 JULY 2012



Photographs

Bi-flex Concrete Mattresses



Bi-flex Concrete Mattresses

