




0.6mm PREPAINTED CHROMADEK IBR PROFILE  
ROOF SHEETING SCREWED TO TOP OF PURLINS  
WITH HIGH SPEED POOR FASTENERS




**WEST ELEVATION (CARPORT A)**  
**Scale 1:50**




**NORTH ELEVATION (CARPORT A)**  
**Scale 1:50**




**SOUTH ELEVATION (CARPORT A)**  
**Scale 1:50**




**SECTION A-A**  
**Scale 1:50**





**SECTION B-B**  
**Scale 1:50**




**NORTH ELEVATION (CARPORT B)**  
**Scale 1:50**




**EAST ELEVATION (CARPORT B)**  
**Scale 1:50**




**SOUTH ELEVATION (CARPORT B)**  
**Scale 1:50**



**WEST ELEVATION (CARPORT B)**  
**Scale 1:50**




**PLAN (CARPORT B)**  
**Scale 1:50**



**DETAIL 1**  
**Scale 1:20**

1. ALL LOCAL, NATIONAL, BY-LAWS & SANS CODE 10400 SHALL BE COMPLIED WITH.
2. SITE BOUNDARY PEGS OR CO-ORDINATES TO BE IDENTIFIED BEFORE COMMENCEMENT OF ANY WORK.
3. CONTRACTORS AND SUBCONTRACTORS TO CHECK ALL DIMENSIONS, LEVELS ETC. ON SITE PRIOR TO COMMENCEMENT OF WORK.
4. ALL LEVELS SHOWN ARE FINISHED LEVELS UNLESS OTHERWISE STATED.
5. ALL NEW WORK TO MATCH AND LINE UP WITH EXISTING. NO DIMENSIONS TO BE SCALED. ONLY FIGURED DIMENSIONS TO BE USED AND LARGER SCALE DETAILS SUPERDEE
6. SMALL SCALE DRAWINGS IN DIMENSIONS OR DETAIL TO BE USED FOR CHECKED DRAWINGS AND SPECIFICATION TO BE REPORTED TO THE ARCHITECT FOR CLARIFICATION BEFORE RELEVANT MATERIALS ARE ORDERED OR WORK PUT IN HAND.
7. ALL DIMENSIONS AND DISCREPANCIES IN DIMENSIONS OR DETAIL TO BE REPORTED TO THE ARCHITECT FOR CLARIFICATION BEFORE RELEVANT MATERIALS ARE ORDERED OR WORK PUT IN HAND.
8. THE INFORMATION ON THIS DRAWING IS THE PROPERTY OF RALD WATER AND IS COPYRIGHT.
9. ALL WALL OPENINGS I.E. DOORS, WINDOWS ETC. TO HAVE PRE-STRESSED CONCRETE LINTOLS OVER UNLESS OTHERWISE DETAILD.
10. ALL ELECTRICAL WORK TO BE DONE BY A CONTRACTOR REGISTERED WITH THE ELECTRICAL CONTRACTING BOARD AND TO BE IN ACCORDANCE WITH SANS 10142-1 AND SANS 10142-2 AND ELECTRICAL SPECIFICATION.
11. A CERTIFICATE OF COMPLIANCE BY AN ACCREDITED PERSON TO BE PROVIDED FOR THE INSTALLATION.
12. CONTRACTOR TO ALLOW FOR TESTING & INSPECTION OF THE EXISTING ELECTRICAL INSULATION AS REQUIRED FOR A CERTIFICATE OF COMPLIANCE AND PROVIDE DEFECTS LIST IF ANY.

[illegible][illegible]

BOX 1127  
JOHANNESBURG  
2000  
TEL: 682-0911

JOB No	P.01594	CHECKED	
CONTRACT No		SECTION HEAD	
SCHEME		APPROVED	P. Ar
DRAWN BY	L.T. SINDWA	CAPACITY	
DATE	OCTOBER 2018	DATE	

**EMERGENCY SUPPLY @ VARIOUS**

## PLAN, SECTION, ELEVATIONS, DETAIL & FINISHING SCHEDULE

STATION														WMS				DOC. TYPE			
Z	K	#	0	1	U	B	N					D	A	G	/	/					
© ROAD WATER 2004 All Rights Reserved																					
SCALE AS SHOWN																					
RA		28926 / 002																			
<div>0</div>																					
REVISION																					