

3

5

6

7

8

A

B

C

D

E

F

A


B

C


D

E


F



FRONT VIEW



SIDE VIEW




ISOMETRIC VIEW

NOTES:

1. WOODEN DRUMS SHALL BE PRESERVED FROM INSECTS ATTACK AND MOULD BY ADOPTING EITHER THE HEAT TREATMENT (KILIN DRYING-CPI INDICATED BY HT) OR BY METHYL BROMIDE FUMIGATION
2. STEEL TO BE HOT DIPPED GALVANIZED AS PER SANS 121
3. MANUFACTURER TO ENSURE THAT THE DRUM SIZE IS SUITABLE AND STRONG ENOUGH TO CARRY THE TOTAL CONDUCTOR LENGTH
4. MINIMUM OF 8 STEEL MEMBERS REQUIRED TO SUPPORT THE DRUM. MANUFACTURERE MAY ADD MORE STEEL MEMBERS WHERE REQUIRED

THIS DRAWING HAS BEEN CREATED ON A C.A.D. SYSTEM AND ANY AMENDMENT TO THE DRAWING MUST BE EFFECTED ONLY ON THE SAME C.A.D. SYSTEM



SCALE 1 : 1

THIS DRAWING IS THE PROPERTY OF ESKOM

1		FIRST ISSUE	M.S	M.B	L.S	NOV 2023		
REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	PROJECT NO.		
		DISTRIBUTION TECHNOLOGY SUB-TRANSMISSION LINES CONDUCTOR HYBRID DRUM DETAILS						
AUTH: L. SANGWENI		DATE: NOV 2023		CHKD: M. BALOYI				
DRAWN: M. SHEELA		DATE: NOV 2023		D-DT-7356		SET	SHEET	REVISION
						01	01	01

1

2

3

4

5

6

7

8

A3L