



CITY OF TSHWANE METROPOLITAN MUNICIPALITY

TENDER NUMBER:

EEBU 16-2025.26

TENDER DESCRIPTION:	TENDER FOR SUPPLY DELIVERY AND OFF-LOADING OF STAYING AND BINDING EQUIPMENT USED ON OVERHEAD LINES, ON AN AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF 3 YEARS.
----------------------------	---

NAME OF BIDDER:

CSD NUMBER:

VENDOR NUMBER (WHERE APPLICABLE)

Prepared by:
City of Tshwane Metropolitan Municipality
Tshwane House
320 Madiba Street
Pretoria CBD
0002
Tel: 012 358 9999

BID CLOSING DATE	17 APRIL 2026
-------------------------	----------------------

Only bidders registered on the central supplier database (CSD) and with a CSD number will be considered for this tender, as this is a requirement from the National Treasury.

“Note: Bidders are required to submit electronic copies of the bid by memory stick together with the hard copy of the Bid/Proposals”



CITY OF TSHWANE METROPOLITAN MUNICIPALITY

DEPARTMENT: ENERGY AND ELECTRICITY BUSINESS UNIT

Bids are hereby invited from suppliers for the following bid:

Bid number	Description	Department	Contact person	Compulsory briefing session	Closing date
EEBU 16-2025.26	TENDER FOR SUPPLY DELIVERY AND OFF-LOADING OF STAYING AND BINDING EQUIPMENT USED ON OVERHEAD LINES, ON AN AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF 3 YEARS.	Energy and Electricity Business Unit	Steynberg Myburg	N/A	17April 2026 at 10:00

THE DOCUMENT IS DOWNLOADABLE ON THE TSHWANE WEBSITE (www.tshwane.gov.za) and on the E-tender portal.

Each tender shall be enclosed in a sealed envelope that bears the correct identification details and shall be placed in the tender box located at:

“Note: Bidders are required to submit electronic copies of the bid by memory stick together with the hard copy of the Bid/Proposals”

**Tshwane House
320 Madiba Street
Pretoria CBD
0002**

Documents must be deposited in the bid box not later than **10:00 on 17 April 2026**

Bidders must contact the following officials for any enquiries:

- Technical enquiries: Steynberg Myburg (012 358 2441 or steynbergm@tshwane.gov.za)
- Supply chain enquiries: Mulondi Rasekgala (012 358 6636 or mulondin@tshwane.gov.za)

Bids will remain valid for a period of 90 days after the closing date.

The validity period for the tender after closure is 90 days. City of Tshwane shall have right and power to extend any tender validity period beyond any initial validity period set and subsequent extensions. SCM shall ensure that an extension of validity is requested in writing from all bidders before the validity expiry date. Extension of validity shall be finalized while the quotations/bids are still valid.

INDEX

Number	Details	Document	Page
1.	Very important notice on disqualifications		
2.	Certificate of authority for signatory		
3.	Scope of work		
4.	Pricing schedule		
5.	Invitation to bid	MBD 1	
6.	Pricing schedule: Firm prices (purchases)	MBD 3.1	
7.	Pricing schedule: Non-firm prices (purchases)	MBD 3.2	
8.	Declaration of interest	MBD 4	
9.	Declaration for procurement above R10 million (all applicable taxes Included)	MBD 5	
10.	Preference points claim form in terms of the preferential procurement regulations 2022	MBD 6.1	
11.	Contract form: Purchase of goods or works	MBD 7.1	
12.	Declaration of past supply chain management practice	MBD 8	
13.	Certificate of independent bid determination	MBD 9	
14.	General conditions of contract		
15.	Service-level agreement		

VERY IMPORTANT NOTICE ON DISQUALIFICATIONS

A bid that does not comply with the peremptory requirements stated hereunder will be regarded as not being an “acceptable bid”, and such a bid will be rejected. An “acceptable bid” means any bid which, in all respects, complies with the conditions of the bid and the specifications as set out in the bid documents, including the conditions as specified in the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000) and related legislation as published in *Government Gazette 22549*, dated 10 August 2001, in terms of which provision is made for this policy.

1. If any pages have been removed from the bid document and have therefore not been submitted or if a copy of the original bid document has been submitted.
2. If the bid document is completed using a pencil or Tippex corrections were made, or any other colour ink. Only black ink must be used to complete the bid document.
3. The bidder attempts to influence or has in fact influenced the evaluation and/or awarding of the contract.
4. The bid has been submitted after the relevant closing date and time.
5. If any bidder who, during the last five years, has failed to perform satisfactorily on a previous contract with the municipality, municipal entity or any other organ of state after written notice was given to that bidder that performance was unsatisfactory.
6. The accounting officer must ensure that, irrespective of the procurement process followed, no award may be given to a person –
 - (a) who is in the service of the state;
 - i. if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder is a person in the service of the state; or
 - ii. who is an advisor or consultant contracted to the municipality in respect of a contract that would cause a conflict of interest.
7. Bid offers will be rejected if the bidder or any of his/her directors are listed on the Register of Bid Defaulters in terms of the Prevention and Combating of Corrupt Activities Act, 2004 (Act 12 of 2004) as a person prohibited from doing business with the public sector.
8. Bid offers will be rejected if the bidder has abused the City of Tshwane supply chain management system.
9. Failure to complete and sign the certificate of independent determination or disclosure of wrong information.
10. Duly Signed and completed MBD forms (MBD 1, 4, 5, 8 and 9) The person signing the bid documentation must be authorised to sign on behalf of the bidder. Where the signatory is not a Director / Member / Owner / Shareholder of the company, an official letter of authorization or delegation of authority should be submitted with the bid document.
11. All MBD documents fully completed and fully signed? By the authorized personnel.
12. False or incorrect declarations on any of the MBD documents will result in the rejection of the bidder.

- 13 It is the responsibility of the bidder to disclose in MBD4 any interest in any other related companies or business whether they are bidding for this contract. Failure to disclose this interest will result in the rejection of the bid.
- 14 Joint Ventures (JV) – (Only applicable when the bidder tender as a joint venture)
- i. Where the bidder bid as a Joint Ventures (JV), the required or relevant documents under administrative requirements must be provided/submitted for all JV parties. (These include MBD4, MBD5, MBD8, MBD 9, CSD and/ or SARS pin, Confirmation that the bidder’s municipal rates and taxes are up to date.)
 - ii. In addition to the above the bidder must submit a Joint Venture (JV) agreement signed by the relevant parties.
 - iii. It is a condition of this bid that the successful bidder will continue with same Joint Venture (JV) for the duration of the contract, unless prior approval is obtained from City of Tshwane.
 - iv. JV agreement must be complete, relevant and signed by all parties.

Failure to comply with the above will lead to immediate disqualification.

Bidder

CERTIFICATE OF AUTHORITY FOR SIGNATORY

Status of concern submitting tender (delete whichever is not applicable):

COMPANY/PARTNERSHIP/ONE-PERSON BUSINESS/CLOSE CORPORATION/JOINT VENTURE

A. COMPANY

If the bidder is a company, a certified copy of the resolution of the board of directors that is personally signed by the chairperson of the board, authorising the person who signs this bid to do so and to sign any contract resulting from this bid, and any other documents and correspondence in connection with this bid or contract on behalf of the company, must be submitted with this bid.

An example is shown below:

By resolution of the board of directors on 20.....,
Mr/Ms has been duly
authorised to sign all documents in connection with
Bid Number

SIGNED ON BEHALF OF THE COMPANY:

IN HIS/HER CAPACITY AS

DATE:

SIGNATURE OF SIGNATORY:

WITNESSES: 1.

2.

B. PARTNERSHIP

The following particulars in respect of every partner must be furnished and signed by every partner:

Full name of partner	Residential address	Signature
.....
.....
.....

We, the undersigned partners in the business trading as, hereby authorise to sign this bid as well as any contract resulting from the bid and any other documents and correspondence in connection with this bid or contract on our behalf.

.....
Signature **Signature** **Signature**

.....
Date **Date** **Date**

C. ONE-PERSON BUSINESS

I, the undersigned,, hereby confirm that I am the sole owner of the business trading as

.....
Signature **Date**

D. CLOSE CORPORATION

In the case of a close corporation submitting a bid, a certified copy of the founding statement of such corporation shall be included with the bid with a resolution by its members, authorising a member or other official of the corporation to sign the documents and correspondence in connection with this bid or contract on behalf of the company.

An example is shown below:

By resolution of the members at the meeting on 20..... at
....., Mr/Ms, whose signature appears below, has been duly authorised to sign all documents in connection with Bid Number

SIGNED ON BEHALF OF THE CLOSE CORPORATION:

IN HIS/HER CAPACITY AS:

DATE:

SIGNATURE OF SIGNATORY:

WITNESSES: 1.

 2.

E. CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

This returnable schedule is to be completed by joint ventures.

We, the undersigned, are submitting this bid offer in joint venture and hereby authorise Mr/Ms , authorised signatory of the company..... , acting in the capacity of the lead partner, to sign all documents in connection with the bid offer and any contract resulting from it on our behalf.

NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY
Lead partner		Signature: Name: Designation:
		Signature: Name: Designation:
		Signature: Name: Designation:
		Signature: Name: Designation:

SPECIFICATION OR TERMS OF REFERENCE



Energy and Electricity Business Unit

TENDER FOR SUPPLY DELIVERY AND OFF-LOADING OF STAYING AND BINDING EQUIPMENT USED ON OVERHEAD LINES, ON AN AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF 3 YEARS.

BID NUMBER

(EEBU 16-2025/2026)

1. INTRODUCTION AND PURPOSE

Overhead line fittings, ranging from helical formed wire products, to suspension, tensioning and staying equipment are used to construct transmission lines, support pole structures, line deviations and end poles to form an integral part of the City of Tshwane's overhead line networks.

2. BACKGROUND

The Energy and Electricity Business Unit (EEBU) is responsible for maintaining the City of Tshwane's electrical distribution network; thus, the network must be equipped with quality equipment to ensure efficiency and mitigate network failure due to worn-out components.

3. PROJECT SCOPE

3.1 SCOPE

The EEBU needs to appoint service provider(s) for the supply, delivery and offloading of staying and binding equipment as prescribed by local and international standards at the City of Tshwane operational depots/ stores.

The scope of works will include the following:

- 1) Supply of staying and binding equipment used on overhead lines.
- 2) Delivery and offloading of all materials to the City of Tshwane depots/stores.

3.2 ABBREVIATIONS

A	Ampere
AC	Alternate Current
ACSR	Aluminum Conductor Steel Reinforced
CoT	City of Tshwane
EEBU	Energy and Electricity Business Unit
EN	European Norm
kg	Kilogram
kN	Kilonewton
LV	Low Voltage
m	Meter
mm	Millimeter
MPa	Megapascal
MV	Medium voltage
NRS	National Rationalised Standards
SANS	South African National Standards
V	Voltage
VDC	Volts (Direct Current)
W	Watt

3.3 NORMATIVE REFERENCES

Latest versions of the standards below apply:

ANSI C119.4:	Test Methods for Connectors for Overhead Lines.
ASTM B316:	Aluminium Alloy for Electrical Conductors.
BS 16	Specification for telegraph material
NRS 022:	Electricity distribution - Stays and associated components.
SANS 182-3:	Conductors for overhead electrical transmission lines Part III: Aluminium conductors, steel reinforced.
SANS 182-1:	Conductors for overhead electrical transmission lines Part I: Copper wires and stranded copper conductors.
SANS 182-5:	Conductors for overhead electrical transmission lines Part 5: Zinc-coated steel wires for conductors and stays
SANS 1431:	Carbon steel for general engineering purposes
SANS 3001-WA1:	Civil engineering procedures - Welding of steel structures
SANS 10162-1	The Structural Use of Steel - Part 1: Limit-states design of hot-rolled steelwork
SANS 61284 / IEC 61284:	Overhead line fittings
SANS 10005	Preservative treatment of timber
SANS 1288	Timber grading rules
SANS 10400-H	Weatherproofing of building elements
SANS 121(ISO 1461):	Hot-dip galvanised coatings on fabricated iron and steel articles - Specifications and test methods.
ISO 9001:	Quality management Systems-Requirements
ISO 14001:	Environmental Management System

3.4 REQUIRED ITEMS

The following items are required:

SECTION 1

GROUP 1

Dead End strain termination:

Item 1: Dead End - Hare

Item 2: Dead End - Gopher

Item 3: Dead End – Rabbit

GROUP 2

Twin Tie with pad for securing conductor onto the top groove of insulators:

Item 4: Twin Tie with pad - Hare

Item 5: Twin Tie with pad - Gopher

Item 6: Twin Tie with pad – Rabbit

GROUP 3

Twin Tie with pad for road crossings:

Item 7: Twin Tie with pad for road crossings - Hare

Item 8: Twin Tie with pad for road crossings - Gopher

Item 9: Twin Tie with pad for road crossings – Rabbit

GROUP 4

Side Tie and tie for horizontally installed insulators:

Item 10: Side Tie - Hare

Item 11: Side Tie - Gopher

item 12: Side Tie - Rabbit

GROUP 5

Wraplock tie for vertically installed insulators:

item 13: Wraplock tie - Hare

item 14: Wraplock tie - Gopher

item 15: Wraplock tie - Rabbit

GROUP 6

Thimble Clevis with pin

Item 16: Thimble Clevis for Hare, Rabbit and Gopher

SECTION 2

GROUP 7

Guy grip fittings:

Item 17: Guy grip for 3/3.35mm stay wire

Item 18: Guy grip for 7/4.00mm stay wire

GROUP 8

Pole Top Make-Off's:

Item 19: Pole Top Make-Off for 3/3.35mm stay wire

Item 20: Pole Top Make-Off for 7/4.00mm stay wire

GROUP 9

Stay Wire:

Item 21: 3/3.35mm stay wire

Item 22: 7/4.00mm stay wire

GROUP 10

Adjustable Stay Anchor and Base Plate

Item 23: M16 x 1.8m adjustable stay rod and square base plate

Item 24: M20 x 2.4m adjustable stay rod and square base plate

SECTION 3

GROUP 11

Stay Insulators

Item 25: 34KN Stay insulator

Item 26: 70KN stay insulator

SECTION 4

GROUP 12

Pistol grips:

Item 27: 5-20mm ACSR Pistol Grip Strain Clamp

Parallel Groove(PG) clamp:

Item 28: Parallel Groove (PG) Clamp for ACSR Conductors (Hare, Rabbit, Gopher)

Group 13

Stay Guards

Item 30: Stay guard for M16x1.8 m stay rod

Item 31: Stay guard for M20x2.4 m stay rod

GROUP 14

Bracket for Hip Stay Assembly

Item 32: Hip Stay bracket for 3/3.35mm stay wire

Item 33: Hip Stay bracket for 7/4.00mm stay wire

GROUP 15

PVC Spacer

Item 34: PVC Spacer / LV Line Spreader

Galvanized steel kicker pipe

Item 35: Galvanized steel kicker pipe 32 mm² x 2 meter long

Wood Stay Guard

Item 36: Wood Stay Guard 70mm x 70mm x 1500mm

3.5 GENERAL REQUIREMENTS / SPECIFICATION

- This specification details the materials, manufacture and application of formed helical wire fittings applicable on ACSR(Aluminum Conductor Steel Reinforced) and copper conductors, which are factory formed, suitable for hand application and which shall meet the performance requirements of this specification. In the context of hardware, "helically formed" means that the

component is shaped into a spiral or coiled form. The material (usually steel or aluminium wire) is wound around a central axis to create a helical structure.

- Overhead line fittings (strain clamps, parallel groove clamps), stay-wire and stays and associated components applicable on ACSR and copper conductors which shall comply with the performance requirements of this specification.
 - Nothing in this specification shall lessen the obligations of the supplier. The supplier shall be fully responsible for the design and its satisfactory performance in service. Approval by the City of Tshwane shall not relieve the supplier of the responsibility for the adequacy of the design.
 - The manufacturer of the offered products shall be compliant with:
 - ISO 9001:2015 Quality Management System
 - ISO 14001:2015 Environmental Management System
- Proof of compliance shall be demonstrated through:
- Valid ISO 9001:2015 certification covering the design, manufacturing, and testing of the tendered products
 - Valid ISO 14001:2015 certification demonstrating environmental management system implementation at the manufacturing facility

ACSR Specifications:

The South African National Standards (SANS) for Aluminum Conductor Steel Reinforced (ACSR) are detailed in SANS 182-3, which outlines the specifications for GOPHER, RABBIT, and HARE types are as follows:

GOPHER ACSR Conductor

- Reference Area, Aluminium/Steel (mm²): 26/4.4
- Number and Standard Diameter of Wires, Aluminium/Steel (mm): 6/1/2.36
- Overall Diameter (mm), Max: 7.16
- Approximate Mass per km (kg): 106
- Calculated Maximum Resistance per km at 20°C, Aluminium Only (ohms): 1.116
- Calculated Breaking Strength (kN, min.): 9.61
- Code Name: Gopher

RABBIT ACSR Conductor

- Reference Area, Aluminium/Steel (mm²): 53/8.8
- Number and Standard Diameter of Wires, Aluminium/Steel (mm): 6/1/3.35
- Overall Diameter (mm), Max: 10.15
- Approximate Mass per km (kg): 214
- Calculated Maximum Resistance per km at 20°C, Aluminium Only (ohms):
0.5534
- Calculated Breaking Strength (kN, min.): 18.40
- Code Name: Rabbit

HARE ACSR Conductor

- Reference Area, Aluminium/Steel (mm²): 105/17
- Number and Standard Diameter of Wires, Aluminium/Steel (mm): 6/1/4.72
- Overall Diameter (mm), Max: 14.30
- Approximate Mass per km (kg): 425
- Calculated Maximum Resistance per km at 20°C, Aluminium Only (ohms):
0.2788
- Calculated Breaking Strength (kN, min.): 36.54
- Code Name: Hare

These specifications are based on the SANS 182-3 standard and provide a comprehensive overview of the characteristics of these ACSR conductors. It's important to note that these values are approximate and calculated for aluminium only, and the actual performance may vary based on various factors including environmental conditions and specific manufacturing processes.

SECTION 1

Helically formed wire products for ACSR: termination and binding Items are required for the following products: 1) ACSR products: Hare, Gopher and Rabbit, and 2) for the following stay-wire: 3/3.35 and 7/4.00

Group 1

Dead End strain termination:

Item 1: Dead End - Hare

Item 2: Dead End - Gopher

Item 3: Dead End – Rabbit

General Requirements for Dead End Strain Termination

Applicable to All Types of ACSR Conductors (Hare, Gopher, Rabbit)

- **Material Compatibility:** Must be compatible with ACSR (Aluminium Conductor Steel Reinforced) conductors, including variants like Hare, Gopher, and Rabbit.
- **Mechanical Strength:** Must provide sufficient mechanical strength to withstand the tension and breaking load of the conductor.
- **On ACSR conductors, the Rated Holding Strength approximates the full strength of the aluminium strands plus 10% of the steel core.**
- **Durability:** Must be durable and resistant to environmental factors such as weather, UV exposure, and corrosion.
- **Installation Compatibility:** Must be designed for easy installation and compatibility with standard dead end fittings and hardware.
- **Breaking Load:** Must meet or exceed the breaking load requirements specified for the conductor type.
- **Conductor Size Range:** Must accommodate the specific conductor sizes for Hare, Gopher, and Rabbit ACSR conductors.
- **Colour Code:** Must assist in identification of conductor diameter
- **Identification Label:** Must include a durable and legible label showing the catalogue number, nominal sizes, and other relevant information.

Group 2

Twin Tie with pad for securing conductor onto the top groove of insulators:

Item 4: Twin Tie with pad - Hare

Item 5: Twin Tie with pad - Gopher

Item 6: Twin Tie with pad - Rabbit

Group 3

Twin Tie with pad for road crossings:

Item 7: Twin Tie with pad for road crossings - Hare

Item 8: Twin Tie with pad for road crossings - Gopher

Item 9: Twin Tie with pad for road crossings - Rabbit

Group 4

Side Tie and tie for horizontally installed insulators:

Item 10: Side Tie - Hare

Item 11: Side Tie - Gopher

item 12: Side Tie - Rabbit

General Requirements for Distribution Type Ties

Applicable to All Types of Ties (Twin Tie with Pad, Twin Tie for Road Crossings, Side Tie for Horizontally Installed Insulators)

- Pitch Length: Must be one complete wrap, adjusted as necessary to fit the specific conductor and insulator configuration.
- Colour Code: Must assist in identification of conductor diameter and indicate the starting point for application.
- Tie Pad(where indicated):
 - For bare conductors, each tie must be supplied with a neoprene tie pad that is detachable and applied over the conductor centred in the top groove of the insulator.
- Centre Section: Must have a straightened centre section contoured to fit a variety of insulators.
- Identification Label: Must show catalogue number, nominal sizes, and other relevant information. The label must be durable and legible, meeting the requirements of relevant safety standards.
- Material Used: Must be compatible with ACSR conductors, including variants like Gopher, Rabbit, and Hare. The material should be new as defined in applicable material requirements.
- Lay Direction: Must have the same lay direction as that of the outer layer of the conductor strands to which it is applied.
- Mechanical Strength: Must provide sufficient holding strength to secure the conductor in place.
- Vibration Protection: Must reduce abrasion caused by vibration and provide protection against conductor damage.

Specific Requirements for Certain Types of Ties

- Twin Tie with Pad for Securing Conductor onto the Top Groove of Insulators:
 - Must be designed to provide secure attachment in a vertical orientation, ensuring stability and resistance to gravitational forces.
- Twin Tie with Pad Suitable for Road Crossings:
 - Designed to fully armour the conductor on both sides of the insulator top
 - The design must have adequate holding strength to maintain statutory road crossing ground clearance while meeting all statutory requirements
- Side Tie for Horizontally Installed Insulators:
 - Must be designed to provide secure attachment in a horizontal orientation, ensuring stability and resistance to lateral forces.

Group 5

Wraplock tie for vertically installed insulators:

item 13: Wraplock tie - Hare

item 14: Wraplock tie - Gopher

item 15: Wraplock tie - Rabbit

General Requirements

- Colour Code: Must assist in identification of conductor diameter and indicate the starting point for application.
- Must include a moulded centre section that provides a protective cushion for the conductor.
- Centre Section: Must have a moulded centre section together with tubes that completely surround the conductor, providing a resilient cushion.
- Identification Label: Must show catalogue number, nominal sizes, and other relevant information.
- Material Used: Must be compatible with conductors such as ACSR (Aluminium Conductor Steel Reinforced), including variants like Gopher, Rabbit, and Hare.

- Insulator Compatibility: Must be applicable to interchangeable head-style insulators including C, F, and J-Neck.
- Conductor Size Range: Must accommodate specified conductor sizes.
- Vibration Protection: Must reduce abrasion caused by vibration and provide superior protection against conductor damage.
- Line Angles: Must accommodate line angles up to 10 degrees in the vertical orientation.
- Vertical Installation Specifics: Must be designed to provide secure attachment in a vertical orientation, ensuring stability and resistance to gravitational forces

Group 6

Thimble Clevis with pin

The Dead-end Thimble Clevis is designed to connect conductors to insulators using wire-formed dead-ends, specifically suitable for Gopher, Rabbit, and Hare ACSR conductors.

Item 16: Thimble Clevis for Hare, Rabbit and Gopher

Requirements:

- Body:
 - Material: Corrosion-resistant aluminium alloy.
 - Surface Treatment: Smooth finish to prevent stress concentration and damage to the dead end fitting.
- Clevis Pin:
 - Material: Galvanised steel.
 - Surface Treatment: Hot-dip galvanised to ensure corrosion resistance.
- Split Pin:
 - Type: humpbacked cotter key
 - Material: Stainless steel.
 - Surface Treatment: Stainless steel to ensure corrosion resistance and durability.

Breaking Load:

- Ultimate Strength: The clevis must have an ultimate breaking load of at least 70 kN.

Design Features:

- **Conductor Size:** Must be suitable for specified ACSR conductors.
- **Smooth Internal Contour:** The thimble must have a smooth internal contour to prevent stress concentration within the loop of the formed wire dead end.
- **Reinforced Construction:** The clevis must be reinforced to ensure extra strength and durability.
- **Rounded Edges:** The edges of the clevis must be rounded to reduce stress concentrations and prevent damage to the conductor.
- **Secure Connection:** The clevis must include a steel pin that links it through the eye of the insulator or other mounting point and is secured with a humpbacked cotter key.
- **Corrosion Resistance:** The aluminium alloy body must provide high resistance to corrosion, making it suitable for areas with higher corrosion potential.
- **Standards Compliance:** The clevis must meet or exceed relevant national and international standards for mechanical strength and safety.

Marking and Identification:

- **Manufacturer's Mark:** The clevis must be clearly marked with the manufacturer's name or logo.
- **Item Number:** The clevis must include the item number for easy identification.
- **Material and Capacity:** The clevis must be marked with the material type and maximum load capacity.

SECTION 2

HELICAL WIRE PRODUCTS FOR STAYS, STAY WIRE AND ANCHOR ASSEMBLIES

Thimbles, guy grip and dead-end fittings shall comply with the requirements of NRS 022 and shall have a long-term performance commensurate with other fittings specified in this specification,

Group 7

Guy grip fittings:

Guy grip fitting is a formed fitting for attaching a stay wire to other stay components such as anchor rods, thimbles and stay insulators

Item 17: Guy grip for 3/3.35mm stay wire

Item 18: Guy grip for 7/4.00mm stay wire

General Requirements for Guy Grip Fittings

Applicable to All Guy Grip Fittings

- **Material:** Must be made of steel wire hot-dip galvanized in accordance with SANS 121.
- **Compatibility:** Must be compatible with galvanized steel stay wires.
- **Strength:** Must be capable of holding the full rated breaking strength of the stay wire.
- **Durability:** Must be resistant to corrosion and environmental factors.
- **Installation:** Must allow for easy installation and reapplication up to two times for adjustment purposes.
- **Marking Requirements**
 - **Required Markings on Each Fitting:**
 - **Stay Wire Size** - Clearly indicate the size of stay wires for which the fitting is designed
 - **Colour Code**
 - **Manufacturer Identification** - Provide manufacturer identification on each item
- **Labelling Requirements:**
 - **Attached Label** - Each dead-end fitting must have a permanently attached label containing:
 - **Manufacturer identification**
 - **Compatible stay wire size designation**
- **Supplier Identification:**
 - **Grit Glue Colour Coding** - Each supplier shall be assigned a unique color for grit glue to enable supplier identification through external marking
- **Storage and Transportation Requirements**

- Guy grip dead-end fittings must be suitably packaged to protect the fittings from weather effects during transportation and storage to prevent deterioration of the gripping capability of the fittings.

Specific Requirements for Each Size

- Item 17: Guy Grip for 3/3.35 mm Stay Wire:
 - Strand Size: 3/3.35 mm.
 - Length: to be indicated in the technical Annexure A
 - Colour Code: to be indicated in the technical Annexure A
 - Breaking Strength: Must meet or exceed the breaking strength requirements for 3/3.35 mm stay wire.
- Item 18: Guy Grip for 7/4.00 mm Stay Wire:
 - Strand Size: 7/4.00 mm.
 - Length: to be indicated in the technical Annexure A
 - Colour Code: to be indicated in the technical Annexure A
 - Breaking Strength: Must meet or exceed the breaking strength requirements for 7/4.00 mm stay wire.

Group 8

Pole Top Make-Off's:

A pole top make-off is a formed fitting designed to secure the galvanized stay wire directly to the top of a pole

Item 19: Pole Top Make-Off for 3/3.35mm stay wire

Item 20: Pole Top Make-Off for 7/4.00mm stay wire

General Requirements for Pole Top Make Off

Applicable to All Pole Top Make Offs

- Material: Must consist of 3 galvanized steel wires of 1400Mpa strength, including a single unformed core wire of 700Mpa strength.
- Central Part: The central part must be double-wrapped onto the pole top.
- Legs Configuration: Two legs must wrap over the unformed wire to create a seven-strand stay.
- Strength and Diameter: Must have similar strength and diameter to the stay wires.
- Fitting Length: ± 2290 mm.

- Durability: Must be resistant to environmental factors such as weather, UV exposure, and corrosion.
- Installation: Must allow for easy installation without the need for special tools.
- Identification: Must include a durable and legible label showing the catalogue number, nominal sizes, and other relevant information.
- Marked by stamping with the manufacturer's identification and the item's minimum breaking load in kilonewtons.
- Specific Requirements for Each Size
- Item 19: Pole Top Make Off for 3/3.35 mm Stay Wire:
 - Strand Size: 3/3.35 mm.
- Item 20: Pole Top Make Off for 7/4.00 mm Stay Wire:
 - Strand Size: 7/4.00 mm.

Group 9

Stay Wire:

A stay wire is the stranded wire portion of a stay

Item 21: 3/3.35mm stay wire

Item 22: 7/4.00mm stay wire

Requirements:

Stay wires shall comply with the requirements of SANS 182-5.

The standard stay wires to be supplied shall be of the following construction as per the requirement of NRS 022:

Number and diameter of wires	Nominal tensile grade of the wire steel	Minimum breaking load of stay wire	Maximum safe working load of stay wire (Factor of safety 2,5)	Breaking load of stay insulator
mm	Mpa	kN	kN	kN
3/3,35 mm	1100	28.98	11.592	34
7/4,00mm	1100	96	36.7	100

- Stay wires shall be drummed, and the packaging marked, in accordance with the relevant requirements of SANS 182-5. Each drum shall bear the following information legibly and indelibly marked on a firmly attached durable label or printed on a cheek of the reel or drum:
 - a) the manufacturer's trade name or trade mark or both;
 - b) the reference area of the conductor or the standard diameter of the wire and, where relevant, the type of wire and the tensile grade of the steel;
 - c) the nominal length, in metres;
 - d) the net mass (in kilograms) in the case of coils or reels, or the gross and net mass (in kilograms) in the case of drums;
 - e) the year of manufacture;
 - f) a marking that enables the specification to which the wire was made to be identified.
- Wooden drums shall be resistant to biological attack.
- Corrosion protection is required for stay wires during transportation and storage.

Group 10

Adjustable Stay Anchor and Base Plate

An adjustable stay anchor is a critical component used in electrical utility installations to secure stay wires to the ground with variable tensioning capabilities. It provides mechanical support and stability to utility poles, especially in areas prone to high winds or other environmental stresses. The adjustable stay anchor typically consists of an adjustable anchor rod assembly and a base plate, which are designed to be buried in the ground to provide a secure and adaptable anchor point for the stay wire.

The adjustable anchor rod features a threaded adjustment mechanism that allows for precise tensioning and length modification after installation. This adjustability enables to fine-tune the stay wire tension without requiring excavation or complete reinstallation of the anchor system.

A base plate is a flat, typically square-shaped plate that is attached to the adjustable anchor rod. It distributes the tension from the stay wire over a larger area, preventing the anchor from being pulled out of the ground. The adjustable design permits repositioning of the attachment point to optimize the stay wire angle and tension distribution.

Item 23: M16 x 1.8m adjustable stay rod and square base plate

Item 24: M20 x 2.4m adjustable stay rod and square base plate

Requirements for Adjustable Stay Anchor and Base Plate

- **Material:** Must be made of steel that complies with the requirements of SANS 1431. The grade of steel shall be 350 WC or equivalent steel.
- **Galvanization:** Must be hot-dipped galvanized in accordance with the requirements of SANS 121 to provide corrosion resistance.
- **Adjustability:** Must be adjustable by means of a threaded adjustment mechanism. This allows for precise tensioning and adjustment of the stay wire.


- Base Plate: Must include a square base plate suitable for use with stay wires.
- Wire Rope Thimble: Must be supplied with a wire rope thimble suitable for use with the stay wires. The thimbles shall be manufactured from either stainless steel (Grade 316) or steel. If steel is used, it shall be of grade 350 WC and hot-dip galvanized in accordance with SANS 121.
- Breaking Load: Must meet or exceed the breaking load requirements for the specified stay wire sizes.
 - Installation: Must allow for easy installation without the need for special tools.
 - Marked by stamping with the manufacturer's identification and the item's minimum breaking load in kilonewtons.

Specific Requirements for Each Size


- Item 23: M16 x 1.8m Adjustable Stay Rod and Square Base Plate:
 - Stay Rod- see drawing below for details
 - A: Rod Length: 1.8 meters.
 - B: Rod Diameter: M16.
 - C: min 300mm
 - Base Plate – see drawing below for details:
 - A: 300mm
 - B: 300mm
 - C: 6mm
 - D: M16
 - Breaking Load: Must meet or exceed the breaking load requirements for M16 x 1.8m stay rod.

- Item 24: M20 x 2.4m Adjustable Stay Rod and Square Base Plate:
 - Stay Rod- see drawing below for details
 - A: Rod Length: 2.4 meters.
 - B: Rod Diameter: M20.
 - C: min 300mm
 - Base Plate – see drawing below for details:
 - A: 450mm
 - B: 450mm
 - C: 6mm

- D: M20
- Breaking Load: Must meet or exceed the breaking load requirements for M20 x 2.4m stay rod.



STAY ROD ASSEMBLY



BASE PLATE

- Applicable Standards:

Standard	Description	Applicable Items
BS 16	British Standard for adjustable stay rods and fittings	Items 23-24 (M16/M20 stay rods)
SANS 121	Hot-dip galvanizing (equivalent to ISO 1461)	Corrosion protection
NRS 022	South African standard for stay assemblies	Mechanical performance
SANS 1431	Steel grade requirements (350 WC)	Material specification

SECTION 3

Group 11

Stay Insulators

<p>A stay insulator is designed to withstand the tension of a stay wire or rope and to insulate the position of the stay where persons and animals can make contact from the portion of the stay which could become live. This ensures safety by preventing electrical shocks and accidents</p> <p>Item</p>	<p>Type of stay insulator</p>	<p>Dry withstand voltage</p>	<p>Wet withstand voltage</p>	<p>Leakage distance</p>	<p>Breaking load of stay insulator</p>
25	Porcelain	25 kV	11 kV	60m	34 kN
26	Porcelain	38 kV	22 kV	76 mm	70 kN

General Requirements

- Material: Must be made of high-quality porcelain suitable for electrical applications.
- Tension Resistance: Must be capable of withstanding the tension of the stay wire or rope.
- Insulation: Must provide adequate insulation to prevent electrical shocks and ensure safety.
- Leakage Distance: Must meet the specified leakage distance requirements to ensure proper electrical isolation.
- Breaking Load: Must meet or exceed the specified breaking load requirements to ensure mechanical strength and reliability.
- Wet Withstand Voltage: Must meet the specified wet withstand voltage requirements to ensure performance under wet conditions.
- Dry Withstand Voltage: Must meet the specified dry withstand voltage requirements to ensure performance under dry conditions.
- Durability: Must be resistant to environmental factors such as weather, UV exposure, and pollution.
- Installation: Must allow for easy installation and compatibility with standard stay wire hardware.
- The following information shall appear in legible and indelible marking on each stay insulator:
 - a) the manufacturer's name, trade name or trade mark or any combination of these;
 - b) the type designation;
 - c) the minimum breaking load, in kilonewtons (kN); and
 - d) the year of manufacture or a batch identification relating the insulator to a batch and the manufacturing details which must be made available to the purchaser.

NOTE: NRS 022 figure 4 and 5 show typical dimensions of porcelain insulators.

SECTION 4

OVERHEAD LINE FITTINGS

Group 12

Pistol grips:

Pistol grip strain clamps are designed to provide a secure connection for ACSR conductors to utility poles or other structures, ensuring safety and reliability in electrical installations.

Item 27:5-20mm ACSR Pistol Grip Strain Clamp

See Figure below.

Requirements:

- Conductor Size: 5,1 – 20,5mm. Must be suitable for the specified ACSR conductors.
- Material clamp: cast aluminium
- Material U-bolts and nuts: medium steel hot dip galvanized in accordance with SANS 121: 2011 (ISO 1461: 2009(E)) to ensure corrosion resistance.
- Number of U-Bolts: Must include a minimum of 3 U-bolts M12 to ensure a secure connection.
- Material of clevis pin: Heat-treated carbon steel hot dip galvanized in accordance with SANS 121: 2011 (ISO 1461: 2009(E)) to ensure corrosion resistance.
- Minimum Failing Load: Must meet or exceed a minimum failing load of 70 kN.
- Required marking: manufacturer's identification, product code, conductor size and the item's minimum breaking load in kilonewtons.
- Applicable Standard:
- SANS 61284 / IEC 61284 (Overhead line fittings) or equivalent standard
- If Aluminium ASTM B316: Aluminium Alloy for Electrical Conductors or equivalent standard
- SANS 121 / ISO 1461 Hot-dip galvanizing (for cast iron clamps)
- Required Test Reports: certified test report to show compliance with applicable standards.
- Bidder must indicate product dimensions in Annexure A -Schedule B as indicated on drawing below




Figure 1 Example of a Pistol Grip Strain Clamp

(Images are for illustrative purposes only. They do not specify or require any particular brand, trademark, or manufacturer. Tenderers must meet all written technical and performance specifications)

Parallel Groove(PG) clamp:

A Parallel Groove (PG) Clamp is a mechanical connector used in overhead power distribution lines to join or terminate aluminium conductors (ACSR). It consists of:

- Two symmetrical aluminium alloy jaws with parallel grooves to grip conductors.
- Bolts and washers to apply uniform pressure, ensuring low resistance and mechanical stability.
- Corrosion-resistant coatings for harsh environments.


Item 28: Parallel Groove (PG) Clamp for ACSR Conductors (Hare, Rabbit, Gopher)

Requirements:

- **Clamp Body:** Must be made of high-strength aluminium alloy (extruded) material.
- **Number of Bolts:** The clamp must utilize exactly two (2) bolts for assembly.
- **Washers:** Spring washers must be included to prevent loosening of the connection.
- **Material of Bolts, Nuts, Washers:** All hardware components must be made of similar material to the clamp body to ensure equal thermal expansion and prevent loosening under temperature changes.
- **Surface Finish:** The clamp must have smooth grooves to avoid damaging the conductor during installation and operation.
- **Conductor Range:** The clamp must accommodate the ACSR conductor sizes as specified.
- **Marking & Documentation:** The clamp must be engraved or labeled with manufacturer name and part number, type of material, compatible ACSR sizes (Hare/Rabbit/Gopher), and torque specification (e.g., "25 Nm Max").

Applicable Standards

- SANS 61284 / IEC 61284 (Overhead line fittings) or equivalent standard
- ANSI C119.4: *Test Methods for Connectors for Overhead Lines.*
- ASTM B316: *Aluminium Alloy for Electrical Conductors.* or equivalent standard
- **Required Test Reports:** certified test report to show compliance with applicable standards.
- **Approximate dimensions as follows:**
 - A: ±85mm
 - B: ±53mm
 - C: M12
 - R(Conductor Range Min to Max): 4 – 15mm
 - Bidder must indicate product dimensions in Annexure A -Schedule B as shown on the drawing below.



TWO BOLT PARALLEL GROOVE CLAMP



Figure 2 – Example of a Two Bolt Parallel Groove Clamp

(Images are for illustrative purposes only. They do not specify or require any particular brand, trademark, or manufacturer. Tenderers must meet all written technical and performance specifications)

Group 13

Stay Guards

Item 30: Stay guard for M16x1.8 m stay rod

Item 31: Stay guard for M20x2.4 m stay rod

Requirements:

- In urban or built-up areas, stay wires must be fitted with a 2-meter-long tubing on their lower ends to enhance visibility for pedestrians and motorists. This tubing can be either slip-on or clip-on and must meet the following specifications:

- Internal Diameter: The tubing must have an internal diameter of at least 25 mm to ensure it can fit over the stay wire and any attached fittings, such as the guy grip dead-end fitting.
- Material: The tubing must be made of a material that is suitable for the intended use and resistant to ultraviolet (UV) light degradation for the intended lifespan, of minimum 20 years.
- Colour: Yellow (RAL 1023) or similar

Required Certifications

- Material Test Certificates demonstrating:
 - Material composition and grade certification
 - Mechanical properties (tensile strength, elongation, impact resistance)
 - Chemical resistance
- UV Resistance Certification in accordance to ISO 4892-2 / ASTM G155 or equivalent standard:

Group 14

Bracket for Hip Stay Assembly

Item 32: Hip Stay bracket for 3/3.35mm stay wire

Item 33: Hip Stay bracket for 7/4.00mm stay wire


Requirements:


- Mounting The drawing below shows a bracket for a hip stay assembly that utilises through bolts for mounting the bracket to a pole.
- Mounting Requirement: the hip stay assembly must be mounted to a pole through a clamping system that secures around the pole circumference instead of through bolts.
- The clamping system must be designed to distribute loads evenly around the pole circumference while achieving the specified load capacities through mechanical clamping force alone.
- The bracket must clamp securely around pole circumference.
- No threaded rods must penetrate through the pole structure.
- The bracket must enable installation and removal without compromising pole strength.
- The mounting bracket must be suitable for various pole diameters.

- The bracket must be weather-resistant construction for outdoor installation.
- Hip stay assembly Material: EN 10025-2/ SANS 1431 Grade S355JR/350WA steel
- Hip stay assembly structural design in accordance with SANS 10162-1 The Structural Use of Steel - Part 1: Limit-states design of hot-rolled steelwork
- Finish: The bracket and all steel parts must be hot dip galvanized in accordance with SANS 121 (ISO 1461) to ensure corrosion resistance.
- Marked / labelled with the manufacturer's identification, product code, stay wire size and/or other relevant information.
- The hip stay assembly must consist of the following items as indicated on the drawing:

Item and Description:


 - 1) CHANNEL U 100 x 50 X 11 mm
 - 2) ANGLE IRON 60 x 60 x 6 x 950 mm
 - 3) SOLID ROUND STEEL BAR ROLLER to accommodate stay wire
 - 4) -ANGLE IRON 60 x 60 x 6 x 1352 mm
- Dimensions as shown below.





Proposed options to attach hip stay to the pole:

1. Split-clamp: Welded clamping bracket (see below) top & bottom made of 80mm width x 6mm Flat Bar material S355JR (SANS 50025) on the Hip Stay. This option uses threaded rods(SANS 227) but not going through the pole



2. U-Bolt Mounting System: Modify the Hip Stay Bracket to be clamped using 2 or 3 - M16 U-Bolts around the pole, material SAE1008/070M20



3. Strap the Hip Stay Bracket on the pole 3 or 4 times by having side slots slotted on the upright U-Channel of the Hip Stay Bracket – use Stainless Steel Bandit Strap.
 4. The bidder may propose alternative option to secures the hip stay around the pole circumference instead of through bolts.
- Applicable Standards
 - SANS 1431: Carbon steel for general engineering purposes
 - SANS 50025: Hot rolled products of structural steels
 - SANS 121: Zinc coatings on iron and steel articles
 - SANS 3001-WA1: Civil engineering procedures - Welding of steel structures
 - SANS 10162-1: Structural use of steel - Limit-states design of hot-rolled steelwork
 - Supporting Standards
 - SANS 1700: Fasteners - Designation system for steels and alloys
 - SANS 50164: Steelwork execution
 - Required Documentation:
 - Bidders must specify and provide the following documentation with the tender:
 - Technical specifications of the hip stay including:
 1. Drawings

- As-built fabrication drawing showing dimensions and assembly details
- Installation drawing with mounting configuration
- Isometric 3D representation.
- Drawing must indicate material specifications of all parts including standards/certifications.
- Specify any proposed alternative materials with justification

2. Test Reports

- Bidders must provide test reports in compliance with referenced and applicable standards.

Group 15

PVC Spacer

A PVC Spacer is a helical, preformed device used to maintain consistent spacing between parallel or converging low-voltage (LV) overhead conductors. It prevents mid-span clashing, reduces wear, and minimizes the risk of short circuits in power distribution (up to 4kV) lines.

Item 34: PVC Spacer / LV Line Spreader

Requirements:

- Spacing Requirements: Nominal Spacing Distance: 300mm (center-to-center conductor separation).
- Conductor Compatibility: Diameter Range: 6.55mm – 8.87mm (fits standard LV conductors).
- Grip Design: Helical legs ensure uniform tension without damaging conductors.
- Material Properties:
 - Base Material: High-impact, rigid polyvinyl chloride (PVC).
 - UV Resistance: Stabilized against sunlight degradation (tested for long-term exposure).
- Weatherproofing: Resistant to rain, and extreme temperatures (-30°C to +70°C).

- **Chemical Resistance:** Withstands industrial pollutants, saltwater, and acid rain.
- **Installation:**
 - **Method:** Tool-free, hand-applied helical wrapping.
 - **Placement:** Designed for mid-span installation on overhead lines.
 - **Reusability:** Can be repositioned if needed (non-destructive removal).
- **Designed for mid-span anti-clashing compliance in overhead power lines.**
- **Marking:** The spacer must be labelled with details such as , but not limited to, manufacturer name and part number, spacing distance and diameter range.




Figure 3 Typical PVC Spacer/LV Line Spreader as required

Galvanized steel kicker pipe

a kicker pipe serves as a protective conduit for electrical cables.

Item 35: Galvanized steel kicker pipe 32 mm² x 2 meter long

Basic Requirements

- **Diameter:** 32 mm (nominal bore)
- **Length:** 2 meters per section
- **Configuration:** Straight pipe sections

Material Specifications

Base Steel Material

Material Grade: High-strength structural steel suitable for heavy-duty applications requiring superior impact and crush resistance.

- Standard Compliance: EN 10025-2 / SANS 1431
- Steel Grade: S355JR / 350WA

Hot-Dip Galvanizing Protection

- Standard Compliance: SANS 121 (ISO 1461)
- Coating Process: Hot-dip galvanizing after fabrication
- Corrosion Resistance: Minimum 50-year service life in moderate atmospheric conditions

Edge Finishing and Cable Protection Requirements

- All pipe ends must be cut square and perpendicular to the pipe axis using appropriate cutting methods
- Deburring: removal of all burrs, sharp edges, and metal fragments from both internal and external pipe ends
- Internal surface must be smooth to prevent cable jacket abrasion during pulling operations
- Galvanizing Edge Treatment: Special attention to edge galvanizing to ensure complete zinc coverage on cut surfaces and prevent corrosion initiation points

Required Certifications

- Material Test Certificates
- Galvanizing Certificates

Wood Stay Guard

Item 36: Wood Stay Guard 70mm x 70mm x 1500mm

Requirements

- Dimensions: 70mm × 70mm × 1500mm.
- Design:
 - Split-block design: Halved lengthwise (two 35mm × 70mm x 1500mm pieces) with a central hole for the stay wire.
 - Clamping mechanism: Three bolted points (top, middle, bottom) to secure the wire.

- Quantity: 6 bolts total (2 per clamping point).
- Bolt spacing: ~500mm along the length
- 2 bolts per level (top/middle/bottom) staggered around the wire.
- Bolt position: Center between edge and stay wire hole.
- Bolt Type: Galvanized steel (M8 or M10) or stainless steel (A4-70).
- Bolt Length: 75–80mm (to avoid excessive protrusion; flush or max 5mm beyond nut).
- Washers: M8/M10 flat washers (2 per bolt) to distribute pressure.
- Nuts: Nyloc nuts or spring washers to prevent loosening.
- Bolt Installation:
 - Pre-drilled holes (slightly larger than bolt diameter to prevent wood splitting).
 - Countersunk bolts (optional for smoother surface).
- Central Hole Diameter: ~For 3/3.35mm and 7/4.00mm stay wire: 14–16mm.
- Non-slip design: Grooved interior to prevent wire movement.

Wood Specifications

- Type: Hardwood or pressure-treated softwood, suitable for outdoor exposure.
- Treatment:
 - Preservative: Must be treated to \geq H3 class in accordance with SANS 10005.
 - Resistance: Protection against insects, rot, UV degradation, and moisture.
 - Corrosion Safety: Treatment must be compatible with metal fasteners (e.g., ACQ, copper-based preservatives, or borates).
- Grade: Non-structural (protective use only) – No load-bearing requirements.

Paint & Surface Protection

- Coating: High-durability, weather-resistant industrial paint suitable for exterior use.
- Colour Pattern: Alternating yellow & black stripes (4 equal sections, 375mm each).
- Properties:

- UV-resistant (minimal fading over 5+ years).
- Waterproof & moisture-resistant (withstands rain, humidity).
- Abrasion-resistant (to prevent chipping from impacts).
- Colours:
 - "Safety Yellow" (RAL 1023) and black (RAL 9005)

Applicable Standards (SANS)

- Wood Treatment & Durability:
 - SANS 10005 (Preservative treatment of timber).
 - SANS 1288 (Timber grading rules).
- Paint & Corrosion Protection:
 - SANS 10400-H (Weatherproofing of building elements).
- Fasteners & Hardware:
 - SANS 121 (Galvanized coatings for corrosion protection).
- Assembly:
 1. Place stay wire through the central hole.
 2. Align the two wooden halves around the wire.
 3. Secure with bolts at all three points (top/middle/bottom).
- Mounting: Typically installed near ground level on guy wires

Required documentation

The following documents must be submitted with the tender:

- Detailed drawing /illustration showing:
 - All relevant dimensions
 - Bolt details and specifications
 - Edge clearances from bolts to wood edges
 - Paint markings showing alternating bands and width
 - Wood specifications such as type, grade and treatment
 - Paint and finish specifications such as coating and colours
 - Certifications
- Isometric 3D representation.

Document Format

- Hard copy printed format

Required Certifications for Wood Stay Guard

Wood Treatment & Timber Certifications

- SANS 10005 Compliance Certificate: Verification that timber preservative treatment meets H4 class requirements for ground contact exposure
- SANS 1288 Timber Grading Certificate: Confirming wood grade classification and structural properties

Paint & Coating Certifications

- Paint Manufacturer's Technical Data Sheet: Including:
 - UV resistance test results (ASTM G154 or equivalent)
 - Weathering performance data (minimum 5-year durability)
 - Adhesion test results on treated timber
 - Chemical compatibility with wood preservatives
- Colour Match Certificate: Confirming RAL 1023 (Safety Yellow) and RAL 9005 (Black) color accuracy
- Paint System Performance Certificate: Weather resistance, abrasion resistance, and moisture protection test results

Hardware & Fastener Certifications

- SANS 121 Galvanizing Certificate: For galvanized bolts, washers, and nuts showing coating thickness and process compliance
- Stainless Steel Grade Certificate: If using stainless steel hardware, material composition and corrosion resistance certification



Figure 4 Example of a Wood Stay Guard

(Images are for illustrative purposes only. They do not specify or require any particular brand, trademark, or manufacturer. Tenderers must meet all written technical and performance specifications)

Tests on helical wire products for lines and stays, stay assemblies, stay wire and overhead line fittings shall comply with the requirements of the type tests of the specification listed under the Normative References.

Helical fittings shall permit controlled movement of conductors at their support or termination points.

In the case of ties, these shall not reduce the flashover and withstand voltages capabilities of the insulators.

The design of the ties shall be such that when used on the appropriate insulators, the minimum RIV(Radio Influence Voltage) levels as specified will not be exceeded.

3.7 TEST AND INSPECTION

Tests

Bidders must submit valid Test Reports of the products offered issued by a SANAS accredited testing facility or other nationally/internationally recognized accredited testing laboratory in accordance with the requirements of the standard listed in Section 3.2 NORMATIVE REFERENCES and where indicated.

Helical wire products for items: 1 to 15

Type Test Report Requirements for Helical Wire Products (Items 1 – 15)

The bidder must submit type test reports for the helically formed wire products (Items 1 through 15) to demonstrate compliance with applicable mechanical and performance standards.

1. Applicable Standard: Compliance with SANS/IEC 61284, "Overhead lines – Requirements and tests for fittings" (or its direct national/international equivalents) . Test reports shall provide objective evidence that the product types meet the relevant performance and design requirements of this standard.
2. Scope of Testing: The submitted test reports must substantiate performance for the following key test categories, as applicable to the specific fitting type (e.g., Dead End, Tie, Wraplock):
 - 2.1. Mechanical Strength Tests:
 - Tensile Test (Breaking Load Test): To verify the fitting's ultimate mechanical strength.
 - Slip Test (Resistance to Slip of Conductor): To confirm the fitting's ability to grip the conductor under specified tension without damaging the strands.
 - 2.2. Performance Under Unbalanced Loading: Tests to verify the fitting's integrity under asymmetric forces. This shall encompass the intent of, but not be limited to:
 - Vertical Tensile Load Test (for dead ends).
 - Transverse Load Test / Pull-Off Test (for ties and wraplocks, simulating wind or line angle loads).

2.3. Durability and Long-Term Performance:

- Vibration Fatigue Test: To demonstrate the fitting's ability to protect the conductor and maintain integrity under aeolian vibration.
- Corrosion Resistance Test: Evidence that the material and coating (e.g., galvanizing) comply with the relevant protection class specified in SANS/IEC 61284.

Guy grips:

Mechanical type test in accordance to NRS 022 Part 5.2:

Stay anchor assemblies(Stay anchors and base plate)

Mechanical type test in accordance to NRS 022 Part 5.3:

Dimensional tolerances per BS 16

Galvanizing per SANS 121/ISO 1461

Stay insulators

Porcelain stay insulators shall pass the following tests in accordance with SANS 60383-1:

- 1) design tests;
- 2) type tests; and
- 3) routine tests.

Stay wire:

Stay wires shall comply with the requirements of SANS 182-5. Tests in accordance with SANS 182-5

3.8 MANUFACTURER'S WARRANTY

Warranty Requirements

The bidder shall provide a comprehensive manufacturer's warranty that meets or exceeds the following requirements:

Warranty Duration: A minimum period of **twelve (12) months from the date of Final Acceptance** of the supplied items by the City.

Products Covered: The warranty shall apply to all items supplied under the contract.

Warranty Terms: The Supplier warrants that all equipment shall be:

- 1) Free from defects in materials and workmanship.
- 2) Capable of functioning in accordance with the specified performance criteria under normal use and service.
- 3) Compliant with all applicable industry standards and regulations.

Remedy Requirements: In the event of a warranted defect or failure, the Supplier shall, at its own cost and expense:

- 1) Initiate corrective actions within two (2) business days of notification and resolve the defect by replacement or repair within a commercially reasonable timeframe, not to exceed thirty (30) calendar days, unless otherwise agreed with the City.
- 2) Cover all costs for transportation, travel, and labour associated with the warranty service.
- 3) Provide technical support as needed for warranty-related issues

Warranty Documentation: Bidders must submit the following warranty documentation as part of their tender submission:

- 1) Detailed warranty terms and conditions
- 2) Warranty claim procedure with clearly defined steps
- 3) Contact information for warranty service department
- 4) Warranty certificate

3.9 DELIVERABLES

a) Delivery Period:

The following maximum delivery periods from the date of the Purchase Order are required:

1. Standard Stock Items: 14 Working Days.

2. Fabricated/Made-to-Order Items: 30 Working Days.

The delivery period of goods shall be declared in **ANNEXURE B - SCHEDULE OF DELIVERY & LEAD TIME COMMITMENT** and must be submitted with the tender.

The bidder shall fully commit to the supply, delivery, and offloading of the awarded items for the full duration of the contract. Failure to deliver within the declared delivery period will result in the imposition of a penalty, calculated as 5% of the order price of the delayed goods, for each day of delay until actual delivery or performance.

b) Condition of Supplied Items:

- 1) All items supplied under this contract/tender must be new, unused, and free from defects.
- 2) They shall be properly stored under conditions that prevent deterioration (e.g., protected from moisture, UV light, and extreme temperatures) and must fully comply with the specified requirements and standards.
- 3) No old, degraded, damaged, improperly stored, refurbished, repaired, or second-hand items will be accepted.
- 4) Additionally, all items must have a manufacturing date no older than 6 months from the date of delivery.
- 5) The bidder shall ensure that all items delivered under the contract:
 - Comply with the specifications and requirements as stipulated in the tender document.
 - Are identical in all respects to the samples submitted during the tender process.
 - No deviations will be made without prior written approval from the City of Tshwane.
 - Match exactly the samples retained by the City of Tshwane in terms of:
 - Materials and composition.

- Dimensions and tolerances.
 - Electrical characteristics.
 - Performance characteristics.
 - Workmanship and finish.
 - Markings and identification.
 - Consistency Verification Requirements
 - The City of Tshwane reserves the right to compare any delivered items with the retained reference samples.
 - Any deviation between delivered goods and the approved samples shall be grounds for rejection.
- 6) Upon delivery, the bidder shall verify whether the Goods received are in order and without any defects or damage and comply with the condition of the supplied items. Any discrepancy found must be reported to the City's representative immediately.
 - 7) The City of Tshwane may request test reports for the supplied goods during the contract period. All costs shall be for the bidder's account.
 - 8) The City reserves the right to inspect and test the goods or to submit any received goods for additional 3rd party testing after delivery to verify compliance with this contract.
 - 9) Items failing to meet these conditions or failing to meet compliance with the contract conditions, will be rejected.
 - 10) Upon rejection, the Supplier shall, at its own cost :
 - * Remove the rejected goods; and
 - * Replace them with fully compliant goods.
 - 11) The Supplier shall be liable for all costs arising from rejection, including but not limited to testing, removal, replacement, and any consequential costs incurred by the City due to delays.

c) Non-Performance

For the purposes of this contract, "Non-Performance" shall be defined as any of the following:

- 1) Failure to Deliver: Failure to supply and deliver any item within the stipulated fourteen (14) working day delivery period from the issuance of a valid Purchase Order, without prior written extension granted by the City.
- 2) Delivery of Non-Conforming Goods: Delivery of items that:
 - i. Do not conform to the technical specifications, standards, or samples approved in this tender;
 - ii. Are not new, unused, and free from defects;
 - iii. Have a manufacturing date older than six (6) months from the date of delivery;
 - iv. Are not identical in all respects to the approved tender samples.
- 3) Persistent Non-Performance: A pattern of failure where the Supplier is responsible for three (3) or more separate instances of Non-Performance (as defined in (1) and (2) above) within any rolling six (6) month period.

d) Material Breach by Service Provider

Without limiting the generality of what constitutes a material breach, the Parties agree that the following shall be deemed material breaches by the Service Provider, entitling the City to terminate this agreement:

- 1) Any instance of fraud or corrupt practices.
- 2) Any pattern of Persistent Non-Performance as defined in Clause 3.9(c)(3) of the Tender Document.
- 3) A single fundamental failure to deliver goods that are critical to the City's operational requirements, as determined by the City in its sole discretion.

In the event of a material breach under (2) or (3) above, the City shall provide the Service Provider with written notice of the breach. If the Service Provider fails to remedy the breach to the City's reasonable

satisfaction within seven (7) days of such notice, the City may, at its option, terminate this Agreement immediately by written notice.

e) Packaging and Labelling Requirements

1) Packaging Requirements

- Items, where not otherwise specified, shall be packaged in a suitable container, box, wrapping or packaging that provides adequate protection against environmental conditions, weather effects and degradation during transportation and storage. The packaging must ensure that the items remain in optimal condition until they are delivered and installed.
- Each item shall be labelled to ensure traceability.
- Main containers (e.g., box, crate, or pallet) must also be clearly labelled.
- Different items shall not be packed in the same main container. Each main container must contain only one type of item.
- Each individually packaged item must be securely cushioned within the main container using appropriate materials (e.g., bubble wrap, foam, or packing peanuts).
- The main container must also provide adequate protection against environmental conditions, weather effects and degradation during transportation and storage

2) Labelling Requirements

Each item must be clearly labelled with the following information:

- 1) SAP Item Number:
The SAP item number as indicated on the order document.
- 2) Purchase Order Number:
The purchase order number associated with the delivery.
- 3) Tender Reference Number:
The reference number of the tender under which the items were procured.

- 4) Item Number and Description:
The item number and a brief description of the item (e.g., "Item xx - Helical Dead-End Fitting for 7/4.00 mm Stay Wire").
- 5) Number of Items in the package or main container :
The total number of items contained within the package or main container.
- 6) Name and Details of the Tenderer:
The name, address, and contact details of the tenderer.
- 7) Date of Delivery:
Date when item was delivered..
- 8) Date of Manufacture:
Date when item was manufactured.
- 9) Manufacturer's Name and Details.
- 10) Manufacturer's Product Code of the item.

3) Rejection of Non-Compliant Deliveries

- Items delivered without the specified packaging and markings shall be rejected.
- The bidder will be responsible for any costs associated with the replacement or re-delivery of compliant items.

All transportation, handling, offloading of goods and any associated costs, shall be the sole responsibility of the bidder, ensuring safe and timely delivery to the City of Tshwane's stores.

4 STAGES OF EVALUATION

Stage 1: Administrative Compliance.

Stage 2: Mandatory Requirements.

Stage 3: Functionality Criteria.

Stage 4: Sample Evaluation.

Stage 5: Preferential Point System.

Bids will be evaluated from stage 1 progressing to stage 5. Bids will only progress to the next stage if the bid passed the previous stage of evaluation.

4.1 Stage 1: ADMINISTRATIVE COMPLIANCE

All the bids will be evaluated against the administrative responsiveness requirements as set out in the list of returnable documents.

Compulsory Returnable Documentation (Submission of these are compulsory)	Submitted (YES or NO)	Checklist (Guide for Bidder and the Bid Evaluation Committee)
a) To enable The City to verify the bidder's tax compliance status, the bidder must provide; <ul style="list-style-type: none"> • Tax compliance status PIN. or • Central Supplier Database (CSD) 		Tax status must be compliant before the award.
b) A copy of their Central Supplier Database (CSD) registration; or indicate their Master Registration Number / CSD Number;		CSD must be valid.
c) Confirmation that the bidding company's municipal service charges, rates and taxes are up to date: Original or copy of Municipal Account Statement of the Bidder (bidding company) not older than 3 months and account must not be in arrears for more than ninety (90) days; or ,signed lease agreement or In case of bidders located in informal settlement, rural areas or areas where they are not required to pay Rates and Taxes a letter from the local councillor confirming they are operating in that area		Was a Municipal Account Statement, or signed lease agreement or letter from the local councillor provided for the bidding company? The name and / or addresses of the bidder's statement correspond with CIPC document, Address on CSD or Company profile? Are municipal service charges, rates and taxes up to date (i.e. not in arrears for more than 90 days?
d) In addition to the above, confirmation that all the bidding company's owners / members / directors / major shareholders municipal service charges, rates and taxes are up to date: • Original or copy of Municipal Account Statement of all the South African based owners / members / directors / major shareholders not older than 3 months and the account/s may not be in arrears for more than ninety (90) days; or a signed lease agreement of owners / members / directors / major shareholders or In case of bidders located in informal settlement, rural areas or areas where they are not required to pay Rates and Taxes a letter from the local councillor confirming they are residing in that area		Was a Municipal Account Statement, or signed lease agreement or letter from the local councillor provided for the company's owners / members / directors / major shareholders? Are municipal service charges, rates and taxes up to date (i.e. not in arrears for more than 90 days?

Compulsory Returnable Documentation (Submission of these are compulsory)	Submitted (YES or NO)	Checklist (Guide for Bidder and the Bid Evaluation Committee)
<p>e) Duly Signed and completed MBD forms (MBD 1, 4, 5, 8 and 9) The person signing the bid documentation must be authorized to sign on behalf of the bidder. Where the signatory is not a Director / Member / Owner / Shareholder of the company, an official letter of authorization or delegation of authority should be submitted with the bid document.</p> <p>NB: Bidders must ensure that the directors, trustees, managers, principal shareholders, or stakeholders of this company, declare any interest in any other related companies or business, whether or not they are bidding for this contract. <u>See Question 3.14 of MBD 4. Failure to declare interest will result in a disqualification</u></p>		<p>All documents fully completed (i.e. no blank spaces), All documents fully signed by (any director / member / trustee as indicated on the CIPC document, alternatively a delegation of authority would be required, Documents completed in black ink (i.e. no "Tippex" corrections, no pencil, no other colour ink, or non-submission of the MBD forms, will not be considered)</p>
<p>f) Audited Financial Statements for the most recent three (3) years or Audited Financial Statements from date of existence for companies less than three years old.</p> <p>NB: The bidder must submit signed audited annual financial statements for the most recent three years, or if established for a shorter period, submit audited annual financial statements from date of establishment.</p> <p>If the bidder is exempted or not required by law to prepare signed annual financial statements for auditing purposes, then the bidder must submit proof from an "independent accounting professional as defined in regulation 26 of Companies Regulation, 2011, stating that the bidder is exempt or not required by law to prepare audited financial statements.</p>		<p>Applicable for tenders above R10m in conjunction with MBD 5)</p> <p>Are Audited financial statements provided (Audited financials must be signed by auditor) Or proof from an "independent accounting professional as defined in regulation 26 of Companies Regulation, 2011, stating that the bidder is not required by law to prepare audited financial statements.</p>
<p>g) Joint Ventures (JV) – (Only applicable when the bidder tenders as a joint venture) Where the bidder bids as a joint venture (JV), the required or relevant documents as per (a) to (f) above must be provided for all JV parties. In addition to the above the bidder must submit a Joint Venture (JV) agreement signed by the relevant parties.</p> <p>NB: It is a condition of this bid that the successful bidder will continue with the same Joint Venture (JV) for the duration of the contract unless prior approval is obtained from the City.</p>		<p>If applicable. JV agreement provided? JV agreement complete and relevant? Agreement signed by all parties? All required documents as per (i.e. a to f) must be provided for all partners of the JV.</p>
<p>h) Bidder attended a compulsory briefing session where applicable</p>		<p>A compulsory briefing register must be signed by the bidder.</p>

Compulsory Returnable Documentation (Submission of these are compulsory)	Submitted (YES or NO)	Checklist (Guide for Bidder and the Bid Evaluation Committee)
		Bidders will be disqualified should they fail to attend compulsory briefing session
i) Pricing schedule (All items must be quoted for in pricing schedule and if not, all items are quoted the bidder will be disqualified). Unless the tender is awarded per item or per section where the bidder only quoted the items or sections, they are interested in.		<p>Incomplete pricing schedule results in totals being incomparable. Bidder must be disqualified.</p> <p>Bidder will be disqualified should they make corrections on the price schedule without attaching a signature or initialising thereto.</p> <p>Bidder will be disqualified should they use tippex/ correction ink, on the price schedule.</p>

4.2 Stage 2: MANDATORY REQUIREMENTS

Bidders are required to submit the following documentation for each item tendered for:

1) Manufacturer Authorization Requirements

- Where the bidder is not the original equipment manufacturer (OEM), the bidder must be an authorized agent, distributor or registered reseller of the OEM, and suitable proof of such authorization or registration must be submitted with the bid. Letter must:
 - Be issued on the manufacturer's official letterhead
 - Be signed by a duly authorized representative of the manufacturer
 - Clearly state the bidder is authorized to supply their products
 - Specify the relationship between the bidder and manufacturer (e.g., authorized distributor, reseller, agent)
- Additional authorization requirements:
 - The letter must be in English.
 - The manufacturer's contact details must be included for verification purposes

- The City reserves the right to:
 - Contact the manufacturer directly to verify the authenticity of the authorization
 - Reject any bid where the manufacturer authorization cannot be verified
 - Require additional documentation to establish the validity of the relationship between the bidder and manufacturer

2) ISO Certification Requirements

The manufacturer of the offered products shall be compliant with:

- ISO 9001:2015 Quality Management System
- ISO 14001:2015 Environmental Management System

Bidders must submit:

1. Valid certified copies of all relevant ISO certificates including:
 - a) ISO 9001:2015 (Quality Management System)
 - b) ISO 14001:2015 (Environmental Management System)
2. A summary table correlating the offered product with its corresponding manufacturer must be included

Certificate Requirements: All ISO certificates must be:

- Current and valid at the time of tender submission
- Issued by an accredited certification body in accordance to ISO/IEC 17021-1
- Relevant to the manufacturing of LV / MV power line products
- Submitted as certified copies

Important Notes:

- Only one set of ISO certificates is required for each unique manufacturer
- Where multiple bid items are manufactured by the same company, the same set of certificates applies to all those items
- If items are manufactured by different manufacturers, one set of certificates is required from each manufacturer

3) Test Report Requirements

Certified Test Documentation Requirements

- Bidders shall submit certified copies of test reports that demonstrate compliance with applicable standards referenced in the Normative References and tender document for items offered.
- Test documentation requirements:
 - Test reports must be issued by a SANAS accredited testing facility or other nationally/internationally recognized accredited testing laboratory
 - The manufacturer's specific model number of the item offered must be clearly indicated on the test report or certificate
 - The test report must be certified as a true copy of the original document
 - Test reports must explicitly reference the applicable standards (e.g., IEC standards) that the products comply with
 - Reports must include the testing laboratory's accreditation information and logo
 - Test reports should be current and valid at the time of tender submission
- Scope of required test documentation:
 - Test reports must cover all mandatory tests as specified in the applicable standards and tender specifications.
 - Deviation reports, if any, must be included with explanations and acceptance criteria
- Authentication requirements:
 - All test reports must bear the testing laboratory's official stamp or seal
 - Reports must include the signature of the authorized laboratory representative
 - Contact information of the testing facility must be provided for verification purposes
 - Certification marks and certificate numbers must be clearly visible
- Additional requirements:
 - If test reports are in a language other than English, certified translations must be provided

- A summary table correlating the offered product (Item) with its corresponding standard and test report number must be included at the beginning of the test documentation.

4) Annexure A – Schedules A and B

Bidders are required to complete Annexure A – Schedule B in full for all tendered Groups and Items and signed with black pen, bidders must not refer to brochures or any attached document.

5) Annexure B – Schedule of Delivery & Lead Time Commitment

Bidders are required to complete Annexure B – in full for all Groups and Items tendered for and signed with black pen.

6) Technical Data Documents

Bidders are required to submit the following documentation along with their tender submission.

6.1 Technical Data

Requirements:

- Provide detailed technical data sheets, including material specifications for each item offered. The data sheets must include the following:
 - Manufacturer Details:
 - Name and address of the manufacturer or supplier.
 - Contact information (phone number, email address).
 - Company registration details.
 - Item Specifications:
 - Mechanical properties (where applicable).
 - Electrical properties (where applicable).
 - Performance specifications (where applicable).
 - Material specification and finish.
 - Details of standards the materials comply with.

6.2. Drawings and Illustrations

Requirements:

- Provide detailed drawings and illustrations for all items.

- Drawings must include dimensions, tolerances.
- Assembly instructions and guidelines.
- Illustrations must clearly depict the design and application of the products.
- Provide Specific drawings as specified in the tender document
- Additional Notes:
 - Drawings must be labelled with item numbers and descriptions as per the tender document.

6.3. Product Markings

Key Requirements

- Visual Documentation
 - Must provide photographs or diagrams showing exact markings on each item
- Marking Descriptions
 - Must include detailed descriptions of each marking shown
 - Should explain the purpose and significance of each mark
- Labelling Standards
 - All photographs or diagrams must be labelled with:
 - Item numbers as they appear in the tender document
 - Item descriptions as they appear in the tender document

Implementation Guidelines

1. Create clear, high-resolution photographs or professional diagrams showing all markings on each piece of equipment
2. Ensure all required marking types are visible and legible in the documentation
3. Annotate or highlight different markings in the visuals for easy identification
4. Provide a detailed legend or description for each marking shown

6.4. General Requirements

- Must be submitted in English.
- Must be in printed format.

Failure to comply with any of the requirements above for any item, will result in disqualification for that specific group.

Note:

Order of Submission

Bidders are requested to structure their submission of the required documents in the same order as the Groups and Items are listed in the tender document.

Bidders are also requested to use labelled dividers to separate groups, items and documents.

Non-compliance with these formatting requirements will not cause disqualification, but to facilitate the evaluation process.

4.3 Stage 3: FUNCTIONALITY CRITERIA

CRITERIA	SUB-CRITERIA	POINTS	WEIGHT	HIGHEST POSSIBLE SCORE
Relevant Experience of Company: i.e. supply, delivery. Copies of Appointment letters/testimonials or signed reference letters from the clients in company letterhead to be attached with contactable references. The document must be signed by a duly authorized representative.	2 to 4 years	3	10	50
	Above 4 to 5 years	4		
	Above 5 years	5		
Financial Capability (minimum R1 million)	Bank Rating C	3	10	50
	Bank Rating B	4		
	Bank Rating A	5		

CRITERIA	SUB-CRITERIA	POINTS	WEIGHT	HIGHEST POSSIBLE SCORE
HIGHEST POSSIBLE SCORE				100

(a) The City of Tshwane reserves the right to contact references submitted by the bidder. (The City of Tshwane reserves the right to do reference check)

(b) Bids that do not achieve a minimum score of **60 points (out of 100)** for functionality will not be evaluated further and will not be considered further.

4.4 Stage 4: SAMPLE EVALUATION

- Only tenderers that passed Stage 1, stage 2 and Stage 3 of the evaluation process will progress to the sample evaluation stage.
- Samples shall only be submitted on request by City of Tshwane - for shortlisted bidders only.
- The sample submitted by the bidder must be representative of the exact product being offered in the tender and supplied under the contract. The sample must match all specifications, features, and quality standards outlined in the bidder's proposal and tender documentation. No deviations, substitutes, or alternative products must be submitted. Any discrepancies between the submitted sample and the product being offered in the tender and supplied under the contract may result in the disqualification of the bid.
- Bids for Group 9 Stay Wire (Items 21 & 22): Bidders need only submit a 1-meter sample for both the 3/3.35mm stay wire (Item 21) and 7/4.00mm stay wire (Item 22).
- Submitted samples shall be inspected and evaluated on the compliance to Annexure A Schedule A and B.
- Tenderers must provide samples within the stipulated time of request by City of Tshwane.
- Samples must be delivered to: SCM details will be made available after the tender has closed.

- Failure to provide samples after requested shall disqualify the tender.
- Samples submitted from successful bidders will serve as the contract sample and will be retained by the City of Tshwane (CoT) for the contract duration. Unsuccessful bidders will be required to collect their samples on request.
- Only tenderers that successfully passed the sample evaluation stage will progress to the last stage that will consist of the price evaluation.

Required Documentation with Samples:

The following documents must be submitted with the sample:

1. For each item, submit:
 - Declaration of Authenticity:
Bidders must provide a signed declaration certifying that the submitted sample is representative of the exact product to be supplied under the contract and that all future deliveries will meet or exceed the approved sample's quality and specifications.
 - A copy of completed Technical Annexures A – Schedule A & B (as submitted with the tender)
 - Certified copies of the test reports (as submitted with the tender)
 - Certified copies of all relevant ISO certificates (as submitted with the tender)
 - Copies of the Technical Data Documents (as submitted with the tender)
2. Document Format Requirements:
 - All documents must be hard copies in printed format
 - Certified copies must be clear and legible
 - Electronic copies will not be accepted
3. Document Organization:
 - Submit the documents in a envelope with the sample
 - The envelope must be clearly marked (e.g. label) with the following information:
 - Tender Reference Number: EEBU 16-2025/2026

- Company Name: Full registered name of tenderer
- Contact Person: Name and contact number
- Date of Submission
- Documents must be neatly arranged with labelled dividers between the documents

4. Failure to submit the documents shall disqualify the tender.

Sample Packaging and Marking Requirements:

- Sample Packaging:
 - All sample items must be packaged in a main container such as a box, wrapping or suitable container.
 - Individual samples may use separate packaging but must all be enclosed in a single main container.
 - The container must allow it to be securely closed and reopened for inspection without causing damage to the packaging.
 - Packaging must adequately protect the samples against damage, during transportation, handling and storage.
- Use appropriate packaging material based on the item's nature
- Sample Marking Requirements:

Each sample must be clearly marked (e.g. label) with the following information:

- With the word "SAMPLE" in a visible and legible manner.
- Include a unique sample reference number linked to the item.
- Tender Reference Number: EEBU 16-2025/2026
- Section Number: As per tender document
- Group Number: As per tender document
- Item Number: As per tender document
- Item Description: As per tender document
- Company Name: Full registered name of tenderer

- Contact Person: Name and contact number
- Date of Submission
- Manufacturers details and product code of the item
- Main Container Marking Requirements: Each main container must be clearly marked (e.g. label) with the following information:
 - With the word "SAMPLES" in a visible and legible manner.
 - Tender Reference Number: EEBU 16-2025/2026
 - List of all samples in the container
 - Total Number of Samples Enclosed
 - Company Name: Full registered name of tenderer
 - Contact Person: Name and contact number
 - Date of Submission
- Failure to submit samples without the required markings shall disqualify the tender.

4.5 Stage 5: PREFERENTIAL POINT SYSTEM

The preferential point system used will be the 80/20 points system in terms of the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000) Regulations 2022.

- 80 points for price
- 20 points for Specific goals

Specific Goals

- Bidders are required to submit supporting documents for their bids to claim the specific goal points.
- Non-compliance with specific goals will not lead to disqualification but bidders will not be allocated specific goal points. Bidders will score points out of 80 for price only and zero (0) points out of 20 for specific goals.
- City of Tshwane shall act against any bidder or person when it detects that the specific goals were claimed or obtained on a fraudulent basis.

The specific goal for this bid is outlined below. Bidders are to submit supporting documents as outlined below to be eligible for points.

Specific goals	80/20 preference point system	Proof of specific goals to be submitted
BB-BEE score of companies <ul style="list-style-type: none"> • Level 1 • Level 2 • Level 3 • Level 4 • Level 5 • Level 6 • Level 7 • Level 8 • Non-compliant 	<ul style="list-style-type: none"> • 8 Points • 7 Points • 6 Points • 5 Points • 4 Points • 3 Points • 2 Points • 1 Point • 0 Points 	Valid Certified copy of BBEE certificate. Sworn Affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises or CIPC BBEE certificate.
EME and/ or QSE	2 Points	Valid Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises or CIPC BBEE certificate
At least 51% of Women-owned companies	2 Points	Certified copy of Identity Document/s and proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
At least 51% owned companies by People with disability	2 Points	Medical Certificate with doctor's details (Practice Number, Physical Address, and contact numbers) and proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
At least 51% owned companies by Youth	2 Point	Certified copy of Identity Document/s and proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
Local Economic Participation <ul style="list-style-type: none"> • City of Tshwane • Gauteng • National 	4 Points	Municipal Account statement/Lease agreement.

Specific goals	80/20 preference point system	Proof of specific goals to be submitted
	2 Points 1 Point	

For points to be allocated as per above the tenderers will be required to submit proof of documentation as evidence for claims made. Any tenderer that does not submit evidence as stated in the bid document to claim applicable points will be allocated zero points.

5. PRICING SCHEDULE

This section provides the tenderer with guidelines and requirements with regard to the completion of the Price Schedule. The Schedule must be completed in black ink.

The Price Schedule shall be read with all the documents which form part of this Contract.

- **The tenderer must enter the amounts in the price columns only.**
- **This is a rate only tender and estimated quantities are not contract values but for evaluation purposes only.**
- **Actual quantities might increase or decrease depending on the need of the items required during the contract.**
- **All prices must be stated in South African Rand (ZAR).**
- **The Unit Price provided must be a complete, all-inclusive cost for the supply of the specified item.**
- **Failure to provide a price for any item within a group will result in disqualification for that specific group.**

SECTION 1

Group 1: Dead End strain termination

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
1	Dead End strain termination – Hare	Each	1800		
2	Dead End strain termination - Gopher	Each	1800		
3	Dead End strain termination - Rabbit	Each	1800		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 2: Twin Tie with pad

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
4	Twin Tie with pad - Hare	Each	800		
5	Twin Tie with pad - Gopher	Each	800		
6	Twin Tie with pad - Rabbit	Each	800		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 3: Twin Tie with pad suitable for road crossings

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
7	Twin Tie with pad for road crossings - Hare	Each	800		
8	Twin Tie with pad for road crossings - Gopher	Each	800		
9	Twin Tie with pad for road crossings - Rabbit	Each	800		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 4: Side Tie and tie for horizontally installed insulators

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
10	Side Tie and tie for horizontally installed insulators - Hare	Each	800		
11	Side Tie and tie for horizontally installed insulators - Gopher	Each	800		
12	Side Tie and tie for horizontally installed insulators - Rabbit	Each	800		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 5: Wrap lock tie for vertically installed insulators

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
13	Wrap lock tie for vertically installed insulators - Hare	Each	500		
14	Wrap lock tie for vertically installed insulators - Gopher	Each	500		
15	Wrap lock tie for vertically installed insulators - Rabbit	Each	500		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 6: Thimble Clevis

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
16	Thimble Clevis with pin for Hare, Rabbit and Gopher	Each	1000		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

SECTION 2

Group 7: Guy grips for galvanized steel stay wire

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
17	Guy grips for – 3/3.35mm stay wire	Each	3000		
18	Guy grip for 7/4.00mm stay wire	Each	1000		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 8: Pole Top Make Off for galvanized steel stay wire

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
19	Pole Top Make Off for 3/3.35mm stay wire	Each	300		
20	Pole Top Make Off for 7/4.00mm stay wire	Each	1000		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 9: Stay Wire

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
21	3/3.35mm stay wire	Per/meter	3000		
22	7/4.00mm stay wire	Per/meter	1500		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 10: Adjustable stay rod and base plate

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
23	M16 x 1.8m adjustable stay rod and slotted hexagon base plate	Each	500		
24	M20 x 2.4m adjustable stay rod and slotted hexagon base plate	Each	500		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

SECTION 3

Group 11: Stay Insulators

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimate d Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
25	34kN Stay insulator	Each	500		
26	70kN stay insulator	Each	500		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

SECTION 4

Group 12: Pistol Grips & Parallel Groove Clamps

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimate d Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
27	5-20mm ACSR Pistol Grip Strain Clamp	Each	800		
28	Parallel Groove (PG) Clamp for ACSR Conductors (Hare, Rabbit, Gopher)	Each	800		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 13; Stay Guards

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
29	Stay Guard for M16 x 1.8 m stay rod	Each	500		
30	Guard for M20 x 2.4 m stay rod	Each	500		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 14: Hip Stays

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
31	Hip Stay for 3/3.35mm stay wire	Each	500		
32	Hip Stay for 7/4.00mm stay wire	Each	500		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

Group 15: PVC Spacer / LV Line Spreader - Kicker Pipe - Wood Stay Guard

ITEM NO	DESCRIPTION	UNIT OF MEASURE	Estimated Quantity (A)	UNIT PRICE (Excl. VAT) (B)	TOTAL (A x B)
33	PVC Spacer / LV Line Spreader	Each	500		
34	Galvanized kicker pipe 32 mm ² x 2 meter long.	Each	200		
35	Wood Stay Guard 70mm x 70mm x 1500mm	Each	600		
SUB-TOTAL					
VAT (15%)					
TOTAL (Including VAT)					

6. AWARD

- This tender will be awarded to one bidder per Group.
- More than one Group may be awarded to a bidder.
- Failure to provide a price for any item within a group in the Price Schedule will result in disqualification for that specific group.
- Failure to comply with the requirements for a item in a group will result in disqualification for the specific group.
- This is a rate-only tender; estimated quantities are provided for evaluation purposes only and do not constitute contract values.

7. TYPE OF AGREEMENT REQUIRED

The General Conditions of Contract applicable to this Contract shall be the document “GOVERNMENT PROCUREMENT: GENERAL CONDITIONS OF CONTRACT” issued by the National Treasury of the Republic of South Africa, read together with the Variations and Additions to the Conditions of Contract (Special Conditions of Contract) as well as the Data provided by the City of Tshwane.

8. VALIDITY PERIOD

The validity period for the tender after closure is 90 days. City of Tshwane shall have right and power to extend any tender validity period beyond any initial validity period set and subsequent extensions. SCM shall ensure that an extension of validity is requested in writing from all bidders before the validity expiry date. Extension of validity shall be finalized while the quotations/bids are still valid.

9. MARKET ANALYSIS

The City of Tshwane reserves the right to conduct market analysis. Should the city exercise this option, Where a tenderer offers a price that is deemed not to be viable to supply goods or services as required, written confirmation will be made with the tenderer if they will be able to deliver on the price, if a tenderer confirm that they cannot, The tenderer will be disqualified on the basis of being non-responsive. If they confirm that they can deliver, a tight contract to mitigate the risk of non-performance will be entered into with the service provider. Further action on failures by the supplier to deliver will be handled in terms of the contract including performance warnings and listing on the database of restricted suppliers.

The city further reserves the right to negotiate a market related price with a tenderer scoring the highest points. If the tenderer does not agree to a market-related price, the city reserves the right to negotiate a market-related price with the tenderer scoring the second highest points, if the tenderer scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the tenderer scoring the third highest points. If a market-related price is not agreed, the city reserves the right to cancel the tender.

10 ANNEXURE A: TECHNICAL SCHEDULE A & B

Instructions to Bidders:

- 1. Annexure A – Schedule A list the City of Tshwane’s minimum requirements. Bidders are required to complete Annexure A - Schedule B in black ink for each Group they are bidding for.**
- 2. Failure to complete Schedule B in full for any item in a Group, will disqualify the bidder for that Group.**
- 3. Bidders must state what they are offering in Annexure A - Schedule B in relation to what is required on the left column in Annexure A - Schedule A. The form must be completed in full and signed.**
- 4. Bids must comply with the City of Tshwane’s minimum requirements as listed in Annexure A – Schedule A.**
- 5. Failure of any item to comply with the City of Tshwane’s minimum requirements as listed in Annexure A – Schedule A, will disqualify the bidder for that specific Group.**
- 6. Failure to comply with the above -will disqualify the bidder for that particular Group.**

HEALTH, SAFETY AND ENVIRONMENTAL IMPACTS

Schedule A: Purchaser's specific requirements

Schedule B: Guarantees and technical particulars of equipment offered

clause	DESCRIPTION	SCHEDULE A	SCHEDULE B
	Health, Safety and Environmental Impacts		
1	<p>Health risk:</p> <p>1 Does any product pose any health risk to persons handling the product? Yes/No*</p> <p>2 If yes, state the type of personal protective equipment that must be used.</p>	STATE	
2	<p>Storage:</p> <p>1 How should the products be stored?</p> <p>2 List any special requirements and precautionary measures for short and long term storage.</p>	STATE	
3	<p>Fire hazard:</p> <p>1 Are there any products that can result in a fire hazard or when exposed to heat, or improper storage or handling of the product? Yes/No.</p> <p>2 If yes, state the products and any special requirements and precautionary measures required.</p>	STATE	
4	<p>Toxic hazard:</p> <p>1 Are any toxic gaseous, liquid or solid by-products produced if product is exposed to fire or heat? Yes/No*</p> <p>2 If yes, state the temperatures at which these byproducts are produced, °C</p>	STATE	

clause	DESCRIPTION	SCHEDULE A	SCHEDULE B
5	<p>Hazardous Waste:</p> <p>Specify if any of the products are classified as hazardous waste.</p> <p>If yes, specify the following:</p> <ul style="list-style-type: none"> - Source and composition of waste - Hazards identification - Physical and chemical properties - Toxicological and ecological effects - Transport requirements - Disposal options - First aid/fire-fighting measures - Handling and storage requirements 	STATE	
6	<p>Recycling:</p> <p>State any specific requirements relating to the disposal and recycling of the products.</p>	STATE	
7	<p>State any other pertinent and relevant information pertaining to health, safety and environmental risks.</p>	STATE	

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 1

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

Item	Description	Schedule A	Schedule B
	Group 1		
	Helical wire product: Dead end		
	Item 1: Dead end for Hare ASRC Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Hare ASRC	Hare ASRC
5	Conductor diameter(mm)	±14,3	±14,3
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of dead end	State	
8	Colour code	State	
9	Number of rods	State	
10	Holding strength(kN)	State	
11	Breaking strength(kN)	State	
12	Lenth of the fitting(mm)	State	
13	Label identification details	State	
14	Number of times the dead end can be reapplied during installation	State	
15	Manufacture's guarantee(months)	Min 12	

Item 2: Dead end for Gopher ASRC Conductor			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Gopher ASRC	Gopher ASRC
5	Conductor diameter(mm)	±7,16	±7,16
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of dead end	State	
8	Colour code	State	
9	Number of rods	State	
10	Holding strength(kN)	State	
11	Breaking strength(kN)	State	
12	Lenth of the fitting(mm)	State	
13	Label identification details	State	
14	Number of times the dead end can be reapplied during installation	State	
15	Manufacture's guarantee(months)	Min 12	
Item 3: Dead end for Rabbit ASRC Conductor			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Rabbit ASRC	Rabbit ASRC

5	Conductor diameter(mm)	±10,15	±10,15
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of dead end	State	
8	Colour code	State	
9	Number of rods	State	
10	Holding strength(kN)	State	
11	Breaking strength(kN)	State	
12	Lenth of the fitting(mm)	State	
13	Label identification details	State	
14	Number of times the dead end can be reapplied during installation	State	
15	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 2

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	Group 2		
	Helical wire product: Binding: Twin tie.		
	Item 4: Twin Tie for Hare ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Hare ASRC	Hare ASRC
5	Conductor diameter(mm)	±14,3	±14,3
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of twin tie	State	
8	Colour code	State	
9	Tie pad for the top groove(Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
	Item 5: Twin Tie for Gopher ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	

3	Manufacturer's Product Code	State	
4	Conductor type	Gopher ASRC	Gopher ASRC
5	Conductor diameter(mm)	±7,16	±7,16
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of twin tie	State	
8	Colour code	State	
9	Tie pad for the top groove(Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
Item 6: Twin Tie for Rabbit ASRC Conductor			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Rabbit ASRC	Rabbit ASRC
5	Conductor diameter(mm)	±10,15	±10,15
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of twin tie	State	
8	Colour code	State	
9	Tie pad for the top groove(Yes/No)	Yes	
10	Tie Pad material	State	

11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature: _____

Name: _____

Title: _____

Date: _____

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 3

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 3		
	Helical wire product Binding: Twin tie for road crossing.		
	Item 7: Armored Road Crossing Twin Tie for Hare ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Hare ASRC	Hare ASRC
5	Conductor diameter(mm)	±14,3	±14,3
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of twin tie	State	
8	Colour code	State	
9	Tie pad for the top groove(Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
	Item 8: Armored Road Crossing Twin Tie for Gopher ASCR Conductor		
1	Manufacturers Name	State	

2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Gopher ASRC	Gopher ASRC
5	Conductor diameter(mm)	±7,16	±7,16
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of twin tie	State	
8	Colour code	State	
9	Tie pad for the top groove(Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
Item 9: Armored Road Crossing Twin Tie for Rabbit ASRC Conductor			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Rabbit ASRC	Rabbit ASRC
5	Conductor diameter(mm)	±10,15	±10,15
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of twin tie	State	
8	Colour code	State	
9	Tie pad for the top groove(Yes/No)	Yes	

10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 4

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 4		
	Helical wire product: Binding: Side tie.		
	Item 10: Side Tie for Hare ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Hare ASRC	Hare ASRC
5	Conductor diameter(mm)	±14,3	±14,3
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of side tie	State	
8	Colour code	State	
9	Tie pad (Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
	Item 11: Side Tie for Gopher ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	

3	Manufacturer's Product Code	State	
4	Conductor type	Gopher ASRC	Gopher ASRC
5	Conductor diameter(mm)	±7,16	±7,16
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of side tie	State	
8	Colour code	State	
9	Tie pad (Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
Item 12: Side Tie for Rabbit ASCR Conductor			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Rabbit ASRC	Rabbit ASRC
5	Conductor diameter(mm)	±10,15	±10,15
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of side tie	State	
8	Colour code	State	
9	Tie pad (Yes/No)	Yes	
10	Tie Pad material	State	

11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature: _____

Name: _____

Title: _____

Date: _____

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 5

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 5		
	Helical wire product: Binding: Wraplock Tie		
	Item 13: Wraplock Tie for Hare ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Hare ASRC	Hare ASRC
5	Conductor diameter(mm)	±14,3	±14,3
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of the tie	State	
8	Colour code	State	
9	Tie pad (Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
	Item 14: Wraplock Tie for Gopher ASCR Conductor		
1	Manufacturers Name	State	
2	Country of Manufacture	State	

3	Manufacturer's Product Code	State	
4	Conductor type	Gopher ASRC	Gopher ASRC
5	Conductor diameter(mm)	±7,16	±7,16
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of the tie	State	
8	Colour code	State	
9	Tie pad (Yes/No)	Yes	
10	Tie Pad material	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
Item 15: Wraplock Tie for Rabbit ASRC Conductor			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor type	Rabbit ASRC	Rabbit ASRC
5	Conductor diameter(mm)	±10,15	±10,15
6	Conductor Material	Aluminium Alloy	Aluminium Alloy
7	Material details of the tie	State	
8	Colour code	State	
9	Tie pad (Yes/No)	Yes	
10	Tie Pad material	State	

11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature: _____

Name: _____

Title: _____

Date: _____

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 6

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 6		
	Thimble clevis with pin.		
	Item 16: Thimble clevis with pin.		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Body Material	Aluminium Alloy	
5	Clevis Pin Material	Galvanised steel	
6	Clevis Pin surface Treatment	Hot-dip galvanised	
7	Clevis Pin details(diameter and length-mm)	State	
8	Split Pin Type	humpbacked cotter key	
9	Split Pin Material	Stainless steel	
10	Breaking Load(kN)	70	
11	Marking and Identification: <ul style="list-style-type: none"> • Manufacturer's Mark • Manufacturers product code • Material and Breaking Load(kN) 	State	
12	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 7

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 7		
	Helical wire products for stays, Guy Grips		
	Item 17: Guy Grip for 3/3.35mm Stay wire		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Mechanical type test in accordance to NRS 022 Part 5.2 (Yes/No)	Yes	
5	Material details of the guy grip	Galvanised steel(In accordance with SANS 121).	
6	Stay wire diameter(mm)	±6.7 to 7.3	±6.7 to 7.3
7	Number of rods	State	
8	Colour code	State	
9	Cross over marks (Yes/No)	State	
10	Lenth of the fitting(mm)	State	
11	Number of times the fitting can be reapplied during installation	State	
12	Rated Holding strength(kN)	State	
13	Label identification details	State	
14	Manufacture's guarantee(months)	Min 12	

Item 18: Guy Grip for 7/4,00mm Stay wire			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Mechanical type test in accordance to NRS 022 Part 5.2 (Yes/No)	Yes	
5	Material details of the guy grip	Galvanised steel(In accordance with SANS 121).	
6	Stay wire diameter(mm)	±12 to 12,5	±12 to 12,5
7	Number of rods	State	
8	Colour code	State	
9	Cross over marks (Yes/No)	State	
10	Lenth of the fitting(mm)	State	
11	Number of times the fitting can be reapplied during installation	State	
12	Rated Holding strength(kN)	State	
13	Label identification details	State	
14	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 8

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 8		
	Helical wire products for stays, Pole Top Make-offs		
	Item 19: Pole Top Make-off for 3/3.35mm Stay wire		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material details of the make-off	Galvanised steel	
5	Stranding	3/3.35	3/3.35
6	Stay wire diameter(mm)	±6.7 to 7.3	±6.7 to 7.3
7	Colour code	State	
8	Lenth of the fitting(mm)	State	
9	Number of rods	State	
10	Rated Holding strength(kN)	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	
	Item 20: Pole Top Make-off for 7/4.00mm Stay wire		
1	Manufacturers Name	State	
2	Country of Manufacture	State	

3	Manufacturer's Product Code	State	
4	Material details of the make-off	Galvanised steel	
5	Stranding	7/4.00	7/4.00
6	Stay wire diameter(mm)	±12 to 12,5	±12 to 12,5
7	Colour code	State	
8	Lenth of the fitting(mm)	State	
9	Number of rods	State	
10	Rated Holding strength(kN)	State	
11	Label identification details	State	
12	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 9

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 9		
	Helical wire products for stays, Stay Wire		
	Item 21: 3/3.35mm Stay wire		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material details:	State	
5	Stranding; Number and diameter of wires(mm)	3/3.35	
6	Stay wire diameter(mm)	±7,3	
7	Nominal tensile grade of the wire steel(MPa)	1100	
8	Minimum breaking load of stay wire(kN)	96	
9	Maximum safe working load of stay wire (Factor of safety 2,5)(kN)	36,7	
10	Packaging	Drummed	
11	<p>Marking of drum: (Yes/No)</p> <p>In accordance with requirements of SANS 185-2</p> <p>a) the manufacturer's trade name or trade mark or both;</p> <p>b)the reference area of the conductor or the standard diameter of the wire and, where relevant, the type of wire and the tensile grade of the steel;</p>	Yes	

	<p>c) the nominal length, in metres;</p> <p>d) the net mass (in kilograms) in the case of coils or reels, or the gross and net mass (in kilograms) in the case of drums;</p> <p>e) the year of manufacture;</p> <p>f) a marking that enables the specification to which the wire was made to be identified.</p>		
12	Wooden drums shall be resistant to biological attack. (Yes/No)	Yes	
13	Corrosion protection is required for stay wires during transportation and storage. (Yes/No)	Yes	
14	Manufacturer's guarantee(months)	Min 12	
Item 22: 7/4.00mm Stay wire			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material details:	State	
5	Stranding; Number and diameter of wires(mm)	7/4.00mm	
6	Stay wire diameter(mm)	±7,3	
7	Nominal tensile grade of the wire steel(MPa)	1100	
8	Minimum breaking load of stay wire(kN)	28,98	
9	Maximum safe working load of stay wire (Factor of safety 2,5)(kN)	11,59	
10	Packaging	Drummed	
11	<p>Marking of drum: (Yes/No)</p> <p>In accordance with requirements of SANS 185-2</p> <p>a) the manufacturer's trade name or trade mark or both;</p>	Yes	

	<p>b)the reference area of the conductor or the standard diameter of the wire and, where relevant, the type of wire and the tensile grade of the steel;</p> <p>c) the nominal length, in metres;</p> <p>d) the net mass (in kilograms) in the case of coils or reels, or the gross and net mass (in kilograms) in the case of drums;</p> <p>e) the year of manufacture;</p> <p>f)a marking that enables the specification to which the wire was made to be identified.</p>		
12	Wooden drums shall be resistant to biological attack. (Yes/No)	Yes	
13	Corrosion protection is required for stay wires during transportation and storage. (Yes/No)	Yes	
14	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 10

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 10		
	Adjustable Stay Anchor and Base Plate		
	Item 23: M16 x 1.8m adjustable stay rod and square base plate		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material	SANS 1431 Grade 350 WC or equivalent	
5	Corrosion protection:	hot-dipped galvanized in accordance with the requirements of SANS 121	
6	Stay rod adjustable (Yes/No)	Yes	
7	Wire rope thimble included (Yes/No)	Yes	
8	Material: wire rope thimble	stainless steel (Grade 316) or grade 350 WC and hot- dip galvanized in accordance with SANS 121.	
9	Stay Rod – refer to drawing		
9.1	A: Rod length(m)	1,8	

9.2	B: rod diameter	M16	
9.3	C (mm)	Min 300	
10	Base Plate – refer to drawing		
10.1	Base plate	Square	
10.2	A (mm)	Min 300	
10.3	B (mm)	Min 300	
10.4	C (mm)	6	
10.5	D	M16	
11	Breaking load(kN)	State	
12	Required marking: stamped with the manufacturer's identification and the item's minimum breaking load in kilonewtons.(Yes/No)	Yes	
13	Label identification details	State	
14	Manufacture's guarantee(months)	Min 12	
Item 24: M20 x 2.4m adjustable stay rod and square base plate			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material	SANS 1431 Grade 350 WC or equivalent	
5	Corrosion protection:	hot-dipped galvanized in accordance with the requirements of SANS 121	
6	Stay rod adjustable (Yes/No)	Yes	

7	Wire rope thimble included (Yes/No)	Yes	
8	Material: wire rope thimble	stainless steel (Grade 316) or grade 350 WC and hot-dip galvanized in accordance with SANS 121.	
9	Stay Rod – refer to drawing		
9.1	A: Rod length(m)	2.4	
9.2	B: rod diameter	M20	
9.3	C (mm)	Min 300	
10	Base Plate – refer to drawing		
10.1	Base plate	Square	
10.2	A (mm)	Min 460	
10.3	B (mm)	Min 460	
10.4	C (mm)	6	
10.5	D	M20	
11	Breaking load(kN)	State	
12	Required marking: stamped with the manufacturer's identification and the item's minimum breaking load in kilonewtons.(Yes/No)	Yes	
13	Label identification details	State	
14	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 11

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 11		
	Stay insulators		
	Item 25: 34KN Stay insulator		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Type of stay insulator	Porcelain	
5	Dry withstand voltage	25kV	
6	Wet withstand voltage	11kV	
7	Leakage distance	60mm	
8	Breaking load of stay insulator	34kN	
9	Required markings: (Yes/No) a) the manufacturer's name, trade name or trade mark or any combination of these; b) the type designation; c) the minimum breaking load, in kilonewtons (kN); d) the year of manufacture or a batch identification	Yes	
10	Porcelain stay insulators shall pass the following tests in accordance with SANS 60383-1: 1) design tests; 2) type tests; and 3) routine tests.	Must be submitted	

11	Manufacture's guarantee(months)	Min 12	
	Item 26: 70KN Stay insulator		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Type of stay insulator	Porcelain	
5	Dry withstand voltage	38 kV	
6	Wet withstand voltage	22 kV	
7	Leakage distance	76 mm	
8	Breaking load of stay insulator	70 kN	
9	Required markings: (Yes/No) a) the manufacturer's name, trade name or trade mark or any combination of these; b) the type designation; c) the minimum breaking load, in kilonewtons (kN); d) the year of manufacture or a batch identification	Yes	
10	Porcelain stay insulators shall pass the following tests in accordance with SANS 60383-1: 1) design tests; 2) type tests; and 3) routine tests.	Must be submitted	
11	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 12

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 12		
	Pistol grips:		
	Item 27:5-20mm ACSR Pistol Grip Strain Clamp		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Conductor size:	5.1 – 20.5mm	
5	Material of the clamp	Cast Aluminium	
6	Number of U-bolts	3	
7	Diameter of U-bolts e.g.M12	State	
8	Material of U-bolts and nuts	Medium steel and hot dip galvanized	
9	Material of Clevis Pin	Heat-treated carbon steel hot dip galvanized	
10	Breaking load(kN)	70	
11	Dimensions – refer to drawing		
11.1	<ul style="list-style-type: none"> ○ A:±140mm ○ B:±150mm ○ C:±22mm ○ D:±16mm ○ R: ±70mm 	State	
12	Weight(kg)	State	

13	<p>Required marking:</p> <ul style="list-style-type: none"> • manufacturer's identification, • product code, • material • conductor size range, • item's minimum breaking load in kilonewtons 	State marking details	
14	Manufacture's guarantee(months)	Min 12	
Parallel Groove (PG) Clamp			
Item 28: Parallel Groove (PG) Clamp for ACSR Conductors (Hare, Rabbit, Gopher)			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material clamp body	Extruded Aluminium	
5	Number of bolts	2	
6	Material of bolts	State	
7	Current capacity(A)	State	
8	Dimensions – refer to drawing		
8.1	<ul style="list-style-type: none"> ○ A:±85mm ○ B:±53mm ○ C: M12 ○ R(Conductor Range Min to Max):4 – 15mm 	State	
9	Weight(kg)	State	
10	<p>Required Marking:</p> <p>The clamp must be engraved or labeled with:</p> <ul style="list-style-type: none"> • manufacturer name • product code, • material • Conductor range 	State marking details	

11	Manufacture's guarantee(months)	Min 12	
----	---------------------------------	--------	--

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 13

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 13		
	Stay Guards		
	Item 30: Stay guard for M16x1.8 m stay rod		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Stay guard shape	Tubing	
5	Length(m)	2	
6	Diameter(mm) Must fit over the stay wire(3/3.35mm) and any attached fittings, such as the guy grip dead-end fitting.	Min 25	
7	Material of stay guard	State	
8	Material UV resistant (Yes/No)	Yes	
9	Colour of stay guard	"Safety Yellow" (RAL 1023) or similar	
10	Attachment (slip-on or clip-on)	State	
11	Manufacture's guarantee(months)	Min 12	
	Item 31: Stay guard for M20x2.4 m stay rod		
1	Manufacturers Name	State	
2	Country of Manufacture	State	

3	Manufacturer's Product Code	State	
4	Stay guard shape	Tubing	
5	Length(m)	2	
6	Diameter(mm) Must fit over the stay wire(7/4.00mm) and any attached fittings, such as the guy grip dead-end fitting.	Min 25	
7	Material of stay guard	State	
8	Material UV resistant (Yes/No)	Yes	
9	Colour of stay guard	"Safety Yellow" (RAL 1023) or similar	
10	Attachment (slip-on or clip-on)	State	
11	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 14

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 14		
	Bracket Hip Stay Assembly		
	Item 32: Hip Stay bracket for 3/3.35mm stay wire		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material of hip stay	EN 10025-2/ SANS 1431 Grade S355JR/350WA steel	
5	Structural design	SANS 10162-1	
6	Corrosion protection	hot dip galvanized in accordance with SANS 121 (ISO 1461)	
7	Pole attachment method: (Yes/No) Bracket / clamp fits around circumference of the pole	Yes	
8	The pole attachment bracket suitable for various pole diameters. (Yes/No)	Yes	
9	Pole Attachment method	Provide details of pole attachment method	
10	Material of pole attachment bracket/clamp	State	
11	Dimensions of hip stay in accordance with illustration/drawing and provided details (Yes/No)	Yes	

12	Drawing submitted with tender. (Yes/No)	Yes	
13	Marking details: <ul style="list-style-type: none"> • manufacturer name • product code, • stay wire size 	State marking details	
14	Manufacture's guarantee(months)	Min 12	
Item 33: Hip Stay bracket for 7/4.00mm stay wire			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material of hip stay	EN 10025-2/ SANS 1431 Grade S355JR/350WA steel	
5	Structural design	SANS 10162-1	
6	Corrosion protection	hot dip galvanized in accordance with SANS 121 (ISO 1461)	
7	Pole attachment method: (Yes/No) Bracket / clamp fits around circumference of the pole	Yes	
8	The pole attachment bracket suitable for various pole diameters. (Yes/No)	Yes	
9	Pole Attachment method	Provide details of pole attachment method	
10	Material of pole attachment bracket/clamp	State	
11	Dimensions of hip stay in accordance with illustration/drawing and provided details. (Yes/No)	Yes	
12	Drawing submitted with tender. (Yes/No)	Yes	

13	Marking details: <ul style="list-style-type: none"> • manufacturer name • product code, • stay wire size 	State marking details	
14	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature: _____

Name: _____

Title: _____

Date: _____

Company Stamp:

ANNEXURE A: TECHNICAL SCHEDULE A & B: GROUP 15

Schedule A: Purchaser's specific requirements

Schedule B: Particulars of equipment to be supplied

Note: Tender will not be considered unless this form is completed in full and signed.

	GROUP 15		
	Item 34: PVC Spacer / LV Line Spreader		
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Material Properties: Base Material	High-impact, rigid polyvinyl chloride (PVC).	
5	Material Properties: UV Resistance: Stabilized against sunlight degradation (tested for long-term exposure). (Yes/No)	Yes	
6	Spacing Requirements: Nominal Spacing Distance(center-to-center conductor separation).	300mm	
7	Conductor Compatibility: Diameter Range(fits standard LV conductors)	6.55mm – 8.87mm	
8	Marking: The spacer must be labelled with details such as: <ul style="list-style-type: none"> • manufacturer name • product code / part number • spacing distance • diameter range 	State marking details	
9	Manufacture's guarantee(months)	Min 12	
	Galvanised Steel Kicker Pipe		
	Item 35: Galvanised Steel Kicker Pipe		
1	Manufacturers Name	State	
2	Country of Manufacture	State	

3	Manufacturer's Product Code	State	
4	Steel Grade; High-strength structural steel suitable for heavy-duty applications requiring superior impact and crush resistance	State	
5	Standard Compliance:	EN 10025-2 / SANS 1431 or applicable standard	
6	Minimum Yield Strength(MPa)	State	
7	Tensile Strength(MPa)	State	
8	Diameter(mm ²)	Min 32	
9	Length(m)	2	
10	Wall thickness(mm)	Min 3	
11	Corrosion protection	Hot-dip galvanized	
12	Standard Compliance	SANS 121 (ISO 1461)	
13	Corrosion Resistance: Minimum year service life in moderate atmospheric conditions	50	
14	Manufacture's guarantee(months)	Min 12	
Wood Stay Guard			
Item 36: Wood Stay Guard 70mm x 70mm x 1500mm			
1	Manufacturers Name	State	
2	Country of Manufacture	State	
3	Manufacturer's Product Code	State	
4	Dimensions(mm)	70 x 70 x 1500	
5	Design: Split-block design	Halved lengthwise (two 35mm x 70mm x 1500mm pieces) with a central	

		hole for the stay wire.	
6	Clamping mechanism	Three bolted points: top, middle, bottom	
7	Quantity of bolts	6(2 per clamping position)	
8	Bolt spacing	500mm along the length	
9	Bolt positions	Staggered around the stay wire	
10	Bolt Type:	Galvanized steel (M8 or M10) or stainless steel	
11	Bolt Length:	75–80mm (to avoid excessive protrusion; flush or max 5mm beyond nut).	
12	Nuts:	Nyloc nuts or spring washers to prevent loosening.	
13	Central Hole Diameter:	For 3/3.35mm and 7/4.00mm stay wire: 14–16mm.	
14	Wood Type: Hardwood or pressure-treated softwood, suitable for outdoor exposure.	State wood type	
15	Wood Treatment: Must be treated to H3 class in accordance with SANS 10005. Protection against insects, rot, UV degradation, and moisture. Treatment must be compatible with metal fasteners (e.g., ACQ, copper-based preservatives, or borates).	State wood treatment details	
16	Wood Grade	Non-structural.	

	(protective use only) – No load-bearing requirements		
17	Paint & Surface Protection Coating: High-durability, weather-resistant industrial paint suitable for exterior use.	State paint coating details	
18	Colour Pattern	Alternating yellow & black stripes (4 equal sections, 375mm each).	
19	Colours: high visibility	"Safety Yellow" (RAL 1023) and black (RAL 9005)	
20	Coating Properties: (Yes/No) <ul style="list-style-type: none"> • UV-resistant (minimal fading over 5+ years). • Waterproof & moisture-resistant (withstands rain, humidity). • Abrasion-resistant (to prevent chipping from impacts). 	Yes	
21	Manufacture's guarantee(months)	Min 12	

AUTHORIZED SIGNATURE

We hereby confirm that our offered product meets all the specified requirements in this schedule.

Authorized Representative

Signature:

Name:

Title:

Date:

Company Stamp:

11 ANNEXURE B - SCHEDULE OF DELIVERY & LEAD TIME COMMITMENT

Instructions to Bidders:

- 1. Bidders must complete this table in full for each Group and all Items inside the Group tendered for.**
- 2. The form must be completed and signed in black ink.**
- 3. Failure to complete the form or in full for any Item will disqualify the bidder for that Group**
- 4. The bidders' entries will form a binding part of this contract.**
- 5. Supply Nature: For each item, mark ONE category:**
 - S (Stock): Held in local warehouse for immediate dispatch.**
 - M (Manufactured): Standard item requiring production scheduling.**
 - C (Custom/Made-to-Order): Fabricated or finished specifically to this order.**
- 6. Lead Time: State the maximum number of working days from receipt of a valid Purchase Order to delivery at the specified site.**

The following maximum delivery periods from the date of the Purchase Order are required:

- 1. Standard Stock Items: 14 Working Days.**
 - 2. Fabricated/Made-to-Order Items: 30 Working Days**
- 7. Remarks: Use the "Remarks" column to note if any items are subject to longer manufacturing cycles or specific conditions.**

Item Description	Supply Nature (S/M/C)	Committed Lead Time (Working Days)	Remarks
GROUP 1 Dead End Strain Termination			
Item 1: Dead End - Hare			
Item 2: Dead End - Gopher			
Item 3: Dead End – Rabbit			
GROUP 2 Twin Tie with pad (top groove)			
Item 4: Twin Tie with pad - Hare			
Item 5: Twin Tie with pad - Gopher			
Item 6: Twin Tie with pad – Rabbit			
GROUP 3 Twin Tie with pad (road crossings)			
Item 7: For road crossings - Hare			
Item 8: For road crossings - Gopher			
Item 9: For road crossings – Rabbit			
GROUP 4 Side Tie			

Item Description	Supply Nature (S/M/C)	Committed Lead Time (Working Days)	Remarks
Item 10: Side Tie - Hare			
Item 11: Side Tie - Gopher			
Item 12: Side Tie - Rabbit			
GROUP 5 Wraplock Tie			
Item 13: Wraplock tie - Hare			
Item 14: Wraplock tie - Gopher			
Item 15: Wraplock tie - Rabbit			
GROUP 6 Thimble Clevis			
Item 16: For Hare, Rabbit, Gopher			
GROUP 7 Guy Grip Fittings			
Item 17: For 3/3.35mm stay wire			
Item 18: For 7/4.00mm stay wire			
GROUP 8 Pole Top Make-Off's			

Item Description	Supply Nature (S/M/C)	Committed Lead Time (Working Days)	Remarks
Item 19: For 3/3.35mm stay wire			
Item 20: For 7/4.00mm stay wire			
GROUP 9 Stay Wire			
Item 21: 3/3.35mm stay wire			
Item 22: 7/4.00mm stay wire			
GROUP 10 Adjustable Stay Anchor & Plate			
Item 23: M16 x 1.8m rod & plate			
Item 24: M20 x 2.4m rod & plate			
GROUP 11 Stay Insulators			
Item 25: 34KN Stay insulator			
Item 26: 70KN Stay insulator			
GROUP 12 Pistol Grips & PG Clamp			
Item 27: 5-20mm ACSR Pistol Grip			

Item Description	Supply Nature (S/M/C)	Committed Lead Time (Working Days)	Remarks
Item 28: PG Clamp for ACSR Conductors			
GROUP 13 Stay Guards			
Item 30: For M16x1.8m stay rod			
Item 31: For M20x2.4m stay rod			
GROUP 14 Hip Stay Bracket			
Item 32: For 3/3.35mm stay wire			
Item 33: For 7/4.00mm stay wire			
GROUP 15 PVC Spacer & Kicker Pipe & Wood Guard			
Item 34: PVC Spacer / Line Spreader			
Item 35: Galv. Kicker Pipe 32mm x 2m			
Item 36: Wood Stay Guard 70x70x1500mm			

Bidder's Declaration:

We, the undersigned, hereby confirm that the classifications, lead times, and remarks stated above are accurate, firm, and binding. We understand that failure to deliver within the committed lead

time, unless due to a force majeure event, will subject us to penalties, or contract termination in the event of consistent non-performance, as specified in the tender conditions.

Authorized Representative

Signature: _____

Name: _____

Title: _____

Date: _____

Company Stamp:

Bidder's Declaration:

We, the undersigned, hereby confirm that the classifications, lead times, and remarks stated above are accurate, firm, and binding. We understand that failure to deliver within the committed lead time, unless due to a force majeure event, will subject us to liquidated damages as specified in the tender conditions.

Authorized Signature: _____

Name (Printed): _____

Position: _____

Company Stamp: _____

Date: _____

Occupational Health and Safety

ARTICLE OF AGREEMENT IN TERMS OF SECTION 37(2) OF THE

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 BETWEEN

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

(Hereinafter referred to as the "EMPLOYER")

AND

.....
.....
.....

Herein represented by

.....in

His/her capacity

as.....duly

Authorised by virtue of a resolution dated

.....

Attached hereto as Annexure B of the

said.....

(Hereinafter referred to as the "CONTRACTOR").

WHEREAS the CONTRACTOR is the mandatory of the EMPLOYER as contemplated in an agreement in respect of

.....
.....

.....
.....

Contract

number.....

AND WHEREAS section 37 of the Occupational Health and Safety Act, 1993 (Act 85 of 1993, hereinafter referred to as the "ACT"), imposes certain powers and duties upon the EMPLOYER.

AND WHEREAS the parties have agreed to enter into an agreement in terms of section 37(2) of the ACT.

NOW THEREFORE the parties agree as follows:

1. The CONTRACTOR undertakes to acquaint the appropriate officials and employees of the CONTRACTOR with all relevant provisions of the ACT and the regulations promulgated in terms thereof.
2. The CONTRACTOR undertakes that all relevant duties, obligations and prohibitions imposed in terms of the ACT and Regulations will be fully complied with: Provided that should the EMPLOYER prescribe certain arrangements and procedures, that same shall be observed and adhered to by the CONTRACTOR, his officials and employees. The CONTRACTOR shall bear the onus of acquainting himself/herself/itself with such arrangements and procedures.
3. The CONTRACTOR hereby accepts sole liability for such due compliance with the relevant duties, obligations, prohibitions, arrangements and procedures, if any, imposed by the ACT and Regulations and the CONTRACTOR expressly absolves the EMPLOYER from itself being obliged to comply with any of the aforesaid duties, obligations, prohibitions, arrangements and procedures as the case may be.
4. The CONTRACTOR agrees that any duly authorised officials of the EMPLOYER shall be entitled, although not obliged, to take such steps as may be necessary to ensure that the CONTRACTOR has complied with this undertaking as more fully set out in paragraphs 1 and 2 above, which steps may include, but shall not be limited to remedy the default of the CONTRACTOR at the cost of the CONTRACTOR.
5. The CONTRACTOR shall be obliged to report forthwith to the EMPLOYER any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the ACT and Regulations, pursuant to work performed in terms of this agreement, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge as the case may be.

Thus signed at for and on behalf of the EMPLOYER on this
the day of..... 20

AS WITNESSES:

1.
2.

.....
SIGNATURE

.....
NAME AND SURNAME

.....
.....
CAPACITY

Thus signed at..... for and on behalf of the CONTRACTOR on
this

the Day of 20.....

AS WITNESSES:

1.
2.

.....
SIGNATURE

.....

NAME AND SURNAME

.....

CAPACITY

**PART A
INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE CITY OF TSHWANE MUNICIPALITY					
BID NUMBER:	EEBU 16-2025.26	CLOSING DATE:	17 April 2026	CLOSING TIME:	10:00
DESCRIPTION	TENDER FOR SUPPLY DELIVERY AND OFF-LOADING OF STAYING AND BINDING EQUIPMENT USED ON OVERHEAD LINES, ON AN AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF 3 YEARS.				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).					

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)

Tshwane House					
Supply Chain Management					
320 Madiba Street					
Pretoria CBD					
0002					
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
TAX COMPLIANCE STATUS	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		<input type="checkbox"/> Yes <input type="checkbox"/> No

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER PART B:3]
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE	R
SIGNATURE OF BIDDER	DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT	Supply Chain Management	CONTACT PERSON	Steynberg Myburg
CONTACT PERSON	Mulondi Rasekgala	TELEPHONE NUMBER	012 358 2441
TELEPHONE NUMBER	012 358 6636	FACSIMILE NUMBER	N/A
FACSIMILE NUMBER	n/a	EMAIL ADDRESS	steynbergm@tshwane.gov.za
EMAIL ADDRESS	mulondin@tshwane.gov.za		

**PART B
TERMS AND CONDITIONS FOR BIDDING**

1. BID SUBMISSION	
1.1	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE
1.3	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.

- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1 IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO
- 3.2 DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES NO
- 3.3 DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO
- 3.4 DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO
- 3.5 IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? YES NO

IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

DATE:

PRICING SCHEDULE: FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder.....	Bid Number: EEBU 16-2025.26
Closing Time: 10:00	Closing Date: 17 April 2026

OFFER TO BE VALID FOR DAYS FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
----------	----------	-------------	--

- Required by:
- At:
- Brand and Model
- Country of Origin
- Does the offer comply with the specification(s)? *YES/NO
- If not to specification, indicate deviation(s)
- Period required for delivery
*Delivery: Firm/Not firm
- Delivery basis

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

* Delete if not applicable

PRICING SCHEDULE: NON-FIRM PRICES (PURCHASES)

NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder	Bid number: EEBU 16-2025.26
Closing Time: 10:00	Closing Date: 17 April 2026

OFFER TO BE VALID FOR 90 DAYS FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
----------	----------	-------------	--

- Required by:
 - At:
 - Brand and model
 - Country of origin
 - Does the offer comply with the specification(s)? *YES/NO
 - If not to specification, indicate deviation(s)
 - Period required for delivery
 - Delivery: *Firm/Not firm
- ** "all applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.
- * Delete if not applicable

PRICE ADJUSTMENTS

A. NON-FIRM PRICES SUBJECT TO ESCALATION

1. IN CASES OF PERIOD CONTRACTS, NON FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where:

- Pa = The new escalated price to be calculated.
- (1-V) Pt = 85% of the original bid price. **Note that Pt must always be the original bid price and not an escalated price.**
- D1, D2.. = Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1,D2...etc. must add up to 100%.
- R1t, R2t..... = Index figure obtained from new index (depends on the number of factors used).
- R1o, R2o = Index figure at time of bidding.
- VPt = 15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. The following index/indices must be used to calculate your bid price:

Index..... Dated..... Index..... Dated..... Index..... Dated.....
 Index..... Dated..... Index..... Dated..... Index..... Dated.....

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

B. PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

- Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

- Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

ADJUSTMENT PERIODS	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE
1 st Adjustment	After 12 calendar months
2 nd Adjustment	After 24 calendar months

NB: Unless prior approval has been obtained from Supply Chain Management, no adjustment in contract prices will be made

DECLARATION OF INTEREST

1. No bid will be accepted from persons in the service of the state¹.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**
 - 3.1 Full Name of bidder or his or her representative:
 - 3.2 Identity Number:
 - 3.3 Position occupied in the Company (director, trustee, hareholder²)
 - 3.4 Company Registration Number:
 - 3.5 Tax Reference Number:
 - 3.6 VAT Registration Number:
 - 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
 - 3.8 Are you presently in the service of the state? **YES / NO**
 - 3.8.1 If yes, furnish particulars.
.....

¹ MSCM Regulations: “in the service of the state” means to be –

- (a) a member of –
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

² Shareholder” means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months? **YES/NO**

3.9.1 If yes, furnish particulars.

.....

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.10.1 If yes, furnish particulars.

.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars.

.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars.

.....

3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars.

.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars:

.....

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number

.....

Signature

.....

Date

.....

Capacity

.....

Name of Bidder

DECLARATION FOR PROCUREMENT ABOVE R10 MILLION (ALL APPLICABLE TAXES INCLUDED)

For all procurement expected to exceed R10 million (all applicable taxes included), bidders must complete the following questionnaire:

1 Are you by law required to prepare annual financial statements for auditing? ***YES / NO**

1.1 If yes, submit audited annual financial statements for the past three years or since the date of establishment if established during the past three years.

.....
.....

2 Do you have any outstanding undisputed commitments for municipal services towards any municipality for more than three months or any other service provider in respect of which payment is overdue for more than 30 days? ***YES / NO**

2.1 If no, this serves to certify that the bidder has no undisputed commitments for municipal services towards any municipality for more than three months or other service provider in respect of which payment is overdue for more than 30 days. ***YES / NO**

2.2 If yes, provide particulars.

.....
.....
.....
.....

3 Has any contract been awarded to you by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract? ***YES / NO**

3.1 If yes, furnish particulars

.....
.....

4.1 Will any portion of goods or services be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality / municipal entity is expected to be ***YES / NO**

transferred out of the Republic?

4.1 If yes, furnish particulars

.....
.....

CERTIFICATION

**I, THE UNDERSIGNED (NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM IS
CORRECT. I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOULD THIS
DECLARATION PROVE TO BE FALSE.**

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

MBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**
(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the **80/20** preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	Points
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ \mathbf{Ps} = \mathbf{80} \left(\mathbf{1} - \frac{\mathbf{Pt} - \mathbf{Pmin}}{\mathbf{Pmin}} \right) & \mathbf{or} & \mathbf{Ps} = \mathbf{90} \left(\mathbf{1} - \frac{\mathbf{Pt} - \mathbf{Pmin}}{\mathbf{Pmin}} \right) \end{array}$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ \mathbf{Ps} = \mathbf{80} \left(\mathbf{1} + \frac{\mathbf{Pt} - \mathbf{Pmax}}{\mathbf{Pmax}} \right) & \mathbf{or} & \mathbf{Ps} = \mathbf{90} \left(\mathbf{1} + \frac{\mathbf{Pt} - \mathbf{Pmax}}{\mathbf{Pmax}} \right) \end{array}$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

Specific goals	80/20 preference point system	Number of points claimed (80/20 system) (To be completed by the tenderer)
BB-BEE score of companies <ul style="list-style-type: none"> • Level 1 • Level 2 • Level 3 • Level 4 • Level 5 • Level 6 • Level 7 • Level 8 • Non-compliant 	<ul style="list-style-type: none"> • 8 Points • 7 Points • 6 Points • 5 Points • 4 Points • 3 Points • 2 Points • 1 Point • 0 Points 	
EME and/ or QSE	2 Points	
At least 51% of Women-owned companies	2 Points	
At least 51% owned companies by People with disability	2 Points	

Specific goals	80/20 preference point system	Number of points claimed (80/20 system) (To be completed by the tenderer)
At least 51% owned companies by Youth	2 Point	
Local Economic Participation <ul style="list-style-type: none"> • City of Tshwane • Gauteng • National 	4 Points 2 Points 1 Point	

N.B For points to be allocated as per above the tenderers will be required to submit proof of documentation as evidence for claims made. Any tenderer that does not submit evidence as stated in the bid document to claim applicable points will be allocated zero points.

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
 - One-person business/sole propriety
 - Close corporation
 - Public Company
 - Personal Liability Company
 - (Pty) Limited
 - Non-Profit Company
 - State Owned Company
- [TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

.....

SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....

.....

MBD 7.1

CONTRACT FORM: PURCHASE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

1. I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to **CITY OF TSHWANE MUNICIPALITY** in accordance with the requirements and specifications stipulated in bid number **EEBU 16-2025.26** at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated and calculated from the closing time of bid.
2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Specific Goals in terms of the Preferential Procurement Regulations 2022;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES	
1.
2.
DATE:

CONTRACT FORM: PURCHASE OF GOODS/WORKS

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1. I in my capacity as accept your bid under reference number dated for the supply of goods/works indicated hereunder and/or further specified in the annexure(s).
2. An official order indicating delivery instructions is forthcoming.
3. I undertake to make payment for the goods/works delivered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery note.

ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION

4. I confirm that I am duly authorized to sign this contract.

SIGNED AT ON.....

NAME (PRINT)

SIGNATURE

OFFICIAL STAMP

WITNESSES

1.

2.

DATE:

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	<p>Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?</p> <p>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p>The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.</p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>
4.1.1	If so, furnish particulars:		
4.2	<p>Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?</p> <p>The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.</p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>

4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.7.1	If so, furnish particulars:		

CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM
TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION
MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE
FALSE.**

.....
Signature

.....
Date

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid: **EEBU 16-2025.26**

TENDER FOR SUPPLY DELIVERY AND OFF-LOADING OF STAYING AND BINDING EQUIPMENT USED ON OVERHEAD LINES, ON AN AS AND WHEN REQUIRED BASIS FOR THE PERIOD OF 3 YEARS.

(Bid Number and Description)

in response to the invitation for the bid made by:

CITY OF TSHWANE MUNICIPALITY

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

³ Joint venture or consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT

July 2010

GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT

July 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 “Closing time” means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 “Contract” means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 “Contract price” means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 “Corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
 - 1.6 “Country of origin” means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 “Day” means calendar day.
 - 1.8 “Delivery” means delivery in compliance of the conditions of the contract or order.
 - 1.9 “Delivery ex stock” means immediate delivery directly from stock actually on hand.
 - 1.10 “Delivery into consignees store or to his site” means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
 - 1.12 ”Force majeure” means an event beyond the control of the supplier and not involving the supplier’s fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
 - 1.13 “Fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.

- 1.14 “GCC” means the General Conditions of Contract.
- 1.15 “Goods” means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 “Imported content” means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 “Local content” means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 “Manufacture” means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 “Order” means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 “Project site,” where applicable, means the place indicated in bidding documents.
- 1.21 “Purchaser” means the organization purchasing the goods.
- 1.22 “Republic” means the Republic of South Africa.
- 1.23 “SCC” means the Special Conditions of Contract.
- 1.24 “Services” means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 “Written” or “in writing” means handwritten in ink or any form of electronic or mechanical writing.

1. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid.
Where applicable a non-refundable fee for documents may be charged.

- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za
- 4. Standards**
- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
- 5. Use of contract documents and information inspection.**
- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.
- 6. Patent rights**
- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
- 7. Performance security**
- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
- (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.
- 8. Inspections, tests and analyses**
- 8.1 All pre-bidding testing will be for the account of the bidder.

- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

- 11. Insurance** 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.
- 12. Transportation** 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.
- 13. Incidental services, services** 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.
- 14. Spare parts** 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.
- 15. Warranty** 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the

final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.
- 16. Payment**
- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.
- 17. Prices**
- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.
- 18. Contract**
- 18.1 No variation in or modification of the terms of the contract shall be made **amendments** except by written amendment signed by the parties concerned.
- 19. Assignment**
- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.
- 20. Subcontracts**
- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
- 21. Delays in the supplier's performance**
- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

- 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated

fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him

25. Force Majeure

25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all

		reasonable alternative means for performance not prevented by the force majeure event.
26. Termination for insolvency	26.1	The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.
27. Settlement of Disputes	27.1	If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
	27.2	If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
	27.3	Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
	27.4	Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
	27.5	Notwithstanding any reference to mediation and/or court proceedings herein, <ul style="list-style-type: none"> (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and (b) the purchaser shall pay the supplier any monies due the supplier.
28. Limitation of liability	28.1	Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6; <p>the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and</p> <p>the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.</p>
29. Governing language	29.1	The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
30. Applicable law	30.1	The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
31. Notices	31.1	Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice

- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties**
- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
- 33. National Industrial Participation (NIP) Programme**
- 33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation
- 34. Prohibition of Restrictive practices**
- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)

SERVICE LEVEL AGREEMENT

entered into between

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

(Hereafter referred to as the “**City**”)

Herein Represented by:

In the capacity as: **The City Manager**

(Duly authorised hereto)

AND

.....

(Hereafter referred to as the “**SERVICE PROVIDER**”)

Herein Represented by:

In the capacity as:.....

(Duly authorised hereto)

DRAFT SERVICE LEVEL AGREEMENT

entered into between

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

a municipality as described in section 2 of the Local Government: Municipal Systems Act, 2000 and as contemplated in section 155 of the Constitution of the Republic of South Africa, 1996 as a category A municipality, or the Assignee, if applicable, herein represented by in his capacity as City Manager duly authorised thereto under and by virtue of a resolution passed on, and who by his signature hereto warrants that he/she is properly authorised to sign this Agreement.

(Herein referred to as the “**CITY**”)

AND

Service Provider.....

Registration Number

Herein represented by, in his capacity as duly authorized thereto under and by virtue of a resolution of the Board passed on(DATE), a copy of which is annexed as Annexure “**B**”, and who by his signature hereto warrants that he is properly authorized to sign this Agreement

(Herein referred to as the “**SERVICE PROVIDER**”)

CONTENT

<u>1</u>	<u>DEFINITIONS</u>	179
<u>2</u>	<u>INTERPRETATION</u>	180
<u>3</u>	<u>APPOINTMENT</u>	181
<u>4</u>	<u>PURPOSE OF THE AGREEMENT</u>	181
<u>5</u>	<u>RELATIONSHIP</u>	181
<u>6</u>	<u>DURATION</u>	181
<u>7</u>	<u>CONTACT PERSON</u>	181
<u>8</u>	<u>SCOPE OF GENERAL SERVICES</u>	182
<u>9</u>	<u>PRICE AND PAYMENT</u>	182
<u>10</u>	<u>PRICE RESTRUCTURING</u>	183
<u>11</u>	<u>SERVICE LEVELS</u>	183
<u>12</u>	<u>WITHHOLDING OF PERFORMANCE</u>	184
<u>13</u>	<u>PENALTY</u>	184
<u>14</u>	<u>ACCESS</u>	184
<u>15</u>	<u>DELIVERY OF GOODS</u>	185
<u>16</u>	<u>DEFECTIVE GOODS</u>	185
<u>17</u>	<u>AMENDMENT OR CANCELLATION OF PURCHASE ORDER</u>	186

<u>18</u>	<u>INSPECTION</u>	186
<u>19</u>	<u>MAINTENANCE AND SUPPORT</u>	187
<u>20</u>	<u>TRAINING</u>	187
<u>21</u>	<u>SERVICE PROVIDER’S WARRANTIES AND INDEMNITIES AND LIABILITIES</u> 187	
<u>22</u>	<u>SERVICE PROVIDER’S PERSONNEL</u>	189
<u>23</u>	<u>STATUTORY AND EMPLOYMENT ISSUES</u>	190
<u>24</u>	<u>SUB-CONTRACTING</u>	191
<u>25</u>	<u>CONFIDENTIALITY</u>	191
<u>26</u>	<u>INTELLECTUAL PROPERTY RIGHTS</u>	192
<u>27</u>	<u>FORCE MAJEURE</u>	193
<u>28</u>	<u>CESSION</u>	194
<u>29</u>	<u>CHANGE OF CONTROL / CIRCUMSTANCE</u>	194
<u>30</u>	<u>BREACH</u>	194
<u>31</u>	<u>EARLY TERMINATION</u>	194
<u>32</u>	<u>DISPUTES</u>	194
<u>33</u>	<u>LAWS AND JURISDICTION</u>	196
<u>34</u>	<u>NOTICES AND COMMUNICATIONS</u>	196
<u>35</u>	<u>GENERAL AND MISCELLANEOUS</u>	197

RECORDAL:

WHEREAS the City of Tshwane requires to appoint service providers for the supply, delivery and off-loading, of street lighting and floodlight luminaires to the City of Tshwane as and when required over a three (3) year period

AND WHEREAS the City wishes to appoint as a service provider;

AND WHEREAS the service provider wishes to provide such services;

AND WHEREAS the service provider has indicated that it has the necessary expertise, skills and capabilities to provide the service;

NOW THEREFORE the Parties have agreed to enter into this Agreement, in terms of which(**SP**) shall provide the Services in the Service Areas and/or Delivery Area and provide maintenance and support thereof, to the City in accordance with the terms and subject to the conditions of this Agreement:

1 DEFINITIONS

Unless otherwise expressly stated, or the context otherwise requires, the words and expressions listed below shall, when used in this Agreement, including this introduction, bear the meanings ascribed to them:

- 1.1 “**Agreement**” means this Service Level Agreement and shall include any annexures and/or schedules and/or attachments and/or appendices and/or any addenda hereto or incorporated herein by reference, as amended from time to time;
- 1.2 “**Business Day**” means any day from Monday to Friday excluding Public Holidays as defined in the Public Holidays Act 36 of 1994 (“Public Holidays Act”) as amended from time to time;
- 1.3 “**Business Week**” means five consecutive Business Days, excluding Public Holidays as defined in the Public Holidays Act;
- 1.4 “**City**” means the City of Tshwane Metropolitan Municipality, a metropolitan municipality established in terms of section 12 of the Local Government: Municipal Structures Act 117 of 1998;
- 1.5 “**Contact Persons**” means persons identified by the Parties as persons who are responsible for the execution of the Agreement and whose names are set out in clause 34 below and who can be substituted in writing from time to time;
- 1.6 “**Contract Price**” shall mean the amount reflected as the contract price in clause 9 below;
- 1.7 “**Contract Period**” means the contract period as reflected on Annexure “**A**”;
- 1.8 “**Effective Date**” means notwithstanding the Signature Date,
.....
- 1.9 “**GCC**” shall mean the General Conditions of Contracts as stated in the Government Procurement: General Conditions of Contract July 2010;
- 1.10 “**Goods**” shall mean the Services related goods to be procured by the City from time to time as stated in clause 8 below and the Appointment Letter attached herewith as Annexure “**A**”;
- 1.11 “**Intellectual Property**” means Patents, Designs, Know-How, Copyright and Trade Marks and all rights having equivalent or similar effect which may exist anywhere in the world, introduced and required by either Party to give effect to their obligations under this Agreement, owned in whole or in part by, or licensed to either Party prior to the Commencement Date or developed after the Commencement Date, and includes all further additions and improvements to the Intellectual Property, otherwise pursuant to this Agreement;
- 1.12 “**Month**” means a calendar month;
- 1.13 “**Parties**” means the City and Service Provider and “**Party**” means either of them as the context requires;
- 1.14 “**Order**” means an official written order issued for the supply of Goods and or Services under this Agreement;
- 1.15 “**Services**” means services to be provided by the Service Provider to the City as detailed in clause 7 below;
- 1.16 “**Service Provider**” means a contractor appointed by the City of Tshwane with the company laws of the Republic of South Africa with a company registration number;

- 1.17 “**Signature Date**” means the date of signature of this Agreement by the Party signing last;
- 1.18 “**Subcontract**” means any contract or agreement or proposed contract between the Service Provider and any third party whereby that third party agrees to provide to the Service Provider the Services or any part thereof;
- 1.19 “**Subcontractor**” means the third party with whom the Service Provider enters into a Subcontract;
- 1.20 “**Tax Invoice**” means the document as required by section 20 of the Value Added Tax Act 89 of 1991, as amended from time to time; and
- 1.21 “**VAT**” means Value Added Tax as defined in terms of the Value Added Tax Act of 1991.

2 INTERPRETATION

- 2.1 Headings and sub-headings are inserted for information purposes only and shall not be used in the interpretation of this Agreement.
- 2.2 Unless the context clearly indicates a contrary intention, any word connoting:
 - 2.2.1 any singular shall be deemed to include a reference to the plural and vice versa;
 - 2.2.2 any one gender shall be deemed to include a reference to the other two genders; and
 - 2.2.3 a natural person shall be deemed to include a reference to a legal or juristic person.
- 2.3 The expiry or termination of this Agreement shall not affect provisions of this Agreement which expressly provide that they will operate after any such expiry or termination of this Agreement. Provisions of necessity shall continue to have been effective after such expiry or termination of this Agreement, notwithstanding that the clauses themselves do not expressly provide for this.
- 2.4 The rule of interpretation that a written agreement shall be interpreted against the party responsible for the drafting or preparation of that Agreement shall not apply.
- 2.5 The provision of this Agreement shall be read in conjunction with the provisions of the Government Procurement General Conditions of Contracts (“GCC”) 2010 as if they are incorporated herein.
- 2.6 Where figures are referred to in numerals and in words and there is any conflict between the two, the words shall prevail.
- 2.7 Any reference to any legislation is a reference to such legislation as at the Signature Date and as amended or re-enacted, from time to time.
- 2.8 If any provision in a definition is a substantive provision conferring any rights or imposing any obligations on any party, then notwithstanding that, it is only in this interpretation clause, effect shall be given to it as if it were a substantive provision in this Agreement.

3 APPOINTMENT

The City hereby appoints the Service Provider, who accepts such appointment, as per the Appointment letter dated attached herewith as Annexure “A” to provide the Services in accordance with the terms and subject to the conditions of this Agreement.

4 PURPOSE OF THE AGREEMENT

- 4.1 The Purpose of this Agreement is to:
- 4.1.1 formalise and regulate the working relationship between the Parties;
 - 4.1.2 set out the roles and responsibilities of the Parties; and
 - 4.1.3 define process and procedures to be followed by the Parties.

5 RELATIONSHIP

Nothing in this Agreement shall constitute, or be deemed to constitute a partnership or joint venture between the Parties. Furthermore the Service Provider acknowledges and agrees that its status under this Agreement is that of an independent service provider and its status shall in no way be deemed to be that of an agent or employee of the City, for any purpose whatsoever, and the Service Provider shall have no authority or power to bind the City or to contract in the name of the City, or create a liability against the City in any way or for any purpose.

6 DURATION

This Agreement shall commence on the Effective Date and shall subsist for a period of 3 (three) years, unless terminated earlier pursuant to clause 31 below.

7 CONTACT PERSON

- 7.1 The work to be performed by the Service Provider hereunder will be supervised by City’s Contact Person.
- 7.2 The Parties shall notify each other, in writing from time to time, of the details of their nominated Contact Person.
- 7.3 The Contact Persons shall liaise and update each other on the progress of the Services rendered and shall endeavour to resolve and remedy any problems or disputes that may arise in relation to the Services.
- 7.4 Either Party may substitute a Contact Person at its discretion provided that each Party shall give the other Party reasonable notice of such substitution and will provide replacement employees of equivalent ability.
- 7.5 Without derogating from the foregoing, should either Party replace a Contact Person for any reason whatsoever, it shall ensure, to the greatest extent possible in the circumstances, that the suitable period of hand-over and overlap takes place, at its cost, between the new and the encumbered Contact Person.

8 SCOPE OF GENERAL SERVICES

- 8.1 The Service Provider shall, for the duration of this Agreement, provide the Services in terms of the Appointment Letter and as outlined fully in the Scope of Work including but not limited to:
 - 8.1.1 The supply, delivery and off-loading, of gas discharge lamps to the City of Tshwane as and when required for a three(3)-year period.

9 PRICE AND PAYMENT

- 9.1 The City shall pay to the Service Provider as stated in the Appointment Letter attached and or in terms of the Scope of Work attached herein as **Annexure “C”**.
- 9.2 All payments under this Agreement shall be made by electronic fund transfer or other forms of payment as the Parties may agree from time to time, upon receipt of valid and undisputed Tax Invoices and month-end statements together with the supporting documentation from the Service Provider, once the undisputed Tax Invoices or such portion of the Tax Invoices which are undisputed become due and payable.
- 9.3 All amounts and other sums payable in terms of this Agreement and Schedules hereto will be stipulated exclusive of VAT, unless expressly stated otherwise.
- 9.4 Unless otherwise provided in the Schedules, valid Tax Invoices shall be submitted together with a month-end statement. Payment against such month-end statement shall be made by The City within 30 (thirty) days after the date of receipt by The City of the Service Provider’s statement together with the relevant valid and undisputed Tax Invoice(s) and supporting documentation, but in any event not later than 90 (ninety) days of receipt of such statement.
- 9.5 There shall be no interest levied on a Tax Invoice that is in dispute between the Parties.
- 9.6 The City shall pay the amount reflected on a Tax Invoice once the City’s Contact Person has verified that the Services set out in a schedule have been rendered and the Tax Invoice amount has been approved by the City.
- 9.7 All Tax Invoices shall be addressed to the City’ Contact Person.
- 9.8 All payments shall be transferred, by the City to the Service Provider electronically into the Service Provider’s bank account, the details of which are set out below:
 - Bank:**
 - Account type:**
 - Account No:**
 - Branch No:**
- 9.9 Failure to comply with the clauses above may result in late payment of the total amount of an invoice by the Service Provider to the City. The City shall not be liable for any costs or damages suffered by the Service Provider as a result of such late payment.
- 9.10 If the City fails to make payment in accordance with the Agreement or fails to comply with any provisions of any Order issued under this

Agreement, the Service Provider reserves the right to cancel any undelivered portion of the Goods and/or to suspend the Services, and the City shall remain responsible for the completed and partly completed work up to the date of such cancellation.

10 PRICE RESTRUCTURING

- 10.1 The Service Provider shall be subject to a price review every year.
- 10.2 The City shall embark on a benchmarking exercise every 12 (twelve) months where the City shall benchmark the Service Provider's Contract Price against the prevailing market rates.
- 10.3 In the event it emerges that the Service Provider's charges in respect of the Contract Price and other charges under this Agreement are materially higher than the reasonable benchmark ascertained by the City or that the City can acquire similar Services of a like quality from another supplier at a total delivered cost that is lower than the total delivered cost of the Services acquired hereunder from the Service Provider, the City shall have the right to notify the Service Provider of such total delivered cost and the Service Provider shall have an opportunity to adjust the Contract Price and any other charges hereunder, on such a basis as to result in the same total delivered cost to the City, within 30 (thirty) calendar days of such notice.
- 10.4 If the Service Provider fails to do so or cannot legally do so, The City may:
 - 10.4.1 acquire the Services from such other supplier in which case the obligations, including, but not limited to, any purchase and sale requirements and/or commitments, if any, of the City and the Service Provider hereunder shall be reduced accordingly;
 - 10.4.2 terminate this Agreement without any penalty, liability or further obligation; or
 - 10.4.3 continue under this Agreement.
- 10.5 Within 30 (thirty) calendar days of a notice by the City or at any time the City so requests, the Service Provider shall certify in writing to the City that it is in compliance with this clause and shall provide all information that the City reasonably requests in order to verify such compliance.

11 SERVICE LEVELS

- 11.1 The Service Provider recognises that the City has entered into this Agreement relying specifically on the Service Provider's representations regarding service levels including, *inter alia*:
 - 11.1.1 capacity allocations in accordance with the Service to be provided;
 - 11.1.2 all work to be performed and Services rendered under this Agreement shall comply with industry norms and best practice acceptable within the Services industry and shall be executed by the Service Provider to the total satisfaction of the City.
- 11.2 The Service Provider shall provide suitably qualified and trained employees to provide the Services to the City in terms of this Agreement, and shall allocate, in its discretion employee resources in accordance with the technical skill and knowledge required, provided

that any exercise of such discretion by the Service Provider shall not negatively impact on the provision of the Services by the Service Provider to the City, and shall allocate employees with the technical skill and knowledge onsite at the City at all times during normal working hours, if the City so requires.

- 11.3 Amongst others, the Service Provider shall comply with and provide the Services as set out in clause 7 above.

12 WITHHOLDING OF PERFORMANCE

The Service Provider may not under any circumstances, including, without limitation, non-payment by the City, withhold any Services from the City during the currency of this Agreement, unless it validly terminates this Agreement in terms of clause 30 below.

13 PENALTY

- 13.1 Should the Service Provider fails to comply with its obligations in terms of this Agreement, the City may impose a penalty on the Service Provider in terms of clause 13.3 below.
- 13.2 The City shall provide the Service Provider with a written notice requiring the Service Provider to remedy the default within 7 (seven) days from the date of delivery of the notice.
- 13.3 Should the Service Provider fail to remedy the default within 7 (seven) days after receiving the notice, then the City shall be entitled, without prejudice to any alternative or additional right of action or remedy available to the City and without further notice, impose as a penalty, a sum calculated on 5% of the delivered price of the delayed goods or unperformed services calculated for each day of the delay until actual delivery or performance not exceeding 10% of the total Contract Price. The City may also consider termination of the Agreement as stated in clause 31 of this Agreement once the maximum penalty amount related to delays has been reached. .
- 13.4 Should there be a dispute as to whether the failure to deliver was caused by the City or was the Service Provider's fault such dispute shall be dealt with in accordance to clause 31 below.

14 ACCESS

- 14.1 The City shall allow the Service Provider reasonable access to its premises, provided that:
- 14.1.1 access is related to the Services to be provided by the Service Provider; and
 - 14.1.2 the Service Provider adheres to all rules, regulations and instructions applicable at City's premises.
- 14.2 The Service Provider is required to notify City monthly of employees who are to provide Services at the Service Areas and/or Delivery Areas.
- 14.3 The City shall grant the Service Provider and/or its employees, referred in clause 14.2 above, access to its premises to perform its obligations in terms of this Agreement.

- 14.4 The Service Provider and its employees shall at all time when entering the premises and/or Service Areas and/or Delivery Areas of the City comply with all rules, laws, regulations and policies of the City

15 DELIVERY OF GOODS

- 15.1 The Service Provider shall deliver the Goods within 2 weeks after receipt of an official purchase order.
- 15.2 Should the Service Provider be unable to deliver the Goods on the Delivery Date, the Service Provider shall inform the City of its inability to deliver the Goods, the reason thereof, and shall provide the City with a reasonable alternative Delivery Date which in any event shall not be more than 14 (fourteen) days from the original Delivery Date.
- 15.3 In the event that the Service Provider is unable to deliver the Goods on the Delivery Date 3 (three) times in a period of 6 (six) months, then the City shall be entitled to terminate this Agreement by giving the Service Provider 1 (one) month's written notice to terminate.
- 15.4 Upon delivery of the Goods by the Service Provider, the City's contact person shall sign the delivery document provided by the Service Provider as acknowledgement of receipt of the Goods. Such acknowledgement of receipt shall not constitute an acceptance:
 - 15.4.1 that the Goods were received in good condition;
 - 15.4.2 that the Goods were free of any defects;
 - 15.4.3 that the Goods were fit for the purpose for which they were purchased; and/or
 - 15.4.4 of any terms and conditions of the delivery document.
- 15.5 In the event that the City notifies the Service Provider, within five (5) Business Days, that the Goods delivered are not in accordance with the order, the City shall be entitled to return the Goods to the Service Provider at the Service Provider's cost and the Service Provider shall deliver the replacement Goods ordered within five (5) Business Days of taking delivery of the defective Goods.
- 15.6 The Service Provider shall bear all risk of loss or damage to the Goods until they are delivered to the City's named place of destination, and transfer of ownership of the Goods shall pass from the Service Provider to the City only when all payments have been made in full.

16 DEFECTIVE GOODS

- 16.1 The Service Provider shall verify whether the Goods received are in order and without any defects.
- 16.2 In the event that the City realises that the Goods have any defect, the City shall inform the Service Provider in writing within 5 (five) days of becoming aware of the defect ("Notice of Defect").
- 16.3 Upon receipt of the Notice of Defect, the Service Provider shall immediately deliver replacement Goods to the City within 14 (fourteen) Business Days of receiving the Notice of Defect referred to in clause 16.2 above and replace the defective Goods.
- 16.4 The cost of returning and replacing the defective Goods shall be borne by the Service Provider.

16.5 The Service Provider shall be responsible for the replacement amount of any parts of the Goods that are to be replaced in terms of this Agreement.

17 AMENDMENT OR CANCELLATION OF PURCHASE ORDER

The City is entitled to cancel an order, reschedule delivery of the Goods or change the Delivery Area and Delivery Date on fourteen (14) days written notice to the Service Provider.

18 INSPECTION

18.1 The City may at any time inspect the Goods and/or Services levels of the Service Provider in terms of this Agreement.

18.2 If the City is, at any time, dissatisfied with the service levels then the Service Provider shall, within 7 (seven) days, notify the Service Provider in writing of the failure or default.

18.3 The Service Provider shall immediately upon receipt of written demand by the City, remedy such failure or default, within 7 (seven) Business Days from the date of receipt of the notice, free of charge.

18.4 Should the Service Provider fail to remedy the failure or default referred to above then the City shall have the right to impose penalties as provided for in clause 12 above or invoke the provisions of clauses and/or clause 30 below.

18.4.1 To enable the City to determine whether the Goods and/or Services rendered in terms of this Agreement are being complied with the Service Provider shall:

18.4.1.1 *provide the City with such information as it may reasonably require;*

18.4.1.2 *allow the City to inspect and take copies of any records of the Service Provider relating to the Goods and/or Services, including all hardware, software, data, information, visuals, procedures, event logs, transaction logs, audit trails, books, records, contracts and correspondence;*

18.4.1.3 *allow the City or its authorised representatives to conduct interviews with any of the Service Provider's employees, subject to reasonable notice being given to the Service Provider.*

18.5 **Service Provider to Provide Reasonable Assistance**

18.5.1 Where any information is required for inspection in terms of this clause and the information is kept in a computer, the Service Provider shall give the City reasonable assistance required to facilitate inspection and obtain copies of the information in a visible and legible form or to inspect and check the operation of any computer and any associated apparatus or material that is or has been in use in connection with the keeping of the information.

18.5.2 Any information required to be provided to the City pursuant to this clause 18 shall be provided by the Service Provider, as the

case may be in such form (including a form otherwise than in writing) as the City may reasonably specify.

- 18.5.3 The cost of any inspection contemplated in terms of this clause 18 shall be for the account of the City unless any material irregularity or failure on the part of the Service Provider is determined by City in the course of such inspection.
- 18.6 The inspection contemplated in this Agreement will be conducted:
 - 18.6.1 during normal business hours;
 - 18.6.2 save where the circumstances justify it, on reasonable notice to the Service Provider; with the minimum interference in the provision of the Goods and/or Services and the Service Provider's other operations.

19 MAINTENANCE AND SUPPORT

If required, the Service Provider will provide support relating to the appropriate storage, handling and use or installation of the goods during the contact period.

20 TRAINING

No training relating to the nature, purpose and appropriate use of the goods will be required during the contact period.

21 SERVICE PROVIDER'S WARRANTIES AND INDEMNITIES AND LIABILITIES

21.1 Service Warranties

- 21.1.1 The Service Provider warrants that in relation to each Service provided in terms of this Agreement:
 - 21.1.1.1 *it has full capacity and authority to enter into and perform this Agreement, and that this Agreement is executed by duly authorised representatives of the Service Provider;*
 - 21.1.1.2 *it possesses or has access to the requisite knowledge, skill and experience to provide the Services in an expert manner;*
 - 21.1.1.3 *it will discharge its obligations under this Agreement and any annexure, appendix or Schedule hereto with all due skill, care and diligence;*
 - 21.1.1.4 *all work performed and Services rendered under this Agreement shall comply with prevailing practice, standards and specifications within the industry;*
 - 21.1.1.5 *it will be solely responsible for the payment of remuneration and associated benefits, if any, of its Personnel and for withholding and remitting income tax for its Personnel in conformance with any applicable laws and regulations;*

- 21.1.1.6 *the use or possession by the City of any Materials will not subject the City to any claim for infringement of any Intellectual Property Rights of any third party;*
 - 21.1.1.7 *with promptness and diligence and in a skilful manner and in accordance with the practices and professional standards of operations while performing Services and/or delivering Goods and/or similar to the Services and/or Goods;*
 - 21.1.1.8 *which Services and/or Goods will in all aspects comply with industry norms and best practice to the satisfaction of the City with regard to materials and workmanship; ;*
 - 21.1.1.9 *using and adopting any standards, processes and procedures required under this Agreement;*
 - 21.1.1.10 *warranting that it shall employ suitably qualified and trained employees to provide the Services and/or Goods to the City and it shall allocate employees in accordance with the technical skill and knowledge required;*
 - 21.1.1.11 *free from any defects in material and workmanship;*
 - 21.1.1.12 *maintaining and causing to be maintained the highest standard of workmanship and care in undertaking the Services and/or processing the Goods;*
 - 21.1.1.13 *maintaining and caused to be maintained the highest standard of care and diligence in providing the Services, maintenance and support;*
 - 21.1.1.14 *ensuring that all applicable laws are observed;*
 - 21.1.1.15 *without derogating from the generality of the foregoing, strictly adhering to any or all laws, regulations and accepted procedures with regard to health, hygiene and the maintaining of the environment in the manufacture, packaging, labelling, identification, storage and transportation of the Goods.*
 - 21.1.1.16 *guaranteeing that the Goods shall be in good working condition for the warranty and/ or maintenance period of the Goods, and that the Service Provider shall be responsible for the costs of repair of the Goods should the Goods require to be repaired to their normal use.*
- 21.1.2 Defective workmanship or failure of the Goods and/or Services shall cease upon expiry of the period of maintenance, being the earlier of twelve (12) months after completion of the Services or eighteen (18) months from delivery of the Goods to the site. Such liability shall be in lieu of any liability implied by law and shall be limited to the repair or replacement, at the election of the Service Provider, of the defective portion of the Goods

and/or Services, where after the Service Provider shall have no further liability of whatsoever nature towards the City.

21.2 Indemnity

21.2.1 The Service Provider hereby indemnifies the City against any claim which may be brought against the City by the Service Provider's personnel or a third party arising from the execution of this Agreement alternatively which arises against the City as a result of the Service Provider's breach of any of the provisions of this Agreement, provided that the City shall notify the Service Provider in writing within a reasonable time, and in any event not less than 14 (fourteen) Business days of the City becoming aware of any such claim to enable the Service Provider to take steps to contest it and shall provide the Service Provider with such reasonable assistance as may be necessary to enable the Service Provider to defend the claim to the extent only that it is in a position to render such assistance. The Service Provider may, within 5 (five) Business Days of receipt of written notice from the City aforesaid, elect in writing to contest such a claim in the name of the City and shall be entitled to control the proceedings in regard thereto, provided that the Service Provider indemnifies the City against all and any costs (including attorney and own client costs) which may be incurred by or awarded against the City as a consequence of the defence of the claim.

21.3 Limitation of Liability

21.3.1 Neither Party shall be liable to the other party for loss of use of any works, loss of profit, loss of contract or for any indirect or consequential loss or damages which may be suffered by the other party in connection with this Agreement.

21.3.2 Notwithstanding anything to the contrary contained or implied in the applicable conditions of contract, and in no event, whether as a result of breach of contract, indemnity, warranty, delict (including negligence), strict liability, or any other cause arising, shall the Service Provider's total liability to the City, or its insurers, for any loss or damage arising out of, or resulting from an Order issued under this Agreement or from the performance or breach thereof, or from the Goods and/or Services furnished hereunder, exceed 100% of the specific Order value.

22 SERVICE PROVIDER'S PERSONNEL

22.1 Liability for Criminal Acts of Employees

The Service Provider shall be liable to the City for any loss that the City or any third party may suffer as a result of any theft, fraud or other criminal act of any employee of the Service Provider which arises within the course and scope of such employees' employment with the Service Provider.

22.2 Character of Employees

- 22.2.1 Due to the confidential nature of certain aspects of the Services and the position of trust which the Service Provider's employees will fulfil, the Service Provider hereby undertakes to use its best commercial endeavours to ensure that it only assigns to the City employees who are fit and proper persons and who display the highest standards of personal integrity and honesty and who have not, to their knowledge, being convicted of any crime.
- 22.2.2 The Service Provider shall, at its own cost, conduct all reasonable background checks into members of its employees prior to utilizing same to provide the Services in terms of this Agreement.
- 22.3 The City shall conduct all reasonable background checks into the Service Provider's employees from time to time, where it deems it necessary to do so.

23 STATUTORY AND EMPLOYMENT ISSUES

- 23.1 **The Service Provider shall comply with all employment legislation**
 - 23.1.1 The Service Provider warrants that it has full knowledge of all relevant statutory, collective and other stipulations applicable to the relationship with its personnel and its relationship with the City. This includes, but is not limited to, the Labour Relations Act, the Basic Conditions of Employment Act, 1977, the Employment Equity Act, 1998 and any other applicable employment legislation currently in force.
 - 23.1.2 The Service Provider warrants further that it is not and will not in future be in contravention of any of the provisions of any such legislation and in the event of such contravention, the Service Provider shall immediately take all steps to remedy such contravention. If the City advises the Service Provider of any contravention of such legislation in writing, the Service Provider shall, within 10 (ten) days after receipt of such notice, take all steps necessary to remedy such contravention and shall keep the City informed regarding the steps taken and the implementation and the result thereof.
- 23.2 **No employment**

The Service Provider warrants that none of its personnel shall be regarded as employees of the City. The Service Provider shall assist to defend and bear all costs in the event that the City is required to defend a claim, whether civil or employment related, instituted against it by the Service Provider's personnel should the City defend the matter, the Service Provider hereby indemnifies the City against all and any costs (including attorney and own client costs) which may be incurred by or awarded against the City as a consequence of the defence of the claim.
- 23.3 **Occupational Health and Safety Act, 1993**

The Service Provider shall be responsible for ensuring compliance with all the provisions of the Occupational Health and Safety Act, 1993 and it indemnifies the City against any claim which may arise in respect of such Act by its personnel against the City.

24 SUB-CONTRACTING

- 24.1 The Service Provider may not Subcontract the whole of or any portion of the Services in terms of this Agreement to any third party without the prior written consent of the City.
- 24.2 In the event the Service Provider wishes to Subcontract the whole of or any portion of the Services in terms of this Agreement, it shall apply to the City in writing for consent to do so.
- 24.3 In its application, the Service Provider shall give the name of the Subcontractor, the Subcontractor's obligations, the proposed date of commencement of the Subcontract which shall include the fees payable to the Subcontractor, and a report of the background security check on the Subcontractor's suitability, financial and otherwise.
- 24.4 The City may, in its sole and absolute discretion refuse consent to Subcontract. In the event the City approves the Subcontracting of the whole of or any portion of the Services in terms of this Agreement, then:
 - 24.4.1 the Service Provider shall ensure that the Subcontractor's B-BBEE level is equal or better than that of the Service Provider, their price is competitive and they have the capacity to provide the Service;
 - 24.4.2 such Subcontracting shall not absolve the Service Provider from responsibility for achieving the Service Levels or complying with its obligations in terms of this Agreement and the Service Provider hereby indemnifies and holds the City harmless against any loss, harm or damage which the City may suffer as a result of such Subcontracting;
 - 24.4.3 the Service Provider shall at all times remain the sole point of contact for the City in respect of the acquisition of Services by the City; and
 - 24.4.4 no such Subcontracting shall have any effect on the Contract Price and charges payable by the City to the Service Provider in terms of this Agreement.

25 CONFIDENTIALITY

- 25.1 The Service Provider acknowledge that all information relating to the City confidential business and technical information, data, documents or other information necessary or useful for the carrying on by the City of its business which shall include, but shall not be limited to operating procedures, quality control procedures, approximate operation personnel requirements, descriptions and trade names and trademarks, know how, techniques, technology, information relating to clients, customers, suppliers, relevant authorities, copyright, trade secrets and all goodwill relating to the business and any other intellectual property rights, technical data and documents in whole or in part, used by the City in

respect of its business; (“**Confidential Information**”), shall remain confidential and shall not be made known unless the City has given written consent to do so.

- 25.2 The information provided by the City in the context of this Agreement is Confidential Information and the Service Provider shall take all reasonable measures to keep the information confidential and will only use the information for the purpose for which it was provided.
- 25.3 The Service Provider undertakes to not disclose any such Confidential Information. However, there will be no obligation of confidentiality or restriction on use where:
 - 25.3.1 the information is publicly available, or becomes publicly available otherwise than by action of the receiving Party; or
 - 25.3.2 the information was already known to the receiving Party (as evidenced by its written records) prior to its receipt under this or any previous agreement between the Parties or their affiliates; or
 - 25.3.3 The information was received from a third Party not in breach of an obligation of confidentiality.

26 INTELLECTUAL PROPERTY RIGHTS

- 26.1 All Intellectual Property Rights of the Service Provider and/or third party vest in the Service Provider and/or third party, as appropriate.
- 26.2 All rights in the City name and logo remain the absolute property of the City.
- 26.3 The Service Provider warrants that no aspect of the Services provided in terms thereof will infringe any Patent, Design, Copyright, Trade Mark or trade secret or other proprietary right of any third party.
- 26.4 The Service Provider shall promptly notify the City, in writing, of any infringement or apparent or threatened infringement or any circumstances which may potentially give rise to an infringement, or any actions, claims or demands in relation to any Intellectual Property Rights.
- 26.5 In the event the City becomes aware of any such infringement, the Service Provider shall, at its cost, defend the City against any claim that the Services infringe any such third party Intellectual Property Rights, provided that the City gives notice to the Service Provider of such claim and the Service Provider controls the defence thereof. The Service Provider further indemnifies the City against, and undertakes that it will pay all costs, damages and attorney fees, if any, finally awarded against the City in any action which is attributable to such claim and will reimburse the City with all costs reasonably incurred by the City in connection with any such action.
- 26.6 Should any claim be made against the City by any third party in terms of clause 26.1 above, the City shall give the Service Provider written notice thereof within 3 (three) days of becoming aware of such claim to enable the Service Provider to take steps to contest it.
- 26.7 Should any third party succeed in its claim for the infringement of any third party proprietary rights, the Service Provider shall, at its discretion and within 30 (thirty) days of the Services having been found to infringe, at its own cost:

- 26.7.1 obtain for the City the right to continue using the subject of infringement or the parts thereof which constitute the infringement; or
- 26.7.2 replace the subject of infringement or the parts thereof which constitute the infringement with another product or service which does not infringe and which is materially similar to the subject of infringement; or
- 26.7.3 alter the subject of infringement in such a way as to render it non-infringing while still in all respects operating in substantially the same manner as the subject of infringement; or
- 26.7.4 withdraw the subject of infringement.

27 FORCE MAJEURE

- 27.1 For the purposes hereof, Force Majeure shall mean civil strife, riots, insurrection, sabotage, national emergency, acts of war of public enemy, rationing of supplies, flood, storm, fire or any other like forces of nature beyond the reasonable control of the party claiming Force Majeure and comprehended in the terms thereof.
- 27.2 If Force Majeure causes delays in or failure or partial failure of performance by a Party of all or any of its obligations hereunder, this Agreement shall be suspended for the period agreed in writing between the Parties.
- 27.3 In the event of circumstances arising which the other Party believes that it constitutes a Force Majeure ("the Affected Party") then such Affected Party shall send, within 5 (five) days from the interrupting circumstances, a written notice of the interrupting circumstances specifying the nature and date of commencement of the interrupting event to the other Party. The Parties shall agree, in writing, to suspend the implementation of this Agreement for a specific period ("Agreed Period").
- 27.4 In the event that both Parties reasonably believe that the Affected Party shall be unable to continue to perform its obligations after the Agreed Period, then either Party shall be entitled to terminate this Agreement without further notice to the other Party.
- 27.5 The Party whose performance is interrupted by the interrupting circumstances shall be entitled, provided that such party shall have given notice to that effect with a written notice of the interrupting circumstances as provided above, to extend the period of this Agreement by a period equal to the time that its performance is so prevented.

28 CESSION

The Service Provider shall not be entitled to cede or assign or transfer in any other way and/or alienate its rights and obligations in terms of this Agreement without the prior written consent of the City.

29 CHANGE OF CONTROL / CIRCUMSTANCE

- 29.1 The Service Provider shall notify the City, in writing, of any change in the Service Provider's shareholding or membership or any change in the Service Provider's subsidiary companies or holding or its affiliates.
- 29.2 The Parties agree that should there be a change as envisaged in clause 29.1 above, the City shall have the opportunity to renegotiate the terms of this Agreement with the 3rd party.
- 29.3 The Service Provider shall further notify the City of any material changes or circumstance which might have led the City to appoint the Service Provider to Provide the Goods and/or Services. In the event that any material change or circumstance occurs and the Service Provider fails to inform the City of such a change or circumstance, the Service Provider shall be deemed to have breached a material term of this Agreement and the City shall be entitled to cancel the Agreement on 1 (one) month's prior notice.

30 BREACH

- 30.1 Subject to clause 29.3 above, should either Party commit a breach of any term of this Agreement ("the Defaulting Party") then the affected party ("Aggrieved Party") shall be entitled to inform the Defaulting Party in writing to remedy such failure or default within 5 (five) Business Days and should the Defaulting Party fail to remedy the breach within 5 (five) Business Days after receipt of the notice the so Aggrieved Party shall be entitled, without prejudice to any of its rights under this Agreement or law to:
 - 30.1.1 immediately terminate this Agreement without giving written notice and claim damages (which shall include legal costs on an attorney/client scale); or
 - 30.1.2 request specific performance and claim damages (which shall include legal costs on an attorney/client scale); or
 - 30.1.3 impose penalties as provided for in clause 12 above.

31 EARLY TERMINATION

The City shall have the right to terminate this Agreement by giving 30 (thirty) days' notice in writing to the Service Provider of its intention to terminate the Agreement.

32 DISPUTES

- 32.1 Save for clause 30 above or any other clause in this Agreement which provides for its own remedy, should any dispute arise between the

- Parties in respect of or pursuant to this Agreement, including, without limiting the generality of the foregoing, any dispute relating to:
- 32.1.1 the interpretation of the Agreement;
 - 32.1.2 the performance of any of the terms of the Agreement;
 - 32.1.3 any of the parties' rights and obligations;
 - 32.1.4 any procedure to be followed;
 - 32.1.5 the termination or cancellation or breach of this Agreement; or
 - 32.1.6 the rectification or repudiation of this Agreement; then any Party may give the other Party written notice of such dispute, in which event the provisions below shall apply.
- 32.2 Within 7 (seven) days of the declaration of such dispute, the Parties representatives or their nominated persons shall meet in the spirit of goodwill and endeavour to resolve the dispute, failing which (and without prejudice to any other alternative dispute resolution to which the Parties may agree, either prior to or concurrently with arbitration) the provisions of this clause 31 above shall apply.
- 32.3 If the Parties are unable to resolve the dispute within 14 (fourteen) days of the notice of the dispute (or such longer period as they may have agreed to in writing), then either Party may, on written notice to the other Party, require that the dispute be submitted to and decided by arbitration, in terms of the Arbitration Act, 42 of 1965 of South Africa ("the Arbitration Act").
- 32.4 The arbitration shall be held under the provisions of the Arbitration Act provided that the arbitration shall be:
- 32.4.1 at any place which the Parties agree, in writing, to be mutually convenient.
 - 32.4.2 in accordance with such formalities and/or procedures as may be settled by the arbitrator and may be held in an informal and summary manner, on the basis that it shall not be necessary to observe or carry out the usual formalities of procedure, pleadings and/or discovery or respect rules of evidence.
- 32.5 If the arbitration is:
- 32.5.1 a legal matter, then the arbitrator shall be a practicing advocate or a practicing attorney of not less than 10 (ten) years' standing;
 - 32.5.2 an accounting matter, then the arbitrator shall be a practicing chartered accountant of not less than 10 (ten) years' standing;
 - 32.5.3 any other matter, then the arbitrator shall be any independent person agreed upon between the parties.
- 32.6 Should the Parties fail to agree on an arbitrator within 14 (fourteen) days after the arbitration has been demanded, then the arbitrator shall be nominated at the request of either of the Parties, by the president for the time being of the Law Society of the Northern Provinces.
- 32.7 Should the Parties fail to agree whether the dispute is of a legal, accounting or other nature within 7 (seven) days after the arbitration has been demanded, then it shall be deemed to be a dispute of a legal nature.
- 32.8 The arbitrator may:
- 32.8.1 investigate or cause to be investigated any matter, fact or thing which he considers necessary or desirable in connection with

- the dispute and for that purpose, shall have the widest powers of investigating all documents and records of any party having a bearing on the dispute;
- 32.8.2 interview and question under oath the parties of any of their representatives;
 - 32.8.3 decide the dispute according to what he considers just and equitable in the circumstances; and
 - 32.8.4 make such award, including an award for specific performance, damages or otherwise, as he in his discretion may deem fit and appropriate. The arbitration shall be held as quickly as possible after it is requested, with a view to it being completed within 30 (thirty) days after it has been so requested.
- 32.9 The arbitrator's decision and award shall be in writing with reasons and shall be final and binding upon the Parties.
- 32.10 The arbitrator's award may, on application by either Party to a court of competent jurisdiction and after due notice is given to the other Party, be made an order of court.
- 32.11 Notwithstanding the provisions of clauses 32.1, 32.2, 32.3, 32.4, 32.5, 32.6, 32.7 above, in the event of either Party having a claim against the other Party for a liquidated amount or an amount which arises from a liquid document, or for an interdict or other urgent relief, then the other Party having such a claim shall be entitled to institute action therefore in a court of law rather than in terms of the above clauses, notwithstanding the fact that the other Party may dispute the claim.
- 32.12 The provisions of this clause 32 are severable from the rest of this Agreement and shall remain in effect even where this Agreement is terminated or cancelled for any reason.

33 LAWS AND JURISDICTION

- 33.1 This Agreement shall be governed by and interpreted according to the Law of the Republic.
- 33.2 Each Party submits to the exclusive jurisdiction of the South African courts in respect of any matter arising from or in connection with this Agreement including its termination. Each Party further consents to the jurisdiction of the High Court of South Africa (North Gauteng High Court (Pretoria)).

34 NOTICES AND COMMUNICATIONS

- 34.1 The Parties choose as their respective *domicilium citandi et executandi* (hereinafter referred to as the "*domicilium*") and for the delivery of any notices arising out of this Agreement or its termination or cancellation, whether in respect of court process, notices or other documents or communications of whatsoever nature (including the exercise of any option), the address set out below:

- 34.1.1 **THE CITY:**
Office of the City Manager
Tshwane House

2nd Floor, Block D
320 Madiba Street
Pretoria, 0001
P O Box 440
Pretoria, 0001
Fax: 086 214 9544
Attention:
Telephone:
Email:

34.1.2 THE SERVICE PROVIDER:

.....
.....
.....
.....
.....

Attention:
Telephone:
Fax:
Email:

- 34.2 Each Party shall be entitled from time to time, by written notice to the other Party, to vary its *domicilium* to any other address which is not a Post Office Box or a Poste Restante.
- 34.3 Any notice given and any payment made by any Party to another Party (hereinafter referred to as “the addressee”) which:
 - 34.3.1 is delivered by hand during normal business hours of the addressee at the addressee’s *domicilium*, shall be deemed, until the contrary is proved by the addressee, to have been received by the addressee at the time of delivery;
 - 34.3.2 is posted by prepaid registered post to the addressee at the addressee’s *domicilium* shall be deemed, until the contrary is proved by the addressee, to have been received on the 7th (seventh) day after the date of posting.
 - 34.3.3 is sent by email or facsimile machine shall be deemed, until the contrary is proven by the addressee, to have been received within 1 (one) hour of transmission where it is transmitted during business hours of the receiving instrument and at noon on the following business day (excluding Saturdays) where it is transmitted outside such business hours.
- 34.4 Any notice or communication required or permitted in terms of this Agreement shall be valid and effective only if in writing but it shall be competent to give notice by facsimile.
- 34.5 Notwithstanding anything to the contrary in this Agreement a notice or communication actually received by one Party shall be an adequate notice or communication notwithstanding that it was not sent to or delivered at the chosen *domicilium citandi et executandi*.

35 GENERAL AND MISCELLANEOUS

35.1 SOLE RECORD OF AGREEMENT

This Agreement constitutes the sole record of the agreement between the Parties with regard to the subject matter hereof. No Party shall be bound by any express or implied term, representation, warranty, promise or the like not recorded herein.

35.2 NO AMENDMENT EXCEPT IN WRITING

No addition to, variation of, or agreed cancellation of, this Agreement shall be of any force or effect unless in writing and signed by or on behalf of the Parties. Any alleged waiver of this requirement must itself be reduced to writing and signed by the relevant Party to be of any effect.

35.3 WAIVERS

No relaxation or indulgence which any party may grant to any other shall constitute a waiver of the rights of that party and shall not preclude that party from exercising any rights which may have arisen in the past or which might arise in future.

35.4 SURVIVAL OF OBLIGATIONS

Any provision of this Agreement which contemplates performance or observance subsequent to any termination or expiration of this Agreement shall survive any termination or expiration of this Agreement and continue in full force and effect.

35.5 APPROVALS AND CONSENTS

An approval or consent given by a Party under this Agreement shall only be valid if in writing and shall not relieve the other party from responsibility for complying with the requirements of this Agreement nor shall it be construed as a waiver of any rights under this Agreement except as and to the extent otherwise expressly provided in such approval or consent, or elsewhere in this Agreement. Any alleged waiver of the requirement that the approval or consent must be in writing must itself be reduced to writing and signed by the relevant Party to be of any effect.

36 EXECUTION

36.1 This Agreement may be executed in several counterparts, which shall each be deemed an original, but all of which shall constitute one and the same instrument. A facsimile shall constitute a valid counterpart for all purposes hereunder.

36.2 The signatories to this Agreement by their signature warrant their authority to enter into this Agreement and the capacity of their principal, if signing in a representative capacity, to enter into this Agreement.

Signed at _____ on this ____ day of _____ 20 _____

For and on behalf of **THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY**

Duly represented by

City Manager

Signed at _____ on this ____ day of _____
20____

.....

Duly represented by

.....