

Introduction

This document has been developed to set the standard technical evaluation criteria to be used when evaluating the tender submissions. This covers the technical evaluation for the supply and delivery of PPE Accessories for Eskom and its Subsidiaries.

This document contains the evaluation criteria to be used for evaluation of PPE Accessories tender.

Evaluation criteria

The aim of the technical evaluation is to establish the capability of tenders to supply good quality PPE that complies with the relevant statutory requirement, local and international standards and the Eskom requirements.

Technical evaluation will be done in two phases, that is, first phase desktop evaluation and second phase warehousing and sample evaluation.

In the first phase bidders are required to complete and return the PPE category document attached (Annexure A) confirming the category of PPE the bidder can be able to supply. If the bidder cannot supply all the products in a particular category, that category will not be evaluated in the second phase. A letter of support from the local manufacturer confirming that they will be the bidder's supplier for all designated products, which are leather and footwear for this tender. In addition bidders will be required to submit applicable standard compliance certificates (e.g. SANS, EN, CE ANSI) and test certificates (where applicable) for the products they are intending to supply.

The second phase includes visiting the tenderers premises to confirm that their products (sample evaluation) indeed complies to the Eskom specification and SABS requirements. The bidder needs to prepare each product's technical data sheet for evaluation. This phase also includes evaluation of the bidder's warehousing facilities to establish the bidder's potential to hold enough stock.

Requirements

Tenderers are required to return the following:

Phase 1

- Completed Annexure A. clearly stating the products they can supply, also confirmation that their products comply with the Eskom specification.
- The evaluation will be per category. This means that the bidder has to apply for all the products in a category to be considered for that category.
- Letter of support from the manufacturer for all designated products which stipulate that they will be able to supply the required products.
- Product technical data sheet. Suppliers should provide data sheets for all items tendered for.
- Test and/or standard compliance certificates for relevant products tendered for as per PPE specification.

Phase 2

- Prepare samples for the products they have tendered for to be evaluated during the site visits.
- Product technical data sheet. Suppliers should provide data sheets for all items tendered for.
- Allow the visit to the manufacturers who will be manufacturing the equipment.
- Allow for a visit to the warehousing facility where the stocks will be kept.

The Eskom Technical Evaluating team will inspect the samples provided for compliance with the Eskom's PPE Specifications and assess the capability of the bidder to keep enough stock.

NOTE: Should the tenderer have a product that is not the same as specified in the Eskom specification but can perform according to or better than the one specified, they must list it in the deviation schedule.

ANNEXURE A

NB: To completed and sent back as part of the tender documents.

Company name	
Manufacturer/Distributor	
Name of Manufacture to be used if you are a Distributor	
Letter from Manufacture attached (Yes/No)	
Please indicate which products you are tendering for in the categories below by placing an (x) next to the product. Note for phase 1, failure to submit the relevant standards and or test certificates will lead to disqualification.	

DESCRIPTION	MANUFACTURER OR DISTRIBUTOR (M/D)	Mandatory standards and or Test Certificates available where applicable as per PPE Specification (Yes/No)	Mark with X for products Tendering for	Mandatory Letter of Support from Manufacturer for products Tendering for , clearly stating the ETA from PO stage to delivery (Yes/No)	COMMENTS
CATEGORY A					
1. HEAD PROTECTION					
HAT:SOFT BUSH;SMALL;56;NAVY BLUE					
HAT:SOFT BUSH;MEDIUM;57;NAVY BLUE					
HAT:SOFT BUSH;LARGE;58;NAVY BLUE					
HAT:SOFT BUSH;X-LARGE;59;NAVY BLUE					
HAT:SOFT BUSH;XX-LARGE;60;NAVY BLUE					
HARD HAT FOR WORKING FROM HEIGHT INCLUDING 3 POINT CHIN STRAP-HELEMT SAFETY ADJUST CHIN					

VISOR:SUN BRIM FOR HARD HAT					
NET:HAIR;LG 320 MM;280 MM;MTRL COTTON					
2. RAINWEAR					
RAINWEAR:2 PIECE SUIT;S;NAVY BLUE					
RAINWEAR:2 PIECE SUIT;M;NAVY BLUE					
RAINWEAR:2 PIECE SUIT;L;NAVY BLUE					
RAINWEAR:2 PIECE SUIT;XL;NAVY BLUE					
RAINWEAR:2 PIECE SUIT;XXL;NAVY BLUE					
RAINWEAR:2 PIECE SUIT;XXXL;NAVY BLUE					
RAINWEAR:2 PIECE SUIT;4XL;NAVY BLUE					
3. REFLECTIVE VESTS					
VEST, H/VISIB:TRANSPORT;XXXL;NYLON					
VEST, H/VISIB:TRANSPORT;4XL;NYLON					
VEST, H/VISIB:TRANSPORT;5XL;NYLON					
VEST, H/VISIB:TRANSPORT;6XL;NYLON					
VEST, H/VISIB:MANAGEMENT;S;NYLON					
VEST, H/VISIB:MANAGEMENT;M;NYLON					
VEST, H/VISIB:MANAGEMENT;L;NYLON					
VEST, H/VISIB:MANAGEMENT;XL;NYLON					
VEST, H/VISIB:MANAGEMENT;XXL;NYLON					
VEST, H/VISIB:MANAGEMENT;XXXL;NYLON					
VEST, H/VISIB:MANAGEMENT;4XL;NYLON					
VEST, H/VISIB:MANAGEMENT;5XL;NYLON					
VEST, H/VISIB:MANAGEMENT;6XL;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;2XL;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;3XL;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;4XL;NYLON					

VEST HIGH VIS:EMPLOYEE AT WORK;5XL;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;6XL;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;L;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;M;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;S;NYLON					
VEST HIGH VIS:EMPLOYEE AT WORK;XL;NYLON					
VEST HIGH VIS:EVACUATION;2XL;NYLON					
VEST HIGH VIS:EVACUATION;3XL;NYLON					
VEST HIGH VIS:EVACUATION;4XL;NYLON					
VEST HIGH VIS:EVACUATION;5XL;NYLON					
VEST HIGH VIS:EVACUATION;6XL;NYLON					
VEST HIGH VIS:EVACUATION;L;NYLON					
VEST HIGH VIS:EVACUATION;M;NYLON					
VEST HIGH VIS:EVACUATION;S;NYLON					
VEST HIGH VIS:EVACUATION;XL;NYLON					
VEST HIGH VIS:FIRE PROTECTION;2XL;NYLON					
VEST HIGH VIS:FIRE PROTECTION;3XL;NYLON					
VEST HIGH VIS:FIRE PROTECTION;4XL;NYLON					
VEST HIGH VIS:FIRE PROTECTION;5XL;NYLON					
VEST HIGH VIS:FIRE PROTECTION;6XL;NYLON					
VEST HIGH VIS:FIRE PROTECTION;L;NYLON					
VEST HIGH VIS:FIRE PROTECTION;L;NYLON					
VEST HIGH VIS:FIRE PROTECTION;M;NYLON					
VEST HIGH VIS:FIRE PROTECTION;S;NYLON					
VEST HIGH VIS:FIRE PROTECTION;XL;NYLON					
VEST HIGH VIS:FIRST AID;L;NYLON					
VEST HIGH VIS:FIRST AID;M;NYLON					
VEST HIGH VIS:FIRST AID;S;NYLON					
VEST HIGH VIS:FIRST AID;XL;NYLON					

VEST HIGH VIS:FIRST AID;2XL;NYLON					
VEST HIGH VIS:FIRST AID;3XL;NYLON					
VEST HIGH VIS:FIRST AID;4XL;NYLON					
VEST HIGH VIS:FIRST AID;5XL;NYLON					
VEST HIGH VIS:FIRST AID;6XL;NYLON					
VEST HIGH VIS:MANAGEMENT;2XL;NYLON					
VEST HIGH VIS:MANAGEMENT;3XL;NYLON					
VEST HIGH VIS:MANAGEMENT;4XL;NYLON					
VEST HIGH VIS:MANAGEMENT;5XL;NYLON					
VEST HIGH VIS:MANAGEMENT;6XL;NYLON					
VEST HIGH VIS:MANAGEMENT;L;NYLON					
VEST HIGH VIS:MANAGEMENT;M;NYLON					
VEST HIGH VIS:MANAGEMENT;S;NYLON					
VEST HIGH VIS:MANAGEMENT;XL;NYLON					
4. EYE PROTECTION					
SPECTACLE VISITORS					
SPECTACLE GAS WELDING GREEN					
SPECTACLE GOGGLES					
SPECTACLE SAFETY PROTECTIVE AMBER					
SPECTACLE SAFETY WRAPAROUND CLEAR 48MM (SUNGLASSES)					
SPECTACLE SAFETY INDOOR/OUTDOOR VARIABLE					
GOGGLE INDUSTRIAL GREY					
CORD SAFETY GLASS LG ADJUSTABLE NYLON					
WELDING HELMETS					
1000V/ LV FACE SHIELD SWITCHING					
SPECTACLE STORAGE CASE					
WELDING HELMET HARD HAT ASSEMBLED					
GOGGLE/EARMUFFS STORAGE CASE					
FACE SHIELD FOR CUTTING AND GRINDING					
WELDING HELMET REPLACEMENT LENSES					
WELDING HELMET FIELTER ARC WELDING SHADES					

WELDING HELMET FIELTER GAS WELDING					
AUTO DARKENING FULL WELDING HELMET					
FACE SHIELD- ACID/ALKALINE PROTECTION					
5. SUNBLOCK					
SUNSCREEN SUN BLOCK CREAM UV SPF 40+ TUBE (150ML)					
CREAM BARRIER NO 1; SKIN PROTECTION CHEMICAL					
CREAM BARRIER NO 2; SKIN PROTECTION ACID					
CREAM BARRIER NO 3; SKIN PROTECTION SOLVENT					
MYCOTA FOOT POWDER					
PEACHFUL SLEEP FORMGEL STICK (INSECT REPELLANT)					
LIP BALM SPF 16					
BAYTICOL AEROSOL SPRAY (TICK REPELLANT)					
SNAKE REPEL 250ML (SNAKE REPELLENT)					
6. CHAINSAW					
PROTECTIVE CLOTHING FOR USERS OF HAND-HELD CHAIN SAWS. SANS 50381-5					
7. HAND PROTEC- TION GLOVES					
RUBBER GLOVE ELECTRICAL SIZE 6 TO 12					
GLOVE ELECTRICAL LEATHER PROTECTOR SIZE 6 TO 12					
THIN COTTON INNER GLOVES SIZE 6 TO 12					
CHEMICAL PROTECTIVE GLOVE:TYPE:ACID RE- SISTANT ;MATERIAL BUTYL PLUS R0.3; COLOUR :BLACK SIZE 6, 7, 8 & 9					
GENERAL PURPOSE ULTRA- LIGHTWEIGHT ,MICRO -FOAM NITRILE COATED SIZE 6 TO 11					
LIGHTWEIGHT,CUT-RE- SISTANT,MICRO-FOAM NI- TRILE COATED GLOVE,EN388 LEVEL 3 CUT RESISTANCE SIZE 6 TO 11					
8. HEARING PRO- TECTION					
PROTECTOR,HEARING EAR- PLUG 92-102 DB (re-usable)					
PROTECTOR,HEARING EAR- PLUG 96-106 DB (soft)					

PROTECTOR, HEARING SEMI - AURAL HEADBAND 23DB					
PROTECTOR, HEARING EAR-MUFF CUSHION					
9. RESPIRATORS					
DUST MASK FFP2 WITHOUT VALVE ONE SIZE FITS ALL					
DUST MASK FFP2 WITH VALVE					
DUST MASK FFP3 WITH VALVE					
FULL FACE MASK REUSABLE AIR/PURIFYING RESPIRATOR					
CANISTER FILTER GAS & COMBINATION FILTER					
CANISTER FILTER ORGANIC GASES & VAPOUR					
10. COLD WEATHER PROTECTION					
FREEZER JACKET – NON - CONDUCTIVE					
FREEZER SUITS					
COTTON THERMAL UNDER-WEAR					
WOOLLEN GLOVES					
WOOLLEN SOCKS					
BALACLAVAS					
GUMBOOTS INSERTS					
BODY PROTECTION - BATTERY ACID/ALKALI PROTECTION					

**TECHNICAL EVALUATION CRITERIA FOR Unique Identifier: Enquiry No.
PPE ACCESSORIES**

Revision: **0**

Page: **2 of 4**

ANNEXURE A

NB: To completed and sent back as part of the tender documents.

Company name	
Manufacturer/Distributor	
Name of Manufacture to be used if you are a Distributor	
Letter from Manufacture attached (Yes/No)	
Please indicate which products you are tendering for in the categories below by placing an (x) next to the product. Note for phase 1, failure to submit the relevant standards and or test certificates will lead to disqualification.	

DESCRIPTION	MANUFACTURER OR DISTRIBUTOR (M/D)	Mandatory standards and or Test Certificates available where applicable as per PPE Specification (Yes/No)	Mark with X for products Tendering for	Mandatory Letter of Support from Manufacturer for products Tendering for , clearly stating the ETA from PO stage to delivery (Yes/No)	COMMENTS
CATEGORY B					
1. ONE PIECE OVERALL					
OVERALL:ACID RESIST ;112 ;POLY COTTON					
OVERALL:ACID RESIST ;117 ;POLY COTTON					
OVERALL:ACID RESIST ;122 ;POLY COTTON					
OVERALL:ACID RESIST ;127 ;POLY COTTON					
OVERALL:ACID RESIST ;132 ;POLY COTTON					
OVERALL:ACID RESIST ;137 ;POLY COTTON					

OVERALL:ACID RESIST ;142 ;POLY COTTON					
OVERALL:ACID RESIST ;147 ;POLY COTTON					
OVERALL:ACID RESIST ;152 ;POLY COTTON					
OVERALL:ACID RESIST ;157 ;POLY COTTON					
COVERALL:ARTISAN BOILER SUIT;102 CM					
COVERALL:ARTISAN BOILER SUIT;107 CM					
COVERALL:ARTISAN BOILER SUIT;112 CM					
COVERALL:ARTISAN BOILER SUIT;117 CM					
COVERALL:ARTISAN BOILER SUIT;122 CM					
COVERALL:ARTISAN BOILER SUIT;127 CM					
COVERALL:ARTISAN BOILER SUIT;132 CM					
COVERALL:ARTISAN BOILER SUIT;137 CM					
COVERALL:ARTISAN BOILER SUIT;142 CM					
COVERALL:ARTISAN BOILER SUIT;147 CM					
COVERALL:ARTISAN BOILER SUIT;152 CM					
COVERALL:ARTISAN BOILER SUIT;157 CM					
COVERALL:ARTISAN BOILER SUIT;77 CM					
COVERALL:ARTISAN BOILER SUIT;82 CM					
COVERALL:ARTISAN BOILER SUIT;87 CM					
COVERALL:ARTISAN BOILER SUIT;92 CM					
COVERALL:ARTISAN BOILER SUIT;97 CM					
2. TWO PIECE OVERALL					
JACKET,OVERALL:ACID RE- SIST ;112					
JACKET,OVERALL:ACID RE- SIST ;117					
JACKET,OVERALL:ACID RE- SIST ;122					
JACKET,OVERALL:ACID RE- SIST ;127					
JACKET,OVERALL:ACID RE- SIST ;132					
JACKET,OVERALL:ACID RE- SIST ;137					
JACKET,OVERALL:ACID RE- SIST ;142					
JACKET,OVERALL:ACID RE- SIST ;147					

3. THERMAL JACKETS					
JACKET,UTILITY:THERMAL;S; 34; 87					
JACKET,UTILITY:THERMAL;M; 38; 97					
JACKET,UTILITY:THERMAL;L;42; 107					
JACKET,UTILITY:THERMAL;XL; 46; 117					
JACKET,UTILITY:THERMAL;XXL; 48; 122					
JACKET,UTILITY:THERMAL;XXXL					
JACKET,UTILITY:THERMAL;4XL					
JACKET,UTILITY:THERMAL;5XL					
APRON:CHEMICAL;WD 700MM X LG 1.1M					
APRON,WELDER:FULL LENGTH					
BAG,DUFFEL:NAVY BLUE ;PVC CANVAS					
JACKET,UTILITY:OPERATING;102 CM					
JACKET,UTILITY:OPERATING;107 CM					
JACKET,UTILITY:OPERATING;112 CM					
JACKET,UTILITY:OPERATING;117 CM					
JACKET,UTILITY:OPERATING;122 CM					
JACKET,UTILITY:OPERATING;127 CM					
JACKET,UTILITY:OPERATING;132 CM					
JACKET,UTILITY:OPERATING;137 CM					
JACKET,UTILITY:OPERATING;142 CM					
JACKET,UTILITY:OPERATING;147 CM					
JACKET,UTILITY:OPERATING;157 CM					
JACKET,UTILITY:OPERATING;77 CM					
JACKET,UTILITY:OPERATING;82 CM					
JACKET,UTILITY:OPERATING;87 CM					
JACKET,UTILITY:OPERATING;92 CM					
JACKET,UTILITY:OPERATING;97 CM					

4. DUST COAT					
COAT,DUST:GP;82 CM;COT- TON					
COAT,DUST:GP;87 CM;COT- TON					
COAT,DUST:GP;92 CM;COT- TON					
COAT,DUST:GP;97 CM;COT- TON					
COAT,DUST:GP;102 CM;COT- TON					
COAT,DUST:GP;107 CM;COT- TON					
COAT,DUST:GP;112 CM;COT- TON					
COAT,DUST:GP;117 CM;COT- TON					
COAT,DUST:GP;122 CM;COT- TON					
COAT,DUST:GP;127 CM;COT- TON					
5. SHIRTS MEN/WOMEN					
SHIRT:MEN LONG SLEEVE;36 CM;COTTON					
SHIRT:MEN LONG SLEEVE;37 CM;COTTON					
SHIRT:MEN LONG SLEEVE;38 CM;COTTON					
SHIRT:MEN LONG SLEEVE;39 CM;COTTON					
SHIRT:MEN LONG SLEEVE;40 CM;COTTON					
SHIRT:MEN LONG SLEEVE;41 CM;COTTON					
SHIRT:MEN LONG SLEEVE;42 CM;COTTON					
SHIRT:MEN LONG SLEEVE;43 CM;COTTON					
SHIRT:MEN LONG SLEEVE;44 CM;COTTON					
SHIRT:MEN LONG SLEEVE;45 CM;COTTON					
SHIRT:MEN LONG SLEEVE;46 CM;COTTON					
SHIRT:MEN LONG SLEEVE;47 CM;COTTON					
SHIRT:MEN LONG SLEEVE;48 CM;COTTON					
SHIRT:MEN LONG SLEEVE;49 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;36 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;37 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;38 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;39 CM;COTTON					

SHIRT:MEN SHORT SLEEVE;40 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;41 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;42 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;43 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;44 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;45 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;46 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;47 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;48 CM;COTTON					
SHIRT:MEN SHORT SLEEVE;49 CM;COTTON					
SHIRT,WOMAN:LONG;77 CM;SAND STONE					
SHIRT,WOMAN:LONG;82 CM;SAND STONE					
SHIRT,WOMAN:LONG;87 CM;SAND STONE					
SHIRT,WOMAN:LONG;92 CM;SAND STONE					
SHIRT,WOMAN:LONG;97 CM;SAND STONE					
SHIRT,WOMAN:LONG;102 CM;SAND STONE					
SHIRT,WOMAN:LONG;107 CM;SAND STONE					
SHIRT,WOMAN:LONG;112 CM;SAND STONE					
SHIRT,WOMAN:LONG;117 CM;SAND STONE					
SHIRT,WOMAN:LONG;122 CM;SAND STONE					
SHIRT,WOMAN:LONG;127 CM;SAND STONE					
SHIRT,WOMAN:LONG;132 CM;SAND STONE					
SHIRT,WOMAN:LONG;137 CM;SAND STONE					
SHIRT,WOMAN:LONG;142 CM;SAND STONE					
SHIRT,WOMAN:LONG;147 CM;SAND STONE					
SHIRT,WOMAN:SHORT;77 CM;SAND STONE					
SHIRT,WOMAN:SHORT;82 CM;SAND STONE					
SHIRT,WOMAN:SHORT;87 CM;SAND STONE					
SHIRT,WOMAN:SHORT;92 CM;SAND STONE					

SHIRT,WOMAN:SHORT;97 CM;SAND STONE					
SHIRT,WOMAN:SHORT;102 CM;SAND STONE					
SHIRT,WOMAN:SHORT;107 CM;SAND STONE					
SHIRT,WOMAN:SHORT;112 CM;SAND STONE					
SHIRT,WOMAN:SHORT;117 CM;SAND STONE					
SHIRT,WOMAN:SHORT;122 CM;SAND STONE					
SHIRT,WOMAN:SHORT;127 CM;SAND STONE					
SHIRT,WOMAN:SHORT;132 CM;SAND STONE					
SHIRT,WOMAN:SHORT;137 CM;SAND STONE					
SHIRT,WOMAN:SHORT;142 CM;SAND STONE					
SHIRT,WOMAN:SHORT;147 CM;SAND STONE					

6. TROUSERS					
TROUSERS:LADIES LONG;26; 67;BLUE NAVY					
TROUSERS:LADIES LONG;28; 72;BLUE NAVY					
TROUSERS:LADIES LONG;30; 77;BLUE NAVY					
TROUSERS:LADIES LONG;32; 82;BLUE NAVY					
TROUSERS:LADIES LONG;34; 87;BLUE NAVY					
TROUSERS:LADIES LONG;36; 92;BLUE NAVY					
TROUSERS:LADIES LONG;38; 97;BLUE NAVY					
TROUSERS:LADIES LONG;40; 102;BLUE NAVY					
TROUSERS:LADIES LONG;42; 107;BLUE NAVY					
TROUSERS:LADIES LONG;44; 112;BLUE NAVY					
TROUSERS:LADIES LONG;46; 117;BLUE NAVY					
TROUSERS:LADIES LONG;48; 122;BLUE NAVY					
TROUSERS:LADIES LONG;50; 127;BLUE NAVY					
TROUSERS:LADIES LONG;52; 132;BLUE NAVY					
TROUSERS:LADIES LONG;54; 137;BLUE NAVY					
TROUSERS:MEN LONG;102 CM;BLUE NAVY					
TROUSERS:MEN LONG;107 CM;BLUE NAVY					
TROUSERS:MEN LONG;112 CM;BLUE NAVY					
TROUSERS:MEN LONG;117 CM;BLUE NAVY					

**TECHNICAL EVALUATION CRITERIA FOR Unique Identifier: Enquiry No.
PPE ACCESSORIES**

Revision: **0**

Page: **3 of 4**

ANNEXURE A

NB: To completed and sent back as part of the tender documents.

Company name	
Manufacturer/Distributor	
Name of Manufacture to be used if you are a Distributor	
Letter from Manufacture attached (Yes/No)	
Please indicate which products you are tendering for in the categories below by placing an (x) next to the product. Note for phase 1, failure to submit the relevant standards and or test certificates will lead to disqualification.	

DESCRIPTION	MANUFACTURER OR DISTRIBUTOR (M/D)	Mandatory standards and or Test Certificates available where applicable as per PPE Specification (Yes/No)	Mark with X for products Tendering for	Mandatory Letter of Support from Manufacturer for products Tendering for , clearly stating the ETA from PO stage to delivery (Yes/No)	COMMENTS
CATEGORY C					
SAFETY BOOTS/SHOES AND GUMBOOTS					
1. ELECTRICAL SAFETY BOOTS STANDARD SIZES					
BOOT,SAFETY DARK BROWN SIZE 3 TO SIZE 13					
2. <u>Electrical Safety Boots Wide Sizes</u>					
BOOT,SAFETY DARK BROWN SIZE 3 TO SIZE 13					
3. <u>Electrical Safety Shoe Standard Size</u>					

**TECHNICAL EVALUATION CRITERIA FOR Unique Identifier: Enquiry No.
PPE ACCESSORIES**

Revision: **0**

Page: **4 of 4**

Phase 1 Technical Evaluation

Criteria	Requirement	Weight (%)	Scoring Guide
Annexure A Completion & Compliance	Completed Annexure A clearly stating products supplied, with confirmation of compliance to Eskom specification per Category	60%	0 = Not submitted = Completion 25% = Fully completed & compliance confirmed
Category Application	Bidder must apply for all products in a category to be considered	15%	0 = Did not apply for all products in category 20 = Applied for all products in category, complete
Manufacturer Support Letter or proof that you are the manufacture	Distributor/Supplier must provide Letter of support from manufacturer with full details of the company, with a letter head for all the products that they wish to tender for per category	15%	0 = No letter provided 20 = Comprehensive letter covering all products tendering for
Test/Compliance Certificates	Certificates for relevant products as per PPE specification	10%	0 = No certificates 15 = All relevant certificates provided, compliant
Total weighted		100%	
Minimum Threshold for Qualification		85%	

Phase 2 Evaluation Criteria

Note: This phase is done to confirm information submitted during the first phase, therefore if a category does not have a full complement of products, it will not be evaluated further. The supplier will be eliminated for that category.

Evaluation Criteria	Weighted Score	Requirement Breakdown
Sample compliance to Eskom PPE specification	60%	Not compliant – 0% Compliance to PPE specification per product – 60%
Stock keeping - warehousing	10%	Warehouse or storeroom with proper shelving, labelling and enough space (at least 20 m2) – 100% Warehouse or storeroom with enough space but no shelves (at least 20 m2) – 5% No storeroom – 0%
Technical data sheet available	30%	Compliance to PPE specification per product
Total	100%	
Minimum Threshold for Qualification	85%	