

Document reference	Title	No of pages
C3.1	This cover page <i>Employer's Service Information</i>	1
C3.2	<i>Contractor's Service Information</i>	
	Total number of pages	

C3.1: EMPLOYER'S SERVICE INFORMATION

Contents

When the document is complete, insert a 'Table of Contents'. To do this go to: Insert, → Reference, → Index and tables → Table of Contents. Three levels and the title (but not the subtitle) may be shown if the formats used in this template are retained.

Otherwise insert list of contents manually.

Part 3: Scope of Work	1
C3.1: Employer's service Information	2
1 Description of the service.....	4
1.1 Executive overview	4
1.2 Employer's requirements for the service	4
1.3 Interpretation and terminology	8
2 Management strategy and start up.	9
2.1 The Contractor's plan for the service	9
2.2 Management meetings	9
2.3 Contractor's management, supervision and key people	10
2.4 Provision of bonds and guarantees	10
2.5 Documentation control.....	10
2.6 Invoicing and payment.....	11
2.7 Contract change management	11
2.8 Records of Defined Cost to be kept by the Contractor.....	11
2.9 Insurance provided by the Employer.....	12
2.10 Training workshops and technology transfer.....	12
2.11 Design and supply of Equipment.....	12
2.12 Things provided at the end of the service period for the Employer's use	12
2.12.1 Equipment.....	12
2.12.2 Information and other things	12
2.13 Management of work done by Task Order	12
3 Health and safety, the environment and quality assurance	13
3.1 Health and safety risk management	13
3.2 Environmental constraints and management	15
3.3 Quality assurance requirements.....	16

ERROR! UNKNOWN DOCUMENT PROPERTY NAME.

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

4	Procurement.....	17
4.1	People.....	17
4.1.1	Minimum requirements of people employed.....	17
4.1.2	BBBEE and preferencing scheme	17
4.1.3	Accelerated Shared Growth Initiative – South Africa (ASGI-SA)	17
4.2	Subcontracting.....	17
4.2.1	Preferred subcontractors	17
4.2.2	Subcontract documentation, and assessment of subcontract tenders	17
4.2.3	Limitations on subcontracting	17
4.2.4	Attendance on subcontractors	18
4.3	Plant and Materials	18
4.3.1	Specifications.....	18
4.3.2	Correction of defects.....	18
4.3.3	<i>Contractor's</i> procurement of Plant and Materials	18
4.3.4	Tests and inspections before delivery	18
4.3.5	Plant & Materials provided “free issue” by the <i>Employer</i>	18
4.3.6	Cataloguing requirements.....	18
5	Working on the Affected Property	19
5.1	<i>Employer's</i> site entry and security control, permits, and site regulations.....	19
5.2	People restrictions, hours of work, conduct and records	19
5.3	Health and safety facilities on the Affected Property	19
5.4	Environmental controls, fauna & flora	19
5.5	Cooperating with and obtaining acceptance of Others	20
5.6	Records of <i>Contractor's</i> Equipment.....	20
5.7	Equipment provided by the <i>Employer</i>	20
5.8	Site services and facilities	20
5.8.1	Provided by the <i>Employer</i>	20
5.8.2	Provided by the <i>Contractor</i>	20
5.9	Control of noise, dust, water and waste	20
5.10	Hook ups to existing works.....	20
5.11	Tests and inspections.....	20
5.11.1	Description of tests and inspections	21
5.11.2	Materials facilities and samples for tests and inspections	21
6	List of drawings	22
6.1	Drawings issued by the <i>Employer</i>	22

ERROR! UNKNOWN DOCUMENT PROPERTY NAME.

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

1 Description of the service

1.1 Executive overview

The Supply and delivery of Flue Gas Desulphurisation (FGD) Mist Eliminator Spare Once off Order for the Outage Department at Kusile Power Station

1.2 Employer's requirements for the service

Introduction

This document serves as the SOW for supply, delivery and installation of spray banks on absorbers.

2 Supporting Clauses

2.1 Scope

2.1.1 Purpose

2.1.2 Applicability

This document shall be applicable to the Absorber 1, 2 and 3 spray banks

2.1.3 Effective date

Effective from date of signature

2.2 Normative/Informative References

2.2.1 Normative

- [1] ISO 9001 Quality Management Systems
- [2] I00009-03878241160100-PRMAN-0001-001-A-WFGD Operation Manual _Section 1 – 3
- [3] 240-82869282 Kusile Power Station - Maintenance Execution Strategy for the FGD Unitised Plant Rev.4
- [4] 0.90/11528 Spray Header Supports
- [5] 0.90/12102 GPR Spray Bank Assembly
- [6] 366-21641 GENERAL LAYOUT PLAN VIEW AND SECTIONS
- [7] ISO 14001 Environmental Management System

2.2.2 Informative

Not Applicable

2.3 Abbreviations

Abbreviation	Explanation
BOP	Balance of Plant
FGD	Flue Gas Desulphurisation
QCP	Quality Control Plan
SOW	Scope of Work

ERROR! UNKNOWN DOCUMENT PROPERTY NAME.

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

2.4 Roles and Responsibilities

Department	Responsibility
Engineering	Draw up the SOW and submit to Maintenance
• Maintenance	• Issue the SOW to the contractor(s)
Contractor(s)	Execute the SOW to the required standard

ERROR! UNKNOWN DOCUMENT PROPERTY NAME.

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

Supply, delivery and Installation of Absorber Spray Banks at Kusile Power Station

Unique Identifier:

Revision: 1

Page: 6 of 20

3 Absorber Spray Banks Supply Delivery and Installation

3.1 Scope of Work

The following SOW must be executed:

System	Component	Major scope	Activities	Responsibility
Absorbers	Spray banks	Supply and deliver	Supply and deliver 6 sets of spray banks as per the specifications provided.	Contractor
			Specifications:	
			Pipe integrity: Type of resin: DER.411 Interior Abrasion Resistant Liner: Fillers Al2O3-3mm Exterior abrasion Resistant Liner: fillers Al2O3-3mm Design Pressure: 6 bar Design Temperature: 80°C See attached drawing for geometric specifications. Spray bank spool/branches wall thickness: 11mm	Contractor
			Note: each set of spray banks has one distribution header and eighteen branches with nozzles see attached drawings.	Contractor
			Delivery:	
			Upon delivery of the piping to site, the entire delivery scope shall be visually examined immediately after unloading and before pipe installation by the competent person. Damage pipes and fittings should be quarantined and repaired if feasible. Pipe handling belts or straps shall be used. Ropes, chains or other rigid and/or sharp-edged lifting accessories shall not be used. Pipes and fittings can be stored in the original packages, but it needs to be ensured that the surface of the ground where the storage place is, supposed to be even and no edges are pushing towards the pipe. GRP pipes are corrosion resistant and can be stored outdoors at any temperature. It is recommended not to	Contractor

Supply, delivery and Installation of Absorber Spray Banks at Kusile Power Station

Unique Identifier:

Revision: **1**

Page: **7 of 20**

			pile up pipes while being stored higher than 1,5m as the construction can be deemed as unstable and unsafe.	
		Installation	<p>Kusile absorber utilises spray banks for slurry recirculation in the SO₂ removal process. The spray banks are installed in elevated sections of the absorber, the absorber is a circular structure and spray banks will be installed at heights inside the 42m tall absorber.</p> <p>The contractor to provide the method statement for installation of spray banks to the engineer for approval.</p> <p>To ensure the optimum performance, the pipe system shall be installed as per the relevant drawing and piping support design provided. All flanged connections shall be made in accordance with the approved method statement, as mentioned above, particular attention shall be given to Flange alignment and torque settings. The following points not limited to, shall be considered in the method statement:</p> <ul style="list-style-type: none"> • Handling of chemicals • Handling of the spray banks • Installation of above ground pipe system • Branches/Spools Erection • Branches/Spool Jointing • Resin mixing • Waste control • Safety 	Contractor

The following precautions to be taken:

- Due to the dangers of working at heights necessary precautions (lifelines and others) will be required
- Where lifelines are in contact with the rubber lining the necessary protection for the rubber lining is required to prevent damage
- See attached drawing that details the spray banks.

3.2 Interpretation and terminology

If required include here definitions additional to those used in the *conditions of contract* which are required only for the purpose of making the Service Information easier to draft and read. Also list abbreviations used and provide a full interpretation of each one, for example:

The following abbreviations are used in this Service Information:

Abbreviation	Meaning given to the abbreviation
OBL	Outside battery limits
PTW	Permit to Work
U1- 6	Units 1 - 6
RTS	Return to Service
SWP	Safe Working Procedure
RP	Responsible Person
PSR	Plant Safety Regulations
QCP	Quality Control Plan
QC	Quality Control
QM	Quality Management

4 Management strategy and start up.

4.1 The Contractor's plan for the service

The contractor shall provide a site manager or a project manager to supervise, monitor control and co-ordinate all activities during the execution of the contract.

Minimum requirements of people employed.

- Supervisory training /qualification
- Safety training
- Minimum two years' experience in maintenance environment
- Computer literate
- Evaluation, analysing and decision-making skills
- Manage and lead the team to ensure proper adherence to the contract scope and execution of all work by the team
- Knowledge of Health and Safety Regulations
- Perform first line quality control
- Prioritise and allocate work
- Control daily activities

The contractor shall provide the first schedule that is shift sensitive and on MS projects or Primavera P6. The contractor shall have a planner that will attend planning meetings and continuously give updates as the work progresses.

4.2 Management meetings

Regular meetings of a general nature may be convened and chaired by the *Services Manager* as follows:

Meeting Name	Frequency	Location	
Risk register and compensation events	as requested	TBA	<i>Employer, Contractor ,Supervisor and Other Co-opted Members</i>
Overall contract progress and feedback	As requested	TBA	<i>Employer, Contractor ,Supervisor and Other Co-opted Members</i>

Meetings of a specialist nature may be convened as specified elsewhere in this Service Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the *service*. Records of these meetings shall be submitted to the *Service Manager* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the *conditions of contract* to carry out such actions or instructions.

4.3 Contractor's management, supervision, and key people

The contractor submits to the service manager an organogram showing his people and their lines of authority/communication.

4.4 Provision of bonds and guarantees

The form in which a bond or guarantee required by the *conditions of contract* (if any) is to be provided by the *Contractor* is given in Part 1 Agreements and Contract Data, document C1.3, Sureties.

The *Employer* may withhold payment of amounts due to the *Contractor* until the bond or guarantee required in terms of this contract has been received and accepted by the person notified to the *Contractor* by the *Service Manager* to receive and accept such bond or guarantee. Such withholding of payment due to the *Contractor* does not affect the *Employer's* right to termination stated in this contract.

4.5 Documentation control

All procedures, work instructions, forms and all contractual communications must be controlled for the duration of the contract.

- The following will appear on all controlled documentation as a title page, page header.
 - ✓ Title
 - ✓ Document unique identifier
 - ✓ Revision number, original documents will be noted as revision. All subsequent revisions will be numbered sequentially
 - ✓ Revision date
 - ✓ Date when document was last changed, this will change with each revision
 - ✓ Effective date
 - ✓ Date when document first came into use. This date will not change as the document is revised.
- All contractual communications will be in the form of properly complied letters or forms attached to mails and not as a message in the email itself.
- Inspections report to be compiled and submitted within two weeks.
- Data package after all the work has been finished to be submitted within one week after the repairs.

Feedback required must include the following information for works or task completed or to be carried out.

- Summary of work done
- Estimated time duration with regard to the future work required
- Budget cost price with regard to the future work required
- Bill of materials with regard to future work required
- Criticality of the work

Data books completion and submissions as per Eskom standard and requirements please refer to QM 58 SECTION 3.5.10.1 for contractor's responsibilities with regards to data books

4.6 Invoicing and payment

Within one week of receiving a payment certificate from the *Service Manager* in terms of core clause 51.1, the *Contractor* provides the *Employer* with a tax invoice showing the amount due for payment equal to that stated in the *Service Manager's* payment certificate.

Local Eskom invoices excluding primary Energy, Group Capital, Eskom Enterprises and Eskom Development Foundation:invoiceseskomlocal@eskom.co.za

Eskom Holdings SOC Limited-Registration Number 2002/15527/30
Eskom kusile Power Station
Vat NR: 4740101508

The contractor includes the following information on each tax invoice:

- Name and address of the *Contractor* and the *Service Manager*;
- The contract number and title;
- *Contractor's* VAT registration number;
- The *Employer's* VAT registration number 4740101508;
- Description of service provided for each item invoiced based on the Price List;
- Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT;

The Contractor attaches the detail assessment of the amount due to each tax invoice showing the price for work done to date for each item in the price list for work which he has completed.

4.7 Contract change management

The contractor keeps accurate and complete books of accounts, records and other evidence relating to the actual cost. Records and accounts must reflect all work done on the contract. These are open to audit. All documentation is kept by the contractor for a period of three years following completion of this contract. This information must be kept up to date at all times.

The contractor may be requested to submit to the delegated service manager proof of costs incurred, which may include the following:

- The number and grading of employees within the working areas
- The number and grading of employees outside the working areas
- Cost allocation
- Payroll registers
- Schedule of equipment and time sheets
- Information the delegated project manager reasonably requires

4.8 Records of Defined Cost to be kept by the Contractor

All records, data books, inspection reports etc. relating to the works and all Eskom drawings sourced out through document centre to be returned to Kusile Power Station.

The contractor shall compile a data pack for the works performed during the duration of the contract and must be issued to the employer at the end of the projects .

--

4.9 Insurance provided by the *Employer*

First read TSC3 Core Clause 86.1 and then add anything necessary for the management of insurance related issues such as a cross reference to where procedures for making claims can be found. Also provide contact details for persons capable of being able to answer any insurance related queries the *Contractor* may have, as well as to whom the information required by Marine Insurance (if any) may be addressed.

4.10 Training workshops and technology transfer

N/A

4.11 Design and supply of Equipment

N/A

4.12 Things provided at the end of the *service period* for the *Employer's* use

4.12.1 Equipment

N/A

4.12.2 Information and other things

Data pack detailing all the works done shall be submitted in a file and also an electronic copy in a disc.

4.13 Management of work done by Task Order

The service manager issues a task order to the contract which specifies clearly the work to be provided, additional specifications and procedures and any other constraints the contractor complies with in providing the works. The task order is issued before the contractor provides the service.

The Service Manager issues Task Orders to the Contractor in a timely manner that allows the Contractor to properly plan the work within the time periods stated on the Task Order.

The Service Manager issues to the contractor any information relative to the Employer's need and circumstance surrounding forecast future work required from the Contractor. This information allows the Contractor to provide staff in a cost effective and efficient manner.

Emergency work

The Service Manager may issue a verbal instruction to the Contractor undertake emergency service. This verbal instruction is confirmed in writing **5** days from when the instruction is issued.

5 Health and safety, the environment and quality assurance

5.1 Health and safety risk management

The *Contractor* applies safety awareness at all times through continuous training.

The *Contractor* is appointed to act on behalf of the *Employer* in terms of the Occupational Health and Safety Act no 85 of 1993 for this contract.

All of the *contractor's* staff complies with the procedure "Health and Safety at Kusile Power Station; requirements to be met by Contractors. Standard 15, this document is available from the *Supervisor*

The *Contractor* must appoint Safety Representatives to assist the responsible Site Manager and sub-ordinates to:

- identify possible hazards, dangers and risks;
- eliminate potentially dangerous conditions and actions;
- ensure a safe working environment;
- Inspect and record findings of his workplace and submit a copy on a monthly basis to Risk Management.

The *Contractor* must ensure that all his personnel attend a Health and Safety Induction Course prior to starting with their work.

The *Contractor* Site Manager must inform his employees of specific risks and dangers associated with their work. He must inform them of precautions necessary to avoid injury to themselves or others and to prevent damage to property, machinery and equipment.

The *Contractor* Site Manager is responsible for employees working under his control and shall meet his moral and legal obligations to eliminate unsafe conditions and prevent unsafe acts.

The *Contractor* Site Manager or appointed responsible person shall promote an ongoing Health and Safety awareness programme amongst his employees. This programme shall include weekly toolbox safety talks and monthly health and safety meetings. Minutes of the meetings must be submitted to Risk Management.

Risk Management has the right and authority to visit and inspect the *Contractor's* workplace or site establishment to ensure that tools, machinery and equipment comply with the minimum safety requirements.

The *Contractor* shall be obliged to institute and maintain an adequate safety programme that shall ensure the safety of persons and the prevention of damage to machinery, equipment and property.

Safety requirements

The *Contractor* shall be obliged to conform to all laws, by-laws, sections and regulations in force. This includes the minimum Health and Safety requirements and precautions for *Contractors*, sub-contractors and temporary workers.

The *Employers Representative* shall be entitled to cause the *Contractor* to stop work, without penalty to *Employer*, where the *Contractor's* personnel fail to conform to acceptable safety standards or contravene health and safety sections and regulations. He shall be entitled to cause the *Contractor* to discipline his employees and to submit disciplinary action, in writing to Risk Management. The *Contractor* shall also implement additional health and safety precautions.

The *Contractor* is to ensure that all his personnel before coming on site has been given induction training and signed copies of this to be submitted to the *Project Manager*.

Personal protective clothing to be worn at the workplace includes the following:

- As per the scope of work

Plant safety regulations

The *Employer* shall make a copy of the Plant Safety Regulations available to the *Contractor*.

The *Contractor* shall conform to all rules and regulations applicable to Plant Safety and shall complete the Workman's Declaration Book prior to working on the plant.

The *Contractor* shall comply with the health and safety requirements contained in **Annexure A** to this Service Information.

COMPLIANCE TO 5 IDENTIFIED CARDINAL RULES:

RULE 1: OPEN, ISOLATE, TEST, EARTH, BOND, AND/OR INSULATE BEFORE TOUCH
(That is, any plant operating above 1 000 V)

No person may work on any electrical network unless:

He/she is trained and authorised as competent for the task to be done;

A pre-task risk assessment to identify all risks and hazards has been conducted prior to any work commencing;

An equipotential zone is created for each worker on the job site by earthing, bonding, and/or insulating according to approved procedures;

All conducting material is connected together, all staff on site wear electrical safety shoes, and insulating techniques are applied according to standards; and

The authorised person (team leader) has certified and shown all team members that the apparatus is safe to work on.

RULE 2: HOOK UP AT HEIGHTS

Working at height is defined as any work performed above a stable work surface or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into.

No person may work at height where there is a risk of falling unless:

- a pre-task risk assessment to identify all risks and hazards has been conducted prior to commencing any work at height;
- he/she is appropriately trained;
- he/she is appropriately secured during ascending and descending; and
- he/she is using an approved fall arrest system where applicable.

RULE 3: BUCKLE UP

No person may drive any vehicle on Eskom business and/or on Eskom premises:

- Unless the driver and all passengers are wearing seat belts.

RULE 4: BE SOBER

No person is allowed to work under the influence of drugs and alcohol.

"Under the influence" means the use of alcohol, drugs, and/or a controlled substance to the extent that:

- the individual's faculties are in any way impaired by the consumption or use of the substances; or
- the individual is unable to perform in a safe, productive manner; or
- the individual has a level of any such substance in his/her body that corresponds to or exceeds accepted medical/legal standards; or
- the individual has a level of alcohol in his/her body that is greater than 0.02% blood alcohol concentration.
- This includes any level of an illegal substance in the body, irrespective of when the substance was used.

RULE 5: ENSURE THAT YOU HAVE A PERMIT TO WORK

Where an authorisation limitation exists, no person shall work without the required Permit to Work (PTW), which is governed by the Plant Safety Regulations, Operating Regulations for High Voltage Systems (ORHVS) etc.

No plant is to be returned to service without the cancellation of all permits on that plant in accordance with procedure.

NB: in the case of live work, a "live work declaration form" is to be completed by the authorised person who is the person responsible for the safe execution of work according to relevant standards and procedures.

Please ensure that these rules are understood and communicated with the urgency that they deserve. If any of these rules are unclear or the consequences not understood, please do not hesitate to discuss it with Eskom.

We would like to continue our current partnership and therefore urge your support in the implementation and upholding of these rules.

5.2 Environmental constraints and management

We are committed to sustainable development and will actively work to reduce the impact on the natural environment resulting from the power generation process.

We commit to continual improvement in our performance and aspire to minimum harm to people and the environment

- **Whenever we conduct our business, we will:**
 - L : Legal compliance
 - I : Improve continuously
 - M: Management of natural resources
 - P: Prevention of pollution
- **Refuse Disposal**

The *Contractor* is responsible to keep the work area clean of any rubble.

All waste introduced and/or produced on the *Employer's* premises by the *Contractor* for this contract, is handled in accordance with National Management Waste Act No. 59 of 2008 and ASEN 0008 Waste removal procedure. The *Contractor* shall comply with the environmental criteria and constraints stated in ASEN 0003 Environmental manual.

The Employer provides colour coded bins for refuse disposal.

The *Employer* empties these bins.

Contractor keeps the work area clean of any rubble, and to places all refuse into the bins provided.

The *Contractor* ensures that all workers under his control strictly adhere to the correct use of refuse bins:

5.3 **Blue bins:** - Scrap metal only

5.4 **White bins:** - Lagging and general household rubbish

5.5 **Red bins:** - Oil contaminated waste

Blue and green drums - Waste grease

5.6 Quality assurance requirements

The Contractor complies with the quality procedures and codes relevant for each Task Order. The Contractor also advises on the appropriate use of other applicable standard and codes of practice.

The *Contractor* ensures that QCPs are ready a week prior to execution of the task. The QCP will have all the activities to ensure quality of the work to be undertaken.

The *Contractor* ensures that the work is carried out in accordance with the quality control plans or any other specifications through written instructions from the *Project Manager*.

The Contractor ensures that all specifications and requirements are communicated to the relevant parties in organisation and should not deviate from it.

The *Contractor* submits the complete QCP to Employer and QC to review the specific requirements and insertion of Intervention Points, e.g. Hold and Witness Points.

The Contractor ensures that all intervention points are attended and signed off progressively during maintenance task.

All documentation has a clearly stated revision number and previously similar documentation is revoked.

Quality-related problems/issues are reported and resolved during the daily technical meetings, which will be held at the Site.

The *Contractor* submits data package to Employer not later than 7 days after the completion of the work.

The *Contractor* ensures that Employer is granted access to contractor's premises and facilities at reasonable times to conduct quality audits, surveillance or inspections to verify compliance with the contract/order.

All Completed work is signed-off in the quality control plan and all the relevant signatures are on the documentation. A daily status report of completed work/activities is made available to the *services manager*

6 Procurement

There is a cross reference from the core clause 11.2(6) definition of Disallowed Cost to the Service Information regarding procurement procedures. This part of the Service Information **MUST** include any such procedures to be able to administer Disallowed Cost.

6.1 People

6.1.1 Minimum requirements of people employed

The contractor remains responsible to obtain all the required paperwork for his employees and all the required security clearances.

6.1.2 BBBEE and preferencing scheme

Specify constraints which *Contractor* must comply with after contract award in regard to any Broad Based Black Economic Empowerment (B-BBEE) or preferencing scheme measures.

6.1.3 Accelerated Shared Growth Initiative – South Africa (ASGI-SA)

If the **ASGI-SA requirements are to be included in this contract** specify constraints which *Contractor* must comply with after contract award in regard to any ASGI-SA requirements. The ASGI-SA Compliance Schedule completed in the returnable tender schedules is reproduced here. If ASGI-SA does not apply, delete this paragraph.

The *Contractor* complies with and fulfils the *Contractor's* obligations in respect of the Accelerated and Shared Growth Initiative - South Africa in accordance with and as provided for in the *Contractor's* ASGI-SA Compliance Schedule stated below

[Insert the agreed ASGI-SA Compliance Schedule here]

The *Contractor* shall keep accurate records and provide the *Service Manager* with reports on the *Contractor's* actual delivery against the above stated ASGI-SA criteria. [Elaborate on access to and format of records and frequency of submission etc.]

The *Contractor's* failure to comply with his ASGI-SA obligations constitutes substantial failure on the part of the *Contractor* to comply with his obligations under this contract.

6.2 Subcontracting

6.2.1 Preferred subcontractors

If the contractor subcontracts any of the services of the scope, they still remain responsible for the works of the subcontractor.

6.2.2 Subcontract documentation, and assessment of subcontract tenders

N/A

6.2.3 Limitations on subcontracting

N/A

6.2.4 Attendance on subcontractors

N/A

6.3 Plant and Materials

6.3.1 Specifications

As per issued scope of work

6.3.2 Correction of defects

Defects correction shall be done on the available opportunities when the unit is off, the contractor shall be informed of the defects in writing .

6.3.3 Contractor's procurement of Plant and Materials

Specify any constraints on how the *Contractor* is to order, codify, expedite, freight, import, transport to the Affected Property and any other requirements for delivery and storage before installation. The *Employer* may require warranties from suppliers to be in favour of the *Employer* and not just to the *Contractor*. The *Employer* may also need schedules of vendor data for his own use after the end of the *service period*.

6.3.4 Tests and inspections before delivery

All the test certificates and material cert of the delivered material shall accompany the consignment to be delivered to site. All the QCP's hold and witness points shall be observed.

6.3.5 Plant & Materials provided "free issue" by the *Employer*

Scaffolding shall be provided and request must be made 24hrs in advance

6.3.6 Cataloguing requirements by the *Contractor*

N/A

7 Working on the Affected Property

The facilities such as canteen, toilets and drinking water are given by the employer. The contractor shall familiarise themselves to the plant safety regulations associated with the plant they are working on

7.1 Employer's site entry and security control, permits, and site regulations

Security

- ☐ All site access is controlled through the designated access gate. The *Contractor* is informed of the access procedure through site regulations and that such procedures may change depending on the prevailing security situation.
- ☐ The *Contractor* will be restricted to the working areas associated with his place of work. The *Contractor* is forbidden to enter any other areas, and must ensure that his employees abide by these regulations.
- ☐ The chief protective services may with valid cause remove any of the *Contractor's* personnel from the site, either temporarily or permanently. He may deny access to the site to any person whom, in the opinion of the said chief of protective services, constitutes a security risk.
- ☐ The *Contractor* book in any tools, cabins, furniture, PC's, etc. at the security office before entering. The copy of the tool list needs to be kept in a safe place, as it will be the only acceptable document allowed to remove the items after contract completion.

Fire Precaution

- ☐ Any tampering with the *Employer's* fire equipment is strictly forbidden. All exit doors, fire escape routes, walkways, stairways and stair landing must be kept free of obstruction and not be used for work or storage at any time. Fire fighting equipment must remain accessible at all times.

7.2 People restrictions, hours of work, conduct and records

The Contractor will keep records of all employees. The Service Manager will have access to them at any time.

- In terms of the BCEA and LRA , all employees is afforded a fair minimum wage, including allowances for meals and transport, which has been agreed and set by the relevant bargaining councils and form part of the Act

7.3 Health and safety facilities on the Affected Property

- The *Contractor* to apply safety awareness at all times through continuous training.
- ☐ The Contractor to have a daily toolbox talks, periodic site inspections, job observations, risk assessments, safety equipment checks and safety talks with all employees.
- ☐ Medical centre facility for first aid will be provided.

7.4 Environmental controls, fauna & flora

7.5 Cooperating with and obtaining acceptance of Others

This

The Contractor might encounter other parties also doing work in the Contractor's designated work area. Co-operation and liaison between different parties are expected by the Employer.

7.6 Records of *Contractor's* Equipment

All equipment, welding panels, compressors, pneumatic tools, electrical equipment complies with a relevant SABS code of practice and all documentation related to this is made available as and when required.

7.7 Equipment provided by the *Employer*

Scaffolding will be supplied by the employer

7.8 Site services and facilities

7.8.1 Provided by the *Employer*

Portable water
Sanitary facility
Portable water
Electricity

7.8.2 Provided by the *Contractor*

All equipment needed for the performance of the work is supplied by the *Contractor*, unless specifically stipulated by the contract.

7.9 Control of noise, dust, water and waste

The contractor shall issue the required ear protection for noisy areas and the masks in dusty spaces. The waste bins are also provided.

7.10 Hook ups to existing works

The work shall be happening on elevated areas and platforms and will be required to hook up at heights.

7.11 Tests and inspections

7.11.1 Description of tests and inspections

During the course of the work, the Service Manager will do inspections on the work being conducted. The Site manager is also expected to do inspections during the course of the work.

7.11.2 Materials facilities and samples for tests and inspections

8 List of drawings

8.1 Drawings issued by the *Employer*

This is the list of drawings issued by the *Employer* at or before the Contract Date and which apply to this contract.

Drawing number	Revision	Title