



REPORT TITLE	Silica Gel Breather		
SERVICES/PRODUCTS REQUIRED	Supply, delivery, and commissioning of the Portable Silica Gel Breather		
PROJECT NAME	RTAM Asset Purchases – Transformer laboratory		
COMPILED BY	Name: Thabang Liphoto	Signature: 	Date: 14/10/2024
	Name: Promise Mbanga	Signature: 	Date: 14/10/2024

1 DESKTOP EVALUATION

1.1 TECHNICAL GATE KEEPERS

Gate Keepers	Returnable
<p>Supply the silica gel breather with the following specification:</p> <ol style="list-style-type: none"> 1. Glass protection or Polycarbonate. 2. Female thread. 3. Transparent. 4. Robust design. 	<p>Provide the following documents to confirm the technical gate keepers:</p> <ul style="list-style-type: none"> ▪ Technical Specifications. ▪ Operation and Maintenance Manual. ▪ Warranty and guarantee period. <p>Meet: Provision of <u>all</u> the above required criteria. Disqualify: If any of the gate keepers are not met.</p>

1.2 QUALITATIVE TECHNICAL EVALUATION

No	Evaluation Criteria	Score (Points)	Evaluation of the Returnable
1	Breather with oil pocket included.	30	Provide documentation confirming the below: Scoring: <ul style="list-style-type: none"> Oil pocket included: 30 points. Breather without oil pocket: 5 points If the above requirements are not met: 0 points.
2	Orange silica gel included	30	Provide documentation confirming the below: Scoring: <ul style="list-style-type: none"> Orange silica gel included: 30 points. Another colour silica gel: 5 points If the above requirements are not met: 0 points.
3	0.5kg Capacity breather	40	Provide documentation confirming the below: Scoring: <ul style="list-style-type: none"> 0.4 – 0.5kg Capacity breather: 40 points 0.5 – 0.75kg capacity breather: 10 points Below 350 litres: 0 points
TOTAL		100 points	
THRESHOLD		80 points	