

SECTION 5600: ROAD SIGNS			
ITEM	DESCRIPTION	UNIT	RATE
56.00	ROAD SIGNS		
B56.01	Road signs with painted or coloured semi matt background. Symbols, lettering and borders in semi-matt black or in Class 1 retroreflective material, where the sign board is constructed from:		
	(c) Prepainted Galvanized steel plate 1,4mm thick (Chromadek or equivalent)		
	(i) Area not exceeding 2m ²	m ²	
	(ii) Area exceeding 2m ² but not 10m ²	m ²	
56.02	Extra-over B56.01 for using		
	(a) Background of retro-reflective material:		
	(i) Class 1	m ²	
	(iii) Class 3	m ²	
	(b) Lettering, symbols, numbers, arrows, emblems and borders of retro-reflective material:		
	(ii) Class 3	m ²	
	(iii) Class 4	m ²	
56.03	Road sign support (overhead road sign structures excluded):		
	(a) Steel tubing		
	(i) Galvanized 3m lengths, 76mm OD, 3,0mm wall thickness	ton	
	(ii) Galvanized 3m lengths, 102mm OD, 2,8mm wall thickness	ton	
	(b) Timber posts		
	(i) 100 mm diameter	m	
	(ii) 150 mm diameter	m	
	(iii) 200 mm diameter	m	
56.05	Excavation and backfilling for road sign supports	m ³	
56.08	Dismantling, storing and re-erecting road signs with a surface area of:		
	(i) Area not exceeding 2m ²	No	
	(ii) Area exceeding 2m ² but not 10m ²	No	
B56.10	Extra-over item 56.05 for concreting of sign supports (Class 15MPa concrete)	m ³	

SECTION 5600: ROAD SIGNS			
ITEM	DESCRIPTION	UNIT	RATE
56.00	ROAD SIGNS		
B56.01	Road signs with painted or coloured semi matt background. Symbols, lettering and borders in semi-matt black or in Class 1 retroreflective material, where the sign board is constructed from:		
	(c) Prepainted Galvanized steel plate 1,4mm thick (Chromadek or equivalent)		
	(i) Area not exceeding 2m ²	m ²	
	(ii) Area exceeding 2m ² but not 10m ²	m ²	
56.02	Extra-over B56.01 for using		
	(a) Background of retro-reflective material:		
	(i) Class 1	m ²	
	(iii) Class 3	m ²	
	(b) Lettering, symbols, numbers, arrows, emblems and borders of retro-reflective material:		
	(ii) Class 3	m ²	
	(iii) Class 4	m ²	
56.03	Road sign support (overhead road sign structures excluded):		
	(a) Steel tubing		
	(i) Galvanized 3m lengths, 76mm OD, 3,0mm wall thickness	ton	
	(ii) Galvanized 3m lengths, 102mm OD, 2,8mm wall thickness	ton	
	(b) Timber posts		
	(i) 100 mm diameter	m	
	(ii) 150 mm diameter	m	
	(iii) 200 mm diameter	m	
56.05	Excavation and backfilling for road sign supports	m ³	
56.08	Dismantling, storing and re-erecting road signs with a surface area of:		
	(i) Area not exceeding 2m ²	No	
	(ii) Area exceeding 2m ² but not 10m ²	No	
B56.10	Extra-over item 56.05 for concreting of sign supports (Class 15MPa concrete)	m ³	

SECTION 5600: ROAD SIGNS			
ITEM	DESCRIPTION	UNIT	RATE
56.00	ROAD SIGNS		
B56.01	Road signs with painted or coloured semi matt background. Symbols, lettering and borders in semi-matt black or in Class 1 retroreflective material, where the sign board is constructed from:		
	(c) Prepainted Galvanized steel plate 1,4mm thick (Chromadek or equivalent)		
	(i) Area not exceeding 2m ²	m ²	
	(ii) Area exceeding 2m ² but not 10m ²	m ²	
56.02	Extra-over B56.01 for using		
	(a) Background of retro-reflective material:		
	(i) Class 1	m ²	
	(iii) Class 3	m ²	
	(b) Lettering, symbols, numbers, arrows, emblems and borders of retro-reflective material:		
	(ii) Class 3	m ²	
	(iii) Class 4	m ²	
56.03	Road sign support (overhead road sign structures excluded):		
	(a) Steel tubing		
	(i) Galvanized 3m lengths, 76mm OD, 3,0mm wall thickness	ton	
	(ii) Galvanized 3m lengths, 102mm OD, 2,8mm wall thickness	ton	
	(b) Timber posts		
	(i) 100 mm diameter	m	
	(ii) 150 mm diameter	m	
	(iii) 200 mm diameter	m	
56.05	Excavation and backfilling for road sign supports	m ³	
56.08	Dismantling, storing and re-erecting road signs with a surface area of:		
	(i) Area not exceeding 2m ²	No	
	(ii) Area exceeding 2m ² but not 10m ²	No	
B56.10	Extra-over item 56.05 for concreting of sign supports (Class 15MPa concrete)	m ³	

SECTION 5600: ROAD SIGNS			
ITEM	DESCRIPTION	UNIT	RATE
56.00	ROAD SIGNS		
B56.01	Road signs with painted or coloured semi matt background. Symbols, lettering and borders in semi-matt black or in Class 1 retroreflective material, where the sign board is constructed from:		
	(c) Prepainted Galvanized steel plate 1,4mm thick (Chromadek or equivalent)		
	(i) Area not exceeding 2m ²	m ²	
	(ii) Area exceeding 2m ² but not 10m ²	m ²	
56.02	Extra-over B56.01 for using		
	(a) Background of retro-reflective material:		
	(i) Class 1	m ²	
	(iii) Class 3	m ²	
	(b) Lettering, symbols, numbers, arrows, emblems and borders of retro-reflective material:		
	(ii) Class 3	m ²	
	(iii) Class 4	m ²	
56.03	Road sign support (overhead road sign structures excluded):		
	(a) Steel tubing		
	(i) Galvanized 3m lengths, 76mm OD, 3,0mm wall thickness	ton	
	(ii) Galvanized 3m lengths, 102mm OD, 2,8mm wall thickness	ton	
	(b) Timber posts		
	(i) 100 mm diameter	m	
	(ii) 150 mm diameter	m	
	(iii) 200 mm diameter	m	
56.05	Excavation and backfilling for road sign supports	m ³	
56.08	Dismantling, storing and re-erecting road signs with a surface area of:		
	(i) Area not exceeding 2m ²	No	
	(ii) Area exceeding 2m ² but not 10m ²	No	
B56.10	Extra-over item 56.05 for concreting of sign supports (Class 15MPa concrete)	m ³	