



**SUPPLY CHAIN MANAGEMENT**  
**Room K 016**  
**FIRST AVE ENTRANCE**  
**TEL: 051 – 4477771 x 2306**  
**FAX-2-E-MAIL: 086 729 6757**  
**E-MAIL: quotation@pacofs.co.za**

**INVITATION FOR A QUOTATION**

**REFERENCE NUMBER: RFQ/12012024ICTSERVERS/2024**

Kindly provide PACOFS with a signed quotation for **ICT SERVERS** as follows. Kindly complete SBD forms and send with your quotation.

**SPECIFICATION: SUPPLY, DELIVERY & INSTALLATION**

The service providers will be required to provide the following:

**1. SAGE ACCPAC (1 X SERVER)**

Type of Server	PowerEdge R760xs Server, Rack Mounted with the installation's equipment to the Rack
Memory	DDR5 DIMM 4800MT/s RDIMMs, 16GB x 2 RDIMM, 4800MT/s Single Rank 32GB, RAID 5 configured RAID
Processor	3 <sup>rd</sup> Generation Intel Xeon Scalable Processors, Up to 42 percent more cores with up to 40 cores per socket, or better
Storage controllers	Front drive bays: 2.5" SAS/SATA (HDD/SSD) max 122.88TB or up to 8 x 3.5" SAS/SATA HDD max 128TB
Power supplies	Dual, Redundant (1+1), Hot-Plug Power Supply, 1100W MM (100-240Vac) Titanium, C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
Dimensions	Rack Mounted with the installations equipment to the Rack Height: 86.8mm (3.4") Width3: 434.0mm (17.08") Depth3: 737.5mm (29.03") Weight: 28.6kg (63lbs)
Network	Broadcom 57416 Dual port 10GbE BASE-T Adapter, OCP NIC 3.0 x2 Network Cards installed for redundancy.
I/O & Ports	Riser Config 2, Half Length, Low Profile, 1x16 + 1x8 + 2x8 (Gen5), PowerEdge R760xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM or better.
Operating System	X2 Microsoft Windows Server 2022 Standard Edition Business or the latest and 20 users CAL for Windows.
Installations	Physical Installations to the rack at the server room (2 hours)
Warranty Support	<b>NB: 5 Years Next Business Day</b>

## 2. SAGE PAYROLL, HUMAN RESOURCES AND EMPLOYEE SELF SERVICE (X1 SERVER)

Type of Server	PowerEdge R660xs
Memory	16 DDR5 DIMM slots, supports RDIMM 10 TB max, speeds up to 4800 MT/s, Supports registered ECC DDR5 DIMM only 64 GB Memory
Processor	Two 4 <sup>th</sup> Generation Intel Xeon Scalable processor with 32 cores per processor, 4410Y 2GB, 12C/24T, 16GT/s, 30M Cache, Turbo, HT (150W) DDR5-4000
Storage controllers	2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU 20 TB Capacity
Power Supplies	Dual, Redundant (1+1), Hot-Plug Power Supply, 1100W MM (100-240Vac) Titanium, C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
Motherboard	PowerEdge R660xs Motherboard with Broadcom 5720 Dual Port 1Gb or better on-Board LOM
Chassis	2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU
Dimensions	Rack mounted
I/O & Ports	Riser Config 2, Half Length, Low Profile, 1x16 + 1x8 + 2x8 (Gen5), PowerEdge R760xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM or better. Riser options with up to 8 PCIe Gen 3 Slots, maximum of 4 x 16 slots. 2 x 1 Gbe LOM and 1 x OCP 3.0 (x8 PCIe lanes)
Operating Systems	X2 Microsoft Windows Server 2022 Standard Edition Business or the latest and 10 users CAL for windows.
Installations	Physical Installations to the rack at the server room (2 hours)
Warranty Support	<b>NB: 5 Years Next Business Day</b>

## 3. Azure Active Directory Dedicated Server link to Cloud (X1 Server)

Type of Server	PowerEdge R760xs Server, Rack Mounted with the Installation's equipment to the Rack
Memory	DDR5 DIMM 4800MT/s, 16GB x 2 RDIMM, 4800MT/s Single Rank 32 GB, RAID 5 configured RAID
Processor	5 <sup>th</sup> Generation Intel Xeon Scalable Processors, Up to 42 percent more cores with up to 40 cores per socket, or better
Storage Controllers	100 TB Storage
Power Supplies	Dual, Redundant (1+1), Hot-Plug Power Supply, 1100W MM (100-240Vac) Titanium, C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
Dimensions	Rack Mounted with the installations equipment to the Rack Height: 86.8mm (3.4") Width: 434.0mm (17.08") Depth: 737.5mm (29.03") Weight: 28.6kg (63lbs)
Network	Broadcom 57416 Dual port 10GbE BASE-T Adapter, OCP NIC 3.0 x2 Network Cards installed for redundancy.
I/O & Ports	Riser Config 2, Half Length, Low Profile, 1x16 + 1x8 + 2x8 (Gen5), PowerEdge R760xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM or better.
Configurations	Configured on Azure Active Directory and link to cloud we currently have on business premium licence of 65 users on cloud
Installations	Physical Installations to the rack at the server room

	and Azure Active Directory Configurations.
Warranty Support	<b>NB: 5 Years Next Business Day</b>

4. Software Applications and:
  - a. SQL Server 2022 Standard Edition corporate package 10 users 10 Cal

***For any SCM related queries, please contact Supply Chain at [quotation@pacofs.co.za](mailto:quotation@pacofs.co.za) or 051 – 447-7771***  
***For any Technical related queries, please contact Supply Chain at [joseph@pacofs.co.za](mailto:joseph@pacofs.co.za) or 051 – 447-7771***

1. Please provide your CSD supplier and unique registration number for verification on the CSD database. Please attach a SARS Tax Compliance Pin and B-BBEE certificate.
2. Please submit the completed SBD 4 Bidders Disclosure and SBD 6.1 Preference Points claim form in terms of the Preferential Procurement Regulations 2022.
3. Evaluation criteria 80/20 will be applicable as per Preferential Procurement Regulations 2022.
4. The service provider will be allocated points based on the goals stated in table 1 of SBD 6.1 as may be supported by proof/ documentation/. The CSD report shall be used to verify claim of such points.
5. The offer scoring the highest points should win the quote. This quotation is subject to the Preferential Procurement Policy Framework Act, 2000 and the Preferential Procurement Regulations, 2022, the Conditions of Contract (GCC) and, if applicable, any other special conditions of contract.

## **VERY IMPORTANT NOTICE!**

1. PLEASE SUBMIT QUOTATIONS ON A COMPANY LETTERHEAD.
2. PAYMENT WILL BE DONE WITHIN 30 DAYS AFTER RECEIPT OF THE ORIGINAL INVOICE.
3. BANKING DETAILS (REMITTANCE NAME; BRANCH CODE AND ACCOUNT NUMBER) MUST APPEAR ON YOUR INVOICE AND MUST CORRESPOND WITH THE BANKING DETAILS DISPLAYED ON THE CSD REGISTRATION REPORT.
4. PLEASE REMEMBER TO SIGN YOUR QUOTATION. UNSIGNED QUOTATIONS – INVALID.
5. THE TOTAL PRICE QUOTED MUST INCLUDE VAT AS WELL AS DELIVERY COSTS (THE COMPANY WHICH IS NOT VAT REGISTERED SHOULD NOT INCLUDE VAT IN THE PRICE).
6. IF VAT IS CLAIMED, VAT NUMBER SHOULD APPEAR ON THE QUOTATION.
7. NO CESSIONS WILL BE SIGNED.
8. A VALID B-BBEE CERTIFICATE SHOULD BE SUBMITTED.
9. QUOTATIONS SHOULD BE VALID FOR 30 DAYS.
10. PRICE QUOTED SHOULD NOT BE ON SPECIAL OR SALE.
11. PLEASE DO NOT INFLATE PRICES.
12. PACOFS RESERVES THE RIGHT TO AWARD OR WITHDRAW THE BID.
13. NO PREPAYMENT/UPFRONT PAYMENT WILL BE MADE BY PACOFS.
14. QUOTATIONS NOT OBTAINED THROUGH THE DEDICATED QUOTATIONS EMAIL WILL NOT BE USED TO APPOINT A SERVICE PROVIDER.

**OPENING DATE: 12 JANUARY 2024**

**CLOSING DATE & TIME FOR QUOTATION / PROPOSALS:**

**23 JANUARY 2024 at 11h00**

**Please submit quotation via E-mail to [quotation@pacofs.co.za](mailto:quotation@pacofs.co.za)**

**No late submission will be accepted!**