



sa air force

Department:
Defence
REPUBLIC OF SOUTH AFRICA

Telephone: 012 351 2166
Facsimile: 012 351 2340
Enquiries: Sergeant S.L. Chiloane

SA Air Force Procurement Unit
Air Force Mobile Deployment Wing
Private Bag X04
Valhalla
0137

04 June 2024

BID: SPU/B/DSS/016/24: CUT MAKE AND TRIM OF SHIRTS WOMAN BLOUSE, SHORT SLEEVES

GOODS DELIVERY ADDRESS: 10 AIR DEPOT, STEPHANUS SCHOEMAN ROAD, THABA TSHWANE, PRETORIA.

VALIDITY PERIOD: 90 DAYS

CLOSING DATE & TIME FOR BID: 11:00 ON 26 JUNE 2024

1. You are hereby invited to furnish this Department with a Bid for the supply of the above-mentioned items as per attached documents. The documents you should be in possession of are; This Cover Letter, Road Map to South African Air Force Procurement Unit (SAAF PU), SBD 1; SBD 3; SBD 4; SBD 6.1; SWORN AFFIDAVIT and QUESTIONNAIRE.
2. The conditions contained in General Bid Conditions (GBC), General Conditions of Contract (GCC) and all the attached forms will apply to your Bid.
3. Kindly Bid by completing the relevant forms, directed to **SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT, PRIVATE BAG X04, VALHALLA, 0137** to reach the Bid Receipt Office not later than the closing date and time or deposit in the Bid Box in the Parking Area across from the Security Guard Room at the **Main Entrance of AIR FORCE MOBILE DEPLOYMENT WING, Old Johannesburg Road (crossing Godiva Road), Valhalla before the Closing Date and Time.**
4. **Please note that the Bid Box will be closed daily between 18:00 and 06:00 am.** Bids can also be handed in at the South African Air Force Procurement Unit, Internal Services Section during Office Hours 07:00 am till 15:00. However, if the Bid is Late it will **not** be accepted for consideration.
5. The following members can be contacted regarding the following aspects of this Bid only during office hours:

a. Compilation of Bid Document: **Sergeant S.L. Chiloane at (012) 351-2405.**

b. Technical Information: **Warrant Officer T. Pollock at (012) 351-5182.**

BID: SPU/B/DSS/016/24: CUT MAKE AND TRIM OF SHIRTS WOMAN BLOUSE, SHORT SLEEVES

6. Authenticate this Document:

COMPANY NAME:	
PHYSICAL ADDRESS:
POSTAL ADDRESS:
TEL NO:	
FACSIMILE NO:	
MOBILE NO:	
BANKING DETAILS:
NAME (PRINT):	
CAPACITY:	
SIGNATURE:	
DATE:	

7. Kindly take note that according to Government Gazette No. 47452 NO. 2721 dated 04 November 2022, effective from 16 January 2023, Bidders are to submit a Sworn Affidavit to substantiate the preference points claimed. Sworn Affidavit must be signed by legally recognised Commissioner of Oath. The Department of Defence reserves the right to verify the truthfulness of the claims. Should the Proof (Affidavit) not be submitted, a Zero (0) point will be allocated.

BID: SPU/B/DSS/016/24: CUT MAKE AND TRIM OF SHIRTS WOMAN BLOUSE, SHORT SLEEVES

Yours Sincerely

A handwritten signature in blue ink, appearing to read 'M.L. Van Heerden', is written over the printed name.

(M.L. VAN HEERDEN)

**ACTING OFFICER COMMANDING SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT:
LIEUTENANT COLONEL**

APPENDIX A
MANDATORY EVALUATION
CRITERIA FOR THE CUT MAKE
AND TRIM OF SHIRTS WOMAN
BLOUSE SHORT SLEEVES
DD 04 JUNE 2024

MANDATORY CRITERIA

1. **PHASE 1:** Compliance to Mandatory Requirements. Bidder that does not fully comply with the criteria will be eliminated/excluded and will not go to the next phase.

SER NO	MANDATORY CRITERIA	SUBMITTED YES / NO
a.	<p>Central Supplier Database: From 01 April 2016 it is mandatory for the Department of Defence (DOD) to make use of Suppliers that are Registered on the National Treasury Central Supplier Database (CSD).</p> <p>It is Mandatory to comply to the following Minimum Criteria on the CSD Registration Report (Attach Report not older than 14 Days, if possible):</p> <ul style="list-style-type: none"> i. Supplier <u>must</u> be Tax Compliant. ii. Banking Details <u>must</u> be Verified Successfully. iii. Supplier <u>must</u> have a "Physical Address Type". iv. CSD Report <u>must</u> reflect the Commodity or Service the Company is Bidding for. <p>Failure to Adhere to abovementioned Minimum Criteria, on CSD Report will invalidate the Bid.</p>	
b.	<p>Signed SBD 1, 3 and 4: Bidder to fully Complete and Sign all the SBD Documents and submit a Copy of the Original by the Closing Date and Time. Bidder to Complete the Pricing, Signature (Consenting of Conditions) and Information (Block) at the Bottom of the Second Last page on the SBD 3.</p>	
c.	<p>Signed SBD 6.1: Bidders to submit a Sworn Affidavit, signed by a Legally Recognised Commissioner of Oath to substantiate the Preference Point (Specific Goal) claimed as per Completed and Signed SBD 6.1, Table 1, by the Closing Date and Time. The Department of Defence reserves the right to verify the truthfulness of the claim. Should Affidavit not be submitted a Zero (0) Point will be allocated.</p>	

d.	Additional Documents: Enclosure 2-1 (Special Conditions Criteria), Enclosure 3 (SALM 009 Version 07.0/November 2023) and Enclosure 4 (SALM 108 Version 07.0/January 2023 Corrugated Board Boxes Specification) form Part of the Bid Document and must be completed and returned with Bid.	
NOTES		CONFIRM YES/NO
e.	Special Conditions (Enclosure 2-1): Take Note of Paragraph 3, 9 and 14 on Enclosure.	
f.	Applicable valid SANAS Accredited Capability Report (Not older than 12 Months (Enclosure 2-1): The South African Air Force (SAAF) reserves the right to give preference to Bidders with a Capability of 80% or Higher. If the Bidder makes use of a Sub-Contractor, the Sub-contractor Capability Report must also be submitted. Failure to submit this Report may render your Bid Null and Void.	_____
g.	Packaging/Delivery: The successful Bidder must deliver items as prescribed in attached SALM 108 Version 07.0/January 2023 Specification (Corrugated Board Boxes for Clothing).	_____

2. **PHASE 2:** Price: (Will be according to prices submitted)

Criteria	Points
Price	80/

3. **PHASE 3:** Preferential Points (As per GOVERNMENT GAZETTE NO. 47452). Proof (Sworn Affidavit) to substantiate the Preference Point claimed for Specific Goal as per SBD 6.1, signed by a legally recognised Commissioner of Oath, must be submitted together with Bid.

Criteria	Points
Specific Goal	20/

4. Preference Points (Specific Goals). A Bid will not be disqualified from the bidding process if the Bidder does not claim a point as per Specific Goals and does not submit a Sworn Affidavit, to substantiate the Preference Point claimed. Such Bidder will score Zero (0) out of a maximum of Twenty (20) Points for Preference Point claimed.

5. The point scored for PRICE must be added to point scored for SPECIFIC GOAL contribution claimed to obtain the Bidders total score out of 100.

6. Calculation of SPECIFIC GOAL. Points must be awarded to a Bidder for attaining the Specific Goal Contributor Level in accordance with the Table below:

STATUS LEVEL	SPECIFIC GOAL CONTRIBUTOR	NUMBER OF POINTS (80/20 SYSTEM)
Level 1	51% Owned by Black Women Military Veterans	20
	or	
	51% Owned by Black Youth	
	or	
	51% Owned by Black People with Disability	
Level 2	51% Owned by Black Male Military Veterans	18
	or	
	51% Owned by People with Disability	
	or	
	51% Owned by Black Women EMEs	
Level 3	51% Owned by Women Military Veterans	16
	or	
	51% Owned by Black Male EMEs	
	or	
	51% Owned by Women EMEs	
	or	
	51% Owned by Black Women QSEs	
Level 4	51% Owned by Male Military Veterans	14
	or	
	51% Owned by Youth	
	or	
	51% Owned by any other EMEs	
	or	
	51% Owned by Black Male QSEs	
	or	
	51% Owned by Women QSEs	
Level 5	51% Owned by any other QSEs	12
Level 8	Non-Compliant Contributor	0

IMPORTANT NOTES

PLEASE TAKE NOTE THAT YOU MAY ONLY MAKE USE OF ONE OPTION TO RESPOND TO THE BID.

THE BID DOCUMENTATION, MUST BE PRINTED, COMPLETED AND RETURNED BY MEANS OF,

OPTION 1: ONLY HAND DELIVERED (IN SEALED ENVELOPE) OR SUBMITTED IN THE BID BOX OF THE SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT.

ADDRESS: MAIN ENTRANCE OF AIR FORCE MOBILE DEPLOMENT WING (SAAF MUSEUM), OLD JOHANNESBURG ROAD (CROSSING GODIVA ROAD), VALHALLA.

BID BOX: SAME ADDRESS AS ABOVE.

ROAD MAP ATTACHED FOR EASY REFERENCE



SECURITY

GROUND

SECURITY BOOMS

GODIVA ROAD

**Parking
Area**


**AIR FORCE MOBILE
DEPLOYMENT WING
(SAAF MUSEUM)**

**SAAF
PROCUREMENT
UNIT
TENDER
BOX**

R 101 OLD JOHANNESBURG ROAD

**AIR FORCE
MOBILE
DEPLOYMENT
WING WEST**

NORTH



PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT

BID NUMBER: SPU/B/DSS/016/24 CLOSING DATE: 26 JUNE 2024 CLOSING TIME: 11:00

DESCRIPTION CUT MAKE AND TRIM OF SHIRTS WOMAN BLOUSE, SHORT SLEEVES

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT

MAIN ENTRANCE OF SOUTH AFRICAN MOBILE DEPLOYMENT WING (MUSEUM SIDE)

OLD JOHANNESBURG ROAD (ACROSS FROM GODIVA ROAD)

VALHALLA

0137 (SEE ATTACHED MAP)

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

TECHNICAL ENQUIRIES MAY BE DIRECTED TO:

CONTACT PERSON SERGEANT S.L. CHILOANE

CONTACT PERSON

WARRANT OFFICER T. POLLOCK

TELEPHONE NUMBER (012) 351 2405

TELEPHONE NUMBER

(012) 351 5182

FACSIMILE NUMBER (012) 351 2205

FACSIMILE NUMBER

N/A

E-MAIL ADDRESS Magrietha.VanHeerden@dod.mil.za

E-MAIL ADDRESS

N/A

SUPPLIER INFORMATION

NAME OF BIDDER

POSTAL ADDRESS

STREET ADDRESS

TELEPHONE NUMBER CODE

NUMBER

CELLPHONE NUMBER

FACSIMILE NUMBER CODE

NUMBER

E-MAIL ADDRESS

VAT REGISTRATION
NUMBER

SUPPLIER
COMPLIANCE STATUS

TAX
COMPLIANCE
SYSTEM PIN:

OR

CENTRAL
SUPPLIER
DATABASE
NO:

MAAA

[A CSD REGISTRATION REPORT NOT OLDER THAN FOURTEEN (14) DAYS MUST BE SUBMITTED WITH BID. SWORN AFFIDAVIT ALSO TO BE SUBMITTED WITH BID TO SUBSTANTIATE SPECIFIC GOAL POINTS CLAIMED]

CSD REGISTRATION
REPORT ATTACHED
NOT OLDER THAN
FOURTEEN (14) DAYS:

TICK APPLICABLE BOX]

☐ Yes

☐ No

SWORN AFFIDAVIT SUBMITTED FOR
SPECIFIC GOAL POINTS CLAIMED
AS PER SBD 6.1

[TICK APPLICABLE BOX]

☐ Yes

☐ No

ARE YOU THE
ACCREDITED
REPRESENTATIVE IN
SOUTH AFRICA FOR
THE GOODS
/SERVICES /WORKS
OFFERED?

☐ Yes

☐ No

[IF YES ENCLOSE PROOF]

ARE YOU A FOREIGN BASED
SUPPLIER FOR THE GOODS
/SERVICES /WORKS OFFERED?

☐ Yes ☐ No

[IF YES, ANSWER THE
QUESTIONNAIRE BELOW]

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?

☐ YES ☐ NO

DOES THE ENTITY HAVE A BRANCH IN THE RSA?

☐ YES ☐ NO

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?

☐ YES ☐ NO

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?

☐ YES ☐ NO

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

☐ YES ☐ NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, GENERAL BID CONDITIONS (GBC), THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

DATE:

Request for Bid : SPU/B/DSS/016/24

Author: A.C. Teisen
Date: 06/03/2024 08:06:56

PRICING SCHEDULE

Bid No. SPU/B/DSS/016/24
Document No. 0000522019
Description: CUT, MAKE AND TRIM SHIRTS WOMEN BLOUSE, SHORT SLEEVES
Currency: ZAR
Closing Date: 2024/06/26 11:00:00
Status: Created
Validity Days:

Document Type: Request for Bid Open
Company Name:
Attention:
Tel No:
Fax No:
Cell No:
Email:

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3033	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE SIZE: 82/32	10 AIR DEPOT Lead Time	Quantity Required	Quantity Available	
Line Comment					
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.DJANUARY 2023, ENCLOSURE 4 SALM 108 VERSION 07.DJANUARY 2023.					
Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, including VAT and ALL Delivery Costs					

5803

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3044	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE, SIZE: 87/34	10 AIR DEPOT		Each	
Line Comment		Lead Time	Quantity Required	Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.0NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.0JANUARY 2023			300		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3050	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE, SIZE: 97/38	10 AIR DEPOT		Each	
Line Comment		Lead Time	Quantity Required	Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.0NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.0JANUARY 2023			200		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3052	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE, SIZE: 102/40	10 AIR DEPOT		Each	
Line Comment		Lead Time	Quantity Required	Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.0NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.0JANUARY 2023			350		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3055	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE, SIZE: 107/42	10 AIR DEPOT		Each	
Line Comment		Lead Time	Quantity Required	Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.0NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.0JANUARY 2023			100		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

5823

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3057	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE SIZE: 112/44 Line Comment	10 AIR DEPOT Lead Time	Quantity Required 100	Each Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.01NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.01JANUARY 2023.					
Total Unit Cost In ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost In ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3060	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE SIZE: 117/46 Line Comment	10 AIR DEPOT Lead Time	Quantity Required 100	Each Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.01NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.01JANUARY 2023.					
Total Unit Cost In ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost In ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3068	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE SIZE: 122/48 Line Comment	10 AIR DEPOT Lead Time	Quantity Required 100	Each Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.01NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.01JANUARY 2023.					
Total Unit Cost In ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost In ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3080	SHIRT, WOMAN'S BLOUSE, S/S LIGHT BLUE SIZE: 127/50 Line Comment	10 AIR DEPOT Lead Time	Quantity Required 100	Each Quantity Available	
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07.01NOVEMBER 2023 AND ENCLOSURE 4 SALM 108 VERSION 07.01JANUARY 2023.					
Total Unit Cost In ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost In ZAR Currency, Including VAT and ALL Delivery Costs					

5803

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-025-3093	SHIRT, WOMAN'S BLOUSE, SIS LIGHT BLUE SIZE: 132/62	10 AIR DEPOT	Quantity Required	Quantity Available	
Line Comment					
TAKE NOTE: SPECIAL CONDITIONS ENCLOSURE 2-1, ENCLOSURE 3 SALM 009 VERSION 07-01 NOVEMBER 2023 AND ENCLOSURE 4 SALM 104 VERSION 07-01 JANUARY 2023.					
Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, including VAT and ALL Delivery Costs					

11

5803

Indicate Lead Time for all items (Days)

The following conditions are hereby accepted:
 "Standard Terms and Conditions" or "General Conditions of Contract" Available on Website (I) or attached.
 The awarding of the price quotation is determined by Department of Defense.

The following is hereby certified:

This offer is correct and any misstatements will be at my risk.

I accept responsibility for the execution of all obligations arising upon me.

I do not participate in any restrictive practices with any other supplier or any other person regarding

the price quotation or any other price quotation.

I am duly authorized to sign the price quotation.

The offer is inclusive of value Added Tax.

Name: Capacity:

Signature: Date:

Price Firm Y/N		Grand Total (including VAT)
Do You Accept Government Orders Y/N		
Comply with Specification Y/N		
	Brand & Model	
	Delivery Period Firm Y/N	
	If Not, Deviations	

Questions/Inquiries

Questions/Inquiries / Explanation Criteria

THE BIDD QUESTIONNAIRE EVALUATION TEMPLATE V2

Questions

Options	LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	LEVEL 5	LEVEL 6
Level 1: 51% owned by Black Women Military veterans / 51% owned by Black youth / 51% owned by Black people with disability	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Level 2: 51% owned by Black Male Military veterans / 51% owned by people with disability / 51% owned by Black Women EMEs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Level 3: 51% owned by Women Military veterans / 51% owned by Black Male EMEs / 51% owned by Black Women QSEs/51% owned by Women EMEs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5403

Level 4: 51% owned by Male Military veterans / 51% owned by youth / 51% owned by any other EMEs/ 51% owned by Black Male QSEs / 51% owned by Women QSEs

Level 5: 51% owned by any other QSEs

<input type="checkbox"/>	LEVEL A
<input type="checkbox"/>	LEVEL B
<input type="checkbox"/>	NON-COMPLIANT

Attachment Description

Attachment File Name



RESTRICTED

Enclosure 2-1

**SPECIAL CONDITIONS FOR THE CUT, MAKE TRIM AND SUPPLY OF SHIRT WOMAN
BLOUSE S/S LIGHT BLUE**

GENERAL

1. **General Bid Conditions (GBCs) and General Conditions of Contract (GCC).** The conditions contained in GBCs and the GCC's and all other conditions will apply.
2. **Special conditions on the Award Of Bid.** The South African Air Force (SAAF) reserves the right to award a bid as a whole to one bidder.
3. **Break-out procurement.** The SAAF reserves the right to, in support of government initiative to promote Small Business and in accordance with the National Small Business Act, 1996 (Act no 102 of 1996), consider the breakout of procurement into smaller segments. This implies that the bid can be allocated to more than one contractor, in manageable segments, and according to the predetermined capacity of smaller enterprises. The department will in all cases indicate the intention, elsewhere in the bid document, to apply the breakout procurement principles.

STANDARDS

4. **Capability Report.** It is a condition of this bid that all bidders submit a manufacturing capability report not older than twelve (12) months with the bid documents at the closing date and time of the bid. The full capability report must be issued by an organisation accredited or recognised by the South African National Accreditation System (SANAS) and must indicate whether the bidder/manufacturer has the capability and capacity to manufacture the product(s)/items. The capability report has to address the following requirements.
 - a. Production capacity and capability.
 - b. List of items/products produced in the company.
 - c. Company organisation.
 - d. Facilities.
 - e. Quality control systems.
 - f. Incoming inspections.
 - g. In-process quality control.
 - h. Final inspection.
 - i. Packaging.
 - j. Non-conforming product.
 - k. Communication/documentation control and work movement.
5. **Capability Report Preferences.** The SAAF reserves the right to give preference to bidders with a capability of 80% or higher.



RESTRICTED



Enclosure 2-2

SPECIAL CONDITIONS FOR THE CUT, MAKE TRIM AND SUPPLY OF SHIRT WOMAN BLOUSE S/S LIGHT BLUE

6. **Rating per garment.** As this is a cut, make, trim and supply item the SAAF requires the rating per item. This will be utilised to determine the fabric required by the manufacturer for production. Bidders must ensure that they understand what fabric will be supplied by the SAAF.

7. **SANS and CKS specifications.** The SANS and CKS specifications, if requested in this bid are obtainable from the Director, SA Bureau of Standards, Pretoria, Cape Town, Durban and Port Elizabeth.

8. **Colour Standard (where applicable).** In the event of it being required that the material specified must match a specified colour standard, such colour is to be approved by the appointed test house/ SAAF Product system Manager prior to the purchasing or manufacturing of bulk quantities required for garment production.

PRE-PRODUCTION SAMPLES, TESTS, ANALYSIS AND INSPECTIONS

9. **Pre-production Samples (PPS).** It is expected from the successful bidder to submit three (3) PPS of different sizes and trim charts to the SAAF for submission to the appointed test house for testing and sealing.

10. Unless otherwise stipulated by the SAAF, the first PPS must be submitted within 30 calendar days from receipt of fabric supplied by the SAAF. The SAAF will arrange for the required fabric to be delivered to the successful bidder within 21 calendar days from receipt of the official government order.

11. In the case of a failure or non-submission a second PPS is to be submitted to the SAAF Product System Manager within 14 calendar days after the successful bidder was informed of the findings regarding the first PPS.

IMPORTANT: It must be noted that a PPS not submitted on the correct date will be considered a failure.

12. If the second PPS either fails again or is not submitted, the successful bidder has 7 calendar days to re-submit a third PPS. Failure to deliver the samples within the specified time and according to the required specification(s) will lead to cancellation of the contract and the commencement of paragraph 21 of the General Conditions of the Contract (GCC).

IMPORTANT: It must be noted that the SAAF will only be responsible for the first attempt pass of the pre-production sample testing.

13. **Commencement with production.** Mass production shall only commence after the South African Air Force Product System Manager has informed the successful bidder that the PPS passed.

14. **In Process Inspections.** The SAAF may request In Process Inspections for certain items as determined from time to time. The cost of these inspections will in the case of local manufacturers be for the SAAF's account according to paragraph 8 of the GCC. If it does not comply with the specification(s), the cost will be for the account of the contractor. Should items be manufactured outside the borders of the RSA, all inspection costs will be for the account of the manufacturer.

15. **Consignment Inspections.** The acceptance of all goods/materials ordered on contract as a result of this bid will be subject to inspection/testing by the appointed test house for compliance with



RESTRICTED



Enclosure 2-3

**SPECIAL CONDITIONS FOR THE CUT, MAKE TRIM AND SUPPLY OF SHIRT WOMAN
BLOUSE S/S LIGHT BLUE**

specification(s). The SAAF reserves the right to have these inspections at the delivery point stipulated in the bid documents. The cost of these inspections will in the case of local manufacturers be for the SAAF's account according to paragraph 8 of the GCC. If it does not comply with the specification(s), the cost will be for the account of the contractor including transport costs. Should items be manufactured outside the borders of the RSA, all inspection costs will be for the account of the manufacturer.

DELIVERY AND DOCUMENTS

16. **Delivery requirement of the containers (corrugated board boxes).** The supplier may contact the SAAF if they need a colour copy of Specification number SALM 108 Version 07.0/January 2023 for corrugated board boxes for clothing as each year of manufacture has a different colour code. The relevant section may be contacted via the following email address: systemmdss@gmail.com.

17. The contents of these special conditions have been noted and accepted.

Signature(s) of bidder of assignee(s)

Name:

Representing:

PRIVATE SPECIFICATION

Prepared for the

South African Air Force



LADIES' SERVICE DRESS BLOUSE, SHORT SLEEVES



SALM 009

Version 07.0/November 2023

1. Scope

This specification covers the material, cut, make and trim of short sleeved service dress blouses for female personnel of the South African Air Force.

2. Definitions and Abbreviations

For the purpose of this specification the definitions given in SANS 10371 "Terms and definitions for clothing" and the following shall apply:

acceptable: acceptable to the South African Air Force

nominal: subject to the tolerances normal to good manufacturing practice

SANS: South African National Standard

3. Style

The style is as follows:

- ♦ open-neck blouse
- ♦ bust dart
- ♦ front and back waist suppression dart
- ♦ front button and buttonhole closure
- ♦ mitred shoulder straps
- ♦ one-piece back
 - shoulder seam to extend onto the front
- ♦ one-piece set-in short sleeves with mock-cuffs
- ♦ shaped side seams
- ♦ straight bottom hem

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	2 of 21

4. Illustrations

Illustrations are not to scale and are for guidance only.



Figure 1 - Front



Figure 2 - Back

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	3 of 21

5. Client Furnished Materials

The outer material will be supplied by the South African Air Force (Unless otherwise stated in the order or contract):

OUTER MATERIAL:

- ♦ the fabric shall be a polyester/cotton blend
- ♦ quantity supplied shall be in accordance with the material ratings agreed upon between the South African Air Force and the successful tenderer in order to fulfil the contract
- ♦ outer material for pre-production samples and for testing purposes to be estimated and rated additionally

6. Component Materials

The following materials shall be supplied and used by the manufacturer. Trim charts shall also be submitted by the manufacturer (see Annex A).

6.1 Interlining

- ♦ an acceptable fusible woven or non-woven interlining
- ♦ to comply with the requirements of SANS 1254 "Fusible Interlinings"
- ♦ interlining to be so bonded to the outer material that the bonded material:
 - has a uniform finish
 - is free from perforations, untreated areas and other imperfections (e.g. blisters and ripples)
- ♦ suitable for use in garments which are to be washed
- ♦ quality of the interlining to be such that it is capable of withstanding the following:
 - machine wash of up to 95° C
- ♦ colour to be white
- ♦ see Annex C for guidelines on fusing conditions

The selection of interlining of appropriate mass per unit area to be determined by consultation with the supplier of the interlining. The manufacturer will be held responsible for the performance of the interlining.

The purchaser reserves the right to change the type of interlining used during production, should the appearance of the finished garments be unsatisfactory.

6.2 Buttons

- ♦ two-hole plastics
- ♦ nominal diameter of 12 mm
- ♦ to comply with the requirements of SANS 1457 "Plastics buttons"
- ♦ dope-dyed
- ♦ fully impregnated
- ♦ colour to be clear white

6.3 Threads

- ♦ to comply with relevant requirements of SANS 1362 "Sewing threads"

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	4 of 21

- ♦ colour to be white

Sewing and buttonhole thread:

- ♦ polyester-and-cotton core-spun **OR** staple polyester
- ♦ ticket No 120

Overlocking thread:

- ♦ crimp-textured polyester **OR** crimp-textured polyamide
- ♦ ticket No 140

7. Workmanship

The blouses shall be:

- ♦ cut and made with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Shall be free from:

- ♦ defects, that affect their appearance or may affect their serviceability (or both)
- ♦ marks
- ♦ spots
- ♦ stains, incurred in the making-up

Seams and stitches shall be:

- ♦ smooth and uniform
- ♦ free from twists, pleats and puckers
- ♦ sufficiently extensible to avoid seam cracking and undue shrinkage in use


Ends of sewing shall be:

- ♦ trimmed and loose threads removed
- ♦ back-tacked if unsecured

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	5 of 21

8. Sizes and dimensions

Blouse measurements:



Measuring point		Description
A – A	Bust circumference	Measure at the base of the scye, with the garment spread completely flat, all buttons fastened, with open pleats and multiply by two.
B – B	Back length	Measure from the centre back neck seam to the bottom hem.
C – C	Back width	Measure across the width of the back at the midpoint of the scye, from sleeve seam to sleeve seam.
A – D	Sleeve length	Measure along the underarms seam, from the base of the scye to the outer edge of the cuff.
D – D	Cuff circumference	Measure along the outer edge of the cuff and multiply by two.
B – E	Depth of scye	Measure from the centre back neck to the level of the base of the scye.
F – F	Hip circumference	Measure across the hip position, approximately 20 cm – 22 cm (depending on the size) below the waist position, with the garment spread completely flat, all buttons fastened, multiply by two.

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	6 of 21

Table 1 - Size range

1	2	3	4	5	6	7	8	9
National Stock Number	Size designation ¹	Bust Circumference	Hip circumference	Back length	Sleeve length	Cuff circumference	Back width	Depth of scye ²
18-025-3089	30	89.5	97.5	67	13	34	39	24
18-025-3033	32	92	100	68	13	35	40	24.5
18-025-3044	34	97	105	69	13	36	41	25
18-025-3046	36	102	110	70	13	37	42	25.5
18-025-3050	38	107	115	71	13	38	43	26
18-025-3052	40	112	120	72	13	39	44	26.5
18-025-3055	42	117	125	73	14	40	45	27
18-025-3057	44	122	130	74	14	41	46	27.5
18-025-3060	46	128	136	75	14	42	47.2	28
18-025-3068	48	134	142	76	15	42	48.4	28.5
18-025-3090	50	140	148	77	15	43	49.6	29
18-025-3093	52	146	154	78	15	43	50.8	29.5

¹ Based on the bust circumference of the wearer in inches. Increments increase from size 46 onwards, therefore it is not a true inch conversion on these sizes.

² To serve as a guideline.

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	7 of 21

9. Make

Illustrations are not to scale and are for guidance only, and unless inconsistent with the text, all measurements are nominal.

9.1 Fronts

Fronts to:

- ♦ fasten right over left
- ♦ have an underarm bust dart
 - to extend from the side seam towards the bust point
- ♦ have a waist suppression dart
 - to extend from the waist to the bottom hem
 - top edge of the waist dart to be horizontally stitched on the inside, forming a pleat
 - to be left untrimmed to facilitate alterations
- ♦ have a 20 mm lapel step
- ♦ have a 6 mm edge-stitching along the:
 - front edge
 - gorge seam up to the shoulder seam
- ♦ have a grown-on facing
- ♦ have shaped side seams
- ♦ have straight bottom hems

Right front to:

- ♦ fitted with five buttonholes
 - shirt-type buttonholes
 - vertical
 - of finished length 15 mm
 - neatly made and barred at the ends
 - positioned 15 mm from the front edge
 - first buttonhole positioned at the breakpoint of the lapel, 10 cm below the step of the lapel
 - the remaining buttonholes to be equidistantly spaced at 8 -10 cm intervals, depending on the size




Figure 3 – Left inside view




Figure 4 – Positioning of buttons

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	8 of 21

Left front to:

- ♦ fitted with five buttons
 - in corresponding positions to the buttonholes
 - properly secured




Figure 5 – Design elements on forepart

9.2 Facings

Facings to:

- ♦ be grown-on (cut-in-one with forepart)
- ♦ be interlined with interlining
 - interlining to extend from the shoulder seam to 10 mm below the first buttonhole and button respectively
- ♦ of finished width 60 mm at the shoulder seam and bottom hem
- ♦ shaped and overlocked along the free edges

9.3 Collar

Collar to be:

NOTE: Sufficient follow shall be given to the fall of the collar that when the blouse is worn, there shall be enough length on the leaf edge to allow the collar to fit comfortably around the neck.

- ♦ a one-piece open-neck collar
- ♦ of outer material
- ♦ lined with outer material
- ♦ top collar to be interlined with interlining
- ♦ to extend from 20 mm from the left front edge to 20 mm from the right front edge
- ♦ edge-stitched 6 mm along all free edges
- ♦ such that the points shall be of finished length 60 mm
- ♦ of finished depth 75 mm (measured at centre back)
- ♦ smooth and free from curl (to lie flat)

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	9 of 21

- ♦ points to be shaped in such a way that when the collar is turned down (as when the blouse is worn), the points shall be 10° up from the horizontal (see figure 7)




Figure 6 – Right front facing

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	10 of 21




Figure 7 – Angle of collar points

9.4 Back

Backs shall:

- ♦ be one-piece
- ♦ cut in such a way that the shoulder seams shall be positioned 75 mm forward of the natural shoulder line
 - measured on size designation 40
 - graded proportionally on smaller and larger sizes
 - edge-stitched 6 mm (stitching positioned on back panel)
- ♦ have two waist suppression darts
 - to extend from the waist to the bottom hem
 - top edge of waist dart to be horizontally stitched on the inside, forming a pleat
 - to be left untrimmed to facilitate alterations
- ♦ fitted with a button at the shoulder area, in a corresponding position to the buttonhole on the shoulder strap (centre of button to be 15 mm forward of natural shoulder line)
- ♦ have shaped side seams
- ♦ a straight bottom hem

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	11 of 21




Figure 8 – Construction of mock cuff

9.5 Sleeves

The sleeves shall be:

- ♦ one-piece
- ♦ set-in
- ♦ short
- ♦ seamed under the arms

The sleeves shall have:

- ♦ a mock cuff
 - of finished width 35 mm
 - interlined with interlining
 - stitched 6 mm from the edges
 - hemmed after underarm seam is closed

9.6 Shoulder straps

The straps shall:

- ♦ be of outer material
- ♦ lined with outer material
- ♦ interlined with interlining
- ♦ have mitred points
 - mitre to be of length 15 mm (measured from the base of the mitre to the point)
- ♦ be of width 45 mm at the sleeve insertion seams, tapering to 40 mm at the base of the mitre
- ♦ be fitted with a buttonhole
 - centrally positioned at the base of the mitre
 - shirt type buttonhole
 - neatly made and barred at the ends
 - of finished length 15 mm
- ♦ be of such length that the buttonhole shall fasten to the button 25 mm from the collar seam
- ♦ edge-stitched 6 mm along all free edges
- ♦ be sewn into the sleeve insertion seam
- ♦ be positioned in such a way that the centre line of the strap shall be 15 mm forward of the natural shoulder line

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	12 of 21




Figure 9 – Positioning of shoulder strap




Figure 10 – Positioning button and buttonhole

9.7 Spare buttons

Two spare buttons shall:

- ♦ be sewn to the left facing, near the bottom hem

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	13 of 21

9.8 Bottom hem

The bottom hem shall be:

- ♦ of finished width 10 mm

10. Stitches, Seams and Stitchings

10.1 Stitches

main seaming: safety stitch


overlocking: three-thread overlocking stitch

other stitches: single needle lock stitch

10.2 Seams

Seams to be at least 10 mm wide (unless otherwise stated):

Shoulder, side, sleeve and sleeve-insertion seams: seam type SSa



Superimpose two or more plies of material and seam with one row of stitches positioned at the specific distance(s) from the aligned edges.

Edges of shoulder straps and collar: seam type SSe-2



Form seam Type SSa-1, using two plies of material. Then turn back each ply at the seam and seam through the turned edges with the appropriate number of rows of stitches.

Shoulder seams: seam type LSq-2



Form seam Type SSa-1, using two plies of material. Then turn back the top ply at the seam and seam with the appropriate number of rows of stitches.

10.3 Stitchings


Exposed raw edges: stitching type EFd-1



Stitch over the edge of a ply of material with one row of stitches.

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	14 of 21

Bottom hem: stitching type EFb-1



Turn in the specified width at the edge of a ply of material, fold back the turned edge, and stitch the turned-in and folded portion with the appropriate number of rows of stitches.

10.4 Number of stitches

The determination of sewing stitches per unit length will be done in accordance with SANS 5278 "Sewing stitches per unit length"

All seams: 40 ± 4 per 10 cm

overlocking: 32 ± 4 per 10 cm

top-stitching: 40 ± 4 per 10 cm

buttonholes: 12 ± 1 per 1 cm

button: 12 ± 1 per button

11. Care-labelling and marking

11.1 Label properties

All labels shall:

- ♦ be white woven rayon labels that are printed
- ♦ comply with SANS 1309 "Printed labels for textiles"
 - information to be in legible and indelible block letters of height at least 3 mm
- ♦ permanently secured
- ♦ be such that they outlast the garments (including the markings)

11.2 Care-labelling







- ♦ Each garment to have a label that is permanently secured
 - to provide appropriate care instructions (in accordance with SANS 10011 "Care-labelling of textile piece-goods, textile articles and clothing" and table 2) in words and symbols
 - to provide the fibre composition of the fabric in accordance with the requirements of SANS 10235 "Fibre content labelling of textiles and textile products"

11.3 Marking

- ♦ Each blouse to have, sewn in with the back neck seam, a label that provides the following information:
 - the National Stock Number
 - the size designation
 - the manufacturer's name or trade mark or both
 - the year of manufacture
 - the VAT no of the contractor
 - the country of origin, i.e. "Made in the RSA"

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	15 of 21

Table 2 – Care instructions

	Wash at 40°C maximum
	Do not bleach
	Do not tumble dry
	Warm Iron 150°C maximum
	Do not dry-clean
	Dry in the shade ¹
	Do not use starch

1. Any of the natural drying processes, as long as it is in the shade.

12. Packaging and marking of packaging

12.1 Packing

12.1.1 The blouses shall be:

- ♦ delivered in a pressed and commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ neatly packed in a plastics bag of suitable size and shape
- ♦ unless otherwise specified in the order or contract, acceptably packed for transportation in bulk containers that comply with the requirements of SALM 108 "Corrugated board boxes for clothing"

12.1.2 Blouses:

- ♦ of the same size designation to be packed together in a bulk container (unless quantities ordered are such that packing together of the same size only is not justified)
- ♦ of different size designations may also be packed together to accommodate the last part of an order or contract

12.2 Marking

12.2.1 Plastics bags

Each bag to be clearly marked with the following information:

- ♦ the designation
- ♦ the size designation
- ♦ the National Stock Number

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	16 of 21

12.2.2 Bulk containers

Each bulk container shall be labelled as given in paragraph 11.2 of SALM 108 "Corrugated board boxes for clothing".

12.3 Additional marking

When so required by the South African Air Force, blouses, plastics bags or containers (or any combination of these) to bear information additional to that specified above.

13. Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this specification. All documents are subject to revision and, since any reference to a document is deemed to be a reference to the latest edition of that document, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the documents indicated below. Information on currently valid national, international and CKS documents may be obtained from SABS Standards Division*.

SALM 108, *Corrugated board boxes for clothing.*

SANS 1254, *Fusible interlinings.*

SANS 1309, *Printed labels for textiles.*

SANS 1362, *Sewing threads.*

SANS 1457, *Plastics buttons.*

SANS 5278, *Sewing stitches per unit length.*

SANS 10011, *Care-labelling of textile piece-goods, textile articles and clothing.*

SANS 10235, *Fibre-content labelling of textiles and textile products.*

SANS 10371, *Terms and definitions for clothing.*

* South African Bureau of Standards: Tel. +27 (0) 12 4287911

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	17 of 21

ANNEX A

(Normative)

Special conditions of tender

A-1 GENERAL

- A-1.1** Unless otherwise stated, the South African Air Force or an appointed SANAS accredited inspection body shall be the inspecting authority.
- A-1.2** Three pre-production sample blouses (in different sizes, of which one shall be size 36), shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 6) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- A-1.3** The blouses shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on blouses supplied to this specification may be in progress.
- A-1.4** The contractor shall inspect the finished blouses for compliance with the specification before submitting them to the inspecting authority for final inspection.
- A-1.5** Before acceptance, the blouses shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the blouses, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number, quantity, etc

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	18 of 21

ANNEX B

(Normative)

CKS 129 Colours

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

NOTE 1: Before fabric is sent to the Inspection Authority for colour registration purposes, the successful bidder shall confirm with the Inspection Authority whether a submission is required or not.

NOTE 2: This Annex is only applicable in instances where the tender or contract states that the successful tenderer will supply the relevant outer material.

A. The following scenarios require a submission of three metres of fabric from the successful bidder:

1. A colour standard is archived.
2. First time registration is required (CKS 129 colour number does not exist).
3. The custodian of the CKS 129 library is out of stock.

B. Requirements for the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful bidder.
2. The fabric shall be used to make new colour swatches which shall be the responsibility of the custodian of the CKS 129 library.
3. The cost of the three metres of fabric shall be incorporated in the relevant bid submission.



Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	19 of 21

ANNEX C

(Informative)

Fusing conditions

Table C.1 – Fusing conditions for interlining

1 Machinery	2 Time	3 Pressure	4 Temperature		6 Application
			Machine	Glueline	
	15-20 seconds + Test	2 - 4 bar 2 - 4 kp/cm ² 20 - 40 N/cm ²	160 °C +	150 – 160 °C	Collar Facings Cuffs
	15-20 seconds + Test	200 - 350 mbar 200 - 350p/cm ²	160 °C +	150 – 160 °C	Collar Facings Cuffs

IMPORTANT:

Fusing conditions indicated are guidelines only. It is recommended that fusing trials and subsequent care treatments are carried out before production commences.

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	20 of 21

For office use only		
HISTORY SHEET		
DOC ISSUE	DATE	AMENDMENTS/HISTORY
1	1991	First release
2	July 1999	
3	July 2006	New format Replaced SABS with SANS Insert colour reference Insert care instructions New additional stock numbers Interlining note Shoulder straps 15 mm forward of natural shoulder line.
4	May 2010	a) Updated format, illustrations and layout of spec. b) Add Annex B and C. c) Add reference SANS 1457. Add depth of scye as a guideline.
5	July 2010	Add special measurements NSN
05.1	November 2018	Amend size chart – shift sizes two sizes down (measurements of size 82 became the measurements of size 92) Change to Imperial sizing Add hip measurement and increase hip dimensions Amend Annex A and B Amend colour of outer material as per updated textile specification Shoulder seam position to be aligned with new sizing
05.2	January 2019	Change outer material description Standardized on pattern and sizing for L/S, S/S and evening wear blouses Delete section 14 Add 1 cm to the bust circumference (garment to measure 102 cm on size 36/92 cm and not 101 cm)
06.0	September 2022	6 th Release
06.1	November 2023	Added additional illustration to clarify the existing text regarding the angle of the collar points (it appears on new sample that angle of collar points has been interpreted differently than in previous years) Add additional definition of how the collar point angle should be measured Add figure numbers. Change description of thread and button colour
07.0	November 2023	7 th Release

Doc No	Date	Responsibility	Version	Page
SALM 009	November 2023	SAAF	V07.0	21 of 21