



#### Type. G

Crealco Swift 38 or eq. approved top hung aluminium casement window, per layout. Casement sash 1500 x 1200mm max capacity  
Fixing lugs suitable for fixing to plastered brickwork reveals.

#### Exposure

AAAMSA exposure category: A3. SANS613 - 2000Pa wind load capacity

#### Coating:

Class 2 powder coated to SANS 10322:2014; Coatings in accordance with SANS 1796 using powders in accordance with SANS 1578.

#### colour:

TBC. Provisionally Mat Black

#### Furniture

500mm Stays, 13mm stack, capacity 28Kg. Crealco code STF-TH600S-304 or equal app

Handles - Per manufacturers specification to suite operation indicated.

#### Glazing

Glazing throughout to be 12mm thick toughened safety glass, per PFG Armourplate.

#### SHGC

Req. 0.7

#### U-Value

Req. 5.8 W/m².K (system)

#### Mesh security screen:

Per Trellidor Clearguard casement window, consisting of: 89x23 box section outer frame .  
s/steel woven mesh screen in 42x33 casement framing . Finish- Powder coated of colour to match window frame.  
Locking with cylinder deadlatch and escutcheon, at max 600mm cc. 100mm sinkless S/steel hinges.

#### Blinds / Curtains:

Vertical Louvre blinds, polycotton drape, 127mm width vanes, cord operable. 45x25 Aluminium head rail, per Hospitrack, Hospi-Lux

#### QUANTITY:

1

Incl Blinds and security mesh

WG14

#### NOTES:

1. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO MANUFACTURE.
2. WINDOWS DRAWN AS VIEW FROM EXTERIOR.

#### REVISIONS

| Rev. | Date       | Description                   | By |
|------|------------|-------------------------------|----|
| A    | 2024.08.06 | Window & description updated. | PD |
| B    | 2024.08.13 | Security mesh added.          | PD |

#### PROJECT:

PORT SHEPSTONE HOSPITAL  
NEW PSYCHIATRIC WARD

#### DRAWING DESCRIPTION:

WINDOW SCHEDULE  
WINDOW TYPE G

#### Architect:

ARTEK 4 ARCHITECTS (KZN) CC

Durban: 46 Lena Ahrens Road, Glenwood, Durban 4000  
tel: 031 201 0445 fax: 031 201 6609 email: admin@artek4.co.za  
Port Shepstone: 19 Tradewinds, Marine Drive, Shelly Beach  
tel: 039 682 2447 fax: 039 682 2446 email: admin@artek4.co.za



| Scale | Date       | Drawn | Project No. | Drawing No. | Rev. |
|-------|------------|-------|-------------|-------------|------|
| 1:25  | 14.11.2022 | WP    | 1518        | 401-7       | B    |