

Item	Description	Minimum Stock	Unit Rate (Excl. VAT)
1	Semi-positive rotary piston volumetric type brass bodied water meter as specified:	-	
1,1	15mm diameter	50	
1,2	20mm diameter	50	
1,3	25mm diameter	50	
2	Size 3 (15mm diameter) Concentric plastic bodied semi-positive rotary piston volumetric type water meter as specified	50	
3	Semi-positive rotary piston volumetric type plastic bodied water meter as specified .	-	
3,1	15mm diameter	50	
3,2	20mm diameter	50	
3,3	25mm diameter	50	
4,1	ELSTER EZ3 meterbox with 15mm diameter meter with specified three way control valve or equivalent.	50	
4,2	ELSTER EZ3 meterbox with 15mm diameter meter without three-way valve control or equivalent.	50	
4,3	ELSTER SURFACE meterbox with 15mm diameter meter with specified three way control valve or equivalent.	50	
4,4	ELSTER SURFACE meterbox with 15mm diameter meter without three-way valve control.	50	
4,5	ELSTER WALL MOUNT meterbox with 15mm diameter meter and specified three-way valve control or equivalent.	50	
4,6	ELSTER WALL MOUNT meterbox with 15mm diameter meter without three-way valve control or equivalent.	50	
5	SENSUS 220c 15mm diameter meter with specified three way control valve in a Msunduzi Municipality approved plastic above-ground meterbox or equivalent.	50	
6	Tailpieces complete with nut and fibre washers for use with water meters offered in ITEM 1 above.	-	
6,1	15mm diameter	200	
6,2	20mm diameter	200	
6,3	25mm diameter	200	
7	Mechanical turbine water meters as specified. Flanged inlet and outlet. Flanges drilled to Table 1600 of S.A.B.S. 1123 of 1977 (as amended).	-	
7,1	50mm Diameter	20	
7,2	80mm Diameter	20	
7,3	100mm Diameter	20	
7,4	150mm Diameter	20	
7,5	200mm Diameter	20	
8	Standpipes as specified:	-	
8,1	Complete unit	20	
8,2	Faceplate with controls(excluding PRV)	20	
8,3	Faceplate with controls (including PRV)	20	
9	Dirt traps/sieves as specified.Supplied with all gaskets, bolts and nuts. Double flanged and drilled Flanges drilled to Table 1600 of S.A.B.S. 1123 of 1977 (as amended).	-	
9,1	50mm Diameter	20	
9,2	80mm Diameter	20	
9,3	100mm Diameter	20	
9,4	150mm Diameter	20	
9,5	200mm Diameter	20	
9,6	250mm Diameter	20	

10	Dirt traps/sieves as specified WITHOUT the sight glass. Supplied with all gaskets, bolts and nuts. Double flanged and drilled Flanges drilled to Table 1600 of S.A.B.S. 1123 of 1977 (as amended).	-	
10,1	50mm Diameter	20	
10,2	80mm Diameter	20	
10,3	100mm Diameter	20	
10,4	150mm Diameter	20	
10,5	200mm Diameter	20	
10,6	250mm Diameter	20	
11	Plastic alternative to the standard 15mm brass tap. (SABS Approved)	50	
12	2500 litre Plastic water storage tanks (High Profile) as specified	10	
13	5000 litre Plastic water storage tanks (High Profile) as specified	10	
14	10 000 litre Plastic water storage tanks (High Profile) as specified	10	
15	Tie-in Point Equal AND Unequal T-Piece Flanges to Suit. (Table 1600 drill pattern)	-	
15,1	Water Meter Connections Size = 50mm	-	
15,11	Pipe Size: 75mm = 75mm x 50mm x 75mm		
15,12	Pipe Size: 90mm = 90mm x 50mm x 90mm		
15,13	Pipe Size: 110mm = 110mm x 50mm x 110mm		
15,14	Pipe Size: 160mm = 160mm x 50mm x 160mm		
15,15	Pipe Size: 200mm = 200mm x 50mm x 200mm		
15,16	Pipe Size: 250mm = 250mm x 50mm x 250mm		
15,17	Pipe Size: 315mm = 315mm x 50mm x 315mm		
15,18	Pipe Size: 355mm = 355mm x 50mm x 355mm		
15,19	Pipe Size: 400mm = 400mm x 50mm x 400mm		
15,2	Water Meter Connections Size = 80mm	-	
15,21	Pipe Size: 90mm = 90mm x 80mm x 90mm		
15,22	Pipe Size: 110mm = 110mm x 80mm x 110mm		
15,23	Pipe Size: 160mm = 160mm x 80mm x 160mm		
15,24	Pipe Size: 200mm = 200mm x 80mm x 200mm		
15,25	Pipe Size: 250mm = 250mm x 80mm x 250mm		
15,26	Pipe Size: 315mm = 315mm x 80mm x 315mm		
15,27	Pipe Size: 355mm = 355mm x 80mm x 355mm		
15,28	Pipe Size: 400mm = 400mm x 80mm x 400mm		
15,3	Water Meter Connections Size = 100mm	-	
15,31	Pipe Size: 110mm = 110mm x 100mm x 110mm		
15,32	Pipe Size: 160mm = 160mm x 100mm x 160mm		
15,33	Pipe Size: 200mm = 200mm x 100mm x 200mm		
15,34	Pipe Size: 250mm = 250mm x 100mm x 250mm		
15,35	Pipe Size: 315mm = 315mm x 100mm x 315mm		
15,36	Pipe Size: 355mm = 355mm x 100mm x 355mm		
15,37	Pipe Size: 400mm = 400mm x 100mm x 400mm		
15,4	Water Meter Connections Size = 150mm	-	
15,41	Pipe Size: 160mm = 160mm x 150mm x 160mm		
15,42	Pipe Size: 200mm = 200mm x 150mm x 200mm		
15,43	Pipe Size: 250mm = 250mm x 150mm x 250mm		
15,44	Pipe Size: 315mm = 315mm x 150mm x 315mm		
15,45	Pipe Size: 355mm = 355mm x 150mm x 355mm		
15,46	Pipe Size: 400mm = 400mm x 150mm x 400mm		
15,5	Water Meter Connections Size = 200mm	-	
15,51	Pipe Size: 200mm = 200mm x 200mm x 200mm		
15,52	Pipe Size: 250mm = 250mm x 200mm x 250mm		
15,53	Pipe Size: 315mm = 315mm x 200mm x 315mm		
15,54	Pipe Size: 355mm = 355mm x 200mm x 355mm		

15,55	Pipe Size: 400mm = 400mm x 200mm x 400mm		
15,6	Water Meter Connections Size = 250mm	-	
15,61	Pipe Size: 250mm = 250mm x 250mm x 250mm		
15,62	Pipe Size: 315mm = 315mm x 250mm x 315mm		
15,63	Pipe Size: 355mm = 355mm x 250mm x 355mm		
15,64	Pipe Size: 400mm = 400mm x 250mm x 400mm		
15,7	Water Meter Connections Size = 300mm	-	
15,71	Pipe Size: 315mm = 315mm x 300mm x 315mm		
15,72	Pipe Size: 355mm = 355mm x 300mm x 355mm		
15,73	Pipe Size: 400mm = 400mm x 300mm x 400mm		
16	90 Degree Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,1	50mm Dia x 90 Deg Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,11	500mm Length		
16,12	1000mm Length		
16,13	1250mm Length		
16,14	1500mm Length		
16,15	1750mm Length		
16,16	2000mm Length		
16,17	2250mm Length		
16,18	2500mm Length		
16,2	80mm Dia x 90 Deg Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,21	500mm Length		
16,22	1000mm Length		
16,23	1250mm Length		
16,24	1500mm Length		
16,25	1750mm Length		
16,26	2000mm Length		
16,27	2250mm Length		
16,28	2500mm Length		
16,3	100mm Dia x 90 Deg Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,31	500mm Length		
16,32	1000mm Length		
16,33	1250mm Length		
16,34	1500mm Length		
16,35	1750mm Length		
16,36	2000mm Length		
16,37	2250mm Length		
16,38	2500mm Length		
16,4	150mm Dia x 90 Deg Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,41	500mm Length		
16,42	1000mm Length		
16,44	1250mm Length		
16,44	1500mm Length		
16,45	1750mm Length		
16,46	2000mm Length		
16,47	2250mm Length		
16,48	2500mm Length		
16,5	200mm Dia x 90 Deg Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,51	500mm Length		
16,52	1000mm Length		
16,55	1250mm Length		
16,55	1500mm Length		
16,55	1750mm Length		
16,56	2000mm Length		
16,57	2250mm Length		

16,58	2500mm Length		
16,6	250mm Dia x 90 Deg Spool Piece Powder Coated (Varying Length) Flanged Ends (Table 1600)	-	
16,61	500mm Length		
16,62	1000mm Length		
16,63	1250mm Length		
16,64	1500mm Length		
16,65	1750mm Length		
16,66	2000mm Length		
16,67	2250mm Length		
16,68	2500mm Length		
17	50mm Diameter Threaded Loose Flange (Table 1600)		
18	50mm Diameter Stainless Steel Nipple		
19	50mm Ball Valve (M/F)		
20	50mm Dia x 90 Deg with Steel Spool Piece 100mm Long F.B.E.		
21,10	50mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
21,16	50mm (Dia) x 150mm (Length)		
21,17	50mm (Dia) x 175mm (Length)		
21,18	50mm (Dia) x 200mm (Length)		
21,19	50mm (Dia) x 240mm (Length)		
21,20	50mm (Dia) x 300mm (Length)		
21,21	50mm (Dia) x 450mm (Length)		
21,22	50mm (Dia) x 600mm (Length)		
21,23	50mm (Dia) x 700mm (Length)		
21,24	50mm (Dia) x 750mm (Length)		
21,25	50mm (Dia) x 800mm (Length)		
21,26	50mm (Dia) x 850mm (Length)		
21,27	50mm (Dia) x 900mm (Length)		
21,28	50mm (Dia) x 1000mm (Length)		
22,1	80mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
22,16	80mm (Dia) x 150mm (Length)		
22,17	80mm (Dia) x 175mm (Length)		
22,18	80mm (Dia) x 200mm (Length)		
22,19	80mm (Dia) x 240mm (Length)		
22,2	80mm (Dia) x 300mm (Length)		
22,21	80mm (Dia) x 450mm (Length)		
22,22	80mm (Dia) x 600mm (Length)		
22,23	80mm (Dia) x 700mm (Length)		
22,24	80mm (Dia) x 750mm (Length)		
22,25	80mm (Dia) x 800mm (Length)		
22,26	80mm (Dia) x 850mm (Length)		
22,27	80mm (Dia) x 900mm (Length)		
22,28	80mm (Dia) x 1000mm (Length)		
23,1	100mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
23,16	100mm (Dia) x 150mm (Length)		
23,17	100mm (Dia) x 175mm (Length)		
23,18	100mm (Dia) x 200mm (Length)		
23,19	100mm (Dia) x 240mm (Length)		
23,2	100mm (Dia) x 300mm (Length)		
23,21	100mm (Dia) x 450mm (Length)		
23,22	100mm (Dia) x 600mm (Length)		
23,23	100mm (Dia) x 700mm (Length)		
23,24	100mm (Dia) x 750mm (Length)		
23,25	100mm (Dia) x 800mm (Length)		
23,26	100mm (Dia) x 850mm (Length)		
23,27	100mm (Dia) x 900mm (Length)		
23,28	100mm (Dia) x 1000mm (Length)		

24,1	150mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
24,16	150mm (Dia) x 150mm (Length)		
24,17	150mm (Dia) x 175mm (Length)		
24,18	150mm (Dia) x 200mm (Length)		
24,19	150mm (Dia) x 240mm (Length)		
24,2	150mm (Dia) x 300mm (Length)		
24,21	150mm (Dia) x 450mm (Length)		
24,22	150mm (Dia) x 600mm (Length)		
24,23	150mm (Dia) x 700mm (Length)		
24,24	150mm (Dia) x 750mm (Length)		
24,25	150mm (Dia) x 800mm (Length)		
24,26	150mm (Dia) x 850mm (Length)		
24,27	150mm (Dia) x 900mm (Length)		
24,28	150mm (Dia) x 1000mm (Length)		
25,1	200mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
25,16	200mm (Dia) x 150mm (Length)		
25,17	200mm (Dia) x 175mm (Length)		
25,18	200mm (Dia) x 200mm (Length)		
25,19	200mm (Dia) x 240mm (Length)		
25,2	200mm (Dia) x 300mm (Length)		
25,21	200mm (Dia) x 450mm (Length)		
25,22	200mm (Dia) x 600mm (Length)		
25,23	200mm (Dia) x 700mm (Length)		
25,24	200mm (Dia) x 750mm (Length)		
25,25	200mm (Dia) x 800mm (Length)		
25,26	200mm (Dia) x 850mm (Length)		
25,27	200mm (Dia) x 900mm (Length)		
25,28	200mm (Dia) x 1000mm (Length)		
26,1	250mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
26,16	250mm (Dia) x 150mm (Length)		
26,17	250mm (Dia) x 175mm (Length)		
26,18	250mm (Dia) x 200mm (Length)		
26,19	250mm (Dia) x 240mm (Length)		
26,2	250mm (Dia) x 300mm (Length)		
26,21	250mm (Dia) x 450mm (Length)		
26,22	250mm (Dia) x 600mm (Length)		
26,23	250mm (Dia) x 700mm (Length)		
26,24	250mm (Dia) x 750mm (Length)		
26,25	250mm (Dia) x 800mm (Length)		
26,26	250mm (Dia) x 850mm (Length)		
26,27	250mm (Dia) x 900mm (Length)		
26,28	250mm (Dia) x 1000mm (Length)		
27,1	300mm Diameter Stainless Steel Spool Piece Powder Coated Flanged (Table 1600)	-	
27,16	300mm (Dia) x 150mm (Length)		
27,17	300mm (Dia) x 175mm (Length)		
27,18	300mm (Dia) x 200mm (Length)		
27,19	300mm (Dia) x 240mm (Length)		
27,2	300mm (Dia) x 300mm (Length)		
27,21	300mm (Dia) x 450mm (Length)		
27,22	300mm (Dia) x 600mm (Length)		
27,23	300mm (Dia) x 700mm (Length)		
27,24	300mm (Dia) x 750mm (Length)		
27,25	300mm (Dia) x 800mm (Length)		
27,26	300mm (Dia) x 850mm (Length)		
27,27	300mm (Dia) x 900mm (Length)		
27,28	300mm (Dia) x 1000mm (Length)		
28	Butterfly Valve Wafered Flanged (Table 1600) PN16	-	

28,1	50mm		
28,2	80mm		
28,3	100mm		
28,4	150mm		
28,5	200mm		
28,6	250mm		
28,7	300mm		
29	Flanged Gate Valve (Table 1600) PN16	-	
29,1	50mm		
29,2	80mm		
29,3	100mm		
29,4	150mm		
29,5	200mm		
29,6	250mm		
29,7	300mm		
30,1	Nylon Flow Control Washers	-	
30,11	15mm (OD) x 1,5mm (ID)		
30,12	15mm (OD) x 3mm (ID)		
30,13	15mm (OD) x 5mm (ID)		
30,14	15mm (OD) x 7mm (ID)		
30,15	15mm (OD) x 10mm (ID)		
30,16	20mm (OD) x 1,5mm (ID)		
30,17	20mm (OD) x 3mm (ID)		
30,18	20mm (OD) x 5mm (ID)		
30,19	20mm (OD) x 7mm (ID)		
30,2	20mm (OD) x 10mm (ID)		
30,21	25mm (OD) x 1,5mm (ID)		
30,22	25mm (OD) x 3mm (ID)		
30,23	25mm (OD) x 5mm (ID)		
30,24	25mm (OD) x 7mm (ID)		
30,25	25mm (OD) x 10mm (ID)		
31,1	Stainless Steel Flow Control Washers	-	
31,11	15mm (OD) x 1,5mm (ID)		
31,12	15mm (OD) x 3mm (ID)		
31,13	15mm (OD) x 5mm (ID)		
31,14	15mm (OD) x 7mm (ID)		
31,15	15mm (OD) x 10mm (ID)		
31,16	20mm (OD) x 1,5mm (ID)		
31,17	20mm (OD) x 3mm (ID)		
31,18	20mm (OD) x 5mm (ID)		
31,19	20mm (OD) x 7mm (ID)		
31,2	20mm (OD) x 10mm (ID)		
31,21	25mm (OD) x 1,5mm (ID)		
31,22	25mm (OD) x 3mm (ID)		
31,23	25mm (OD) x 5mm (ID)		
31,24	25mm (OD) x 7mm (ID)		
31,25	25mm (OD) x 10mm (ID)		
32	Three-Way Control Valve Female Threaded Stand alone unit as specified for Item 3	-	
32,1	15mm		
32,2	20mm		
32,3	25mm		
33	Brass Stop-ends	-	
33,1	15mm		
33,2	20mm		
33,3	25mm		
34	Loose Stainless Steel Blank Flange Powder Coated RED Paint (Table 1600) PN16	-	
34,1	50mm		
34,2	80mm		
34,3	100mm		

34,4	150mm		
34,5	200mm		
34,6	250mm		
34,7	300mm		
35	Stainless Steel M16 Nut & Bolt Sets	-	
35,1	65mm		
35,2	75mm		
35,3	85mm		
35,4	95mm		
35,5	100mm		
36	250mm Water pump plier w/ plastic coated handles (spk type) 10 - tradesman	20	
37	350mm pipe wrench ductile casting body with forged carbon steel jaws, hardened and tempered	20	
38	450mm pipe wrench ductile casting body with forged carbon steel jaws, hardened and tempered	20	
39	Hexagonal Allen Key Set. Chrome Vanadium Steel. 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm per set	10	
40	17mm Spanner Chrome Vanadium	20	
41	19mm Spanner Chrome Vanadium	20	
42	24mm Spanner Chrome Vanadium	20	
43	32mm Spanner Chrome Vanadium	20	
44	300mm Shifting Spanner Chrome Vanadium	20	
45	375mm Shifting Spanner Chrome Vanadium	20	
46	Wrench Plasson for HDPE Compression Fittings 16 - 40mm	20	
47	Wrench Plasson for HDPE Compression Fittings 40 - 75mm	20	
48	Wrench Plasson for HDPE Compression Fittings 63 - 125mm	20	
49	Plumber Tool Box 1 x Pipe Wrench 350mm 1 x Waterpump Plier 250mm 1 x Basin Wrench 300mm 1 x Adjustable Wrench 250mm 1 x Combination Plier 180mm 1 x Locking Pliers 250mm 1 x Pipe Cutter 3-15mm & 3-28mm 1 x File - Half Round 200mm 1 x PVC Pipe Cutter 42mm 1 x Hex Keys 9pcs - (1.5mm to 10mm) 1 x Screwdrivers - (PH1, PH2, Slotted 3.2x75mm, 4x100mm, 6x100mm, 8x150mm) 1 x Trimming Blade with x5 Spare Blades 1 x Mini Hacksaw 1 x 5m Measuring Tape 1 x Builders Pencil	10	
50	300mm Shatterproof Hacksaw Blade 24TPI	50	
51	200mm Half Round File	10	
52	PVC Pipe Cutter 42mm	10	
53	Pipe Cutter 3-15mm	10	
54	Pipe Cutter 3-28mm	10	
55	Measuring Tape (10m)	10	
56	85Pc Tool Box as per Specification	10	
57	Water Pressure Guage (BAR/PSI)	-	
57,1	0 - 4 bar	10	
57,2	0 - 10 bar	10	
57,3	0 - 16 bar	10	
END OF PRICING SCHEDULE			