

CAISSON TYPE 7 BASE

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82				
										A	B	C	D	E or R
TYPE 7 CAISSON BASE	1	126	Y	20	TTB01A	126	3 650,0	1134	45	1200	395	2100	1160	
	1	126	Y	20	TTB01B	126	2 850,0	886	45	1200	395	1300	1160	
	1	1	Y	20	TTB04A	1	3 650,0	9	45	1200	395	2100	1160	
	1	1	Y	20	TTB04B	1	2 900,0	7	45	1200	415	1300	1160	
	1	1	Y	20	TTB04C	1	3 700,0	9	45	1200	435	2100	1160	
	1	1	Y	20	TTB04D	1	2 950,0	7	45	1200	455	1300	1160	
	1	1	Y	20	TTB04E	1	3 750,0	9	45	1200	475	2100	1160	
	1	1	Y	20	TTB04F	1	2 950,0	7	45	1200	495	1300	1160	
	1	1	Y	20	TTB04G	1	3 800,0	9	45	1200	510	2100	1160	
	1	1	Y	20	TTB04H	1	3 000,0	7	45	1200	530	1300	1160	
	1	1	Y	20	TTB04I	1	3 800,0	9	45	1200	550	2100	1160	
	1	1	Y	20	TTB04J	1	3 050,0	8	45	1200	565	1300	1160	
	1	1	Y	20	TTB04K	1	3 850,0	10	45	1200	585	2100	1160	
	1	1	Y	20	TTB04L	1	3 100,0	8	45	1200	605	1300	1160	
	1	1	Y	20	TTB04M	1	3 900,0	10	45	1200	625	2100	1160	
	1	1	Y	20	TTB04N	1	3 100,0	8	45	1200	645	1300	1160	
	1	1	Y	20	TTB04O	1	3 950,0	10	45	1200	660	2100	1160	
	1	1	Y	20	TTB04P	1	3 150,0	8	45	1200	680	1300	1160	
	1	1	Y	20	TTB04Q	1	3 950,0	10	45	1200	700	2100	1160	
	1	1	Y	20	TTB04R	1	3 200,0	8	45	1200	718	1300	1160	
	1	1	Y	20	TTB04S	1	4 000,0	10	45	1200	735	2100	1160	
	1	1	Y	20	TTB04T	1	3 250,0	8	45	1200	755	1300	1160	
	1	1	Y	20	TTB04U	1	4 050,0	10	45	1200	775	2100	1160	
	1	1	Y	20	TTB04V	1	3 250,0	8	45	1200	795	1300	1160	
	1	1	Y	20	TTB04W	1	4 100,0	10	45	1200	815	2100	1160	
	1	1	Y	20	TTB04X	1	3 300,0	8	45	1200	835	1300	1160	
	1	25	Y	20	TTB05A	25	4 100,0	253	45	1200	840	2100	1160	
	1	24	Y	20	TTB05B	24	3 300,0	195	45	1200	840	1300	1160	
	1	1	Y	20	TTB06A	1	3 250,0	8	45	1200	790	1300	1160	
	1	1	Y	20	TTB06B	1	4 000,0	10	45	1200	745	2100	1160	
	1	1	Y	20	TTB06C	1	3 150,0	8	45	1200	700	1300	1160	
	1	1	Y	20	TTB06D	1	3 950,0	10	45	1200	655	2100	1160	
	1	1	Y	20	TTB06E	1	3 100,0	8	45	1200	611	1300	1160	
	1	1	Y	20	TTB06F	1	3 850,0	10	45	1200	565	2100	1160	
	1	1	Y	20	TTB06G	1	3 000,0	7	45	1200	525	1300	1160	
	1	1	Y	20	TTB06H	1	3 750,0	9	45	1200	475	2100	1160	
	1	1	Y	20	TTB06I	1	2 900,0	7	45	1200	435	1300	1160	
	1	280	Y	32	TB01A	280	6 450,0	11402	20	6450				
	1	167	Y	32	TB01B	168	6 200,0	6576	20	6200				
	1	84	Y	25	TB02A	84	6 500,0	2104	20	6500				
	1	27	Y	32	TB04A	27	6 150,0	1048	20	6150				
	1	27	Y	32	TB04B	27	5 350,0	912	20	5350				
	1	84	Y	25	TT01A	84	10 200,0	3302	20	10200				
	1	71	Y	25	TT02A	71	6 500,0	1778	62	3750	1050	2750		
	1	71	Y	25	TT02B	71	4 850,0	1327	62	3750	1050	1100		
	1	1	Y	25	TT04A	1	6 300,0	24	62	3525	974	2750		
	1	1	Y	25	TT04B	1	4 500,0	17	62	3390	936	1100		
	1	1	Y	25	TT04C	1	6 050,0	23	62	3255	899	2750		
	1	1	Y	25	TT04D	1	4 250,0	16	62	3120	861	1100		
	1	1	Y	25	TT04E	1	5 750,0	22	62	2985	823	2750		
	1	1	Y	25	TT04F	1	3 950,0	15	62	2850	785	1100		
	1	1	Y	25	TT04G	1	5 500,0	21	62	2715	747	2750		
	1	1	Y	25	TT04H	1	3 700,0	14	62	2580	709	1100		
	1	1	Y	25	TT04I	1	5 300,0	20	62	2550	705	2750		
	1	1	Y	25	TT04J	1	4 000,0	15	62	2870	793	1100		
	1	1	Y	25	TT04K	1	5 950,0	23	62	3195	882	2750		
	1	1	Y	25	TT04L	1	4 650,0	18	62	3520	972	1100		
	1	12	Y	25	TT05A	12	5 250,0	243	62	2480	685	2750		
	1	12	Y	25	TT05B	12	3 600,0	167	62	2480	685	1100		
	1	4	Y	16	L01	4	10 300,0	65	34	10150				
	1	4	Y	16	L02	4	9 100,0	58	34	8950				
	1	4	Y	16	L03	4	7 950,0	50	34	7790				
	1	26	Y	25	ST01	26	4 450,0	446	83	800	1455	400	400	










CAISSON TYPE 7 BASE

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82				
										A	B	C	D	E or R
	1	51	Y	20	SR01A	51	2 300,0	289	99	SEE SKETCH				
	1	66	Y	20	SR01B	66	3 150,0	513	99	SEE SKETCH				
	1	66	Y	20	SR01C	66	3 800,0	619	99	SEE SKETCH				
	1	102	Y	20	SR01D	102	4 600,0	1157	72	1530	950			
	1	1	Y	20	LB01A	1	2 800,0	7	37	340	2500			
	1	1	Y	20	LB01B	1	4 850,0	12	37	380	4500			
	1	1	Y	20	LB01C	1	2 900,0	7	37	440	2500			
	1	1	Y	20	LB01D	1	4 950,0	12	37	480	4500			
	1	1	Y	20	LB01E	1	3 000,0	7	37	540	2500			
	1	1	Y	20	LB01F	1	5 050,0	13	37	580	4500			
	1	1	Y	20	LB01G	1	3 100,0	8	37	640	2500			
	1	1	Y	20	LB01H	1	5 150,0	13	37	700	4500			
	1	1	Y	20	LB01I	1	3 250,0	8	37	770	2500			
	1	1	Y	20	LB01J	1	5 300,0	13	37	830	4500			
	1	1	Y	20	LB01K	1	4 800,0	12	37	340	4500			
	1	1	Y	20	LB01L	1	2 850,0	7	37	380	2500			
	1	1	Y	20	LB01M	1	4 900,0	12	37	440	4500			
	1	1	Y	20	LB01N	1	2 950,0	7	37	480	2500			
	1	1	Y	20	LB01O	1	5 000,0	12	37	540	4500			
	1	1	Y	20	LB01P	1	3 050,0	8	37	580	2500			
	1	1	Y	20	LB01Q	1	5 100,0	13	37	640	4500			
	1	1	Y	20	LB01R	1	3 150,0	8	37	700	2500			
	1	1	Y	20	LB01S	1	5 250,0	13	37	770	4500			
	1	1	Y	20	LB01T	1	3 300,0	8	37	830	2500			
	1	1	Y	32	LB02A	1	3 100,0	20	37	680	2500			
	1	1	Y	32	LB02B	1	5 150,0	33	37	730	4500			
	1	1	Y	32	LB02C	1	3 200,0	20	37	790	2500			
	1	1	Y	32	LB02D	1	5 300,0	34	37	850	4500			
	1	1	Y	32	LB02E	1	3 350,0	21	37	900	2500			
	1	1	Y	32	LB02F	1	5 400,0	34	37	960	4500			
	1	1	Y	32	LB02G	1	3 450,0	22	37	1020	2500			
	1	1	Y	32	LB02H	1	5 500,0	35	37	1080	4500			
	1	1	Y	32	LB02I	1	3 550,0	22	37	1140	2500			
	1	1	Y	32	LB02J	1	5 600,0	35	37	1190	4500			
	1	1	Y	32	LB02K	1	5 100,0	32	37	680	4500			
	1	1	Y	32	LB02L	1	3 150,0	20	37	730	2500			
	1	1	Y	32	LB02M	1	5 200,0	33	37	790	4500			
	1	1	Y	32	LB02N	1	3 300,0	21	37	850	2500			
	1	1	Y	32	LB02O	1	5 350,0	34	37	900	4500			
	1	1	Y	32	LB02P	1	3 400,0	22	37	960	2500			
	1	1	Y	32	LB02Q	1	5 450,0	34	37	1020	4500			
	1	1	Y	32	LB02R	1	3 500,0	22	37	1080	2500			
	1	1	Y	32	LB02S	1	5 550,0	35	37	1140	4500			
	1	1	Y	32	LB02T	1	3 600,0	23	37	1190	2500			
	1	38	Y	32	LB03	38	12 000,0	2879	20	12000				
	1	16	Y	32	LB04A	16	3 600,0	364	37	1150	2500			
	1	16	Y	32	LB04B	16	5 600,0	566	37	1150	4500			
	1	1	Y	32	LB05A	1	3 000,0	19	37	570	2500			
	1	1	Y	32	LB05B	1	5 050,0	32	37	625	4500			
	1	1	Y	32	LB05C	1	3 100,0	20	37	680	2500			
	1	1	Y	32	LB05D	1	5 150,0	33	37	730	4500			
	1	1	Y	32	LB05E	1	3 200,0	20	37	790	2500			
	1	1	Y	32	LB05F	1	5 300,0	34	37	850	4500			
	1	1	Y	32	LB05G	1	3 350,0	21	37	900	2500			
	1	1	Y	32	LB05H	1	5 400,0	34	37	960	4500			
	1	1	Y	32	LB05I	1	3 450,0	22	37	1020	2500			
	1	1	Y	32	LB05J	1	5 500,0	35	37	1080	4500			
	1	1	Y	32	LB05K	1	3 550,0	22	37	1140	2500			
	1	1	Y	32	LB05L	1	5 600,0	35	37	1190	4500			
	1	1	Y	32	LB05M	1	5 000,0	32	37	570	4500			
	1	1	Y	32	LB05N	1	3 050,0	19	37	625	2500			
	1	1	Y	32	LB05O	1	5 100,0	32	37	680	4500			
	1	1	Y	32	LB05P	1	3 150,0	20	37	730	2500			
	1	1	Y	32	LB05Q	1	5 200,0	33	37	790	4500			
	1	1	Y	32	LB05R	1	3 300,0	21	37	850	2500			
	1	1	Y	32	LB05S	1	5 350,0	34	37	900	4500			
	1	1	Y	32	LB05T	1	3 400,0	22	37	960	2500			
	1	1	Y	32	LB05U	1	5 450,0	34	37	1020	4500			
	1	1	Y	32	LB05V	1	3 500,0	22	37	1080	2500			
	1	1	Y	32	LB05W	1	5 550,0	35	37	1140	4500			
	1	1	Y	32	LB05X	1	3 600,0	23	37	1190	2500			
	1	146	Y	25	LTB01A	146	12 000,0	6751	20	12000				
	1	44	Y	25	LTB02A	44	8 350,0	1416	38	4500	1475	2500		
	1	44	Y	25	LTB02B	44	8 350,0	1416	38	2500	1475	4500		

CAISSON TYPE 7 BASE

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82				
										A	B	C	D	E or R
	1	2	Y	25	LTB04A	2	4 700,0	36	38	765	3280	765		
	1	2	Y	25	LTB04B	2	4 450,0	34	38	710	3150	710		
	1	2	Y	25	LTB04C	2	4 200,0	32	38	650	3020	650		
	1	2	Y	25	LTB04D	2	3 950,0	30	38	600	2890	600		
	1	2	Y	25	LTB04E	2	3 750,0	29	38	550	2760	550		
	1	2	Y	25	LTB04F	2	3 500,0	27	38	490	2630	490		
	1	2	Y	25	LTB04G	2	3 250,0	25	38	440	2500	440		
	1	2	Y	25	LTB04H	2	2 950,0	23	38	380	2340	380		
	1	2	Y	25	LTB04I	2	9 950,0	77	38	765	8550	765		
	1	2	Y	25	LTB04J	2	9 550,0	74	38	710	8245	710		
	1	2	Y	25	LTB04K	2	9 100,0	70	38	650	7940	650		
	1	2	Y	25	LTB04L	2	8 700,0	67	38	600	7630	600		
	1	2	Y	25	LTB04M	2	8 300,0	64	38	550	7320	550		
	1	2	Y	25	LTB04N	2	7 850,0	61	38	490	7015	490		
	1	2	Y	25	LTB04O	2	7 450,0	57	38	440	6710	440		
	1	2	Y	25	LTB04P	2	7 050,0	54	38	380	6400	380		
	1	1	Y	20	LT01A	1	4 800,0	12	37	340	4500			
	1	1	Y	20	LT01B	1	2 800,0	7	37	340	2500			
	1	9	Y	20	LT02A	9	4 850,0	108	37	400	4500			
	1	9	Y	20	LT02B	9	2 850,0	63	37	400	2500			
	1	38	Y	25	LT03A	38	5 100,0	747	37	650	4500			
	1	38	Y	25	LT03B	38	3 100,0	454	37	650	2500			
	1	710	Y	20	S01	710	4 250,0	7442	37	250	4045			
	1	186	Y	32	S02	186	4 300,0	5049	37	320	4045			
	1	56	Y	32	S03	56	5 750,0	2033	37	320	5520			
	1	4	Y	32	S04A	4	5 700,0	144	37	320	5445			
	1	4	Y	32	S04B	4	5 600,0	141	37	320	5345			
	1	4	Y	32	S04C	4	5 500,0	139	37	320	5245			
	1	4	Y	32	S04D	4	5 400,0	136	37	320	5145			
	1	4	Y	32	S04E	4	5 300,0	134	37	320	5045			
	1	4	Y	32	S04F	4	5 200,0	131	37	320	4945			
	1	4	Y	32	S04G	4	5 100,0	129	37	320	4845			
	1	4	Y	32	S04H	4	5 000,0	126	37	320	4745			
	1	4	Y	32	S04I	4	4 900,0	124	37	320	4645			
	1	4	Y	32	S04J	4	4 800,0	121	37	320	4545			
	1	86	Y	32	S05	86	4 750,0	2579	37	320	4480			
												</		

CAISSON TYPE 7 BASE

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82																																																																																																																	
										A	B	C	D	E or R																																																																																																													
<div><div><div>SR01A Y20</div><div>CUT LENGTH: 2300mm</div><div></div></div><div><div>SR01B Y20</div><div>CUT LENGTH: 3150mm</div><div></div></div><div><div>SR01C Y20</div><div>CUT LENGTH: 3800mm</div><div></div></div></div>																																																																																																																											
<table><tr><td colspan="2">Engineers</td><td colspan="6"><div><div></div><div>ORIGINATOR: ZAA</div><div>Date: 2019.07.26</div><div>Compiled: DM</div><div>Checked: MS</div><div>Approved: J ZIETSMAN Pr Eng</div><div>Signed:</div></div></td><td colspan="6"><table><tr><td>MILD STEEL</td><td>R8</td><td>0</td></tr><tr><td></td><td>R10</td><td>0</td></tr><tr><td></td><td>R12</td><td>0</td></tr><tr><td></td><td>R16</td><td>0</td></tr><tr><td></td><td>R20</td><td>0</td></tr><tr><td></td><td>R32</td><td>0</td></tr><tr><td colspan="2">TOTAL R BARS =</td><td>0 kg</td></tr></table><table><tr><td>HIGH YIELD STEEL</td><td>Y10</td><td>0</td></tr><tr><td></td><td>Y12</td><td>0</td></tr><tr><td></td><td>Y16</td><td>173</td></tr><tr><td></td><td>Y20</td><td>13 158</td></tr><tr><td></td><td>Y25</td><td>21 140</td></tr><tr><td></td><td>Y32</td><td>35 936</td></tr><tr><td colspan="2">TOTAL Y BARS =</td><td>70 407 kg</td></tr></table></td><td colspan="4"><div><div></div><div>Transnet National Ports Authority</div><div>Date:</div><div>Name:</div><div>Signed:</div></div></td></tr><tr><td colspan="2">ZAA SCHEDULE No.</td><td colspan="6">DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING</td><td colspan="4">TNPA SCHEDULE No.</td></tr><tr><td colspan="2">1785-CO-060-C-SCH-0017-01 T0A</td><td colspan="6"></td><td colspan="4">2122830-1-060-C-SC-1016-01 T0A</td></tr><tr><td colspan="2">ZAA REFERENCE DRAWING</td><td colspan="6">TITLE</td><td colspan="4">TNPA REFERENCE DRAWING</td></tr><tr><td colspan="2">1785-CO-060-C-DWG-0017-01</td><td colspan="6">REINFORCEMENT SCHEDULE CAISSON TYPE 7 BASE</td><td colspan="4">2122830-1-060-C-GA-1016-01</td></tr></table>																Engineers		<div><div></div><div>ORIGINATOR: ZAA</div><div>Date: 2019.07.26</div><div>Compiled: DM</div><div>Checked: MS</div><div>Approved: J ZIETSMAN Pr Eng</div><div>Signed:</div></div>						<table><tr><td>MILD STEEL</td><td>R8</td><td>0</td></tr><tr><td></td><td>R10</td><td>0</td></tr><tr><td></td><td>R12</td><td>0</td></tr><tr><td></td><td>R16</td><td>0</td></tr><tr><td></td><td>R20</td><td>0</td></tr><tr><td></td><td>R32</td><td>0</td></tr><tr><td colspan="2">TOTAL R BARS =</td><td>0 kg</td></tr></table> <table><tr><td>HIGH YIELD STEEL</td><td>Y10</td><td>0</td></tr><tr><td></td><td>Y12</td><td>0</td></tr><tr><td></td><td>Y16</td><td>173</td></tr><tr><td></td><td>Y20</td><td>13 158</td></tr><tr><td></td><td>Y25</td><td>21 140</td></tr><tr><td></td><td>Y32</td><td>35 936</td></tr><tr><td colspan="2">TOTAL Y BARS =</td><td>70 407 kg</td></tr></table>						MILD STEEL	R8	0		R10	0		R12	0		R16	0		R20	0		R32	0	TOTAL R BARS =		0 kg	HIGH YIELD STEEL	Y10	0		Y12	0		Y16	173		Y20	13 158		Y25	21 140		Y32	35 936	TOTAL Y BARS =		70 407 kg	<div><div></div><div>Transnet National Ports Authority</div><div>Date:</div><div>Name:</div><div>Signed:</div></div>				ZAA SCHEDULE No.		DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING						TNPA SCHEDULE No.				1785-CO-060-C-SCH-0017-01 T0A								2122830-1-060-C-SC-1016-01 T0A				ZAA REFERENCE DRAWING		TITLE						TNPA REFERENCE DRAWING				1785-CO-060-C-DWG-0017-01		REINFORCEMENT SCHEDULE CAISSON TYPE 7 BASE						2122830-1-060-C-GA-1016-01			
Engineers		<div><div></div><div>ORIGINATOR: ZAA</div><div>Date: 2019.07.26</div><div>Compiled: DM</div><div>Checked: MS</div><div>Approved: J ZIETSMAN Pr Eng</div><div>Signed:</div></div>						<table><tr><td>MILD STEEL</td><td>R8</td><td>0</td></tr><tr><td></td><td>R10</td><td>0</td></tr><tr><td></td><td>R12</td><td>0</td></tr><tr><td></td><td>R16</td><td>0</td></tr><tr><td></td><td>R20</td><td>0</td></tr><tr><td></td><td>R32</td><td>0</td></tr><tr><td colspan="2">TOTAL R BARS =</td><td>0 kg</td></tr></table> <table><tr><td>HIGH YIELD STEEL</td><td>Y10</td><td>0</td></tr><tr><td></td><td>Y12</td><td>0</td></tr><tr><td></td><td>Y16</td><td>173</td></tr><tr><td></td><td>Y20</td><td>13 158</td></tr><tr><td></td><td>Y25</td><td>21 140</td></tr><tr><td></td><td>Y32</td><td>35 936</td></tr><tr><td colspan="2">TOTAL Y BARS =</td><td>70 407 kg</td></tr></table>						MILD STEEL	R8	0		R10	0		R12	0		R16	0		R20	0		R32	0	TOTAL R BARS =		0 kg	HIGH YIELD STEEL	Y10	0		Y12	0		Y16	173		Y20	13 158		Y25	21 140		Y32	35 936	TOTAL Y BARS =		70 407 kg	<div><div></div><div>Transnet National Ports Authority</div><div>Date:</div><div>Name:</div><div>Signed:</div></div>																																																																			
MILD STEEL	R8	0																																																																																																																									
	R10	0																																																																																																																									
	R12	0																																																																																																																									
	R16	0																																																																																																																									
	R20	0																																																																																																																									
	R32	0																																																																																																																									
TOTAL R BARS =		0 kg																																																																																																																									
HIGH YIELD STEEL	Y10	0																																																																																																																									
	Y12	0																																																																																																																									
	Y16	173																																																																																																																									
	Y20	13 158																																																																																																																									
	Y25	21 140																																																																																																																									
	Y32	35 936																																																																																																																									
TOTAL Y BARS =		70 407 kg																																																																																																																									
ZAA SCHEDULE No.		DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING						TNPA SCHEDULE No.																																																																																																																			
1785-CO-060-C-SCH-0017-01 T0A								2122830-1-060-C-SC-1016-01 T0A																																																																																																																			
ZAA REFERENCE DRAWING		TITLE						TNPA REFERENCE DRAWING																																																																																																																			
1785-CO-060-C-DWG-0017-01		REINFORCEMENT SCHEDULE CAISSON TYPE 7 BASE						2122830-1-060-C-GA-1016-01																																																																																																																			