



NEC3 Supply Contract (SC3)

**Between ESKOM HOLDINGS SOC Ltd
(Reg No. 2002/015527/30)**

and

**for Supply and delivery of Civil consumables as and
when required basis for a five-year period for Stock
Replenishment at Lethabo Power Station**

Contents:

Part C1 Agreements & Contract Data

Part C2 Pricing Data

Part C3 Scope of Work

CONTRACT No.

PART C1: AGREEMENTS & CONTRACT DATA

Contents:

C1.1 Form of Offer and Acceptance

C1.2a Contract Data provided by the *Purchaser*

C1.2b Contract Data provided by the *Supplier*

C1.3 Proforma Guarantees

C1.1 Form of Offer & Acceptance

Offer

The Purchaser, identified in the Acceptance signature block, has solicited offers to enter into a contract for the procurement of:

Supply and delivery of civil consumables as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station

The tenderer, identified in the Offer signature block, has

<i>either</i>	examined the documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.
<i>or</i>	examined the draft contract as listed in the Acceptance section and agreed to provide this Offer.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the *Supplier* under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the *conditions of contract* identified in the Contract Data.

	The offered total of the Prices exclusive of VAT is	
	Value Added Tax @ 15% is	
	The offered total of the amount due inclusive of VAT is ¹	
	(in words)	

This Offer may be accepted by the Purchaser by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the *Supplier* in the *conditions of contract* identified in the Contract Data.

Signature(s)

Name(s)

Capacity

**For the
tenderer:**

(Insert name and address of organisation)

Name &
signature of
witness

Date

¹ This total is required by the *Purchaser* for budgeting purposes only. Actual amounts due will be assessed in terms of the *conditions of contract*.

Acceptance

By signing this part of this Form of Offer and Acceptance, the Purchaser identified below accepts the tenderer's Offer. In consideration thereof, the Purchaser shall pay the Supplier the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Purchaser and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data
Part C3	Scope of Work: Goods Information including Supply Requirements

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Purchaser's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions of contract* identified in the Contract Data at, or just after, the date this agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed and signed original copy of this document, including the Schedule of Deviations (if any).

Signature(s)

Name(s)

Capacity

**for the
Purchaser**

**Eskom Holdings SOC Ltd, Megawatt Park, Maxwell Drive, Sandton, Johannesburg,
2199**

(Insert name and address of organisation)

Name &
signature of
witness

Date

Note: If a tenderer wishes to submit alternative tenders, use another copy of this Form of Offer and Acceptance.

Schedule of Deviations to be completed by the *Purchaser* prior to contract award

Note:

1. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
2. The extent of deviations from the tender documents issued by the Purchaser prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here and the final draft of the contract documents shall be revised to incorporate the effect of it.

No.	Subject	Details
1	N/A	N/A

By the duly authorised representatives signing this Schedule of Deviations below, the Purchaser and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

For the tenderer:**For the Purchaser**

Signature

Name

Capacity

On behalf of *(Insert name and address of organisation)*
**Eskom Holdings SOC Ltd, Megawatt
Park, Maxwell Drive, Sandton,
Johannesburg, 2199**
Name &
signature
of witness

Date

C1.2 SC3 Contract Data

Part one - Data provided by the *Purchaser*

Completion of this data in full, according to the Options chosen, is essential to create a complete contract.

Clause	Statement	Data
1	General	
	The <i>conditions of contract</i> are the core clauses and the clauses for Options	
		X1: Price adjustment for inflation
		X2: Changes in the law
		X7: Delay damages
		Z: <i>Additional conditions of contract</i>
	of the NEC3 Supply Contract (April 2013) ²	(If the December 2009 edition is to be used delete April 2013 and replace by December 2013)
10.1	The <i>Purchaser</i> is (name):	Eskom Holdings SOC Ltd (reg no: 2002/015527/30), a state-owned company incorporated in terms of the company laws of the Republic of South Africa
	Address	Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg
	Tel No.	[•]
	Fax No.	[•]
10.1	The <i>Supply Manager</i> is (name):	
	Address	
	Tel	
	Fax	
	e-mail	
11.2(13)	The <i>goods</i> are	Supply and delivery of Civil consumables as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station as stated on C3.1 "Purchaser's Goods Information"
11.2(14)	The following matters will be included in the Risk Register	<ol style="list-style-type: none"> 1. Delay on delivery date 2. Delays due to failed quality tests. 3. Community Unrest 4. Safe offloading by Eskom

		4. Improper storage and use of goods upon delivery						
		5. Non-conformance to specification						
11.2(15)	The Goods Information is in	Part 3: Scope of Work and all documents and drawings to which it makes reference.						
11.2(15)	The Supply Requirements as part of the Goods Information is in	Annexure A to this Contract Data						
12.2	The <i>law of the contract</i> is the law of	the Republic of South Africa						
13.1	The <i>language of this contract</i> is	English						
13.3	The <i>period for reply</i> is	2 working days						
2	The <i>Supplier's</i> main responsibilities	Data required by this section of the core clauses is provided by the Supplier in Part 2 and terms in italics used in this section are identified elsewhere in this Contract Data.						
3	Time	The contract expiry shall be based on either the contract term of 5 (five) years and/or the total contract value, whichever occurs first will determine and give effect to the contract expiry, unless otherwise agreed						
30.1	The <i>starting date</i> is.							
30.1	The <i>delivery date</i> of the <i>goods</i> is:	<table><tr><th><i>goods</i></th><th><i>delivery date</i></th></tr><tr><td>Supply and delivery of Civil Consumables as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station</td><td>As per the Purchase Order</td></tr><tr><td>Supplier to keep minimum spares (consignment stock). The minimum quantities will be as agreed by both parties</td><td></td></tr></table>	<i>goods</i>	<i>delivery date</i>	Supply and delivery of Civil Consumables as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station	As per the Purchase Order	Supplier to keep minimum spares (consignment stock). The minimum quantities will be as agreed by both parties	
<i>goods</i>	<i>delivery date</i>							
Supply and delivery of Civil Consumables as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station	As per the Purchase Order							
Supplier to keep minimum spares (consignment stock). The minimum quantities will be as agreed by both parties								
30.2	The <i>Supplier</i> does not bring the <i>goods</i> to the Delivery Place more than 4 weeks before the Delivery Date.	Unless agreed in writing by both parties						
31.1	The <i>Supplier</i> is to submit a first programme for acceptance within	1 week of the Contract Date.						
32.2	The <i>Supplier</i> submits revised programmes at intervals no longer than	2 weeks.						
4	Testing and defects							
42	The <i>defects date</i> is	52 weeks from the date of delivery. In the event of a defect, the repaired goods						

		shall be re-warranted for a period of 12 months from the date of repair or replacement. Repairs or replacement shall be the sole and exclusive remedy for defects
43.2	The <i>defect correction period</i> is	2 weeks – To address the defect at hand and to determine the corrective action and timelines that will be required
42.2	The <i>defects access period</i> is	5 days
5	Payment	
50.1	The <i>assessment interval</i> is	As per Task order
51.1	The <i>currency of this contract</i> is the	South African Rand
51.2	The period within which payments are made is	Fourteen days (14) days after receipt of valid tax invoice
51.4	The <i>interest rate</i> is	<p>the publicly quoted prime rate of interest (calculated on a 365 day year) charged from time to time by the Standard Bank of South Africa Limited (as certified, in the event of any dispute, by any manager of such bank, whose appointment it shall not be necessary to prove) for amounts due in Rands and</p> <p>(ii) the LIBOR rate applicable at the time for amounts due in other currencies. LIBOR is the 6 month London Interbank Offered Rate quoted under the caption “Money Rates” in The Wall Street Journal for the applicable currency or if no rate is quoted for the currency in question then the rate for United States Dollars, and if no such rate appears in The Wall Street Journal then the rate as quoted by the Reuters Monitor Money Rates Service (or such service as may replace the Reuters Monitor Money Rates Service) on the due date for the payment in question, adjusted <i>mutatis mutandis</i> every 6 months thereafter and as certified, in the event of any dispute, by any manager employed in the foreign exchange department of The Standard Bank of South Africa Limited, whose appointment it shall not be necessary to prove.</p>
6	Compensation events	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.
7	Title	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.
8	Risks, liabilities, indemnities and insurance	

80.1	These are additional <i>Purchaser's</i> risks	1. Delay on delivery date 2. Community Unrest 3. Safe offloading by Eskom 4. Improper storage and use of goods upon delivery 5. Non-conformance to specification
88.1	The <i>Supplier's</i> liability to the <i>Purchaser</i> for indirect or consequential loss, including loss of profit, revenue and goodwill is limited to	R0.0 (zero Rand)
88.2	For any one event, the <i>Supplier's</i> liability to the <i>Purchaser</i> for loss of or damage to the <i>Purchaser's</i> property is limited to	(1) for the <i>Purchaser's</i> existing and surrounding property in the care, custody and control of the <i>Supplier</i> the amount of the deductible (first amount payable) relevant to the event and (2) for all other existing <i>Purchaser's</i> property the applicable deductible as at contract date
88.3	The <i>Supplier's</i> liability for Defects due to his design which are not notified before the last <i>defects date</i> is limited to:	N/A
88.4	The <i>Supplier's</i> total liability to the <i>Purchaser</i> , for all matters arising under or in connection with this contract, other than the excluded matters, is limited to	N/A
88.5	The <i>end of liability date</i> is	5 years after Delivery of the whole of the goods. From start of the contract until the last date of the contract Defects to which this definition applies are defects in design, workmanship, or material which a reasonable examination would not have disclosed before end of warranty period, having a significant effect on plant performance and which are due to or arise in consequence of any "wilful act or omission" of the Supplier responsible and which within said period are notified in writing stating the nature of the defects. The burden of proof of the aforesaid shall rest with the Purchaser
9	Termination and dispute resolution	
94.1	The <i>Adjudicator</i> is	the person selected from the ICE-SA Division (or its successor body) of the South African

		Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him. (see www.ice-sa.org.za). If the Parties do not agree on an Adjudicator the Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).																								
94.2(3)	The <i>Adjudicator nominating body</i> is:	the Chairman of ICE-SA, a Division of the South African Institution of Civil Engineering, or its successor body (See www.ice-sa.org.za)																								
94.4(2)	The <i>tribunal</i> is:	arbitration																								
94.4(5)	The <i>arbitration procedure</i> is	the latest edition of Rules for the Conduct of Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body.																								
94.4(5)	The place where arbitration is to be held is	South Africa																								
	The person or organisation who will choose an arbitrator																									
	- if the Parties cannot agree a choice or																									
	- if the arbitration procedure does not state who selects an arbitrator, is	the Chairman for the time being or his nominee of the Association of Arbitrators (Southern Africa) or its successor body.																								
10	Data for Option clauses																									
X1	Price adjustment for inflation	The prices shall be fixed and firm for the first 12 months of the contract and thereafter Contract price Adjustment (CPA) will apply as per formular below																								
X1.1	The <i>base date</i> for indices is	TBA																								
	The proportions used to calculate the Price Adjustment Factor are:	<table><tr><td>proportion</td><td>linked to index for</td><td>Index prepared by</td></tr><tr><td>0.</td><td>[•]</td><td>[•]</td></tr><tr><td>0.</td><td>[•]</td><td>[•]</td></tr><tr><td>0.</td><td>[•]</td><td>[•]</td></tr><tr><td>0.</td><td>[•]</td><td>[•]</td></tr><tr><td>0.</td><td>[•]</td><td>[•]</td></tr><tr><td>[•]</td><td>non-adjustable</td><td></td></tr><tr><td>1.00</td><td></td><td></td></tr></table>	proportion	linked to index for	Index prepared by	0.	[•]	[•]	0.	[•]	[•]	0.	[•]	[•]	0.	[•]	[•]	0.	[•]	[•]	[•]	non-adjustable		1.00		
proportion	linked to index for	Index prepared by																								
0.	[•]	[•]																								
0.	[•]	[•]																								
0.	[•]	[•]																								
0.	[•]	[•]																								
0.	[•]	[•]																								
[•]	non-adjustable																									
1.00																										
X2	Changes in the law	is a compensation event if it occurs after the Contract Date																								
X2.1	A change in the law of	The Republic of South Africa is a compensation event if it occurs after the Contract Date																								
X7	Delay damages	5% of each late delivery per day to a maximum																								

	of 10% of the total task order.
Z	The <i>additional conditions of contract</i> are Z1 to Z15 always apply for Eskom

Z1 Cession delegation and assignment

- Z1.1 The *Supplier* does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the *Purchaser*.
- Z1.2 Notwithstanding the above, the *Purchaser* may on written notice to the *Supplier* cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry.

Z2 Joint ventures

- Z2.1 If the *Supplier* constitutes a joint venture, consortium or other unincorporated grouping of two or more persons or organisations then these persons or organisations are deemed to be jointly and severally liable to the *Purchaser* for the performance of this contract.
- Z2.2 Unless already notified to the *Purchaser*, the persons or organisations notify the *Supply Manager* within two weeks of the Contract Date of the key person who has the authority to bind the *Supplier* on their behalf.
- Z2.3 The *Supplier* does not alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without the consent of the *Purchaser* having been given to the *Supplier* in writing.

Z3 Change of Broad Based Black Economic Empowerment (B-BBEE) status

- Z3.1 Where a change in the *Supplier's* legal status, ownership or any other change to his business composition or business dealings results in a change to the *Supplier's* B-BBEE status, the *Supplier* notifies the *Purchaser* within seven days of the change.
- Z3.2 The *Supplier* is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the *Supply Manager* within thirty days of the notification or as otherwise instructed by the *Supply Manager*.
- Z3.3 Where, as a result, the *Supplier's* B-BBEE status has decreased since the Contract Date the *Purchaser* may either re-negotiate this contract or alternatively, terminate the *Supplier's* obligation to Provide the Goods and Services.
- Z3.4 Failure by the *Supplier* to notify the *Purchaser* of a change in its B-BBEE status may constitute a reason for termination. If the *Purchaser* terminates in terms of this clause, the procedures on termination are P1, P2 and P3 as stated in clause 92, and the amount due is A1 and A3 as stated in clause 93.

Z4 Confidentiality

- Z4.1 The *Supplier* does not disclose or make any information arising from or in connection with this contract available to Others. This undertaking does not, however, apply to information which at the time of disclosure or thereafter, without default on the part of the *Supplier*, enters the public domain or to information which was already in the possession of the *Supplier* at the time of disclosure (evidenced by written records in existence at that time). Should the *Supplier*

disclose information to Others in terms of clause 23.1, the *Supplier* ensures that the provisions of this clause are complied with by the recipient.

- Z4.2 If the *Supplier* is uncertain about whether any such information is confidential, it is to be regarded as such until notified otherwise by the *Supply Manager*.
- Z4.3 In the event that the *Supplier* is, at any time, required by law to disclose any such information which is required to be kept confidential, the *Supplier*, to the extent permitted by law prior to disclosure, notifies the *Purchaser* so that an appropriate protection order and/or any other action can be taken if possible, prior to any disclosure. In the event that such protective order is not, or cannot, be obtained, then the *Supplier* may disclose that portion of the information which it is required to be disclosed by law and uses reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed.
- Z4.4 The taking of images (whether photographs, video footage or otherwise) of the *goods* or any portion thereof, in the course of Providing the Goods and Services and after Delivery, requires the prior written consent of the *Supply Manager*. All rights in and to all such images vests exclusively in the *Purchaser*.
- Z4.5 The *Supplier* ensures that all his subcontractors abide by the undertakings in this clause.

Z5 Waiver and estoppel: Add to core clause 12.3:

- Z5.1 Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the *Supply Manager* or the *Adjudicator* does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.

Z6 Health, safety and the environment: Add to core clause 25.4

- Z6.1 The *Supplier* undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the provision of the *goods* and execution of the *services*.

Without limitation the *Supplier*:

- warrants that the total of the Prices as at the Contract Date includes a sufficient amount for proper compliance with all applicable health & safety laws and regulations and the health and safety rules, guidelines and procedures provided for in this contract and generally for the proper maintenance of health & safety in and about the execution of supply and
- undertakes, in and about the execution of the supply, to comply with all applicable health & safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Supplier's* direction and control, likewise observe and comply with the foregoing.

- Z6.2 The *Supplier*, in and about the execution of the supply, complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Supplier's* direction and control, likewise observe and comply with the foregoing.

Risks that were identified during the contract strategy phase

Z7 Provision of a Tax Invoice and interest. Add to core clause 51

- Z7.1 Within one week of receiving a payment certificate from the *Supply Manager* in terms of core clause 51.1, the *Supplier* provides the *Purchaser* with a tax invoice in accordance with the *Purchaser's* procedures stated in the Goods Information, showing the amount due for payment

equal to that stated in the payment certificate.

Z7.2 If the *Supplier* does not provide a tax invoice in the form and by the time required by this contract, the time by when the *Purchaser* is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the *Purchaser* in terms of core clause 51.2 is then calculated from the delayed date by when payment is to be made.

Z7.3 The *Supplier* (if registered in South Africa in terms of the companies Act) is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the *Purchaser's* VAT number 4740101508 on each invoice he submits for payment.

Z8 Notifying compensation events

Z8.1 Delete from the last sentence in core clause 61.3 the words, "unless the event arises from the *Supply Manager* giving an instruction, changing an earlier decision or correcting an assumption".

Z9 Purchaser's limitation of liability

Z9.1 The *Purchaser's* liability to the *Supplier* for the *Supplier's* indirect or consequential loss is limited to R0.00 (zero Rand)

Z9.2 The *Supplier's* entitlement under the indemnity in 83.1 is provided for in 60.1(12) and the *Purchaser's* liability under the indemnity is limited.

Z10 Termination: Add to core clause 91.1, at the second main bullet point, fourth sub-bullet point, after the words "against it":

Z10.1 or had a business rescue order granted against it.

Z11 Addition to secondary Option X7 Delay damages (if applicable in this contract)

Z11.1 If the amount due for the *Supplier's* payment of delay damages reaches the limits stated in this Contract Data for Option X7, the *Purchaser* may terminate the *Supplier's* obligation to Provide the Goods and Services using the same procedures and payment on termination as those applied for reasons R1 to R15 or R18 stated in the Termination Table.

Z12 Ethics

For the purposes of this Z-clause, the following definitions apply:

Affected Party means, as the context requires, any party, irrespective of whether it is the *Supplier* or a third party, such party's employees, agents, or Subcontractors or Subcontractor's employees, or any one or more of all of these parties' relatives or friends,

Coercive Action means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an Affected Party to act unlawfully or illegally,

Collusive Action means where two or more parties co-operate to achieve an unlawful or illegal purpose, including to influence an Affected Party to act unlawfully or illegally,

Committing means, as the context requires, the *Supplier*, or any member thereof in the case of a

- Party** joint venture, or its employees, agents, or Subcontractors or the Subcontractor's employees,
- Corrupt Action** means the offering, giving, taking, or soliciting, directly or indirectly, of a good or service to unlawfully or illegally influence the actions of an Affected Party,
- Fraudulent Action** means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid an obligation or incurring an obligation,
- Obstructive Action** means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an investigation into allegations of Prohibited Action, and
- Prohibited Action** means any one or more of a Coercive Action, Collusive Action Corrupt Action, Fraudulent Action or Obstructive Action.
- Z12.1 A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.
- Z12.2 The *Purchaser* may terminate the *Supplier's* obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the *Supplier* did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the *Purchaser* has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the *Purchaser* can terminate the *Supplier's* obligation to Provide the Services for this reason.
- Z12.3 If the *Purchaser* terminates the *Supplier's* obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.
- Z12.4 A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the *Purchaser* does not have a contractual bond with the Committing Party, the *Supplier* ensures that the Committing Party co-operates fully with an investigation.

Z13Insurance

Z 13.1 Replace core clause 84 with the following:

- Insurance cover 84**
- 84.1** When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- 84.2** The *Supplier* provides the insurances stated in the Insurance Table A for events which are at the *Supplier's* risk from the *starting date* until the last *defects date* or a termination certificate has been issued.

INSURANCE TABLE A

Insurance against	Minimum amount of cover or minimum limit of indemnity
Loss of or damage to the <i>goods</i> , plant and materials	The replacement cost where not covered by the <i>Purchaser's</i> insurance. The <i>Purchaser's</i> policy deductible as at Contract Date, where covered by the <i>Purchaser's</i> insurance.
Liability for loss of or damage to property (except the <i>goods</i> , plant and materials and equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Supplier</i>) caused by activity in connection with this contract	<u>Loss of or damage to property</u> <u>Purchaser's property</u> The replacement cost where not covered by the <i>Purchaser's</i> insurance. The <i>Purchaser's</i> policy deductible as at Contract Date, where covered by the <i>Purchaser's</i> insurance. <u>Other property</u> The replacement cost <u>Death of or bodily injury</u> The amount required by the applicable law.
Liability for death of or bodily injury to employees of the <i>Supplier</i> arising out of and in the course of their employment in connection with this contract	The amount required by the applicable law

Z 13.2 Replace core clause 87 with the following:

**Insurance by
the *Purchaser***

87

87.1 The *Purchaser* provides the insurances stated in the Insurance Table B

INSURANCE TABLE B

Insurance against or name of policy	Minimum amount of cover or minimum of indemnity
Assets All Risk	Per the insurance policy document
Contract Works insurance	Per the insurance policy document
Environmental Liability	Per the insurance policy document
General and Public Liability	Per the insurance policy document
Transportation (Marine)	Per the insurance policy document
Motor Fleet and Mobile Plant	Per the insurance policy document
Terrorism	Per the insurance policy document
Cyber Liability	Per the insurance policy document
Nuclear Material Damage and	Per the insurance policy document

Business Interruption	
Nuclear Material Damage Terrorism	Per the insurance policy document

Z14 Nuclear Liability

- Z14.1 The *Purchaser* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.
- Z14.2 The *Purchaser* is solely responsible for and indemnifies the *Supplier* or any other person against any and all liabilities which the *Supplier* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 47 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Supplier* or any other person or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.
- Z14.3 Subject to clause Z14.4 below, the *Purchaser* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Supplier* or any other person, or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.
- Z14.4 The *Purchaser* does not waive its rights provided for in section 30 (7) of Act 47 of 1999, or any replacement section dealing with the same subject matter.
- Z14.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

Z15 Asbestos

For the purposes of this Z-clause, the following definitions apply:

AAIA	means approved asbestos inspection authority.
ACM	means asbestos containing materials.
AL	means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos fibres per ml of air measured over a 4 hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the OEL.
Ambient Air	means breathable air in area of work with specific reference to breathing zone, which is defined to be a virtual area within a radius of approximately 30cm from the nose inlet.
Compliance Monitoring	means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
OEL	means occupational exposure limit.
Parallel	means measurements performed in parallel, yet separately, to existing

Measurements	measurements to verify validity of results.
Safe Levels	means airborne asbestos exposure levels conforming to the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
Standard	means the <i>Purchaser's</i> Asbestos Standard 32-303: Requirements for Safe Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos Containing Material, Equipment and Articles.
SANAS	means the South African National Accreditation System.
TWA	means the average exposure, within a given workplace, to airborne asbestos fibres, normalised to the baseline of a 4 hour continuous period, also applicable to short term exposures, i.e. 10-minute TWA.

- Z15.1 The *Purchaser* ensures that the Ambient Air in the area where the *Supplier* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.
- Z15.2 Upon written request by the *Supplier*, the *Purchaser* certifies that these conditions prevail. All measurements and reporting are effected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited and Department of Employment and Labour approved AAIA. The *Supplier* may perform Parallel Measurements and related control measures at the *Supplier's* expense. For the purposes of compliance the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z15.1. Control measures conform to the requirements stipulated in the AAIA-approved asbestos work plan.
- Z15.3 The *Purchaser* manages asbestos and ACM according to the Standard.
- Z15.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.
- Z15.5 The *Supplier's* personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.
- Z15.6 The *Supplier* continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations.
- Z15.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Purchaser* at the *Purchaser's* expense, and conducted in line with South African legislation.

SDL&I undertakings

Note: The undertakings shall be sourced from previously disadvantaged Communities around Sedibeng and Fezile Dabi District Municipalities.

Enterprise Development (ED)

The main contractor will be required to propose development in the following above mentioned district Municipalities:

Support Description	Tenderer Proposal

In addition, they will be expected to draft an ED proposal within eight weeks of contract award stage. ED agreement must be signed with the beneficiary and sent to Eskom for review and acceptance. Progress will be monitored throughout the duration of the contract. A detailed ED plan that shows impact to the beneficiary should be submitted to the employer for approval prior to contract award. The ED implementation plan should include the following:

- ☐ Clear objective.
- ☐ Priority interventions
- ☐ Key performance indicators; and
- ☐ A concise implementation plan with clearly articulated milestones

Job creation

N/A

Skills development

N/A

Annexure A: Supply Requirements

[Notes: The example given in the NEC3 Supply Contract Guidance Notes pages 15 to 20 inclusive is based on Incoterms 2000. However users will probably wish to use Incoterms 2010 which the details below are based on. Users may need to adjust the information to comply with actual requirements. First decide whether Incoterms will be used or not, then delete the arrangement below which does not apply and delete these notes]

The Supply Requirements for this contract are based on the use of INCOTERMS:

The *Supplier* supplies the *goods* in accordance with INCOTERMS 2010³ as follows:

[Select the group and then term within the group which applies and state the applicable delivery place. Delete all the other groups and this note]

Group	Category	Term	Delivery Place
E	departure	EXW	
F	main carriage unpaid	FCA, FAS, FOB	
C	main carriage paid	CFR, CIF, CPT, CIP	
D	arrival	DAT, DAP, DDP	

The Parties obligations described in Incoterms for the category and term selected are now incorporated into this contract as part of the Supply Requirements and hence the Goods Information.

The obligations of seller and buyer for the selected Incoterm determine each Party's costs, risks and insurance requirements incidental to the supply and transport of the *goods* from *Supplier* to *Purchaser*.

For each of the thirteen terms, Incoterms set out obligations of the seller (the *Supplier*) in ten paragraphs identified as A1 to A10 and the corresponding obligations of the buyer (the *Purchaser*) in paragraphs B1 to B10. These obligations cover the following subjects:

A	The <i>Supplier's</i> obligations	B	The <i>Purchaser's</i> obligations
A1	Provision of goods in conformity with contract	B1	Payment of the price
A2	Licences, authorisations and formalities	B2	Licences, authorisations and formalities
A3	Contracts of carriage and insurance	B3	Contracts of carriage and insurance
A4	Delivery	B4	Taking delivery
A5	Transfer of risks	B5	Transfer of risks
A6	Division of costs	B6	Division of costs
A7	Notice to the buyer	B7	Notice to the seller
A8	Proof of delivery, transport document or equivalent electronic message	B8	Proof of delivery, transport document or equivalent electronic message
A9	Checking - packing - marking	B9	Inspection of goods
A10	Other obligations	B10	Other obligations

[Should there be a need to amplify any of the published obligations listed above for the chosen INCOTERM, add them here.]

All other information NOT pertinent to the above is given in the balance of the Goods Information

³ International Chamber of Commerce, Incoterms 2010, Paris, January 2011

The Supply Requirements for this contract are as follows:

[Use these when INCOTERMS do not apply].

1. The requirements for the supply are	None	
2. The requirements for transport are	It is the suppliers responsibility to ensure that the goods are delivered without defects	
3. The delivery place is	Lethabo Power Station Main Stores (Receiving)	
4. Actions of the Parties during supply	Action	Party which does it
	Giving notice of Delivery	Supplier
	Checking packing and marking before dispatch	Supplier
	Contracting for transport	Supplier
	Pay costs of transport	Supplier
	Arrange access to delivery place	Purchaser
	Loading the <i>goods</i>	Supplier
	Unloading the <i>goods</i>	Purchaser
For international procurement	Undertake export requirements	Supplier
	Undertake import requirements	Supplier
5. Information to be provided by the Supplier	Title of document	
	Packing lists for cases and their contents	
	Copy of invoice for the <i>goods</i>	
	Delivery Note	
	Test results and maintenance manuals	
For international procurement	Licences, authorisations and other formalities associated with export of the <i>goods</i>	
	Air Waybill or Bill of Lading with associated landing, delivery and forwarding order	
	The Bill of Entry endorsed by the importation authority	
	Customs work sheets, showing tax, duties and surcharges which the law of the country into which the <i>goods</i> are being imported requires the importer to pay	
	Invoice from the importation clearing agent showing airline fees, landing charges, wharfage and dock dues as applicable	
	Specify other import documents required by authorised officials.	

All other information NOT pertinent to the above is given in the balance of the Goods Information

C1.2 Contract Data

Part two - Data provided by the *Supplier*

Completion of the data in full, according to Options chosen, is essential to create a complete contract.

Clause	Statement	Data				
10.1	The <i>Supplier</i> is (Name): Address Tel No. Fax No.					
11.2(8)	The Goods Information for the <i>Supplier's</i> design is in:					
11.2(11)	The tendered total of the Prices is	In words				
11.2(12)	The <i>price schedule</i> is in:					
11.2(14)	The following matters will be included in the Risk Register					
25.2	The restrictions to access for the <i>Supply Manager</i> and Others to work being done for this contract are					
30.1	The <i>delivery date</i> of the <i>goods</i> is:	<table><tr><th><i>goods</i></th><th><i>delivery date</i></th></tr><tr><td>1</td><td></td></tr></table>	<i>goods</i>	<i>delivery date</i>	1	
<i>goods</i>	<i>delivery date</i>					
1						
31.1	The programme identified in the Contract Data is contained in:					
63.2	The <i>percentage for overheads and profit</i> added to the Defined Cost is	%				

PART 2: PRICING DATA

NEC3 SUPPLY CONTRACT

Document reference	Title	No of pages
C2.1	Pricing assumptions	2
C2.2	The <i>price schedule</i>	2

C2.1 Pricing assumptions

How *goods* and *services* are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

Identified and defined terms	11	
	11.2	(11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate.
		(12) The Price Schedule is the <i>price schedule</i> unless later changed in accordance with this contract.
Assessing the amount due	50.2	The amount due is
		the Price for each lump sum item in the Price Schedule which the <i>Supplier</i> has completed, where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the <i>Supplier</i> has completed by the rate, plus other amounts to be paid to the <i>Supplier</i> , less amounts to be paid by or retained from the <i>Supplier</i> . Any tax which the law requires the <i>Purchaser</i> to pay to the <i>Supplier</i> is included in the amount due.

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods* and *services* which can be priced as lump sums or as expected quantities of *goods* and *services* multiplied by a rate, or a mix of both.

Function of the Price Schedule

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the *price schedule*;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;
- Spread the cost of doing work he chooses not to list as separate items in the *price schedule* across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for the tendered total of the Prices;

- Understood that there is no adjustment to lump sum prices in the *price schedule* if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the *Supplier* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;
- Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

Format of the *price schedule*

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

Supply and delivery of Civil consumables on as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station

NEC3 Supply Contract

Document reference	Title	No of pages
C2.1	Pricing assumptions	2
C2.2	The <i>price schedule</i>	[2]

C2.1 Pricing assumptions

1. How *goods* and *services* are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

Identified and defined terms	11	
	11.2	(11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate.
		(12) The Price Schedule is the <i>price schedule</i> unless later changed in accordance with this contract.
Assessing the amount due	50.2	The amount due is
		<ul style="list-style-type: none"> the Price for each lump sum item in the Price Schedule which the <i>Supplier</i> has completed, where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the <i>Supplier</i> has completed by the rate, plus other amounts to be paid to the <i>Supplier</i>, less amounts to be paid by or retained from the <i>Supplier</i>.
		Any tax which the law requires the <i>Purchaser</i> to pay to the <i>Supplier</i> is included in the amount due.

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods* and *services* which can be priced as lump sums or as expected quantities of *goods* and *services* multiplied by a rate, or a mix of both.

2. Function of the Price Schedule

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

3. Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the *price schedule*;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;

- Spread the cost of doing work he chooses not to list as separate items in the *price schedule* across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for the tendered total of the Prices;
- Understood that there is no adjustment to lump sum prices in the *price schedule* if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the *Supplier* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;
- Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

3.1. Format of the *price schedule*

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

C2.2 the *price schedule*

Material	Text	Base Unit of Measure	Rate	Lead time
0010142	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: BLACK; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA		
0010143	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: BLUE; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA		
0010144	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: RED; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA		
0010145	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: WHITE; PVC, TO SABS 122; 0.18MM THK; ADHESIVE	EA		
0010161	TAPE, ELECTRICAL: WIDTH: 19 MM; LENGTH: 9.15 M; MATERIAL: RUBBER; COLOR: BLACK; SPECIFICATION: C.O.C; Q4:NSF:NC:0; REFERENCE NO: 23, UNK; SUPPL P/N: SCOTCH23; 0.76MM THK; SCOTCH22; SCOTCH23	EA		
0011500	TIE, CABLE: TYPE: SELF LOCKING; DIAMETER RANGE: 30 MM; WIDTH: 3.5 MM; LENGTH: 150 MM; MATERIAL: NYLON; STRENGTH: 15 KG; COLOR: BLACK; REFERENCE NO: T30R, UNK	EA		
0011501	TIE, CABLE: TYPE: SELF LOCKING; DIAMETER RANGE: 109 MM; WIDTH: 4.7 MM; LENGTH: 395 MM; MATERIAL: NYLON; STRENGTH: 32 KG; COLOR: BLACK; SUPPL P/N: T50L; BRAND INSULOK, PLASTIC, 100 PER PACKET	EA		
0016493	TAPE, ADHESIVE: TYPE: MASKING; DIMENSIONS: WD 18 MM X LG 40 M; MATERIAL: PAPER; COLOR: BUFF; CORE SIZE: 75 MM	EA		
0016829	PAINT, OIL: TYPE: ENAMEL; COLOR: GREEN; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: STOEP; REFERENCE NO: SP2, UNK; SHOULD COMPLY WITH THE CHEMICAL HAZARDOUS SUBSTANCES REGULATION OF OCCUPATIONAL HEALTH AND SAFETY ACT; CHEMICAL DATA SHEET MUST BE SUPPLIED WITH EVERY DELIVERY	L		

0016830	PAINT, OIL: TYPE: ENAMEL; COLOR: RED; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: STOEP; REFERENCE NO: SP3, UNK; SPREADING RATE 6 M2/LITRE; DRYING TIME: TOUCH DRY 4HRS/23 DEG C; RE-COATING 16HRS/23 DEG C; DRY TO HANDLE 16HRS/23 DEG C; VISCOSITY 65 KREBS UNITS; SHOULD COMPLY WITH CHEMICAL HAZARDOUS REGULATION OF HEALTH AND SAFETY ACT; CHEMICAL DATA SHEET MUST BE SUPPLIED WITH EVERY DELIVERY	L		
0016831	PAINT, OIL: TYPE: ENAMEL; COLOR: BLACK; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFIC USE: EXTERIOR/INTERIOR; SPECIFICATION: SABS 630-1972 TYPE 1; CONTROLLING COLOURS 770, REQUIRED THE NEW STANDARD FOR RELIABILITY POINT 1 TO 16 MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATEGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		
0016836	PAINT, OIL: TYPE: ENAMEL; COLOR: YELLOW GOLDEN; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFIC USE: EXTERIOR/INTERIOR; SPECIFICATION: CKS 279-1971; SABS 630-1972; REFERENCE NO: B49, UNK; USE, MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATEGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		
0016837	PAINT, OIL: TYPE: OIL BASE; COLOR: ALUM; CONTAINER: CAN 5 L; FINISH: SEMI GLOSS; SPECIFIC USE: EXTERIOR/INTERIOR; SABS 682 1972 GRADE 1, WITH 500ML PASTE (2 TINS = 1), ON PRIMED SURFACES, MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATEGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		

0016841	PAINT STRIPPER: CONTAINER TYPE: TIN; CONTAINER CAPACITY: 5 L; SUPPL P/N: PR17; GENERAL USE; DOUBLE STRENGTH, TYPE 1 CLASS A, SABS 1323; MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED; NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED; ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED; SHALL BE BIODEGRADABLE AND OZONE FRIENDLY; COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		
0016853	TAPE, THREAD: TYPE: SEALING; WIDTH: 10 MM; MATERIAL: PTFE; COLOR: WHITE; REFERENCE NO: PTFE, UNK; WITHOUT DISPENSER; THK 0.075 MM	EA		
0017792	KIT: TYPE: ADHESIVE; COMPRISING: HARDNER PUTTY STICK 125 G; WHITE AND BROWN, GENERAL HEAVY DUTY USE, SHOULD COMPLY WITH THE CHEMICAL HAZARDOUS SUBSTANCES REGULATION OF OCCUPATIONAL HEALTH AND SAFETY ACT, CHEMEALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY	EA		
0018801	CLAMP: TYPE: C; MATERIAL: STL; REFERENCE NO: 33-5L, UNK; SCREW; FOR TURBINE	EA		
0020689	COMPOUND: TYPE: LUBRICATION; CONTAINER: CAN AEROSOL; PHYSICAL FORM: SPRAY; SUPPL P/N: DG22; GLACIER GLEIT, USED ON THE BARRING GEAR, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		
0020865	COMPOUND, SEALING: TYPE: FERMIT; COLOR: BLK; CONTAINER: CAN 650 G; OEM P/N: 9710-159, OEM: GE STEAM POWER SERVICE; 9710-160, OEM: GE STEAM POWER SERVICE; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	KG		
0039607	CLAMP, WIRE ROPE: TYPE: U-BOLT; ROPE SIZE: 20 MM; CLAMP MATERIAL: STL GALV; CROSBY, DROPPED FORGED, SABS813:1973; SINGLE GRIP, SINGLE SADDLES	EA		
0039608	CLAMP, WIRE ROPE: TYPE: SINGLE GRIP, SINGLE SADDLE; ROPE SIZE: 16 MM; CLAMP MATERIAL: STL GALV; SUPPL P/N: 858082002; CROSBY TO SABS 763, TO THE LATEST EDITION OF SABS 813 AND BEARING THE SABS MARK OF APPROVAL; U-BOLT	EA		

0039609	CLAMP, WIRE ROPE: TYPE: U-BOLT; ROPE SIZE: ID 10 MM; CLAMP MATERIAL: STL GALV; CROSBY TO THE LATEST EDITION OF SABS 813 AND BEARING THE SABS MARK OF APPROVAL; SINGLE GRIP, SINGLE SADDLES	EA		
0050506	PAINT, OIL: COLOR: BLUE; CONTAINER: CAN 80 ML; FINISH: GLOSS; SPECIFIC USE: TOUCH UP; REFERENCE NO: 518859-82, UNK; FOR TYPE MAB103B-24 OIL SEPARATOR	EA		
0053051	CLAMP, HOSE: INSIDE DIAMETER: 140 MM; MATERIAL: STL; FASTENING DEVICE TYPE: SCREW; DRAWING NO: P00234S8 REV 1; REFERENCE NO: ITEM 53, UNK; FOR FILTER MOUNTING BAND, FOR USED ON PRECIPITATORS	EA		
0053057	CLAMP: TYPE: ANVIL ARM; DIMENSIONS: WD 45 X LG 90 MM; MATERIAL: STL; DRAWING NO: E4/912XB,E4 913XB REV 1; PAIRS, USED ON THE PRECIPITATORS	EA		
0057513	CLAMP, HOSE: INSIDE DIAMETER: 17-6 MM; MATERIAL: STL; FASTENING DEVICE TYPE: WORM; SUPPL P/N: GM4; THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED	EA		
0059204	CLAMP, HOSE: INSIDE DIAMETER: 22-10 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS0600N, UNK	EA		
0059205	CLAMP, HOSE: INSIDE DIAMETER: 38-17 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS1600N, UNK; RANGE 22-38MM	EA		
0059206	CLAMP, HOSE: TYPE: HEAVY DUTY; INSIDE DIAMETER: 82-57 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS4400N, UNK; ONLY PARKER WILL BE ACCEPTED	EA		
0059207	CLAMP, HOSE: TYPE: HEAVY DUTY; INSIDE DIAMETER: 127-102 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS7200N, UNK; ONLY PARKER WILL BE ACCEPTED; RANGE 83-127MM	EA		
0066735	CLOSURE: MATERIAL: NYLON; DIMENSIONS: DIA 25 X THK 9 MM; TYPE: LUBE OIL PUMP; SUPPL P/N: 400-20028-1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA		
0079152	CHISEL, COLD HAND: LENGTH: 210 MM; BLADE WIDTH: 25 MM; MATERIAL: STL FORGED; SHANK: 25 MM HEX; TYPE: FLAT	EA		
0079153	CHISEL: TYPE: COLD DIAMOND POINT; BLADE WIDTH: 7 MM; LENGTH: 160 MM; SHANK: HEX 18 MM; MATERIAL: STL FORGED; SUBMIT TEST TEST CERTIFICATE ON DELIVERY	EA		
0079198	SCRAPER: TYPE: PAINT; DIMENSIONS: WD 75 X LG 230 MM; MATERIAL: STL/WOOD; SEMI FLEXIBLE BLADE	EA		
0079226	CHISEL, COLD HAND: LENGTH: 150 MM; BLADE WIDTH: 10 MM; MATERIAL: FST HARDENED; SHANK: 10 MM HEX; TYPE: FLAT	EA		

0079356	BRUSH: TYPE: CONDENSOR TUBE CLEANING; DIMENSIONS: DIA 22 X LG 218 MM; MATERIAL: NYLON; 133 MM LG; NO HANDLE; FOR CONDENSOR TUBE CLEANING	EA		
0079433	BRUSH: TYPE: TUBE; DIMENSIONS: DIA 22 X LG 75 MM; MATERIAL: NYLON; NO HANDLE; BULLET; COMPLETE WITH ONE RUBBER WASHER PLUS THREE LEATHER WASHERS AND CRIMPED LUGS AT BOTH ENDS	EA		
0079434	BRUSH, WIRE: TYPE: TUBE; TRIM LENGTH: 9 MM; DIMENSIONS: DIA 23 X LG 70 MM; MATERIAL: BRS; NO HANDLE; BULLET; WITH NYLON BRISTLE; COMPLETE WITH ONE RUBBER WASHER PLUS THREE LEATHER WASHERS AND CRIMPED LUGS AT BOTH ENDS	EA		
0079555	BRUSH, ROTARY: TYPE: SCRATCH; DIAMETER: DIA 76 MM; MATERIAL: SS; REFERENCE NO: MSS408, UNK; THK 12MM; NO HANDLE; SOLID SHANK 6MM MOUNTED; TRIM LENGTH: 22 MM	EA		
0079556	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 42 MM; DIMENSIONS: ID 22.2 X OD 220 X WD 25 MM; MATERIAL: CS; REFERENCE NO: W500, UNK; FLAT; FOR BENCH GRINDER	EA		
0079557	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 40 MM; DIMENSIONS: DIA 140 MM; MATERIAL: CS; REFERENCE NO: C652142, UNK; NO HANDLE; FITTING 14X2MM METRIC	EA		
0097910	TAPE, THREAD: TYPE: SEALING; WIDTH: 20 MM; MATERIAL: GRAPHITE; COLOR: BLACK; 15.2M LG, ONLY STAG OR POPYEX TAPE ACCEPTABLE	EA		
0097911	TAPE, THREAD: TYPE: SEALING; WIDTH: 25 MM; MATERIAL: GRAPHITE; COLOR: BLK; SUPPL P/N: 0903; TYPE STAG OR POPYEX ACCEPTABLE; LG 15.2M; 25MMX15M	EA		
0098350	SEAL: MATERIAL: SILICON; APPLICATION: ROLLER; USED ON THE ASH FLOW CONTROL GATE SIZE 300MM ON THE ASH CONDITIONERS; ONLY BRELKO WILL BE ACCEPTED; MOULD TO BE KEPT IN LETHABO STORES	EA		
0101121	SEALANT: MATERIAL: SILICON; REFERENCE NO: PES1039VJ, UNK; VIKING JOHNSON COUPLING SEAL; EXTRUSION IN 25M LG	M		
0101745	COMPOUND, SEALING: CONTAINER: TUBE 50 ML; MATERIAL: RUBBER; ROBEX	EA		
0109469	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 100; OVERALL WIDTH: 50 MM; LENGTH: 50 M; ABRASIVE MATERIAL: AL OXIDE; BACKING MATERIAL: RESIN	M		
0109474	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 100; OVERALL WIDTH: 300 MM; LENGTH: 50 M; ABRASIVE MATERIAL: SILICON; BACKING MATERIAL: RESIN; FLOOR BOND/BACKING, EMERY	M		

0109477	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 60; OVERALL WIDTH: 50 MM; LENGTH: 50 M; ABRASIVE MATERIAL: AL OXIDE; BACKING MATERIAL: RESIN; BOND	M		
0109478	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 150; OVERALL WIDTH: 50 MM; LENGTH: 50 M; ABRASIVE MATERIAL: AL OXIDE; BACKING MATERIAL: PAPER; ECONOMY ROLLS; BOND	M		
0109506	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: FINE; CONTAINER: CAN 500 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		
0109507	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: M; CONTAINER: CAN 500 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE LAPPING SUPERLAP; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0109508	COMPOUND, ABRASIVE: TYPE: LAPPING; GRIT: COARSE; CONTAINER: CAN 500 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; GRINDING; TYPE SUPERLAP; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0109512	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 100; COARSE; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, FOR HARD MATERIAL HMC, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		
0109513	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 220; FINE; F; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, FOR HARD MATERIAL HMC, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		

0109514	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 320; VERY FINE; F; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, FOR HARD MATERIAL HMC CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		
0109515	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 400; F; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, HARD MATERIAL HMC, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		
0109540	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: FINE; OVERALL WIDTH: 230 MM; LENGTH: 280 MM; BACKING MATERIAL: EMERY; SHEET	EA		
0109542	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: COARSE; OVERALL WIDTH: 230 MM; LENGTH: 280 MM; BACKING MATERIAL: EMERY; SHEET	EA		
0110354	CLAMP: TYPE: MOTOR DRIVE; DIMENSIONS: WD 11 X LG 19 MM; MATERIAL: STL; USED ON MT81 MOTOR DRIVES ON THE SWITCHGEAR LINKAGE BOXES IN THE HIGH VOLTAGE YARD	EA		
0110426	CLAMP: TYPE: LIGHT FITTING; DIMENSIONS: 5 MM; MATERIAL: STL; SPRING TOGGELS	EA		
0114760	BRICK, REFRACTORY: DIMENSIONS: WD 100 X LG 150 X THK 25 MM; SHAPE: TILE; MATERIAL: ALUMINA 94 PCT; WELD ON, COMPLETE WITH STEEL INSERTS AND CERAMIC PLUGS	EA		
0114767	BRICK, REFRACTORY: TYPE: ALUMINA HIGH CONTENT CERAMIC; DIMENSIONS: WD 50 X LG 150 X THK 25 MM; SHAPE: TILE; MATERIAL: ALUMINA 94 PCT; SUPPL P/N: CERAMIC; W07; WELD ON CERAMIC; COMPLETE WITH MILD STEEL RETAINERS AND CERAMIC CAPS	EA		
0114789	TAPE, DUCT: NOMINAL WIDTH: 50 MM; NOMINAL LENGTH: 30 M; MATERIAL: GLASS FIBER BRAIDED; COLOR: WHITE; REFERENCE NO: T6-136X6, UNK; THK 2MM; SEALING	M		
0115662	TAPE, MEASURING: TYPE: SILO PILOT; DIMENSIONS: WD 12 MM X LG 50 M; MATERIAL: SS; SUPPL P/N: FMM 760; TO MEASURE THE DEPTH OF ASH SILO COMPARTMENTS	EA		

0136034	TAPE: TYPE: NON DRIP INSULATING; DIMENSIONS: WD 50 MM X LG 10 M X THK 3 MM; MATERIAL: PUTTY; COLOR: WHITE; SELF ADHESIVE; CHEMEALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0136280	TIE, CABLE: TYPE: SELF LOCKING; WIDTH: 4.7 MM; LENGTH: 205 MM; MATERIAL: NYLON; COLOR: BLACK; SUPPL P/N: T50R; SIZE: 200MM LONG X 4,6MM WIDE	EA		
0136601	CLAMP: TYPE: COAL CONVEYOR SKIRTING RUBBER; DIMENSIONS: WD 180 MM; MATERIAL: STL; SUPPL P/N: NRUE 130250; USED ON THE ASH HANDLING AND COAL CONVEYOR, WELD ON	EA		
0136886	TIE, CABLE: TYPE: SELF LOCKING; WIDTH: 2.5 MM; LENGTH: 105 MM; MATERIAL: NYLON; COLOR: BLACK; SUPPL P/N: T18R	EA		
0138053	RECTIFIER: TYPE: SILICON; INDUSTRY STANDARD: SKN100/16; REFERENCE NO: SKN 100/16, UNK; SKN100/16, UNK; ON ORDER 7LT10914 ITEM 280	EA		
0142342	CLAMP: TYPE: STRAP; DIMENSIONS: WD 17 X LG 25 MM; MATERIAL: PLASTIC; REFERENCE NO: 04172, UNK; FOR 3.3KV AND 11KV BREAKER PANELS, ON STATION DAM PUMP- HOUSE BOARDS 1 AND 2	EA		
0158555	CHALK: TYPE: REFILL LINE; COLOR: RED	EA		
0158582	CHALK: TYPE: BOILERMAKERS; COLOR: WHITE; FORM: SOAPSTONE; SIZES: 125MM LENGTH X 12MM WIDTH X 5MM THICK	KG		
0158663	TAPE, ADHESIVE: TYPE: SELLO; DIMENSIONS: WD 50 MM X LG 66 M; MATERIAL: PLASTIC; COLOR: CLEAR; CORE SIZE: 76 MM	EA		
0158735	TAPE, ADHESIVE: TYPE: MAGIC; DIMENSIONS: WD 12 MM X LG 50 M; MATERIAL: ABS PLASTIC	EA		
0159642	BRUSH: TYPE: BANNISTER; DIMENSIONS: WD 220 X LG 350 X HT 65 MM; MATERIAL: CEYLON FIBER BLACK; REFERENCE NO: 3407, UNK; UNPAINTED	EA		
0159704	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 25 MM; DIMENSIONS: 290 MM; MATERIAL: STL; HANDLE: WOOD, SHOE; REFERENCE NO: HB50STD, UNK; SIZE 45 MM WD X 130 MM	EA		
0159874	THINNER, PAINT: TYPE: TURPENTINE; CONTAINER: CAN 5 L; SABS716; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	L		

0159880	PAINT, TRAFFIC: COLOR: YELLOW GOLDEN; CONTAINER: CAN 5 L; SPECIFIC USE: ROAD MARKING; REFERENCE NO: TP41, UNK; NON-REFLECTIVE FINISH, SPECIFICATION: SABS731-1966; DELIVERY WILL NOT BE ACCEPTED IF HAZARDOUS CHEMICAL DATA SHEET IS NOT SUPPLIED WITH EVERY DELIVERY	L		
0159884	PAINT, OIL: TYPE: ENAMEL; COLOR: BLACK; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: STOEP; SUPPL P/N: SP1; SPREADING RATE 6 M2/LITRE, DRYING TIME: TOUCH DRY 4HRS/23 DEG C, RE- COATING 16HRS/23 DEG C, DRY TO HANDLE 16HRS/23 DEG C, VISCOSITY 65 KREBS UNITS, MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED,ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED,SHALL BE BIODEGRADABLE AND OZONE FRIENDLY,COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		
0159885	PAINT, TRAFFIC: COLOR: WHITE; CONTAINER: 5 L; SPECIFIC USE: ROAD MARKING; REFERENCE NO: TP24, UNK; NON-REFLECTIVE FINISH, CONTROLLING DESIGNATOR: CSK279, SABS731; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	L		
0159898	PAINT, OIL: TYPE: ENAMEL; COLOR: RED SIGNAL; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFICATION: SABS 630-1972; REFERENCE NO: CKS279 1971, UNK; D29, UNK; MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED,NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE UDED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED,SHALL BE BIODEGRADABLE AND OZONE FRIENDLY,COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		
0159903	PAINT, PRIMER: TYPE: ZN CHROMATE; CONTAINER: CAN 5 L; COLOR: GREEN OXIDE; SUPPL P/N: UC501; ZINC OXIDE, 6 HOUR DRYING TIME FOR RECOATING, SHOULD COMPLY WITH THE CHEMICAL HAZARDOUS SUBSTANCES REGULATION OF OCCUPATIONAL HEALTH AND SAFETY ACT, SABS 679-1972	L		

0159907	PAINT, OIL: TYPE: ENAMEL; COLOR: WHITE; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFICATION: SABS 630-1972 TYPE 1; PSB CODE 1000, INTERIOR AND EXTERIOR USE, RECOMMENDED DRY FILM THICKNESS 25 MICRONS, SPREADING RATE 10 M2/LITRE, DRYING TIME: TOUCH DRY 4HRS/23 DEG C, RE-COATING 16HRS/23 DEG C, DRY TO HANDLE 16HRS/23 DEG C, VISCOSITY 70 KREBS UNITS, INENT PAINT MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		
0159917	PAINT, OIL: TYPE: CHLORINATED RUBBER; COLOR: BLACK; CONTAINER: CAN 5 L; FINISH: NON SLIP; DRYING SPEED: FAST; REFERENCE NO: CHC3000, UNK; HIGH BUILD VINYL PAINT, NON-THIXOTROPIC VINYL COPOLYMER ENAMEL, VOLUME SOLIDS: 27-31PERCENT, RECOMMENDED DFT: MIN = 25UM MAX = 35UM, VISCOSITY AT 25 DEGEES CELCIUS: 60 - 65KU, HIGH CHEMICAL RESISTANCE, TO BE SUPPLIED WITH HAZARDOUS CHEMICAL DATA SHEET	L		
0159926	PAINT, OIL: TYPE: ENAMEL; COLOR: GRAY DARK; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFICATION: SABS 630-1972 CLAUSE 1; REFERENCE NO: D36, UNK; TO CKS279: 1971, PLEASE ENSURE THAT SHELF LIFE HISTORY AND EXPIRY DATES ARE DISPLAYED	L		
0159946	PAINT, OIL: TYPE: ENAMEL; COLOR: BLUE ARCTIC; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SABS SPEC F28, FOR WATER TREATMENT PLANT	L		
0159952	PAINT, WATER: COLOR: WHITE; CONTAINER: CAN 5 L; SPECIFIC USE: EXTERIOR/INTERIOR; REFERENCE NO: HB1, UNK; TYPE ACRYLIC PVA, LOW SHEEN TO MATT FINISH, EMULSION TYPE CODE RECOMMENDED DRY FILM 20 MICRONS(INTERIOR) 30 MICRONS(EXTERIOR), SPREADING RATE 10 M2/LITRE(INTERIOR) NOT MORE THAN 5 M2/LITRE(EXTERIOR), DRYING TIME: TOUCH DRY 30 MIN/23 DEG C, RE-COATING: 2HRS/23 DEG C(INTERIOR), 1HR/23 DEG C(EXTERIOR), DRY TO HANDLE: 2HRS/23 DEG C(INTERIOR), 1HR/23 DEG C(EXTERIOR), VISCOSITY: 90 KREBS UNITS(INTERIOR), 115 KREBS UNITS(EXTERIOR), MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUSBTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALLBE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L		

0159964	PAINT, OIL: TYPE: SIGMACOLOR CM COATING; COLOR: CREAM; CONTAINER: CAN 4 L; FINISH: GLOSS; DRAFT GROUP TO BE SUPPLIED WITH DATA SHEET, SIGMACOLOUR CM COATING	L		
0159965	PAINT, OIL: TYPE: SIGMACOVER CM COATING; COLOR: GRAY; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: MILL FEEDERS; SUPPL P/N: S910-5654; TO BE SUPPLIED WITH WITH DATA SHEETS	L		
0159967	PAINT, OIL: TYPE: ENAMEL; COLOR: BROWN; CONTAINER: CAN 5 L; FINISH: GLOSS; REFERENCE NO: 0411, UNK; D232-X2X2, UNK; WITH DATA SHEET	L		
0159980	PAINT, OIL: TYPE: ENAMEL; COLOR: ORANGE SAFETY; CONTAINER: CAN 5 L; FINISH: GLOSS; REFERENCE NO: B26, UNK; SUPPL P/N: HG928	L		
0159983	THINNER, PAINT: TYPE: LAQUER GR A; CONTAINER: CAN 5 L; SATIC TYPE; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	L		
0159988	PAINT, OIL: TYPE: ENAMEL; COLOR: GRAY PALE; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; PASTEL	L		
0160050	BRUSH, PAINT: TYPE: SETTER; WIDTH: 25 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 48MM LG X 16MM THK; THE ITEM MUST BE PROTECTIVE PACKED	EA		
0160051	BRUSH, PAINT: TYPE: SETTER; WIDTH: 50 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC	EA		
0160052	BRUSH, PAINT: TYPE: SETTER; WIDTH: 75 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 65MM LG X 22MM THK; THE ITEM MUST BE PROTECTIVE PACKED	EA		
0160053	BRUSH, PAINT: TYPE: SETTER; WIDTH: 100 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; LG 79 MM X THK 22 MM	EA		
0160056	BRUSH, PAINT: TYPE: SETTER; WIDTH: 12 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 48MM LG X 10MM THK; THE ITEM MUST BE PROTECTIVE PACKED	EA		
0160060	BRUSH, PAINT: TYPE: SETTER; WIDTH: 38 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 55MM LG X 16MM THK	EA		
0160062	ROLLER: TYPE: PAINT; DIMENSIONS: LG 225 MM; MATERIAL: WOOL LAMB; REFILL	EA		

0160064	ROLLER: TYPE: PAINT; DIMENSIONS: WD 228 X LG 230 MM; MATERIAL: WOOL LAMB; HANDLE COVERED	EA		
0160080	COMPOUND: TYPE: PLASTIC STL; CONTAINER: CAN PLASTIC 500 G; PHYSICAL FORM: EPOXY PUTTY; REFERENCE NO: 10112, UNK; FOR REPAIRING CASTING, REBUILDING BROKEN MACHINERY AND FIXTURES, REF 10111 REQUIRED THE NEW STANDARD FOR RELIABILITY POINT 1 TO 16, CHEMECALs TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY	KG		
0160117	COMPOUND, SEALING: TYPE: GENERAL PURPOSE; REFERENCE NO: T20-75, UNK; ONLY TITE SEAL LIGHT WEIGHT ACCEPTABLE, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA		
0160215	ADHESIVE: TYPE: INSTANT; CONTAINER: BOTTLE PLASTIC 20 G; SUPPL P/N: RT300B; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA		
0160216	ADHESIVE: TYPE: INSTANT PLASTIC/VINYL; CONTAINER: BOTTLE PLASTIC 3 G; REFERENCE NO: PATTEX, UNK; SUPERBONDER; BLUE CONTAINERS; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0160217	ADHESIVE: TYPE: SUPERGLUE; CONTAINER: TUBE 3 G; REFERENCE NO: 45, UNK; CLAUSE:1 (PLEASE ENSURE THAT SHELF LIFE HISTORY AND EXPIRY DATES ARE DISPLAYED 2) ITEMS SUBJECTED TO SHELF LIFE WILL NOT BE ACCEPTED TO ESKOM KENDAL P/S IF MORE THAN 20PCT OF THE SHELF LIFE HAS ALREADY EXPIRED PRIOR TO DELIVERY, MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA		
0160228	ADHESIVE: TYPE: CONTACT; CONTAINER: CAN 1 L; REFERENCE NO: 508, UNK; SUPPL P/N: 508; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA		

0160232	ADHESIVE: TYPE: GASKET; CONTAINER: TUBE PLASTIC 300 ML; PHYSICAL FORM: LIQUID; SUPPL P/N: 593; SUPPL P/N: LOCTITE 593; REFERENCE NO: RTV; REFERENCE NO: 593; HYPERLOCK, MATERIAL SILICON, COLOR BLK, MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; LOCKTITE	EA		
0160233	COMPOUND, SEALING: TYPE: GASKET; COLOR: WHITE; CONTAINER: TUBE PLASTIC 310 ML; MATERIAL: SILICON; SUPPL P/N: 594; RUBBER ADHESIVE, TO FIT CAULKING GUN, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); LOCKTITE	EA		
0160235	ADHESIVE: TYPE: SILICON; CONTAINER: TUBE PLASTIC 300 ML; PHYSICAL FORM: LIQUID; LOCTITE; TYPE 59575; CLEAR, TENSILE STRENGTH D/N 53504 S2 MPA - 1.0; TEMPERATURE RATING BETWEEN -60 DEG C AND 230 DEG CELCIUS AND ALSO TO TENSILE AND COMPRESSIVE STRESSES; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0160237	ADHESIVE: TYPE: SCREWLOCK; CONTAINER: BOTTLE PLASTIC 50 G; PHYSICAL FORM: LIQUID; SUPPL P/N: 230T; QUICKLOCK MATERIAL ANAEROBIC SEALANT; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0160253	ADHESIVE: TYPE: CEMENT; CONTAINER: TUBE 100 ML; TANGIT SPECIAL FOR PVC PIPES; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		

0160266	COMPOUND, SEALING: TYPE: GASKET/JOINT; COLOR: BLUE UNIVERSAL; CONTAINER: TUBE 100 G; MATERIAL: POLYESTER URETHANE; SUPPL P/N: PL32M; CLAUSE: 1: PLEASE ENSURE THAT SHELF LIFE HISTORY AND EXPIRY DATES ARE DISPLAYED, 2: ITEMS SUBJECTED TO SHELF LIFE WILL NOT BE ACCEPTED TO ESKOM IF MORE THAN 25 PCT OF THE SHELF LIFE HAS ALREADY EXPIRED PRIOR TO DELIVERY; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA		
0160269	ADHESIVE: TYPE: SUPERGLUE; CONTAINER: BOTTLE PLASTIC 20 G; REFERENCE NO: M5000, UNK; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0160278	ADHESIVE: TYPE: SUPERGLUE; CONTAINER: BOTTLE 20 G; PHYSICAL FORM: LIQUID; SPECIFICATION: LOCTITE 401; MATERIAL: CYANOACRYLATE; SUPPL P/N: IS495	EA		
0160282	ADHESIVE: TYPE: QUICK SET; CONTAINER: PACK CARDED 15 ML; REFERENCE NO: 1-2-3, UNK; ONE TUBE RESIN AND ONE BOTTLE ACTIVATOR, MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0160283	ADHESIVE: TYPE: NUT LOCK; CONTAINER: BOTTLE PLASTIC 50 G; REFERENCE NO: 250 T, UNK; SUPPL P/N: 243; MEDIUM STRENGTH; HPL 051242; COLOUR BLUE; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE; LOCKTITE	EA		
0160313	ADHESIVE: TYPE: EPOXY; CONTAINER: SET 1 KG; REFERENCE NO: 319TAQ, UNK; SUPPL P/N: IV0RY319TAQ; QUICK SET, STRUCTURAL, RATIO BY VOLUME: 2 (EPOXY) TO 1 (ACTIVATOR), MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA		

0160354	BAG: TYPE: CARRY; DIMENSIONS: WD 280 X LG 420 MM; MATERIAL: PLASTIC; MICRON: 30 U	EA		
0160355	BAG: TYPE: CARRY; DIMENSIONS: WD 240 X LG 400 MM; MATERIAL: PLASTIC; MICRON: 30 U	EA		
0160356	BAG: TYPE: REFUSE; DIMENSIONS: WD 750 X LG 950 MM; COLOR: GREEN; MATERIAL: PLASTIC; MICRON: 40 U	EA		
0160385	BAG: TYPE: SELF SEALING; DIMENSIONS: WD 150 X LG 180 MM; MATERIAL: PLASTIC; NON-STATIC	EA		
0161193	GREASE, INDUSTRIAL: TYPE: SILICON; CONTAINER: CAN 5 KG; REFERENCE NO: MS4, UNK; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	KG		
0162909	TAPE, ADHESIVE: TYPE: CAUTION/WARNING; DIMENSIONS: WD 25 MM X LG 50 M; MATERIAL: PVC; COLOR: YELLOW/RED PRINT; PTW / IN FORCE	EA		
0186570	TILE: TYPE: REFRACTORY; DIMENSIONS: WD 100 X LG 150 X THK 6 MM; MATERIAL: CERAMIC ALUMINA HIGH; COLOR: WHITE; MODEL NO: MP92, UNK; SUPPL P/N: P26	EA		
0186581	TILE: TYPE: REFRACTORY; DIMENSIONS: WD 50 X LG 150 X THK 6 MM; MATERIAL: ALUMINA 90 PCT; COLOR: WHITE; SUPPL P/N: P25	EA		
0186582	BRICK, REFRACTORY: TYPE: ALUMINA HIGH; DIMENSIONS: WD 100 X LG 150 X THK 12 MM; SHAPE: TILE; MATERIAL: CERAMIC; REFERENCE NO: W01, UNK; CONTENT CERAMIC 90 PERCENT; GRADE 92 PCT HIGH ALUMINA; EA = ONE (1) BOX OF 30 TILES; WELD ON	EA		
0186583	TILE: TYPE: REFRACTORY; DIMENSIONS: WD 50 X LG 150 X THK 12 MM; MATERIAL: CERAMIC ALUMINA HIGH; COLOR: WHITE; MODEL NO: MP92, UNK; SUPPL P/N: W06	EA		
0186589	COMPOUND: TYPE: HI-TEMP TROWEL MIX; CONTAINER: 12 KG; SUPPL P/N: 9505-9918; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY	EA		
0187596	BRICK, REFRACTORY: TYPE: ALUMINA HIGH CONTENT CERAMIC; DIMENSIONS: WD 25 X LG 150 X THK 6 MM; SHAPE: TILE; MATERIAL: ALUMINA CERAMIC 90 PCT PLUS; SUPPL P/N: P22; GRADE STANDARD WHITE; ESKOM'S SPECS ETS-0253	EA		
0198234	BRICK, REFRACTORY: TYPE: ALUMINA HIGH CONTENT CERAMIC; DIMENSIONS: WD 50 X LG 150 X THK 25 MM; SHAPE: TILE; MATERIAL: ALUMINA CERAMIC 90 PCT PLUS; SUPPL P/N: P7; GRADE: KNOOP HARDNESS 10.8GPa	EA		

0212152	BRUSH, WIRE: TYPE: FOUNDRY; TRIM LENGTH: 42 MM; DIMENSIONS: DIA 61 X LG 165 MM; MATERIAL: STL; REFERENCE NO: FO101, UNK; HT 58MM; NO HANDLE; FINE; FIVE ROWS; ACADEMY BRAND	EA		
0223825	COMPOUND, SEALING: TYPE: GASKET ELIMINATOR; CONTAINER: TUBE 45 G; NUMBER 2; FORM A GASKET; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA		
0225061	TAPE, EMBOSSING: COLOR: BLACK ON YELLOW; NOMINAL WIDTH: 24 MM; NOMINAL OVERALL THICKNESS: 0.5 MM; NOMINAL LENGTH: 8 M; ATTACHMENT METHOD: ADHESIVE BACKING; MATERIAL: VINYL; TYPE: LAMINATED P TOUCH; SUPPL P/N: TZ-651; APPLCICATION: USED ON BROTHER LABEL PRINITNG MACHINE	EA		
0256819	PAINT, OIL: TYPE: EPOXY ENAMEL HI-CHEM; COLOR: GRAY LIGHT; CONTAINER: CAN 5 L; SPECIFIC USE: TOP QUALITY SURFACE COATING; REFERENCE NO: M388-0XXX; IT MUST COME WITH MIXTURE CODE C/A 39490, SUPPLY MATERIAL SAFETY DATA SHEET WITH EVERY DELIVERY	L		
0570082	BREATHHER: TYPE: SILICA GEL, UNIT; MATERIAL: POLYPROPYLENE; DIMENSIONS: DIA 80 X LG 165 MM; CONNECTION: FNPT 1/4 IN; MANUF P/N: 1011388; CAPACITY: 155 CUBIC CM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA		
0584568	BROOM: TYPE: PLATFORM; DIMENSIONS: WD 95 X LG 450 MM; TRIM LENGTH: 3-1/4 IN; MATERIAL: FIBER SYNTHETIC SOFT	EA		
0650045	ADHESIVE: TYPE: GLUE STICK; CONTAINER: TUBE 40 G	EA		
0650391	TAPE, ADHESIVE: TYPE: BUFF, SELLO; DIMENSIONS: WD 48 MM X LG 100 M; MATERIAL: VINYL; COLOR: CLEAR	EA		
0658101	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 31 MM; WIDTH: 19 MM; MATERIAL: STL; FASTENING DEVICE TYPE: BOLT; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 31 TO 34 MM; MATERIAL: 400 SERIES STEEL BAND WITH ZINC PLATED CARBON STEEL SET SCREW AND TRUNNIONS	EA		
0658118	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 37 MM; WIDTH: 19 MM; MATERIAL: SS; FASTENING DEVICE TYPE: BOLT; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 37 TO 41MM	EA		

0658320	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 238 MM; WIDTH: 32 MM; MATERIAL: STL; FASTENING DEVICE TYPE: BOLT; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 238 TO 250MM; MODIFIED RANGE REQUIRED WITHOUT THE USE OF SPECIAL TOOLS: 228 TO 240MM; MATERIAL: 400 SERIES STEEL BAND WITH ZINC PLATED CARBON STEEL SET SCREW AND TRUNNIONS	EA		
0658334	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 70 MM; WIDTH: 25 MM; MATERIAL: STL; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 70 TO 78MM; MATERIAL: 400 SERIES STEEL BAND WITH ZINC PLATED CARBON STEEL SET SCREW AND TRUNNIONS	EA		
0659593	TILE: TYPE: PRE ENGINEERED WELD ON HIGH ALUMINA CONTENT; DIMENSIONS: WD 100 X LG 150 X THK 25 MM; MATERIAL: MP92 ALUMINA OXIDE; COLOR: WHITE; CHAMFERED 45 DEG ON ONE SIDE OF THE 150MM SIDE OF THE TILE; LARGEST TILE AREA SHOULD BE ON THE BOTTOM OF THE TILE AFTER MOUNTING	EA		
0659594	SEALANT: TYPE: HIGH TEMPERATURE; CONTAINER: BOX 24; MATERIAL: SILICON; COLOR: RED; TEMPERATURE RATING: 80 DEG C; APPLICATION: TILE INSTALLATION; PHYSICAL FORM: PASTE; ODOUR: ACETIC ACID; FLASH POINT: GREATER THAN 250 DEGREES CELCIUS; METHOD: CLOSED CUP; STORAGE: KEEP IN COOL DRY VENTILATED STORAGE AND IN CLOSED CONTAINERS	EA		
0659595	TILE: TYPE: HIGH ALUMINA CONTENT CERAMIC; DIMENSIONS: WD 50 X LG 100X THK 25 MM; MATERIAL: MP92 ALUMINA OXIDE; COLOR: WHITE; SUPPL P/N: P16; THE POROSITY SHALL BE 0.0 PERCENT; MAXIMUM USAGE TEMPERATURE 1500 DEG CELCIUS; WEAR RESISTANCE OF 0.10 G PER CUBIC CENTIMETER PER HOUR; GAS TIGHT PERMEABILITY AND THERMAL EXPANSION OF 7.29 10 ⁻¹⁶ MM PER MM DEG CELCIUS 800 DEG CELCIUS	EA		
0668572	PAINT, WATER: COLOR: WHITE; CONTAINER: DRUM 20 L; PHYSICAL FORM: SUPER ACRYLIC; SPECIFIC USE: EXTERIOR/INTERIOR; REFERENCE NO: PLASCON WALL&ALL	EA		

PART 3: SCOPE OF WORK

Document reference	Title	No of pages
	This cover page	1
C3.1	<i>Purchaser's</i> Goods Information	
C3.2	<i>Supplier's</i> Goods Information	
	Total number of pages	

C3.1: *PURCHASER'S* GOODS INFORMATION

Contents

When the document is complete, insert a 'Table of Contents'. To do this go to: Reference, → Table of Contents. Three levels and the title (but not the subtitle) may be shown if the formats used in this template are retained. Alternatively just update the table below when the drafting of the Goods Information is complete by clicking on 'References' then 'Update Table' then 'Update entire table'

Part 3: Scope of Work xx

C3.1: *Purchaser's* Goods Information 21

1	Overview and purpose of the <i>goods</i> and <i>services</i>	22
2	Specification and description of the <i>goods</i>	22
2.1	<i>Purchaser's</i> design	Error! Bookmark not defined.
2.2	Procedure for submission and acceptance of <i>Supplier's</i> design	Error! Bookmark not defined.
2.3	Other requirements of the <i>Supplier's</i> design	Error! Bookmark not defined.
2.4	Use of <i>Supplier's</i> design	Error! Bookmark not defined.
2.5	Manufacture & fabrication	Error! Bookmark not defined.
2.6	Factory acceptance testing (FAT)	Error! Bookmark not defined.
2.7	Other tests and inspections and commissioning in place of use	Error! Bookmark not defined.
2.8	Operating manuals and maintenance schedules	Error! Bookmark not defined.
3	Supply Requirements	Error! Bookmark not defined.
4	Specification of the <i>services</i> to be provided	Error! Bookmark not defined.
5	Constraints on how the <i>Supplier</i> Provides the Goods	Error! Bookmark not defined.
5.1	Programming constraints	Error! Bookmark not defined.
5.2	Work to be done by the Delivery Date	Error! Bookmark not defined.
5.3	Marking the <i>goods</i>	Error! Bookmark not defined.
5.4	Constraints at the delivery place and place of use	Error! Bookmark not defined.
5.5	Cooperating with Others	Error! Bookmark not defined.
5.6	Services & other things to be provided by the <i>Purchaser</i> or <i>Supplier</i>	Error! Bookmark not defined.
5.7	Management meetings	Error! Bookmark not defined.
5.8	Documentation control	Error! Bookmark not defined.
5.9	Health and safety risk management	Error! Bookmark not defined.
5.10	Environmental constraints and management	Error! Bookmark not defined.
5.11	Quality	Error! Bookmark not defined.
5.12	Invoicing and payment	Error! Bookmark not defined.
5.13	Insurance provided by the <i>Purchaser</i>	Error! Bookmark not defined.
5.14	Contract change management	Error! Bookmark not defined.
5.15	Provision of bonds and guarantees	Error! Bookmark not defined.
5.16	Records of Defined Cost, payments & assessments of compensation events to be kept by the <i>Supplier</i>	Error! Bookmark not defined.
6	Procurement	Error! Bookmark not defined.
6.1	Subcontracting	Error! Bookmark not defined.
6.1.1	Preferred subcontractors	Error! Bookmark not defined.
6.1.2	Limitations on subcontracting	Error! Bookmark not defined.
6.1.3	Spares and consumables	Error! Bookmark not defined.
6.1.4	Other requirements related to procurement	Error! Bookmark not defined.
6.1.5	Cataloguing requirements	Error! Bookmark not defined.
7	List of drawings	Error! Bookmark not defined.
7.1	Drawings issued by the <i>Purchaser</i>	Error! Bookmark not defined.
C3.2	<i>Supplier's</i> Goods Information	Error! Bookmark not defined.

1 Overview and purpose of the *goods and services*

Supply and delivery of Bucket elevator belts as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station

2 Specification and description of the *goods*

Supply and delivery of Bucket elevator belts as and when required basis for a five-year period for Stock Replenishment at Lethabo Power Station

Full Description of the Scope / Specifications

Material	Text	Base Unit of Measure
0010142	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: BLACK; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA
0010143	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: BLUE; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA
0010144	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: RED; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA
0010145	TAPE, ELECTRICAL: WIDTH: 18 MM; LENGTH: 20 M; MATERIAL: VINYL; COLOR: WHITE; PVC; TO SABS 122; 0.18MM THK; ADHESIVE	EA
0010161	TAPE, ELECTRICAL: WIDTH: 19 MM; LENGTH: 9.15 M; MATERIAL: RUBBER; COLOR: BLACK; SPECIFICATION: C.O.C; Q4:NSF:NC:0; REFERENCE NO: 23, UNK; SUPPL P/N: SCOTCH23; 0.76MM THK; SCOTCH22; SCOTCH23	EA
0011500	TIE, CABLE: TYPE: SELF LOCKING; DIAMETER RANGE: 30 MM; WIDTH: 3.5 MM; LENGTH: 150 MM; MATERIAL: NYLON; STRENGTH: 15 KG; COLOR: BLACK; REFERENCE NO: T30R, UNK	EA
0011501	TIE, CABLE: TYPE: SELF LOCKING; DIAMETER RANGE: 109 MM; WIDTH: 4.7 MM; LENGTH: 395 MM; MATERIAL: NYLON; STRENGTH: 32 KG; COLOR: BLACK; SUPPL P/N: T50L; BRAND INSULOK, PLASTIC, 100 PER PACKET	EA
0016493	TAPE, ADHESIVE: TYPE: MASKING; DIMENSIONS: WD 18 MM X LG 40 M; MATERIAL: PAPER; COLOR: BUFF; CORE SIZE: 75 MM	EA
0016829	PAINT, OIL: TYPE: ENAMEL; COLOR: GREEN; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: STOEP; REFERENCE NO: SP2, UNK; SHOULD COMPLY WITH THE CHEMICAL HAZARDOUS SUBSTANCES REGULATION OF OCCUPATIONAL HEALTH AND SAFETY ACT; CHEMICAL DATA SHEET MUST BE SUPPLIED WITH EVERY DELIVERY	L
0016830	PAINT, OIL: TYPE: ENAMEL; COLOR: RED; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: STOEP; REFERENCE NO: SP3, UNK; SPREADING RATE 6 M2/LITRE; DRYING TIME: TOUCH DRY 4HRS/23 DEG C; RE-COATING 16HRS/23 DEG C; DRY TO HANDLE 16HRS/23 DEG C; VISCOSITY 65 KREBS UNITS; SHOULD COMPLY WITH CHEMICAL HAZARDOUS REGULATION OF HEALTH AND SAFETY ACT; CHEMICAL DATA SHEET MUST BE SUPPLIED WITH EVERY DELIVERY	L
0016831	PAINT, OIL: TYPE: ENAMEL; COLOR: BLACK; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFIC USE: EXTERIOR/INTERIOR; SPECIFICATION: SABS 630-1972 TYPE 1; CONTROLLING COLOURS 770, REQUIRED THE NEW STANDARD FOR RELIABILITY POINT 1 TO 16 MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATEGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L

0016836	PAINT, OIL: TYPE: ENAMEL; COLOR: YELLOW GOLDEN; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFIC USE: EXTERIOR/INTERIOR; SPECIFICATION: CKS 279-1971; SABS 630-1972; REFERENCE NO: B49, UNK; USE, MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0016837	PAINT, OIL: TYPE: OIL BASE; COLOR: ALUM; CONTAINER: CAN 5 L; FINISH: SEMI GLOSS; SPECIFIC USE: EXTERIOR/INTERIOR; SABS 682 1972 GRADE 1, WITH 500ML PASTE(2 TINS = 1), ON PRIMED SURFACES, MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0016841	PAINT STRIPPER: CONTAINER TYPE: TIN; CONTAINER CAPACITY: 5 L; SUPPL P/N: PR17; GENERAL USE; DOUBLE STRENGTH, TYPE 1 CLASS A, SABS 1323; MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED; NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED; ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED; SHALL BE BIODEGRADABLE AND OZONE FRIENDLY; COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0016853	TAPE, THREAD: TYPE: SEALING; WIDTH: 10 MM; MATERIAL: PTFE; COLOR: WHITE; REFERENCE NO: PTFE, UNK; WITHOUT DISPENSER; THK 0.075 MM	EA
0017792	KIT: TYPE: ADHESIVE; COMPRISING: HARDNER PUTTY STICK 125 G; WHITE AND BROWN, GENERAL HEAVY DUTY USE, SHOULD COMPLY WITH THE CHEMICAL HAZARDOUS SUBSTANCES REGULATION OF OCCUPATIONAL HEALTH AND SAFETY ACT, CHEMEALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY	EA
0018801	CLAMP: TYPE: C; MATERIAL: STL; REFERENCE NO: 33-5L, UNK; SCREW; FOR TURBINE	EA
0020689	COMPOUND: TYPE: LUBRICATION; CONTAINER: CAN AEROSOL; PHYSICAL FORM: SPRAY; SUPPL P/N: DG22; GLACIER GLEIT, USED ON THE BARRING GEAR, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0020865	COMPOUND, SEALING: TYPE: FERMIT; COLOR: BLK; CONTAINER: CAN 650 G; OEM P/N: 9710-159, OEM: GE STEAM POWER SERVICE; 9710-160, OEM: GE STEAM POWER SERVICE; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	KG
0039607	CLAMP, WIRE ROPE: TYPE: U-BOLT; ROPE SIZE: 20 MM; CLAMP MATERIAL: STL GALV; CROSBY, DROPPED FORGED, SABS813:1973; SINGLE GRIP, SINGLE SADDLES	EA
0039608	CLAMP, WIRE ROPE: TYPE: SINGLE GRIP, SINGLE SADDLE; ROPE SIZE: 16 MM; CLAMP MATERIAL: STL GALV; SUPPL P/N: 858082002; CROSBY TO SABS 763, TO THE LATEST EDITION OF SABS 813 AND BEARING THE SABS MARK OF APPROVAL; U-BOLT	EA
0039609	CLAMP, WIRE ROPE: TYPE: U-BOLT; ROPE SIZE: ID 10 MM; CLAMP MATERIAL: STL GALV; CROSBY TO THE LATEST EDITION OF SABS 813 AND BEARING THE SABS MARK OF APPROVAL; SINGLE GRIP, SINGLE SADDLES	EA
0050506	PAINT, OIL: COLOR: BLUE; CONTAINER: CAN 80 ML; FINISH: GLOSS; SPECIFIC USE: TOUCH UP; REFERENCE NO: 518859-82, UNK; FOR TYPE MAB103B-24 OIL SEPARATOR	EA
0053051	CLAMP, HOSE: INSIDE DIAMETER: 140 MM; MATERIAL: STL; FASTENING DEVICE TYPE: SCREW; DRAWING NO: P00234S8 REV 1; REFERENCE NO: ITEM 53, UNK; FOR FILTER MOUNTING BAND, FOR USED ON PRECIPITATORS	EA
0053057	CLAMP: TYPE: ANVIL ARM; DIMENSIONS: WD 45 X LG 90 MM; MATERIAL: STL; DRAWING NO: E4/912XB, E4 913XB REV 1; PAIRS, USED ON THE PRECIPITATORS	EA
0057513	CLAMP, HOSE: INSIDE DIAMETER: 17-6 MM; MATERIAL: STL; FASTENING DEVICE TYPE: WORM; SUPPL P/N: GM4; THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED	EA
0059204	CLAMP, HOSE: INSIDE DIAMETER: 22-10 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS0600N, UNK	EA

0059205	CLAMP, HOSE: INSIDE DIAMETER: 38-17 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS1600N, UNK; RANGE 22-38MM	EA
0059206	CLAMP, HOSE: TYPE: HEAVY DUTY; INSIDE DIAMETER: 82-57 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS4400N, UNK; ONLY PARKER WILL BE ACCEPTED	EA
0059207	CLAMP, HOSE: TYPE: HEAVY DUTY; INSIDE DIAMETER: 127-102 MM; MATERIAL: SS; FASTENING DEVICE TYPE: WORM; REFERENCE NO: SS7200N, UNK; ONLY PARKER WILL BE ACCEPTED; RANGE 83-127MM	EA
0066735	CLOSURE: MATERIAL: NYLON; DIMENSIONS: DIA 25 X THK 9 MM; TYPE: LUBE OIL PUMP; SUPPL P/N: 400-20028-1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA
0079152	CHISEL, COLD HAND: LENGTH: 210 MM; BLADE WIDTH: 25 MM; MATERIAL: STL FORGED; SHANK: 25 MM HEX; TYPE: FLAT	EA
0079153	CHISEL: TYPE: COLD DIAMOND POINT; BLADE WIDTH: 7 MM; LENGTH: 160 MM; SHANK: HEX 18 MM; MATERIAL: STL FORGED; SUBMIT TEST TEST CERTIFICATE ON DELIVERY	EA
0079198	SCRAPER: TYPE: PAINT; DIMENSIONS: WD 75 X LG 230 MM; MATERIAL: STL/WOOD; SEMI FLEXIBLE BLADE	EA
0079226	CHISEL, COLD HAND: LENGTH: 150 MM; BLADE WIDTH: 10 MM; MATERIAL: FST HARDENED; SHANK: 10 MM HEX; TYPE: FLAT	EA
0079356	BRUSH: TYPE: CONDENSOR TUBE CLEANING; DIMENSIONS: DIA 22 X LG 218 MM; MATERIAL: NYLON; 133 MM LG; NO HANDLE; FOR CONDENSOR TUBE CLEANING	EA
0079433	BRUSH: TYPE: TUBE; DIMENSIONS: DIA 22 X LG 75 MM; MATERIAL: NYLON; NO HANDLE; BULLET; COMPLETE WITH ONE RUBBER WASHER PLUS THREE LEATHER WASHERS AND CRIMPED LUGS AT BOTH ENDS	EA
0079434	BRUSH, WIRE: TYPE: TUBE; TRIM LENGTH: 9 MM; DIMENSIONS: DIA 23 X LG 70 MM; MATERIAL: BRS; NO HANDLE; BULLET; WITH NYLON BRISTLE; COMPLETE WITH ONE RUBBER WASHER PLUS THREE LEATHER WASHERS AND CRIMPED LUGS AT BOTH ENDS	EA
0079555	BRUSH, ROTARY: TYPE: SCRATCH; DIAMETER: DIA 76 MM; MATERIAL: SS; REFERENCE NO: MSS408, UNK; THK 12MM; NO HANDLE; SOLID SHANK 6MM MOUNTED; TRIM LENGTH: 22 MM	EA
0079556	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 42 MM; DIMENSIONS: ID 22.2 X OD 220 X WD 25 MM; MATERIAL: CS; REFERENCE NO: W500, UNK; FLAT; FOR BENCH GRINDER	EA
0079557	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 40 MM; DIMENSIONS: DIA 140 MM; MATERIAL: CS; REFERENCE NO: C652142, UNK; NO HANDLE; FITTING 14X2MM METRIC	EA
0097910	TAPE, THREAD: TYPE: SEALING; WIDTH: 20 MM; MATERIAL: GRAPHITE; COLOR: BLACK; 15.2M LG, ONLY STAG OR POPYEX TAPE ACCEPTABLE	EA
0097911	TAPE, THREAD: TYPE: SEALING; WIDTH: 25 MM; MATERIAL: GRAPHITE; COLOR: BLK; SUPPL P/N: 0903; TYPE STAG OR POPYEX ACCEPTABLE; LG 15.2M; 25MMX15M	EA
0098350	SEAL: MATERIAL: SILICON; APPLICATION: ROLLER; USED ON THE ASH FLOW CONTROL GATE SIZE 300MM ON THE ASH CONDITIONERS; ONLY BRELKO WILL BE ACCEPTED; MOULD TO BE KEPT IN LETHABO STORES	EA
0101121	SEALANT: MATERIAL: SILICON; REFERENCE NO: PES1039VJ, UNK; VIKING JOHNSON COUPLING SEAL; EXTRUSION IN 25M LG	M
0101745	COMPOUND, SEALING: CONTAINER: TUBE 50 ML; MATERIAL: RUBBER; ROBEX	EA
0109469	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 100; OVERALL WIDTH: 50 MM; LENGTH: 50 M; ABRASIVE MATERIAL: AL OXIDE; BACKING MATERIAL: RESIN	M
0109474	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 100; OVERALL WIDTH: 300 MM; LENGTH: 50 M; ABRASIVE MATERIAL: SILICON; BACKING MATERIAL: RESIN; FLOOR BOND/BACKING, EMERY	M
0109477	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 60; OVERALL WIDTH: 50 MM; LENGTH: 50 M; ABRASIVE MATERIAL: AL OXIDE; BACKING MATERIAL: RESIN; BOND	M
0109478	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: 150; OVERALL WIDTH: 50 MM; LENGTH: 50 M; ABRASIVE MATERIAL: AL OXIDE; BACKING MATERIAL: PAPER; ECONOMY ROLLS; BOND	M

0109506	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: FINE; CONTAINER: CAN 500 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0109507	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: M; CONTAINER: CAN 500 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE LAPPING SUPERLAP; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0109508	COMPOUND, ABRASIVE: TYPE: LAPPING; GRIT: COARSE; CONTAINER: CAN 500 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; GRINDING; TYPE SUPERLAP; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0109512	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 100; COARSE; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, FOR HARD MATERIAL HMC, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0109513	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 220; FINE; F; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, FOR HARD MATERIAL HMC, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0109514	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 320; VERY FINE; F; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, FOR HARD MATERIAL HMC CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0109515	COMPOUND, ABRASIVE: TYPE: GRINDING; GRIT: 400; F; CONTAINER: TUBE 50 G; FORM: PASTE; ABRASIVE MATERIAL: SILICON CARBIDE OIL GREASE BASE; USAGE DESIGN: VALVE; TYPE SUPERLAP, HARD MATERIAL HMC, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0109540	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: FINE; OVERALL WIDTH: 230 MM; LENGTH: 280 MM; BACKING MATERIAL: EMERY; SHEET	EA
0109542	CLOTH, ABRASIVE: TYPE: SANDING; FLINT/EMERY GRADE DESIGNATOR: COARSE; OVERALL WIDTH: 230 MM; LENGTH: 280 MM; BACKING MATERIAL: EMERY; SHEET	EA
0110354	CLAMP: TYPE: MOTOR DRIVE; DIMENSIONS: WD 11 X LG 19 MM; MATERIAL: STL; USED ON MT81 MOTOR DRIVES ON THE SWITCHGEAR LINKAGE BOXES IN THE HIGH VOLTAGE YARD	EA
0110426	CLAMP: TYPE: LIGHT FITTING; DIMENSIONS: 5 MM; MATERIAL: STL; SPRING TOGGELS	EA
0114760	BRICK, REFRACTORY: DIMENSIONS: WD 100 X LG 150 X THK 25 MM; SHAPE: TILE; MATERIAL: ALUMINA 94 PCT; WELD ON, COMPLETE WITH STEEL INSERTS AND CERAMIC PLUGS	EA
0114767	BRICK, REFRACTORY: TYPE: ALUMINA HIGH CONTENT CERAMIC; DIMENSIONS: WD 50 X LG 150 X THK 25 MM; SHAPE: TILE; MATERIAL: ALUMINA 94 PCT; SUPPL P/N: CERAMIC; W07; WELD ON CERAMIC; COMPLETE WITH MILD STEEL RETAINERS AND CERAMIC CAPS	EA
0114789	TAPE, DUCT: NOMINAL WIDTH: 50 MM; NOMINAL LENGTH: 30 M; MATERIAL: GLASS FIBER BRAIDED; COLOR: WHITE; REFERENCE NO: T6-136X6, UNK; THK 2MM; SEALING	M
0115662	TAPE, MEASURING: TYPE: SILO PILOT; DIMENSIONS: WD 12 MM X LG 50 M; MATERIAL: SS; SUPPL P/N: FMM 760; TO MEASURE THE DEPTH OF ASH SILO COMPARTMENTS	EA
0136034	TAPE: TYPE: NON DRIP INSULATING; DIMENSIONS: WD 50 MM X LG 10 M X THK 3 MM; MATERIAL: PUTTY; COLOR: WHITE; SELF ADHESIVE; CHEMECALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0136280	TIE, CABLE: TYPE: SELF LOCKING; WIDTH: 4.7 MM; LENGTH: 205 MM; MATERIAL: NYLON; COLOR: BLACK; SUPPL P/N: T50R; SIZE: 200MM LONG X 4,6MM WIDE	EA

0136601	CLAMP: TYPE: COAL CONVEYOR SKIRTING RUBBER; DIMENSIONS: WD 180 MM; MATERIAL: STL; SUPPL P/N: NRUE 130250; USED ON THE ASH HANDLING AND COAL CONVEYOR, WELD ON	EA
0136886	TIE, CABLE: TYPE: SELF LOCKING; WIDTH: 2.5 MM; LENGTH: 105 MM; MATERIAL: NYLON; COLOR: BLACK; SUPPL P/N: T18R	EA
0138053	RECTIFIER: TYPE: SILICON; INDUSTRY STANDARD: SKN100/16; REFERENCE NO: SKN 100/16, UNK; SKN100/16, UNK; ON ORDER 7LT10914 ITEM 280	EA
0142342	CLAMP: TYPE: STRAP; DIMENSIONS: WD 17 X LG 25 MM; MATERIAL: PLASTIC; REFERENCE NO: 04172, UNK; FOR 3.3KV AND11KV BREAKER PANELS, ON STATION DAM PUMP- HOUSE BOARDS 1 AND 2	EA
0158555	CHALK: TYPE: REFILL LINE; COLOR: RED	EA
0158582	CHALK: TYPE: BOILERMAKERS; COLOR: WHITE; FORM: SOAPSTONE; SIZES: 125MM LENGTH X 12MM WIDTH X 5MM THICK	KG
0158663	TAPE, ADHESIVE: TYPE: SELLO; DIMENSIONS: WD 50 MM X LG 66 M; MATERIAL: PLASTIC; COLOR: CLEAR; CORE SIZE: 76 MM	EA
0158735	TAPE, ADHESIVE: TYPE: MAGIC; DIMENSIONS: WD 12 MM X LG 50 M; MATERIAL: ABS PLASTIC	EA
0159642	BRUSH: TYPE: BANNISTER; DIMENSIONS: WD 220 X LG 350 X HT 65 MM; MATERIAL: CEYLON FIBER BLACK; REFERENCE NO: 3407, UNK; UNPAINTED	EA
0159704	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 25 MM; DIMENSIONS: 290 MM; MATERIAL: STL; HANDLE: WOOD, SHOE; REFERENCE NO: HB50STD, UNK; SIZE 45 MM WD X 130 MM	EA
0159874	THINNER, PAINT: TYPE: TURPENTINE; CONTAINER: CAN 5 L; SABS716; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	L
0159880	PAINT, TRAFFIC: COLOR: YELLOW GOLDEN; CONTAINER: CAN 5 L; SPECIFIC USE: ROAD MARKING; REFERENCE NO: TP41, UNK; NON-REFLECTIVE FINISH, SPECIFICATION: SABS731-1966; DELIVERY WILL NOT BE ACCEPTED IF HAZARDOUS CHEMICAL DATA SHEET IS NOT SUPPLIED WITH EVERY DELIVERY	L
0159884	PAINT, OIL: TYPE: ENAMEL; COLOR: BLACK; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: STOEP; SUPPL P/N: SP1; SPREADING RATE 6 M2/LITRE, DRYING TIME: TOUCH DRY 4HRS/23 DEG C, RE-COATING 16HRS/23 DEG C, DRY TO HANDLE 16HRS/23 DEG C, VISCOSITY 65 KREBS UNITS, MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED,ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED,SHALL BE BIODEGRADABLE AND OZONE FRIENDLY,COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0159885	PAINT, TRAFFIC: COLOR: WHITE; CONTAINER: 5 L; SPECIFIC USE: ROAD MARKING; REFERENCE NO: TP24, UNK; NON-REFLECTIVE FINISH, CONTROLLING DESIGNATOR: CSK279, SABS731; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	L
0159898	PAINT, OIL: TYPE: ENAMEL; COLOR: RED SIGNAL; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFICATION: SABS 630-1972; REFERENCE NO: CKS279 1971, UNK; D29, UNK; MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED,NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE UDED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED,SHALL BE BIODEGRADABLE AND OZONE FRIENDLY,COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0159903	PAINT, PRIMER: TYPE: ZN CHROMATE; CONTAINER: CAN 5 L; COLOR: GREEN OXIDE; SUPPL P/N: UC501; ZINC OXIDE, 6 HOUR DRYING TIME FOR RECOATING, SHOULD COMPLY WITH THE CHEMICAL HAZARDOUS SUBSTANCES REGULATION OF OCCUPATIONAL HEALTH AND SAFETY ACT, SABS 679-1972	L

0159907	PAINT, OIL: TYPE: ENAMEL; COLOR: WHITE; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFICATION: SABS 630-1972 TYPE 1; PSB CODE 1000, INTERIOR AND EXTERIOR USE, RECOMMENDED DRY FILM THICKNESS 25 MICRONS, SPREADING RATE 10 M2/LITRE, DRYING TIME: TOUCH DRY 4HRS/23 DEG C, RE-COATING 16HRS/23 DEG C, DRY TO HANDLE 16HRS/23 DEG C, VISCOSITY 70 KREBS UNITS, INENT PAINT MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUBSTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALL BE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0159917	PAINT, OIL: TYPE: CHLORINATED RUBBER; COLOR: BLACK; CONTAINER: CAN 5 L; FINISH: NON SLIP; DRYING SPEED: FAST; REFERENCE NO: CHC3000, UNK; HIGH BUILD VINYL PAINT, NON-THIXOTROPIC VINYL COPOLYMER ENAMEL, VOLUME SOLIDS: 27-31PERCENT, RECOMMENDED DFT: MIN = 25UM MAX = 35UM, VISCOSITY AT 25 DEGEES CELCIUS: 60 - 65KU, HIGH CHEMICAL RESISTANCE, TO BE SUPPLIED WITH HAZARDOUS CHEMICAL DATA SHEET	L
0159926	PAINT, OIL: TYPE: ENAMEL; COLOR: GRAY DARK; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SPECIFICATION: SABS 630-1972 CLAUSE 1; REFERENCE NO: D36, UNK; TO CKS279: 1971, PLEASE ENSURE THAT SHELF LIFE HISTORY AND EXPIRY DATES ARE DISPLAYED	L
0159946	PAINT, OIL: TYPE: ENAMEL; COLOR: BLUE ARCTIC; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; SABS SPEC F28, FOR WATER TREATMENT PLANT	L
0159952	PAINT, WATER: COLOR: WHITE; CONTAINER: CAN 5 L; SPECIFIC USE: EXTERIOR/INTERIOR; REFERENCE NO: HB1, UNK; TYPE ACRYLIC PVA, LOW SHEEN TO MATT FINISH, EMULSION TYPE CODE RECOMMENDED DRY FILM 20 MICRONS(INTERIOR) 30 MICRONS(EXTERIOR), SPREADING RATE 10 M2/LITRE(INTERIOR) NOT MORE THAN 5 M2/LITRE(EXTERIOR), DRYING TIME: TOUCH DRY 30 MIN/23 DEG C, RE-COATING: 2HRS/23 DEG C(INTERIOR), 1HR/23 DEG C(EXTERIOR), DRY TO HANDLE: 2HRS/23 DEG C(INTERIOR), 1HR/23 DEG C(EXTERIOR), VISCOSITY: 90 KREBS UNITS(INTERIOR), 115 KREBS UNITS(EXTERIOR), MATERIAL SAFETY DATA SHEETS THAT COMPLIES WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT'S REGULATIONS TO BE SUPPLIED, NO SUSBTANCES AND/OR INGREDIENTS THAT FALL UNDER TABLE 1 CATAGORY WILL BE USED, ANY CHEMICAL FALLING UNDER TABLE 3 OF THE SAME REGULATIONS SHALL NOT BE USED, SHALLBE BIODEGRADABLE AND OZONE FRIENDLY, COPY OF MSDS TO BE SENT TO MEDICAL CENTRE AND SAFETY RISK	L
0159964	PAINT, OIL: TYPE: SIGMACOLOR CM COATING; COLOR: CREAM; CONTAINER: CAN 4 L; FINISH: GLOSS; DRAFT GROUP TO BE SUPPLIED WITH DATA SHEET, SIGMACOLOUR CM COATING	L
0159965	PAINT, OIL: TYPE: SIGMACOVER CM COATING; COLOR: GRAY; CONTAINER: CAN 5 L; FINISH: GLOSS; SPECIFIC USE: MILL FEEDERS; SUPPL P/N: S910-5654; TO BE SUPPLIED WITH WITH DATA SHEETS	L
0159967	PAINT, OIL: TYPE: ENAMEL; COLOR: BROWN; CONTAINER: CAN 5 L; FINISH: GLOSS; REFERENCE NO: 0411, UNK; D232-X2X2, UNK; WITH DATA SHEET	L
0159980	PAINT, OIL: TYPE: ENAMEL; COLOR: ORANGE SAFETY; CONTAINER: CAN 5 L; FINISH: GLOSS; REFERENCE NO: B26, UNK; SUPPL P/N: HG928	L
0159983	THINNER, PAINT: TYPE: LAQUER GR A; CONTAINER: CAN 5 L; SATIC TYPE; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	L
0159988	PAINT, OIL: TYPE: ENAMEL; COLOR: GRAY PALE; CONTAINER: CAN 5 L; FINISH: HIGH GLOSS; PASTEL	L
0160050	BRUSH, PAINT: TYPE: SETTER; WIDTH: 25 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 48MM LG X 16MM THK; THE ITEM MUST BE PROTECTIVE PACKED	EA
0160051	BRUSH, PAINT: TYPE: SETTER; WIDTH: 50 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC	EA
0160052	BRUSH, PAINT: TYPE: SETTER; WIDTH: 75 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 65MM LG X 22MM THK; THE ITEM MUST BE PROTECTIVE PACKED	EA
0160053	BRUSH, PAINT: TYPE: SETTER; WIDTH: 100 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; LG 79 MM X THK 22 MM	EA
0160056	BRUSH, PAINT: TYPE: SETTER; WIDTH: 12 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 48MM LG X 10MM THK; THE ITEM MUST BE	EA

	PROTECTIVE PACKED	
0160060	BRUSH, PAINT: TYPE: SETTER; WIDTH: 38 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; SIZE: 55MM LG X 16MM THK	EA
0160062	ROLLER: TYPE: PAINT; DIMENSIONS: LG 225 MM; MATERIAL: WOOL LAMB; REFILL	EA
0160064	ROLLER: TYPE: PAINT; DIMENSIONS: WD 228 X LG 230 MM; MATERIAL: WOOL LAMB; HANDLE COVERED	EA
0160080	COMPOUND: TYPE: PLASTIC STL; CONTAINER: CAN PLASTIC 500 G; PHYSICAL FORM: EPOXY PUTTY; REFERENCE NO: 10112, UNK; FOR REPAIRING CASTING, REBUILDING BROKEN MACHINERY AND FIXTURES, REF 10111 REQUIRED THE NEW STANDARD FOR RELIABILITY POINT 1 TO 16, CHEMEALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY	KG
0160117	COMPOUND, SEALING: TYPE: GENERAL PURPOSE; REFERENCE NO: T20-75, UNK; ONLY TITE SEAL LIGHT WEIGHT ACCEPTABLE, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	EA
0160215	ADHESIVE: TYPE: INSTANT; CONTAINER: BOTTLE PLASTIC 20 G; SUPPL P/N: RT300B; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA
0160216	ADHESIVE: TYPE: INSTANT PLASTIC/VINYL; CONTAINER: BOTTLE PLASTIC 3 G; REFERENCE NO: PATTEX, UNK; SUPERBONDER; BLUE CONTAINERS; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0160217	ADHESIVE: TYPE: SUPERGLUE; CONTAINER: TUBE 3 G; REFERENCE NO: 45, UNK; CLAUSE:1 (PLEASE ENSURE THAT SHELF LIFE HISTORY AND EXPIRY DATES ARE DISPLAYED 2) ITEMS SUBJECTED TO SHELF LIFE WILL NOT BE ACCEPTED TO ESKOM KENDAL P/S IF MORE THAN 20PCT OF THE SHELF LIFE HAS ALREADY EXPIRED PRIOR TO DELIVERY, MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA
0160228	ADHESIVE: TYPE: CONTACT; CONTAINER: CAN 1 L; REFERENCE NO: 508, UNK; SUPPL P/N: 508; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA
0160232	ADHESIVE: TYPE: GASKET; CONTAINER: TUBE PLASTIC 300 ML; PHYSICAL FORM: LIQUID; SUPPL P/N: 593; SUPPL P/N: LOCTITE 593; REFERENCE NO: RTV; REFERENCE NO: 593; HYPERLOCK, MATERIAL SILICON, COLOR BLK, MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; LOCKTITE	EA
0160233	COMPOUND, SEALING: TYPE: GASKET; COLOR: WHITE; CONTAINER: TUBE PLASTIC 310 ML; MATERIAL: SILICON; SUPPL P/N: 594; RUBBER ADHESIVE, TO FIT CAULKING GUN, CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); LOCKTITE	EA
0160235	ADHESIVE: TYPE: SILICON; CONTAINER: TUBE PLASTIC 300 ML; PHYSICAL FORM: LIQUID; LOCTITE; TYPE 59575; CLEAR, TENSILE STRENGTH D/N 53504 S2 MPA -1.0; TEMPERATURE RATING BETWEEN -60 DEG C AND 230 DEG CELCIUS AND ALSO TO TENSILE AND COMPRESSIVE STRESSES; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0160237	ADHESIVE: TYPE: SCREWLOCK; CONTAINER: BOTTLE PLASTIC 50 G; PHYSICAL FORM: LIQUID; SUPPL P/N: 230T; QUICKLOCK MATERIAL ANAEROBIC SEALANT; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA

0160253	ADHESIVE: TYPE: CEMENT; CONTAINER: TUBE 100 ML; TANGIT SPECIAL FOR PVC PIPES; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0160266	COMPOUND, SEALING: TYPE: GASKET/JOINT; COLOR: BLUE UNIVERSAL; CONTAINER: TUBE 100 G; MATERIAL: POLYESTER URETHANE; SUPPL P/N: PL32M; CLAUSE: 1: PLEASE ENSURE THAT SHELF LIFE HISTORY AND EXPIRY DATES ARE DISPLAYED, 2: ITEMS SUBJECTED TO SHELF LIFE WILL NOT BE ACCEPTED TO ESKOM IF MORE THAN 25 PCT OF THE SHELF LIFE HAS ALREADY EXPIRED PRIOR TO DELIVERY; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA
0160269	ADHESIVE: TYPE: SUPERGLUE; CONTAINER: BOTTLE PLASTIC 20 G; REFERENCE NO: M5000, UNK; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0160278	ADHESIVE: TYPE: SUPERGLUE; CONTAINER: BOTTLE 20 G; PHYSICAL FORM: LIQUID; SPECIFICATION: LOCTITE 401; MATERIAL: CYANOACRYLATE; SUPPL P/N: IS495	EA
0160282	ADHESIVE: TYPE: QUICK SET; CONTAINER: PACK CARDED 15 ML; REFERENCE NO: 1-2-3, UNK; ONE TUBE RESIN AND ONE BOTTLE ACTIVATOR, MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0160283	ADHESIVE: TYPE: NUT LOCK; CONTAINER: BOTTLE PLASTIC 50 G; REFERENCE NO: 250 T, UNK; SUPPL P/N: 243; MEDIUM STRENGTH; HPL 051242; COLOUR BLUE; MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT; THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE; LOCKTITE	EA
0160313	ADHESIVE: TYPE: EPOXY; CONTAINER: SET 1 KG; REFERENCE NO: 319TAQ, UNK; SUPPL P/N: IV0RY319TAQ; QUICK SET, STRUCTURAL, RATIO BY VOLUME: 2 (EPOXY) TO 1 (ACTIVATOR), MATERIAL SAFETY DATA SHEETS WITH ENVIRONMENTAL INFORMATION IN THE 16 POINT FORMAT TO BE PROVIDED WITH EVERY DELIVERY AS REQUIRED BY THE OCCUPATIONAL HEALTH AND SAFETY ACT	EA
0160354	BAG: TYPE: CARRY; DIMENSIONS: WD 280 X LG 420 MM; MATERIAL: PLASTIC; MICRON: 30 U	EA
0160355	BAG: TYPE: CARRY; DIMENSIONS: WD 240 X LG 400 MM; MATERIAL: PLASTIC; MICRON: 30 U	EA
0160356	BAG: TYPE: REFUSE; DIMENSIONS: WD 750 X LG 950 MM; COLOR: GREEN; MATERIAL: PLASTIC; MICRON: 40 U	EA
0160385	BAG: TYPE: SELF SEALING; DIMENSIONS: WD 150 X LG 180 MM; MATERIAL: PLASTIC; NON-STATIC	EA
0161193	GREASE, INDUSTRIAL: TYPE: SILICON; CONTAINER: CAN 5 KG; REFERENCE NO: MS4, UNK; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL)	KG
0162909	TAPE, ADHESIVE: TYPE: CAUTION/WARNING; DIMENSIONS: WD 25 MM X LG 50 M; MATERIAL: PVC; COLOR: YELLOW/RED PRINT; PTW / IN FORCE	EA
0186570	TILE: TYPE: REFRACTORY; DIMENSIONS: WD 100 X LG 150 X THK 6 MM; MATERIAL: CERAMIC ALUMINA HIGH; COLOR: WHITE; MODEL NO: MP92, UNK; SUPPL P/N: P26	EA
0186581	TILE: TYPE: REFRACTORY; DIMENSIONS: WD 50 X LG 150 X THK 6 MM; MATERIAL: ALUMINA 90 PCT; COLOR: WHITE; SUPPL P/N: P25	EA
0186582	BRICK, REFRACTORY: TYPE: ALUMINA HIGH; DIMENSIONS: WD 100 X LG 150 X THK 12 MM; SHAPE: TILE; MATERIAL: CERAMIC; REFERENCE NO: W01, UNK; CONTENT CERAMIC 90 PERCENT; GRADE 92 PCT HIGH ALUMINA; EA = ONE (1) BOX OF 30 TILES; WELD ON	EA
0186583	TILE: TYPE: REFRACTORY; DIMENSIONS: WD 50 X LG 150 X THK 12 MM; MATERIAL: CERAMIC ALUMINA HIGH; COLOR: WHITE; MODEL NO: MP92, UNK; SUPPL P/N: W06	EA

0186589	COMPOUND: TYPE: HI-TEMP TROWEL MIX; CONTAINER: 12 KG; SUPPL P/N: 9505-9918; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL) WITH EVERY DELIVERY	EA
0187596	BRICK, REFRACTORY: TYPE: ALUMINA HIGH CONTENT CERAMIC; DIMENSIONS: WD 25 X LG 150 X THK 6 MM; SHAPE: TILE; MATERIAL: ALUMINA CERAMIC 90 PCT PLUS; SUPPL P/N: P22; GRADE STANDARD WHITE; ESKOM'S SPECS ETS-0253	EA
0198234	BRICK, REFRACTORY: TYPE: ALUMINA HIGH CONTENT CERAMIC; DIMENSIONS: WD 50 X LG 150 X THK 25 MM; SHAPE: TILE; MATERIAL: ALUMINA CERAMIC 90 PCT PLUS; SUPPL P/N: P7; GRADE: KNOOP HARDNESS 10.8GPa	EA
0212152	BRUSH, WIRE: TYPE: FOUNDRY; TRIM LENGTH: 42 MM; DIMENSIONS: DIA 61 X LG 165 MM; MATERIAL: STL; REFERENCE NO: FO101, UNK; HT 58MM; NO HANDLE; FINE; FIVE ROWS; ACADEMY BRAND	EA
0223825	COMPOUND, SEALING: TYPE: GASKET ELIMINATOR; CONTAINER: TUBE 45 G; NUMBER 2; FORM A GASKET; CHEMICALS TO BE SUPPLIED WITH MSDS AND SECTION 12 (ECOLOGICAL INFORMATION OF THE MSDS TO BE COMPLETED IN DETAIL); THE FOLLOWING IS REQUIRED WITH EVERY DELIVERY; SHELF LIFE; DATE OF MANUFACTURE AND METHOD OF STORAGE	EA
0225061	TAPE, EMBOSsing: COLOR: BLACK ON YELLOW; NOMINAL WIDTH: 24 MM; NOMINAL OVERALL THICKNESS: 0.5 MM; NOMINAL LENGTH: 8 M; ATTACHMENT METHOD: ADHESIVE BACKING; MATERIAL: VINYL; TYPE: LAMINATED P TOUCH; SUPPL P/N: TZ-651; APPLCICATION: USED ON BROTHER LABEL PRINITNG MACHINE	EA
0256819	PAINT, OIL: TYPE: EPOXY ENAMEL HI-CHEM; COLOR: GRAY LIGHT; CONTAINER: CAN 5 L; SPECIFIC USE: TOP QUALITY SURFACE COATING; REFERENCE NO: M388-0XXX; IT MUST COME WITH MIXTURE CODE C/A 39490, SUPPLY MATERIAL SAFETY DATA SHEET WITH EVERY DELIVERY	L
0570082	BREATHHER: TYPE: SILICA GEL, UNIT; MATERIAL: POLYPROPYLENE; DIMENSIONS: DIA 80 X LG 165 MM; CONNECTION: FNPT 1/4 IN; MANUF P/N: 1011388; CAPACITY: 155 CUBIC CM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA
0584568	BROOM: TYPE: PLATFORM; DIMENSIONS: WD 95 X LG 450 MM; TRIM LENGTH: 3-1/4 IN; MATERIAL: FIBER SYNTHETIC SOFT	EA
0650045	ADHESIVE: TYPE: GLUE STICK; CONTAINER: TUBE 40 G	EA
0650391	TAPE, ADHESIVE: TYPE: BUFF, SELLO; DIMENSIONS: WD 48 MM X LG 100 M; MATERIAL: VINYL; COLOR: CLEAR	EA
0658101	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 31 MM; WIDTH: 19 MM; MATERIAL: STL; FASTENING DEVICE TYPE: BOLT; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 31 TO 34 MM; MATERIAL: 400 SERIES STEEL BAND WITH ZINC PLATED CARBON STEEL SET SCREW AND TRUNNIONS	EA
0658118	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 37 MM; WIDTH: 19 MM; MATERIAL: SS; FASTENING DEVICE TYPE: BOLT; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 37 TO 41MM	EA
0658320	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 238 MM; WIDTH: 32 MM; MATERIAL: STL; FASTENING DEVICE TYPE: BOLT; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 238 TO 250MM; MODIFIED RANGE REQUIRED WITHOUT THE USE OF SPECIAL TOOLS: 228 TO 240MM; MATERIAL: 400 SERIES STEEL BAND WITH ZINC PLATED CARBON STEEL SET SCREW AND TRUNNIONS	EA
0658334	CLAMP, HOSE: TYPE: HEAVY DUTY BOLTED; INSIDE DIAMETER: 70 MM; WIDTH: 25 MM; MATERIAL: STL; SET SCREW RECESSED INTO A ROUND TRUNNION FOR EASY INSTALLATION; DIAMETER RANGE: 70 TO 78MM; MATERIAL: 400 SERIES STEEL BAND WITH ZINC PLATED CARBON STEEL SET SCREW AND TRUNNIONS	EA
0659593	TILE: TYPE: PRE ENGINEERED WELD ON HIGH ALUMINA CONTENT; DIMENSIONS: WD 100 X LG 150 X THK 25 MM; MATERIAL: MP92 ALUMINA OXIDE; COLOR: WHITE; CHAMFERED 45 DEG ON ONE SIDE OF THE 150MM SIDE OF THE TILE; LARGEST TILE AREA SHOULD BE ON THE BOTTOM OF THE TILE AFTER MOUNTING	EA
0659594	SEALANT: TYPE: HIGH TEMPERATURE; CONTAINER: BOX 24; MATERIAL: SILICON; COLOR: RED; TEMPERATURE RATING: 80 DEG C; APPLICATION: TILE INSTALLATION; PHYSICAL FORM: PASTE; ODOUR: ACETIC ACID; FLASH POINT: GREATER THAN 250 DEGREES CELCIUS; METHOD: CLOSED CUP; STORAGE: KEEP IN COOL DRY VENTILATED STORAGE AND IN CLOSED CONTAINERS	EA

0659595	TILE: TYPE: HIGH ALUMINA CONTENT CERAMIC; DIMENSIONS: WD 50 X LG 100X THK 25 MM; MATERIAL: MP92 ALUMINA OXIDE; COLOR: WHITE; SUPPL P/N: P16; THE POROSITY SHALL BE 0.0 PERCENT; MAXIMUM USAGE TEMPERATURE 1500 DEG CELCIUS; WEAR RESISTANCE OF 0.10 G PER CUBIC CENTIMETER PER HOUR; GAS TIGHT PERMEABILITY AND THERMAL EXPANSION OF 7.29 10 -16MM PER MM DEG CELCIUS 800 DEG CELCIUS	EA
0668572	PAINT, WATER: COLOR: WHITE; CONTAINER: DRUM 20 L; PHYSICAL FORM: SUPER ACRYLIC; SPECIFIC USE: EXTERIOR/INTERIOR; REFERENCE NO: PLASCON WALL&ALL	EA

1 Supply Requirements

The supplier shall be responsible to provide the following:

- Provide data sheets per item supplied

2 Specification of the goods to be provided

- Supply of the goods must be on time of required order date
- Transported by road on supplier's costs and transport
- End user to be informed when delivery will be done at least 2 days upfront
- No deliveries to be done on a Friday, Weekend or public holiday (Unless otherwise agreed upon)

3 Constraints on how the *Supplier* Provides the Goods

3.1 Programming constraints

- Supply of the goods must be on time of required order date

3.2 Work to be done by the Delivery Date

Ensure that the goods meet the specifications described in section 2.

3.3 Marking the *goods*

goods to be clearly marked, labelled and packed according to the required specifications

3.4 Constraints at the delivery place and place of use

- End user will determine the offloading point at the time of delivery
- Offloading will be done by the supplier.

3.5 Cooperating with Others

N/A

3.6 Services & other things to be provided by the *Purchaser* or *Supplier*

N/A

3.7 Management meetings

Regular meetings of a general nature may be convened and chaired by the *Supply Manager* as follows:

Title and purpose	Approximate time & interval	Location	Attendance by:
Risk register and compensation events	Weekly on _____ at _____		
Overall contract progress and feedback	Monthly on _____ at _____		<i>Purchaser, Supplier, and _____</i>

Meetings of a specialist nature may be convened as specified elsewhere in this Goods Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the manufacture of the *goods*. Records of these meetings shall be submitted to the *Supply Manager* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the *conditions of contract* to carry out such actions or instructions.

3.8 Documentation control

- Each instruction, test certificate, acceptance, notification, reply and other communication which this contract requires is to be communicated in a form which can be read, copied and recorded.
- Writing is in the Language of this contract.
- All reports to be discussed, compiled and handed over to Eskom
- All method statements to be discussed compiled and handed over to Eskom where applicable.
- All communications, Certificates, Method Statements must be printed and filed in the Purchaser's Data file

3.9 Health and safety risk management

The *Supplier* shall comply with the Occupational Health and Safety Act and relevant regulations, Eskom Contractor Health and Safety Requirements, Eskom Lifesaving rules, National Road Traffic Act and Eskom Vehicle Safety Specifications. The supplier shall submit its internal offloading safe-work procedures to the client prior contract awarding. It is also necessary for the supplier to be in Good Standing with COIDA

3.10 Environmental constraints and management

The *Supplier* shall comply with the environmental regulations as well as the following:

- Contractor to be familiarised with Environmental Statement of Commitment.
- Delivery schedule to be strictly followed to avoid unnecessary delays.
- Contractor shall report all incidents or risks whilst on site to the Eskom Project leader who will inform the environmental department.

3.11 Quality

To ensure compliance to Quality Management System requirements, the following requirements shall be adhered to:

- 240-68099512 Form A : The tenderer must complete and sign this form to acknowledge and accept Eskom Supplier Quality Requirements as per QM 58 Specification and ISO 9001 Standard
- Category 3 - Quality Assessment Criteria : Stipulated documented information to be provided for evaluation purposes
- QM 58_240-105658000 – Supplier Quality Management Specifications
- Documented information that permits the Supplier to provide highest level of quality assurance to confidentially state that the method used on the product are accurate, documented and validated.
- Documented information which allows the Supplier to legally transport hazardous goods

- Documented information on determining the knowledge, skill and competency required for the achieved conformity of product/ service (Driver, handling of hazardous goods...)

3.12 Invoicing and payment

Within one week of receiving a payment certificate from the *Supply Manager* in terms of core clause 51.1, the *Supplier* provides the *Purchaser* with a tax invoice showing the amount due for payment equal to that stated in the *Supply Manager's* certificate.

The *Supplier* shall address the tax invoice to *Purchaser* and include on each invoice the following information:

- Name and address of the *Supplier* and the *Supply Manager*;
- The contract number and title;
- *Supplier's* VAT registration number;
- The *Purchaser's* VAT registration number.
- Description of *goods* and *services* provided for each item invoiced based on the Price Schedule;
- Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT;

3.13 Insurance provided by the *Purchaser*

N/A

3.14 Contract change management

N/A

3.15 Provision of bonds and guarantees

The form in which a bond or guarantee required by the *conditions of contract* (if any) is to be provided by the *Supplier* is given in Part 1 Agreements and Contract Data, document C1.3, Sureties.

The *Purchaser* may withhold payment of amounts due to the *Supplier* until the bond or guarantee required in terms of this contract has been received and accepted by the person notified to the *Supplier* by the *Supply Manager* to receive and accept such bond or guarantee. Such withholding of payment due to the *Supplier* does not affect the *Purchaser's* right to termination stated in this contract.

3.16 Records of Defined Cost, payments & assessments of compensation events to be kept by the *Supplier*

Shall be provided to *Supply Manager* in hard copy or electronically.

4 Procurement

4.1 Subcontracting

6.1.1 Supplier Development, Localisation and Industrialisation (SDL&I)

5 List of drawings

5.1 Drawings issued by the *Purchaser*

Datasheet to be provided

3.2 SUPPLIER'S GOODS INFORMATION

This section of the Goods Information will always be contract specific depending on the nature of the goods and services.

It is most likely to be required for supply contracts where the tendering supplier will have proposed specifications and schedules for the goods and services, which once accepted by the Purchaser prior to award of contract now become obligations of the Supplier per core clause 20.1.

This section could also be compiled as a separate file.

SHEQ

RISK	MITIGATING FACTORS
Safety Non- compliance to all legal requirements.	Service Provider shall demonstrate compliance with the Eskom Safety Standards and Specifications, Occupational Health and Safety Act of 1993, Standard 32-136: Standard Contractor Health and Safety Requirements. Health and safety specifications: LBS0067PC-H.
Quality: Poor Quality of Products delivered Any National and/or International Standards that the company is subjected to and the key internal controls that the company put in place to satisfy set standards Quality Management Documents Requirements	Category 2 - Quality Requirements to be met 240-68099512 Form A: The tenderer must complete and sign this form to acknowledge and accept Eskom Supplier Quality Requirements as per QM 58 Specification and ISO 9001 Standard (category 2) 240-12248652 List of Tender Returnables: comply with stipulated documented information for evaluation purposes (category 2) 240-105658000 – Supplier Quality Management Specifications (QM 58) A fully detailed Quality Control Plan (QCP) for acceptance within three (3) weeks of the Contract Date, which details all the aspects of the quality management system to be applied. It includes the methods that will be utilized to ensure quality assurance, control and improvement of the identified activities as stated in the Scope of Works

<p>Inspections</p>	<p>The service provider shall deliver the spares and components with the data book. The data book shall consist with the following documents:</p> <ul style="list-style-type: none"> •Signed off manufacturing quality control plan. •Destructive and Non-Destructive testing reports. •Visual and dimensional report •Heat treatment charts, chemical certificate and Hardness repot •The service provider to provide method statements and quality control plans. •Site Acceptance Test and System Integration tests to be conducted. <p>The service provider is required to conduct sufficient inspections and tests to satisfy that all requirements of the SOW met, and the results of inspections and tests are made available to the client.</p>
<p>Preservation and transportation Requirements</p>	<p>The service provider is to ensure that all products are preserved in their appropriate manner as described in their specifications or in Eskom's Preservation, Shipping and Transportation procedures as applicable. The service provider ensures that all storage requirements for products are properly implemented to preserve the products against adverse conditions, deterioration, damage, etc. Storage and preservation procedures for the different products must be submitted to the client for review and acceptance. The client may request to inspect the stored products at any given point during the storage period of the product</p>
<p>Non-Conformance and Defects</p>	<p>NCR's and defects notifications are issued, the Service provider will acknowledge the receipt within 48 hours and proposes corrective and preventive actions to the client as per the contract response period. The corrective and preventive actions will include the implementation and completion dates.</p>

Environment: Incorrect waste disposal	Contractor to be familiarized with Lethabo waste management procedure. Contractor to be familiarised with Environmental Statement of Commitment. Contractor shall report all incidents or risks whilst on the job to the Eskom Project leader who will inform the environmental department
---	--

Site Information

C4.1: Information about the *site* at time of tender which may affect the work in this contract:

1. Site Procedures and Regulations

1.1 Health and Safety Requirements

The *Contractor* and his sub-*Contractors* ensure at all times compliance with safety regulations imposed by any Act of Parliament, ordinance or any regulation or by-law of any local or statutory authority.

- The *Contractor* acts in accordance with the health and safety requirements stated in the Works Information.
- In carrying out its obligations to the *Employer* in terms of this contract; in providing the Works; in using Plant, Materials and Equipment; and while at the Site for any reason, the *Contractor* complies and procures and ensures the compliance by its employees, agents, Sub-*Contractors* and mandataries with:
- the provisions of the Occupational Health and Safety Act 85 of 1993 (as amended) and all regulations in force from time to time in terms of that Act ("the OHSA"); and the Eskom "Health, Safety and Environmental specifications for *Contractors*" document attached to the Works Information (as amended from time to time) and such other Eskom Safety Regulations as are applicable to the Works and are provided in writing to the *Contractor* (collectively "the Eskom Regulations"). The Eskom Regulations may be amended from time to time by the *Employer* and all amendments will be provided in writing to the *Contractor*. The *Contractor* complies with the provisions of the latest written version of the Eskom Regulations with which it has been provided; and the health and safety plan prepared by the *Contractor* in accordance with the SHEQ Requirements
(The OHSA and the Eskom Regulations are collectively referred to as the "SHEQ Requirements".)
- The *Contractor*, at all times, considers itself to be the "*Employer*" for the purposes of the OHSA and shall not consider itself under the supervision or management of the *Employer* with regard to compliance with the SHEQ Requirements, the *Contractor* shall furthermore not consider itself to be a subordinate or under the supervision of the *Employer* in respect of these matters. The *Contractor* is at all times responsible for the supervision of its employees, agents, Sub-*Contractors* and mandataries and takes full responsibility and accountability for ensuring they are competent, aware of the SHEQ Requirements and execute the Works in accordance with the SHEQ Requirements
- The *Contractor* acknowledges that it is fully aware of the requirements of all the above and undertakes to employ only people who have been duly authorized in terms thereof and who have received sufficient training to ensure that they can comply therewith.
- The *Contractor* ensures that all statutory appointments and appointments required by any Eskom Regulations are made and that all appointees fully understand their responsibilities and are trained and competent to execute their duties. The *Contractor* supervises the execution of their duties by all such appointees.
- The *Contractor* shall appoint a person who will liaise with the Eskom Safety Officer responsible for the premises relevant to this contract. The person so appointed shall, on request: supply the Eskom Safety Officer with copies of minutes of all Health And Safety Committee meetings, whenever he is required to do so; supply the Eskom Safety Officer with copies of all appointments in respect of employees employed on this contract, in terms of the Act and Regulations and shall advise the Eskom Safety Officer of any changes thereto.

The *Employer*, or any person appointed by the *Employer*, may, at any stage during the duration of this contract:

- conduct health and safety audits regarding all aspects of compliance with the SHEQ Requirements, at any off-site place of work, or the site establishment of the *Contractor*;

- refuse any employee, Sub *Contractor* or agent of the *Contractor* access to the premises if such person has been found to commit an unsafe act or any unsafe working practice or is found not to be qualified or authorised in terms of the SHEQ Requirements;
 - issue the *Contractor* with a stop order should the *Employer* become aware of any unsafe working procedure or condition or any non-compliance with any provision of the SHEQ Requirements.
 - The *Contractor* immediately reports any disabling injury as well as any threat to health or safety of which it becomes aware at the Works or on the Site to the *Employer's Representative*.
- The *Contractor* undertakes not to do, or not to allow anything to be done which will contravene any of the provisions of the Act, Regulations or Safety and Operating Procedures.
 - The *Contractor* appoints a person, qualified in accordance with the SHEQ Requirements, as the liaison with the Eskom Safety Officer for all matters related to health and safety, this person shall be reachable 24 hours a day.
 - The *Contractor* confirms that it has been provided with sufficient written information regarding the health and safety arrangements and procedures applicable to the Works to ensure compliance by it and all employees, agents, Sub-*Contractors* or mandataries with the SHEQ Requirements while providing the Works in terms of this contract. As such, the *Contractor* confirms that this contract and the relevant Eskom Regulations referred to in this contract constitute written arrangements and procedures between the *Contractor* and the *Employer* regarding health and safety for the purposes of section 37(2) of the OHSA.
 - The *Contractor* agrees that the *Employer* is relieved of any and all of its responsibilities and liabilities in terms of Section 37(1) of OHSA in respect of any acts or omissions of the *Contractor*, and the *Contractor's* employees, agents or Sub-*Contractors*, to the extent permitted by the OHSA.
 - The *Contractor* hereby indemnifies the *Employer* and holds the *Employer* harmless in respect of any and all loss, costs, claims, demands, liabilities, damage, penalties or expense that may be made against the *Employer* and/or suffered or incurred by the *Employer* (as the case may be) as a result of, any failure of the *Contractor*, its employees, agents, Sub-*Contractors* and/or mandataries to comply with their obligations in terms of clause 16, and/or the failure of the *Employer* to procure the compliance by the *Contractor*, its employees, agents, Sub *Contractors* and/or mandataries with their responsibilities and/or obligations in terms of or arising from the OHSA.
- In carrying out his obligation as the mandatory to the *Employer* for this contract in terms of the National Environmental Management Act No.107 of 1998, the *Contractor* ensures that he complies with the Act when Providing the Services or using plant, materials or equipment.

1.2 Permit to Work System

- NO work shall be carried out without a "PERMIT TO WORK"
- The *Contractor's* Responsible Person must satisfy himself that all sources of possible danger are isolated. Details of the Permit to Work system can be found in the Plant Safety Regulations for Lethabo Power Station, Eskom OPR 3305. The *Contractor* must also make provision for a Authorise supervisor that is trained according to the procedure mentioned above.
- A Master Permit to Work is used on declared major outages, details can be found in local procedure LBA 00085. Permit changes are made during the dead time, if it is required by the *Contractor* that a certain supply be made available or plant tested than this can be applied for at the Outage Management Meeting at least 1 day in advance.
- Plant with a prohibitive sign attached may only be operated by appointed Eskom personnel. Any *Contractor* employee found tampering with such plant will be permanently removed from Site.

1.3 Safety Induction Course

- All the employees of the *Contractor* must attend a safety induction course before they will be allowed to work on the Site. It is the responsibility of the *Contractor* to ensure that all employees have attended the safety induction.

- A list of employees requiring safety induction must be submitted at least 2 days in advance of arrival on site with the date and time of arrival so that the safety induction can be arranged.

1.4 IBI Awareness Techniques

- "To prevent incidents and ensure continuous improvement of Lethabo Power Stations business performance in all areas affecting safety, reliability and production, it is expected of all **CONTRACTORS** service personnel, to attend a three(3) hour training session on Integrated Business Improvement Awareness, which has to be done as soon as work has commenced; This is to ensure familiarisation and use of error-prevention tools/techniques inclusive of, Pre and Post-job briefs, Risk Assessments, Self-checks(STAR principle), Job observations, Effective communications e.g.3- way, Questioning attitude, Procedural adherence, Hand overs and other related topics.
- A monthly IBI scorecard to be completed indicating the use of error prevention tools/ techniques; The assigned employee fulfilling the role of IBI representative has to attend the IBI representative's forum fortnightly, on Tuesdays, duration one hour.
- An IBI representative appointed by the *Contractor/Supplier/Consultant* to attend the IBI Representative Forum One (1) hour every Tuesday (fortnightly).
- IBI Awareness training will be provided by Lethabo Power Station personnel, free of charge, course bookings can be arranged by contacting Rabie Heymans on extension 5094".

1.5 Transportation of passengers: open LDV's:

No *Eskom employee* or *Contractor* would be allowed to transport passengers on the back of open light delivery vehicles (LDV's).

It is a legal requirement to provide safe transportation of *Eskom* and *Contractor* employees – therefore the following will be enforced:

- All passengers must be transported in a closed vehicle with proper and adequate seating, fitted with safety belt for the number of passengers to be transported. NO passengers may be transported on the back of a light delivery vehicle (LDV) whether open or closed.
- Tools and equipment must be properly secured.
- Only authorised drivers may transport passengers.
- Proof must be submitted on request in terms of valid roadworthiness of the vehicle/s.
- The above must apply to on site and off site transportation of passengers.

1.6 Eskom Cardinal Rules:

Five Cardinal Rules have been developed that will apply to all Eskom employees, agents, consultants and *Contractors*.

- **Rule 1:** Open, Isolate, Test, Earth, Bond, and/Or Insulate before touch - that is any plant operating above 1 000 V.
- **Rule 2:** Hook up at heights - no person may work at height where there is a risk of falling.
- **Rule 3:** Buckle up – no person may drive any vehicle on Eskom business and/or on Eskom premises: unless the driver and all passengers are wearing seat belts.
- **Rule 4:** Be sober (no person is allowed to work under the influence of drugs and alcohol.
- **Rule 5:** Use a permit to work – where an authorization limitations exists, no person shall work without the required permit to work.

1.7 Local Safety Procedures

- The *Contractor* adheres to all local procedures. A list of local procedures are available on request from the *Employer*.

1.8 Incidents / Accidents

- Incidents and accidents must be reported and investigated as detailed in LBA 00030. All incidents must also be reported to the *Employer* within 24 hours.
- First aid must be made available either by the *Contractor* or use can be made of the Lethabo medical centre at a fee. The availability of the *Contractor's* own first aid does not relieve the *Contractor* of his obligation to report and investigate the incident in accordance with Lethabo Procedure.

1.9 Fire Prevention

- Fire prevention and protection requirements to which *Contractors* must comply are detailed in LBA 00030.

1.10 Protective Equipment and Clothing

- The *Contractor* supplies his own personal protective equipment necessary to carry out the *works* and the *Contractor* shall ensure that all overalls for his staff have clearly identifying **company LOGO's**
- The *Contractor* is also responsible to inspect and maintain such equipment as required in terms of the OHS Act and local procedures.

1.11 Inspection of Equipment

- The *Contractor's* equipment is inspected by an authorised Eskom employee on arrival at the site.
- The following documentation is required to accompany the equipment where applicable: copies of all test certificates and maintenance records.
- Lifting equipment and electrical equipment must be marked with a unique number, code or colour code for identification. If the equipment is found to be in an unsatisfactory condition or if insufficient maintenance has been carried out on the equipment then it will not be approved for use on Site. A list of all lifting equipment and electrical equipment must be submitted to the *Employer* at least 2 days prior to the occupation date. This list must indicate the unique number and description of the equipment.

1.12 Documentation

The *Contractor* is responsible to have the following documentation available on site in accordance with LBA 00030:

- A copy of the OHS Act.
- Copies of all site accident report forms as required by the OHS Act.
- Copies of minutes of health and safety meetings held on site.
- Copies of inspection reports produced by the accident prevention officer

1.13 Environmental Policy and Waste Handling


Lethabo Environmental Statement of commitment must be adhered to.

The contractor shall submit to Eskom an EMP to be reviewed and approved by Eskom environmental officer, one week before the commencement of works.

1.14 Disposal of Waste

Waste shall be removed promptly to the designated disposal area. No stockpiling will be permitted.

- Domestic waste to the white waste bins
- Production waste in the marked bins i.e. coal and ash only
- Paper and cans to their respective recycling bins
- Contact Civil Engineering for the disposal of building rubble
- Scrap metal, Wood & Rubber, Redundant Valves, Pipes, Equipment etc. to be placed in the marked bins in the new Salvage Yard. Solvents and cloths used to the Cleaning Bay.



1.15 Hazardous Waste Disposal and Handling

- Hazardous / toxic waste includes all waste which contains elements or compounds listed as hazardous substances in terms of the Hazardous Substances Act No. 15 of 1973.
- Any *Contractor* who produces hazardous waste on site will be responsible for the safe removal of such waste to a registered Class I site by a waste removal and disposal body.
- The *Contractor* is required to produce a certificate of safe disposal in accordance with LBA 00054.
- The *Contractor* must ensure that persons handling hazardous waste have undergone suitable training and are acquainted with cleaning methods in case of a spillage.
- The *Contractor* is also responsible for the safe removal of their hazardous waste to Lethabo's Hazardous Waste Store. Other requirements for hazardous waste are detailed in LBA 00030.
- In order to ensure effective hazardous waste management, a copy of the *Contractors'* hazardous waste inventory must be supplied to the *Employer* at least 2 days prior to the occupation date.

Abbreviated list of Hazardous Materials

Acids and alkalis	Hydrocarbons	Pesticides & insecticides
Antimony and its compounds	Inorganic cyanides	Pharmaceuticals
Arsenic compounds	Inorganic compounds containing halogens	Phosphorus and its compounds
Asbestos	Inorganic compounds containing sulphur	Selenium and its compounds

Barium compounds	Laboratory chemicals	Silver compounds
Beryllium compounds	Lead compounds	Tarry & petroleum products
Biocides & phytopharmaceutics	Medical wastes	Tellurium and its compounds
Boron compounds	Mercury compounds	Thallium and its compounds
Cadmium and its compounds	Nickel and its compounds	Vanadium compounds
Chromium compounds	Organic halogen compounds	Zinc compounds
Copper compounds	Paints and paint sludges	Waste with flash point < 60°C
Heterocyclic organic compounds	Peroxides, chlorates	

1.16 Plant & Materials

- The *Employer* may at his own discretion, supply any Plant and Materials as may be required by the *Contractor* to Provide the Works.
- The *Contractor* is to notify the *Employer* in writing, 48 hrs in advance, of such Plant and Materials required.

1.17 Access to and Departure from the Site:

- The Site is at Lethabo Power Station situated \pm 18 km South of Vereeniging on the Viljoensdrift - Deneysville Road, Free State. Access to the site will be via the main security gate only. The *Employer* informs the *Contractor* of the access procedures, and it should be expected that such procedures may change depending on the prevailing security situation.
- The *Contractor* allows in his price and program for delays at the security gate. The *Employer* reserves the right for its Security personnel to search persons or vehicles entering or leaving the premises. This includes, but is not limited to briefcases and toolboxes.

1.18 Temporary Gate Permits

- The *Contractor* provides the *Employer* with the personal details of their staff at least two days prior to the occupation date. All names and details to be submitted to the *Employer* who arranges for all gate permits.

1.19 Equipment or Material Access and Removal

Access

- The *Contractor* ensures that all equipment and materials brought through the security gate is signed in at the main security gate on an OV18 form.

Removal

- The *Contractor* is not allowed to remove any equipment or materials from site without producing the relevant OV18 forms or the equipment lists.
- If the equipment or material is to be removed the same day, on which they were brought on to site, then the OV18 form will need to be produced at the gate when leaving the site.
- If the equipment or material is removed after this time then a Non-Returnable Gate Release will be provided by the *Employer's Representative*, on receipt of the original OV18, with which the *Contractor* brought the equipment on site.

1.20 Site or Area Establishment and Evacuation

Application for Site Establishment:

- Sites are allocated according to availability, the period for which the *Contractor* is going to be on site, or if special circumstances warrant the allocation of a site. Documentation to support this application can be submitted.
- The location of the site or area is indicated during the site or area take-over inspection.

Site Establishment:

- The *Contractor* does not occupy any site or area other than that allocated to him.
- The *Contractor* does not occupy the site or area prior to the take-over inspection.
- The *Contractor* maintains the site or area provided to him to the satisfaction of the *Employer*.
- The *Employer* subjects the *Contractor's* site or area to periodic inspection.

Site Evacuation:

- The *Contractor* advises the *Employer* in writing, five (5) days in advance of evacuation in accordance with LBA 00030. Immediately prior to evacuation the necessary take-over inspection must take place.

1.21 Electrical Equipment / Appliances, Lighting and Power:

- Any electrical equipment or appliances used by the *Contractor* must comply with all relevant safety regulations and requirements as detailed in LBA 00030, and be maintained in safe and proper working condition.
- The *Employer* has the right to stop the *Contractor's* use of any electrical equipment or appliance, which in the *Employer's* opinion does not conform to the foregoing.
- The *Contractor* provides at his own expense any temporary local lighting, and ensures that it is in accordance with the requirements of the Factories Inspector.
- The *Contractor* provides at his own expense, all temporary wiring and cabling to route power from the point of supply to the various points where it is required, maintain same and remove on completion.

1.22 Water

- The *Contractor* provides at his own cost, all connection fittings, pipe-work, temporary plumbing, and pumps necessary to lead the water from the point of supply to the various points where it is required, maintain same and remove on completion.
- Such fittings must be compatible with the *Employer's* fittings so that galvanic corrosion of pipe-work is prevented
- Water wastage due to un-maintained pipe work or fittings provided by the *Contractor* will be calculated and will be for the cost of the *Contractor*.

1.23 Compressed Air

- The *Contractor* provides at his own cost, all connection fittings and pipe-work necessary to lead the compressed air from the point of supply to the various points where it is required, maintain same and remove on completion. Such fittings must be compatible with the *Employer's* fittings so that galvanic corrosion of pipe-work is prevented
- Compressed air wastage due to un-maintained pipe work or fittings provided by the *Contractor* will be calculated and will be for the cost of the *Contractor*.

1.24 Ventilation

- The *Contractor* is responsible for adequate ventilation of the works.

1.25 Security

- The *Contractor* is responsible for all security on *site*, fencing off, night watch and access control in order to secure all plant, materials and the *works* itself. All these measures must be in accordance with any relevant regulations and standards and subject to the *Employer's* approval.

- It is also the *Contractors* responsibility to ensure the security of all completed portions of the *works* prior to Completion.

1.26 Offices, Workshops and Stores

- The *Contractor* shall provide, erect and maintain for his own use, any additional office accommodation and stores he requires, together with drainage, lighting, heating, and hot and cold-water services as required.
- The *Contractor's* site establishment price includes all treatment of the site that he considers necessary for his entire operation throughout his period of occupation and under all weather conditions.
- The *Contractor* also includes for all security and access arrangements that he considers necessary.

1.27 Sanitary Facilities

- The *Contractor* shall provide service, maintain and remove on completion any additional facilities required and allow for it in his *Price*.
- The *Contractor's* employees who work with asbestos are not allowed to use the *Employer's* ablution or messing facilities at the workplace during and after stripping of lagging materials, for fibres that may be attached to workers clothing, or to any other article.