








MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION		
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A		CHASSIS FRONT PANEL		
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025					
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3			IDENTIFIER	DESIGN VERSION	DRAWING REVISION
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:5	SHEET 1 OF 5					R4000-0003	1	1




MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION			
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A		CHASSIS FRONT PANEL			
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025						
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3			IDENTIFIER	R4000-0003	DESIGN VERSION	DRAWING REVISION
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:2		SHEET 2 OF 5						1	1



MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION CHASSIS FRONT PANEL		
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A				
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025					
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3			IDENTIFIER R4000-0003	DESIGN REVISION	DRAWING REVISION
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:2		SHEET 3 OF 5					1	1



MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION CHASSIS FRONT PANEL		
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A				
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025					
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3			IDENTIFIER R4000-0003	DESIGN REVISION	DRAWING REVISION
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:2		SHEET 5 OF 5					1	1