


Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

REQUEST FOR QUOTATION (RFQ) WITH FUNCTIONALITY

REQUEST FOR POTENTIAL SERVICE PROVIDER TO SUBMIT A QUOTATION FOR PROCUREMENT OF CONSUMABLES, TOOLS & EQUIPMENT WITHIN THE AUTOMOTIVE SUPPLIER PARK, ROSSLYN, PRETORIA.

REQUEST FOR QUOTATION (RFQ) DETAILS

RFQ NUMBER	: 15711
PROJECT NO.	: A0130 – 23/24
ISSUE DATE	: 09 October 2023
BRIEFING YES/NO	: Yes
BRIEFING SESSION DATE AND TIME	: 12 October 2023 at 10h00am (Lapa Area)
CLOSING DATE	: 18 October 2023
CLOSING TIME	: 11h00
RFQ VALIDITY DATE	: 90 Calendar days

REQUESTOR DETAILS

Requested By (SCM):	Dane Visagie
Contact Number:	(012) 564-5003
Department Requested for:	Facilities Maintenance Management
For general RFQ and submissions contact	dvisagie@aidc.co.za


REQUEST FOR QOUTATION (RFQ) CLOSING VENUE

E-mail to: quotations@aidc.co.za

NB: DO NOT COPY ANY AIDC PERSONNEL, INCLUDING THE SCM OFFICIAL, ON YOUR RESPONSE; RESPONSES WITH AIDC EMPLOYEES COPIED WILL BE DISQUALIFIED.

THE AIDC RESERVES THE RIGHT TO AWARD THE QUOTE IN PART OR IN FULL AT ITS OWN DISCRETION

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	1 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

DETAILS OF BIDDER

COMPANY NAME:
.....

CONTACT PERSON:
.....

TELEPHONE NUMBER:
.....

CELLULAR NUMBER:
.....

FAX NUMBER:
.....

EMAIL ADDRESS:
.....

In submitting any information or documentation requested in this RFQ, the Respondent is hereby consenting to the processing of their personal information for the purpose of this RFQ and further confirming that they are aware of their rights in terms of Section 5 of POPIA

Respondents are required to provide consent below:

YES		NO	
-----	--	----	--


	YES	NO
Please indicate if your company is Registered on National Treasury – Central Supplier Database (provide your CSD Number)		
CSD number		
Please Indicate if your Company is Registered on SPDC SOC t/a AIDC Database & has “Active Status” *		

” **ACTIVE STATUS**”: - means your BBBEE Certificate or Sworn affidavit is still valid (thus your documents have not yet expired)

NB: Please Note: - AIDC won’t be able to do business with suppliers not registered on CSD as per National Treasury SCM Instruction No.4 of 2016/17.

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	2 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		



Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

EVALUATION CRITERIA

1. EVALUATION CRITERIA

The following will be considered in the evaluation:

EVALUATION CRITERIA
<ul style="list-style-type: none"> Compliance
<ul style="list-style-type: none"> Pre-qualification <ul style="list-style-type: none"> Submit Company Profile Statement of Financial Position
<ul style="list-style-type: none"> Functionality at 100% with minimum of 70%
<ul style="list-style-type: none"> Price (80)
<ul style="list-style-type: none"> Specific goals (20)

THE FOLLOWING DOCUMENT ARE REQUIRED - PLEASE TICK YES ONLY IF THE DOCUMENTS ARE ATTACHED TO YOUR PROPOSAL


A. Administration Criteria - Compliance Requirements – all documents to be submitted	YES	NO
SARS Pin to verify your status		
Valid Sworn affidavit (as issued by DTI/or CIPC), must be an original or certified copy or a certified copy of BBBEE SANAS accredited verification certificate. NB: Suppliers to use approved DTI or CIPC Affidavit template (check website: www.dti.gov.za)		
SBD 4 – Declaration of Interest form – completed and signed		
SBD 6.1 Preference points claim form in terms of the preferential procurement regulations 2022 (PPR 2022)		
SBD 6.2 - Declaration Certification for Local Production and Content. (PPR 2022) and Annexure C where local content production is a specific goal, it must be noted under 6.1 for specific goal.		

THE FOLLOWING DOCUMENT ARE REQUIRED - PLEASE TICK YES ONLY IF THE DOCUMENTS ARE ATTACHED TO YOUR PROPOSAL

B. Pre-qualification documents	YES	NO
1. Submit Company Profile - Disqualified if not provided (Concentrating in supply & delivery of goods/equipment/tools, or similar per scope objective)		
2. Submit Statement of Financial Position (Bank Statement or audited / independently reviewed annual financial statement) most recent or January 2021 onwards - Disqualified if not provided - Submitted document to prove annual turnover of One Million Rand (R1 000 000.00) or above		

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	3 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

C. Functionality

Based on Capability	TYPE OF SUPPORTING DOCUMENTS REQUIRED	MAXIMUM	SCORE	MINIMUM
<i>NB: The bidder shall achieve a minimum score of 70 points under functionality to be able to be evaluated further on pricing & specific goals system.</i>		Maximum Points	Point Scored	Minimum Points
Capability		100		70
A. BIDDER'S COMPANY EXPERIENCE The bidder must provide references from current or previous clients where they have supplied & deliver goods/equipment/tools, or similar per scope objective. The bidder must submit 2 signed reference letters on a client's letterhead not older than 5 years. The reference letter must include the following: <ul style="list-style-type: none"> Name of Company Contact Name and Details Business Address Contract Duration (Start date and end date) Type of good/equipment/tools supplied A. Number of Reference Letters Submitted: 2 or more reference letters = 60 points 1 x reference letter = 30 point No reference letter = 0 point NB: The reference letters or completion certificate to contain the following but not limited to clients information. <ul style="list-style-type: none"> a) Reference Letter <ul style="list-style-type: none"> Client's Company letter head Client's Contactable details (e.g., Physical Address, e-mail, Telephone, etc.) Awarded Description/scope of the work Awarded Value Or b) Completion certificate <ul style="list-style-type: none"> Client's Contactable details (e.g., Physical Address, e-mail, Telephone, etc.) Awarded Description/scope of the work 	Reference Letters containing: a) Name of Company b) Contact Name and Details c) Business Address d) Contract Duration (Start date and end date) e) Type of good/equipment/tools supplied	60		
B. BIDDERS LOCALITY OF CLOSEST OFFICE TO AIDC (ROSSLYN SITE) Points will be allocated if any of the following proof of residence is provided (proof of physical business address, lease agreement or utility account (e.g., rates and taxes, water and/or electricity account.)	Proof of residence (Proof of physical business address, lease agreement or utility account	40		

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	4 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

<ul style="list-style-type: none"> Located within Gauteng = 40 points Located Outside Gauteng = 0 points 				
TOTAL SCORE		100		70


Preferential procurement targets

Take note!

The following preferential procurement targets will be followed out of 20 points. Points will be awarded for specific goals related to this RFQ. The total points obtained will be used to evaluate 80/20, where 80 points are assigned to price and the remaining 20 points are assigned to a specific goal. Bidder must attach supporting documents listed below and complete SBD6.1 in full on page 4 of 5. (To be completed by the tenderer), a bidder who fails to complete in full or complete incorrectly SBD 6.1 to claim points for specific goals will receive a score of zero for that goal.

Specific goals	Supporting evidence for meeting preferential procurement targets	Points
B-BBEE status contributor level 1, 2, 3 or 4.	Valid affidavit (as issued by DTI/or CIPC), must be an original or certified copy or a certified copy of SANAS accredited verification certificate.	10
51% owned by black people living in rural or underdeveloped areas or townships.	Tenderer must submit the Township municipal utility bill of which the owner resides. Township must be as per CSD township location address as registered.	10

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	5 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

Dear Service Provider

REQUEST FOR PROPOSAL /QUOTATION (RFQ) – SCOPE OF WORK/SERVICE

2. INTRODUCTION

2.1. MANDATE

The AIDC is the dedicated developmental agency of the Gauteng Growth and Development Agency (GGDA) in relation to the specific industrial, infrastructure and training needs required by the automotive and allied sector - those based in the Gauteng province. The AIDC is thus tasked by GGDA with special developmental type projects aimed at enhancing and possibly expanding the automotive and allied-related sector with a focus on enterprise development; also, in the support of government's aims at BBBEE SMME development and the radical transformation of various townships. The AIDC otherwise explores other developmental projects, external to the objectives of the GGDA in support of the AIDC's own business development processes. These include projects related to the transport and energy sectors, as well the development of the Tshwane Auto City. The AIDC's focus, in terms of the 2016 Gauteng Economic Development Plan/Framework (GEDP/F), is towards the automotive sector in the Northern Corridor of the Gauteng City Region (GCR) framework.

2.2. VISION

The Vision of the AIDC is:

To be the leading implementation agency delivering creative, efficient, best practice and value-based solutions in support of government programmes related to the automotive and allied sectors.

2.3. MISSION

The Mission of the AIDC, in pursuit of its Vision, is to provide innovative customized solutions:

To develop the automotive manufacturing sector to globally competitive standards of excellence through a world-class value proposition which enables effective and sustainable socio-economic growth.

3. COMPULSORY SITE BRIEFING

Please note that a compulsory site inspection/briefing will be held per the stipulated briefing date/time at:

Automotive Supplier Park
30 Helium Road
Rosslyn
Lapa Area


12 October 2023
10h00am

4. RFQ OBJECTIVES

The AIDC's Facilities Maintenance Storeroom management's role and obligation encompasses a range of processes required to ensure that Maintenance Team is assisted with the necessary spares, material, tools & equipment required for building infrastructure to perform as originally designed and constructed.

Therefore, access to immediate Stock Consumables is of essence for Maintenance Team for their day-to-day maintenance works which gets to be carried out at the ASP or any other AIDC off-sites, Hence the need to appoint the service provider to assist the Stores function with the required consumable, tools & equipment as part of long term consumable for just-in-time contract approach.

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	6 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

5. RFQ SCOPE

The aim is to request an interested service provider to submit a complete bid for the just-in-time stores consumables, tools & equipment. This include but not limited to the following Trade specific materials (Electrical materials, Plumbing materials, H-vac materials, General Building materials, Specialized Tool & Machinery hiring, etc.) as well as Tenant recovery specific tasks requirements.

5.1 The overall Consumables/material typical list includes but not limited to the following:

A. GENERAL BUILDING RELATED TYPICAL LIST


Genkem Contact Adhesive 5L Gutter Bolts & Nuts 6X40MM PKT MAC AFRIC Heavy Duty Caulking Gun Q20 Super Multi-Lubricant 300gr Plascon Road Marking Paint-White 20Litre Plascon Road Marking Paint-Black 20Litre Plascon Road Marking Paint-Yellow 20Litre Double Velvet Sheen White 20 Litre RIVET 4mm X 10mm (100PKT) RIVET 3.2mm X 10mm(100PKT) Plascon Stoep Paint Green 5 Litre RIVET 3.2mm X 17mm (100) PKT RIVET 3.2mm X 6mm (100) PKT RIVET 4mm X 15mm (100) PKT RIVET 4mm X 18mm (100) PKT RIVET 4.8mm X 21mm (100) PKT RIVET 4.8mm X 6mm (100) PKT RIVET 4.8mm X 8mm (100) PKT Glue Stick (Multi-Purpose) 1KG Hamilton Paint Brush 100MM Heavy Drop Sheet plastic 2MX5M Plascon Enamel Doors & Trims-Battleship Grey 5Litre Thinners 5Litre Plascon Polvin Walls and Ceiling 20Litre WHT Concrete Drill Bit 8mm Concrete Drill Bit 10mm Concrete drill 4mm Sandpaper 80Grip Sandpaper 40Grip Sandpaper 60Grip Mackie Premium Lock insert only Cylinder	Mackie Pro Series- Mortile Lockset-2 LEVER handles Double Sided Tape 224MM X 3MM X 10MM 230mm Cutting Disc Ceramic Tile and Porcelain 115mm Cutting Disc Ceramic Tile and Porcelain Masking Tape 24MMX40M Masking Tape 36MMX40M Brass Pad Lock 50mm 25mm Pad lock 38mm Padlock Hamilton Paint Brush 75MM Hamilton Paint Brush 25MM Masking Tape 48MMX40M Roller & Handle Monair Hamilton 100MM Roller & Handle Monair Hamilton 150MM Roller & Handle Monair Hamilton 225MM Padlock Iron 38mm Cylinder lock Flap Disk P60 115X22 Flat Washer 10X25X2MM Carpet 500MMX500MM- Cornsilk (Brown) Belgotex floor Carpet 500MMX500MM - Wedgwood (Blue) Belgotex floor Carpet 500MMX500MM Dark grey Cup Square BLT & Nut 6X40MM Ninja Gloves Flexi Plascon 20L Micatex Matt 20LT Greybeard Enamel 5l paint Acoustic Ceiling 1.200 X 0.600 (CEILING BOARDS) Euro Cylinder Satin Nickel (65mm) Knob Cylinder 65mm Evrigard P2 Half Mask Filter Dust Cartridge (743&744D) Evrigard P2 Half Mask Filter Paint/Gas Cartridge (743&744D) Other General Building Material List
---	---

B. PLUMBING GENERIC TYPICAL LIST

ZIP Thermostat Replacement Kit ZIP 2.4KW Element Kit Wooden Toilet Seat Walcro Toilet Service Cartridge Walcro Flushing Valve WCHP 04GDR Vent Valve Two Way 110MM Venice Pressure gauge 63mm 1/4 bspt Vacuum Braker 22mm Vaal Orchid Wall Hung Toilet Pan Vaal Afsan LL White	Flux 200gr Copper Tube 54 x5.5m (460/0 SABS) Copper Tube 35 x 5.5m (460/0SABS) Copper Tube 28x5.5M (460/0 SABS) Copper Tube 22x5.5m (460/0 SABS) Copper tube 15/5.5m Copper Tube 42 x 5.5m (460/0 SABS) Copper T-Piece 28MM Copper T-Piece 15mm Copper Tee 22mm
--	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	7 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Urinal off-set tail Pipe with spreader-(Lavatera) Junior Urinal Flush Valve Cobra Tangit PVC-V Glue Stopend Compression 28 (D-23XS) Stella Indicators (Cobra) Star Bibtap 15mm STAG 500g Spiral Element 4KW Spiral Element 3KW Spiral Element 2KW Solder Wire 2.00mm Wall tipe Cobra Stella Sink Mixer Toilet Side Inlet Ball Valve Shower Rose (522CB) Shower Arm & Flange 15M Safety Valve Female 400KPA S/Step Conex Reducer 35X28 Rotherburger multi-gas 750ml Rothenberger Rofire Pro Torch HD Rofo Floor Drain RO 125V NW50 PVC Waste 40mm PVC T-Piece IE 50mm PVC SW IE Bend 50X90MM PVC SV SOCKET 50mm PVC SV Pipe Plain 50X6M PVC Junction Plain 50mm PVC Female Adapter 50X1.1/2 PVC BOTTLE TRAP 40MMX40MM/32MM COMBO PVC Bend Plain 50mm x 90mm PVC 2Way vent valve 50mm Putty 500g PTFE Tape 12 mm x 12m Pressure Control Valve 22mm 400kPa Pratley Putty (Standard) 125gr Plumbline Urinal STR Flush Pipe and Coupling Nut 1 Plumb Hemp Pillar Tap Cobra Star (211-15) Off set Pan Connector Mini Ball Valve m/f 15mm Genbre Liquid Drain Cleaner 1 Litre Kwikot Thermostat 20AMP Kwikot Multi flow valve 400 kpa 22mm KWIKOT 100LT ECONO DUAL GEYSER Kwikboil 5Litre / 30Cups White KwikBoil 25L / 150 Cups White Kwikboil 10Litre / 60Cups White KB-TAP-O/ASS Kwikboil Outlet Tap Assembly Ins Galv Socket 15mm INS Female Threaded Plug 20mm INS Female Threaded Plug 15MM Ins Barrel Nipple 25 x 25 Ins Barrel Nipple 20x20 Ins Barrel Nipple 20x15 INS BARREL NIPPEL 15mm Hydroboil Element 1.8 KW	Copper Straight Coupler 28MM Copper Straight Coupler 15mm Copper Fitting Reducer 35X28 Copper Elbow 28MM Copper Elbow 22MM Copper Elbow 15mm CONEX WALL PLATE -BOW-15MM X 22MM Conex T-Piece 15mm Conex T-P 28MM Conex T-P 22MMX15 Conex T-P 22MM Conex Straight Couplers 22MM Conex Straight Coupler 54mm CXC (D-1XS) Conex Straight Coupler 42mm COC(D-1XS) Conex Straight Coupler 35mm CXC(D-1XS) Conex Straight Coupler 15MM Conex STR Male Coupler 22mm Conex STR Female Coupler 22MM Conex STR Couplers 22mm Conex STR Coupler 28mm CONEX REDUCING T-P 22MMX15MM CONEX REDUCING STR COUPLER 28MMX22MM Conex Male Coupler 28MM Conex Male Coupler 15mm CONEX FEMALE STRAIGHT 15MM Conex Elbow 42mm CXC Conex Elbow 28MM Conex Elbow 22MM CXC Conex Elbow 15MM CONEX 28MM MALE L-BOW CONEX 28MM FEMALE L-BOW Cobra Stella Pillar Tap Cobra Star Head Part P-8 COBRA PISTON TOILET VALVE SNR FM8.30 COBRA Medical Elbow Action tap - 503 CLOSE COUPLE FRONT FLUSH TOILET MECHANISM CAST IRON MANHOLE COVER+FRAME 265X265 14A CASCADE FULL CLAMP CR1 200 BSP FULL FLOW Male Adapter 20MM Leaver Ball Valve 20MM Bath Wast 40mm Basin Wast 32mm PVC Universal PVC Barrel Nipple 25X25 PVC Barrel Nipple 25X20 PVC Barrel Nipple 20X20 PVC Barrel Nipple 20X15 Leaver Ball Valve 50mm Leaver Ball Valve 15MM Angle Valve 15mm Aluminium Holderbat for PVC Pipe 110MM 6 Inch Round Valve Box 50MM X 28MM COPPER STRAIGHT REDUCER 50MM SSN COUPLING 1460 42MM X 28MM COPPER STRAIGHT REDUCER 42MM COPPER END CAP
--	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	8 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		



Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Hose Tap 22mm x 3/4
Hose Tap 15MM x 3/4
Hiflo Multi Valve 400KPA 22MM (KHN3.214)
Headpart Complete 1/5 CP LP (P-B&R Star)
Glass Filler
Geyser Set (Cock&Safety VLV 600KPA)
Geyser KwK 150L Econo Dual (sl esg-150)
GEYSER FLANGE GASKET
Gate valve 40mm
Gate Valve 20MM
Galvinised WS Barrel Nipple 20MM
Galvinised MC Socket 20MM
Galvanised MC Hollow Plug 20MM
Galvanise 25mm Female Plug
Galv WS Barrel Nipple 25MM
Galv Downpipe with Shoe CRM 100X100X2.7M
Galv Downpipe Holderbat SQ 100X100X0.5
GALV DOWNPIPE HOLDERBAT ROUND 75MM
Front Flush Bottom Inlet Mechanism Dutton (New)
FM8.20 Flushpipe Connector Top Entry F

400 KPA FEMALE SAFETY VALVE
330UR Urinal Flushing Valve 15mm Walcro
Flexible Pan Connector 110MM
Flexi S Trap Rubber 40x40
Flexi P Trap Rubber 40x40
Flexi Connector Hose M10x500mm
Flexi Connector Hose 15mm X 450mm
Flexi Connector Hose 15mm X 350mm
Fire Hose Reel Stop Cork CP 25MM
Female Drain Cock 20mm
Female Conex STR Coupler 35MM
Female Conex STR Coupler 28MM
Dutton Plastic (Elf Cistern) 9Litre
Durodrain UG Stop end- PLF 110MM
Durodrain UG STOP END IE FEM 110MM
Downpipe Shoe Square Crimp 100x75x.4
D-4XS 42MM CXC CONEX ELBOW
D-2RXS 15X3/4 MIXC CONEX REDUCING COUPLE
Coupling SSN 100MM
Other Plumbing generic material

C. PLUMBING IRRIGATION TYPICAL LIST:

Rainbird Nozzle-Van 12
Rainbird Nozzle - Van 15
Rainbird 5004 PC 20MM
Rainbird 3504 Pop-Up
Rainbird 1806
Rainbird 1802 pop-up
Shrub Adapter 15mm x 10mm
Super Riser Pipe 500mm
Super Riser Pipe 300mm
Super Riser 20mm X 800
Super Riser 15mm X 800
Full Flow T-P 25mm
Full Flow T-P 20mm
Full Flow Reducing Elbow 25mmx20mm
Full Flow Reducing coupler 25X20MM
Full Flow Reducing Coupler 25X15
Full Flow Reducing Coupler 20X15
Full Flow Reduce T-P 25mm x 20mm
Full Flow Male T-P 25x25
Full Flow Male T-P 25x20
Full Flow Male T-P 25X1/2 Inch
Full Flow Male Tee 20X1/2
Full Flow Male Elbow 25mmX20mm

Full Flow Male Elbow 20mm
Full flow Male Combination Tee 20X3/4
Full Flow Male Adapter 25X15MM
Full Flow Male Adapter 25MM
Full Flow Male Adapter 20mm x 1"
Full Flow Female T-P 20mm x 1/2
Full Flow Female Tee 25X1/2"
Full Flow Female Tee 25mm x 3/4
Full Flow Female Elbow 25X1/2 Inch
Full Flow Female Elbow 25mm x 3/4
Full FLOW Female Elbow 20x1/2
Full Flow End Cap 25mm
Full Flow End Cap 20mm
Full Flow End Cap 15
FULL FLOW ELBOW 25 x 25mm
Full Flow Elbow 20MM
Full Flow Elbow 15MM
Full Flow Coupler 32MM (25MM)
Full Flow Coupler 20mm
Full Flow Coupler 15MM
Full Flow Coupler (socket) 25MM
Other irrigation related material


D. H-VAC TYPICAL LIST

Refrig Disp Cylinder R507 11.3kg
Sensor Danfoss Ptc1000 1.5m 084n1178
Sol Valve Castel 3/8 Sw 1068/3a6
Coil Connector Castel 9150/R02
Controller Danfoss Temp Ekc202c 084b8523
Elbow Copper Short 90° 3/4
Elbow Copper Short 90° 3/4
Elbow Copper Short 90° 3/8

Flex Ducting Insulation Aluminium150mm-10m
200mm to 150mm spiral reducer
Flex Connection 200 Diameter
Flex Connection 150m Diameter
150mm spigots
150mm hose clamp
150mm uninsulated flexible ducting Roll 5m
Fan Assembly1000 Watt shrouded195/230/255

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	9 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Insulation 3/4 X 1/2 [Bo X 56] TUBING HARD DRAWN 3/8 9.53mm Purple TUBING HARD DRAWN 3/4 19.05mm Purple ORIFICE T2 No: 03 - 068-2006 - 25p/B EXP VALVE TES2 R404 FL 068Z3403 BLOWER COIL HI 3023 L OPTYMA OP-MPJE034MLW12E 380V 114X7264 BUSH REDUCE COPPER 7/8 X 5/8 P-Trap 7/8 THERMOMETER 4 DIAL90251980-2221040040_LR-WS SENSOR DANFOSS PTC1000 1.5M 084N1178 CONTROLLER DANFOSS TEMP ERC213 080G3294 Elbow Copper Short 90° 3/8 Coupling Copper 3/8 Coupling Copper 5/8 Elbow Copper Short 90° 5/8 Insulation 5/8 X 3/8 [Bo X 90] Tubing Hard Drawn 3/8 9.53mm Purple Tubing Hard Drawn 5/8 15.88mm Purple Coil Connector Castel 9150/R02 Sol Valve Castel 3/8 Sw 1068/3a6 Orifice T2 No: 03 - 068-2006 - 25p/B Exp Valve Tes2 R404 FI 068z3403 Blower Coil Hi 3024 H Optyma Op-Lpqe068ntw12e 380v 114x7258 EE600 Condensate Pump - 6l/H GMC Controller PC Board AB17/18 Float Switch FS-0211-601/1625 H-VAC Lasso Tape Black H-VAC 3/8 Coupling Copper H-VAC 5/8 Coupling Copper H-VAC 3/8 Copper Elbows 90 Degree H-VAC 5/8 Copper Elbows 90 Degree Daikin PC Model REYQ12MY1B Press Sensor NSK BH010-395 Press Sensor NSK BH030F-577 Press Sensor NSK BH030F-577 Strip Curtain Fixed Track Bracket Including Facia Plate 1m SD Panels 370X1200X40MM-W1 SD Panel 430X1200X40MM-W12 SD Panel 430X1200X40MM-W11 SD Panel 430X1200X40MM-W10 SD Panel 430X1200X40MM-W5 SD Panel 375X1200X40MM-W2 SD Panel 370X1200X40MM-W9 SD Panel 340X1200X40MM-W8 SD Panel 330X1200X40MM-W6 SD Panel 2290X1200X40MM-W4 SD Panel 2290X1200X40MM-W3 SD Panel 1955X1200X40MM-W7 Pvc strip curtains clear 200mm x 2mm x 2m Aluminum angle brackets 38 x 38 x 2500 Outdoor PC board For AirCon Model SUZ-KA50VA3 Mitsubishi Outdoor PC board For AirCon Model SUZ-KA35VA2	Rotary Compressor 18000BTU HVAC Recovery Cylinder 12 KG H-VAC MS HEX NUTS PACKET H-VAC M8X35 BOLTS BF TAPE 48MM BUFF MFS/T BUCKLE 12MM PL Fast strap hand Mylar Screened Cable 6 pair 0.5mm2 PVC Pipe 50mm Clips Couplings 50mm H-VAC 50mm Elbow H-Vac. Ruwag 50mm SDS Industrial Plus Core Bit 3/8 COPPER PIPE ROLL 15MM ½ inch copper pipe Roll 15m Roll lasso Tape ¼ inch copper pipe Roll 15m LG EVAP MOTOR+CAP+ BLADES LB-M1080BSI Daikin PC Board PC0208-1(C) ModelICMR-POD45P5BL5-E PLENUM BOX 4 WAY 550X550 EVAPORATIVE COOLER WATER PUMP, AB17/18 FLOAT VALVE / SENSOR, AB17 BALL VALVE, B R 1810 P, FV - BR 1810P Evaporative Cooler 18AP9 JH Cool. York Remote Control 173M17000001394 Single Door Fridge Thermostat Reducers 20mm to ½ inch Galvanised Saddles 20mm ½ inch male coupler GALV inline tap 20mm (female) 90deg. Bends x 20mm Alluminium air compressor piping(blue) 20mm x 2000 400 x 300 x 2000 sq ducting galv uninsul/flanges 400x300x1200 offset by350 sq duct galv insul/flang 400 x 300 x 250 Sqr ducting galv uninsul / flanges 610 x 205 to 400x300 tapers. Galv unisul / flanges 610 x 205 90deg.Galv uninsulated ducting/flanges 400 x 300- 90deg. Galv uninsulated ducting/flanges GalvPatch Daikin RXY10KY1 CONTROL PC BOARD EB9695 Daikin - RNY10KY1 CONTROL PC BOARD EB9639 Daikin RXYQ20T7Y1B INVERTER PC BOARD PC1116-3(B) Daikin RXYQ20T7Y1B CONTROL PC BOARD EB13025(B) DUCTING FLANGE G - CLAMPS Condenser fan capacitors 1.5 5uf (micro faret) Tico pads Armour Flex 1-inch 1/2 Armour Flex 1-inch 1/4 Armour Flex 3/4 Armour Flex 1/2 Armour Flex 3/8 Armour Flex 1/4 Return air grill with frame and filter 600 x 600 Daikin inverter Condenser Fan blades with Bushes Expelair Fan VX 100
--	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	10 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Mitsubishi Suction Sensor REMY16MY1M Invertor Board PC RXY10KY1 Discharge Sensors REMY16MY1M Manual Aluminum Louvre 1220 X 1220 (Inside Measurement) 50mm Model no. RNY10KY1 PC BOARD NO. EB9539C RNY10KY1 YAL Model no. RXY10KY1 PC BOARD NO. EB9695(D) MODEL RXY10KY1 - Running Capacitor 11mF 400V FAN MOTOR 220-240V-140W RXE3KV1E W/L 600 X 600 Raff Grill 600 x 600 Flex Duct 300 Non-Insulated 10m Filter Box 600X600 +Filter Duct Clamps 300 Diameter DLEX DUCT 350 NON-Insulated 10m Circle Spiral 300mm Circle Concentric Reducer 315mm Circle Cap End 350mm Circle Round Spigot 350mm Circle Spiral 350mm Rectangular straight Duct 600x600 PCB EB9695 RXY10K 1.5m 134A manifold gauge hoses Blue 1.5m 134A manifold gauge hoses Yellow 1.5m 134A manifold gauge hoses Red Grey HVAC Couplings pvc 32mm Grey HVAC Elbows pvc 32mm Grey HVAC T ? piece pvc 32mm HVAC 32mm straight pvc conduit pipe 4m SOLARFRAME CLIP-LOCK BRACKET DD18 PCB With Box DD18 Controller Assembly Tapers with Flanges 710 X 600 X 450 flushing kit ¼ inch shredder valve 3/8 flarenut + 12 x 3/8 union 5/8 flarenut + 12 x 5/8 union Plenum 300x300 with 150 diameter spigot 150 Diameter Sleeve Wall Grills PVC 150 Aluminium Tape Roll Cable Comms 0,5mm Core S/S FLASHING 950X370 Indoor float switch , indoor FXMQ125MVE Main PC Board LB-M7280BS 25mm 45 degree bends ALUMINIUM TAPE ROLL SA WALL TERMINAL ALLUMINIUM VENTILEX EXTRACTION VALVE 100DIA PF ? FLEXIBLE ALUMINIUM DUCTING 100 DIAMETER RUN ON TIMER 2 SPEED SWITCH	LG MAIN PC BOARD EBR35936513 Fan Assembly 1000-Watt 2 speed - unshrouded Coolbreeze - Roof Unit Control Board - L240 - 2sp Copper Coupling 1/4 Charging valve with Tall Daikin PC Board for Model BL2KV1 Noise Filter PC Board for Model RXYQ20T7YB Daikin PC Board for Model RXYQ20T7Y1B 12000btu non inverter Jetair air conditioner SPONGE SEAL BLACK 10MMX25MMS5M COMMERCIAL EDGE MOUNT CAM LIFT HINGE COMMERCIAL ADJUSTABLE LATCH AND STRIKE Part: DL05 Window Wall Cooling Only 12000 R410 A R410A Non-Inverter Cassete 18000 1/4 Alu Tube 15m 1/2 Alu Tube 15m 1/2 NBR Armaflex 2m x 9mm 1/4 NBR - Armaflex 2m x 9mm Bottom Air Discharge 1Phase Evaporative Cooler. Fan Assembly 1000-watt 2 speed unshrouded for L240 Roof Unit Control Board-L240-2spd 36000 1Phase Non-Inverter Under Ceiling Bracket 650 Cantelever 3/8 Alu Tube 15mm 5/8 ALU Tube 15m 3/8 NBR Arma-flex 2mx9mm 5/8 NBR Arma-Flex 2m x 9mm 64x64x20mm angle brackets 10 x 12 x 5 self-adhesive sealing strips Aluminium treaded plates 1250mmx 625mmx1.5mm Double Door Fridge Thermostat Carrier CompressorR22ModelL38QDE-24H1 Pump Mini Condesate Non return valve15mm Décor-200 5 inch Bathroom Power Fan + Timer Airco 36 Indoor fan motor AHB-36HR Unit LG Compressor Model LB-M1080BS V-Belt for air compress2289021/29042015c HEAVY DUTY CLEAR PVC CEMENT ELBOW PVC 20MM ELBOW PVC 25MM ELBOW PVC 15MM COUPLING PVC 25MM COUPLING PVC 20MM COUPLING PVC 15MM T-PIECE PVC 25MM T-PIECE PVC 20MM T-PIECE PVC 15MM Pencil Dri Bulb Lugs Push on Female 5.0 EVAP MAIN PC Board (LBM SERIES) A/P Client - LG 24000 BTU Scroll Compressor Compressor R22 2520UEAY2BA Daikin Fan Motor (Condenser fan motor)
---	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	11 of 25


Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		



Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

TD250/100SIL INLINE DUCT FAN MOTOR Walls Grills PVC 150 Diameter sleeve Stop End 250 Diameter Silver Ducti Tape Roll 150 Diameter Uninsulated Flexible ducting 250 Diameter Spigots Spiral Ducting 250 Diameter O3 Chemicals Smart Finish 5 Litre O3 Chemicals Smart Air 5 Litre Mineral Oil 5Litre Flashing Agents 5 litre HVAC Saddles 25mm PVC Trunking PVC YT5 40X40 3 meter HVAC COUPLING PVC 25MM HVAC ELBOW 25MM PVC HVAC PVC PIPE 25MM 6M HVAC TP 25MM PVC Flashing 175 x 50 x 1800 reducers 20mm to ½ inch ½ inch male coupler Inline tap 20mm (female) Polystyrene adhesive 5L Galvinished flat sheet 915x1830 Polystyrene sheets 2500 x 600 x 45 Metal angle brackets 80mm x 32 Straight Steel 610 x 210 x 1200mm 90 Degree Bend 610 x 210mm with Flange Fuse Glass 5 X20 (10 EACH) Flange 550 x550 Valve Dispenser Canister GAS XPER CAN 600G PRESS R407A GAS Flushing Agent DanFoss Orifice T2/TE2 No-02-068-2015 DanFoss Liquid Line Drier 3/8 Inch 3/8 INCH R410 Copper pipe Roll 15M 5/8 INCH R410 Copper pipe roll 15mm PU Hose Fitting Elbow 6mm-1/2F REFRIGERATION COMPRESSOR 1/8 HP R134 Galvanized ducting tapers 560 x 560, 600 x 600 R61-059-281 Controller Board Mitsubishi R61-155280 Invertor Board Mitsubishi Door Lock HD Chappies Jaycotack 8mm x 40m DuctLock G-Clamp M8 Square Taper 610 X 210 - 210 X 610 Square Ducting 610 X 210 0,4LONG Square 610 X 210 1M LONG Square 610 X 210 0,5LONG Square Ducting 610 X 210 0,6 LONG Square Ducting 610 X 210 1,5 LONG Square Bend 210 X 610 Square Bend 610 x 210 UNIVERSAL AIRCONDITIONER PIPE SENSOR	LG Fan Motor Assemble Refrigerated Compressor Compressor Canteen Cold Room Humidify Bottle BLOT1D00H1 Compressor R410 Rotary 18000 BTU Compressor R134 1/3 HP DUPLICATE Compressor R134 1/2 HP DUPLICATE Compressor R134 1/5 HP DUPLICATE Compressor R22 Rotary 24000 BTU R404 Refrigerant Gas 13 KG Compressor R22 Rotary 12000 BTU Half Horsepower Compressor R134A (1/2 HP) 24000 BTU Compressor for the Server room AMAFLEX 13/8/1/2 Vacuum pump oil 5L Vacuum Pump Oil 5L (Duplicate) 18000 BTU rotary compressors Gauges R410 set Soldering Iron (70w) Grease Gun Digital temerature controller 18000 BTU Aircon Cooling only (Daikin unit) Capacitor 60mfd 440v Capacitor 55MFD 440V Capacitor 50MFD 440V Capacitor 45MFD 440V Capacitor 40MFD 440V Capacitor 35MFD 440V Capacitor 30MFD 440V Capacitor 25MFD 440V Universal capacitor 440v Compressor R134 1/4 HP Coil Condenser Cleaner & Brighter 5L Quick coupler hi pressure R134a Quick coupler low pressure R134a Charging solenoid for digital scale Digital scale (capacity 11Kg) Vacuum pump 8CFM (2 Ssage) Charging hose with ball valve yellow 1.5 Charging hose with ball valve blue 1.5m Charging hose with ball valve 1.5 red fitting Cleaner & Degreaser H/Strentgh 20L External Condensor Coil Cleaner 5L COIL 4-WAY VALVE LD24024 DIAM. 11mm Body 4-way valve N10C00A Regulator S 8500 NGM 1000 B&T Combi-Lite Mixer Combi-lite Shank Regulator Portapak 100KPA Regulator Portapak 200KPA GAS MAP - PRO GAS OXYGEN P1074 45DEG Brackets P1235 90DEG Brackets P1000 Galv Steel Plus Cover Duct 41 X 41 MM 5M
---	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	12 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			


Duct Putty or Seal.. Duct Clamps G clamps 90 Deg Bends Galvanised with Flanges Straight Galvanised with Flanges Offset 610 x 210 Galv with Flanges 12000BTU SPLIT AIR ACONDITIONER Flat bend 90deg Galv with flanges 610 x210 Valve rotolock 5/8 NTC Temp Sensor Steel Tip 50T105 NTC sensor 50T90 6 M White Ultracella 230v 2HP Single Display Digital thermometer with probe 230V Voltage protection (FREOGAURD) Lp/HP switch auto Orifice valve size 3 Orifice valve size 2 Orifice valve size 1 Orifice valve size 0 Valve rotolock 3/4 Valve rotolock 1/2 Valve rotolock 3/8 Shut off valve 3/8 flare hand Sight glass 3/8 flare oil filter drier 3/8 sweat on Liqued line flare drier danfoss 3/8 Tape heater external Non drip tape cork 30ft roll Vibration eliminator nut brass flare heavy duty short 1/2 inch nut brass flare heavy duty short 3/8inch nut brass flare heavy duty short 1/4 inch fitting copper elbow 90deg short 3/8 inch fitting copper elbow 90deg short 1/4 inch fitting copper coupling straight 3/8 inch fitting copper coupling straight 1/4 inch EMBRACCO COMPRESSOR MODEL FF12HBX 134A Refrigrant MATWELD aluminum flux 50g Brazing Wire Aluminium coated 2.0mm Fan Inline TD500/150 Grill 200x200 + Sleeve 100mm Extractor Fan Decor 300s Air Valves 150mm Interior	ACID H/Strength 5L Ball Bearing Exhaust Fan 200MM DEFROST TIMER EBM PAPST Condenser Fan Motor 10W Refrigerated Compressor TTAC Dom 16 Compressor Kulthorn duplicate LOUVER WEATHER CLAMPS GS AIR VALVE Deducting Flexible Plain Fan Inline Vee belts for canteen units Condensor fan blade Mcquay Condensor fan motor Mcquay R141 B GAS BOTTLE Online condensate pump Universal indoor PC Board for midwall split units 5/8 Refrigeration Copper Pipe 15/16M ½ Refrigeration Copper Pipe 15/16M ¼ Refrigeration Copper Pipe 15/16M Vacuum Pump Oil 1L Compressor R22 Rotary 9000 BTU Duct Tape Grey Duct Tape(Black) \ Leso Tape Non-Drip Tape R134A Refrigerant 13.6Kg R404 Refrigerant R410 A Refrigerant R22 Refrigerant Gas 13.6 kg Constant air Diffuser 250mm Refrigerated Compressor T-TAC/DOM/15 FWC 100 Filter Media 2m X 40m X 5mm Universal indoor PC Board with wired controller R600 Refrigerant Gas 6.5KG Fan Condensor Blade LG(S186GH) Filling Valve 1/4 1/4-inch Dryer Condensate Drain Pump Eckerle (18000 BTU) Silver Solder Copper Brazing Rods Ball Bearing Exhaust Fan 250MM Other H-vac related material
--	--

E. ELECTRICAL TYPICAL LIST

M 12 Bolt And Nuts & Washers 150 Mm M 12 Bolt And Nuts & Washers 30mm LED Power Cord 100m LED Strip Flat Blue M 5 Nuts Osram LED T8 2ft Tube Osram LED T8 5ft Tube Padlockable DINLOCK 25x23mm. 6mm SQ KEY Simillar ACDC Bare Copper Wire 25mm	Internal Elbox Double Duplicate Trucking 75x75 3m Mental Cover 2.5m (P2000) 100x100 Double Cover - Red 100x100 16a Dedicated Double Plugs - Red 2x56w Electronic Ballast Pvc Glands Size 1 STRIP CONNECTOR BLOCKS 60A STRIP CONNECTOR BLOCKS 30A STRIP CONNECTOR BLOCKS 15A
---	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	13 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Cable Shroud BWR No 4 Cable Gland BWR No 4 SWA Amoured Cable 50x4 63A 1P+N Earth Leakage Mini Samite Similar MCE 60A 2P 2.5KA Earth Leakage Samite Similar CBI Metal Halide Armored Cable 10 X 4 CU XLPE PVC SWA Rain Cover 400x400c/W Hood 600x600/300 Jaycosticks X2 Boxes Ducting 1790x600/Offset 690-1100x600/1200 Deg Bend 1100x600mm Ducting 1100x600x1200mm Long Breaker 3P 3KA MCB DIN 63A Trailing Cable 4X3 RVK 6mm Bare Copper Wire Red Stripe SWA Cable 10mm X 4(60meter) MCB Breaker DIN 32A 630 Base Mount Change Over Switch Lights. 5 W E27 LED Emergency Light 6 W MR16 Daylight 75 X 75 Galvanized Truckling With Cover 3m PVC No 2 Gland OMNISTAR MI128 75N1440A1G S FLOOD MNTG DOUBLE 100x30x3 CHAN 88DIA HDG. 88 PIPE Hot-Dipped FLOOD MNTG SINGLE 88(DIA)X150 HDG. Hot-Dipped Galvanised OMNISTAR MD 64/216N5120A1G/SU SERIES300 21W NW BL LEDBAY MD256/177N4010A G/U 52 B/HEAD BLK NW16WLED ZELA 43 NW SYAV76BGR 1 75mm X 75mm PVC Trunking 4mm Earth Wire 100m Housewire Blue 6.0mm 100m Housewire Black 6.0mm 100m Housewire White 6.0mm 100m Housewire White 6.0mm 100m PHILIIP S13W/840 2 PIN Lamp Terminal Female Yellow 9.4mm Housewire Red 6.0mm 100m Terminal Yellow Female 6.4mm 63 A 3Phase DIN Earth Leakage Unit Terminal Blue Female 6.4mm 400V 32 Amp 5 Pin Welding Socket Terminal Blue Female 4,8 Mm HPS Osram Vialox NAV T250w Tubular 230V Perano Wingknob Padlockable Lock Simillar ACDC Ballast HPS 250w M4X20 CSK Galv M Screw 20mm Male Adaptor 20mm Tubing PVC Cut / White M5X20/25 CSK Galvanize Screws 20ml 1 Way Side Entry 32A 4P 380V IP44 PLUGTOP	Unswitched Multiplug 3m, 5 X 16A + 4 X 5A Euro Spring Toggles M5x75mm Fluorescent Fitting 36watt 640 Double Loop/PSCC Tester 2X54W Ballast Alabster Ceiling Fitting Satin Chrome 300mm DUPLICATE DUPLICATE Phase Rotation Tester DUPLICATE Crabtree Switch Module 1Lever 1Way White Internal Elbow Galvnise External Elbow PVC Grey SAM 13MM S/P B/BAR Batten Fitting With Aluminium duplicate Crabtree Socket Round 6AMP Skirting WHT Lug 35X10MM Lug 16X10MM Lug 70X10MM Lug 95X12 95MM Bare Copper 70MM Copper Earth Wire 35MM Copper Earth Wire 16MM Copper Earth Wire 10MM Copper Earth Wire CB Single Pole 30A CBI CB Single Pole 5A CBI 2 Way Single Liver Switch 32A 3Pole 10KA MCB DIN-RAIL 2 Way Galvinised Box 20MM 4 Way Galvinised Box 20MM Lug 90X12 35mm Insolated Earth 16mm BCEW Alluminium End Caps Double DUPLICATE 35mm Insolated Earth Trufix 3 Box Lugs 16x8mm 16mm GREEN/EARTH 7 Core Cable Electrical Wiring LED-Mi16/53WN5136AIG Alluminium End Caps Single DUPLICATE Alluminium Cover For Power Skirting DUPLICATE 14 PIN RELAY 220VACDUPLICATE 63A 3phase 5pin Socket Outlet (Male & Female) 32A 3phase 5pin Socket Outlet (Male & Female) Alluminium Power Skirting DUPLICATE 20mm Galv Adaptor 4x4 DED Plugs Single Crabtree 4x4 Extension Box Steel Duplicate Contactor 32A 230V D3210-M N/O Adaptor PVC 20MM 40mm X 6mm X600mm Earth Bar 20mm Lock Bush 6mm BCEW 10mm GP Wire GREEN/EARTH
---	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	14 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

32A 4P 380V IP44 Switch Socket 1P Surge ARR 15-40KA Din 4P Surge ARR 10-20KA DIN 1P Surge ARR 10-20ka SAMITE Hole Saw 20mm M14 X 450 SDS Drill IP65 Enclosure 100X100X60 Switch 4X2 3 Lever 1 Way Ryobi Battery PK One Plus XB3000 18V Eurolux Portable LED 2X20W TRPOD Cordless Ryobi 18 V Li-Ion Angle Grinder XG115 Bosch Cordless GBL 18V-120 Blower BOSCH GSB 180-LI + 1 X 2AH BATTERY + GAL 18V-20 CHARGER + CA 50w Led Floodlight Flash Armored Cable Red Stripe 6 X 4 Lugs 6 X 5 Copper (Box Of 100) CBT P8184 PVC Cover 3M Grey 6mm Housewire Green/Yellow BAC06A-24v Smartgen Battery Charger Output 3A 32A 3P 380V IP44 SWITCH SOCKET 32A 3P 230V IP44 PLUG TOP MAC AFRIC 8 PCE Screwdriver Set PVC No 0 Glands 100 Pack PVC No 1 Glands 100 Pack MX1 Cable Joint BEKA 51B/HEAD BLK NW 16W LED. BEKA LEDSTREAM 16/37WN 16WN 1100 BIG BEKA Led ECO 19w WN 25 A 400V NO Contactor Overload Relay 9-13A 5.5 KW Auxillary 1NO And 1NC Riken 125A 25KA MCCB 1200x600 LED 72W OR 60W PANEL LIGHT SQUARE Osram 4ft T8 18w LED Glass Tube Retrofit Daylight Gel Cable Joint 2.5mm Gel Cable Joint 1.5mm CCG Box 20mm Cable Ties Black T120R Bright Star Outdoor Light 60W Round Bulkhead Aluminium 100 Packet PVC Saddle 20mm 100 Packet PVC Coupling 20mm 100 Packet PVC Adapters 20mm Beka Pole Cover HD Door Assembly NR Beka Pole Cover HD Door Assembly NR3 Complete Single-Phase Stop Start Switch 4MM X 4 Armoured Cable Per Meter 32A Three Pole Circuit Breaker 100A Three Phase Earth Leakage Unit Grip Lock 9,5mm Straping 30m Grip Lock 9.5mm Buckels Grip Lock Tool Isolator 30 AMP Three Phase 4X2 Downlight CFL 2 X 13W Electro RIKEN 200A 35KA TP MCCB	Contractor 25A 230V D2510-M N/O 4mm GP Wire GREEN/EARTH 4mm GP Wire PURPLE Contractor 18A 230V D1810-M N/O 6mm GP Wire GREEN/EARTH 6mm GP Wire BLACK TRADIND CABLE 10X4 PVC DUPLICATE TWIN +E FLAT 10MM CAPTYRE 4X3 CORE WHITE (Duplicate) E/Leak 63A 4 Pole Samite 63A 3P Socket (Duplicate) Makita Industrial Blower 600w Ballast 250w High Pressure Mercury Fluorescent Tube T8 /18w /58W Cool White Led Contractor 220V 40A (MCE-D4011)-(Duplicate) Contactor 40A 220V (MCE-D4011-M) COIL D4011 220V (Contactor Coil) Motor Gate A 10 Power Module V 3 Enclosed Boxed EAGLE POWER SUPPLY 10AMP (Battery Charger) GMC 22A CONT 240VAC + 1 N/C SIDE MNT DUPLICATE P8000 Cover For Trunking GMC 22A CONT 240VAC + 1 N/C SIDE MNT AUX 14 Pin Relay 5A 220 VAC 2X58W Ballast Elect Diesel (Duplicate) DAYLITE SWITCH OPAL 15A AR20 CEE SOCKET SURF SWI 63A 5P 380V IP44 P1000 Cover For Trunking DUPLICATE T5 FLOURECENT TUBES FQ 54W/840 COOL WHITE DIGITAL LIGHT METER LED Zela 55/NW/SYV76BGRI LED Downlight Lamp 7W GU10 LED Downlight Lamp 5W-22V "Duplicate " Downlight Lamps 50W/12V Halogen Reflector Lamp 30A Isolator Double Pole Surface 83x123mm Panel Wire 4mm Red Panel Wire 2.5mm Black Panel Wire 1.5mm Red Panel Wire 2.5mm Grn/Yel Earth Round Stepped Gland Junction Box 50x50 Steel Saddles 20mm PVC Saddles 20mm PVC Saddles 32mm PVC Connector 40mm 1 Lever 1Way Switch Complete 100x50mm Flush Mount Switch Socket 16A Single Horizontal 100 X 50mm Light Dimmer 600W 1 Lever 100 X 50mm - Duplicate Single Lever Switch 100 X 50mm Cover Plate Double Lever Switch 100 X 50mm Cover Plate Extension Box 100 X 100mm PVC Female Industrial Power Plug 32A 415V 5Pin Coupler Industrial Power Plugs 63A 415V 5PIN Male Plugtop Industrial Power Plug 32A IP44 5Pin Male Plug Top MCB Double Pole 10A DIN-RAIL CCG Utility Box 25mm
--	---

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	15 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Earth Spike 1,2 M + Nut 18W 600mm Fluorescent Tube Cool White 2FT Weatherproof Switch Socket 16A 3 Pin Blue Daylite LR100 32A 5P 380V IP44 SWITCH SOCKET 32A 5P 380V IP44 PLUG TOP 18w LED Driver 18w Round White LED Panel Light Matelec Day/Night Switch LR 100 (20mm Male Entry) YTX 12-BS BATTERY. 2.5mm X 4 Core Cabtyre 100m Stop And Start Switch Box 20A Contactor & Overload Philips Actinic BL TL-D 15W/10 Fluorescent B/Ligh 32 A Double Pole Breaker PR121 Recessed 1524mm D/Light (2 X PL18) Bend Bosal 90 Deg 20 Mm Galv STL Bosal Coupling 20mm Galv 15mm Panel Wire Per Meter Black PS02 Box Slide Lid+Plug 20mm Galvanise Conduit 4m 20mm Galvanise Hospital Saddles 25mm Galvanise Hospital Saddles 25mm Galvanise Couplings 25MM Galvanise Conduit 4m CBT SEZ CLIP NYLON BLACK CBT AL8 SERIES SPLICE 80MM + SCREWS MILL CBT AL801 INT ELB 90 Deg Body Mill CBT AL801 End Cap Mill (PG) CBT N8/P801 INT ELB/STD TEE White CBT N8/P801 END CAP White CBT CTDR 11915 15A Standard Socket White CBT CTDR 11901/WHI 20A 1 WAY Switch WHI CBT CTDR 11900 Blank Insert White CBT PVC Carpet Frame And Grey CBT Conduit Aceess Floor Box 70mm Schneider Easypack TVS Contactor 3P 25A Schneider Easy P TVS Contactor 3P 18A PVC Round Box 3 Way 20mm OSRAM HPS NAV-T 400W E40 I Lite 400 W HPS Flood Light 1x58w W/Proof High Fluorescent Emergency Lights DAYLIGHT SWITCH 16A FIXED Lux & DELAY OFF TIMER Capacitors 10 Micro Farred 1.5mm X 3 Core Cabtyre Black 100 Meter Coil SER1 KTE03 ELEMENT KTE05 ELEMENT Surfix 1,5mm X 2 + Earth White 100m Push Button Stop/Start Station 10A/400V Overload Relay 12-18A Part No:TEL-LRD21 Cable Protector 2 Ch 100cm 250x45mm Channel30mm=1M Phillps 58w/54-765 Cool Daylight Phillips 36w/54-765 Cool Daylight Element Toaster 1200W Code: KTE05 Element Bain Marie (Wide) 1500W Code: KBM02	Scabox Junction Box 150x110x70mm Grey DB Blanks Dimmer Switch 10A Bell Pressure Rocker Mechanism Electronic Transformer 220V/12V 20-60W Dimmable Ballast 150W HPS/MH Ballast 1x30w PLUGTOP 16A 3 PIN RED DEDICATED Multi-Plug Switched Illuminated 6 Way BKN 1P C20A 6KA MCB 061100R0DUPLICATE CABTYRE S3 PVC BLK 2.50 X 3 CORE Duplicate TRUNKING 25 X 16 3MT YT/12 CABLE CLIP 9MM WHITE ROUND (Duplicate) 32AMP 4POLE ISOLATOR INDUSTRIAL Flourescent Fitting 1200x600 3 Tube Ballast 2x36 Watt Electronic Transformers 220v/2v(35-8)Dimma T5 NDL 150W QI Tubes P1000 Trucking 5M Long DUPLICATE MINI CONT 4KW 230V COIL TRANS PARROT ELECTRONIC OSRAM "Duplicate CORDSET 3M + 5A PLUGTOP RND SKIRTING SOCKET DUPLICATE Blanking Plate 4x4 Metal - White Downlight Radiant White Fitting CC21 ELEC DUPLICATE 3 Pin Plug Top (Normal) Dimmer DUPLICATE PVC Pipe (Conduit) 20mm X 4m FERRULE 240MM Digital Ballast Non Dimmable 2x18w FERRULE 150MM Lug 1.5x6mm E/LEAK QA17A 30A 2.5KA (Dupliacte) Panel Wire Blue 6mm Panel Wire Yellow 2.5mm BOX LIDS PVC 50MM (Duplicate) Cableties T50L Cableties T50I Cableties T30R Cableties T18R Nitto Insulation Tape White Nitto Insulation Tape Red Nitto Insulation Tape Black Aluminium DIN-Rail Mounting - Slotteed 1P INS BUSBAR 24W-410MM LED 52 BLK Head NW18WLED Gland Shroud Size 5 Gland Shroud Size 4 Gland Shroud Size 3 Gland Shroud Size 2 Gland Shroud Size 1 Cable Glands Steel - Size 5 Cable Glands Steel - Size 4 Cable Glands Steel - Size 3 PVC Glands Size 0
---	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	16 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		




Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive

Surfix White 4.0mm X 2 + Earth 100 Meter Coil Electronic Ballast 3 X 28 W Fluorescent Tube 28w T5 1149MM 32 A Breaker 3Pole DIN Rail Surfix Black /White 6 Mm X 2 Core 100m Cable Joints 25x4 Metal Welding Switch Socket 5 Pin 63A Hospital Saddle 25mm Steel Locknut 25mm Galvanised Metal Conduit Fitting Lock Coupling 25mm Bosal Male Adaptor 25mm Bosal Conduit 25mm Bosal Gemini Slider-7AH-No Rack AC Contactor Delixi CJX2-1801 1810 220V AC Contactor Delixi CJX2-1201 1210 220V SIMMER STAT STOVE SWITCH NF1 SASSIN1.6-2.5A OVERLOAD SASSIN DOL BOX 230V C18 Heavy Duty Battery Clamps Red And Black Set Cable Ties Black T50R BEKA LEDFLOOD MIDI 32LED/ 75W 41300A1GU Surfix White 4.0mm X 4 Round + Earth 100M Weatherproof Box 4X4 30A Three Phase Isolators With Cover LV432693 Circuit Breaker Compact NSX400N-400A 3P Surfix White 2.5mm X 4 + Earth 100 Meter Coil Battery 12v 7.2Ah Centurion Centurion D5 Evo Gate Motor + Battery - Green Electric Gel Welding Cable 95 Mm Lug 120mm 25MM X 4 CORE ARMOURED CABLE Fluorescent Fitting 5ft Double 58W/640 Lamp E40 Metal Halide (400w) BOX 2.2KW 240V DOL No O/L D09 240V NR22504 CHINT OVERLOAD 2.5-4 0A 1,5KW HQI-TS 150W/NDL Warmer Switch 4 Connect 250v WARMER ELEMENT 1500KW 230v LED Floodlight 100W - Black Similar To Eurolux Dustproof Fitting 4ft Double Electronic 36W Controller Device Auto Door Similar DEEPERDSL-125A LED Power Supply Model CLPS100-W1V12 LED Flood 36/88/N/1300A1/P/ BEKA Lampholders Porcelain Centre Fixing ES Base G587 G12 150W BI-PIN METAL HALIDE Housewire 2.5mm Black Housewire 2.5mm Green Housewise 2.5mm Red 16A Single Horizontal Plug. Power Steel Double Beige Skirting 400W HPS Lamp 12 V Downlight Ballast. Dustproof Fitting 4ft Single 36w/640 DULUX D 18W/840 2 PIN Lamp	FERRULE 120MM FERRULE 95MM FERRULE 70MM FERRULE 50MM FERRULE 35MM FERRULE 25MM FERRULE 16MM FERRULE 10MM FERRULE 6mm FERRULE 4mm FERRULE 2.5mm Lug 240x12mm Lug 150x12mm Lug 70x12mm Lug 35x12mm Lug 25x12mm Lug 25x10mm Lug 10x12mm Lug 10x10mm Lug 10x8mm Lug 6x10mm Lug 6x8mm Lug 4x8mm Lug 4x6mm Lug 4x10mm Lug 2.5x8mm Cable Joint MT4 Cable Joint MX3 Cable Joint MX2 Ballast 1X58W Single 12V Downlight Lamp Holders 220V Downlight Lamp Holders LAMP GU10-NONDIM 4000K 5.5W 220V (Duplicate) DULUX D 13W/840 2 PIN Lamp LED Tubes 58W CB Single Pole 10A CBI CB Single Pole 10A Din-Rail CBI Samite 20A Circuit Breaker CB Single Pole 40A CBI CB 1POLE 6KA 40A CB Double Pole L/N 40A Din Rail CB Double Pole 45A CBI Circuit Breaker CB 2POLE 6KA 40A CB Double Pole 80A CB1 CB 4 Pole 100A DIN-RAIL E/Leak Single Pole 40A DIN-RAIL E/Leak 2 Pole 63A Samite E/Leak 2 Pole L/N 63A LB1 DIN Light Dimmer 800W 1 Lever 100x50mm Light Dimmer 800W 2 Lever 100x100mm Extention Box 100X50 Surface Mount Extention Box 100X100 Surface Mount Steel Galvanised Wall Box 100x100 COVER PLATE STEEL SSO DUO MONO-6881 (Duplicate) Steel Blank Cover 4X2
---	---

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	17 of 25


Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011
Document Classification	Normal document		
Document Type	TEMPLATE		
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)		



Supplier Park Development Company SOC Ltd t/a
Automotive Industry Development Centre
Your partner in becoming globally competitive


CATA Exhaust Fan B15 + GRAVITY GRILL Decor200 ES Ceramic E27 Lamp Holder 70mm Welding Cable PVC Trunking 3m 100 X 40mm DOL 400V 5.5 KW STARTER NO OVERLOAD. Overload Relay 5.4-8A Pendant Control Pushbuttons 5A 20A 3POLE 2.5KA MCB CBI 32A 3P 230V IP44 PLUG TOP Element KTE05 CDM Ceramic Metal Halide CDM-T150W/830 Three Phase Starter 1,5kw Stop And Start MCE-D1234 Power Skirting Double End Cabs Power Skirting Double Grey 3M 250w Ballast Mecury Vapour T5 14 W Cool White Tubes CBI Samite Mini Rail 13mm QA/QF NEUTRAL BAR CLIP LED PILOT LIGHT 22MM GRN 230V MCE 1-D25H DOL EMPTY HOUSING Stop Push Button Emergency Stop Push Button CBI 30A 3POLE WITH ORANGE HANDLE Electronic Ballast T5 2x54w Trunking 16 X 16 2MT Beka LED Stream Silver COMPLETE WITH BASEPLATE & GLANDPLATE LIGHTS ZELA 55/NW/SYAV76DGR 1 4M Kettle Male To Kettle Female Power Cord Bulb 220v 28mm 30A Triple Pole Isolator 3 Phase 3 + N Pole 3ka Earth Leakage - 80 Amp CBI CBI 13MM CBI Circuit Breaker 20A 3KA BLACK Dulux Star 20W/840 Energy Saving Lamp ES 6ka 3 Pole C Curve Circuit Breaker - 80a Chint 6k CBI SAMITE 15A CIRCUIT BREAKER 1P 3KA- QA-1(13) Element Bain Marie Wide 1500W KBM02 5.5W GU10 LED Downlight - Dimmable Lamp Fluorescent 14 W/840 Cool White Radiant Round Aluminium Fitting CC10 T5 Fluorescent Tube Light Bulb 8w 288mm GES Holder Porcelain METAL Halide Lamp 400-Watt E40 12.5 Mm Flat Cable Clips 100s Isolator Cover 4x2 ISOLATOR 60A 2 POLE NO COVER ROUND BULKHEAD 15W E27 B181W WHITE Duracell Plus Power AAA Alkaline Batteries 4pkt B181B EUROLUX 15W CFL Bulkhead BLACK FLUORESCENT LAMP HOLDER G13 SMF12V 105AH, WITH STUDS, LWH: 330X170X24 BATTERY GLOBE H3 12V 55W PK2 ELP.G501 GLOBE WEDGE 12V 5W ELP.G603 GLOBE 12V 3W	Power Skirting Service Outlet Cover Oak Power Skirting Service Outlet Cover Grey SW SOCKET-SINGLE HORIZ 4X2 (Duplicate) CCG Utility Box 20MM Box Lids PVC 20MM PVC Connector 32mm Duplicate 14 PIN RELAY BASE PVC Coupling 32mm PVC Coupling 20mm Panel Wire 6mm White Panel Wire 6mm Red Panel Wire 4mm Yellow Panel Wire 4mm Black Panel Wire 2.5mm Red Cabtyre 4mm X 3 Core Black Cabtyre 2.5mm X 3 Core Black(100m) Surfix 6mm Round White 4core Industrial Duo Switch Socket 16A White Round Clips 10mm Round Clips 8mm 100 Pieces Power Pole Outlet Kit (Capstrut AL) Power Pole 3.5M Power Skirting Cover Grey Duplicate Boc Lids PVC 50MM (Duplicate) PVC 4Way Inspection Box 20mm Surfix 4mm X 2core Round White Clips Round 5mm Ledflare SM72/170 Light Dimmer 600W 1 Lever 100x50mm PL18 4Pin Holder Pratley Box 2x4 Way H-Type Round Clips 9mm 100 Pieces Switch Socket 16A Single Vertical 100x50 Switch Soccket Duo 16A 100X100 Panel Wire 1.5mm Black Surfix 2,5 Mm X 2+Earth Round White(100m) Light Dimmer 600W 2 Lever 100x50mm Industrial Switch 20A Lever 1 Way Ballast 1X18W Tridonic Ballast 1x18w Ballast 1X36W Ballast 250W High Pressure Sodium Ballast For Mecury Vapour Lamp 400w Ballast 400W HPS/MH Transformer 300 VA 12/50v Copper Wire 10mm Non-Insulated Ballast Mecury Vapour Lamp 125W Halogen Floodlight 150W 7 Day Digital Electrical Timer 10A Nitto Insulation Tape Yellow Nitto Insulation Tape Green Nitto Insulation Tape Blue Socket Outlet Cover 100x100 Duo Round Clips 6mm 100 Pieces Switch 2 LEVER 20A
--	--

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	18 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

HOSE CLAMPS G4 6MM-17MM P3/0001 HOSE IND CLR THICK T3/0112 OIL EXTRACTOR 12V Downlight 12V LED Cool White DB BLANKS FULL BLACK 11 Pin Multi Range Electro T2M Complete 4 X 4 Double Plug PVC Complete 4 X 4 Double Plug Steel Complete 4 X 2 Single Switch Steel 4 X 4 Swtch 5 Socket Single Cover Switch Socket 6546h/101P Bell Press 800w Dimmer Single Pole MCB 25A DIN Single Pole MCB 20A DIN 3 Pole MCB 40A DIN Industrial Plugs And Sockets 32A Industrial Plugs And Sockets 16A DIGITAL TIMER ELECTRONIC M/RAIL MOUNT 3P+N E/Leakage Din Auxilliary Contact Blocks LA8DN11 40A SINGLE POLE DIN LED Downlight C/W Engine & Driver PS01-1 Surface Extension Box 2x4 200 Litre Of Diesel (Includes New Drum) 200 Litre Of Diesel (No Drum Included) 20A 3KA Circuit Breaker Din Isolator 60A Three Phase 4X4 Isolator 60A Double Pole Complete Switch 4X4 Isolator 30A Double Pole Complete Switch 4X4 PSO-2 Surface Extension Box 4X4 DUPLICATE 3 Way Galvinised Box 20MM Lug 50X12 Single Power Skirting Alluminium 2m Double Power Skirting Alluminium End Cap Alluminium Duplicate	Switch 1 LEVER 20A Dulux D/E 26W/840 4 Pin Lamps Mercury Vapour Lamp 400W Mercury Vapour Lamp 250W Mercury Vapour Lamp 125W Dulux SE 9W/840 4 PIN Lamps Downlight Lamp 50W/220V Crabtree SSO 100X50 16A 3P Horizontal Red Fluorescent Tube L30W/880 Fluorescent Tube Starters 4-80W Dulux Star 20W/840 Energy Saving Lamp BC Dulux D 9W/840 2PIN Lamp Dulux D 26W/840 2PIN Lamp Dulux D 18W/840 2PIN Lamp Fluorescent Tube L36W/640 Cool White Flourescent Tube L15W/640 Flourecent Tube L18W/640 Ballast 2X80W ELECTRONIC Fluorescent Tube L58W/640 Cool White Dulux D 13W/840 4pin Shneider Electric Two-Way Switch HIGH PRESSURE SODIUM 250W SON T LAMP Steel Compression Glands Size 0 Cable Glands-Steel Size 2 Cable Glands-Steel Size 1 Steel Compression Glands Size 1 Bare Copper Earth Wire 25MM 1000W Standard Lamp 18W M-PL 4PIN Round Clips 12mm Pull Switch 50W GU10 Spotlight Single-Load 360 PIK Occupancy Sensor Smart Light / High Power Energy Sav 105w 250W Metal Haude Lamp Other Electrical Material
--	---

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	19 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

5.2 The overall Tools & equipment List typical list included but not limited to the following:

TOOLS LIST DESCRIPTION	PLANT LIST DESCRIPTION
Aluminium 6 Steps Ladder Aluminium 8 Steps Ladder Aluminium 14 Steps A Ladder Heavy duty Drill professional 850w Measuring Wheel Medium Duty Grinder Circular Saw 2000w Belt sander 810w Blower electrical Hand Planner Hydraulic Crimper Hydraulic Cable cutter HVAC/R Ultimate tester kit Digital Manifold Gauge Cordless Drill Bench Grinder Vacuum Pump HVAC Jig Saw Hammer Drill Cordless Drill Laser level Electrical Diesel pump Petrol Generator Bench Tile Cutter Electrical Compressor two cylinder Toolboxes Complete set	Higher Power Jet Cleaner Core drill Hire Rotary drain cleaning machine Scaffolding with certified erector Compactor for Paving TLB Mini Excavator Hire Electric/Diesel Boom Lift

The overall intended service scope request is the just-in-time approach with continual improvement. Within this, there are many forecast goals, including lowering downtime risk, boosting efficiency, enhancing productivity, and maintaining compliance with regulations. And the service scope objective will include but not limited to the following scope requirements:


- Supply & delivery of building related consumables/materials
- Supply & delivery of specialized tools & equipment
- Hiring of specialized tools & equipment

Appointed service provider will be responsible for a supply & delivery of Consumable/material, and Hiring of specialized tools & equipment and other logistic arrangement in the event of the above stipulated scope service list requests, and the following process shall take effect thereon:

- Receives AIDC authorized internal/request requisition (fully signed/approved)
- Source requested (consumables/material, tools & equipment only through accredited suppliers)
- Facilitates and feedback actual quotes obtained
- Consolidate quotes with applicable mark-up percentage and obtain AIDC's formal approval (in writing)
- Facilitates quoted requests, settle associated costs, deliver, and recover full consolidated cost
- Facilities order returns and applicable warranties on behalf of AIDC

N/B: Applicable mark-up percentage will always be per the original returnable documents and/or signed SLA.

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	20 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

6. DURATION

The service provider will be appointed to render the service of supply & delivery of consumable/material, tools, and equipment to AIDC for a period of 12 Months and/or end of contract value (whichever comes first).

7. DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT

SBD 6.2 FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for Local Content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions and Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SANS 1286:2017 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), Annex D (Imported Content Declaration: Supporting Schedule to Annex C) and Annex E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content, will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two-stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SANS 1286:2017 as follows:

$$LC = [1 - x / y] * 100\%$$


- x is the imported content in Rand
y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 3.1 below.

The SABS approved technical specification number SANS 1286:2017 is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp at no cost.

- 1.6. A bid may be disqualified if this declaration certificate and Annex C of the South African Bureau of Standards (SABS) approved technical specification number SANS 1286:2017 (Edition 1) (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation.

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	21 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

2. The stipulated minimum threshold(s) for local production and (refer to Annex A of SANS 1286:2017 or http://www.dtic.gov.za/industrial_development/ip.jsp) for this bid is/are as follows:

Description of services, works or goods	Stipulated minimum threshold
Electrical and telecom cables	90%
Valves products and actuators	70%
Conveyance Pipes	80%-100%
Plastic Pipes	100%
Industrial lead Acid Batteries	100%

3. Does any portion of the goods or services offered have any imported content?

Yes / No

- 3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information are accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SANS 1286:2017):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

- 3.2 Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

4. LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SANS 1286:2017)

Local Content Declaration by Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive or Senior Member/person with management responsibility (Close Corporation, Partnership or Individual)


In respect of bid no:

Issued by (procurement authority/name of institution):

NB
The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.

1 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.dti.gov.za/industrial_development/ip.jsp.
Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be**

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	22 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),

do hereby declare, in my capacity as

of(name of bidder entity), the following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
- the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SANS 1286:2017 ; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SANS 1286:2017 , the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SANS 1286:2017	R
Stipulated minimum threshold for local content (paragraph 2 above)	
Local content %, as calculated in terms of SANS 1286:2017	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SANS 1286:2017, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SANS 1286:2017.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SANS 1286:2017, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

Signature: _____

Date: _____


Witness no. 1 _____

Date: _____

Witness no. 2 _____

Date: _____

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	23 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

--

8. PRICE SCHEDULE

AIDC invites you to supply a quote for various items as per the Scope of work below.

NB:

- 8.1. For fair price comparison, bidders must indicate whether they are VAT registered.
- 8.2. Bidders submitting two different bids/proposals in value will be disqualified.
- 8.3. If you have not received an order within a validity date of 90 business days of RFQ. Please accept your quote was unsuccessful.


NB: The detailed pricing proposal must be submitted which should clearly separate the different opinions and sum the totals.

Item No.	Description	UOM*	Quantity	Unit Price	Total Price
	In line with detailed Scope of work as detailed in this document for supply & delivery of consumable, tools, and equipment				
1.	Supply & delivery of Consumable Tools, and Equipment (just-in-time contract)	Item	1	R560 000.00	R560 000.00
Minimum orders are capped at R5000.00 Maximum Mark-up percentage is capped at 20%			A	Provisional sum	R560 000.00
			B	Mark-up %	%
			C	Mark-up in Rand	R
			A + C	TOTAL	R

QUOTE CONDITIONS:

1. This Quote is subject to the Government Procurement General Conditions of Contract that may not be amended. Quotes should not be qualified by own conditions.
2. All price(s) must be inclusive of all costs plus VAT and must be firm for the duration of the contract period. VAT must be shown separately by VAT Vendors and non-registered or deregistered Vendors should exclude VAT from their quotes. Price(s) quoted must be valid for at least ninety (90) days from the closing date of the quotation and a firm delivery period must be indicated.
3. AIDC will not accept any changes or purported changes by the Respondent to the bid rates after the closing date and/or after the award of the business unless the quotation/offer specifically provides for it.
4. AIDC reserves the rights to validate any information submitted by Respondents in response to this bid. This would include, but is not limited to, requesting the Respondents to provide supporting evidence. By signing POPIA clause and submitting a bid, respondents hereby irrevocably grant the necessary consent to AIDC to do so.
5. All goods must be delivered to the address indicated in the RFQ document.
6. All prices quoted must be fixed & firm prices and where applicable, price negotiation with the preferred supplier will be entered into.
7. All purchases will be made through an AIDC Official Purchase Order with Order Number. Therefore, no goods must be delivered, or a service be rendered without a valid official Purchase Order & Number been received. The onus rests with the service provider to ensure they have received the above. Changes to RFQ/PO specifications should be communicated to the SCM Officer.
8. Fully Complete & sign the attached SBD forms, thus SBD 4, 6.1 and 6.2 NB: Quotes without or with not

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	24 of 25

Department:	Supplier Chain Management	Document number:	AIDC-SCM-TMP-011	 Supplier Park Development Company SOC Ltd t/a Automotive Industry Development Centre <i>Your partner in becoming globally competitive</i>
Document Classification	Normal document			
Document Type	TEMPLATE			
Name of Document:	REQUEST FOR QUOTATION/PROPOSAL (RFQ)			

- fully completed SBD 4 will not be considered, and with SBD 6.1 bidder with score zero)
9. The 80/20 preference point system is applicable to price quotations and tenders with a rand value from R2 000 up to a rand value of R50 million (all applicable taxes included).
 10. This RFQ will be evaluated based on the 80/20 preferential point system as stipulated in the Preferential Procurement Policy Framework Act & PPR 2022. 20 Points allocated to specific goals listed in Table 1 of SBD 6.1 PPR 2022 Section 4.2
 11. An EME is required to submit a sworn affidavit confirming their annual total revenue of R10 million or less and level of black ownership to claim points as prescribed by regulation 6 and 7 of the Preferential Procurement Regulations 2022. In terms of the Generic Codes of Good Practice, an enterprise including a sole propriety with annual total revenue of R10 million or less qualifies as an EME.
 12. A QSE is required to submit a sworn affidavit confirming their annual total revenue of between R10 million and R50 million and level of black ownership or a B-BBEE level verification certificate to claim points as prescribed by regulation 6 and 7 of the Preferential Procurement Regulations 2022
 13. B-BBEE Status Level Verification Certificates (NB: Certificate are identifiable by a SANAS logo) or Valid Sworn affidavit (as issued by DTI/or CIPC
 14. (EME/QSE see point 9&10 above) to be provided in order to claim points for specific goals:
 15. **NB: For Construction related services/work_CIDB Grading & Safety File – The successful contractor should take note that a “Safety File” will be required on appointment and should be submitted to the AIDC before commencement of any work and ensure comply with relevant CIDB grading were required.**

Please note that failure to comply with the RFQ conditions will invalidate your proposal (if mandatory/prequalification documents are not returned then consider your quotation not accepted).

I in my capacity as
..... certify that the information supplied is correct and I have read
and understood the AIDC general terms and conditions, and I accept them.

Signature:

Company Name:

Effective Date:	Revision No:	Compiled by:	Approved by:	Page Number
6 February 2023	3	G. Mathe	C. Nxumalo	25 of 25