	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

Project Name:

Scope Of Work - For Split Type Air Conditioner Replacements at EAL

Project Address:

100 Dale Road Glen Austin Halfway House Midrand 1685

Scope of the project:

The successful contractor must supply operating and installation manuals as well as a complete set of trouble shooting and service manuals or CD's with all the relevant electrical diagrams for the indoor units, outdoor units, controller cards, remote controls, etc. for all types of units installed as part of the contract or installation.

Where existing equipment are replaced, the quotes should include the removal of old air- conditioners, including the old piping and wiring, etc. but it stays the property of Eskom and none of it shall be used for the new installations.

Eskom Contract's Manager:

Eskom Procurement Manager:


Eskom Health and Safety Manager: Khumbelo Chisebe

Eskom Safety Officer: Lungile Mloyi

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			


CONTENTS

2. SUPPORTING CLAUSES	3
2.1 SCOPE	3
2.2 NORMATIVE/INFORMATIVE REFERENCES	4
2.4 Abbreviations	8
2.5 Related/Supporting Documents	9
3. Specification	9
3.1 Scope of work	9
3.2 LEGAL COMPLIANCE	9
3.4 ESKOM LIFE SAVING RULES	11
3.5 SUBSTANCE ABUSE	12
3.6 OCCUPATIONAL HEALTH, HYGIENE AND REHABILITATION,	13
3.7 APPOINTMENTS	13
3.8 ROLES AND RESPONSIBILITIES	14
3.9 RISK ASSESSMENTS	14
3.10 SAFE WORK PROCEDURES/METHOD STATEMENTS	14
3.11 INDUCTION TRAINING	15
3.12 TOOLBOX TALK	15
3.12 WORKING AT HEIGHTS	15
3.13 LADDERS	16
3.14 PERSONAL PROTECTIVE EQUIPEMNT	17
3.15 INCIDENT INVESTIGATION	18
3.16 EMERGENCY MANAGEMENT	18
4 REVISIONS	19

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

1. INTRODUCTION

Eskom's responsibility and commitment is to ensure a safe working environment is in line with its Safety, Health, Environmental and Quality Policy, along with legislative obligations.

This SHE specification is Eskom's minimum requirements which are required to be met for the specific contract and for the duration of the contract period by contractors and where required, the delivery organisation.

The contractor is expected to develop a SHE plan which meets these requirements as well as all the relevant applicable legislation they conform to.

Eskom in no way assumes the contractor's legal responsibilities. The contractor is and remains accountable for the quality and the execution of his/her health and safety programme for his/her employees and appointed contractor employees.

This SHE specification reflects minimum requirements and should not be construed as all encompassing.

Note 1: All the requirements listed hereunder are in relation to the contract and do not supersede or replace any organizational SHE requirements.

Note 2 : In terms of Eskom requirements, a section of this professional contract falls within the requirements of the Construction Regulations.

Although there are requirements listed in this specification that do not pertain directly to air charter, the requirements are expect of an air charter contractor business to conform to. These requirements are in line with Eskom's Zero Harm value.

Where requirements listed are already in place, then the organisational requirements must be taken cognisance of and listed in the respective SHE plans. If there are any additional Eskom and or legislative requirements listed in the SHE specification, then these must be addressed.

2. SUPPORTING CLAUSES

2.1 SCOPE

This SHE specification lists the legislative and Eskom requirements and where applicable, any requirements pertaining to Local Authorities / Municipal by-laws / Environmental legislation that must be met by the contractor.

2.1.1 Purpose

This document will provided a standardised approach to the compilation of SHE specifications throughout Eskom for contracts and standard and NEC 3 contracts.


2.1.2 Applicability

This SHE specification is applicable to any contracting organisation who intends tendering for the contract.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

2.2 NORMATIVE/INFORMATIVE REFERENCES

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs.

2.2.1 Normative

- [1] Basic Conditions of Employment Act No 75 of 1997.
- [2] Occupational Health and Safety Act and Regulations No 85 of 1993.
- [3] National Environmental Management Act 107 of 1998.
- [4] National Road Traffic Act 93 of 1996.
- [5] 32-37 Eskom Substance Abuse Procedure.
- [6] 32-136 Contractor Health and Safety Requirements
- [7] 32- 418 Working at Heights Procedure
- [8] 240-62946386 Vehicle and Driver Safety Management Procedure
- [9] 32-520 Risk Assessment procedure


2.2.2 Informative

- [10]32-726 Mandatory SHE Requirements for Eskom Procurement and Supply Chain Management
- [11]240-62196227 Eskom Life Saving Rules
- [12]Tobacco Products Control Act 83 of 1993 (Updated 2011.05.19)
- [13]SANS 1186 Symbolic Safety Signs
- [14]Constitution of the Republic of South Africa No 108 of 1996
- [15]32-95 Eskom Procedure Manual for Performing Occupational Health & Safety Management & Environmental Management : Conducting EH&S Incident Management,

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

2.3 Definitions

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

Definition	Explanation
Appointed contractor	Means a contractor appointed by the principal contractor
Baseline assessment risk	(32-520) baseline operational risks refer to the health and safety risks associated with all standard processes and routine activities in the business
Client	Eskom representative (Internal – Asset Owner), also referred to as the contract administrator/custodian or agent or project manager (as defined in the contract). He/she is the person responsible for ensuring that the works or services are executed in terms of the contract, as well as adherence to legislation pertaining to the contract.
Competent person	(OHS Act) means any person having the knowledge, training, experience, and qualifications, specific to the work or task being performed, provided that, where appropriate, qualifications and training are registered in terms of the South African Qualifications Authority Act, 1995 (Act No. 58 of 1995)
Contractor – includes appointed contractor	means an employer as defined in section 1 of the Act who performs contract work and includes principal contractors
Consultant	means a person providing professional advice
Duty of care to the environment	(32-136) anybody who causes or has caused or may cause significant pollution or degradation of the environment must take reasonable measures to prevent such pollution or degradation from occurring, continuing, or recurring. If such harm to the environment is authorised by law or cannot reasonably be avoided or stopped, such person must minimise and rectify such pollution or degradation of the environment
Employee	(OHS Act) means, subject to the provisions of subsection (2), any person who is employed by or works for an employer and who receives or is entitled to receive any remuneration or who works under the direction or supervision of an employer or any other person
Employer	(OHS Act) means, subject to the provisions of subsection (2), any person who employs or provides work for any person and remunerates that person or expressly or tacitly undertakes to remunerate him/her, but excludes a TES (ex labour broker) as defined in section 1(1) of the Labour Relations Act 1956 (Act No. 28 of 1956)
Eskom requirements	a) Eskom requirements flowing from directives, policies, standards, procedures, specifications, work instructions, guidelines, or manuals
Hazard	(OHS Act) means a source of, or exposure to, danger
Hazard identification	(OHS Act) means the identification and documenting of existing or expected hazards to the health and safety of persons, which are normally associated with the type of construction work being executed or to be executed
Health and safety file	(OHS Act) means a file or other record, containing the information in writing required by the construction regulations.
Health and safety plan	(OHS Act) means a site, activity or project specific document plan in accordance with the client's health and safety specifications.
Health and safety specification	(OHS Act) means a site, activity or project specific document prepared by the client pertaining to all health and safety requirements related to construction work.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

Definition	Explanation
Health and safety requirements	means comprehensive health and safety requirements for a contract, project, site, and scope of work. This specification is intended to ensure the health and safety of persons, both workers and the public, and the duty of care to the environment. The health and safety requirements must be specific to each contract, project, site, and scope of work
Medical certificate of fitness	(OHS Act) means a certificate specific to the work to be performed and issued by an occupational health practitioner in the form of Annexure 3 of the construction regulations.
Medical surveillance	(OHS Act) means a planned programme or periodic examination (which may include clinical examinations, biological monitoring, or medical tests) of employees by an occupational health practitioner or, in prescribed cases, by an occupational medicine practitioner
Method statement	(OHS Act) means a written document detailing the key activities to be performed in order to reduce, as reasonably as practicable, the hazards identified in any risk assessment
Organisation	may be defined as a group of individuals (large or small) that is cooperating under the direction of executive leadership in accomplishment of certain common objects
Pre-job meetings	(34-227) means a meeting that is held prior to the commencement of the day's work and that is attended by all the relevant employees associated with the work task
Principal contractor	(In the text of this document) Means an employer, as defined in section 1 of the OHS Act, who intends to tender for or has signed a contract with Eskom for services rendered.
Provincial director	(OHS Act) means the provincial director as defined in Regulation 1 of the General Administrative Regulations under the Act
Responsible Manager	Is a Manager of a department, section or operating/business unit who has been appointed as part of the Eskom delegation of authority process with the aim to assist the applicable 16(2) assigned person in executing his/her duties in terms of the Occupational Health and Safety Act
Risk assessment	(OHS Act) means a programme to determine any risk associated with any hazard at a construction site in order to identify the steps needed to be taken to remove, reduce, or control such hazard.
Site	(34-228) means an Eskom department, unit, complex, building, specific project, work site, or the site where agents, clients, principal contractors, contractors, suppliers, vendors, and service providers provide a service to Eskom, directly or indirectly
Service provider	any private person or legal entity that provides any service(s) to Eskom for compensation
Task	(34-227) a segment of work that requires a set of specific and distinct actions for its completion

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

Definition	Explanation
Toolbox talks	(34-227) where the team leader, after conducting pre-task planning, shares all the tasks at hand and discusses task allocation, the identified risks, and the control measures with all his/her team members on site before commencing a specific task and documenting the agreed strategy. (This shall be done to ensure common understanding of the tasks, risks, and control measures required.)
The Act	(OHS Act) means the Occupational Health and Safety Act No. 85 of 1993, as amended, and the Regulations thereto
Visitor	any person visiting a workplace with the knowledge of, or under the supervision of, an employer.


2.4 Abbreviations

Abbreviation	Description
BU	Business Unit
CE	Chief Executive
COID Act	Compensation for Occupational Injuries and Diseases Act
CR	Construction Regulations
DMR	Driven Machinery Regulations
DoL	Department of Labour (Inspection and Enforcement services – Provincial office)
EP	Emergency Preparedness
EAP	Employee Assistance Program
ERfW	Environmental Regulations for Workplaces
GAR	General Administrative Regulations
GSR	General Safety Regulations
HCS	Hazardous Chemical Substances
LDV	Light Delivery Vehicle
MSDS	Material Safety Data Sheets
NEMA	National Environmental Management Act
OHS Act	Occupational Health and Safety Act and Regulations, 85 of 1993
SABS	South African Bureau Standard
SANS	South African National Standard

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

2.5 Related/Supporting Documents

Eskom OHS Act section 37 (2) agreement (to be completed by the contract responsible manager).

3. Specification

3.1 Scope of work

The successful contractor must supply operating and installation manuals as well as a complete set of trouble shooting and service manuals or CD's with all the relevant electrical diagrams for the indoor units, outdoor units, controller cards, remote controls, etc. for all types of units installed as part of the contract or installation.

Where existing equipment are replaced, the quotes should include the removal of old air- conditioners, including the old piping and wiring, etc. but it stays the property of Eskom and none of it shall be used for the new installations.

3.2 LEGAL COMPLIANCE

3.2.1 Section 37(2) (Legal) Agreement

A section 37(2) agreement must be signed between Eskom and the principal contractor at the time of awarding the contract. The principal contractor must ensure that a section 37(2) agreement is compiled between the principal contractor and all their appointed contractors for the contract.

The original copy of the section 37(2) agreement must be retained by the contractor and a copy retained by the responsible manager.

A copy all the agreements must form part of the respective contractor's SHE file.

3.2.2 Hazardous Work by Children (Child Labour)


The constitution of the Republic of South Africa, in the "Bill of Rights" is clear on the rights of children, especially when it comes to:

1. being protected from exploitative labour practices;
2. not to be required or permitted to perform work or provide services that
 - i. are inappropriate for a person of that child's age; or

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

ii. place at risk the child’s well-being, education, physical or mental health or spiritual, moral or social development;
and the Basic Conditions of Employment Act, Chapter six Section 43 “Prohibition of employment of children”.

Before resorting to the use of child labour, due consideration must be given to the rights of the child in terms of the constitution. Where work is being performed which is not prohibited in terms of the constitution, then such work must be conducted in terms of the OHS Act “Regulations on Hazardous Work by Children in South Africa” with emphasis on paragraph 2 Purpose and Interpretation. Eskom does not condone the use of child labour and therefore all effort must be exercised and child labour should not be used.

3.2.3 OHS Act

The principal contractor and appointed contractors shall have an up to date copy of the OHS Act and regulations which will be available to all employees.

3.2.4 Legislative Compliance

All contractors will comply with all the legislation pertaining to this contract being:

- The Constitution of the Republic of South Africa (particularly Section 24 of the Bill of Rights).
- Occupational Health and Safety Act 1993 (Act 85 of 1993) and its Regulations.
- Compensation for Occupational Injuries and Diseases Act.

3.3 Eskom requirements

All contractors shall, before commencement of the charter insure that all their employees are familiar with the relevant Eskom SHE documentation that is applicable to charter services.

3.3.1 Appointment of a Contractor

The principal contractor will be appointed by Eskom on the awarding of the contract and will be responsible and accountable for all legislative and Eskom requirements for the duration of the contract.

3.3.2 Appointment of sub-contractors


The principal contractor may appoint contractors to assist in the contract. All appointments shall be done in writing and will form part of the SHE plan that is required to be submitted to Eskom. Adequate training and instruction must be given to the appointees and the principal contractor must ensure that all the appointed contractors understand their roles and responsibilities.

Note: Copies of contractor appointments must be kept in the respective SHE file.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

3.3.3 SHE Policy

A SHE policy is a statement of intent and a commitment by the organisation's CE and senior management in relation to the relevant SHE roles and responsibilities, the achievement of their strategic objectives, values of integrity, customer satisfaction, excellence, and innovation.

The principal contractor and all appointed contractors, if already not in place, will be required to compile an organisational SHE policy in line with their SHE responsibilities. The policy must be signed by the organisation's CE or the appointed assistant to the CE OHS Act Section 16(2). The policy must be displayed in a prominent place within the workplace. A copy of the policy must be filed in all the contract SHE files and as an annexure the SHE Plans

3.3.4 COID

The principal contractor and all his/her appointed contractors shall be registered with an appropriate employment compensation commissioner and have available a valid letter of good standing (LoGS) from such commissioner. The obligation lies with the contractors to ensure that the LoGS remains valid throughout the contract period. A copy of the LoGS must be filed in the entire contract SHE files and as an annexure the SHE Plans.

3.4 ESKOM LIFE SAVING RULES

1. Eskom views health and safety in high esteem and encourages that any organisation who performs work for Eskom in Eskom adopt the same view.
2. Five Life-saving rules have been developed that will apply to all Eskom Employees, agents, consultants, and **contractors**. Failure to adhere to these rules by any Eskom employee or employee of a Principal Contractor or appointed contractor will be considered a serious transgression. These rules are being implemented to prevent serious injury or death of any employee, labour broker or contractor working in any area within Eskom.
3. If any contractual work will be performed on any Eskom premises (including delivery of any product), then the rules **shall be obeyed** by any contractor and their employees.


The rules are:

RULE	DESCRIPTION OF RULE
Rule 1	OPEN, ISOLATE, TEST, EARTH, BOND, AND/OR INSULATE BEFORE TOUCH (That is plant, any plant operating above 1000 V)

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

Rule 2	HOOK UP AT HEIGHTS Working at height is defined as any work performed above a stable work surface or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into.
Rule 3	BUCKLE UP No person may drive any vehicle on Eskom business and/or on Eskom premises: Unless the driver and all passengers are wearing seat belts.
Rule 4	BE SOBER No person is allowed to be under the influence of intoxicating liquor or drugs while on duty
Rule 5	PERMIT TO WORK Where an authorisation limitation exists, no person shall work without the required permit to work.

Eskom will take a stance of zero tolerance on these rules.

Non-compliance to a Life Saving rule will be considered serious misconduct and will lead to serious disciplinary action, which may include dismissal.

This is to ensure that **every person** who works on or visits an Eskom **returns home safely to his or her family.**


3.5 SUBSTANCE ABUSE

4. Alcohol and substance abuse poses a significant threat to any business, more so in industrial incidents and the driving of vehicles. Eskom is therefore, entitled to take reasonable steps to ensure that intoxicated persons are identified and prevented from entering Eskom.
5. General Safety Regulation 2A is clear on the legal stance regarding intoxication.
6. The alcohol and drug permissible level is 0%.
7. All contractors shall comply with Eskom's procedure 32-37 ("Substance Abuse Procedure"), taking into account that this is an Eskom Life-saving Rule number 4: BE SOBER", this means anyone entering the Eskom will be subjected to ad hoc alcohol testing the legislative alcohol level is deemed to be zero.
8. Test records must be treated as "Confidential" and filed in the employees' personal file.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

3.6 OCCUPATIONAL HEALTH, HYGIENE AND REHABILITATION,

All contractors are required to develop an Occupational Health, Hygiene and Rehabilitation program. The program is intended to ensure that the risks to health are identified and controlled.

3.6.1 Medicals

Note: Eskom will only accept medical surveillances conducted by an Occupational Health Practitioner who holds a qualification in occupational health.

1. Principle contractors must ensure that their and their appointed contractors have a medical surveillance program whereby their employees under go entry, periodic and exit medical fitness examinations.
2. In order for the appropriate medical examinations to be conducted, each employee must have a person job specification (profile), which must indicate the description of work, list of hazards and potential occupational exposure limits, physical hazards and required physical attributes.
3. For employees working on the contract, medical fitness certificates shall be renewed annually for employees who are not office bound including drivers and once every 3 years for employees that are office bound. This shall be maintained until completion of the contract.
4. The Principal Contractor must ensure that his / her employees and sub-contractor employees have undergone pre-entry medical examination before starting work on the contract, should it be for longer than three (3) days.
5. The principal contractor shall provide a documented process for managing those employees who are issued with a conditional certificate of fitness.

3.6.2 Health and wellness HIV / Aids

Contractors shall submit details of their Employee Health and Wellness Programme as part of their Health and Safety Plan which should include awareness training, support for contracted illness and sharing knowledge with members of the public in the immediate work environment


3.7 APPOINTMENTS

For the duration of the contract, the principal contractor and all appointed contractors shall appoint competent employees who will meet the requirements of the OHS Act. Where appointments are made, contractors shall ensure that the appointees have been suitably trained and or informed of their responsibilities before getting them to accept such appointment. The relevant statutory appointments shall be made in accordance with the requirements of the OHS Act which includes the requirement of a competent person being appointed in the relevant roles. The statutory appointments should include but not limited to: Incident Investigator and Risk Assessor, First Aider, 16(2) appointment.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

3.8 ROLES AND RESPONSIBILITIES

All contractors are required to list employee's roles and responsibilities pertaining to the contract.

3.9 RISK ASSESSMENTS

It is a legal requirement in terms of Section 8 (2)(d) of the OHS Act for an employer to carry out risk assessments to establish what hazards to the health and safety of persons are attached to any work which is performed, any article or substance which is, handled, stored, transported. A risk assessment is defined as an identification of the hazards present in an organisation and an estimate of the extent of the risks involved, taking into account whatever precautions are already being taken. It is essentially a three stage process:

- identification of all hazards;
- evaluation of the risks;
- measures to control the risks.

Risk assessments are required to be maintained. This means that significant changes to a process or activity, or any new process or activity should be subjected to a risk assessment and that if new hazards come to light during the work process, then these should also be subjected to risk assessments. Risk assessments for long term processes should be periodically reviewed and updated. Method statements or written safe work procedures are an effective method as information and record of the way jobs / tasks must be performed. Prior to start of work, risk assessments on every job / task are ideal to allow managers and employees to assess any inherent risks that could have been overlooked during the initial risk assessment or any changes that might have occurred in a period of absence. In particular, if a job / task is extended over a day or halted due to inclement weather.

3.10 SAFE WORK PROCEDURES/METHOD STATEMENTS

Method statements / written safe work procedure are control measures used to prevent an incident from occurring during the execution of the project. A written safe work procedure/ method statements provide guidance how to execute the task safely. A safe working procedure should be written when.

- a. Designing a new job or task
- b. Changing a job or task;
- c. Introducing new equipment or substances; and


The safe working procedure should identify:

- d. The supervisor for the task or job and the employees who will undertake the task;
- e. The tasks that are to be undertaken that pose risks;
- f. The equipment and substances that are used in these tasks;
- g. The control measures that have been built into these tasks;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01
		Effective Date	June 2020		
		Review Date	N/A		

- h. Any training or qualification needed to undertake the task;
- i. The personal protective equipment to be worn;
- j. Actions to be undertaken to address safety issues that may arise while undertaking the task.

3.11 INDUCTION TRAINING

1. The principal contractor shall ensure that all his / her employees, appointed contractors and their employees have undergone the Eskom Safety Contractor Management induction training prior to commencing work on site.
2. Attendance registers must be completed of any induction training given, which must indicate that they have received and understood the induction training.
3. Prior to attending the induction training, all employees must undergo a pre-employment medical examination and found fit for duty. A copy of the certificate of fitness must be kept in the SHE file on site for the duration of the project.
4. All employees and visitors on site shall carry the proof of induction training.

3.12 TOOLBOX TALK

4. A meeting must be held prior to the commencement of the day's work with all relevant personnel associated with the work task in attendance. The job, relevant procedures, associated hazards, safety measures, i.e., the task risk assessments shall be discussed. Each employee who attends the briefing shall sign an attendance list of that pre-job brief form undertaking that they have an understanding of the tasks, risks and control measures required.
5. Where possible, toolbox talks can be included in the pre-job brief meetings. If this does not occur, then weekly toolbox talks must be conducted. The toolbox talk topics will be based on SHE issues pertaining to the work site and or the project. The topic contents shall be in writing. Attendance registers with the topic listed shall be kept.

3.12 WORKING AT HEIGHTS


General Requirements

Wherever reasonably practicable, preference is given to the performance of work at ground level as opposed to the elevated position. Where work in an elevated position is necessary, preference is given to fall prevention measures such as, but not limited to, effective barricading and the use of work platforms. Persons may only work from a fall risk position if a site-specific fall protection plan is in place and correctly implemented and consists of the following:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

1. All appointments for the fall protection plan developer and implementer are in place.
2. Baseline risk assessment, which is specific and incorporates the working at height risk assessment, as well as the site-specific risk assessment, has been completed for the work to be conducted.
3. Safe working procedure/task analysis and work instructions, approved by a competent person, are in place.
4. A fall rescue plan, along with necessary equipment and trained rescuers, is in place.
5. Appropriate training, as determined by the risk assessment, has been provided.
6. Appropriate height safety equipment and personal protective equipment have been issued to the individual.
7. There are equipment inspection procedures and up-to-date inspection records.
8. Individuals are medically/psychologically fit to work at height, and records of this are kept.
9. A site-specific risk assessment is performed.

While work is in progress, adequate warning signs and/or barricades shall be used in all areas where there is a risk of persons being injured by materials or equipment falling from the work area. Barricades should be continuous and easily visible.

A drop zone shall be established with appropriate warning signs and barricading, warning personnel below of workers above and potential falling objects.

Every employer shall ensure that work at height is:

1. properly planned;
2. appropriately supervised; and
3. carried out in a manner that is, as far as is reasonably practicable, safe and that its planning includes the selection of work equipment.


3.13 LADDERS

1. Ladders used shall conform to the requirements of GSR 13A and used in terms of GSR 6.
2. The appropriate head protection, with chin strap shall be worn by employees working from a ladder or with climbing irons.
3. The ladder wheels, brakes and platform must be in good condition.
4. All metal parts to be in good condition, no cracks.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

5. Non-slip devices must be in good condition and no paint to be on wooden ladders
6. Climbing irons are permitted to be used in place of ladders on condition that the requirements of GSR 6 are not compromised and from an electrical point of view not damage any cabling. The working at heights risk assessment must indicate the use of climbing irons.
7. Employees using climbing irons shall be suitably trained in the use, care and maintenance of such climbing irons.
8. When using climbing irons, the appropriate rope grab fall prevention system shall be used.
9. The correct fall protection equipment shall be worn and used whilst climbing up, working from and climbing down ladders.
10. The appropriate head protection, with chin strap shall be worn by employees working from a ladder or with climbing irons.
11. A detailed inspection of all ladders shall be conducted monthly by a competent person and every time prior to climbing by employees using such ladders. The inspection check lists must be filed in the site SHE files.

3.14 PERSONAL PROTECTIVE EQUIPEMNT

Every contractor shall issue his/her employees with PPE as per General Safety Regulations 2. If additional and/or specialised PPE is required in order to address hazards as per the scope of work to be performed, the contractor shall provide such PPE. PPE shall be inspected every month and results of such inspections recorded.

Personal Protective Equipment shall include, but will not be limited to, the following:

- a) Eskom approved head protection;
- b) Eye and face protection;
- c) Foot protection;
- d) Respiratory equipment;
- e) Hand protection;
- f) Hearing protection;
- g) Fall arrest equipment e.g., full body safety harness, no safety belts allowed;
- h) Protective clothing e.g., overalls;
- i) Reflective vests.


Personal Protective Equipment shall be maintained in a good and clean condition. Torn (damaged) equipment should be replaced when necessary.

Personal Protective Equipment shall comply with Eskom PPE Specification (240-44175132).

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

3.15 INCIDENT INVESTIGATION

All incidents shall be investigated in terms of OHS Act General Administrative Regulations 8 and 9, using Eskom Procedure 32-95 as a reference, and where injuries as contemplated in sections 24 and 25 have been sustained, be reported to the Department of Labour.

Contractors shall use the standard General Administrative Regulation Annexure 1 “Recording of an Incident” form for all incident investigation reports. The objective of incident investigation, not only being a legal requirement, is to establish why and how the incident occurred, but to find out the real causes of the incident and to decide on precautionary measures that are required to address the causes to prevent any further recurrences of the same or similar incidents.

3.16 EMERGENCY MANAGEMENT

1. The art of emergency preparedness and response is to minimise the effects of any emergency and to restore normal activities as soon as practical. The supplier must develop their own emergency response in their work premises. The Eskom employees attending training must be made aware of the emergency process and the assembly points. Where any office and or site is located within any Local Authorities area, then the plans must include their involvement. Emergency preparedness

Periodic emergency drills must be undertaken to test the effectiveness of the plan. This must be recorded and provided on request.


3.17 Non-Conformance and Compliance

1. Any non-compliance to any health and safety requirement in this SHE specification is subject to discipline in terms of the Eskom Procurement and Supply Management Procedure.
2. Principal contractors are required to implement a non-conformance procedure (if not already in place) for issuing to contractors for transgressions. The procedure can include “quality” related non-conformance issues. Similarly, appointed contractors must implement a non-conformance procedure.
3. The procedure for the issuing and closing off of non-conformance reports shall be strictly adhered to.
4. Contract management must close out non-conformances issued, in not doing so, will not ensure that any recommendations made have been carried out and or implemented.
5. Where non-conformances are issued by Eskom, then one of the close-out steps of the procedure will be for the offender to be called on by the contractor responsible manager to explain the non-conformance issued and what they intend doing to prevent a recurrence of the non-conformance.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Eskom Academy of Learning: Split Type Air Conditioner Replacements Project SHE SPECIFICATION	Template Identifier	240-73418055	Rev	02	
		Document Identifier	ERE_EAL_Split Air Unit_SHE Spec	Rev	01	
		Effective Date	June 2020			
		Review Date	N/A			

6. Contractor failure to provide adequate PPE to their employees for the tasks being performed and/or to visitors and failure to enforce the wearing of such PPE will be viewed as a transgression of the legislative and Eskom requirements.

4 REVISIONS

Date	Rev.	Compiler	Remarks
May 2023	01	Lungile Mloyi	This provides the initial SHE specification requirements that must be met by the relevant contractors who have been awarded a contract for the work to be performed for Eskom.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.