

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**ESKOM HOLDINGS SOC LTD**

**INVITATION TO TENDER**

**FOR**

**Various spares for Outage Department**


<b>Tender number</b>	<b>MPTUT11213GX</b>
<b>Issue date</b>	<b>10 July 2024</b>
<b>Closing date and time</b>	<b>24 July 2024 @10h00</b>
<b>Tender validity period</b>	<b>60 days from the closing date and time</b>
<b>Clarification meeting</b>	<b>No clarification meeting</b>
<b>Tenders are to be delivered to the following address on the stipulated closing date and time:</b>	<b>The Tender Centre 24 hour Tender Box Ground Floor No. 10 Smuts Avenue Witbank / Emalahleni Mpumalanga</b>

**The process of procurement for this project is using the Reverse E Auction Platform.**

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## Invitation to Tender

Eskom Holdings SOC Ltd (hereinafter “Eskom”) invites you to submit a tender for the provision of various spares for Outage Department (once off).

The enquiry documents are supplied to you on the following basis:

1. Free of charge

Eskom has delegated the responsibility for this tender to the Eskom *Representative* whose name and contact details are set out in the Tender Data. A submission of a tender by you in response to this Invitation will be deemed as your acceptance of the Eskom Standard Conditions of Tender (to be accessed via [www.eskom.co.za](http://www.eskom.co.za)).

Queries relating to these Invitation documents may be addressed to the Eskom *Representative*.

Yours faithfully



**Lulama Njaza**

Senior Advisor Procurement- Tutuka Power Station

Date: 05 July 2024

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ [forensic@eskom.co.za](mailto:forensic@eskom.co.za)**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			


1.1 The following documents listed hereunder are attached to this enquiry.

Number	Description	Annexure/to be downloaded and attached	Attached (Y/N/ N/A)
1.1.1	*Acknowledgement form	Annexure A	Y
1.1.2	*Tenderer's particulars	Annexure B	Y
1.1.3	*Integrity Declaration Form (refer to <a href="http://www.eskom.co.za">www.eskom.co.za</a> for the Supplier Integrity Pact that suppliers are required to download and read)	Annexure C	Y
1.1.4	*CPA Requirements for Local Goods/Services	Annexure D	Y
1.1.5	*CPA(IG) for Foreign Goods/Services (if applicable)	Annexure E	Y
1.1.6	SBD 6.2- Declaration Certificate for Local Production and Local Content (only applicable if designated materials are included).  Annexure C-Local Content Declaration-Summary Schedule  Annexure D-Imported Content Declaration – Supporting Schedule to Annexure C  Annexure E-Local Content Declaration-Supporting Schedule to Annexure C	Annexure F1  Annexure F2  Annexure F3  Annexure F4	Y
1.1.7	*SBD 1 -Invitation to Bid must be filled out by all tenderers and submitted with the tender at tender submission deadline	Annexure G	Y
1.1.8	*SBD 6.1- Preference Points Claim Form in terms of PPPFA 2022 regulations	Annexure H	Y
1.1.9	*SBD 4 – Bidders Disclosure	Annexure I	Y
1.1.10	Tax Evaluation questionnaire to determine whether a company, close corporation (CC) or Trust is a personal service provider for purposes of PAYE		N
1.1.11	Reverse e-auction training acknowledgement form (if applicable)	<a href="https://commercial.eskom.co.za/Pages/Default.aspx">https://commercial.eskom.co.za/Pages/Default.aspx</a>	Y
1.1.12	Reverse e-auction process (if applicable)	<a href="https://commercial.eskom.co.za/Pages/Default.aspx">https://commercial.eskom.co.za/Pages/Default.aspx</a>	Y

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ [forensic@eskom.co.za](mailto:forensic@eskom.co.za)

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

1.1.13	Contract Skills Development Goals (CSDG) [if applicable]		N
1.1.14	Contract Participation Goals (CPG) [if applicable ]		N

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

1.2 The Tender Data makes several references to the **Eskom Standard Conditions of Tender** and in those instances, the clause numbers are referenced hereunder. If the **Eskom Standard Conditions of Tender** is not attached to the **Invitation to Tender**; then the tenderers are required to download this from [www.eskom.co.za](http://www.eskom.co.za). The **“Tender Data”** as detailed herein shall take precedence over the **Standard Conditions of Tender** in the event of any ambiguity or inconsistency between the two documents.

Clause Number from Standard Conditions of Tender	Tender Data
1.1 Parties	<p>The <i>Employer</i> is <b>Eskom Holdings SOC Ltd</b></p> <p>The Eskom <i>Representative</i> is:  Name: <b>Nomazulu Zulu</b>  Tel: <b>+27 11 800 6400</b>  E-mail: <b>zulunc@eskom.co.za</b></p>
1.3 Enquiry documents	<p>The Invitation to tender number is: <b>MPTUT11213GX</b>.</p> <p>See the content list above for the enquiry documents.</p>
1.4 Type of Invitation to Tender/RFP	<p>This invitation to tender is:</p> <ol style="list-style-type: none"> <li>An open Invitation to tender</li> </ol>
1.6 Eskom's rights to accept or reject any tender	<p>The tender shall be for the whole/parts of the contract.</p> <p>The contract/order will be awarded to multiple suppliers. The contract/order will be allocated according to the highest ranked supplier. The contract/order will be awarded to the maximum of 8 suppliers.</p>
2.1 Eligible tenders	<p>Submit a tender only if the tenderer (whether a single company or a structure similar to a Joint Venture) complies with the <i>eligibility criteria</i> stated in the Tender Data and the tenderer, or any of his principals, is not under any restriction to do business with Eskom/State Owned Companies.</p> <p>Tenderers are deemed <b>ineligible</b> to submit a <b>tender</b> if</p> <ol style="list-style-type: none"> <li>Tenderers have the nationality of a country on any international sanctions list. A tenderer shall be deemed to have the nationality of a country if the tenderer is a national or is constituted, incorporated, or registered and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed subcontractors or suppliers for any part of the Contract including related services.</li> </ol>

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ [forensic@eskom.co.za](mailto:forensic@eskom.co.za)

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30


	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

	<p>2. Tenderers submit more than one tender either individually or as a partner in a joint venture (JV) or consortium</p> <p>3. Tenders submitted by a JV or consortium where the JV/consortium agreement does not explicitly state that the parties of the JV or consortium shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms.</p> <p>4. A Tenderer must not have a conflict of interest. All Tenderers found to have a conflict of interest shall be disqualified. A Tenderer may be considered to have a conflict of interest with one or more parties in this tendering process, if :</p> <ol style="list-style-type: none"> <li>1. (a) they have a controlling partner/majority shareholder in common; or</li> <li>2. (b) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the tender of another Tenderer, or influence the decisions of the Employer regarding this bidding process;</li> </ol> <p>5. Tenders signed by non- authorized persons</p> <p>6. Where the tenderers are not registered on National Treasury's Central Supplier Database (except Foreign Suppliers)</p> <p>7. Any tenderer that is restricted by National Treasury</p> <p>8. Any tenderer on the Tender Defaulters list.</p> <p>9. A tenderer that sub-contracts 100% Scope of Work.</p> <p style="text-align: center;"><b>Ineligible tenderers will be disqualified.</b></p>
2.2 -2.5 Tender Closing	<p>The deadline for <b>Tender</b> submission is:  Date <b>24 July 2024</b>  Time <b>10h00</b>  <b>Late Tenders will not be accepted</b>  Tenders are to be submitted to the Eskom <i>tender box</i> at the following physical address:  <b>THE TENDER OFFICE</b>  <b>24 hour Tender Box</b>  <b>Ground Floor</b>  <b>No. 10 Smuts Avenue</b>  <b>Witbank / Emalahleni</b>  <b>Mpumalanga</b></p>
2.9 Copy of original tender	<p>The tenderer must submit the tender as a complete original tender, plus one (1) <b>hard copy</b> of the original tender at tender submission deadline. Eskom may also require that one (1) additional complete soft copy of the original tender is required in electronic format.</p> <p>Where a Tenderer does not submit 1 hard copy of the original tender at tender submission deadline, the tenderer will be disqualified.</p>
2.13 Tender Validity Period	<p>The tender validity period is 8 weeks</p>

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

2.16 Site/clarification meetings	No clarification meeting
2.17 Clarification on enquiry documents	The tenderer will notify the <i>Employer</i> of any clarifications required before the closing time for clarification queries, which is 5 working days before the deadline for tender submission.
2.23 Alternative tenders	Alternative tenders are <b>not allowed</b> .
2.31 Provision of security for performance	Not applicable
3.4 Opening of tenders	Tenders will not be opened.
3.5 Prices to be read out	Prices will not be read out.
3.9 Basic Compliance	<p>Basic compliance for this invitation to tender are:</p> <ol style="list-style-type: none"> <li>1. Meet the eligibility criteria for a tenderer</li> <li>2. Submit one (1) hard copy of the original tender to Eskom</li> <li>3. Submit a complete original tender with commercial, financial and technical information</li> <li>4. Submission of the mandatory commercial/technical tender returnables as at stipulated deadlines.</li> <li>5. Central Supplier Database (CSD) number (MAA.....)</li> </ol>
3.10 Mandatory tender returnables	A tenderer that does not submit mandatory documents/information required in mandatory documents by the required deadlines as stipulated in the Tender Returnable section of the respective Invitation to Tender; will be deemed non-responsive.
3.13 Functionality requirements	<p>Functionality requirements are not applicable.</p> <p>It is mandatory to submit Datasheets for each item and material certificate on tender closing and upon delivery.</p>
3.15 Evaluation of price	<p>Prices will be evaluated as follows: <b>(Reverse E-Auction)</b></p> <ol style="list-style-type: none"> <li>1. Inclusive of VAT</li> <li>2. Making the specified correction for arithmetical errors</li> <li>3. Excluding contingencies in any bill of quantities or activity schedule.</li> <li>4. Making an appropriate adjustment for any other acceptable variations, deviations, or alternative tenders submitted.</li> <li>5. Making a comparison of the Net Present Value of each adjusted tender based on the tendered programme (if provided) and prices, on the estimated effect of Price Adjustment Factors and rate of exchange fluctuations (if applicable) and on other evaluation parameters relating to uncertainty and risk, where applicable.</li> </ol>

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30


	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

	<ol style="list-style-type: none"> <li>1. Unconditional discounts must be taken into account for evaluation purposes;</li> <li>2. Conditional discounts must not be taken into account for evaluation purposes but should be implemented when payment is effected.</li> </ol> <p>Prices will be scored out of 80 or 90 points</p>
3.17 Evaluation of Specific Goals	<p>Specific goals will be scored out of 10 or 20 points in accordance with PPPFA.</p> <p>If a tenderer fails to meet Specific goals and submit proof, the tenderer will not be disqualified. However, be awarded 80/90 points for price and will score 0 points for Specific goals (out of 10/20)</p> <p>Note:</p> <p><b>Failure on the part of the supplier to submit supporting documents/proof of specific goals for purposes of evaluation and scoring by RFQ closing will not result in disqualification (if tenderer is otherwise deemed to be responsive/acceptable in all other aspects). The tenderer will, however, be scored zero for Specific goals for purposes of PPPFA scoring and ranking.</b></p>
3.18 Ranking of tenders	<p>Suppliers will be ranked by applying the preferential point scoring based on the relevant system as stipulated hereunder]:-</p> <p>Suppliers will be ranked by applying the preferential point scoring based on the relevant system as stipulated hereunder]:-</p> <ol style="list-style-type: none"> <li>1. 90/10 for tender with a rand value above R50 million or</li> <li>2. 80/20 for tender with rand value equal to or below R50 million</li> </ol> <p style="text-align: center;"><b>OR</b></p> <p>state that either 80/20 or 90/10 will apply should there be a degree of uncertainty on which PPPFA Point allocation system will apply; the lowest acceptable tender will be used to determine the applicable preference system</p> <p>Eskom will then add the score from Pricing and Specific goals together and rank the suppliers from the highest to the lowest.</p>
3.19 Objective Criteria (if applicable)	<p>Objective criteria are applicable.</p> <p>Compliance to Objective criteria is Mandatory. Failure to comply with Objective will render the tender non-responsive.</p>

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

The following objective criteria apply:-

- Designated material and thresholds **is applicable**

If applicable stipulate which materials are identified as designated materials and what thresholds the tenderers must meet in order to be evaluated further.

Material	Threshold %
Valve and Actuators	70%
Electrical cables	100%
Steel	100%

Tenderers need to complete and submit Annexure F1-F4 hereto as evidence of compliance with this requirement.

The dti has appointed SABS as the official verification agency for local content in terms of designated products

A tender that fails to meet the minimum stipulated threshold for local production and content will not be justified for award.

- Valid B-BBEE certificate issued by an authorized body or person; a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; any other requirement prescribed in terms of the Broad-Based Black Economic
- NIPP Requirements is not applicable.

Eskom will implement the NIPP requirement, which determines that the contractor/supplier has to contact the Department of Trade, Industry and Competition (dtic) to arrange for support and development of local businesses. Eskom is required to inform the tenderers of this requirement. NIPP will only be applicable for contracts with an FGN component or content of USD 5 million or more.

- CIDB Contract Participation Goal (CPG) is not applicable

Contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise development through Construction Works Contract ( published in GN No. 36190 of 25 February 2013).Contract Participation Goals is only applicable in Grade 7-9 General

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

	<p>Building (GB) and Civil Engineering (CE) contracts where the contract duration is 6 months or more.</p> <ul style="list-style-type: none"> <li>CIDB Contract skills development goals (CSGD) is not applicable</li> </ul> <p>Contractor shall achieve in the performance of the contract the CSDG established in the CIDB Standard for Developing Skills through Infrastructure contracts (published in GGN 36760 of March 2020) CSDG is applicable to all classes of works exceeding R60 M and where the contract duration is 12 months or more or to Professional Services/Service contract/order where the estimated contract exceeds R5M and where the contract duration is 12 months or more]</p> <p><b>Please note:-</b></p> <ol style="list-style-type: none"> <li><b>Eskom reserves the right to award to a tenderer who may not be the highest scoring/highest ranked tenderer, in line with Section (2) (1) (f) of the PPPFA</b></li> <li><b>Functionality and elements of Contractual requirements must not be used as objective criteria.</b></li> </ol>
<p>3.20 Reverse e-auction (if applicable)</p>	<p>Reverse e-auction is <b>applicable</b></p> <p>User orientation can be found on the below link: <a href="https://www.youtube.com/watch?v=2OzleM6x-fs">https://www.youtube.com/watch?v=2OzleM6x-fs</a></p> <p><b>Please note:-</b> Reverse e-auction is an electronic price and preference point system (aligned to PPPFA) that aims to achieve the most competitive prices. Eskom reserves the right to utilize reverse e-auction in certain enquiries. Where reverse e-auction is utilized in a specific enquiry this will be indicated in the respective enquiry and the relevant reverse e-auction supporting documents will form part of the enquiry. The Tenderers will be required to submit a complete tender but without prices. Where a supplier includes prices in their tender; these prices will not be considered and will be disregarded.</p>
<p>Contractual Requirements (if applicable )</p>	<p>Contractual Requirements may include the following:</p> <ol style="list-style-type: none"> <li>SHEQ requirements; and/or</li> <li>Financial statements; and/or</li> <li>SDL&amp;I</li> </ol>

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

	<p><b>Please Note:</b>  <b>Contractual requirements are not evaluation criteria. They are required to be met and assessed after the evaluation and ranking of the tenders. Proof that the highest ranked tenderer/ tenderer recommended for award (on the basis of objective criteria) is able to meet the contractual requirements, must be submitted prior to contract award.</b></p> <p><b>Failure to meet “Contractual Requirements “by the stipulated deadlines; may result in the tenderer being regarded as non-responsive and ineligible for contract award.</b></p>
2.25 Contractual Condition	<p>The conditions of contract will be the <b>NEC SCC</b></p> <p>The recommended supplier shall submit all the documentation (Form A2 Baseline Training Plan, Form A3 Project Interim Report, Form A4 Supervisor Agreement, Form A5 Project Completion Report ) that may be required as returnables after contract award as stipulated by Clause 4 of the Contract Skills Development Goals Standard (published in GGN 36760 of March 2020)</p> <p>The recommended supplier shall submit all the documentation (Annexure A-Targeted Enterprise Declaration Affidavit; Project Interim Report, Project Completion Report and Declaration) that may be required as returnables after contract award and as stipulated by Clause 3.3 of the Standard for Indirect Targeting for Enterprise Development through Construction Works Contract (published in GGN 36190 of 25 February 2013)</p> <p>In the event that there are further documents/actions that are required during execution of the contract, these must be made contractual conditions and compliance thereto must be managed in terms of the contract.</p>
CIDB Requirements (where applicable for Engineering and Construction Works Contracts)	<b>CIDB Requirements are not applicable.</b>

**Please note:**

**Tenderers are requested to bear in mind Eskom's standard payment terms as stipulated hereunder when submitting tenders and concluding contracts with Eskom:**

**For contracts valued below R50 000 000 (Fifty Million Rand) including VAT, Eskom is committed to paying Suppliers within 30 days of receipt of undisputed invoices.**

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

For contracts valued above R50 000 000 (Fifty Million Rand) including VAT, Eskom is committed to paying suppliers within 60 days of receipt of undisputed invoices.

Eskom reserves the right to negotiate with preferred bidders after a competitive bidding process or price quotations; should the tendered prices not be deemed market-related.

Main contractors/ suppliers are discouraged from subcontracting with their subsidiary companies as this may be interpreted as subcontracting with themselves and / or using their subsidiaries for fronting. Where a main contractor subcontracts with a subsidiary this must be declared in tender documents.

A report containing a list of potential sub-contractors may be drawn by accessing the following link: [www.csd.gov.za](http://www.csd.gov.za)

“proof of B-BBEE status level of contributor” means-

- (a) the B-BBEE status level certificate issued by an authorised body or person; or
- (b) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or
- (c) any other requirement prescribed in terms of the Broad-Based Black Economic Empowerment Act

**NOTE:**

\* Returnable required at Tender closing (disqualifiable) - These returnable are required to be fully completed, signed (if required on the returnable) and submitted with the tender at Tender closing date and time. If not fully completed, signed (if required on the returnable) and/or submitted by tender closing the tender must be disqualified.

\*\* Returnable required at Tender closing. (Non-disqualifiable) – These returnable are also required to be fully completed, signed (if required on the returnable) and submitted with Tender at Tender closing date and time, however, if not submitted by Tender closing, the Procurement Practitioners must request in writing the outstanding returnable to be submitted within 5 working days. If the requested returnable are not fully completed, signed (if required on the returnable) and/or received by the Procurement Practitioner within 5working days of the request; the tender must be disqualified. The 5 working days requirement does not apply to CIDB proof of grading. (Refer to the returnable table under CIDB reference for prescribed period)

# These returnable are mandatory for evaluation and therefore required at tender closing time and date. These will not be requested by the Procurement Practitioner, however the tenderer will not be disqualified but score zero.

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

### 1.3 TENDER RETURNABLES


The tenderer must submit the returnable set out hereunder as part of its tender at the stipulated deadline.

Reference	Returnable From Suppliers	Returnable required at Tender closing (disqualifiable)*	Returnable required at Tender closing. (Non-disqualifiable) **	Returnable required prior to Contract Award.
<b>Basic Compliance</b>	One (1) hard copy of the tender	✓		
<b>Annexure A</b>	Acknowledgement Form		✓	
<b>Annexure B</b>	Tenderers Particulars		✓	
<b>Annexure C</b>	Integrity Pact Declaration form	✓		
<b>Annexure D</b>	CPA for local goods/services (if applicable)		✓	
<b>Annexure E</b>	CPA(IG) for imported goods/services (if applicable)			✓
<b>Annexure F1-F4</b>	SBD 6.2 -Declaration certificate for local production and content and Annexures C, D, E		✓	
<b>Annexure G</b> (applicable for all suppliers including Foreign suppliers)	SBD 1- to be completed and submitted by all tenderers.	✓		
<b># Annexure H</b>	SBD 6.1- Preference Points Claim Form in terms of PPPFA 2022 regulations		✓	
<b>Annexure I</b>	SBD 4 – Bidders Disclosure	✓		
Reverse e-auction training acknowledgement form <b>(if applicable)</b>	Completed and signed Reverse e-auction training acknowledgement form.  Signed form with total tendered price and signed (After e-auction)	✓		✓
<b>Additional Documents required in event of JV:-</b>	Letter of intent to form a JV/consortium or Valid joint venture agreement confirming the rights and obligations of each of the joint venture partners and their profit-sharing ratios.		✓	
	Separate written confirmation that the joint venture will operate as a single business entity (incorporated) for the		✓	

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30


	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

	duration of the contract or this may be included as an obligation within the JV agreement.			
	# proof of compliance to the stipulated Specific goals.			
	Details and confirmation of a single designated bank account in the name of the JV and independent of the individual JV partners, as set out in the joint venture agreement.			✓
<b># Specific Goals</b>	Failure on the part of the supplier to submit “ <b>proof of specific goals</b> ” for purposes of evaluation and scoring by the tender closing will not result in disqualification (if tenderer is otherwise deemed to be responsive/acceptable in all other aspects ). The tenderer will, however, be scored zero for Specific goals for purposes of PPPFA scoring and ranking.			✓
<b>Tax Clearance Certificates</b>	A certified copy of a tax clearance certificate is still required by Foreign suppliers (with a footprint in South Africa- but who are not on CSD and have not provided a SARS pin number ) and Local suppliers (who have not provided their SARS e-filing PIN number for verification by Eskom and/or their CSD profile / CSD number) . Foreign suppliers with no footprint in South Africa, must still complete the SBD1 document, however no proof of tax compliance is required.			✓
<b>Tax Evaluation Questionnaire (if services contract and was included as annexure)</b>	Evaluation questionnaire to determine whether a company, close corporation (CC) or Trust is a personal service provider for purposes of PAYE]			✓
<b>Compliance with Employment Equity Act</b>	To the extent that the tenderer falls within the definition of a “designated Employer” as contemplated in the Employment Equity Act 55 of 1998, the tenderer is required to furnish the Employer with proof of compliance with the Employment Equity Act, including proof of submission of the Employment Equity report to the Department of Labour. (South African tenderers only)			✓
<b>CIDB (where applicable)</b>	Valid proof of the required cidb grading designation for the main contractor; JV and /or sub-contractor as may be required in the tender data at tender closing deadline or within 21 working days from the closing date of submission of tenders if this is agreed with the Employer			N/A
<b>NEC Documentation</b>	Completed NEC pricing schedule and contract data.			✓


### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

<b>Additional documents required (ECSA/ SACPCMP/CVs/ permits/licenses/ specific registration documents (if applicable to scope of work))</b>	Data sheet and /or material certificates	✓		
	<b>DOCUMENTS REQUIRED UNDER CONTRACTUAL REQUIREMENTS (WHERE CONTRACTUAL REQUIREMENTS ARE STIPULATED)</b>			
<b>Safety</b>	<p>SHE, Quality provisions in the tender will be made contractual. The service providers will be evaluated on the following minimum SHEQ requirements:</p> <ul style="list-style-type: none"> <li>Annexure B</li> <li>OHS plan / OHS manual.</li> <li>Baseline OHS risk assessment.</li> <li>Valid letter of good standing or equivalent</li> <li>OHS policy (must be signed)</li> </ul> <p>COIDA - Original certificate of good standing or proof of application issued by the Compensation Fund (COID) or a licensed compensation insurer (South African tenderers only)</p>			✓
<b>Quality</b>	Documents that may be required per scope of work			✓

	<b>Supplier Quality Management: List of Tender Returnables Documents</b>	<b>Unique Identifier</b>	240-12248652
		<b>Revision</b>	5
		<b>Effective Date</b>	2019/10/07
		<b>Specification</b>	240-105658000
<b>Category 3: Quality Requirements</b>	<b>Deliverables to be evaluated indicator = 1</b>	<b>Weights</b>	
<b>SECTION A : Quality Management System Requirements ISO 9001</b>			
<b>Objective evidence of documented QMS that is not certified but complies with ISO 9001</b>			
		<b>Apply (Yes=1)</b>	
A.1 QMS Manual or a document that defines and describes the QMS and its scope or Quality Method statement based on scope.		1	35%
A.2 Quality Policy Approved by top management.		1	
A.3 Quality Objectives Approved by top management.		1	
A.4 Records required by ISO 9001 standard (List of Records)		1	
A.5 Control of documented information		1	
A.6 Documented information for Control of nonconforming outputs		1	
A.7 Documented information for Nonconformity and Corrective action		1	
A.8 Documented information for Internal audit		1	
<b>Section A Score</b>		<b>8</b>	

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30


	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

<b>SECTION B : Evidence of QMS in operation (Tender Quality Requirements -Ref 240-105658000 /240-105658000)</b>					
				<b>Apply (Yes=1)</b>	
B.1 Documented information for defined roles, responsibilities and authorities				1	<b>35%</b>
B.2 Documented information for Control of Externally Provided Processes, Products and Services				1	
<b>Section B Score</b>				<b>2</b>	
<b>SECTION C: Contract Quality Plan Requirements (Ref 240-105658000 and 240-109253698).</b>					
<b>Draft Contract Quality Plan specific to the scope of work as described in the tender documents (Ref ISO 10005)</b>					
<b>NB! Draft Contract/Project Quality Plan has important QA deliverables</b>				<b>Apply (Yes=1)</b>	<b>20%</b>
<b>Section C Score</b>				<b>1</b>	
<b>SECTION E : User defined additional Requirements &amp; miscellaneous (Ref 240-105658000)</b>					
<b>Customer specific requirements &amp; other standards and required can be listed and evaluated here</b>					
				<b>Apply (Yes=1)</b>	<b>10%</b>
E.1 Form A is completed and signed.				1	
<b>Section E Score</b>				<b>1</b>	
<b>Other safety/quality documents as required per scope of works</b>					✓
<b>Environmental</b>	Documents that may be required as per scope of work				✓
<b>Due Diligence</b>	Audited Financial Statements of the <i>tenderer</i> for the previous 18 months, or to the extent that such statements are not available, for the last year. Tenderers must note that in the case of a joint venture or special purpose vehicle (SPV) especially formed for this tender, audited financial statements for each participant in the JV / SPV is required. Start-up enterprises formed within the last 12 months are not required to send in statements, but if successful with their tender will be required to send statements for the first year when once available.				✓
	<b>DOCUMENTS REQUIRED UNDER FUNCTIONALITY/TECHINICAL CRITERIA</b>				
Technical (required functionality scoring)	for Datasheets for each item and material certificate on tender closing and upon delivery.	✓			

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

<b>Technical Tender Criteria</b>		
Gatekeeper	Mandatory Requirements	Technically Acceptable (Y/N)
SOW Compliance	<p>The contractor fully complies with the NEC3 ECC technical scope as set out in the enquiry document (Part C3) i.e. NO technical exclusions or deviations are listed to the scope of work. Only tenders for listed items will be accepted. - <b>refer to section SOW on the Invitation to Tender.</b></p> <p>If the contractor lists any technical exclusions or deviations, will be seen as technically not acceptable and will thus not be evaluated any further.</p> <p>Letter confirming whether there are technical deviations/exclusions or not.</p>	

	<b>Qualitative technical Evaluation</b>	<b>Evaluation Score (%)</b>
1	The supplier must submit technical data sheets for each component to which they undertake to comply. The brand name is listed alongside each description where applicable. Where "N/A" is listed the supplier must still supply a datasheet with an Item of their choosing. Excerpts from catalogues are allowed but items must be clearly marked. <ul style="list-style-type: none"> <li>• Minus 2% for every data sheet not included or incorrect information.</li> </ul>	100%
<b>TOTAL</b>		<b>100</b>

**Minimum threshold is 70%**

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## Section 1: Specific Goals

A maximum of 10/20 points may be awarded to a tenderer for the specific goal specified for the tender. The points scored for the specific goal must be added to the points scored for price and the total must be rounded off to the nearest two decimal places. Subject to section 2(1)(f) of the Preferential Procurement Policy Framework Act, the contract must be awarded to the tenderer scoring the highest points.

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

**NB: The following documents are required to claim preference points,**

- Valid B-BBEE certificate issued by a SANAS accredited verification agency / sworn affidavit / CIPS affidavit
- Proof of ownership / shareholding (preferably CIPC documentation) inclusive of shareholding breakdown
- Certified ID copies of shareholder(s)
- Proof of Disability (where applicable)


**Tenderer failing to provide documentation for the allocation of preference points will not be disqualified, but'**

- May only score point out of 90/80 for price

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

- Scores 0 points out of 10/20 for specific goals

## Section 2: Objective criteria

The inclusion of objective criteria is not mandatory but a condition for contract award. If the tenderer does not meet objective criteria; it may lead to the second-ranked tenderer being recommended for award.

### 2.1 Designated Sectors

When applicable the following stipulated minimum threshold for Local Production and Content must be achieved in full by the tenderer

a) Is this Commodity or part of it a Designated Sector?

<b>YES</b>	<b>NO</b>
X <input type="checkbox"/>	<input type="checkbox"/>

Please indicate below Designated Components

Commodity	Components	Local Content Threshold
Steel Products	Bolts, Nuts, Plate, Sheet, Washer and Flanges	100%
Valves products and actuators	Valves	70%

**NOTE:** SBD 6.2 Declaration Form and Annex C (Local Content Declaration-Summary Schedule) are therefore **mandatory** and must be tender Returnables if applicable.

**NOTE 2:** Application for exemptions:

If the required input materials cannot be wholly sourced from South Africa, bidders should request and obtain a written exemption letter from the DTIC. The exemption letter should then be submitted, and approvals obtained prior to the closure of the bid(s). The DTIC together with the procuring organ of state and the winning bidder will consider the exemption on a case-by-case basis.

### 2.3 National Industrial Participation Programme

Eskom will implement the NIPP requirement, which determines that the contractor/supplier must contact the Department of Trade, Industry and Competition (dtic) to arrange for support and development of local businesses. Eskom is required to inform the tenderers of this requirement. NIPP will only be applicable for contracts with an FGN component or content of USD 5 million or more.


The following narrative must be captured in all tenders that have import/foreign content equal to or in excess of USD 5 million:

“NIPP is a programme that seeks to leverage economic benefits and support the development of South African industry by effectively utilising the instrument of government procurement. The NIPP

#### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

programme is mandatory for all government and parastatal purchases or lease contracts (goods and services) with an imported content equal to or exceeding USD 5 million.

“The programme targets South African and foreign industries, enterprises, and suppliers of goods and services to government/parastatals, where the imported content of such goods and services equals to or exceeds USD 5 million. The first customer of NIPP is the South African industry that benefits through the NIPP business plans, which, when implemented, generate new or additional business activities through one or more of the following: investment, export opportunities, job creation, increased local sales, SMME and BEE promotion, R&D, and technology transfer.

“Companies with an NIPP obligation must sign this obligation agreement with the Department of Trade, Industry and Competition (dtic) before the contract with Eskom Holdings SOC Ltd, as a purchasing entity, is signed. The obligation agreement governs the relationship between the dtic and the supplier. It defines the NIPP obligation value(s), requirements to fulfil the NIPP obligation, performance milestones, performance monitoring processes, and the NIPP credit allocation criteria.

“All tenders with an import content that is equal to or exceeds the threshold of USD 5 million compels the winning bidder to negotiate and enter into a NIPP obligation agreement with the dtic before signing the contract with Eskom.”.

## 2.4 CIDB Skills Development

Continuation of Mandatory Requirements							
<p><b>a) Is there CIDB compulsory training?</b></p> <p>If Yes, what is the% of the Construction Skills Development Goal % (CSDG)</p>	<table border="1"> <thead> <tr> <th>YES</th> <th>NO</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">✓</td> </tr> <tr> <td colspan="2" style="text-align: center;">N/A</td> </tr> </tbody> </table>	YES	NO		✓	N/A	
YES	NO						
	✓						
N/A							

## Section 3: SDL&I Objectives in line with Reconstruction and Development Programme (RDP) Goals

Tenderers who complete and submit the objectives as required, but who do not meet Eskom’s targets, will not be disqualified. SDL&I objectives do not form part of scoring but commitments will form part of contractual obligations

### 1.Transformation – BBBEE Improvement or Retention Plan


Transformation remains an area of focus, where Eskom continuously strives to align itself with national transformation imperatives to unlock growth, drive industrialization, create employment and contribute to skills development.

Eskom encourages its suppliers to constantly strive to improve their B-BBEE rating. Whereas Tenderer/s will be allocated points in terms of a preference point system based on specific goals,

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

Eskom also requests that tenderer/s submits their B-BBEE improvement or retention plan within 30 days of signing the contract.

Tenderer/s are therefore requested to indicate the extent to which they will maintain (only if the respondent is a Level 1) or may improve/maintain their B-BBEE status over the contract period if their B-BBEE status is level 2 or 3. Tenderer/s with a B-BBEE status level 4 at the time of contract award, shall migrate and achieve as a non-negotiable a milestone of B-BBEE Level 3 by the end of the first year of the contract and thereafter improve their B-BBEE status level or migrate by one level higher.

Tenderer/s with a B-BBEE recognition status of Level 5 to Level 8 or non-compliant at the time of contract award, shall migrate and achieve as a non-negotiable a milestone of Level 4 by the end of the first year of the contract and thereafter improve at least one B-BBEE Level higher of each year from the second year of the contract.

Tenderer/s are requested to submit their B-BBEE Improvement Plan as an essential document within 30 days of signing the contract.

**NB:** A valid B-BBEE certificate or Sworn Affidavit is a condition for contract award, if your company's annual Total Revenue is R10 Million or less you qualify as an Exempted Micro Enterprise therefore you can submit Sworn Affidavit. If your annual Total Revenue is R50 Million or less, you qualify as Qualifying Small Enterprise and must comply with all of the elements of QSE score card relevant to your sector unless an entity is at least 51% Black owned you are required to obtain a Sworn affidavit. If your Annual Total Revenue is above R50m you need to submit a Valid B-BBEE certificate

**2. Local Procurement Content**

“Local Procurement Content” refers to value added in South Africa by South African resources. Where a single contract involves a combination of local and imported goods and/or services, the tender response must be separated into its components as per the Price Schedule included with the tender documents. Local procurement content is total spending minus the imported component.

Tenderers are required to submit their proposals in the table below.

Local Procurement Content	Eskom target	Tenderer Proposal
	100%	

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**3. Skills Development**

Tenderers are required to propose against the following training initiatives:

Skills Category	Eskom Target	Entry	Output	Tenderers Proposal
Not Feasible				

**4. Jobs.** Tenderers are required to submit proposals for the type and number of jobs that will be created and retained in South Africa as a direct result of being awarded a contract.

Type of Jobs to be created	Number of Jobs to be retained
Not Feasible	

**Section 4: SDL&I Penalty and Performance Security**

Eskom will apply a penalty of 2.5% of the invoice amount for failure to meet SDL&I obligations.

Eskom will apply a penalty of 2.5% of the Contract Value for failure to meet SDL&I obligations.

For the duration of the contract, Eskom will retain 2.5% of every invoice (excluding VAT) as security for the fulfilment of all SDL&I Obligations. The retained amounts shall only be released to the Contractor upon:

- Eskom receives the SDL&I progress report/s from the contractor.
- Fulfilment of all SDL&I obligations by the contractor.
- Submission of an approved compliance report by SDL&I Department.


**Section 5: Reporting and Monitoring**

- The suppliers shall on a quarterly basis submit a report to Eskom in accordance with Data Collection Template on their compliance with the SDL&I obligations described above.
- Eskom shall review the SDL&I reports submitted by the suppliers within 30 (thirty) days of receipt of the reports and notify the suppliers in writing if their SDL&I obligations have not been met.

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

- Upon notification by Eskom that the suppliers have not met their SDL&I obligations, the suppliers shall be required to implement corrective measures to meet those SDL&I obligations before the commencement of the following report, failing which Retention clauses shall be invoked.
- Every contract shall be accompanied by the SDL&I Implementation Schedule, which must be completed by the suppliers and returned to SDL&I representative for acceptance 28 days after contract award. This will be used as a reference document for monitoring, measuring and reporting on the supplier's progress in delivering on their stated SDL&I commitments

## Section 6: General Information on Validity of Sworn Affidavits

The following must be considered when it comes to validity of Affidavits;

**Tenderers submitting B-BBEE Sworn Affidavits must ensure that the affidavits meet the following key pointers to ensure their validity:**

- Name/s of deponent as they appear in the identity document and the identity number.
- Designation of the deponent as the **director, owner or member** must be indicated in order to know that person is duly authorised to depose of an affidavit. **(Mark the applicable option).**
- Name of enterprise as per enterprise registration documents issued by the CIPC, where applicable, and enterprise business address.
- Percentage of black ownership, black female ownership and designated group. In the case of specialised enterprises as per Statement 004, the percentage of black beneficiaries must be reflected. **(No blank spaces to be left).**
- Indicate total revenue for the year under review and whether it is based on **audited financial statements or management account. (Mark the applicable option).**
- Financial year end as per the **enterprise's registration documents**, which was used to determine the total revenue. **(Financial year end to be stipulated by day/month/year).**
- B-BBEE Status level. An enterprise can only have one status level. **(Tick applicable level)**
- Empowering supplier status must be indicated. For QSEs, the deponent must select the basis for the empowering supplier status.
- Date deponent signed and date of Commissioner of Oath must be the same. **(The sworn affidavit must be signed in the presence of the Commissioner of Oath. Furthermore the Commissioner must also sign and stamp)**
- Commissioner of Oath cannot be an employee or ex officio of the enterprise because, a person cannot by law, commission a sworn affidavit in which they have an interest.

### Controlled Disclosure

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**ANNEXURE A**

**ACKNOWLEDGEMENT FORM**

We are in receipt of the Invitation to Tender from Eskom Holdings SOC Ltd and the following addenda issued by Eskom:


We confirm that the documentation received by us is: ***(Indicate by ticking the box)***

Correct as stated in the Invitation to Tender Content List, and that each document is complete.

Or: Incorrect or incomplete for the following reasons:

---



---



---

**Cataloguing Acknowledgement:**

**[Please select the relevant statement by ticking the appropriate box below]:**

1. We agree to provide the cataloguing information as described in the *tender submission*.
2. We have already supplied Eskom with the cataloguing information pertaining to this enquiry in a previous contract/order [***insert previous invitation to tender/RFQ number***]  \_\_\_\_\_
3. We do not intend to provide the cataloguing information for the required scope / specifications. for the reasons stated hereunder:

---



---




---

4. I confirm that I am a Distributor/Importer/Agent and my Principal, being the Original Equipment Manufacturer (OEM) is or is not in the position to supply cataloguing information for items. See attached letter from OEM confirming his position.

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

Invitation to Tender/Request for Proposal No: **MPTUT11213GX**

Name of company/JV: \_\_\_\_\_

Country of registration: \_\_\_\_\_

Name of contact person: \_\_\_\_\_

Contact details of contact person:

Tel (landline):	
Cell phone:	
e-mail address:	

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## **ANNEXURE B**

### **TENDERER'S PARTICULARS**

The *tenderer* must furnish the following particulars where applicable:

Indicate the type of tendering structure by marking with an 'X' (where applicable provide registration number):	
Individual tenderer	
Unincorporated Joint venture (registration number for each member of the JV)	
Incorporated JV	
Other	

Please complete the following:

Name of lead partner/member in case of JV	
CIPC Registration Number or CIPC disclosure certificate (for each individual company / JV member)	
VAT registration number (for each individual company / JV member)	
CIDB registration number (for each individual company/JV member if applicable), respective contractor grading designation for each individual company/JV member , and combined cidb contractor grading designation (for JVs)	
Contact person	
Telephone number	
E-mail address	
Postal address (also of each member in the case of a JV)	
Physical address (also of each member of the JV)	

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

If subcontractors are to be used, indicate the following for the main sub-contractor(s). Add to the list of applicable.


Name of contractor	
CIPC Registration number or CIPC disclosure certificate	
VAT registration number	
CIDB Registration number (if applicable) and CIDB grade specified for the sub-contractor as may be stipulated in the Tender Data	
Proposed Scope of work to be done by sub-contractor	
Contact person	
Telephone number	
Fax number	
E-mail address	
Postal address	
Physical address	

1. If you are currently registered as a vendor with Eskom, please provide your Vendor registration number with Eskom.\_\_\_\_\_
2. If you are currently registered as a vendor on the Treasury Central Supplier Database(CSD) please provide your supplier registration number with Treasury\_\_\_\_\_
3. Please note that it is mandatory for you to register on National Treasury's CSD, if you intend doing work with any State department or State owned entity/company.
4. You may register online at National Treasury website on [www.treasury.gov.za](http://www.treasury.gov.za)
5. If you are registered on SARS Efiling system, please provide your pin number in order to verify your tax compliant status \_\_\_\_\_
6. If you are required to be tax compliant as per SBD 1, but are not registered on CSD ( foreign suppliers) or have not provided your SARS Efiling pin, please confirm that

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

you have attached/will send a copy of a current valid tax compliant certificate as a tender returnable (by contract award stage).

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

8. If sub-contracting is prescribed in the specific enquiry, you need to complete 8.1- 8.7

8.1 Confirm if you intend sub-contracting

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

8.2 What percentage will you be sub-contracting? \_\_\_\_\_%

8.3 To whom do you intend sub-contracting? \_\_\_\_\_

8.4 Is the said sub-contractor registered on CSD?

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

8.5 If yes to 8.4, please provide CSD number. \_\_\_\_\_

8.4 Please confirm B-BBEE level of said sub-contractor \_\_\_\_\_

8.5 Which designated group does the sub-contractor belong to:-

- a) An EME or QSE;
- b) An EME or QSE which is at least 51% owned by black people;
- c) An EME or QSE which is at least 51% owned by black people who are youth;
- d) An EME or QSE which is at least 51% owned by black people who are women;
- e) An EME or QSE which is at least 51% owned by black people with disabilities;
- f) An EME or QSE which is 51% owned by black people living in rural or underdeveloped areas or townships;
- g) A cooperative which is at least 51% owned by black people;
- h) An EME or QSE which is at least 51% owned by black people who are military veterans; or
- i) More than one of the categories referred to in paragraphs (a) to (h).

8.6 Please confirm that you have attached your signed intent to sub-contract document.


YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

8.7 Have you attached proof of sub-contractor's belonging to designated group

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

YES		NO	
-----	--	----	--

**1. Single tenderers**

I, the undersigned, \_\_\_\_\_ (Full names) hereby confirm that I am duly authorised to sign all documents in connection with this tender and any contract resulting from it, on behalf of \_\_\_\_\_ (*insert the full legal name of the tenderer*).

Signature: \_\_\_\_\_

Designation: \_\_\_\_\_

Date: \_\_\_\_\_

**2. Joint Ventures**

We, the undersigned, are submitting this tender in Joint Venture and hereby authorise Mr/Ms \_\_\_\_\_ (full names), an authorised signatory of \_\_\_\_\_, (*insert the full legal name of the business entity serving as the lead partner*) acting in the capacity of lead partner, to sign all documents in connection with the tender and any contract resulting from it on our behalf.

We attach to this Schedule a copy of the joint venture agreement which incorporates a statement that all partners are liable jointly and severally for the execution of the contract and that the lead partner is authorised to incur liabilities, receive instructions and payments and be responsible for the entire execution of the contract for and on behalf of any and all the partners.

Legal Name of Joint Venture Member	Full Name and Capacity of Authorised Signatory	Signature

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## **ANNEXURE C**

### **INTEGRITY DECLARATION FORM**

**Note: This returnable is required to be fully completed, signed and submitted by tenderers at the stipulated deadlines.**

#### **DECLARATION OF INTEREST**

I/We understand that any natural/legal person, including employees of the State and/or those related to an Eskom employee/director (as per the definition of “related” set out hereunder), may tender to Eskom. However, in view of possible allegations of favouritism (the practice of showing favour to, or giving preference to some person/group, to the detriment of, or at the expense of another that is entitled to equal treatment or an equal opportunity), should the resulting tender, or part thereof, be awarded to such natural/legal person, as described herein, it is required that the *tenderer/s* declare such interest/relationship where:-

1. the *tenderer/s* employees/directors are also employees/contractors/consultants/ directors in the state or a state owned entity.
2. the *tenderer/s* employees/directors are also employees/contractors/consultants/ directors of Eskom
3. the *tenderer/s* employees/directors are also employees/contractors/consultants or directors in another entity together with Eskom employees/consultants/contractors/ directors
4. the *legal person/s (including its employees/contractors/directors/members/ shareholders)* on whose behalf the tender documents are signed, is in some other way “related” to an Eskom employee/contractor/consultant/director involved in the tender evaluation/tender adjudication/tender negotiation. “Related” meaning that:-
  1. an individual is related to another individual if they are married, or live together in a relationship similar to marriage;
  2. or are separated by no more than two degrees of natural or adopted consanguinity or affinity;
  3. an individual is related to a juristic person if the individual directly or indirectly controls the juristic person, as determined in accordance with the definition of “control” (as per Companies Act section 2(1)) ; and

#### **1.a juristic person is “related” to another juristic person if:-**

1. either of them directly/indirectly controls the other, or the business of the other, as determined in accordance with the definition of “control” (as per Companies Act section 2(1) );
2. either is a subsidiary of the other; or
3. a person directly/indirectly controls each of them, or the business of each of them, as determined in accordance with the definition of “control”
5. the *tenderer/s* and one or more of the *tenderers* in this tendering process have a controlling partner in common, or a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the tender/proposal of another tenderer, or influence the decisions of Eskom regarding this bidding process;

To give effect to the provisions above, please complete the table hereunder with all required information.

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

<b>Full Name &amp; Capacity/ Position within tenderer (e.g. employee/Director/member/ owner/shareholder)</b>	<b>Identity Number</b>	<b>Confirm and provide details (including employee number) if you are a State/State owned entity employee/contractor/ director.</b>	<b>Full Names &amp; Capacity/Position of Eskom employee/ director/ consultant and details of the relationship or interest (marital/ familial/personal/ financial etc.)</b>	<b>To your knowledge is this person involved in the evaluation/ adjudication/ negotiation of tenders</b>

1. If any employee/director/member/shareholder/owner of tenderer/s is also currently employed by Eskom, state whether this has been declared and whether there is authorisation(Y/N) to undertake remunerative work outside public sector employment and attach proof to this declaration.

\_\_\_\_\_

Do the tenderer/s and other tenderer in this tendering/RFP process share a controlling partner or have any relationship with each other, directly or through common third parties? (Y/N) If Yes, attach proof to this declaration.

**2. DECLARATION OF FAIR TENDERING PRACTICES**

This serves as a declaration that when goods/services are being procured, all reasonable steps have been taken to address and/or prevent the exploitation of the procurement process and the use of any unfair tendering practices.

A **tender** will be disqualified if the *tenderer/s*, or any of its directors have:

1. abused the institution’s procurement process (e.g. bid rigging/collusion)
2. committed fraud or any other improper conduct in relation to such system.

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		


Please complete the declaration with an 'X' under YES or NO

Item	Question	Yes	No
1.1	<p>Is the <i>tenderer/s (or any of its directors/members/shareholders)</i> listed on National Treasury's Database of Restricted Suppliers as companies/persons prohibited from doing business with the public sector</p> <p><b>[Note: Companies/persons who are listed on the Database were informed in writing of this restriction by the Authority/Accounting Officer of the institution that imposed the restriction after the audi alteram partem rule was applied].</b></p> <p>The Database of Restricted Suppliers can be accessed on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>).</p>		
1.2	<p>Is the <i>tenderer/s (or any of its directors / members / shareholders)?</i> listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combatting of Corrupt Activities Act (No 12 of 2004)</p> <p>The Register for Tender Defaulters can be accessed on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>).</p>		
1.3	<p>Was the <i>tenderer/s (or any of its directors/members/shareholders)</i> convicted by a court of law (including a court outside South Africa) for fraud and/or corruption with respect to the procurement/tendering processes/procedures during the past five years?</p>		
1.3.1	Provide details.		
1.4	<p>Was the <i>tenderer/s(or any of its directors/members/shareholders)</i> prohibited from doing business with any International Financial Development/funding Agency or Lending Institution</p>		
1.5	<p>Is there any history/record of the <i>tenderer/s (or any of its directors/members/shareholders)</i> failing to meet their contractual obligation with any SOC?</p>		

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

### 3. DECLARATION OF SHAREHOLDING INFORMATION

I, the undersigned \_\_\_\_\_ [Position] \_\_\_\_\_ hereby declare that I am the duly authorised representative of \_\_\_\_\_ [Name of Tenderer].

I further declare that the following individuals and/or entities listed hereunder are Shareholders in \_\_\_\_\_ [Name of Tenderer]:

**Note that this information in the tables hereunder must be fully completed for each tenderer (including incorporated JVs). In event that the tenderer is an unincorporated JV, this must be completed for each JV member. Please add additional rows if required.**

#### Individuals:

Full Name	Identity Number	Shareholding Percentage


#### Other Entities\*:

Full Legal / Trading Name	Registration Number/Trust Number	Shareholding Percentage	Full name and surname of the directors/beneficiaries/shareholders of the shareholding entity	Identification Numbers of the shareholders/directors/beneficiaries of the shareholding entity

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

I, the undersigned, \_\_\_\_\_ (full names) hereby confirm that I am duly authorised to sign all documents in connection with this tender and any contract resulting from it on behalf of \_\_\_\_\_ (insert the full legal name of tenderer).

I declare that I have read and understood the provisions of the Supplier Integrity Pact, that all information furnished herein is correct, that it is understood that the tenderer's tender/proposal may be rejected, and that Eskom will act against the tenderer should any aspect of this this declaration prove to be false, and

I give my consent for this information to be used for the purpose as described in this Integrity Declaration Form and/or in relation to the Supplier Integrity Pact, and


I further consent that information provided in terms of this Integrity Declaration Form may be processed for verification of conflicts of interest and other ancillary purposes by Eskom. Such processing may include the sharing of the information with third parties.

<b>Signature:</b>	
<b>Designation and capacity in which signing</b>	
<b>Date:</b>	

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**Joint Ventures**

I, the undersigned, \_\_\_\_\_(full names) hereby confirm that acting in the capacity of lead partner, I am duly authorised to sign all documents in connection with the tender and any contract resulting from it on behalf of \_\_\_\_\_ (insert the full legal name of the JV); and

I declare that I have read and understood the provisions of the Supplier Integrity Pact, that all information furnished herein is correct, that it is understood that the JV's tender/proposal may be rejected, and that Eskom will act against the JV should any aspect of this declaration prove to be false; and

I give my consent for this information to be used for the purpose as described in this Integrity Declaration Form and/or in relation to the Supplier Integrity Pact, and

I further consent that information provided in terms of this Integrity Declaration Form may be processed for verification of conflicts of interest and other ancillary purposes by Eskom. Such processing may include the sharing of the information with third parties.


<b>Signature:</b>	
<b>Designation and capacity in which signing</b>	
<b>Date:</b>	

(A copy of the joint venture agreement which incorporates a statement that all partners are liable jointly and severally for the execution of the contract and that the lead partner is authorised to incur liabilities, receive instructions and payments and be responsible for the entire execution of the contract for and on behalf of any and all the partners is attached to the invitation to tender/Request for proposal).

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## **ANNEXURE D**

### **CPA REQUIREMENTS FOR LOCAL GOODS AND SERVICES (SOUTH AFRICA)**

#### **THE APPLICATION OF CONTRACT PRICE ADJUSTMENT (CPA) TO TENDER SUBMISSIONS**

*This Section will not be applicable to professional services contract*

#### **1. APPLICATION OF CPA**

Eskom will afford Tenderers an opportunity to propose additional/alternate offers to the abovementioned. Additional Offers, which are optional, will only be considered if a fully compliant Main Offer is submitted and acceptable

CPA conditions may apply if the contractual duration is to be longer than 12 months. If the contractual duration will be less than or equal to 12 months, a fixed priced offer must be submitted.

#### **2. TENDER SUBMISSIONS**

Tenderers shall comply with the following requirements:

##### **a. Main offer:**

1. A Main Offer that is fully compliant with the CPA requirements as specified in the Enquiry.
2. This condition is mandatory unless a fully fixed priced offer is submitted. If more than one offer is submitted, then the fully CPA compliant offer must be indicated as the Main Offer.

**Failure to do so may result in the supplier's offer(s) being disqualified.**

##### **b. Additional/Alternative offer:**

Additional offers, which are optional, will only be considered if a fully compliant main offer is submitted and acceptable:

1. A fixed priced offer in addition to the fully CPA compliant main offer; or
2. Any other offer with CPA specifications which deviate from the CPA requirements specified in the enquiry. However, it is compulsory that all such deviations are sufficiently substantiated.

Additional/Alternative Offers must be clearly indicated as such

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

### 3. ESKOM'S PREFERRED INDEX LIST

Eskom's preferred index list is set out hereunder in Tables 1 and 2. The index list comprises indices that could be used in the Tenderers main offer.

### 4. FOREIGN PORTION OF THE TENDER/AGREEMENT PRICE

In instances where the preferred index list does not specify a foreign index which is required for the specific agreement, the following must apply:

1. The source of an index must be that of the national statistical institute of the relevant country or a generally acknowledged statistical (e.g. industry) body in or for that country, e.g. BEAMA and MEPS.
2. The index must be the equivalent, or if unavailable, the nearest equivalent index to that of the specific prescribed local index.

### 3. NUMBER OF FORMULAE & INDICES

The Tenderer is limited to a maximum of 10 (ten) indices in total, i.e.: a maximum of 5 local indices and maximum of 5 foreign indices, excluding the fixed portion per CPA formula, per offer/agreement.

### 4. CPA FIXED PORTION

A minimum of 15% of the total agreement value is to be fixed when a CPA formula applies; except in the case of professional services or consulting agreements.

### 5. BASE DATE

1. In instances of indices or other references published monthly, the Base Date is to be:  
*The month before the month in which the Enquiry closes*
2. In instances where the reference figures, e.g. market prices, are published daily or at more intervals than once a month:  
*The average for the month before the month in which the Enquiry closes*
1. In this case, the following shall apply:
  1. Where the average is published:  
*The average published price in the currency Eskom will be exposed to. e.g. The currency in which Eskom will effect payment*
  2. Where a high, low and mean are published:  
*The mean*
  3. Where other prices than the Cash Settlement or Cash Sellers Price are published:

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

*The Cash Settlement or Cash Sellers Price*

2. Where applicable, these principles, must also apply for the CPA “cut-off” date.

**3. CPA FOR PROFESSIONAL SERVICES**

The preferred index to be used for adjusting these agreements is the country specific CPI Headline index.

The price adjustment factor will be effective from each contractual anniversary of the base date. This must be the average of the country specific CPI Headline index figures published for the last twelve month period (cycle) ending before the contract anniversary date.

No fixed portion is mandatory.

Signed	Date
Name	Position
Tenderer	


**Table 1: Preferred Local Index List** -this list of indices needs to be relevant to the commodity. Buyers need to check and include the relevant indices.

Labour	Commodities	Processed material	Transport	Others
<b>Labour general (hourly paid)</b> SEIFSA, C3, actual labour cost	<b>Steel</b> StatsSA, P0142.1 Table 2, basic iron and steel	<b>Mechanical engineering material</b> SEIFSA, G, mechanical engineering material	SEIFSA, L2, road freight costs	StasSA, PO141 <b>CPI</b> (Headline) all items OR SEIFSA, D-2 (CPI)
	<b>Copper</b> SEIFSA, F, copper metric ton	<b>Electrical engineering material</b> SEIFSA, G-1, electrical engineering material		
<b>Labour general</b> SEIFSA, C3 (a), actual labour cost (field force) where subsistence	<b>Aluminium</b> SEIFSA, R, aluminium  <b>Zinc</b> SEIFSA, F, zinc	<b>Building and construction material</b>		StasSA, PO142.1), <b>PPI</b> 4. Final Manufacture d Goods

**Controlled Disclosure**

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

allowance is paid	<b>Lead</b> SEIFSA ,F, lead	SEIFSA, G, building and construction material		Or 5. Intermediate Manufacture d Goods OR 6. SEIFSA Table U Producer Price Index (PPI - final manufactured GOODS OR Intermediate Manufactured Goods
-------------------	--------------------------------	---	--	---

**Table 2: Preferred Foreign Index List**

Labour	Commodities	Processed material	Transport	Others
National Statistical Institute, Country-specific general labour index	MEPS, Country-specific general steel index	National Statistical Institute, Country-specific mechanical engineering material	National Statistical Institute, Country-specific general transport cost index	National Statistical Institute, Country-specific CPI (Headline)  National Statistical Institute, Country-specific PPI
	LME, Copper	National Statistical Institute, Country-specific electrical engineering material		
	LME, aluminium	National Statistical Institute, Country-specific building and construction material		
	LME, zinc			
	LME, lead			

Closing date of tender	_____ / _____ / _____
TENDERER'S SIGNATURE	_____

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## **ANNEXURE E**

### **CPA (IG) REQUIREMENTS FOR FOREIGN GOODS AND SERVICES**

#### **CONTRACT PRICE ADJUSTMENT AND FOREX PAYMENTS – IMPORTATION**

Failure to propose contract price adjustment methods, either by completing this document or proposing alternative methods for any portion of the tender price, will lead to that portion of the tender price being considered fixed.

Where space in this document is insufficient, the tenderer shall submit the required information on separate schedules, duly referenced to this document.

Where foreign exchange is involved, and Eskom will cover the risk forward, the methods of payment listed in Part 1 are the only acceptable methods. It must be noted that Eskom considers Payment **Method 1** to be the default payment method.

#### **PART 1: PAYMENT OF FOREIGN COMMITMENTS**

Payment of Eskom's foreign commitment in foreign currency will be made either:

##### **Payment Method 1A:**

To a nominated bank account in a foreign country in a foreign currency (payment will be made to the party and account nominated by the supplier in the contract, and not to any other party);

**Please note that the contracting party must be the direct importer of the goods  
Applicable (Y / N)**

##### Payment Method 1B;

To a valid SARB approved CFC account in South Africa, in a foreign currency (payment will be made to the party and account nominated by the supplier in the contract, and not to any other party).

Please note:

1. The contracting party must be the direct importer
2. For payment purposes, Eskom will require both the foreign (commercial ) invoice and the local tax invoice
3. The foreign currency values on both the commercial and local invoice must be the same. Eskom will not pay any profit in foreign currency.
4. Service related payments are excluded from this option;

**Applicable(Y/N) or**

##### **Payment Method 2:**

In South African Rand at the selling spot rate of exchange obtained by Eskom's Treasury on the date that the forward cover is cancelled. Eskom will notify the supplier of the date that the forward cover is cancelled as well as the intended payment date, which will be as per the agreed payment terms. Any exchange rate adjustment after Eskom has notified the supplier of the date and the rate which the forward cover is cancelled, will be for the account of

#### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

the supplier.

Please note:

1. The contracting party has to be the direct importer of the goods.
2. This payment option is not applicable for the payment of services

**Applicable (Y/N).....**

An indemnity in writing confirming that the supplier will not buy forward cover is required where Payment Method 1 or 2 is contracted.

***[Payment Method 2 must be accepted by the Commercial Policy and Procedure Manager before the tender documentation is sent out, but at the latest before the tender closing date. If it is not approved before tender closing, Payment Method 1 will be the default.]***

Fixed ZAR pricing

The tenderer may elect to be responsible for the hedging of the exposure of the imported content. However, Eskom reserves the right to have line of sight of the exchange rates to be quoted by the tenderer. This entails a simultaneous exercise of the verification of the exchange rates to be used.

**Applicable (Y/N).....**

Please note: Eskom will require substantiating proof of importation at the time of invoicing, if payment methods 1A,1B and 2 are selected.

Where goods were previously imported into stock by the supplier, for delivery to various customers, including Eskom, the price quoted must be in South African Rand. In such cases Eskom will not undertake any foreign exchange commitment or arrange forward cover.

## **PART 2: EXCHANGE RATES**

The tenderer shall use the exchange rate as at 12H00 on the date of the advertisement of the tender. The source of the exchange rates shall be the South African Reserve Bank ([www.resbank.co.za](http://www.resbank.co.za))

Please note that the tenderer is required to submit proof of the SARB rate/s used.

## **PART 3: ADJUSTMENT OF IMPORTATION COSTS, ETC**

The values in Rand included in the tender/contract price for the following costs shall be based on rates ruling for the month prior to the closing date of the tender and any variation in these rates applied to the value included in the tender price will be for Eskom's account.

### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ [forensic@eskom.co.za](mailto:forensic@eskom.co.za)**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

	RATES/TARIFFS
Sea/Air Freight	
Bunker Adjustment Factor	
Currency Adjustment Factor	
Marine Risk Insurance (MRI) (Eskom will provide cover)	
Rate for Extension of MRI after Arrival of Goods at Site (if required)	
Wharfage	
Landing Charges	
Customs Duties	
RSA Port on which Import Charges are Based	

**PART 4: ADJUSTMENT OF OVERSEAS MANUFACTURE, EXPATRIATE LABOUR AND OTHER COSTS** *(To be read in conjunction with Eskom CPA Index)*

Eskom requires a fixed portion (free of price adjustment) appropriate to the nature of the contract.

The methods/formulae proposed in this part shall clearly identify the base month, the period over which adjustment will apply, the elements of labour and materials and source of the indices/rates/prices to be used.

The source of indices/prices/rates nominated in this part shall be from a recognised publishing authority. It must be clearly and completely defined. Supplier in-house indices are not acceptable.

The value of overseas manufacture, labour and material costs (ex-works), inland transportation, expatriate labour, etc. included in the tender/contract price shall be subject to adjustment in accordance with the methods stated hereunder.

The base indices/prices/rates shall be those ruling for the month prior to the month of the closing of the enquiry.

**1. MANUFACTURING CPA METHOD (LABOUR AND MATERIAL)**

Please submit your proposals for this section on a separate sheet of paper as an annexure.

**2. EXPATRIATE LABOUR METHOD**

Please submit your proposals for this section on a separate sheet of paper as an annexure.

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

3. OTHER VALUES METHOD (e.g. Engineering fees, design fees, barging, inland transportation, etc.)

Please submit your proposals for this section on a separate sheet of paper as an annexure.

**PART 5: ADJUSTMENT OF LOCAL MANUFACTURE/SUPPLY MATERIAL, TRANSPORT AND ERECTION COSTS**

The contract price adjustment method for local manufacture or partly local manufacture from imported stock, equipment or plant cost, transport cost within the RSA and local erection/installation cost shall be in accordance with the attached Eskom CPA Principles

**PART 6: GUIDELINES FOR CONTRACT PRICE ADJUSTMENT CLAIMS --- PART 2, 3 AND 4**

1. When the percentage increase or decrease between two indices/prices/tariffs is calculated, the earlier figure shall be taken as the base.
2. Where portions of the works are delivered at different times, contract price adjustments shall be made in respect of appropriate portions of the contract price.
3. Where the terms of payment of the contract allow progress payments, other than Eskom's standard payment terms, the agreed contract price adjustment method shall be applied to the value of such payment and to the date and level of completion to which payment is linked.
4. Where any figure given in a table is therein stated to be a provisional figure or is subsequently amended, the figure as ultimately confirmed or amended in the publication concerned shall apply.
5. Where the appropriate claim indices/prices, as defined in terms of the agreed formulae, are not available or are provisional, interim claims based on the last published confirmed or revised indices/prices as at the date of delivery/installation may be submitted. When the confirmed or revised index/price becomes available the final claim may be submitted, provided that such claim is received within 180 days of the date of delivery/installation.
6. Where requested by Eskom, the contractor shall submit publications showing base indices/prices/rates as they become available as well as updated values at three monthly intervals during the course of the contract.
7. Where it is considered necessary Eskom reserves the right to call for any documentary evidence to substantiate claims.

Closing date of tender	_____ / _____ / _____
TENDERER'S SIGNATURE	_____

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## **ANNEXURE F1**

SBD 6.2

### **DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS**

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed by the Dtic, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

#### **1. General Conditions**

- 1.1. Dtic makes provision for the promotion of local production and content.
- 1.2. Dtic prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.4. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)


Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

**The SABS approved technical specification number SATS 1286:2011 is accessible on [http://www.thedti.gov.za/industrial development/ip.jsp](http://www.thedti.gov.za/industrial%20development/ip.jsp) at no cost.**

#### **Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ [forensic@eskom.co.za](mailto:forensic@eskom.co.za)**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

1.5. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted at the stipulated deadlines.

**2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:**

<u>Description of services, works or goods</u>	<u>Stipulated minimum threshold</u>
Steel Products	Bolts, Nuts, Plate, Sheet, Washer and Flanges 100%
Valves products and actuators	Valves 70%
Electrical cables	100%

3. Does any portion of the goods or services offered have any imported content?

*(Tick applicable box)*

YES		NO	
-----	--	----	--

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on [www.reservebank.co.za](http://www.reservebank.co.za)

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	


**NB:** Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dtic must be informed accordingly in order for the DTIC to verify and in consultation with the AO/AA provide directives in this regard.

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**LOCAL CONTENT DECLARATION**  
**(REFER TO ANNEX B OF SATS 1286:2011)**

**LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)**

**IN RESPECT OF BID NO. MPTUT11213GX**

**ISSUED BY:** Eskom Holdings SOC LTD  
NB

- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- 2 Guidance on the Calculation of Local Content is accessible on [http://www.thdti.gov.za/industrial\\_development/ip.jsp](http://www.thdti.gov.za/industrial_development/ip.jsp).
- 3 Local Content Declaration Templates (Annex C, D and E) is attached to this enquiry and must be submitted at the stipulated deadline.
- 4 Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted at the stipulated deadline of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.


I, the undersigned, ..... (full names), do hereby declare, in my capacity as ..... of .....(name of bidder entity), the following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
  - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

**If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.**

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 9.1 of the Preferential Procurement Regulations, 2022 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

**SIGNATURE:** \_\_\_\_\_ **DATE:** \_\_\_\_\_  
**WITNESS No. 1** \_\_\_\_\_ **DATE:** \_\_\_\_\_  
**WITNESS No. 2** \_\_\_\_\_ **DATE:** \_\_\_\_\_

**Annexure F2- Local content Declaration-Summary Schedule (annex C)**



Adobe Acrobat Document

**Annexure F3 - Imports Declaration-Supporting schedule to Annex C(annex D)**



Adobe Acrobat Document

**Annexure F4 - Local Content Declaration-Supporting Schedule to Annex C (annex E)**




Adobe Acrobat Document

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**ANNEXURE G**

**SBD 1**

**PART A  
INVITATION TO BID**

<b>YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/PUBLIC ENTITY)</b>					
BID NUMBER:	MPTUT11213GX	CLOSING DATE:	24 July 2024	CLOSING TIME:	10h00
DESCRIPTION	Various spares for Outage Department				
<b>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).</b>					
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					
<b>The Tender Centre</b>					
<b>24 hour Tender Box</b>					
<b>Ground Floor</b>					
<b>No. 10 Smuts Avenue</b>					
<b>Witbank / Emalaheni</b>					
<b>Mpumalanga</b>					
<b>SUPPLIER INFORMATION</b>					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT	<input type="checkbox"/> Yes <input type="checkbox"/> No	
IF YES, WHO WAS THE CERTIFICATE ISSUED BY?					
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA) AND NAME THE APPLICABLE IN THE TICK BOX	<input type="checkbox"/>	AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)			
	<input type="checkbox"/>	A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN ACCREDITATION SYSTEM (SANAS)			
	<input type="checkbox"/>	A REGISTERED AUDITOR			
		NAME:			
<b>[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT(FOR EMEs&amp; QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]</b>					

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30


	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ANSWER PART B:3 BELOW ]
<b>SIGNATURE OF BIDDER</b> .....		<b>DATE</b>	
<b>CAPACITY UNDER WHICH THIS BID IS SIGNED</b> (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)			
<b>TOTAL NUMBER OF ITEMS OFFERED</b>		<b>TOTAL BID PRICE (ALL INCLUSIVE)</b>	
<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:</b>		<b>TECHNICAL INFORMATION MAY BE DIRECTED TO:</b>	
DEPARTMENT/ PUBLIC ENTITY	Eskom Holdings SOC LTD	CONTACT PERSON	
CONTACT PERSON	Nomazulu Zulu	TELEPHONE NUMBER	
TELEPHONE NUMBER	+27 11 800 6400	FACSIMILE NUMBER	
FACSIMILE NUMBER		E-MAIL ADDRESS	
E-MAIL ADDRESS	zulunc@eskom.co.za		

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## PART B TERMS AND CONDITIONS FOR BIDDING


<b>BID SUBMISSION:</b>	
1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR ONLINE
3.	BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
4.	WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
5.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.
<b>TAX COMPLIANCE REQUIREMENTS</b>	
1.	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
3.	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
4.	BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
5.	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
6.	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
<b>QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS</b>	
1.	IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span>
2.	DOES THE BIDDER HAVE A BRANCH IN THE RSA? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span>
3.	DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span>
4.	DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span>
<b>IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.</b>	

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## ANNEXURE H

## SBD 6.1

### PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

#### 1. GENERAL CONDITIONS

1. The following preference point systems are applicable to invitations to tender:
  1. the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  2. the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

#### 1. To be completed by the organ of state


*(delete whichever is not applicable for this tender).*

1. The applicable preference point system for this tender is the 90/10 preference point system.
2. The applicable preference point system for this tender is the 80/20 preference point system.
3. Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
  1. Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
    1. Price; and
    2. Specific Goals.

### Controlled Disclosure

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**1. To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
<b>PRICE</b>	
<b>SPECIFIC GOALS</b>	
<b>Total points for Price and SPECIFIC GOALS</b>	<b>100</b>

2. Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
3. The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

**3. DEFINITIONS**

1. **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
2. **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
3. **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
4. **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
5. **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

**6. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES**

**1. POINTS AWARDED FOR PRICE**

**3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS**

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc}
 \mathbf{80/20} & \text{or} & \mathbf{90/10} \\
 \\
 P_s = 80 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right) & \text{or} & P_s = 90 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right)
 \end{array}$$

Where

$P_s$  = Points scored for price of tender under consideration

$P_t$  = Price of tender under consideration

$P_{min}$  = Price of lowest acceptable tender

## 2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

### 1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc}
 \mathbf{80/20} & \text{or} & \mathbf{90/10} \\
 \\
 P_s = 80 \left( 1 + \frac{P_t - P_{max}}{P_{max}} \right) & \text{or} & P_s = 90 \left( 1 + \frac{P_t - P_{max}}{P_{max}} \right)
 \end{array}$$

Where

$P_s$  = Points scored for price of tender under consideration

$P_t$  = Price of tender under consideration

$P_{max}$  = Price of highest acceptable tender

### 7. POINTS AWARDED FOR SPECIFIC GOALS

1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

1. an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
2. any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

***(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)***


***Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)***

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

**DECLARATION WITH REGARD TO COMPANY/FIRM**

1. Name of company/firm.....

2. Company registration number: .....

3. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]


4. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

1. The information furnished is true and correct;
2. The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
3. In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
4. If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  1. disqualify the person from the tendering process;
  2. recover costs, losses or damages it has incurred or suffered as a result of that person’s conduct;
  3. cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  4. recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			


- forward the matter for criminal prosecution, if deemed necessary.

<p>.....</p> <p><b>SIGNATURE(S) OF TENDERER(S)</b></p>	
<b>SURNAME AND NAME:</b>	.....
<b>DATE:</b>	.....
<b>ADDRESS:</b>	.....
	.....
	.....

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## Annexure I

## SBD 4

### BIDDER'S DISCLOSURE

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise,

employed by the state?

**YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State Institution

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

### Controlled Disclosure

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....  
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

1. If so, furnish particulars:

.....  
.....

**3. DECLARATION**

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read and I understand the contents of this disclosure;

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.


3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

1. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bidder

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

## SCOPE OF WORK

Material No	Text
0017084	BAR, FLAT: WIDTH: 100 MM; LENGTH: 6 M; THICKNESS: 6 MM; MATERIAL: MS BS 4360; PROCESS: HOT ROLLED; GRADE: EN43A; WEIGHT: 4.71 KG/M; 28.26 KG/LENGTH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0017102	BAR, ROUND: NOMINAL DIAMETER: 16 MM; LENGTH: 6 M; MATERIAL: MS BS 4360; PROCESS: HOT ROLLED; GRADE: EN43A; WEIGHT: 1.58 KG/M
0017103	BAR, ROUND: NOMINAL DIAMETER: 20 MM; LENGTH: 6 M; MATERIAL: MS BS 4360; PROCESS: HOT ROLLED; GRADE: EN43A; WEIGHT: 2.47 KG/M; (DSG-310-048; Q2:2:1:NEV)
0017117	BAR, ROUND: NOMINAL DIAMETER: 8 MM; LENGTH: 6 M; MATERIAL: MS BS 4360; PROCESS: HOT ROLLED; GRADE: EN43A; WEIGHT: 0.39 KG/M
0017129	BAR, FLAT: WIDTH: 40 MM; LENGTH: 6 M; THICKNESS: 16 MM; MATERIAL: MS BS 4360-1986; PROCESS: HOT ROLLED; GRADE: 43A; WEIGHT: 5.02KG/M; 30.12KG/LENGTH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0033019	BEARING, SLEEVE: TYPE: BUSH; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 93 MM; LENGTH: 90 MM; MATERIAL: STL; SUPPL P/N: RHK-30100-030; FOR USE WITH DUST HANDLING PLANT BOOT STATION
0034713	BEARING, PILLOW BLOCK: INSIDE DIAMETER: 294 MM; BOLT MOUNTING: 4; BOLT DIAMETER: M20; BLOCK SIZE: WD 175 X LG 550 X HT 420 MM; SHAFT HEIGHT: 180 MM; ROLLING ELEMENT: SPHERICAL; HOUSING MATERIAL: CI; SUPPL P/N: 02BCP130EX; COOPER SPLIT PLUMMER BLOCK, ITEM: 140, 130 UNLOCATED, SET; DUTY: HEAVY
0034840	BEARING, FLANGE BLOCK: INSIDE DIAMETER: 75 MM; SHAPE: SQ; BLOCK SIZE: LG 200 X THK 80 MM; BOLT MOUNTING: 4; BOLT DIAMETER: M19; HOUSING MATERIAL: CI; SUPPL P/N: FY75; REFERENCE NO: UCF215; SPHERICAL
0036222	DONE ACCORDING TO THE STANDARD FOR WELDING REQUIREMENTS ON ESKOM PLANT; 240-106628253 THE LENGTH OF THE CONVOLUTIONS; LINER MATERIAL; CARBON STEEL; SEE ATTACHED DRAWING NO FOR THE BELOW; ALL THE MANUFACTURING SHALL BE EXPANSION: 8MM; PIPE MATERIAL: ASTM A106 GR B ACCORDING TO EN 10204 3.1; 2 X INSTALLED LINERS 1.6MM THK AND 380MM LENGTH TO COVER SIZE: 400NB SCH:40; FACE TO FACE: 1040MM; DESIGN TEMPERATURE 210 DEG C; DESIGN PRESSURE 1.8 MPA; LATERAL EXPANSION: 25MM; AXIAL COMPENSATOR: TYPE: DOUBLE EXPANSION BELLOW; APPLICATION: BOILER BDV; SUPPL P/N: 0.61/96312; DRAWING NO: NO:0.61/96312 REV 0; PIPE

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0037326 SEGMENT: TYPE: FRICTION WHEEL; MANUF P/N: AKCG82590-01; ITEM 138 AND 146 BUCKET ELEVATOR HEAD AND BOOT SECTION; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0038485 DRAWING REVISION NUMBER (IF APPLICABLE).SIDE WALLS UPPER; DUST HANDLING PLANT; BENNOX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT LINER: DIMENSIONS: WD 80 MM X LG 2.396 M X THK 10 MM; MATERIAL: SS 10/200; SUPPL P/N: RNS30005-01; REFERENCE NO: 107; FOR USE ON

0038487 LINER: DIMENSIONS: WD 80 MM X LG 1.396 M X THK 10 MM; MATERIAL: SS 10/200; SUPPL P/N: RNS30006-01; REFERENCE NO: 113; FOR USE ON SIDE WALLS UPPER, DUST HANDLING PLANT; BENNOX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0038488 LINER: DIMENSIONS: WD 100 MM X LG 1.296 M X THK 10 MM; MATERIAL: SS 10/200; SUPPL P/N: RNS30006-02; ITEM NUMBER: 116; FOR USE ON SIDE WALLS LOWER, DUST HANDLING PLANT; BENNOX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0038490 LINER: DIMENSIONS: WD 338 X LG 483 X THK 10 MM; MATERIAL: SS 10/200; SUPPL P/N: RNS30009-04; FOR USE ON DUST HANDLING PLANT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0038525 LINER: DIMENSIONS: WD 100 X LG 795 X THK 10 MM; MATERIAL: SS 10/200; SUPPL P/N: RNS 30009-02; SIDE WALL LOWER; ITEM NUMBER 123; FOR USE ON CONNECTION TROUGH; BENNOX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0038526 LINER: DIMENSIONS: WD 80 X LG 796 X THK 10 MM; MATERIAL: SS 10/200; SUPPL P/N: RNS 30009-03; SIDE WALL UPPER; ITEM NUMBER: 124; FOR USE ON DUST HANDLING CONNECTION TROUGH; BENNOX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0038756 GUIDE: TYPE: SEGMENT; APPLICATION: BUCKET ELEVATOR HEAD/BOOT SECTION; MANUF P/N: AKCG83537-81; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0039413 CHAIN, CONVEYOR: TYPE: PRECIPITATOR HOPPER; PITCH: 145 MM; WIDTH: 15 IN; MATERIAL: STL; LENGTH: 39.5 M; SUPPL P/N: RAK83179-85; REFERENCE NO: 142V-BT-1-50/12; POWER TRANSMISSION; TYPE 15 IN

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0040847 VALVE: TYPE: CONTROL; VALVE SIZE: 50 MM; DESIGN RATING: 16 BAR; TEMPERATURE RATING: 79 DEG C; CONNECTION: THD; OPERATED: WATER; BODY MATERIAL: BRASS; STYLE: 3 WAY; TRIM: BRASS; SPECIFICATION: FM APPROVED; REFERENCE NO: 2294-8-9; DATA SHEETS MUST BE SHARED WITH ESKOM ENGINEERING FOR ACCEPTANCE, ESKOM ENGINEERING MUST BE PART OF THE QC TEAM

0051083 DOG: TYPE: BURNER; MATERIAL: CI; DRAWING NO: ERIGER F3E35394 REV 1; F3E35394 REV 1; FOR USE WITH BOILER

0051088 BE STAMPED EVERY 500 MM AND VERIFIED BY THIRD PARTY STAMP, COLOUR CODED, END CAPS TO BE FITTED PREPARED, 5 MM WALL THICKNESS, CENTRE TO CENTRE SIZE 127 MM, LENGTH OF LEGS 200 MM; TEST CERTIFICATES TO BE SUPPLIED, ALL TUBING TO BEND, PIPE: MATERIAL: 15M03 HOT DRAWN; DEGREE: 180 DEG; GRADE: 3; SPECIFICATION: DIN 50049 TYPE 3.1A; 3.1C; TYPE ECONOMISER, TO BE

0053002 CAM: MATERIAL: STL; APPLICATION: PRECIP WIRE RAPPER; ITEM 2.1.8; FOR LURGI RELEASE MACHANISM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0054985 PIPE, METALLIC: NOMINAL PIPE SIZE DESIGNATION: 80 MM; MATERIAL: STL; LENGTH: 6 M; WALL THICKNESS: 4.8 MM; CONSTRUCTION: WELDED; END TYPE: SOCKET X THD; SPECIFICATION: BS 1387; SEAMLESS STEAM, TO THE LATEST EDITION OF SABS 62 AND BEARING THE MARK OF APPROVAL

0055517 PIPE, METALLIC: NOMINAL PIPE SIZE DESIGNATION: 125 MM; MATERIAL: STL; LENGTH: 6 M; WALL THICKNESS: 5.4 MM; CONSTRUCTION: WELDED; END TYPE: SOCKET X THD; SPECIFICATION: SABS S62-1971 AMEND 2 TABLE 3; STEAM, SEAMLESS


0056215 TUBE, BOILER STRAIGHT: NOMINAL SIZE: 51 MM; WALL THICKNESS: 3.6 MM; MATERIAL: STL ALLOY X20CRMOV121; LENGTH: 6 M; STRUCTURE: SMLS; ENDS: PLAIN FLAT SQ CUT; TYPE: FLOW 129, 130; GRADE: 3; SPECIFICATION: DIN 50049; EN 10216-2; TEST CERTIFICATES TO BE SUPPLIED ACCORDING TO DIN 50049 TYPE 3.1.A OR 3.1.C, ALL TUBING TO BE STAMPED, EVERY 500MM AND VERIFIED BY THIRD PARTY STAMP, AND COLOUR CODED ALONG THE WHOLE LENGTH OF THE TUBE END CAPS TO BE FITTED, HEAT NUMBERS MUST BE PRESENT ON EACH TUBE, COLOUR CODE BLUE, EN3.2 DOCUMENT CERTIFICATE ACCORDING TO EN10204

0083583 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 50 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 50MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; COARSE THREAD FREE FIT, ISOMETRIC; SPECIFICATION: SABS 135

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

- 0083584 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 65 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 40MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; BOLT PROTECTIVE COATING: BLACK; SOLE SOURCE: CLYDE BERGEMANN AFRICA PTY LTD;SPECIFICATION: SABS 135
- 0083585 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 40 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 25MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION SABS 135
- 0083627 BOLT, ASSEMBLY: NOMINAL DIAMETER: M20; LENGTH: 90 MM; HEAD: HEX; MATERIAL: MS; THREAD: 2.5 MM; NUT QUANTITY: 1; BOLT PROTECTIVECOATING: BLACK; ISO METRIC THREAD, COARSE THREAD FREE FIT, TO THE LATEST EDITION OF SABS135 AND BEARING THE SABS MARK OF APPROVAL;SPECIFICATION: SABS135
- 0083716 BOLT, MACHINE: DIAMETER: M24; LENGTH: 150 MM; HEAD: HEX; GRADE: 8.8; MATERIAL: HTS; THREAD: 3 MM; SPECIFICATION: DIN 931; 65/75 TON
- 0084414 QUANTITY: 1; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 1143BOLT, ASSEMBLY: TYPE: NIB; NOMINAL DIAMETER: M16; LENGTH: 50 MM; HEAD: CSK KEYED; GRADE: 4.6; MATERIAL: MS; THREAD: 2 MM; NUT
- 0084561 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M10; LENGTH: 40 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 40MM; THREAD: 1.5 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135
- 0084572 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M12; LENGTH: 40 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 30MM; THREAD: 1.75 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135
- 0084574 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M12; LENGTH: 50 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 30MM; THREAD: 1.75 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135
- 0084576 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M12; LENGTH: 75 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 35MM; THREAD: 1.75 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION SABS 135
- 0084588 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 70 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 40MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; COARSE THREAD FREE FIT;SPECIFICATION: SABS 135

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0084589 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 75 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 38MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135 MM; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135

0084590 40 MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 100 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH:

0084601 BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M20; LENGTH: 100 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 55 MM; THREAD: 2.5 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135

0084677 BOLT, MACHINE: DIAMETER: M8; LENGTH: 30 MM; HEAD: HEX; MATERIAL: SS GR 316; THREAD: 1.25 MM

0085365 BOLT, MACHINE: DIAMETER: M6; LENGTH: 25 MM; HEAD: HEX; MATERIAL: SS GR 316; THREAD: 1 MM; SPECIFICATION: SABS 136; ISO METRIC; COARSE THREAD MEDIUM FIT

0087512 WASHER, LOCK: INSIDE DIAMETER: 8.6 MM; OUTSIDE DIAMETER: 12.8 MM; THICKNESS: 2 MM; NOMINAL SIZE: M8; MATERIAL: SPRING STL; TYPE: HELICAL SPRING, SPLIT

0087640 NUT, HEX: DIAMETER: M24; THREAD: 3 MM; NUT HEIGHT: 18 MM; MATERIAL: MS BLACK; SPECIFICATION: SABS 1143

0087701 BS 1449 PART 3B WASHER, FLAT: NOMINAL SIZE: M12; INSIDE DIAMETER: 13.5 MM; OUTER SIZE: 24 MM; THICKNESS: 2.5 MM; MATERIAL: MS BLACK; SPECIFICATION:

0087703 WASHER, FLAT: NOMINAL SIZE: M20; INSIDE DIAMETER: 21 MM; OUTER SIZE: 37 MM; THICKNESS: 3 MM; MATERIAL: MS BLACK BS 1449PT3B

0091822 WASHER, FLAT: INSIDE DIAMETER: 78 MM; OUTER SIZE: 95 MM; THICKNESS: 1.5 MM; MATERIAL: CU; PERIPHERAL SHAPE STYLE: RD; REFERENCE NO: 7BR7355815

0091884 NUT, CAP: DIAMETER: 5 IN; DRAWING NO: GEC M200(AO)40872 REV 1; REFERENCE NO: 3550-365; DESPATCHED SCHEDULE NUMBER 7B-R7355793; FOR USE WITH HIGH PRESSURE INNER CYLINDER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0091909 NUT: TYPE: RING; DIAMETER: 4 IN; THREAD: 6 TPI; MATERIAL: STL; REFERENCE NO: 2191

0091914 NUT: TYPE: RING; DIAMETER: 4-3/4 IN; THREAD: 6 TPI; MATERIAL: STL

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0097322 PACKING, BULK: WIDTH: 20 MM; THICKNESS: 20 MM; LENGTH: 8 M; TYPE: GLAND; SHAPE: SQ; REFERENCE NO: GF0999; MATERIAL BRAIDED; CROSS SECTION

0097560 SEAL, MECHANICAL: TYPE: LABYRINTH; SHAFT DIAMETER: 148 MM; BODY MATERIAL: SS GR 316; APPLICATION: PUMP; SUPPL P/N: AKNS-84038-810; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0099480 (IF APPLICABLE). PRIMARY AIR FAN BEARING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER WASHER, THRUST: THICKNESS: 10.5 MM; MATERIAL: STL; DRAWING NO: 59444-3A REV 1; REFERENCE NO: A2240; TO AIRTEC HOWDEN; FOR USE WITH

0100190 GASKET, SPIRAL WOUND: STYLE: GF1; INNER RING INSIDE DIAMETER: 38 MM; FILLER OUTSIDE DIAMETER: 69 MM; FILLER INSIDE DIAMETER: 46 MM; OUTER RING OUTSIDE DIAMETER: 88 MM; FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: STAINLESS STEEL; SHAPE: ROUND; METAFLEX, FABFLEX, INNER AND OUTER GUIDE RING, 4.78MM THK; SIZE: 4.7MM THK

0101336 GASKET, SPIRAL WOUND: INNER RING INSIDE DIAMETER: 51 MM; FILLER OUTSIDE DIAMETER: 86 MM; FILLER INSIDE DIAMETER: 68 MM; OUTER RING OUTSIDE DIAMETER: 109 MM; PRESSURE RATING: 150 LB; INNER RING MATERIAL: SS GR 316; FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: STAINLESS STEEL; SHAPE: ROUND; METAFLEX, CLASS 150, GFI, INNER RING 316SS, OUTER RING CARBON STEEL, TEMPERATURE 530 C, FOR USE WITH MIAN TURBINE IP ESV, GOVENDER VALVE LEAK OFF LINES; SIZE: 5MM THK

0106334 ACCORDANCE WITH DRAWING, 1 EACH CONSISTING OF A TOP HALF AND BOTTOM HALFA4-78-2320-04C A1-78-3350-01; DRAWING NO: A1-78-3350-01, A4-78-2320-04C REV 1; A1-78-3350-01 A4-78-2320-04C REV 1; ID FAN, INSEAL, RING: TYPE: SHAFT; INSIDE DIAMETER: 675 MM; OUTSIDE DIAMETER: 850 MM; THICKNESS: 5 MM; MATERIAL: BRASS; SUPPL P/N:

0107799 GASKET, SPIRAL WOUND: STYLE: FI; INNER RING INSIDE DIAMETER: 750 MM; OUTER RING OUTSIDE DIAMETER: 805 MM; PRESSURE RATING: 3 MPA; FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: STAINLESS STEEL; SHAPE: ROUND; METAFLEX, FABFLEX, WITH INNER GUIDE RING; SIZE: 5MM THK

0113053 RING: TYPE: AXIAL FRICTION; INSIDE DIAMETER: 530 MM; OUTSIDE DIAMETER: 550 MM; WIDTH: 5 MM; MATERIAL: STAINLESS STEEL; DRAWING NO: 202(AO)3229 REV 1; GEC 202(AO)3229 REV 1; FOR USE WITH MAIN TURBINE HIGH PRESSURE TEE PIECE

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

REVISION NUMBER (IF APPLICABLE).LOCATION, CONVEYORS AND ELEVATORS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWINGMOUNT: TYPE: END; DIMENSIONS: DIA 100 X LG 78 MM; MATERIAL: RUBBER; SUPPL P/N: UKXN-48109-150; BUFFER, BUHLER-MIAG FOR DRIVE UNITS

0124053

BUSH, VALVE: TYPE: GUIDE; MATERIAL: STL; SUPPL P/N: EL016014; SIZE 26MM ID X 44MM OD X 48MM LG

0136189

BAR, ROUND: NOMINAL DIAMETER: 20 MM; LENGTH: 6 M; MATERIAL: STL BRIGHT GR 070M20 BS 970 PART 1; PROCESS: HOT ROLLED; GRADE: EN3B;WEIGHT: 2.46 KG/M; SHAFTING

0162008

KEY STOCK: WIDTH: 10 MM; LENGTH: 3 M; THICKNESS: 10 MM; MATERIAL: STL; PROCESS: HOT ROLLED

0162104

BAR, ROUND: NOMINAL DIAMETER: 30 MM; LENGTH: 6 M; MATERIAL: MS BRIGHT GR 070M20 BS 970 PART 1; PROCESS: HOT ROLLED; GRADE: EN3B;WEIGHT: 5.549 KG/M; 5.55KG PER METRE

0162231

1100 DEGREES CENTIGRADE IN AIR OR WATER 1 LENGTH = APPROXIMATELY 39,0KGPART4 CODE RED AND YELLOW FORGED BETWEEN 850 DEGREES CENTIGRADE AND 1150 DEGREES CENTIGRADE HARDEN AT 1050 DEGREES CENTIGRADE ANDBAR, ROUND: NOMINAL DIAMETER: 32 MM; LENGTH: 6 M; MATERIAL: SS BS 970-1972; GRADE: 316; S16; WEIGHT: 6.439 KG/M; ANTI-MAGNETIC TO:

0162249

SHEET, METAL: WIDTH: 415 MM; LENGTH: 1 M; MATERIAL: SS GR 304 ANNEALED; FABRICATION METHOD: COLD ROLLED; SMALL GENERAL PURPOSEEXPANDED MESH, SS GR 304L, MESH DIMENSIONS: 1.2MM STRAND DIAMETER 3.15 SQAURE MILLIMETRE OPENING

0162482

SEAL: TYPE: BONNET; DIMENSIONS: ID 530 X OD 560 X THK 30 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPEDTO PREVENT DAMAGE

0179658

SEAL: TYPE: BONNET; DIMENSIONS: ID 700 X OD 740 X THK 30 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPEDTO PREVENT DAMAGE

0179659

0210778

CHAIN, CONVEYOR: PITCH: 140 MM; MATERIAL: STL; LENGTH: 2.84 M; SUPPL P/N: AKWC-95188-850; POWER TRANSMISSION

0217685

BEARING, FLANGE BLOCK: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 25 MM; SHAPE: SQ; BLOCK SIZE: SQ 95 X THK 13 MM; BOLT MOUNTING: 4;BOLT DIAMETER: M12; HOUSING MATERIAL: CI; SUPPL P/N: F205; FOR USE ON DAMPERS, MUST HAVE GRUB SCREWS TO LOCK

0217795


STRIP: TYPE: SEALANT; WIDTH: 38 MM; LENGTH: 20 M; THICKNESS: 3 MM; MATERIAL: PUTTY; APPLICATION: DUST TRANSFER MILLS; PUTTY LIKEADHESIVE (SIMILAR TO PRESTIK); COLOUR: WHITE; +/- 3 KG

0556121

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0562187 SUPPORT: TYPE: DORSAL FIN; DIMENSIONS: WD 60 X THK 12 MM; MATERIAL: CARBON STL; APPLICATION: ID FAN; DRAWING NO: 21.61/56638 REV 1;A1.013.004338 REV 1; THE SUPPORTS CONSIST OF THREE PARTS DETAIL 1: LG 1.026M; DETAIL 2:LG 660MM AND DETAIL 3:LG 100MM

0570518 SEAL: TYPE: DUST; DIMENSIONS: ID 85 X OD 110.4 X THK 9.5 MM; MATERIAL: RUBBER; APPLICATION: HOPPER CONVEYORS; REFERENCE NO:UVV-00120-798; GACO SPLIT; S820 WITH COTTON REINFORCED NBR; SPRING AISI 302; OPERATING TEMP: -30 TO 120DEG C

0598165 VERIFIED BY POWER STATION AIATHE MATERIAL; NOTE MATERIAL WILL NOT BE ACCEPTED WITHOUT THE MATERIAL CERTIFICATES AND THE SPECTROMETER TEST CERTIFICATE SIGNED ANDBE EVALUATED BY ENGINEERING INCLUDING THE SPECTROMETER TEST RESULTS SIGNED BY POWER STATION AIA UPON DELIVERY BEFORE ACCEPTANCE OFREQUIREMENTS WILL BE REJECTED; THE SPECTROMETER RESULTS MUST CORRESPOND WITH THE MATERIAL CERTIFICATE; ALL THE DOCUMENTATION WILLTHE POWER STATION; THE POWER STATION AIA WILL BE PRESENT TO REVIEW AND VERIFIED THE SPECTROMETER RESULTS. MATERIAL NOT MEETING THEEN10204/3.2; CONDUCT A MATERIAL ANALYSIS (SPECTROMETER TEST) ON EACH BATCH OF MATERIAL AT THE SUPPLIER'S PREMISES PRIOR DELIVERY TOPIPEWORK AND BOILER TUBING MATERIAL STANDARD IN THE GENERATION DIVISION 240-87733094 LATEST REVISION); MATERIAL CERTIFICATION TOESKOM GOODS INFORMATION REQUIREMENTS AND THE SUPPLIER WILL COMPLY TO THE FOLLOWING STANDARD (SEE PROCUREMENT OF HIGH PRESSUREEVAPORATOR/BURNERS CONNECTING; DELIVER AS PER SPEC UNIQUE IDENTIFIER: 474-10206 REV 2; EN10204 3.2 MATERIAL CERTIFICATE; ADHERE TOTUBE, BOILER STRAIGHT: NOMINAL SIZE: 44.5 MM; WALL THICKNESS: 5.6 MM; MATERIAL: 16MO3; LENGTH: 6-11.8 M; STRUCTURE: SMLS; TYPE:

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0598318 AIA WILL NOT BE ACCEPTED WITHOUT THE MATERIAL CERTIFICATES AND THE SPECTROMETER TEST CERTIFICATE SIGNED AND VERIFIED BY POWER STATION INCLUDING THE SPECTROMETER TEST RESULTS SIGNED BY POWER STATION AIA UPON DELIVERY BEFORE ACCEPTANCE OF THE MATERIAL; NOTE MATERIALSPECTROMETER RESULTS MUST CORRESPOND WITH THE MATERIAL CERTIFICATE; ALL THE DOCUMENTATION WILL BE EVALUATED BY ENGINEERING WILL BE PRESENT TO REVIEW AND VERIFIED THE SPECTROMETER RESULTS. MATERIAL NOT MEETING THE REQUIREMENTS WILL BE REJECTED; THE (SPECTROMETER TEST) ON EACH BATCH OF MATERIAL AT THE SUPPLIER'S PREMISES PRIOR DELIVERY TO THE POWER STATION; THE POWER STATION AIA THE GENERATION DIVISION 240-87733094 LATEST REVISION); MATERIAL CERTIFICATION TO EN10204/3.2; CONDUCT A MATERIAL ANALYSIS SUPPLIER WILL COMPLY TO THE FOLLOWING STANDARD (SEE PROCUREMENT OF HIGH PRESSURE PIPEWORK AND BOILER TUBING MATERIAL STANDARD IN DELIVER AS PER SPEC UNIQUE IDENTIFIER: 474-10206 REV 2; EN10204 3.2; ADHERE TO ESKOM GOODS INFORMATION REQUIREMENTS AND THE TUBE, BOILER STRAIGHT: NOMINAL SIZE: 38 MM; WALL THICKNESS: 4 MM; MATERIAL: X20CRMV11-1; LENGTH: 6-11.8 M; STRUCTURE: SMLS;


0620574 MOTOR, GEARED: POWER: 0.06 KW; CURRENT: 0.35 A; OUTPUT SPEED: 0.65 RPM; RATIO: 2024:1; POTENTIAL: 400 V; MOTOR SPEED: 1350 RPM; MOUNTING: H1; ENCLOSURE RATING: IP65; PHASE: 3; GEARBOX TYPE: BEVEL HELICAL; INSULATION CLASS: F; SHAFT: DIA 40 X LG 80 MM; POLES: 4; SERVICE FACTOR: S1; SUPPL P/N: BK30G06-13UW/D06LA4; FOOT PLATE TO BE SUPPLIED WITH UNIT SHIELD, HEAT PROTECTIVE: TYPE: INSERT; DIMENSIONS: ID 51 MM X OD 57 MM X LG 3.6 M X THK 3 MM; MATERIAL: SS GR 310; MOUNT: BANGLES X 6; APPLICATION: BOILER R/HTR 1; DRAWING NO: TUT-PP-GEN-001 REV 0; TUBE REPLACEMENT; TO BE MANUFACTURED ACCORDING TO THE DRAWING NOSUPPLIED; 6 BANGLES NEED TO BE SUPPLIED ON EVERY SHILED ON DELIVERY; MUST BE CERTIFIED ACCORDING TO EN3.1; DOCUMENTATION AND CERTIFICATES OF EN10204 MUST BE SUPPLIED WITH DELIVERY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0665724 REQUIRED ON EVERY DELIVERY 325A; BASIC SHAPE STYLE: RECT; SPECIFICATION: EN1024; STRAND WIDTH: 6 MM; STRAND THICKNESS: 4.5 MM; MATERIAL CERTIFICATE 3.1 METAL, EXPANDED: SIZE: WD 1.2 X LG 2.4 M; SHORTWAY: 27 MM; LONGWAY: 60 MM; MATERIAL: SS 304; FABRICATION METHOD: MENTEX 70/ VEM

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0665726

SHIELD, TUBE: DIMENSIONS: DIA 50.5MM X LG 2.45M; STYLE: BEND; MATERIAL: SS GR310; DRAWING NO: TUT-PP-GEN-122 REV 0; 0.61-02133 REV2 REV 0; PROTECTION LHS SHIELD: ID 44.5MM X WALL THICKNESS 3MM; VENDOR TO CONFIRM LATEST REVISION DRAWING BEFRE COMMENCING WITHMANUFACTURING; PROTECTING SHIELD TO COVER 180DEG AND THE BANGLE 180DEG RADIUS TO FIT TIGHT AROUND THE APPLICABLE BOILER TUBE;BANGLES AND THE PROTECTION SHIELDS TO BE INCLUDED IN THE DELIVERY; AND BE CHARGED; BUT SUPPLIED AS SEPARATE ITEMS; QCP FOR PRESSINGTO BE APPROVED BY ESKOM BEFORE COMMENCING WITH ANY MANIPULATION; PROCURING OF HP PIPEWORK SHOULD BE IN LINE WITH ESKOM STANDARD:204-87733094; MATERIAL: SS 310; DIMENSIONS: OD 50.5 X WT 3MM; EACH BANGLE AND SHIELD SHOULD BE HARD STAMPED; HEAT NUMBER WITH LOWSTRESS STAMPS; MATERIAL CERTIFICATE 3.1 I.A.W REQUIRED ON EVERY DELIVERY; STANDARD EN1024 3.1; VENDORS ARE RESPONSIBLE FOR ENSURINGTHAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).


0665727

PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).CERTIFICATE 3.1 I.A.W REQUIRED ON EVERY DELIVERY; STANDARD EN1024 3.1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE310; DIMENSIONS: OD 44 X WT 3MM; EACH BANGLE AND SHIELD SHOULD BE HARD STAMPED; HEAT NUMBER WITH LOW STRESS STAMPS; MATERIALBEFORE COMMENCING WITH ANY MANIPULATION; PROCURING OF HP PIPEWORK SHOULD BE IN LINE WITH ESKOM STANDARD: 204-87733094; MATERIAL: SSSHIELD, TUBE: DIMENSIONS: DIA 45MM X LG 2.45M; STYLE: STRAIGHT; MATERIAL: SS GR310; DRAWING NO: 67.SH2.SD.08.11 REV 0; PROTECTIONSHIELD: ID 38MM X WALL THICKNESS 3MM; VENDOR TO CONFIRM LATEST REVISION DRAWING BEFRE COMMENCING WITH MANUFACTURING; PROTECTINGSHIELDS TO BE INCLUDED IN THE DELIVERY; AND BE CHARGED; BUT SUPPLIED AS SEPARATE ITEMS; QCP FOR PRESSING TO BE APPROVED BY ESKOMSHIELD TO COVER 180DEG AND THE BANGLE 180DEG RADIUS TO FIT TIGHT AROUND THE APPLICABLE BOILER TUBE; BANGLES AND THE PROTECTION

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

WT 3MM; EACH BANGLE AND SHIELD SHOULD BE HARD STAMPED; HEAT NUMBER WITH LOW STRESS STAMPS; MATERIAL CERTIFICATE 3.1 I.A.W REQUIRED MANIPULATION; PROCURING OF HP PIPEWORK SHOULD BE IN LINE WITH ESKOM STANDARD: 204-87733094; MATERIAL: SS 310; DIMENSIONS: OD 50.5 X ON EVERY DELIVERY; STANDARD EN1024 3.1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE). DELIVERY; AND BE CHARGED; BUT SUPPLIED AS SEPARATE ITEMS; QCP FOR PRESSING TO BE APPROVED BY ESKOM BEFORE COMMENCING WITH ANY BANGLE 180 DEG RADIUS TO FIT TIGHT AROUND THE APPLICABLE BOILER TUBE; BANGLES AND THE PROTECTION SHIELDS TO BE INCLUDED IN THE OFFSET; VENDOR TO CONFIRM LATEST REVISION DRAWING BEFORE COMMENCING WITH MANUFACTURING; PROTECTING SHIELD TO COVER 180 DEG AND THE 60. ST. SDBIF3PB.10.11 REV 0; TUT-PP-GEN-119 REV 0; 60. ST. SDBIF3PB.08.11 REV 0; PROTECTION SHIELD: ID 44.5MM X WALL THICKNESS 3MM; RH SHIELD, TUBE: DIMENSIONS: DIA 50.5MM X LG 2.45M; STYLE: BIFURCATION; MATERIAL: SS GR310; DRAWING NO: TUT-PP-GEN-118 REV 0; PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE). MATERIAL CERTIFICATE 3.1 I.A.W REQUIRED ON EVERY DELIVERY; STANDARD EN1024 3.1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE MATERIAL: SS 310; DIMENSIONS: OD 57 X WT 3MM; EACH BANGLE AND SHIELD SHOULD BE HARD STAMPED; HEAT NUMBER WITH LOW STRESS STAMPS; BY ESKOM BEFORE COMMENCING WITH ANY MANIPULATION; PROCURING OF HP PIPEWORK SHOULD BE IN LINE WITH ESKOM STANDARD: 204-87733094; PROTECTION SHIELDS TO BE INCLUDED IN THE DELIVERY; AND BE CHARGED; BUT SUPPLIED AS SEPARATE ITEMS; QCP FOR PRESSING TO BE APPROVED PROTECTING SHIELD TO COVER 180 DEG AND THE BANGLE 180 DEG RADIUS TO FIT TIGHT AROUND THE APPLICABLE BOILER TUBE; BANGLES AND THE SHIELD: ID 51MM X WALL THICKNESS 3MM; RH OFFSET; VENDOR TO CONFIRM LATEST REVISION DRAWING BEFORE COMMENCING WITH MANUFACTURING; SHIELD, TUBE: DIMENSIONS: DIA 57MM X LG 2.45M; STYLE: STRAIGHT; MATERIAL: SS GR310; DRAWING NO: 67. RH2. SD.08.11 REV 0; PROTECTION


0665728

0665729

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

SHIELD, TUBE: DIMENSIONS: DIA 54.3MM X LG 2.45M; STYLE: STRAIGHT; MATERIAL: SS GR310; DRAWING NO: 71.RH1.SD48.08.11 REV 0; PROTECTION SHIELD: ID 48.3MM X WALL THICKNESS 3MM; RH OFFSET; VENDOR TO CONFIRM LATEST REVISION DRAWING BEFORE COMMENCING WITH MANUFACTURING; PROTECTING SHIELD TO COVER 180DEG AND THE BANGLE 180DEG RADIUS TO FIT TIGHT AROUND THE APPLICABLE BOILER TUBE; BANGLES AND THE PROTECTION SHIELDS TO BE INCLUDED IN THE DELIVERY; AND BE CHARGED; BUT SUPPLIED AS SEPARATE ITEMS; QCP FOR PRESSING TO BE APPROVED BY ESKOM BEFORE COMMENCING WITH ANY MANIPULATION; PROCURING OF HP PIPEWORK SHOULD BE IN LINE WITH ESKOM STANDARD: 204-87733094; MATERIAL: SS 310; DIMENSIONS: OD 52 X WT 3MM; EACH BANGLE AND SHIELD SHOULD BE HARD STAMPED; HEAT NUMBER WITH LOW STRESS STAMPS; MATERIAL CERTIFICATE 3.1 I.A.W REQUIRED ON EVERY DELIVERY; STANDARD EN1024 3.1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

0665730

APPLICABLE). EN1024 3.1; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF SHOULD BE HARD STAMPED; HEAT NUMBER WITH LOW STRESS STAMPS; MATERIAL CERTIFICATE 3.1 I.A.W REQUIRED ON EVERY DELIVERY; STANDARD BE APPROVED BY ESKOM BEFORE COMMENCING WITH ANY MANIPULATION; MATERIAL: SS 310; DIMENSIONS: OD 44 X WT 3MM; EACH BANGLE AND SHIELD COVER 180DEG AND THE BANGLE 180DEG + 10 DEG BOTH SIDES; RADIUS TO FIT TIGHT AROUND THE APPLICABLE BOILER TUBE; QCP FOR PRESSING TO SHIELD, TUBE: DIMENSIONS: DIA 44MM X LG 2.45M; STYLE: BEND; MATERIAL: SS GR310; PROTECTION SHIELD BANGLE; PROTECTING SHIELD TO

0665731

SPACER: TYPE: PLATTEN SLIP; DIMENSIONS: DIA 20 MM; MATERIAL: INCOLOY 800; APPLICATION: SUPERHEATER 1 PLATTEN ELEMENT SET; SPECIFICATION: EN10204; SPECIAL FEATURES: GUIDE BLOCK; SPACER AND STOPPER BLOCK; DRAWING NO: TUT-PP-SLP-001 REV 0; SUPPLY MATERIAL AND MACHINE AS PER DRAWING; INSIDE MACHINING; NO SHARP CORNERS; RADIUS CUTTING REQUIRED; MATERIAL CERTIFICATE 3.1 (10) IS REQUIRED ON EVERY DELIVERY; IF PWHT IS REQUIRED; PROCEDURE TO BE APPROVED BY ESKOM AND AIA BEFORE COMMENCING MANUFACTURING

0665745

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0665748 BRACKET: TYPE: ALIGNMENT; MATERIAL: INCOLOY 800; DIMENSIONS: DIA 20 X LG 940 MM; APPLICATION: SUPERHEATER 2 SUPPORT; RADIUS: 27.5;CONSIST OF ROD AND HOOK; MATERIAL CERTIFICATE 3.1 IS REQUIRED ON EVERY DELIVERY; STAMPED; ESKOM WELDING STANDARD REQUIRED240-106628253; WPS I.A.W EN ISO 15609-6 REQUIRED; QCP/ITP TO BE APPROVED BY ESKOM BEFORE WORK COMMENCE BENDING METHOD AND QCP TO BEAPPROVED

0665749 APPROVED 240-106628253; WPS I.A.W EN ISO 15609-6 REQUIRED; QCP/ITP TO BE APPROVED BY ESKOM BEFORE WORK COMMENCE BENDING METHOD AND QCP TO BECONSIST OF ROD AND HOOK; MATERIAL CERTIFICATE 3.1 IS REQUIRED ON EVERY DELIVERY; STAMPED; ESKOM WELDING STANDARD REQUIREDBRACKET: TYPE: ALIGNMENT; MATERIAL: INCOLOY 800; DIMENSIONS: DIA 20 X LG 70 MM; APPLICATION: REHEATER 2 SUPPORT; RADIUS: 22.5; BRACKET: TYPE: RETAINING; MATERIAL: INCOLOY 800; DIMENSIONS: WD 30 X LG 69 X THK 6 MM; SPECIFICATION: EN10216-2; APPLICATION:REHEATER LUG SUPPORT; MATERIAL CERTIFICATE 3.1A IS REQUIRED ON EVERY DELIVERY; I.A.W STANDARD EN1024 3.1; HARD STAMPED WITH LOWSTRESS STAMPS; HEAT NUMBERS

0665750 LUG: TYPE: CASTLE; DIMENSIONS: WD 40 X HT 25 MM; MATERIAL: INCOLOY 800; RADIUS 24 MM; WALL THICKNESS: 12 MM; SMALL CASTLE LUG WITH40 MM BASE SUPERHEATER 3; MATERIAL CERITIFICATE EN10204 3.1 IS REQUIRED; STANDARD EN10216-2

0727955 GREASE: TYPE: HIGH TEMPERATURE; TEMPERATURE RATING: 0 UP TO ABOUT 350; CONTAINER: 7KG; TRADE NAME: MOLUB-ALLOY PASTE PL

0053506 ITEM 17; WITH CLIP; HEAD WEIGHT WITH CLIP; FOR USE AT LURGI 4-6 ELECTRO STATIC PRECIPSHAMMER: TYPE: S.E CLIP TYPE; HEAD WEIGHT: 8.30 KG; HEAD MATERIAL: STL; HANDLE: STL; DRAWING NO: RRSM-00-6969 REV 1; REFERENCE NO:

0034840	BEARING, FLANGE BLOCK: INSIDE DIAMETER: 75 MM; SHAPE: SQ; BLOCK SIZE: LG 200 X THK 80 MM; BOLT MOUNTING: 4; BOLT DIAMETER: M19;HOUSING MATERIAL: CI; SUPPL P/N: FY75; REFERENCE NO: UCF215; SPHERICAL
0053155	JOINT, EXPANSION: SIZE: 270 MM; LENGTH: 19.8 M; CONNECTION: CLAMP; MATERIAL: EPDM; DESIGN RATING: -30 TO 40 MBAR AT 200 DEG C;DRAWING NO: 25 REV 1; DOUBLE PLY 6MM THK; ECONOMISER GAS OUTLET TO PRECIP

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		

0063215	VALVE, GLOBE: VALVE SIZE: DN50 MM; DESIGN PRESSURE: 185 BAR; DESIGN TEMPERATURE: 455 DEG C; FACE TO FACE LENGTH: 300 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 13CRMO44; TRIM: SEAT STELLITED; STEM 17CR; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: NON RISING; STYLE: INTEGRAL BONNET; APPLICATION: SOOTBLOWER SUPERHEATER HAND AND MOTORISED ISOLATION VALVE NV1S101 AND NV01S001; SPECIFICATION: DIN1.7335; DESIGN RATING: PN250; TEMPERATURE RATING: 450 DEG C; REFERENCE NO: VA500-10-250-50-GS; VKS1-250-50-10-43; HIGH PRESSURE STOP; SEMPELL; SPECIFICATIONS 500NV01S101; 45MM ID X 61MM OD; MATERIAL 10; MATERIAL CERTIFICATE AND OEM SIGNED LETTER REQUIRED ON EVERY DELIVERY
0066368	VALVE: TYPE: PARALLEL SLIDE; VALVE SIZE: 20 MM; DESIGN RATING: CL1690; CONNECTION: BW; OPERATED: HANDWHEEL; BODY MATERIAL: 3840TPB; STYLE: UNION BONNET; TRIM: DISC/STEM SS; SEAT 2320; FIG NO: 5096; REFERENCE NO: P781H020NFDA
0066384	VALVE, GLOBE: VALVE SIZE: 50 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 10CRMO910; TRIM: SEAT STELLITED; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: NON RISING SPINDLE; STYLE: INTEGRAL BONNET; DESIGN RATING: 250 BAR; TEMPERATURE RATING: 540 DEG C; SUPPL P/N: VKS11-160-50-13; SEMPELL; 52.5MM ID X 61MM OD; MATERIAL CERTIFICATES TO BE SUPPLIED WITH DELIVERY; NO CHANGES TO BE MADE TO DESCRIPTION UNLESS AUTHORISED BY WELDING ADMINISTRATOR; MATERIAL 13:
0066396	VALVE, GLOBE: VALVE SIZE: 25 MM; FACE TO FACE LENGTH: 24 X 47 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 10CRMO910; TRIM: SEAT STELLITED; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: NON RISING SPINDLE; STYLE: INTEGRAL BONNET; DESIGN RATING: 500 BAR; TEMPERATURE RATING: 450 DEG C; SUPPL P/N: VKS1-500-25-13; REFERENCE NO: 356NC54S101; HIGH PRESSURE STOP; MATERIAL CERTIFICATES MUST BE SUPPLIED WITH DELIVERY; NO CHANGES TO BE MADE TO DESCRIPTION UNLESS AUTHORISED BY WELDING ADMINISTRATOR; MATERIAL 13
0066400	VALVE, GLOBE: VALVE SIZE: 50 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 10CRMO910; TRIM: SEAT STELLITED; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: RISING; STYLE: INTEGRAL BONNET; DESIGN RATING: 500 BAR; TEMPERATURE RATING: 547 DEG C; SUPPL P/N: VKS1-500-40-13; HIGH PRESSURE STOP; SEMPELL; SPECIFICATIONS 02/14.11RA80S103; 195BAR WORKING; 4MM ID X 89MM OD; MATERIAL 13
0066408	STEM, VALVE: VALVE STYLE: GLOBE; VALVE SIZE: 25 MM; DIAMETER: 20 MM; LENGTH: 225 MM; MATERIAL: STL X35CRMO17; REFERENCE NO: VKS11.20-25; AND FOR NUT SEMPELL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0066635	VALVE, GATE: VALVE SIZE: 200 MM; TYPE: PARALLEL SLIDE; CONNECTION: BW; BODY MATERIAL: A216; TRIM: DISC/SEAT HF; STEM GR 18.2; OPERATED: HANDWHEEL; SOFTGOODS: PACKING GRAPHITE EXPANDED; GRADE: WCB; SUPPL P/N: P51EH200NVDA; TEMPERATURE RATING 1500 AT 100DEG F; ANSI B1634; CLASS 600; WELDED WITH BYPASS
0066664	STEM, VALVE: VALVE SIZE: 150 X 100 MM; DIAMETER: 25 MM; LENGTH: 755 MM; MATERIAL: STL; REFERENCE NO: A32107; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0067562	DISC, VALVE: MATERIAL: PT; VALVE SIZE: 2 IN; PRESSURE RATING: 70 BAR AT 450 DEG; SUPPL P/N: 32332-703; FIG NO: 2199; PARALLEL SLIDE; FOR USE WITH HOPKINSON; TYPE: MALE
0067563	DISC, VALVE: MATERIAL: STL; DIMENSIONS: DIA 70 MM; VALVE SIZE: 2 IN; FIG NO: 21928W; REFERENCE NO: 32332-707; PARALLEL SLIDE; MALE
0067582	ASSEMBLY: TYPE: BELT; SUPPL P/N: 32532701; DRAWING NO: E18918A/18 REV 1; R17955/18 REV 1; FIG NO: 21914W; FOR 2INCH HOPKINSON PARRALEL SLIDE VALVE; WORKING PRESSURE 4.55MPA
0067626	STEM, VALVE: VALVE SIZE: 20 MM; DIAMETER: 12.5 MM; LENGTH: 207 MM; MATERIAL: STL; REFERENCE NO: 0041171; FOR USE WITH MOTORIZED VALVE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0067635	SPRING, COMPRESSION: INSIDE DIAMETER: 43 MM; OUTSIDE DIAMETER: 52 MM; LENGTH: 42 MM; COILS: 4; MATERIAL: STL; SUPPL P/N: 5H530-52F0560131; DISC, FOR USE WITH DEWRANCE VALVE
0067662	VALVE, GATE: VALVE SIZE: 32 MM; TYPE: PARALLEL SLIDE; CONNECTION: BW; BODY MATERIAL: 15M03; TRIM: SEAT STELLITED; OPERATED: HANDWHEEL; SOFTGOODS: PACKING GRAPHITE EXPANDED; STEM DESIGN: RISING SPINDLE; STYLE: COMPRESSION SEAL BONNET; TEMPERATURE RATING: 450 DEG C; DESIGN RATING: CL1690; FIG NO: 5096-MTG-EQ; REFERENCE NO: P781H032NFDA; RF11/12/21/31; P743H; P730H032SYDA; HATTERSLEY HEATON; SUPPLY MATERIAL CERTIFICATE ACORDING TO DIN 50049.3.1.A OR 3.1.C, WITH 7A ROTORK MOUNTING PLATE EQUILISING BYPASS
0067690	SEAT, VALVE: VALVE STYLE: CONTROL; VALVE SIZE: 200 X 250 MM; DIMENSIONS: ID 150 X OD 220 X THK 55 MM; MATERIAL: STL; SPECIFICATION: PED MODULE G; SUPPL P/N: -46009-046; DRAWING NO: 0.46009E REV 0; FOR USE WITH VALVE TYPE NB13S001 OR NB13S002; CERTIFICATE/SIGNED LETTER TO CONFIRM ITEMS REQUIRED ON EVERY DELIVERY
0068983	VALVE, GLOBE: VALVE SIZE: 25 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 15MO3; TRIM: SEAT STELLITED; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: NON RISING SPINDLE; STYLE: WELDED BONNET; DESIGN RATING: 64 BAR; TEMPERATURE RATING: 300 DEG C; REFERENCE NO: VKS1/64.25.11; (11) 28MM ID X 35MM OD; TEST CERTIFICATE TO BE SUPPLIED ON DELIVER

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		

0069079	GASKET, PRE CUT: DIMENSIONS: ID 337 X OD 355 X THK 1 MM; MATERIAL: SILVER; SHAPE: RD; FISHER VALVE AKZ NO:SG10S007, TYPE NO:667 ED, 1 NO: 10A4154X012, 2 NO:10A4155X012, PISTON RING NO:1U2300X0012
0070043	VALVE, GLOBE: VALVE SIZE: 50 MM; OPERATED: ACTUATOR; CONNECTION: BW; BODY MATERIAL: 15MO3; TRIM: SEAT STELLITED; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: NON RISING SPINDLE; STYLE: INTEGRAL BONNET; DESIGN RATING: 160 BAR; TEMPERATURE RATING: 200 DEG C; SUPPL P/N: VKS1/160; HIGH PRESSURE STOP; SEMPELL TYPE; SPECIFICATIONS 515 NV 12 S002; 50MM ID X 60MM OD; MATERIAL 11
0070044	VALVE, GLOBE: VALVE SIZE: 50 MM; OPERATED: ACTUATOR; CONNECTION: BW; TRIM: SEAT STELLITED; GRADE: C22.8; SOFTGOODS: PACKING P3/P1; STEM DESIGN: NON RISING SPINDLE; STYLE: INTEGRAL BONNET; Y BODY; TEMPERATURE RATING: 200 DEG C; REFERENCE NO: RP51S104; 16.7 ABS; HIGH PRESSURE STOP; SEMPELL TYPE VKS1; SPECIFICATIONS RP51S104/RP51S138; MATERIAL 01
0070050	VALVE, GLOBE: VALVE SIZE: 50 MM; OPERATED: ACTUATOR; CONNECTION: BW; TRIM: SEAT STELLITED; GRADE: C22.8; SOFTGOODS: PACKING P3/P1; STEM DESIGN: NON RISING SPINDLE; STYLE: INTEGRAL BONNET; Y BODY; TEMPERATURE RATING: 200 DEG C; REFERENCE NO: RP51S104; 16.7 ABS; HIGH PRESSURE STOP; SEMPELL TYPE VKS1; SPECIFICATIONS RP51S104/RP51S138; MATERIAL 01
0070051	VALVE, GLOBE: VALVE SIZE: 50 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 10CRMO910; TRIM: BONNET CI; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STEM DESIGN: NON RISING SPINDLE; STYLE: WELDED BONNET; DESIGN RATING: 50 BAR; TEMPERATURE RATING: 540 DEG C; SUPPL P/N: VKS11-250-50-13; VKS11-250-50-13; (13) HIGH PRESSURE STOP; 66MM ID X 76.8MM OD; MATERIAL CERTIFICATES TO BE SUPPLIED WITH DELIVERY; NO CHANGES TO BE MADE UNLESS AUTHORISED BY WELDING ADMINSTRATOR
0070102	VALVE, GLOBE: VALVE SIZE: 25 MM; OPERATED: HANDWHEEL; CONNECTION: BW; BODY MATERIAL: 15MO3; SOFTGOODS: COMPOSITE BRAIDED/GRAPHITE PREFORMED; STYLE: WELDED BONNET; DESIGN RATING: 500 BAR; TEMPERATURE RATING: 250 DEG C; REFERENCE NO: VKS11-320-25-11; HIGH PRESSURE STOP; SEMPELL; 24MM ID X 35MM OD; MATERIAL CERTIFICATE TO BE SUPPLIED WITH DELIVERY; NO CHANGES TO BE MADE UNLESS AUTHORISED BY WELDING ADMINISTRATOR; MATERIAL 11
0084555	BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M8; LENGTH: 50 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 25 MM; THREAD: 1.25 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135
0084572	BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M12; LENGTH: 40 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 30 MM; THREAD: 1.75 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0084574	BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M12; LENGTH: 50 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 30 MM; THREAD: 1.75 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135
0084589	BOLT, ASSEMBLY: TYPE: GENERAL PURPOSE; NOMINAL DIAMETER: M16; LENGTH: 75 MM; HEAD: HEX; GRADE: 4.6; MATERIAL: MS; THREAD LENGTH: 38 MM; THREAD: 2 MM; NUT QUANTITY: 1; NUT MATERIAL: MS; NUT GRADE: 4.6; BOLT PROTECTIVE COATING: BLACK; SPECIFICATION: SABS 135
0089519	NUT, HEX: DIAMETER: M16; THREAD: 2 MM; NUT HEIGHT: 12.5 MM; MATERIAL: STAINLESS STEEL; GRADE: 316; SPECIFICATION: SABS 136; OEM P/N: 5160-250, OEM: GE STEAM POWER SERVICE
0097322	PACKING, BULK: WIDTH: 20 MM; THICKNESS: 20 MM; LENGTH: 8 M; TYPE: GLAND; SHAPE: SQ; REFERENCE NO: GF0999; MATERIAL BRAIDED; CROSS SECTION
178064	VALVE, RELIEF: VALVE SIZE: 500 X 350 MM; TEMPERATURE RATING: 538 DEG C; CONNECTION: BW; BODY MATERIAL: 12CRMO910; TRIM: STL; OPERATED: HANDWHEEL, SPRING; DESIGN RATING: 4.83 MPA
0179572	GLAND, PACKING: DIMENSIONS: ID 16.5 X OD 25.5 X THK 3 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/16.5X25.5/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
179575	GLAND, PACKING: DIMENSIONS: ID 16 X OD 28 X THK 31 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/16X28/CAR/DIE/PRE/NC/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179576	GLAND, PACKING: DIMENSIONS: ID 20.4 X OD 30 X THK 48 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/20.4X30/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179578	GLAND, PACKING: DIMENSIONS: ID 20 X OD 32 X THK 50 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/20X32/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179586	PACKING, PREFORMED: INSIDE DIAMETER: 26 MM; OUTSIDE DIAMETER: 42 MM; THICKNESS: 54 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/26X42/CAR/DIE/PRE/C/340/360; LIVE LOADING CART RIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0179589	PACKING, PREFORMED: INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 44 MM; THICKNESS: 56 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/32X44/CAR/DIE/PRE/C/340/360; LIVE LOADING CARTRIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

### Controlled Disclosure

Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

	<b>Invitation to Tender</b>	<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16	
		<b>Effective Date</b>	February 2023			
		<b>Review Date</b>	February 2028			

0179590	GLAND, PACKING: DIMENSIONS: ID 27 X OD 45 X THK 52 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/27X45/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179591	GLAND, PACKING: DIMENSIONS: ID 30 X OD 45 X THK 75 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE PURE 99.8 PCT; SUPPL P/N: AES/30X45/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179596	PACKING, PREFORMED: INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 48 MM; THICKNESS: 82 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/32X48/CAR/DIE/PRE/C/340/360; LIVE LOADING CART RIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0179597	GLAND, PACKING: DIMENSIONS: ID 40 X OD 48 X THK 58 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/40X48/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179598	GLAND, PACKING: DIMENSIONS: ID 32 X OD 50 X THK 80 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/32X50/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179599	GLAND, PACKING: DIMENSIONS: ID 35 X OD 50 X THK 70 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/35X50/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179608	GLAND, PACKING: DIMENSIONS: ID 45 X OD 65 X LG 130 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/45X65/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179610	PACKING, PREFORMED: INSIDE DIAMETER: 52 MM; OUTSIDE DIAMETER: 68 MM; THICKNESS: 70 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/52X68/CAR/DIE/PRE/C/340/360; LIVE LOADING CART RIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0179611	GLAND, PACKING: DIMENSIONS: ID 50 X OD 70 X THK 150 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/50X70/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179616	PACKING, PREFORMED: INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 45 MM; THICKNESS: 70 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/32X45/CAR/DIE/PRE/C/340/360; LIVE LOADING CART RIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		

0179617	GLAND, PACKING: DIMENSIONS: ID 60 X OD 84 X THK 125 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/60X84/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179618	PACKING, PREFORMED: INSIDE DIAMETER: 65 MM; OUTSIDE DIAMETER: 85 MM; THICKNESS: 70 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/65X85/CAR/DIE/PRE/C/340/360; LIVE LOADING CART RIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0179620	PACKING, PREFORMED: INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 109 MM; THICKNESS: 210 MM; TYPE: GLAND; MATERIAL: GRAPHITE; SUPPL P/N: AES/80X109/CAR/DIE/PRE/C/340/360; LIVE LOADING CARTRIDGE; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
0179621	GLAND, PACKING: DIMENSIONS: ID 100 X OD 130 X THK 300 MM; TYPE: LIVE LOADING CARTRIDGE; MATERIAL: GRAPHITE; SUPPL P/N: AES/100X130/CAR/DIE/PRE/C/340/360; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0179622	SEAL: TYPE: BONNET; DIMENSIONS: ID 60 X OD 70 X THK 10 MM; MATERIAL: SS LAMELLAE GR 1-454 REINFORCED GRAPHITE 100 PCT; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179623	SEAL: TYPE: BONNET; DIMENSIONS: ID 70 X OD 80 X THK 10 MM; MATERIAL: SS LAMELLAE GR 1-454 REINFORCED GRAPHITE 100 PCT; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179626	SEAL: TYPE: BONNET; DIMENSIONS: ID 93.2 X OD 102.4 X THK 14 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179627	SEAL, RING: TYPE: BONNET; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 110 MM; THICKNESS: 12 MM; MATERIAL: GRAPHITE; WITH 45DEG TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179628	SEAL: TYPE: BONNET; DIMENSIONS: ID 100 X OD 110.3 X THK 14 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179634	SEAL, RING: TYPE: BONNET; INSIDE DIAMETER: 155 MM; OUTSIDE DIAMETER: 171 MM; THICKNESS: 15 MM; MATERIAL: GRAPHITE; WITH 45DEG TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179635	SEAL: TYPE: BONNET; DIMENSIONS: ID 185 X OD 200 X THK 12 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179637	SEAL: TYPE: BONNET; DIMENSIONS: ID 205 X OD 220 X THK 15 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		

0179643	SEAL: TYPE: BONNET; DIMENSIONS: ID 220 X OD 240 X THK 15 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179644	SEAL: TYPE: BONNET; DIMENSIONS: ID 220 X OD 240 X THK 20 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179645	SEAL: TYPE: BONNET; DIMENSIONS: ID 260 X OD 280 X THK 19 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179647	SEAL: TYPE: BONNET; DIMENSIONS: ID 280 X OD 300 X THK 19 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179649	SEAL: TYPE: BONNET; DIMENSIONS: ID 300 X OD 320 X THK 15 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179651	GASKET, RING JOINT: CROSS-SECTIONAL SHAPE: SQ; INSIDE DIAMETER: 320 MM; OUTSIDE DIAMETER: 350 MM; THICKNESS: 20 MM; MATERIAL: GRAPHITE; REINFORCED WITH LAMELLA OF SS PREPRESSED TO BE WRAPPED TO PREVENT DAMAGE; TYPE: PRESSURE
0179652	SEAL: TYPE: BONNET; DIMENSIONS: ID 335 X OD 380 X THK 30 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179653	SEAL: TYPE: BONNET; DIMENSIONS: ID 350 X OD 380 X THK 30 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179654	SEAL: TYPE: BONNET; DIMENSIONS: ID 395 X OD 440 X THK 27 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0179657	SEAL: TYPE: BONNET; DIMENSIONS: ID 430 X OD 460 X THK 30 MM; MATERIAL: GRAPHITE; WITH 45 DEGREES TO INNER DIAMETER, TO BE WRAPPED TO PREVENT DAMAGE
0184361	SEAL: TYPE: BONNET; DIMENSIONS: ID 307 X OD 359 X THK 40 MM; MATERIAL: GRAPHITE SS REINFORCED; FINE FINISH, STAINLESS STEEL CUPS SQUARE, FOR STEAM USAGE
0205418	PENETRANT: CONTAINER: CAN AEROSOL 650 ML; SUPPL P/N: 814; FLUID
0210778	PACKING, BULK: WIDTH: 13 MM; THICKNESS: 13 MM; MATERIAL: GRAPHITE BRAIDED; SHAPE: SQ; SUPPL P/N: AES/S/P/350/13MM/2.5KG; TO BE BOXED, WRAPPED AND DUST SEALED TO PREVENT ANY DAMAGE
0217795	BEARING, FLANGE BLOCK: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 25 MM; SHAPE: SQ; BLOCK SIZE: SQ 95 X THK 13 MM; BOLT MOUNTING: 4; BOLT DIAMETER: M12; HOUSING MATERIAL: CI; SUPPL P/N: F205; FOR USE ON DAMPERS, MUST HAVE GRUB SCREWS TO LOCK

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		

0666662	VALVE ASSEMBLY: TYPE: CONTROL; SIZE: 200 X 250 MM; BODY MATERIAL: 13CRMO44; PRESSURE RATING: 400 BAR; CONNECTION SIZE: (ID 194.5 X OD 245) X (ID 252.5 X OD 332) MM; CONNECTION TYPE: BW; OPERATED: ELECTRIC ACTUATOR; VALVE QUANTITY: 1; FACE TO FACE LENGTH: 400 MM; FLOW RATE: 360 UMHO/CM; TRIM: X35CRMO17; SOFTGOODS: GRPHITE; MEDIUM: DEMIN WATER; APPLICATION: CIRCULATION DRAIN SYSTEM; SPECIFICATION: NB13S001/002; STANDARD: DIN; DRAWING NO: 0.46009E REV 0; COMPLETE CIRCULATING DRAIN VALVE; MATERIAL CERTIFICATE AND FULL DATA PACK REQUIRED ON EVERY DELIVERY AND A SIGNED LETTER TO CONFIRM ITEMS
0670058	VALVE ASSEMBLY: TYPE: CONTROL; SIZE: DN65 MM; BODY MATERIAL: 15MO3; PRESSURE RATING: 500 KPA; CONNECTION SIZE: OD 83 X ID 61.5 MM; CONNECTION TYPE: BW; OPERATED: ELECTRIC ACTUATOR; FACE TO FACE LENGTH: 500 MM; FLOW RATE: 27 T/HR; TRIM: X35CRMO17; SOFTGOODS: GRAPHITE; MEDIUM: CONDENSATE; APPLICATION: SPRAY WATER; SPECIFICATION: 0.46012-E; STANDARD: PEG MODULE G; DRAWING NO: NW11/12/32/33/34S001/S011 REV 0; A LETTER AND CERTIFICATE ENSURING THE QUALITY IS REQUIRED ON EVERY DELIVERY PER ITEM
0670062	VALVE ASSEMBLY: TYPE: CONTROL; SIZE: DN50 MM; BODY MATERIAL: 15MO3; PRESSURE RATING: PN 250; CONNECTION SIZE: OD 51 X ID 44 MM; CONNECTION TYPE: BW; OPERATED: ELECTRIC ACTUATOR; FACE TO FACE LENGTH: 400 MM; FLOW RATE: 9.5 KGS; TRIM: X35CRMO17; SOFTGOODS: GRAPHITE; MEDIUM: RH SPRAYWATER REG VALVE 46014; APPLICATION: SPRAY WATER; SPECIFICATION: 0.46014-E; STANDARD: PEG MODULE G; DRAWING NO: NW51/52/53/54S001/S011 REV 0; A LETTER AND CERTIFICATE ENSURING THE QUALITY IS REQUIRED ON EVERY DELIVERY PER ITEM
0670595	VALVE, GATE: VALVE SIZE: 101.6 X 5 MM; TYPE: DISC; DESIGN PRESSURE: 26 BAR; DESIGN TEMPERATURE: 430 DEG C; CONNECTION: BW; FACE TO FACE LENGTH: 300 MM; BODY MATERIAL: GS-17CRMO55; TRIM: STELLITE 6 SEAT; WEDGE 13CR; OPERATED: ACTUATED; APPLICATION: LANCEBLOWER SECTION ISOLATING VALVE; SPECIFICATION: DN100; GRADE: DIN 1.7357; DESIGN RATING: 40 BAR; SUPPL P/N: GA100.10.40.80.S; NV12S001 AND NV22S001; MATERIAL CERTIFICATES AND SIGNED OEM LETTER
0670596	VALVE, GATE: VALVE SIZE: 88.9 X 4 MM; TYPE: DISC; DESIGN PRESSURE: 26 BAR; DESIGN TEMPERATURE: 430 DEG C; CONNECTION: BW; FACE TO FACE LENGTH: 300 MM; BODY MATERIAL: GS-17CRMO55; TRIM: STELLITE 6 SEAT; WEDGE 13CR; OPERATED: ACTUATED; APPLICATION: LANCEBLOWER SECTION ISOLATING VALVE; SPECIFICATION: DN80; GRADE: DIN 1.7357; DESIGN RATING: 40 BAR; SUPPL P/N: GA100.10.40.80; NV11S001; NV21S001 AND NV40S001; MATERIAL CERTIFICATES AND SIGNED OEM LETTER
0670597	VALVE, GATE: VALVE SIZE: 114.4 X 6.3 MM; TYPE: DISC; DESIGN PRESSURE: 26 BAR; DESIGN TEMPERATURE: 130 DEG C; CONNECTION: BW; FACE TO FACE LENGTH: 300 MM; BODY MATERIAL: GS-17CRMO55; TRIM: STELLITE 6 SEAT; WEDGE 13CR; OPERATED: ACTUATED; APPLICATION: SOOTBLOWER MAIN DRAIN ISOLATING VALVE; SPECIFICATION: DN100; GRADE: DIN 1.7357; DESIGN RATING: 40 BAR; SUPPL P/N: GA100.40.100.S; NV30S001; MATERIAL CERTIFICATES AND SIGNED OEM LETTER

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

<b>Document Identifier</b>	240-114238630	<b>Rev</b>	16
<b>Effective Date</b>	February 2023		
<b>Review Date</b>	February 2028		

178064	VALVE, RELIEF: VALVE SIZE: 500 X 350 MM; TEMPERATURE RATING: 538 DEG C; CONNECTION: BW; BODY MATERIAL: 12CRMO910; TRIM: STL; OPERATED: HANDWHEEL, SPRING; DESIGN RATING: 4.83 MPA
178101	BASKET, STRAINER: DIMENSIONS: DIA 300 X LG 670 MM; MATERIAL: ASTM A182 GR F91; PERFORATION SIZE: 9/11 MM; MEDIA FOR WHICH DESIGNED: STEAM; SHAPE: ROUND; SUPPL P/N: 2-18-00884-01; DRAWING NO: 1-18-01754 REV 1; REFERENCE NO: 3-38-13148-000; COMPLETE WITH STUFFING BOX FOR BOPP; REUTHER HP BYPASS VALVE SIRA 2507; MATERIAL CERTIFICATE REQUIRE AS WELL AS LETTER FROM OEM, MATERIAL: ASTM-A182 GRD F91; MATERIAL CERTIFICATE: EN10204/3.2; ITP WELDING DATA EN10204 3.1; MEDIA:MAIN STEAM AND WATER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).
178198	VALVE, PLUG: VALVE SIZE: 6 IN; DESIGN RATING: CL300; TEMPERATURE RATING: 450 DEG F; CONNECTION: BW; BODY MATERIAL: A216; OPERATED: AIR ACTUATOR; STYLE: BOLTED BONNET; TRIM: SS GR 416; SOFTGOODS: PACKING TFE; GRADE: WCC; TYPE: CONTROL; SUPPL P/N: 657-EAT; REFERENCE NO: 0178199
0017143	PLATE, METAL: DIMENSIONS: WD 1.2 M X LG 2.5 M X THK 12 MM; MATERIAL: MS; WEIGHT: 282.6 KG; PROCESS: HOT ROLLED; SPECIFICATION: BS 4360-1972 TABLE 6; GRADE: EN43A
0017142	PLATE, METAL: DIMENSIONS: WD 1.2 M X LG 2.5 M X THK 8 MM; MATERIAL: MS BS 4360, SABS 1431; WEIGHT: 188.4 KG; PROCESS: HOT ROLLED; GRADE: 300WA EN43A
0017148	PLATE, METAL: DIMENSIONS: WD 1.2 M X LG 2.5 M X THK 16 MM; MATERIAL: MS SABS 1431; WEIGHT: 376.8 KG; PROCESS: HOT ROLLED; GRADE: 300WA EN43A
0017147	PLATE, METAL: DIMENSIONS: WD 1.2 M X LG 2.5 M X THK 6 MM; MATERIAL: MS BS 4360, SABS 1431; WEIGHT: 141.3 KG; PROCESS: HOT ROLLED; GRADE: 300WA EN43A

**Controlled Disclosure**

**Anonymously report fraud, corruption at 0800 11 2722/ forensic@eskom.co.za**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30