
# TENDER DOCUMENT GOODS AND SERVICES



SCM - 542 Approved by Branch Manager: 03/04/2020



Version: 9

Page 1 of 141

**TENDER NO: 359G/2022/23** 

TENDER DESCRIPTION: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS

CONTRACT PERIOD: FROM DATE OF COMMENCEMENT OF CONTRACT, NOT EXCEEDING A

PERIOD OF THIRTY-SIX (36) MONTHS

# **VOLUME 1: TENDERING PROCEDURES**

CLOSING DATE: 02 June 2023

172

CLOSING TIME: 10:00 a.m.

TENDER BOX

NUMBER:

**TENDER FEE:** R200.00 Non-refundable tender fee payable to City of Cape

Town (CCT) for a hard copy of the tender document. This fee is not applicable to website downloads of the tender

document.

	TENDERER
NAME of Company/Close Corporation or Partnership / Joint Venture/ Consortium or Sole Proprietor /Individual	
TRADING AS (if different from above)	

NATURE OF TENDER OFFER (please indicate below)		
Main Offer (see clause 2.2.11.1)		
Alternative Offer (see clause 2.2.11.1)		

TENDER SERIAL NO.:
SIGNATURES OF CITY OFFICIALS
AT TENDER OPENING
1
2
3

## TABLE OF CONTENTS

VOLUME 1: THE TENDER	3
(1) GENERAL TENDER INFORMATION	3
(2) CONDITIONS OF TENDER	4
VOLUME 2: RETURNABLE DOCUMENTS	22
(3) DETAILS OF TENDERER	22
(4) FORM OF OFFER AND ACCEPTANCE	24
(5) PRICE SCHEDULE	27
(6) SUPPORTING SCHEDULES	34
SCHEDULE 1: CERTIFICATE OF AUTHORITY FOR PARTNERSHIPS/ JOINT VENTURES/ CONSORTIUMS	34
SCHEDULE 2: DECLARATION FOR PROCUREMENT ABOVE R10 MILLION	
SCHEDULE 3: HDI AND OR RDQ SPECIFIC GOALS	
SCHEDULE 4: DECLARATION OF INTEREST – STATE EMPLOYEES (MBD 4 AMENDED)	
SCHEDULE 5: CONFLICT OF INTEREST DECLARATION	
Schedule 6: Declaration of Tenderer's Past Supply Chain Management Practices (MBD 8)	
SCHEDULE 8: CONTRACT PRICE ADJUSTMENT AND/OR RATE OF EXCHANGE VARIATION	
SCHEDULE 9: CERTIFICATE OF INDEPENDENT TENDER DETERMINATION	
SCHEDULE 10: PRICE BASIS FOR IMPORTED RESOURCES	
SCHEDULE 11: SCHEDULE OF PRE-QUALIFICATION CRITERIA SUB-CONTRACTORS	51
SCHEDULE 12: LIST OF OTHER DOCUMENTS ATTACHED BY TENDERER	
SCHEDULE 13: RECORD OF ADDENDA TO TENDER DOCUMENTS	
SCHEDULE 14: INFORMATION TO BE PROVIDED WITH THE TENDER	54
VOLUME 3: DRAFT CONTRACT	56
(7) SPECIAL CONDITIONS OF CONTRACT	56
(8) GENERAL CONDITIONS OF CONTRACT	67
(9) FORM OF GUARANTEE / PERFORMANCE SECURITY	77
(10) FORM OF ADVANCE PAYMENT GUARANTEE	78
(10.1) ADVANCE PAYMENT SCHEDULE	79
(11) OCCUPATIONAL HEALTH AND SAFETY AGREEMENT	80
(12) INSURANCE BROKER'S WARRANTY (PRO FORMA)	81
(13) SPECIFICATION(S)	82
(14) MONTHLY PROJECT LABOUR REPORT (EXAMPLE)	138

# VOLUME 1: THE TENDER (1) GENERAL TENDER INFORMATION

TENDER ADVERTISED : 28 April 2023

SITE VISIT/CLARIFICATION MEETING : 10h00 – 11h00 on 16 May 2023

(Not compulsory, but strongly recommended)

**VENUE FOR SITE VISIT/CLARIFICATION** 

MEETING : SKYPE FOR BUSINESS:

HTTPS://MEET.CAPETOWN.GOV.ZA/ELTON.NO

RRIS/9K7Q8D1P

TENDER BOX & ADDRESS : Tender Box 172 as per front cover at the

**Tender &Quotation Boxes Office**, 2<sup>nd</sup> Floor (Concourse Level), Civic Centre, 12 Hertzog

Boulevard, Cape Town.

The Tender Document (which includes the Form of Offer and Acceptance) completed in all respects, plus any additional supporting documents required, must be submitted in a sealed envelope with the name and address of the tenderer, the endorsement "TENDER NO. 359G/2022/23: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS, the tender box No. and the closing date indicated on the envelope. The sealed envelope must be inserted into the appropriate official tender box before closing time.

If the tender offer is too large to fit into the abovementioned box or the box is full, please enquire at the public counter (Tender Distribution Office) for alternative instructions. It remains the tenderer's responsibility to ensure that the tender is placed in either the original box or as alternatively

instructed.

CCT TENDER REPRESENTATIVE Name: Jeremy Davids

Email: Jeremy.davids@capetown.gov.za

TENDERERS MUST NOTE THAT WHEREVER THIS DOCUMENT REFERS TO ANY PARTICULAR TRADE MARK, NAME, PATENT, DESIGN, TYPE, SPECIFIC ORIGIN OR PRODUCER, SUCH REFERENCE SHALL BE DEEMED TO BE ACCOMPANIED BY THE WORDS 'OR EQUIVALENT"

### (2) CONDITIONS OF TENDER

#### 2.1 General

#### 2.1.1 Actions

**2.1.1.1** The City of Cape Town (CCT) and each tenderer submitting a tender offer shall comply with these Conditions of Tender. In their dealings with each other, they shall discharge their duties and obligations as set out in these Conditions of Tender, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations.

The parties agree that this tender, its evaluation and acceptance and any resulting contract shall also be subject to the Employer's Supply Chain Management Policy ('SCM Policy') that was applicable on the date the bid was advertised, save that if the Employer adopts a new SCM Policy which contemplates that any clause therein would apply to the contract emanating from this tender, such clause shall also be applicable to that contract. Please refer to this document contained on the Employer's website.

Abuse of the supply chain management system is not permitted and may result in the tender being rejected, cancellation of the contract, restriction of the supplier, and/or the exercise by the City of any other remedies available to it as described in the SCM Policy.

- **2.1.1.2** The CCT, the tenderer and their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderers shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the CCT shall declare any conflict of interest to the CCT at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict, and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.
- **2.1.1.3** The CCT shall not seek, and a tenderer shall not submit a tender, without having a firm intention and capacity to proceed with the contract.

#### 2.1.2 Interpretation

- **2.1.2.1** The additional requirements contained in the returnable documents are part of these Conditions of Tender.
- **2.1.2.2** These Conditions of Tender and returnable schedules which are required for tender evaluation purposes, shall form part of the contract arising from the invitation to tender.

#### 2.1.3 Communication during tender process

Verbal or any other form of communication, from the CCT, its employees, agents or advisors during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the CCT, <u>unless communicated by the CCT in writing to suppliers by its Director: Supply Chain Management or his nominee</u>.

#### 2.1.4 The CCT's right to accept or reject any tender offer

- **2.1.4.1** The CCT may accept or reject any tender offer and may cancel the tender process or reject all tender offers at any time before the formation of a contract. The CCT may, prior to the award of the tender, cancel a tender if:
  - (a) due to changed circumstances, there is no longer a need for the services, works or goods requested;or
  - (b) funds are no longer available to cover the total envisaged expenditure; or
  - (c) no acceptable tenders are received;
  - (d) there is a material irregularity in the tender process; or
  - (e) the parties are unable to negotiate market related pricing.

The CCT shall not accept or incur any liability to a tenderer for such cancellation or rejection, but will give written reasons for such action upon receiving a written request to do so.

#### 2.1.5 Procurement procedures

#### 2.1.5.1 General

The CCT intends to appoint two tenderers (the highest ranked tenderer ("the winner") and in addition of one "standby tenderer") for the allocation of work. If insufficient responsive bids are received, the CCT reserves the right to appoint fewer tenderers, or not to appoint any tenderers at all.

Suppliers, once appointed and subject to operational requirements, will be invited to deliver the goods or services on a "winner-takes-all" basis, whereby the order will always be offered and, if accepted, allocated to the highest ranked tenderer ("the winner"), and only if he refuses will the work be offered to the next highest ranked tenderer (standby tenderer) or:

If the highest ranked tenderer is unable to either:

- Deliver the items as per the tender specifications within the stipulated time.
- Deliver the required quantities of the specific main item/s.
- Deliver as a result of any other circumstance beyond the tenderers control such as insolvency etc.

Should the highest ranked tenderer no longer be able to provide the model offered on tender due to it being discontinued or if a change is introduced which results in the goods no longer meeting the minimum tender specifications, then the Standby tenderer will be considered.

The contract period shall be from date of commencement of contract, not exceeding a period of thirty-six (36) months.

#### 2.1.5.2 Proposal procedure using the two stage-system

A two-stage system will not be followed.

- **2.1.5.2.1** Tenderers shall submit in the first stage only technical proposals. The CCT shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.
- **2.1.5.2.2** The CCT shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender conditions, and award the contract in terms of these Conditions of Tender.

#### 2.1.5.3 Nomination of Alternative Bidder

Alternative Bidder means a bidder, identified at the time of awarding a bid, that will be considered for award should the contract be terminated for any reason whatsoever. In the event that a contract is terminated during the execution thereof, the CCT may consider the award of the contract, or non-award, to the alternative bidder in terms of the procedures included its SCM Policy.

# 2.1.6 Objections, complaints, queries and disputes/ Appeals in terms of Section 62 of the Systems Act/ Access to court

#### 2.1.6.1 Disputes, objections, complaints and queries

In terms of Regulations 49 and 50 of the Local Government: Municipal Finance Management Act, 56 of 2003 Municipal Supply Chain Management Regulations (Board Notice 868 of 2005):

a) Persons aggrieved by decisions or actions taken by the City of Cape Town in the implementation of its supply chain management system, may lodge within 14 days of the decision or action, a written objection or complaint or query or dispute against the decision or action.

#### 2.1.6.2 Appeals

- a) In terms of Section 62 of the Local Government: Municipal Systems Act, 32 of 2000 a person whose rights are affected by a decision taken by the City, may appeal against that decision by giving written notice of the appeal and reasons to the City Manager within 21 days of the date of the notification of the decision.
- b) An appeal must contain the following:
  - i. Must be in writing
  - ii. It must set out the reasons for the appeal
  - iii. It must state in which way the Appellant's rights were affected by the decision;
  - iv. It must state the remedy sought: and
  - v. It must be accompanied with a copy of the notification advising the person of the decision
- c) The relevant City appeal authority must consider the consider the appeal and **may confirm**, **vary or revoke** the decision that has been appealed, but no such revocation of a decision may detract from any rights that may have accrued as a result of the decision.

# 2.1.6.3 Right to approach the courts and rights in terms of Promotion of Administrative Justice Act, 3 of 2000 and Promotion of Access to Information Act, 2 of 2000

The sub- clauses above do not influence any affected person's rights to approach the High Court at any time or its rights in terms of the Promotion of Administrative Justice Act (PAJA) and Promotion of Access to Information Act (PAIA).

2.1.6.4 All requests referring to sub clauses 2.1.6.1 and 2.1.6.2 must be submitted in writing to:

**The City Manager** - C/o the Manager: Legal Compliance Unit, Legal Services Department, Corporate Services Directorate

Via hand delivery at: 20th Floor, Tower Block, 12 Hertzog Boulevard, Cape Town 8001

Via post at: Private Bag X918, Cape Town, 8000

Via fax at: 021 400 5963 or 021 400 5830

Via email at: MSA. Appeals@capetown.gov.za

2.1.6.5 All requests referring to clause 2.1.6.3 ns must be submitted in writing to:

The City Manager - C/o the Manager: Access to Information Unit, Corporate Services Directorate

Via hand delivery at: 20th Floor, Tower Block, 12 Hertzog Boulevard, Cape Town 8001

Via post at: Private Bag X918, Cape Town, 8000

Via fax at: 086 202 9982

Via email at: Access2info.Act@capetown.gov.za

# 2.1.6.6 The minimum standards regarding accessing and 'processing' of any personal information belonging to another in terms of Protection of Personal Information Act, 2013 (POPIA).

The Employer, its employees, representatives and sub-contractors may, from time to time, Process the Contractor's and/or its employees', representatives' and/or sub-contractors' Personal Information, for purposes of, and/or relating to, the tender, this agreement, for research purposes, and/or as otherwise may be envisaged in the Employer's Privacy Notice and/or in relation to the Employer's Supply Chain Management Policy or as may

#### 2.1.7 City of Cape Town Supplier Database Registration

Tenderers are required to be registered on the CCT Supplier Database as a service provider. Tenderers must register as such upon being requested to do so in writing and within the period contained in such a request, failing which no orders can be raised or payments processed from the resulting contract. In the case of Joint Venture partnerships this requirement will apply individually to each party of the Joint Venture.

Tenderers who wish to register on the City of Cape Town's Supplier Database may collect registration forms from the Supplier Management Unit located within the Supplier Management / Registration Office, 2<sup>nd</sup> Floor (Concourse Level), Civic Centre, 12 Hertzog Boulevard, Cape Town (Tel 021 400 9242/3/4/5). Registration forms and related information are also available on the City of Cape Town's website <a href="www.capetown.gov.za">www.capetown.gov.za</a> (follow the Supply Chain Management link to Supplier registration).

It is each tenderer's responsibility to keep all the information on the CCT Supplier Database updated.

#### 2.1.8 National Treasury Web Based Central Supplier Database (CSD) Registration

Tenderers are required to be registered on the National Treasury Web Based Central Supplier Database (CSD) as a service provider. Tenderers must register as such upon being requested to do so in writing and within the period contained in such a request, failing which no orders can be raised or payments processed from the resulting contract. In the case of Joint Venture partnerships this requirement will apply individually to each party of the Joint Venture.

Tenderers who wish to register on the National Treasury Web Based Central Supplier Database (CSD) may do so via the web address https://secure.csd.gov.za.

It is each tenderer's responsibility to keep all the information on the National Treasury Web Based Central Supplier Database (CSD) updated.

### 2.2 Tenderer's obligations

#### 2.2.1 Eligibility Criteria

2.2.1.1 Tenderers are obligated to submit a tender offer that complies in all aspects to the conditions as detailed in this tender document. An 'acceptable tender must "COMPLY IN ALL' aspects with the tender conditions, specifications, pricing instructions and contract conditions.

#### 2.2.1.1.1 Submit a tender offer

Only those tender submissions from which it can be established that a clear, irrevocable and unambiguous offer has been made to CCT, by whom the offer has been made and what the offer constitutes, will be declared responsive.

#### 2.2.1.1.2 Compliance with requirements of CCT SCM Policy and procedures

Only those tenders that are compliant with the requirements below will be declared responsive:

- a) A completed **Details of Tenderer** to be provided (applicable schedule to be completed);
- b) A completed **Certificate of Authority for Partnerships/ Joint Ventures/ Consortiums** to be provided authorising the tender to be made and the signatory to sign the tender on the partnership /joint venture/consortium's (applicable schedule to be completed);
- c) A copy of the partnership / joint venture / consortium agreement to be provided.
- d) A completed **Declaration of Interest State Employees** to be provided and which does not indicate any non-compliance with the legal requirements relating to state employees (applicable schedule to be completed);
- e) A completed **Declaration Conflict of Interest and Declaration of Bidders' past Supply Chain Management Practices** to be provided and which does not indicate any conflict or past practises that renders the tender non-responsive based on the conditions contained thereon (applicable schedules to be completed);
- f) A completed **Certificate of Independent Bid Determination** to be provided and which does not indicate any non-compliance with the requirements of the schedule (applicable schedule to be completed);
- g) The tenderer (including any of its directors or members), has not been restricted in terms of abuse of the Supply Chain Management Policy,
- h) The tenderer's tax matters with SARS are in order, or the tenderer is a foreign supplier that is not required to be registered for tax compliance with SARS;
- i) The tenderer is not an advisor or consultant contracted with the CCT whose prior or current obligations creates any conflict of interest or unfair advantage,
- j) The tenderer is not a person, advisor, corporate entity or a director of such corporate entity, involved with the bid specification committee;
- k) A completed **Authorisation for the Deduction of Outstanding Amounts Owed to the City of Cape Town** to be provided and which does not indicate any details that renders the tender non-responsive based on the conditions contained thereon (applicable schedules to be completed);
- The tenderer (including any of its directors or members), has not been found guilty of contravening the Competition Act 89 of 1998, as amended from time to time;
- m) The tenderer (including any of its directors or members), has not been found guilty on any other basis listed in the Supply Chain Management Policy.

#### 2.2.1.1.3 Additional submission requirements for this tender with tender submission

Only those tenderers that are compliant with the requirements below, will be declared responsive. Tenderers will be deemed non-responsive if the below is not supplied with their tender submission or within seven (7) days on request:

- a) Documentary proof with tender submission that the tenderer is an Original Equipment Manufacturer (OEM) approved supplier and or distributor for the tractors offered. Documentary proof shall be in the form of either:
- A letter from the Original Equipment Manufacturer confirming that the tenderer is an approved supplier and or distributor.

  Or
- A copy of the franchise agreement with the Original Equipment Manufacturer and the tenderer.
- b) Confirmation letter or a copy of a Service Level Agreement (SLA), stating that the tenderer has access to, or undertakes to have, workshop facilities for the maintenance and servicing of the tractors offered as specified in clause 1.6 of the specification, within 60 days of commencement of contract.
- c) Confirmation letter that the fitment of the Automated Fuel System will not affect the vehicle warranty.

- d) Supply technical brochures for each of the tendered products/items.
- e) Fully complete Section B The Technical Specification Tables

#### 2.2.1.1.4 Compulsory clarification meeting – NOT APPLICABLE

#### 2.2.1.1.4 Minimum score for functionality - NOT APPLICABLE

#### 2.2.1.1.7 Provision of samples - NOT APPLICABLE

#### 2.2.2 Cost of tendering

The CCT will not be liable for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.

#### 2.2.3 Check documents

The documents issued by the CCT for the purpose of a tender offer are listed in the index of this tender document.

Before submission of any tender, the tenderer should check the number of pages, and if any are found to be missing or duplicated, or the figures or writing is indistinct, or if the Price Schedule contains any obvious errors, the tenderer must apply to the CCT at once to have the same rectified.

#### 2.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the CCT only for the purpose of preparing and submitting a tender offer in response to the invitation.

#### 2.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, Conditions of Contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

#### 2.2.6 Acknowledge and comply with notices

Acknowledge receipt of notices to the tender documents, which the CCT may issue, fully comply with all instructions issued in the notices, and if necessary, apply for an extension of the closing time stated on the front page of the tender document, in order to take the notices into account. Notwithstanding any requests for confirmation of receipt of notices issued, the tenderer shall be deemed to have received such notices if the CCT can show proof of transmission thereof via electronic mail, facsimile or registered post.

#### 2.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarise themselves with aspects of the proposed work, services or supply and pose questions. Details of the meeting(s) are stated in the General Tender Information.

Tenderers should be represented at the site visit/clarification meeting by a person who is suitably qualified and experienced to comprehend the implications of the work involved.

#### 2.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the CCT at least one week before the closing time stated in the General Tender Information, where possible.

#### 2.2.9 Pricing the tender offer

**2.2.9.1** Comply with all pricing instructions as stated on the Price Schedule.

#### 2.2.10 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued

by the CCT in writing, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

#### 2.2.11 Alternative tender offers

**2.2.11.1** Unless otherwise stated in the tender conditions submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted.

If a tenderer wishes to submit an alternative tender offer, he shall do so as a separate offer on a complete set of tender documents. The alternative tender offer shall be submitted in a separate sealed envelope clearly marked "Alternative Tender" in order to distinguish it from the main tender offer.

Only the alternative of the highest ranked acceptable main tender offer (that is, submitted by the same tenderer) will be considered, and if appropriate, recommended for award.

Alternative tender offers of any but the highest ranked main tender offer will not be considered.

An alternative of the highest ranked acceptable main tender offer that is priced higher than the main tender offer may be recommended for award, provided that the ranking of the alternative tender offer is higher than the ranking of the next ranked acceptable main tender offer.

The CCT will not be bound to consider alternative tenders and shall have sole discretion in this regard.

In the event that the alternative is accepted, the tenderer warrants that the alternative offer complies in all respects with the CCT's standards and requirements.

**2.2.11.2** Accept that an alternative tender offer may be based only on the criteria stated in the tender conditions or criteria otherwise acceptable to the CCT.

#### 2.2.12 Submitting a tender offer

- **2.2.12.1** Submit one tender offer only on the original tender documents as issued by the CCT, either as a single tendering entity or as a member in a joint venture to provide the whole of the works, services or supply identified in the contract conditions and described in the specifications. Only those tenders submitted on the tender documents as issued by the CCT together with all Returnable Schedules duly completed and signed will be declared responsive.
- **2.2.12.2** Return the entire document to the CCT after completing it in its entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
- **2.2.12.3** Submit the parts of the tender offer communicated on paper as an original with an English translation for any part of the tender submission not made in English.
- 1 (One) copy(ies) of the following elements of the bid submission must be submitted separately bound in the same envelope where possible:

Part	Heading
5	Pricing Schedules
6	Supporting Schedules
	All other attachments submitted by bidder

- **2.2.12.4** Sign the original tender offer where required in terms of the tender conditions. The tender shall be signed by a person duly authorised to do so. Tenders submitted by joint ventures of two or more firms shall be accompanied by the document of formation of the joint venture or any other document signed by all parties, in which is defined precisely the conditions under which the joint venture will function, its period of duration, the persons authorised to represent and obligate it, the participation of the several firms forming the joint venture, and any other information necessary to permit a full appraisal of its functioning. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner.
- **2.2.12.5** Where a two-envelope system is required in terms of the tender conditions, place and seal the returnable documents listed in the tender conditions in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the CCT's address and identification details stated in the General Tender Information, as well as the

tenderer's name and contact address.

- **2.2.12.6** Seal the original tender offer and copy packages together in an outer package that states on the outside only the CCT's address and identification details as stated in the General Tender Information. If it is not possible to submit the original tender and the required copies (see 2.2.12.3) in a single envelope, then the tenderer must seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY" in addition to the aforementioned tender submission details.
- **2.2.12.7** Accept that the CCT shall not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- **2.2.12.8** Accept that tender offers submitted by facsimile or e-mail will be rejected by the CCT, unless stated otherwise in the tender conditions.
- **2.2.12.9** By signing the offer part of the Form of Offer (**Section 2, Part A**) the tenderer warrants that all information provided in the tender submission is true and correct.
- **2.2.12.10** Tenders must be properly received and deposited in the designated tender box (as detailed on the front page of this tender document) on or before the closing date and before the closing time, in the relevant tender box at the Tender & Quotation Boxes Office situated on the 2nd floor, Concourse Level, Civic Centre, 12 Hertzog Boulevard, Cape Town. If the tender submission is too large to fit in the allocated box, please enquire at the public counter for assistance.
- **2.2.12.12** The tenderer must record and reference all information submitted contained in other documents for example cover letters, brochures, catalogues, etc. in the returnable schedule titled **List of Other Documents Attached by Tenderer**.

#### 2.2.13 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the CCT as non-responsive.

#### 2.2.14 Closing time

- **2.2.14.1** Ensure that the CCT receives the tender offer at the address specified in the General Tender Information prior to the closing time stated on the front page of the tender document.
- **2.2.14.2** Accept that, if the CCT extends the closing time stated on the front page of the tender document for any reason, the requirements of these Conditions of Tender apply equally to the extended deadline.
- **2.2.14.3** Accept that, the CCT shall not consider tenders that are received after the closing date and time for such a tender (late tenders).

#### 2.2.15 Tender offer validity and withdrawal of tenders

- **2.2.15.1** Warrants that the tender offer(s) remains valid, irrevocable and open for acceptance by the CCT at any time for a period of 120 days after the closing date stated on the front page of the tender document.
- **2.2.15.2** Notwithstanding the period stated above, bids shall remain valid for acceptance for a period of twelve (12) months after the expiry of the original validity period, unless the City is notified in writing of anything to the contrary by the bidder. The validity of bids may be further extended by a period of not more than six months subject to mutual agreement and administrative processes and upon approval by the City Manager.
- **2.2.15.3** A tenderer may request in writing, after the closing date, that the tender offer be withdrawn. Such withdrawal will be permitted or refused at the sole discretion of the CCT after consideration of the reasons for the withdrawal, which shall be fully set out by the tenderer in such written request for withdrawal. Should the tender offer be withdrawn in contravention hereof, the tenderer agrees that:
- it shall be liable to the CCT for any additional expense incurred or losses suffered by the CCT in having either to accept another tender or, if new tenders have to be invited, the additional expenses incurred or losses suffered by the invitation of new tenders and the subsequent acceptance of any other tender;
- b) the CCT shall also have the right to recover such additional expenses or losses by set-off against monies which may be due or become due to the tenderer under this or any other tender or contract or against any guarantee or deposit that may have been furnished by the tenderer or on its behalf for the due fulfilment of this or any other tender or contract. Pending the ascertainment of the amount of such additional expenses or losses, the CCT shall be entitled to retain such monies, guarantee or deposit as security for any such expenses or loss.

#### 2.2.16 Clarification of tender offer, or additional information, after submission

Provide clarification of a tender offer, or additional information, in response to a written request to do so from the CCT during the evaluation of tender offers within the time period stated in such request. No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

Note: This clause does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the CCT elect to do so.

Failure, or refusal, to provide such clarification or additional information within the time for submission stated in the CCT's written request may render the tender non-responsive.

#### 2.2.17 Provide other material

- **2.2.17.1** Provide, on request by the CCT, any other material that has a bearing on the tender offer, the tenderer's commercial position (including joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the CCT for the purpose of the evaluation of the tender. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the CCT's request, the CCT may regard the tender offer as non-responsive.
- 2.2.17.2 Provide, on written request by the CCT, where the transaction value inclusive of VAT exceeds R 10 million:
- a) audited annual financial statement for the past 3 years, or for the period since establishment if established during the past 3 years, if required by law to prepare annual financial statements for auditing:
- b) a certificate signed by the tenderer certifying that the tenderer has no undisputed commitments for municipal services towards a municipality or other service provider in respect of which payment is

- overdue for more than 30 days:
- c) particulars of any contracts awarded to the tenderer by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract:
- d) a statement indicating whether any portion of the goods or services are expected to be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality or municipal entity is expected to be transferred out of the Republic.

Each party to a Consortium/Joint Venture shall submit separate certificates/statements in the above regard.

**2.2.17.3** Tenderers undertake to fully cooperate with the CCT's external service provider appointed to perform a due diligence review and risk assessment upon receipt of such written instruction from the CCT.

#### 2.2.18 Samples, Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender conditions or specifications.

If the **Specification** requires the tenderer to provide samples, these shall be provided strictly in accordance with the instructions set out in the Specification.

If such samples are not submitted as required in the bid documents or within any further time stipulated by the CCT in writing, then the bid concerned may be declared non-responsive.

The samples provided by all successful bidders will be retained by the CCT for the duration of any subsequent contract. Bidders are to note that samples are requested for testing purposes therefore samples submitted to the CCT may not in all instances be returned in the same state of supply and in other instances may not be returned at all. Unsuccessful bidders will be advised by the Project Manager or dedicated CCT Official to collect their samples, save in the aforementioned instances where the samples would not be returned.

#### 2.2.19 Certificates

The tenderer must provide the CCT with all certificates as stated below:

#### 2.2.19.2 Evidence of tax compliance

Tenderers shall be registered with the South African Revenue Service (SARS) and their tax affairs must be in order and they must be tax compliant subject to the requirements of clause 2.2.1.1.2.h. The tenderer must also provide its Tax Compliance Status PIN number on the **Details of Tenderer** pages of the tender submission.

Each party to a Consortium/Joint Venture shall submit a separate Tax Clearance Certificate.

Before making an award the City must verify the bidder's tax compliance status. Where the recommended bidder is not tax compliant, the bidder should be notified of the non-compliant status and be requested to submit to the City, within 7 working days, written proof from SARS that they have made arrangement to meet their outstanding tax obligations. The proof of tax compliance submitted by the bidder must be verified by the City via CSD or e-Filing. The City should reject a bid submitted by the bidder if such bidder fails to provide proof of tax compliance within the timeframe stated herein.

Only foreign suppliers who have answered "NO" to all the questions contained in the Questionnaire to Bidding Foreign Suppliers section on the **Details of Tenderer** pages of the tender submission, are not required to register for a tax compliance status with SARS.

#### 2.2.20 Compliance with Occupational Health and Safety Act, 85 of 1993

Tenderers are to note the requirements of the Occupational Health and Safety Act, 85 of 1993. The Tenderer shall be deemed to have read and fully understood the requirements of the above Act and Regulations and to have allowed for all costs in compliance therewith.

In this regard the Tenderer shall submit **upon written request to do so by the CCT**, a Health and Safety Plan in sufficient detail to demonstrate the necessary competencies and resources to deliver the goods or services all in accordance with the Act, Regulations and Health and Safety Specification.

#### 2.2.21 Claims arising from submission of tender

The tenderer warrants that it has:

- a) inspected the Specifications and read and fully understood the Conditions of Contract.
- b) read and fully understood the whole text of the Specifications and Price Schedule and thoroughly acquainted himself with the nature of the goods or services proposed and generally of all matters which may influence the Contract.
- c) visited the site(s) where delivery of the proposed goods will take place, carefully examined existing conditions, the means of access to the site(s), the conditions under which the delivery is to be made, and acquainted himself with any limitations or restrictions that may be imposed by the Municipal or other Authorities in regard to access and transport of materials, plant and equipment to and from the site(s) and made the necessary provisions for any additional costs involved thereby.
- d) requested the CCT to clarify the actual requirements of anything in the Specifications and Price Schedule, the exact meaning or interpretation of which is not clearly intelligible to the Tenderer.
- e) received any notices to the tender documents which have been issued in accordance with the CCT's Supply Chain Management Policy.

The CCT will therefore not be liable for the payment of any extra costs or claims arising from the submission of the tender.

### 2.3 The CCT's undertakings

#### 2.3.1 Respond to requests from the tenderer

- **2.3.1.1** Unless otherwise stated in the Tender Conditions, respond to a request for clarification received up to one week (where possible) before the tender closing time stated on the front page of the tender document.
- **2.3.1.2** The CCT's representative for the purpose of this tender is stated on the General Tender Information page.

#### 2.3.2 Issue Notices

If necessary, issue addenda in writing that may amend or amplify the tender documents to each tenderer during the period from the date the tender documents are available until one week before the tender closing time stated in the Tender Data. The Employer reserves its rights to issue addenda less than one week before the tender closing time in exceptional circumstances If, as a result a tenderer applies for an extension to the closing time stated on the front page of the tender document, the CCT may grant such extension and, shall then notify all tenderers who drew documents.

Notwithstanding any requests for confirmation of receipt of notices issued, the tenderer shall be deemed to have received such notices if the CCT can show proof of transmission thereof via electronic mail, facsimile or registered post.

#### 2.3.3 Opening of tender submissions

**2.3.3.1** Unless the two-envelope system is to be followed, open tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender conditions.

Tenders will be opened immediately after the closing time for receipt of tenders as stated on the front page of the tender document, or as stated in any Notice extending the closing date and at the closing venue as stated in the General Tender Information.

- **2.3.3.2** Announce at the meeting held immediately after the opening of tender submissions, at the closing venue as stated in the General Tender Information, the name of each tenderer whose tender offer is opened and, where possible, the prices indicated.
- **2.3.3.3** Make available a record of the details announced at the tender opening meeting on the CCT's website (<a href="http://www.capetown.gov.za/en/SupplyChainManagement/Pages/default.aspx.">http://www.capetown.gov.za/en/SupplyChainManagement/Pages/default.aspx.</a>)

#### 2.3.4 Two-envelope system

- **2.3.4.1** Where stated in the tender conditions that a two-envelope system is to be followed, open only the technical proposal of tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender conditions and announce the name of each tenderer whose technical proposal is opened.
- **2.3.4.2** Evaluate the quality of the technical proposals offered by tenderers, then advise tenderers who have submitted responsive technical proposals of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who have submitted responsive technical proposals in accordance with the requirements as stated in the tender conditions, and announce the total price and any preferences claimed. Return unopened financial proposals to tenderers whose technical proposals were non-responsive.

#### 2.3.5 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

#### 2.3.6 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

#### 2.3.7 Test for responsiveness

**2.3.7.1** Appoint a Bid Evaluation Committee and determine after opening whether each tender offer properly received:

- a) complies with the requirements of these Conditions of Tender.
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.
- **2.3.7.2** A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the CCT's opinion, would:
- detrimentally affect the scope, quality, or performance of the goods, services or supply identified in the Specifications.
- b) significantly change the CCT's or the tenderer's risks and responsibilities under the contract, or
- c) affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of any material deviation or qualification.

The CCT reserves the right to accept a tender offer which does not, in the CCT's opinion, materially and/or substantially deviate from the terms, conditions, and specifications of the tender documents.

#### 2.3.8 Arithmetical errors, omissions and discrepancies

#### 2.3.8.1 Check the responsive tenders for:

- a) the gross misplacement of the decimal point in any unit rate;
- b) omissions made in completing the Price Schedule; or
- c) arithmetic errors in:
  - i) line item totals resulting from the product of a unit rate and a quantity in the Price Schedule; or
  - ii) the summation of the prices; or
  - iii) calculation of individual rates.

#### 2.3.8.2 The CCT must correct the arithmetical errors in the following manner:

- a) Where there is a discrepancy between the amounts in words and amounts in figures, the amount in words shall govern.
- b) If pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as tendered shall govern, and the unit rate shall be corrected.
- c) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if Price Schedules apply) to achieve the tendered total of the prices.

Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of the arithmetical error in the manner described above.

**2.3.8.3** In the event of tendered rates or lump sums being declared by the CCT to be unacceptable to it because they are not priced, either excessively low or high, or not in proper balance with other rates or lump sums, the tenderer may be required to produce evidence and advance arguments in support of the tendered rates or lump sums objected to. If, after submission of such evidence and any further evidence requested, the CCT is still not satisfied with the tendered rates or lump sums objected to, it may request the tenderer to amend these rates and lump sums along the lines indicated by it.

The tenderer will then have the option to alter and/or amend the rates and lump sums objected to and such

other related amounts as are agreed on by the CCT, but this shall be done without altering the tender offer in accordance with this clause.

Should the tenderer fail to amend his tender in a manner acceptable to and within the time stated by the CCT, the CCT may declare the tender as non-responsive.

#### 2.3.9 Clarification of a tender offer

The CCT may, after the closing date, request additional information or clarification from tenderers, in writing on any matter affecting the evaluation of the tender offer or that could give rise to ambiguity in a contract arising from the tender offer, which written request and related response shall not change or affect their competitive position or the substance of their offer. Such request may only be made in writing by the Director: Supply Chain Management using any means as appropriate.

#### 2.3.10 Evaluation of tender offers

#### 2.3.10.1 General

- **2.3.10.1.1** Reduce each responsive tender offer to a comparative price and evaluate them using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender conditions.
- **2.3.10.1.2** For evaluation purposes only, the effects of the relevant contract price adjustment methods will be considered in the determination of comparative prices as follows:
  - a. If the selected method is based on bidders supplying rates or percentages for outer years, comparative prices would be determined over the entire contract period based on such rates or percentages.
  - b. If the selected method is based on a formula, indices, coefficients, etc. that is the same for all bidders during the contract period, comparative prices would be the prices as tendered for year one.
  - c. If the selected method is based on a formula, indices, coefficients, etc. that varies between bidders, comparative prices would be determined over the entire contract period based on published indices relevant during the 12 months prior to the closing date of tenders.
  - d. If the selected method includes an imported content requiring rate of exchange variation, comparative prices would be determined based on the exchange rates tendered for the prices as tendered for year one. The rand equivalent of the applicable currency 14 days prior to the closing date of tender will be used (the CCT will check all quoted rates against those supplied by its own bank).
  - e. If the selected method is based on suppliers' price lists, comparative prices would be the prices as tendered for year one.
  - f. If the selected method is based on suppliers' price lists and / or rate of exchange, comparative prices would be determined as tendered for year one whilst taking into account the tendered percentage subject to rate of exchange (see sub clause (d) for details on the calculation of the rate of exchange).
- **2.3.10.1.3** Where the scoring of functionality forms part of a bid process, each member of the Bid Evaluation Committee must individually score functionality. The individual scores must then be interrogated and calibrated if required where there are significant discrepancies. The individual scores must then be added together and averaged to determine the final score.

#### 2.3.10.2 Decimal places

Score financial offers, preferences and functionality, as relevant, to two decimal places.

#### 2.3.10.3 Scoring of tenders (price and preference)

- **2.3.10.3.1** Points for price will be allocated in accordance with the formula set out in this clause based on the price per item / rates as set out in the **Price Schedule (Part 5)**:
- **2.3.10.3.2** Points for preference will be allocated in accordance with the provisions of **Preference Schedule** and the table in this clause.
- **2.3.10.3.3** The terms and conditions of **Preference Schedule** as it relates to preference shall apply in all respects to the tender evaluation process and any subsequent contract.

#### 2.3.10.3.4 Applicable formula:

# 90/10 preference point system will apply to this tender and the lowest acceptable tender will be used to determine the applicable preferences

The 90/10 price/preference points system will be applied to the evaluation of responsive tenders over a Rand value of R50'000'000 (all applicable taxes included), whereby the order(s) will be placed with the tenderer(s) scoring the highest total number of adjudication points.

Price shall be scored as follows:

$$Ps = 90 \times (1 - (\underline{Pt - Pmin}))$$
Pmin

Where: Ps is the number of points scored for price;

Pt is the price of the tender under consideration; Pmin is the price of the lowest responsive tender.

Preference points shall be based on the **Specific Goals** as per below:

Table B1: Awards UP TO R100 mil (VAT Inclusive)

#	Specific goals allocated points  Persons, or categories of persons, historically disadvar	Preference Points (80/20)  Equal/ below R50 mil  ntaged- (HDI) by unfair	Evidence
1	dis crimination on the basis of  Gender are women (ownership)*  More than 50% women ownership = 5 points  Less than or equal to 50% women ownership = 2.5  points  0% women ownership = 0 points	5	Company Registration     Certification      Identification Documentation      CSD report
2	Race are black persons (ownership)*  More than 50% black ownership = 5 points  Less than or equal to 50% black ownership = 2.5  points  0% black ownership = 0 points	5	<ul> <li>Proof of B-BBEE certificate;</li> <li>Company Registration Certification</li> <li>Identification Documentation.</li> <li>CSD report</li> </ul>

#### 2.3.10.5 Risk Analysis

Notwithstanding compliance with regard to any requirements of the tender, the CCT will perform a risk analysis in respect of the following:

- a) reasonableness of the financial offer
- b) reasonableness of unit rates and prices
- c) the tenderer's ability to fulfil its obligations in terms of the tender document, that is, that the tenderer can demonstrate that he/she possesses the necessary professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, capacity, experience, reputation, personnel to perform the contract, etc.; the CCT reserves the right to consider a tenderer's existing contracts with the CCT in this regard
- d) any other matter relating to the submitted bid, the tendering entity, matters of compliance, verification of submitted information and documents, etc.

The conclusions drawn from this risk analysis will be used by the CCT in determining the acceptability of the tender offer.

No tenderer will be recommended for an award unless the tenderer has demonstrated to the satisfaction of the CCT that he/she has the resources and skills required.

#### 2.3.11 Negotiations with preferred tenderers

The CCT may negotiate the final terms of a contract with tenderers identified through a competitive tendering process as preferred tenderers provided that such negotiation:

- a) does not allow any preferred tenderer a second or unfair opportunity;
- b) is not to the detriment of any other tenderer; and
- c) does not lead to a higher price than the tender as submitted.

If negotiations fail to result in acceptable contract terms, the City Manager (or his delegated authority) may terminate the negotiations and cancel the tender, or invite the next ranked tenderer for negotiations. The original preferred tenderer should be informed of the reasons for termination of the negotiations. If the decision is to invite the next highest ranked tenderer for negotiations, the failed earlier negotiations may not be reopened by the CCT.

Minutes of any such negotiations shall be kept for record purposes.

The provisions of this clause will be equally applicable to any invitation to negotiate with any other tenderers.

In terms of the CCT SCM Policy tenders must be cancelled in the event that negotiations fail to achieve a market related price with any of the three highest scoring tenderers

#### 2.3.12 Acceptance of tender offer

Notwithstanding any other provisions contained in the tender document, the CCT reserves the right to:

- **2.3.12.1** Accept a tender offer(s) which does not, in the CCT's opinion, materially and/or substantially deviate from the terms, conditions, and specifications of the tender document.
- **2.3.12.2** Accept the whole tender or part of a tender or any item or part of any item or items from multiple manufacturers, or to accept more than one tender (in the event of a number of items being offered), and the CCT is not obliged to accept the lowest or any tender.
- **2.3.12.3** Accept the tender offer(s), if in the opinion of the CCT, it does not present any material risk and only if the tenderer(s)::
- a) is not under restrictions, has any principals who are under restrictions, or is not currently a supplier to whom notice has been served for abuse of the supply chain management system, preventing participation in the employer's procurement,
- b) can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract,c) has the legal capacity to enter into the contract,
- d) is not insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act, 2008, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of any of the foregoing, complies with the legal requirements, if any, stated in the tender data, and
- e) is able, in the opinion of the employer, to perform the contract free of conflicts of interest.
  - If an award cannot be made in terms of anything contained herein, the Employer reserves the right to consider the next ranked tenderer(s).

- **2.3.12.4** Not to make an award, or revoke an award already made, where the implementation of the contract may result in reputational risk or harm to the City as a result of (inter alia):
- a) reports of poor governance and/or unethical behaviour;
- b) association with known family of notorious individuals;
- c) poor performance issues, known to the City;
- d) negative social media reports; and
- e) adverse assurance (e.g. due diligence) report outcomes.
- **2.3.12.5** The CCT reserves the right to nominate an alternative bidder at the time when an award is made and in the event that a contract is terminated during the execution thereof, the CCT may consider the award of the contract, or non-award, to the alternative bidder in terms of the procedures included its SCM Policy.

#### 2.3.13 Prepare contract documents

- **2.3.13.1** If necessary, revise documents that shall form part of the contract and that were issued by the CCT as part of the tender documents to take account of:
- a) notices issued during the tender period,
- b) inclusion of some of the returnable documents, and
- c) other revisions agreed between the CCT and the successful tenderer.
- **2.3.13.2** Complete the schedule of deviations attached to the form of offer and acceptance, if any.

#### 2.3.14 Notice to successful and unsuccessful tenderers

- **2.3.14.1** Before accepting the tender of the successful tenderer the CCT shall notify the successful tenderer in writing of the decision of the CCT's Bid Adjudication Committee to award the tender to the successful tenderer. No rights shall accrue to the successful tenderer in terms of this notice
- **2.3.14.2** The CCT shall, at the same time as notifying the successful tenderer of the Bid Adjudication Committee's decision to award the tender to the successful tenderer, also give written notice to the other tenderers informing them that they have been unsuccessful.

#### 2.3.15 Provide written reasons for actions taken

Provide upon request written reasons to tenderers for any action that is taken in applying these Conditions of Tender, but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

# TENDER DOCUMENT GOODS AND SERVICES



**SUPPLY CHAIN MANAGEMENT** 

SCM - 542 Approved by Branch Manager: 03/04/2020

Version: 9 Page 211 of 141

TENDER NO: 359G/2022/23

TENDER DESCRIPTION: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS

CONTRACT PERIOD: FROM DATE OF COMMENCEMENT OF CONTRACT, NOT EXCEEDING A

PERIOD OF THIRTY-SIX (36) MONTHS

# **VOLUME 2: RETURNABLE DOCUMENTS**

	TENDERER
NAME of Company/Close Corporation or Partnership / Joint Venture/ Consortium or Sole Proprietor /Individual	
TRADING AS (if different from above)	

NATURE OF TENDER OFFER (please indicate below)		
Main Offer (see clause 2.2.11.1)		
Alternative Offer (see clause 2.2.11.1)		

# VOLUME 2: RETURNABLE DOCUMENTS (3) DETAILS OF TENDERER

<b>1.1 Type of Entity</b> (Please tick	one box)	
Individual / Sole Proprietor		Close Corporation Company
Partnership or Joint Venture or Consortium	Trust	Other:
1.2 Required Details (Please provide	le applicable details in ful	I):
Name of Company / Close Corporation or Partnership / Joint Venture / Consortium or Individual /Sole Proprietor		
Trading as (if different from above)		
Company / Close Corporation registration number (if applicable)		
Postal address		
		Postal Code
Physical address		
(Chosen domicilium citandi et executandi)		Postal Code
Contact datails of the names	Name of Mar/Ma	
Contact details of the person duly authorised to represent the tenderer	Name: Wif/WS	(Name & Surname)
	Telephone:( )	Fax:( )
	E-mail address:	
Income tax number		
VAT registration number		
SARS Tax Compliance Status PIN		
City of Cape Town Supplier Database Registration Number (See Conditions of Tender)		
National Treasury Central		

Is tenderer the accredited representative in South Africa for the Goods / Services / Works	☐Yes	□No
offered?	If yes, enclose proof	
Is tenderer a foreign based supplier for the Goods / Services / Works	□Yes	□No
offered?	If yes, answer the Qu	uestionnaire to Bidding Foreign Suppliers (below)
Questionnaire to Bidding Foreign Suppliers	a) Is the tenderer a r registered in South A	esident of the Republic of South Africa or an entity Africa?
	□Yes	□No
	b) Does the tendered of South Africa?	r have a permanent establishment in the Republic
	☐Yes	□No
	c) Does the tenderer Africa?	have any source of income in the Republic of South
	□Yes	□No
	1 ·	ble in the Republic of South Africa for any form of
	taxation?	
	□Yes	□No
Other Required registration numbers		

## (4) FORM OF OFFER AND ACCEPTANCE

# TENDER 359G/2022/23: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS

OFFER: (TO BE FILLED IN BY TENDERER):

Required Details (Please provide applicable details in full):

Name of Tendering Entity* ("the tenderer")						
Tradin	g as (if different from above)					
AND V	VHO IS represented herein by: (full na	mes of signatory)				
duly au	uthorised to act on behalf of the tende	rer in his capacity as: (titl	e/ designa	ition)		
	BY AGREES THAT by signing the Fo confirms that it has examined the do Annexures) and has accepted all the	ocuments listed in the Ind			ules and	
2.	confirms that it has received and inc CCT;	corporated any and all not	tices issue	d to tende	erers issued	by the
3.	confirms that it has satisfied itself as price(s) and rate(s) offered cover all that the price(s) and rate(s) cover all rate(s) and calculations will be at its	the goods and/or service I its obligations and accep	es specifie	d in the te	nder docum	ents;
4.	offers to supply all or any of the good tender document to the CCT in account terms and conditions stipulated 4.2 specifications stipulated in this to 4.3 at the prices as set out in the <b>Pr</b>	ordance with the: in this tender document; ender document; and	ny of the se	ervices de	scribed in th	ie
5.	accepts full responsibility for the pro- devolving on it in terms of the Contra		ent of all ol	bligations	and condition	ons
Signatu	re(s)					
o.g. a.a.	(-)		INITIALS	OF CITY (	OFFICIALS	
Print na	me(s):		1	2	3	
	alf of the tenderer (duly authorised)					
Date						

### **FORM OF OFFER AND ACCEPTANCE (continued)**

# TENDER 359G/2022/23: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS

#### ACCEPTANCE (TO BE FILLED IN BY THE CITY OF CAPE TOWN)

By signing this part of this form of offer and acceptance, the employer identified below accepts the tenderer's offer. In consideration thereof, the employer shall pay the supplier the amount due in accordance with the conditions of contract. Acceptance of the tenderer's offer shall form an agreement between the employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract are contained in:

(7) & (8): Special and General Conditions of Tender

(5) Price schedule13: Specifications

and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule.

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documents to be provided in terms of the conditions of contract identified in the special contract conditions. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the parties have signed the table below and confirms receipt from the employer of one fully completed original copy of this agreement, including the schedule of deviations (if any). The tenderer (now supplier) shall within five working days of the agreement coming into effect notify the employer in writing of any reason why he cannot accept the contents of this agreement as a complete and accurate memorandum thereof, failing which the agreement presented to the contractor shall constitute the binding contract between the parties.

A Tu Dation	E	0
The Parties	Employer	Supplier
Business Name		
Business		
Registration		
Tax number (VAT)		
Physical Address		
Accepted contract		
sum including tax		
Accepted contract		
duration		
Signed - who by		
signature hereto		
warrants authority		
Name of signatory		
Signed: Date		
Signed: Location		
Signed: Witness		
Name of Witness		
	0.5	•

## **FORM OF OFFER AND ACCEPTANCE (continued)**

(TO BE FILLED IN BY THE CITY OF CAPE TOWN)

#### Schedule of Deviations

#### Notes:

- 1. The extent of deviations from the tender documents issued by the CCT before the tender closing date is limited to those permitted in terms of the conditions of tender.
- 2. A tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.
- 3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.
- 4. Any change or addition to the tender documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract.

1 Subject .	
Details	
2 Subject .	
Details	$\sim$
3 Subject .	
Details	
(	GOTANOT
4 Subject.	
Details	
Dotails	
•	
•	

By the duly authorised representatives signing this agreement, the CCT and the tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to this tender document and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the tenderer and the CCT during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

## (5) PRICE SCHEDULE

Bid specifications may not make any reference to any particular trade mark, name, patent, design, type, specific origin or producer, unless there is no other sufficiently precise or intelligible way of describing the characteristics of the work, in which case such reference must be accompanied by the words "or equivalent".

TENDERERS MUST NOTE THAT WHEREVER THIS DOCUMENT REFERS TO ANY PARTICULAR TRADE MARK, NAME, PATENT, DESIGN, TYPE, SPECIFIC ORIGIN OR PRODUCER, SUCH REFERENCE SHALL BE DEEMED TO BE ACCOMPANIED BY THE WORDS 'OR EQUIVALENT"

			MA	IN ITEM		
Item No	Material Number	Description	Unit of Measure ment	Make and Model of Machine Offered	Delivery Period – to be stated in Weeks from date of purchase order	Net Unit Price Delivered (Excluding Vat) R
1.	500009060	4X2, 33KW AGRICULTURAL TRACTOR (with Cab)	EA			R
			OPTIONA	L/ EXTRA		
Item No	Material Number	Description	Unit of Measure ment	TENDERER'S OFFER		Net Unit Price Delivered (Excluding Vat) R
1.1	N/A	Supply and fitment of air conditioner	EA			R
1.2	N/A	Corrosion protection coating - West Coast spec as per clauses 15.3 (15.3.1 - 15.3.4) of the tender specification.	EA			R
1.3	N/A	Three year warranty against body rust including the cab.				R
1.4	N/A	Operator Training per candidate (Additional)				R
1.5	N/A	Technical Training per candidate (Once off)				R
1.6	N/A	Maintenance plan	up to 36mc	onths		R
1.7		Supply and fitmen	t of Hub ode	ometers		R

		<u> </u>
1.8	Supply and fitment of an approved water trap in the fuel line; a Racor model 225 or equivalent.	R
1.9	Supply and fitment a low profile half-length high bright LED module light bar. The light bar will consist of a minimum of 12 modules configured as follows:  3 x for rear viewing  3 x for front viewing  6 x for corners	R

INITIALS OF CITY OFFICIALS					
1 2 3					

MAIN ITEM								
Item No	Material Number	Description	Unit of Measure ment	Make and Model of Machine Offered	Delivery Period – to be stated in Weeks from date of purchase order	Net Unit Price Delivered (Excluding Vat) R		
2.	500009062	4X2, 33KW AGRICULTURAL TRACTOR	EA			R		
	OPTIONAL/ EXTRA							
Item No	Material Number	Description	Unit of Measure ment	TENDERER'S OFFER		Net Unit Price Delivered (Excluding Vat) R		
2.1	N/A	Corrosion protection coating - West Coast spec as per clauses 15.3 (15.3.1 - 15.3.4) of the tender specification.				R		
2.2	N/A	Three year warranty against body rust				R		
2.3	N/A	Operator Training p	er candidat	e (Additional)		R		

2.4	N/A	Technical Training per candidate (Once off)	R
2.5	N/A	Maintenance plan up to 36months	R
2.6		Supply and fitment of Hub odometers	R
2.7		Supply and fitment of an approved water trap in the fuel line; a Racor model 225 or equivalent.	R

	ALS OF C			
1 2 3				

	MAIN ITEM						
Item No	Material Number	Description	Unit of Measure ment	Make and Model of Machine Offered	Delivery Period – to be stated in Weeks from date of purchase order	Net Unit Price Delivered (Excluding Vat) R	
3.	500009063	4x2, 50KW AGRICULTURAL TRACTOR (with cab	EA			R	
	OPTIONAL/ EXTRA						
Item No	Material Number	Description	Unit of Measure ment	TENDERER'S OFFER		Net Unit Price Delivered (Excluding Vat) R	
3.1	N/A	Supply and fitment of air conditioner	EA			R	
3.2	N/A	Corrosion protection coating - West Coast spec as per clauses 15.3 (15.3.1 - 15.3.4) of the tender specification.	EA			R	
3.3	N/A	Three year warrar	nty against b	pody rust including the	cab.	R	

			1
3.4	N/A	Operator Training per candidate (Additional)	R
3.5	N/A	Technical Training per candidate (Once off)	R
3.6	N/A	Maintenance plan up to 36months	R
3.7		Supply and fitment of Hub odometers	R
3.8		Supply and fitment of an approved water trap in the fuel line; a Racor model 225 or equivalent.	R
3.9		Supply and fit a low profile half-length high bright LED module light bar. The light bar will consist of a minimum of 12 modules configured as follows:  3 x for rear viewing  3 x for front viewing  6 x for corners	R

INITIALS OF CITY OFFICIALS				
1	2	3		

	MAIN ITEM						
Item No	Material Number	Description	Unit of Measure ment	Make and Model of Machine Offered	Delivery Period – to be stated in Weeks from date of purchase order	Net Unit Price Delivered (Excluding Vat) R	
4.	500011072	4X2, 50KW AGRICULTURAL TRACTOR	EA			R	
			OPTIONA	L/ EXTRA			
Item No	Material Number	Description	Unit of Measure ment	TENDERER'S OFFER		Net Unit Price Delivered (Excluding Vat) R	

4.1	N/A	Corrosion protection coating - West Coast spec as per clauses 15.3 (15.3.1 - 15.3.4) of the tender specification.	R
4.2	N/A	Three year warranty against body rust	R
4.3	N/A	Operator Training per candidate (Additional)	R
4.4	N/A	Technical Training per candidate (Once off)	R
4.5	N/A	Maintenance plan up to 36months	R
4.6		Supply and fitment of Hub odometers	R
4.7		Supply and fitment of an approved water trap in the fuel line; a Racor model 225 or equivalent.	R

INITIALS OF CITY OFFICIALS						
1	1 2 3					

	MAIN ITEM							
Item No	Material Number	Description	Unit of Measure ment	Make and Model of Machine Offered	Delivery Period – to be stated in Weeks from date of purchase order	Net Unit Price Delivered (Excluding Vat) R		
5.	500011074	4x4, 50KW AGRICULTURAL TRACTOR (with cab)	EA			R		
			OPTIONA	I/EYTDA				
Item No	Material Number	Description	Unit of Measure ment	TENDERER'S OFFER		Net Unit Price Delivered (Excluding Vat) R		

				TENDER NO: 359G/202	2/23
5.1	N/A	Supply and fitment of air conditioner	EA		R
5.2	N/A	Corrosion protection coating - West Coast spec as per clauses 15.3 (15.3.1 - 15.3.4) of the tender specification.	EA		R
5.3	N/A	Three year warrar	nty against l	oody rust including the cab.	R
5.4	N/A	Operator Training per candidate (Additional)			R
5.5	N/A	Technical Training per candidate (Once off)			R
5.6	N/A	Maintenance plan up to 36months.			R
5.7		Supply and fitment of Hub Odometer.			R
5.8		Supply and fitment of an approved water trap in the fuel line; a Racor model 225 or equivalent.			R
5.9		Supply and fit a low profile half-length high bright LED module light bar. The light bar will consist of a minimum of 12 modules configured as follows:  3 x for rear viewing  3 x for front viewing  6 x for corners			R
5.10		Supply and fitment of a front end loader attachment with bucket.			

INITIALS OF CITY OFFICIALS						
1	1 2 3					

#### **Pricing Instructions:**

- 5.1 State the rates and prices in Rand unless instructed otherwise in the tender conditions.
- 5.2 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the General Tender Information.
- 5.3 All prices tendered must include all expenses, disbursements and costs (e.g. transport, accommodation etc.) that may be required for the execution of the tenderer's obligations in terms of the Contract, and shall cover the cost of all general risks, liabilities and obligations set forth or implied in the Contract as well as overhead charges and profit (in the event that the tender is successful). All prices tendered will be final and binding.
- 5.4 All prices shall be tendered in accordance with the units specified in this schedule.
- 5.5 Where a value is given in the Quantity column, a Rate and Price (the product of the Quantity and Rate) is required to be inserted in the relevant columns.
- The successful tenderer is required to perform all tasks listed against each item. The tenderer must therefore tender prices/rates on all items as per the section in the Price Schedule. An item against which no rate is/are entered, or if anything other than a rate or a nil rate (for example, a zero, a dash or the word "included" or abbreviations thereof) is entered against an item, it will also be regarded as a nil rate having been entered against that item, i.e. that there is no charge for that item. The Tenderer may be requested to clarify nil rates, or items regarded as having nil rates; and the Employer may also perform a risk analysis with regard to the reasonableness of such rates.
- 5.7 Tenderers must include the licensing, registration, number plate costs and all other associated costs, including transportation costs, in the tender price (main item) as a once off cost. No periodical costs mentioned will be accepted.
- 5.8 Tenderers to note that evaluation will be based on the main items only and not including the optional/ extras in the Price Schedule

INITIALS OF CITY OFFICIALS				
1	2	3		

## (6) SUPPORTING SCHEDULES

## Schedule 1: Certificate of Authority for Partnerships/ Joint Ventures/ Consortiums

This schedule is to be completed if the tender is submitted by a partnership/joint venture/ consortium.

1.	hereb	oy authorize Mr/Ms, acting in the capacity of Lead Partner, to sign all
		ments in connection with the tender offer and any contract resulting from it on the partnership/joint re/ consortium's behalf.
2.	By si	gning this schedule the partners to the partnership/joint venture/ consortium:
	2.1	warrant that the tender submitted is in accordance with the main business and objectives of the partnership/joint venture/ consortium;
	2.2	agree that the CCT shall make all payments in terms of this Contract into the following bank account of the Lead Partner:
		Account Holder:
		Financial Institution:
		Branch Code:
		Account No.:
	2.3	agree that in the event that there is a change in the partnership/ joint venture/ consortium and/or should a dispute arise between the partnership/joint venture/ consortium partners, that the CCT shall continue to make any/all payments due and payable in terms of the Contract into the aforesaid bank account until such time as the CCT is presented with a Court Order or an original agreement (signed by each and every partner of the partnership/joint venture/ consortium) notifying the CCT of the details of the new bank account into which it is required to make payment.
	2.4	agree that they shall be jointly and severally liable to the CCT for the due and proper fulfilment by

2.4	agree that they shall be jointly and severally liable to the CCT for the due and proper fullillitent by
	the successful tenderer/supplier of its obligations in terms of the Contract as well as any damages
	suffered by the CCT as a result of breach by the successful tenderer/supplier. The
	partnership/joint venture/ consortium partners hereby renounce the benefits of excussion and division.

SIGNED BY THE PA	SIGNED BY THE PARTNERS OF THE PARTNERSHIP/ JOINT VENTURE/ CONSORTIUM				
NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY			
Lead partner		Signature Name Designation			
		Signature Name Designation			
		Signature Name Designation			
		Signature Name Designation			

Note: A copy of the Joint Venture Agreement shall be appended to List of other documents attached by tenderer schedule.

# Schedule 2: Declaration for Procurement above R10 million

If the value of the transaction is expected to exceed R10 million (VAT included) the tenderer shall complete the following questionnaire, attach the necessary documents and sign this schedule:

	VEC	1	NO	
	YES		NO	
	1.1 If YES	s, submit audited annual f	inancial statements:	·
		e past three years, or the date of establishment	of the tenderer (if established	d during the past three
	By attaching tenderer sche		tatements to List of othe	r documents attac
Do yo	municipality in		nitments for municipal servic t is overdue for more than 3	
	YES		NO	
2.1	services towa	-	enderer has no undisputed more than three (3) (three) nirty) days.	
2.1	services towa payment is over	rds any municipality for r	more than three (3) (three)	
	services towa payment is over	rds any municipality for r erdue for more than 30 (th	more than three (3) (three)	
2.2	services towa payment is over If YES	rds any municipality for rerdue for more than 30 (the particulars:	more than three (3) (three) nirty) days.	months in respect of
2.2	services towa payment is over  If YES  any contract beer	rds any municipality for rerdue for more than 30 (the particulars:	more than three (3) (three)	months in respect of

3.1 If YES, insert particulars in the table below including particulars of any material non-compliance or dispute concerning the execution of such contract. Alternatively attach the particulars to **List of other documents attached by tenderer** schedule in the same format as the table below:

Organ of State	Contract Description	Contract Period	Non-compliance/dispute (if any)

and	Il any portion of the goods d whether any portion of ease mark with X)						
	YES			NO			
_	4.1 If YES, furni	sh particulars below					
_							
correct, and taken agair	rer hereby certifies that the discontinuity acknowledges that failure ast the tenderer, the tender of the contract, restriction it.	e to properly and truthfur or being disqualified, and	ılly coı d/or (ir	mplete this sched the event that t	dule m he ten	nay result in nderer is su	steps being ccessful) the
Signature Print name On behalf o	: of the tenderer (duly autho	Dat	e				_

#### Schedule 3:

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

#### **Definitions**

The following definitions shall apply to this schedule:

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

#### FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 90/10 PREFERENCE POINT SYSTEMS

A maximum of 90 points is allocated for price on the following basis:

90/10

$$Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$

Where

Pmin

Ps = Points scored for price of tender under consideration

Price of lowest acceptable tender

Pt = Price of tender under consideration

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that the 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system.

then the organ of state must indicate the points allocated for specific goals for the 90/10 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where the 90/10 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)
Gender (Ownership)	5	
Race (Ownership)	5	

#### DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
4.4.	Company registration number:
4.5.	TYPE OF COMPANY/ FIRM
	<ul> <li>Partnership/Joint Venture / Consortium</li> <li>One-person business/sole propriety</li> <li>Close corporation</li> <li>Public Company</li> <li>Personal Liability Company</li> <li>(Pty) Limited</li> <li>Non-Profit Company</li> <li>State Owned Company</li> <li>[Tick applicable box]</li> </ul>

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
  - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
    - (a) disqualify the person from the tendering process;

- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME: DATE:	
ADDRESS:	

For official use.				
SIGNATURE TENDER OP	OF CITY OFF ENING	FICIALS AT		
1.	2.	3.		

### Schedule 4: Declaration of Interest – State Employees (MBD 4 amended)

1. No bid will be accepted from:

3.

- 1.1 persons in the service of the state<sup>1</sup>, or
- 1.2 if the person is not a natural person, of which any director, manager or principal shareholder or stakeholder is in the service of the state, or
- 1.3 from persons, or entities of which any director, manager or principal shareholder or stakeholder, has been in the service of the City of Cape Town during the twelve months after the City employee has left the employ of the City, or
- 1.4 from an entity who has employed a former City employee who was at a level of T14 of higher at the time of leaving the City's employ and involved in any of the City's bid committees for the bid submitted, if:
  - 1.4.1 the City employee left the City's employment voluntarily, during a period of 12 months after the City employee has left the employ of the City;
  - 1.4.2 the City employee left the City's employment whilst facing disciplinary action by the City, during a period of 24 months after the City employee has left the employ of the City, or any other period prescribed by applicable legislative provisions, after having left the City's employ.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the tenderer or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
  - In order to give effect to the above, the following questionnaire must be completed and submitted with the 3.1 Full Name of tenderer or his or her representative: .2 Identity Number:.... 3.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>)..... 3.4 Company or Close Corporation Registration Number:..... 3.5 Tax Reference Number..... 3.6 VAT Registration Number: ...... 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below. 3.8 Are you presently in the service of the state? YES / NO 3.8.1 If yes, furnish particulars ..... Have you been in the service of the state for the past twelve months? YES / NO 3.9.1 If yes, furnish particulars ..... 3 10 have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? YES / NO 3.10.1 If yes, furnish particulars ..... 3.11 Are you, aware of any relationship (family, friend, other) between any other tenderer and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? YES / NO 3.11.1 If yes, furnish particulars..... Are any of the company's directors, trustees, managers, principle shareholders or stakeholders 3.12 in service of the state? YES / NO

3.12.1 If yes, furnish particulars .....

	3.13	Are any spouse, child or parent shareholders or stakeholders in se		ors, trustees, managers, principle O					
		3.13.1 If yes, furnish particulars .							
	3.14	Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract? YES / NO							
		3.14.1 If yes, furnish particulars							
	3.15	Have you, or any of the directors, this company been in the service <b>NO</b>		ele shareholders, or stakeholders of the past twelve months? YES /					
		3.15.1 If yes, furnish particulars							
	3.16		ploy of the City, and who w	y of Cape Town at a level of T14 or as involved in any of the City's bid					
		3.16.1 If yes, furnish particulars							
4.	Full de	tails of directors / trustees / member	ers / shareholders						
		Full Name	Identity Number	State Employee Number					
		le does not sufficient to provide the e tender submission.	details of all directors / trus	tees / shareholders, please append					
correct, taken a	and ack gainst thation of	ereby certifies that the information knowledges that failure to properly and tenderer, the tender being disquathe contract, restriction of the tender	and truthfully complete this alified, and/or (in the event	schedule may result in steps being that the tenderer is successful) the					
Signatu Print na On beh	ame:	e tenderer (duly authorised)	Date						

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be –

- (a) a member of -
  - (i) any municipal council;
  - (ii) (iii) any provincial legislature; or
  - the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
   (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- an executive member of the accounting authority of any national or provincial public entity; or
- an employee of Parliament or a provincial legislature.

<sup>&</sup>lt;sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

## **Schedule 5: Conflict of Interest Declaration**

	YES		NO	
1.1	If yes, the tend	erer is required to set	out the particulars in the tab	le below:
	tenderer shall decl	are whether it has dire	ectly or through a representa	tive or intermediary promised
2.1	any inducemer	nt or reward to the CC	T for or in connection with th	e award of this contract; or
2.2		•	to any official or any othen anagement policy. (Please	er role player involved in t mark with X)
	YES		NO	
		vers of any corrupt o	r fraudulant transactions r	olating to the procurement
hould 4	the tenderer he au	are of any corrupt of	r iraudulent transactions r	
hould t	the tenderer be aw process		Town, please contact the fo	ollowing:
hould t	process	of the City of Cape 1	own, please contact the fo	•
tendere ect, and n agains	the Ci	that the information stailure to properly and tender being disqualif	et out in this schedule and/d truthfully complete this schied, and/or (in the event that	•

# Schedule 6: Declaration of Tenderer's Past Supply Chain Management Practices (MBD 8)

Where the entity tendering is a partnership/joint venture/consortium, each party to the partnership/joint venture/consortium must sign a declaration in terms of the Municipal Finance Management Act, Act 56 0f 2003, and attach it to this schedule.

- 1 The tender offer of any tenderer may be rejected if that tenderer or any of its directors/members have:
  - a) abused the municipality's / municipal entity's supply chain management system or committed any fraudulent conduct in relation to such system;
  - b) been convicted for fraud or corruption during the past five years;
  - c) willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d) been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or Database of Restricted Suppliers.
- 2 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
2.1	Is the tenderer or any of its directors/members listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?  (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the audi alteram partem rule was applied).  The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes	No □
2.1.1	If so, furnish particulars:		
2.2	Is the tenderer or any of its directors/members listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or Database of Restricted Suppliers?  The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No
2.2.1	If so, furnish particulars:		
2.3	Was the tenderer or any of its directors/members convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No

2.3.1	If so, furnish particulars:			
Item	Question		Yes	No
2.4	Does the tenderer or any of its directors owe a municipal charges to the municipality / municipal entity, that is in arrears	al entity, or to any other	Yes	No
2.4.1	If so, furnish particulars:	1		
2.5	Was any contract between the tenderer and the or any other organ of state terminated during the failure to perform on or comply with the contract	ne past five years on account of	Yes	No
2.7.1	If so, furnish particulars:			
and step is s	tenderer hereby certifies that the information se correct, and acknowledges that failure to proper be being taken against the tenderer, the tender be uccessful) the cancellation of the contract, , restri ny other remedies available to it.	ly and truthfully complete this sche ing disqualified, and/or (in the ever	edule man	ay res ne ten
ature		te		

On behalf of the tenderer (duly authorised)

## Schedule 7: Authorisation for the Deduction of Outstanding Amounts Owed to the City of Cape Town

То:	7	THE CIT	Y MANAGER, (	CITY OF CAPE TOWN		
From:	7	(Nama a	f tondoror)			
	(	iname d	f tenderer)			
			ON FOR THE APE TOWN	E DEDUCTION OF OUTSTA	NDING	AMOUNTS OWED
The ter	nderer:					
a)	tender of (or any o	the tend if its dire	derer if any muni	cipal rates and taxes or municipal spartners) to the CCT, or to any other	service cha	rges owed by the tendere
b)		-	_			
c)	confirms	the info	rmation as set o	ut in the tables below for the purpo	se of giving	g effect to b) above;
d)	and corresteps being success	ect, and ing take ssful) the	acknowledges the against the ten	nat failure to properly and truthfully derer, the tender being disqualified the contract, restriction of the tend	complete to, and/or (in	this schedule may result in the event that the tendere
		Phy	sical <b>Business</b>	address(es) of the tenderer	ion 38(1)(d)(i) the City Manager may reject the r municipal service charges owed by the tenderer r to any other municipality or municipal entity, are duct the full amount outstanding by the Tenderer rent due to the tenderer; and or the purpose of giving effect to b) above; ut in this schedule and/or attached hereto is true and truthfully complete this schedule may result in disqualified, and/or (in the event that the tenderer in of the tenderer or the exercise by the employer derer    Municipal Account number(s)   Municipal Account Acco	
					CCT to deduct the full amount outstanding by the Tenderer any payment due to the tenderer; and les below for the purpose of giving effect to b) above; ation set out in this schedule and/or attached hereto is true properly and truthfully complete this schedule may result in inder being disqualified, and/or (in the event that the tenderer it, restriction of the tenderer or the exercise by the employer of the tenderer  of the tenderer  Municipal Account number(s)  st, please attach the information to List of other documents format:  Municipal Account  Municipal Account	
	attached	by ten		Il the names, please attach the info	ormation to	List of other documents
	Dired Mem	ne of ctor / ber / tner	Identity Number	Physical <b>residential</b> address of Member / Partner	Director /	Account
Signati Print na On beh	ame:	tenderei	· (duly authorise			
			· •	·		

## Schedule 8: Contract Price Adjustment and/or Rate of Exchange Variation

Where prices are subject to adjustment, only the method prescribed in this tender document shall apply. If a Tenderer proposes any alternative method of price adjustment, its tender offer will be considered to be non-responsive and may for that reason be disqualified at the sole discretion of the City.

<u>Contract Price Adjustment mechanism</u>: Tenderers may have the opportunity to submit a request for price increases immediately when the contract is implemented. Prices will then remain firm for interval periods of three (3) months for the duration of the contract. However, all requests for price increases will have to be substantiated before it can be considered.

The contract price adjustment methodology applied to this contract will be in accordance with Supplier/manufacturer price list variations.

Tenderers are not permitted to amend, vary, alter or delete this schedule or any part thereof unless otherwise stated in this schedule, failing which the tender offer shall be declared non-responsive.

#### A SUPPLIER/MANUFACTURER PRICE LIST VARIATIONS (SECTION A BELOW):

The following will be applicable:

Tenderers must supply the following documentation when applying for a price variation:

- The price list that the tender was based upon clearly indicating the item numbered according to the tender pricing schedule.
- The new price list **clearly indicating the item according to the tender pricing schedule** from the same supplier/manufacturer from date of tender
- Detailed calculations indicating how the "new" price is established
- Covering letter on a letterhead from contractor requesting the variation.
- All documentation to be signed by relevant parties

<u>prior</u> to the date upon which the price variation would become effective. The effective date of any price increases granted will be at the date when all the abovementioned documentation is submitted. In instances where the contractors price claimed is less than entitled, the lesser price will be accepted. Orders placed prior to the effective date will not be allowed to be varied. Only the difference in cost will be allowed to be varied and under no circumstances may the contractor increase their profit margin.

In the event of a contactor changing their supplier/manufacturer during the tenure of the contract, any request for price variations will not be considered unless the contractor obtains prior approval from the City.

#### Process that will be followed:

Contractor submits all the documentation indicated above prior to the effective date of the variation.

The City will consider the variation and based on the documentary evidence, the City may approve the variation.

Letters authorising the price variation will be communicated to the contractor.

All purchase orders from the effective date will be generated at the approved contract price.

#### A SUPPLIER/MANUFACTURER PRICE LISTS

#### TENDERS WHO ARE NOT THE MANUFACTURER/SUPPLIER

Note: TENDERERS ARE REQUIRED TO COMPLETE BELOW.

#### Increase using Supplier/Manufacturer Price Lists

The tender price shall be subject to adjustment based on Supplier's/Manufacturer's Price Lists.
Supplier/Manufactuer
Date of Price List/Quotation upon which tender is based
Price List/Quotation Reference Number
N B

The above information must be provided for each item supplied to the Tenderer.

Copies of price lists on which tender prices are based <u>must</u> be enclosed for all items. The items referenced to the Pricing Schedule must be clearly identified on the price list.

Tenderers will be entitled to claim only the difference between the cost of the product at the time of tendering and the new cost. Documentation together with detailed calculations to this effect must be submitted with the request.

If different items have different manufacturers/suppliers, then tenderer's must indicate so above and then submit the information on a covering letter

## **Schedule 9: Certificate of Independent Tender Determination**

I, the undersigned, in submitting this tender **359G/2022/23: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS** in response to the tender invitation made by THE CITY OF CAPE TOWN, do hereby make the following statements, which I certify to be true and complete in every respect:

y, on ber	nalf of :	(Name of tenderer)
I have	read and I understand the contents of	this Certificate;
I unde	erstand that this tender will be disqualifie	d if this Certificate is found not to be true and complete in every respect;
I am a	authorised by the tenderer to sign this C	ertificate, and to submit this tender, on behalf of the tenderer;
	person whose signature appears on thi o sign, the tender on behalf of the tende	s tender has been authorised by the tenderer to determine the terms of, rer;
		nder, I understand that the word 'competitor' shall include any individual her or not affiliated with the tenderer, who:
(a) h	nas been requested to submit a tender	in response to this tender invitation;
	could potentially submit a tender in resexperience; and	conse to this tender invitation, based on their qualifications, abilities or
(c) p	provides the same goods and services	as the tenderer and/or is in the same line of business as the tenderer.
arrang		pendently from and without consultation, communication, agreement or communication between partners in a joint venture or consortium will
	rticular, without limiting the generalit nunication, agreement or arrangement v	y of paragraphs 5 and 6 above, there has been no consultation, with any competitor regarding:
(a)	prices;	
(b)	geographical area where product or	service will be rendered (market allocation);
(c)	methods, factors or formulas used t	o calculate prices;
(d)	the intention or decision to submit o	r not to submit a tender;
(e)	the submission of a tender which do	es not meet the specifications and conditions of the tender; or
(f)	tendering with the intention not to w	in the contract.
regard		s, communications, agreements or arrangements with any competitors and conditions or delivery particulars of the products or services to
		d will not be disclosed by the tenderer, directly or indirectly, to any official tender opening or of the awarding of the contract.
related invest of 199 be res	d to tenders and contracts, tenders the igation and possible imposition of admios, and/or may be reported to the National from conducting business with the stricted from conducting business with the strict of	udice to any other remedy provided to combat any restrictive practices at are suspicious will be reported to the Competition Commission for nistrative penalties in terms of section 59 of the Competition Act, Act 89 and Prosecuting Authority (NPA) for criminal investigation, and/or may be public sector for a period not exceeding 10 (ten) years in terms of the es Act, Act 12 of 2004, or any other applicable legislation.

(<sup>1</sup> Consortium: Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.)

(For and on behalf of the Tenderer (duly authorised))

## Schedule 10: Price Basis for Imported Resources

tal in Rand	(C) + (D) + (E) included in Price Schedule	(F)					
Customs Duty*	Rand	(E)					
D I	%						
Customs Surcharge	Rand	(D)					
Sul	%						
	Value in Rand (A) x (B)	(c)					
	Rate of Exchange as at BASE DATE	(B)					
URCES TO BE ADJUSTED	Value in Foreign Currency	(A)					
	Description of Resources						
VALUE OF IMPORTED RESOURCES TO BE ADJUSTED	Price Schedule Item No.						

<sup>\*</sup> State Customs Duty Tariff Reference for each item

Note:

Note that any Resources not inserted in this Returnable Schedule shall be deemed to be manufactured / supplied in South Africa for the purposes of Contract Price Adjustment. The BASE DATE referred to in column (B) will be7 calendar days before tender closing.

SIGNED ON BEHALF OF TENDERER: ......

## Schedule 11: Schedule of Pre-Qualification Criteria Sub-Contractors

Not Applicable

## Schedule 12: List of other documents attached by tenderer

	Date of Document	Title of Document or Description
		(refer to clauses / schedules of this tender document where applicable)
•		
-		
•		
-		
0.		
1.		
2.		
-		
3.		
4.		
5.		
6.		
7.		
tach a	dditional pages if more space	e is required.
natur		

## **Schedule 13: Record of Addenda to Tender Documents**

We confirm that the following communications received from the Employer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer: **Title or Details Date** 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Attach additional pages if more space is required.

## Schedule 14: Information to be provided with the tender

The documents, as listed in the table below, to be provided by the Tenderer with the Tender submission or alternatively to be submitted within 7 days of request. Tenderers to state in the column below if the relevant document has been supplied with their tender submission by indicating either **yes or no.** 

DOCUMENTS TO BE PROVIDED AND OR COMPLETED	TENDERERS RESPONSE: YES / NO
Documentary proof of an OEM approved supplier and or distributor for the tractors offered on tender.	
Confirmation letter stating that the tenderer's undertakes to have workshop facilities available for the servicing, maintenance of the tractors offered as specified in clause 1.6 of the specification, within 60 days of commencement of contract.	
Confirmation letter that the fitment of the Automated Fuel system will not affect the vehicle warranty.	
Fully complete Section B - The Technical Specification Tables	
Brochures with technical information on their tendered products	

SIGNED ON BEHALF O	F TENDERER:	 	

# TENDER DOCUMENT GOODS AND SERVICES SUPPLY CHAIN MANAGEMENT SCM - 542 Approved by Branch Manager: 03/04/2020 Version: 8 Page 55 of 141

TENDER NO: 359G/2022/23

TENDER DESCRIPTION: SUPPLY AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS

CONTRACT PERIOD: FROM DATE OF COMMENCEMENT OF CONTRACT, NOT EXCEEDING 36

**MONTHS** 

## **VOLUME 3: DRAFT CONTRACT**

	TENDERER
NAME of Company/Close Corporation or Partnership / Joint Venture/ Consortium or Sole Proprietor /Individual	
TRADING AS (if different from above)	

NATURE OF TENDER OFFER (please indicate below)	
Main Offer (see clause 2.2.11.1)	
Alternative Offer (see clause 2.2.11.1)	

# VOLUME 3: DRAFT CONTRACT (7) SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract, referring to the National Treasury – Conditions of Contract (revised July 2010), are applicable to this Contract:

#### 1. Definitions

Delete Clause 1.15 and substitute with the following

1.15 The word 'Goods' is to be replaced everywhere it occurs in the GCC with the phrase 'Goods and / or Services' which means all of the equipment, machinery, materials, services, products, consumables, etc. that the supplier is required to deliver to the purchaser under the contract. This definition shall also be applicable, as the context requires, anywhere where the words "supplies" and "services" occurs in the GCC.

Delete Clause 1.19 and substitute with the following

1.19 The word 'Order' is to be replaced everywhere it occurs in the GCC with the words 'Purchase Order' which means the official purchase order authorised and released on the purchaser's SAP System

Delete Clause 1.21 and substitute with the following:

1.21 'Purchaser' means the **City of Cape Town**. The address of the Purchaser is **12 Hertzog Boulevard**, **Cape Town**, **8001**.

Add the following after Clause 1.25:

- 1.26 'Supplier' means any provider of goods and / or services with whom the contract is concluded
- "Intellectual Property" means any and all intellectual property rights of any nature anywhere in the world whether registered, registerable or otherwise, including patents, trademarks, registered designs and domain names, applications for any of the foregoing, trade or business names, copyright and rights in the nature of copyright, design rights, rights in databases, know-how, trade secrets and any other intellectual property rights which subsist in computer software, computer programs, websites, documents, information, techniques, business methods, drawings, logos, instruction manuals, lists and procedures and particulars of customers, marketing methods and procedures and advertising literature, including the "look and feel" of any websites

#### 3. General Obligations

Delete Clause 3.2 in its entirety and replace with the following clauses.

- 3.2 The parties will be liable to each other arising out of or in connection with any breach of the obligations detailed or implied in this contract, subject to clause 28.
- 3.3 All parties in a joint venture or consortium shall be jointly and severally liable to the purchaser in terms of this contract and shall carry individually the minimum levels of insurance stated in the contract, if any.
- 3.4 The parties shall comply with all laws, regulations and bylaws of local or other authorities having jurisdiction regarding the delivery of the goods and give all notices and pay all charges required by such authorities.
- 3.4.1 The parties agree that this contract shall also be subject to the CCT's Supply Chain Management Policy ('SCM Policy') that was applicable on the date the bid was advertised, save that if the Employer adopts a new SCM Policy which contemplates that any clause therein would apply to the contract emanating from this tender, such clause shall also be applicable to that contract. Please refer to this document contained on the CCT's website.
- 3.4.2 Abuse of the supply chain management system is not permitted and may result in cancellation of the contract, restriction of the supplier, and/or the exercise by the City of any other remedies available to it as described in the SCM Policy.

- 3.5 The **supplier** shall:
- 3.5.1 Arrange for the documents listed below to be provided to the Purchaser prior to the issuing of the order:
  - a) Proof of Insurance (Refer to Clause 11) or Insurance Broker's Warrantee
  - b) Letter of good standing from the Compensation Commissioner, or a licensed compensation insurer (Refer to Clause 11)
  - c) Initial delivery programme
  - d) Other requirements as detailed in the tender documents
- 3.5.2 Only when notified of the acceptance of the bid by the issuing of the order, the supplier shall commence with and carry out the delivery of the goods in accordance with the contract, to the satisfaction, of the purchaser
- 3.5.3 Provide all of the necessary materials, labour, plant and equipment required for the delivery of the goods including any temporary services that may be required
- 3.5.4 Insure his workmen and employees against death or injury arising out of the delivery of the goods
- 3.5.5 Be continuously represented during the delivery of the goods by a competent representative duly authorised to execute instructions;
- 3.5.6 In the event of a loss resulting in a claim against the insurance policies stated in clause 11, pay the first amount (excess) as required by the insurance policy
- 3.5.7 Comply with all written instructions from the purchaser subject to clause 18
- 3.5.8 Complete and deliver the goods within the period stated in clause 10, or any extensions thereof in terms of clause 21
- 3.5.9 Make good at his own expense all incomplete and defective goods during the warranty period
- 3.5.10 Pay to the purchaser any penalty for delay as due on demand by the purchaser. The supplier hereby consents to such amounts being deducted from any payment to the supplier.
- 3.5.11 Comply with the provisions of the OHAS Act & all relevant regulations.
- 3.5.12 Comply with all laws relating to wages and conditions generally governing the employment of labour in the Cape Town area and any applicable Bargaining Council agreements.
- 3.5.13 Deliver the goods in accordance with the contract and with all reasonable care, diligence and skill in accordance with generally accepted professional techniques and standards.
- 3.6 The **purchaser** shall:
- 3.6.1 Issue orders for the goods required under this Contract. No liability for payment will ensue for any work done if an official purchase order has not been issued to the supplier.
- 3.6.2 Make payment to the **supplier** for the goods as set out herein.
- 3.6.3 Take possession of the goods upon delivery by the supplier.
- 3.6.4 Regularly inspect the goods to establish that it is being delivered in compliance with the contract.
- 3.6.5 Give any instructions and/or explanations and/or variations to the supplier including any relevant advice to assist the supplier to understand the contract documents.
- 3.6.6 Grant or refuse any extension of time requested by the supplier to the period stated in clause 10.
- 3.6.7 Inspect the goods to determine if, in the opinion of the purchaser, it has been delivered in compliance with the contract, alternatively in such a state that it can be properly used for the purpose for which it was intended.
- 3.6.8 Brief the supplier and issue all documents, information, etc. in accordance with the contract.

#### 5. Use of contract documents and information; inspection, copyright, confidentiality, etc.

Add the following after clause 5.4:

5.5 Copyright of all documents prepared by the supplier in accordance with the relevant provisions of the copyright Act (Act 98 of 1978) relating to contract shall be vested in the purchaser. Where copyright is vested in the supplier, the purchaser shall be entitled to use the documents or copy them only for the purposes for which they are intended in regard to the contract and need not obtain the supplier's permission to copy for such use. Where copyright is vested in the purchaser, the supplier shall not be liable in any way for the use of any of the information other than as originally intended for the contract and the purchaser hereby indemnifies the supplier against any claim which may be made against him by any party arising from the use of such documentation for other purposes.

The ownership of data and factual information collected by the supplier and paid for by the purchaser shall, after payment, vest with the purchaser

#### 5.6 Publicity and publication

The supplier shall not release public or media statements or publish material related to the services or contract within two (2) years of completion of the services without the written approval of the purchaser, which approval shall not be unreasonably withheld.

#### 5.7 Confidentiality

Both parties shall keep all information obtained by them in the context of the contract confidential and shall not divulge it without the written approval of the other party.

- 5.8 Intellectual Property
- 5.8.1 The supplier acknowledges that it shall not acquire any right, title or interest in or to the Intellectual Property of the Employer.
- 5.8.2 The supplier hereby assigns to the Employer, all Intellectual Property created, developed or otherwise brought into existence by it for the purposes of the contract, unless the Parties expressly agree otherwise in writing.
- 5.8.3 The supplier shall, and warrants that it shall:
- 5.8.3.1 not be entitled to use the Employer's Intellectual Property for any purpose other than as contemplated in this contract;
- 5.8.3.2 not modify, add to, change or alter the Employer's Intellectual Property, or any information or data related thereto, nor may the supplier produce any product as a result of, including and/or arising from any such information, data and Intellectual Property, and in the event that it does produce any such product, the product shall be, and be deemed in law to be, owned by the Employer;
- 5.8.3.3 not apply for or obtain registration of any domain name, trademark or design which is similar to any Intellectual Property of the Employer;
- 5.8.3.4 comply with all reasonable directions or instructions given to it by the Employer in relation to the form and manner of use of the Employer Intellectual Property, including without limitation, any brand guidelines which the Employer may provide to the supplier from time to time;
- 5.8.3.5 procure that its employees, directors, members and contractors comply strictly with the provisions of clauses 5.8.3.1 to 5.8.3.3 above;
  - unless the Employer expressly agrees thereto in writing after obtaining due internal authority.
- 5.8.4 The supplier represents and warrants to the Employer that, in providing goods, services or both, as the case may be, for the duration of the contract, it will not infringe or make unauthorised use of the Intellectual Property rights of any third party and hereby indemnifies the Employer from any claims, liability, loss, damages, costs, and expenses arising from the infringement or unauthorised use by the supplier of any third party's Intellectual Property rights.

5.8.5 In the event that the contract is cancelled, terminated, ended or is declared void, any and all of the Employer's Intellectual Property, and any and all information and data related thereto, shall be immediately handed over to the Employer by the supplier and no copies thereof shall be retained by the supplier unless the Employer expressly and in writing, after obtaining due internal authority, agrees otherwise.

#### 7. Performance Security

'Not Applicable. Tenderers must disregard **Form of Guarantee / Performance Security** and are not required to complete same.

#### 8. Inspections, tests and analyses

Delete Clause 8.2 and substitute with the following:

8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the purchaser or an organisation acting on behalf of the purchaser.

#### 10. Delivery and documents

Delete clauses 10.1 and 10.2 and replace with the following:

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The time for delivery of the goods shall be the date as stated on the order. Orders for the supply and delivery of goods may be raised up until the expiry of a framework agreement bid, provided that the goods can be delivered within 30 days of expiry of the framework contract. All orders, other than for the supply and delivery of goods, must be completed prior to the expiry of the contract period.
- 10.2 The purchaser shall determine, in its sole discretion, whether the goods have been delivered in compliance with the contract, alternatively in such a state that it can be properly used for the purpose for which it was intended. When the purchaser determines that the goods have been satisfactorily delivered, the purchaser must issue an appropriate certification, or written approval, to that effect. Invoicing may only occur, and must be dated, on or after the date of acceptance of the goods.

#### 11. Insurance

Add the following after clause 11.1:

- 11.2 Without limiting the obligations of the supplier in terms of this contract, the supplier shall effect and maintain the following additional insurances:
  - a) Public liability insurances, in the name of the supplier, covering the supplier and the purchaser against liability for the death of or injury to any person, or loss of or damage to any property, arising out of or in the course of this Contract, in an amount not less than **R20 million** for any single claim;
  - b) Motor Vehicle Liability Insurance, in respect of all vehicles owned and / or leased by the supplier, comprising (as a minimum) "Balance of Third Party" Risks including Passenger Liability Indemnity;
  - c) Registration / insurance in terms of the Compensation for Occupational Injuries and Disease Act, Act 130 of 1993. This can either take the form of a certified copy of a valid Letter of Good Standing issued by the Compensation Commissioner, or proof of insurance with a licenced compensation insurer, from either the bidder's broker or the insurance company itself (see **Proof of Insurance / Insurance Broker's Warranty** section in document for a pro forma version).
  - d) Professional indemnity insurance providing cover in an amount of not less than R5 million in respect of each and every claim during the contract period.

In the event of under insurance or the insurer's repudiation of any claim for whatever reason, the CCT will retain its right of recourse against the supplier.

11.3 The supplier shall be obliged to furnish the CCT with proof of such insurance as the CCT may require from time to time for the duration of this Contract. Evidence that the insurances have been effected in terms of this clause, shall be either in the form of an insurance broker's warranty worded precisely as per the pro forma version contained in the **Proof of Insurance / Insurance Broker's Warranty** section of the document or copies of the insurance policies.

#### 15. Warranty

15.2 This warranty for this contract shall remain valid for **twelve (12) months** after the goods have been delivered.

#### 16. Payment

Delete Clause 16.1 in its entirety and replace with the following:

16.1 A monthly payment cycle will be the norm. All invoices which are dated on or before the 20th of a particular month will typically be paid between the 23rd and 26th of the following month. The supplier may submit a fully motivated application regarding more frequent payment to the Employer's Director: Expenditure for consideration. Requests for more frequent payments will be considered at the sole discretion of the Employer and is not a right in terms of this contract.

Delete Clause 16.2 in its entirety and replace with the following:

16.2 The supplier shall furnish the purchaser's Accounts Payable Department with an original tax invoice, clearly showing the amount due in respect of each and every claim for payment.

Add the following after clause 16.4

- 16.5 Notwithstanding any amount stated on the order, the supplier shall only be entitled to payment for goods actually delivered in terms of the Project Specification and Drawings, or any variations in accordance with clause 18. Any contingency sum included shall be for the sole use, and at the discretion, of the purchaser.
  - The CCT is not liable for payment of any invoice that pre-dates the date of delivery of the goods.
- 16.6 The purchaser will only make advanced payments to the supplier in strict compliance with the terms and details as contained on **Proforma Advanced Payment Guarantee** and only once the authenticity of such guarantee has been verified by the City's Treasury Department.

#### 17. Prices

Add the following after clause 17.1

- 17.2 If as a result of an award of a contract beyond the original tender validity period, the contract execution will be completed beyond a period of twelve (12) months from the expiry of the original tender validity period, then the contract may be subject to contract price adjustment for that period beyond such twelve (12) months. An appropriate contract price adjustment formula will be determined by the Director: Supply Chain Management if such was not included in the bid documents.
- 17.3 If as a result of any extension of time granted the contract execution will be completed beyond a period of twelve (12) months from the expiry of the original tender validity period, then contract price adjustment may apply to that period beyond such twelve (12) months. An appropriate contract price adjustment formula will be determined by the Director: Supply Chain Management if such was not included in the bid documents.
- 17.4 The prices for the goods delivered and services performed shall be subject to contract price adjustment and the following conditions will be applicable:
  - a) The Contract Price shall be subject to contract price adjustment in accordance with Schedule 8: Contract Price Adjustment.
- 17.5 If price adjustment for variations in the cost of plant and materials imported from outside of South Africa is provided for in the contract, such adjustment shall be based on the information contained on the schedule titled "Price Basis for Imported Resources" and as below. For the purposes of this clause the Rand value of imported Plant and Materials inserted on the schedule titled "Price Basis for Imported Resources" (column (F)) shall be the value in foreign currency (column (A)) converted to South African Rand (column (C)) by using the closing spot selling rate quoted by CCT's main banker, NEDBANK, on the Base Date (seven calendar days before tender closing date) rounded to the second decimal place (column(B)), to which shall be added any Customs Surcharge and Customs Duty applicable at that date (columns (D) and (E)).
- 17.5.1 Adjustment for variations in rates of exchange:
  - (a) The value in foreign currency inserted in column (A) shall be subject to clause (h) below when recalculating the Rand value.
  - (b) The rate of exchange inserted in column (B) shall be the closing spot selling rate quoted by Council's main banker, NEDBANK, on the Base Date, rounded to the second decimal place, subject to sub-paragraph (c) below.
  - (c) If the rate of exchange inserted by the Tenderer differs from the NEDBANK rate referred to above, then the NEDBANK rate shall apply and the Rand value in columns (C) and (F) shall be recalculated accordingly, without altering the price in the Price Schedule for the relevant items.
  - (d) If a tender from a supplier or sub-contractor provides for variations in rates of exchange, the Supplier may **only** claim for variations in rates of exchange if he binds the supplier or sub-contractor to the same provision to take out forward cover as described in sub-paragraph (e) below.
  - (e) The Supplier (or sub-contractor) shall within five working days from the date of placing a firm order on an overseas supplier, cover or recover forward by way of a contract with a bank which is an authorised foreign exchange dealer, the foreign exchange component of the cost of any imported Plant and Materials inserted by the Tenderer on the scheduled titled "**Price Basis for Imported Resources**".
  - (f) When the Supplier (or sub-contractor) so obtains forward cover, the Supplier shall immediately notify the CCT of the rate obtained and furnish the CCT with a copy of the foreign exchange contract note.
  - (g) Based on the evidence provided in sub-paragraph (f) above, the value in Rand inserted in column (C) of on the schedule titled "**Price Basis for Imported Resources** "shall be recalculated using the forward cover rate obtained, and any increase or decrease in the Rand value defined in this clause shall be adjusted accordingly, subject to sub-paragraph (h) below.
  - (h) The adjustments shall be calculated upon the value in foreign currency in the Supplier's (or sub-contractor's) forward cover contract, provided that, should this value exceed the value in foreign currency

inserted in column (A) of on the schedule titled "Price Basis for Imported Resources", then the value in column (A) shall be used.

- 17.53.2 Adjustment for variations in customs surcharge and customs duty
  - (a) Any increase or decrease in the Rand value between the amounts of Customs Surcharge and Customs Duty inserted in on the schedule titled "**Price Basis for Imported Resources**" and those amounts actually paid to the Customs and Excise Authorities, which are due to changes in the percentage rates applicable or to the foreign exchange rate used by the authorities, shall be adjusted accordingly.
  - (b) The Tenderer shall state the Customs Duty Tariff Reference applicable to each item and the Supplier shall advise the CCT's Agent of any changes which occur.
- 17.5.3 Adjustment for variation in labour and material Costs

If the prices for imported Plant and Materials are not fixed, the Supplier shall in his Tender specify the formula for calculating Contract Price Adjustments normally used in the country of manufacture and the indices and relative proportions of labour and material on which his Tender prices are based. Evidence of the indices applicable shall be provided with each claim. The indices applicable 42 days before contractual dispatch date from the factory will be used for the purposes of Contract Price Adjustment.

Failure to specify a formula in the Tender shall mean that the prices are fixed or shall be deemed to be fixed.

#### 18. Contract Amendments

Delete the heading of clause 18 and replace with the following:

#### 18. Contract Amendments and Variations

Add the following to clause 18.1:

Variations means changes to the goods, extension of the duration or expansion of the value of the contract that the purchaser issues to the supplier as instructions in writing, subject to prior approval by the purchaser's delegated authority. Should the supplier deliver any goods not described in a written instruction from the purchaser, such work will not become due and payable until amended order has been issued by the purchaser.

#### 20. Subcontracts

Add the following after clause 20.1:

- 20.2 The supplier shall be liable for the acts, defaults and negligence of any subcontractor, his agents or employees as fully as if the were the acts, defaults or negligence of the supplier.
- 20.3 Any appointment of a subcontractor shall not amount to a contract between the CCT and the subcontractor, or a responsibility or liability on the part of the CCT to the subcontractor and shall not relive the supplier from any liability or obligation under the contract.

#### 21. Delays in the supplier's performance

Delete Clause 21.2 in its entirety and replace with the following:

21.2 If at any time during the performance of the contract the supplier or its sub-contractors should encounter conditions beyond their reasonable control which impede the timely delivery of the goods, the supplier shall notify the purchaser in writing, within 7 Days of first having become aware of these conditions, of the facts of the delay, its cause(s) and its probable duration. As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation, and may at his discretion extend the time for delivery.

Where additional time is granted, the purchaser shall also determine whether or not the supplier is entitled to payment for additional costs in respect thereof. The principle to be applied in this regard is that where the purchaser or any of its agents are responsible for the delay, reasonable costs shall be paid. In respect of delays that were beyond the reasonable control of both the supplier and the purchaser, additional time only (no costs) will be granted.

The purchaser shall notify the supplier in writing of his decision(s) in the above regard.

21.3 No provision in a contract shall be deemed to prohibit the obtaining of goods from a national department, provincial department, or a local authority.

#### 22. Penalties

#### Delete clause 22.1 and replace with the following:

- 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum as stated herein for each day of the delay until actual delivery or performance.
  - 1% of the related purchase order value levied per week for late deliveries, up to a maximum of 5% of the purchase order value.
- 22.2 The purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, financial penalties as contained on the **Preference Schedule** relaying to breaches of the conditions upon which preference points were awarded.

#### 23. Termination for default

Delete the heading of clause 23 and replace with the following:

#### 23. Termination

Add the following to the end of clause 23.1:

if the supplier fails to remedy the breach in terms of such notice

Add the following after clause 23.7:

22 0 5 4

- 23.8 In addition to the grounds for termination due to default by the supplier, the contract may also be terminated:
- 23.8.1 Upon the death of the supplier who was a Sole Proprietor, or a sole member of a Close Corporation, in which case the contract will terminate forthwith.
- 23.8.2 The parties by mutual agreement terminate the contract.
- 23.8.3 If an Order has been issued incorrectly, or to the incorrect recipient, the resulting contract may be terminated by the purchaser by written notice
- 23.8.4 If a material irregularity vitiates the procurement process leading to the conclusion of the contract, rendering the procurement process and the conclusion of the resulting contract unfair, inequitable, non-transparent, uncompetitive or not cost-effective, provided the City Manager follows the processes as described in the purchasers SCM Policy.
- 23.8.5 After providing notice to the supplier, if the implementation of the contract may result in reputational risk or harm to the City as a result of (inter alia):

reports of poor governous and/or unothical babasis un

23.8.5.1	reports of poor governance and/or unethical behaviour;
23.8.5.2	association with known family of notorious individuals;
23.8.5.3	poor performance issues, known to the Employer;
23.8.5.4	negative social media reports; or
23.8.5.5	adverse assurance (e.g. due diligence) report outcomes

23.9 If the contract is terminated in terms of clause 23.8, all obligations that were due and enforceable prior to the date of the termination must be performed by the relevant party.

#### 26. Termination for insolvency

Delete clause 26.1 and replace with the following:

- 26.1 The purchaser may make either of the following elections to ensure its rights are protected and any negative impact on service delivery is mitigated:
- 26.1.1 accept a supplier proposal (via the liquidator) to render delivery utilising the appropriate contractual mechanisms; or
- 26.1.2 terminate the contract, as the liquidator proposed supplier is deemed unacceptable to the purchaser, at any time by giving written notice to the supplier (via the liquidator).
- Termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

#### 27. Settlement of Disputes

Amend clause 27.1 as follows:

27.1 If any dispute or difference of any kind whatsoever, with the exception of termination in terms of clause 23.1(c), arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve such dispute or difference amicably, by mutual consultation.

Delete Clause 27.2 in its entirety and replace with the following:

27.2 Should the parties fail to resolve any dispute by way of mutual consultation, either party shall be entitled to refer the matter for mediation before an independent and impartial person appointed by the City Manager in accordance with Regulation 50(1) of the Local Government: Municipal Finance Management Act, 56 of 2003 – Municipal Supply Chain Management Regulations (Notice 868 of 2005). Such referral shall be done by either party giving written notice to the other of its intention to commence with mediation. No mediation may be commenced unless such notice is given to the other party.

Irrespective whether the mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and share the costs of the mediator and related costs equally.

The mediator shall agree the procedures, representation and dates for the mediation process with the parties. The mediator may meet the parties together or individually to enable a settlement.

Where the parties reach settlement of the dispute or any part thereof, the mediator shall record such agreement and on signing thereof by the parties the agreement shall be final and binding.

Save for reference to any portion of any settlement or decision which has been agreed to be final and binding on the parties, no reference shall be made by or on behalf of either party in any subsequent court proceedings, to any outcome of an amicable settlement by mutual consultation, or the fact that any particular evidence was given, or to any submission, statement or admission made in the course of amicable settlement by mutual consultation or mediation.

#### 28. Limitation of Liability

Delete clause 28.1 (b) and replace with the following:

(b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the sums insured in terms of clause 11 in respect of insurable events, or where no such amounts are stated, to an amount equal to twice the contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

Add the following after clause 28.1:

- 28.2 Without detracting from, and in addition to, any of the other indemnities in this contract, the supplier shall be solely liable for and hereby indemnifies and holds harmless the purchaser against all claims, charges, damages, costs, actions, liability, demands and/or proceedings and expense in connection with:
  - a) personal injury or loss of life to any individual;

- b) loss of or damage to property;
- arising from, out of, or in connection with the performance by the supplier in terms of this Contract, save to the extent caused by the gross negligence or wilful misconduct of the purchaser.
- 28.3 The supplier and/or its employees, agents, concessionaires, suppliers, sub-contractors or customers shall not have any claim of any nature against the purchaser for any loss, damage, injury or death which any of them may directly or indirectly suffer, whether or not such loss, damages, injury or death is caused through negligence of the purchaser or its agents or employees.
- Notwithstanding anything to the contrary contained in this Contract, under no circumstances whatsoever, including as a result of its negligent (including grossly negligent) acts or omissions or those of its servants, agents or contractors or other persons for whom in law it may be liable, shall any party or its servants (in whose favour this constitutes a *stipulatio alteri*) be liable for any indirect, extrinsic, special, penal, punitive, exemplary or consequential loss or damage of any kind whatsoever, whether or not the loss was actually foreseen or reasonably foreseeable), sustained by the other party, its directors and/or servants, including but not limited to any loss of profits, loss of operation time, corruption or loss of information and/or loss of contracts.
- 28.5 Each party agrees to waive all claims against the other insofar as the aggregate of compensation which might otherwise be payable exceeds the aforesaid maximum amounts payable.

#### 31. Notices

Delete clauses 31.1 and 31.2 and replace with the following:

- Any notice, request, consent, approvals or other communications made between the Parties pursuant to the Contract shall be in writing and forwarded to the addresses specified in the contract and may be given as set out hereunder and shall be deemed to have been received when:
  - a) hand delivered on the working day of delivery
  - b) sent by registered mail five (5) working days after mailing
  - c) sent by email or telefax one (1) working day after transmission

#### 32. Taxes and Duties

Delete the final sentence of 32.3 and replace with the following:

In this regard, it is the responsibility of the supplier to submit documentary evidence in the form of a valid Tax Clearance Certificate issued by SARS to the CCT at the Supplier Management Unit located within the Supplier Management / Registration Office, 2<sup>nd</sup> Floor (Concourse Level), Civic Centre, 12 Hertzog Boulevard, Cape Town (Tel 021 400 9242/3/4/5).

Add the following after clause 32.3:

32.4 The VAT registration number of the City of Cape Town is 4500193497.

#### ADDITIONAL CONDITIONS OF CONTRACT

Add the following Clause after Clause 34:

#### 35. Reporting Obligations.

- 35.1 The supplier shall complete, sign and submit with each delivery note, all the documents as required in the Specifications. Any failure in this regard may result in a delay in the processing of any payments.
- 36. Establishment of a fully complaint workshop facility, inclusive of services and products as specified, within the geographical boundaries of the City of Cape Town, within sixty (60) days from commencement of contract.
- 36.1 The supplier must within sixty (60) days from commencement of the contract, establish a Workshop Facility within the Geographical Boundaries of the City of Cape Town which meets the requirements set out in Clause 1.6 of the tender Specifications in full, and otherwise meets the requirements necessary for the supplier to render the services contemplated in this contract and to meet its obligations.

- 36.2 The City of Cape Town shall perform only one (1) technical assessment of the Workshop Facility mentioned in clause 36.1 above, to confirm that it complies with the requirements set out in Clauses 1.6 of the tender Specifications and otherwise meets the requirements necessary for the supplier to render the services contemplated in this contract and to meet its obligations. Only once the technical compliance of the Workshop Facility has been confirmed in full by the City of Cape Town, after the aforementioned technical assessment, will work be allocated and/or products be procured from the supplier in terms of this contract. Should the supplier fail to establish a Workshop Facility which complies with the aforementioned requirements, within the sixty (60) days mentioned in clause 36.1 above or a reduced period as contemplated in clause 36.3 below, this shall be a material breach of the contract and the City shall be entitled to terminate the contract forthwith and without further notice to the supplier. The date on which the aforementioned technical assessment shall be held, will not exceed two weeks from expire of the sixty (60) days period.
- 36.3 The supplier may inform the City of Cape Town that it is ready for the technical assessment referred to in clause 36.2 above, earlier than the sixty (60) day period mentioned in clause 36.1 above, in which case the supplier shall forfeit the remaining days of the aforementioned period and the City of Cape Town shall be entitled to conduct the technical assessment at an agreed date and time between the parties, which shall not exceed two weeks from receipt from the suppliers notification in terms of this clause.
- The supplier shall cooperate fully and in good faith with the City of Cape Town in arranging for and assisting the City of Cape Town with the technical assessment referred to in clause 36.2 above, including but not limited to providing the City of Cape Town with access to all parts of the Workshop Facility during that assessment and demonstrating to the City all aspects of the facility relevant for the aforementioned technical assessment.
- Notwithstanding the contents of 36.1 to 36.4 above, the City of Cape Town reserves the right, at its sole discretion and on fourteen (14) days' notice, to perform technical assessments of the Workshop Facility during the tenure of the contract as and when required, to ensure that the Workshop Facility meets the requirements set out in clause 1.6 of the Specifications in full, and otherwise meets the requirements necessary for the supplier to render the services contemplated in this contract and to meet its obligations. Should the outcome of the technical assessment be that the Workshop Facility is not compliant with the aforesaid requirement, this shall be a material breach of the contract.
- 36.6 The supplier shall submit to the City of Cape Town all documents as requested in the Specification as well as the responsive criteria mentioned in the tender document. All qualified staff employed by the supplier, Call-out vehicles (owned or leased) as well as tooling and equipment specified must be available for use by the supplier within sixty (60) days from commencement of the contract.

#### (8) GENERAL CONDITIONS OF CONTRACT

(National Treasury - General Conditions of Contract (revised July 2010))

#### **TABLE OF CLAUSES**

- 1. Definitions
- 2. Application
- 3. General
- 4. Standards
- 5. Use of contract documents and information; inspection
- 6. Patent rights
- 7. Performance security
- 8. Inspections, tests and analysis
- 9. Packing
- 10. Delivery and documents
- 11. Insurance
- 12. Transportation
- 13. Incidental services
- 14. Spare parts
- 15. Warranty
- 16. Payment
- 17. Prices
- 18. Contract amendments
- 19. Assignment
- 20. Subcontracts
- 21. Delays in the supplier's performance
- 22. Penalties
- 23. Termination for default
- 24. Dumping and countervailing duties
- 25. Force majeure
- 26. Termination for insolvency
- 27. Settlement of disputes
- 28. Limitation of liability
- 29. Governing language
- 30. Applicable law
- 31. Notices
- 32. Taxes and duties
- 33. National Industrial Participation Programme (NIPP)
- 34. Prohibition of restrictive practices

#### 1. Definitions

- 1. The following terms shall be interpreted as indicated:
  - 1.1 'Closing time' means the date and hour specified in the bidding documents for the receipt of bids.
  - 1.2 'Contract' means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - 1.3 'Contract price' means the price payable to the supplier under the contract for the full and proper performance of his or her contractual obligations.
  - 1.4 'Corrupt practice' means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
  - 1.5 'Countervailing duties' are imposed in cases in which an enterprise abroad is subsidised by its government and encouraged to market its products internationally.

- 1.6 'Country of origin' means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognised new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 'Day' means calendar day.
- 1.8 'Delivery' means delivery in compliance with the conditions of the contract or order.
- 1.9 'Delivery ex stock' means immediate delivery directly from stock actually on hand.
- 1.10 'Delivery into consignee's store or to his site' means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 'Dumping' occurs when a private enterprise abroad markets its goods on its own initiative in the RSA at lower prices than that of the country of origin, and which action has the potential to harm the local industries in the RSA.
- 1.12 'Force majeure' means an event beyond the control of the supplier, not involving the supplier's fault or negligence, and not foreseeable. Such events may include, but are not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 'Fraudulent practice' means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 'GCC' means the General Conditions of Contract.
- 1.15 'Goods' means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 'Imported content' means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and
  - which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 'Local content' means that portion of the bidding price which is not included in the imported content, provided that local manufacture does take place.
- 1.18 'Manufacture' means the production of products in a factory using labour, materials, components and machinery, and includes other, related value-adding activities.
- 1.19 'Order' means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 'Project site', where applicable, means the place indicated in bidding documents.
- 1.21 'Purchaser' means the organisation purchasing the goods.
- 1.22 'Republic' means the Republic of South Africa.
- 1.23 'SCC' means the Special Conditions of Contract.

- 1.24 'Services' means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance, and other such obligations of the supplier covered under the contract.
- 1.25 'Written' or 'in writing' means handwritten in ink or any form of electronic or mechanical writing.

#### 2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders, including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

#### 3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable, a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from <a href="https://www.treasury.gov.za">www.treasury.gov.za</a>.

#### 4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

#### 5. Use of contract documents and information; inspection.

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for the purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1, except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself, mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

#### 6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the goods or any part thereof by the purchaser.

#### 7. Performance Security

7.1 Within 30 (thirty) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in the SCC.

- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.2 The performance security shall be denominated in the currency of the contract or in a freely convertible currency acceptable to the purchaser, and shall be in one of the following forms:
  - a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - b) a cashier's or certified cheque.
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than 30 (thirty) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in the SCC.

#### 8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organisation acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention of such is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier, who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal, the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of the GCC.

#### 9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in the SCC, and in any subsequent instructions ordered by the purchaser.

70

#### 10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in the SCC.
- 10.2 Documents to be submitted by the supplier are specified in the SCC.

#### 11. Insurance

11.1 The goods supplied under the contract shall be fully insured, in a freely convertible currency, against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

#### 12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

#### 13. Incidental Services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services (if any) specified in the SCC:
  - (a) performance or supervision of on-site assembly, and/or commissioning of the supplied goods;
  - (b) furnishing of tools required for the assembly and/or maintenance of the supplied goods;
  - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
  - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
  - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

#### 14. Spare parts

- 14.1 As specified in the SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
  - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
  - (b) in the event of termination of production of the spare parts:
  - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
  - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

#### 15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications), or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for 12 (twelve) months after the goods, or any portion thereof, as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for 18 (eighteen) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in the SCC.

- 15.3 The purchaser shall notify the supplier promptly, in writing, of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in the SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in the SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

#### 16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in the SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of any other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than 30 (thirty) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in the SCC.

#### 17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices tendered by the supplier in his bid, with the exception of any price adjustments authorized in the SCC or in the purchaser's request for bid validity extension, as the case may be.

#### 18. Contract Amendments

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

#### 19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

#### 20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

#### 21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during the performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his or her discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure, outside of the contract, small quantities of supplies; or to have minor essential services executed if an emergency arises, or the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in
  - substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and, without prejudice to his other rights, be entitled to claim damages from the supplier.

### 22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services, using the current prime interest rate, calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

### 23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (b) if the supplier fails to perform any other obligation(s) under the contract; or
  - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than 14 (fourteen) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated 14 (fourteen) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5 Any restriction imposed on any person by the Accounting Officer/Authority will, at the discretion of the Accounting Officer/Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person is or was, in the opinion of the Accounting Officer/Authority, actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within 5 (five) working days of such imposition, furnish the National Treasury with the following information:
  - (i) the name and address of the supplier and/or person restricted by the purchaser;
  - (ii) the date of commencement of the restriction;
  - (iii) the period of restriction; and
  - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, Act 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period of not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction, and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

### 24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidised import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall, on demand, be paid forthwith by the contractor to the State, or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he or she delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him or her.

### 25. Force majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if, and to the extent that, his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall notify the purchaser promptly, in writing, of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

## 26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

### 27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve such dispute or difference amicably, by mutual consultation.
- 27.2 If, after 30 (thirty) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
  - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
  - (b) the purchaser shall pay the supplier any monies due to the supplier.

### 28. Limitation of Liability

- 28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6:
  - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
  - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

### 29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

### 30. Applicable Law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in the SCC.

### 31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail, and any other notice to him shall be posted by ordinary mail, to the address furnished in his bid or to the address notified later by him in writing; and such posting shall be deemed to be proper service of such notice.
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

### 32. Taxes and Duties

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, licence fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, licence fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

### 33. National Industrial Participation (NIP) Programme

33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

### 34 Prohibition of Restrictive practices

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act, Act 89 of 1998, as amended, an agreement between or concerted practice by firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is/are or a contractor(s) was/were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has/have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act, Act 89 of 1998.
- 34.3 If a bidder(s) or contractor(s) has/have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and/or terminate the contract in whole or part,

and/or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding 10 (ten) years and/or claim damages from the bidder(s) or contractor(s) concerned.

76

# (9) FORM OF GUARANTEE / PERFORMANCE SECURITY

**Not Applicable** 

# (10) FORM OF ADVANCE PAYMENT GUARANTEE

# Not Applicable

## (10.1) ADVANCE PAYMENT SCHEDULE

# NOT APPLICABLE

# (11) OCCUPATIONAL HEALTH AND SAFETY AGREEMENT

AGREEMENT MADE AND ENTERED INTO BE THE "CCT") AND	TWEEN THE CITY OF CAPE TOWN (HEREINAFT	ER CALLED
(Supplier/Mandatary/Company/CC Name)	,	
IN TERMS OF SECTION 37(2) OF THE OCC AMENDED.	CUPATIONAL HEALTH AND SAFETY ACT, 85	OF 1993 AS
I,	, rep	oresenting
in its own right, do hereby undertake to ensure, a	, as an is far as is reasonably practicable, that all work will be cha manner as to comply with the provisions of the ons promulgated thereunder.	be performed,
	d with the Compensation Commissioner and that a ion Commissioner have been fully paid or that I/W	
COID ACT Registration Number:		
OR Compensation Insurer:	Policy No.:	
OHSA and the Regulations and to charge him/t	competent persons, in writing, in terms of the rechem with the duty of ensuring that the provisions conditions of Contract, Way Leave, Lock-Out and practicable.	of OHSA and
I further undertake to ensure that any subcontra- safety agreement separately, and that such subc	ctors employed by me will enter into an occupation contractors comply with the conditions set.	al health and
I hereby declare that I have read and understand this tender and undertake to comply therewith at	the Occupational Health and Safety Specifications all times.	s contained in
I hereby also undertake to comply with the Occupapproved in terms thereof.	pational Health and Safety Specification and Plan s	submitted and
Signed aton the	day of20	
Witness	 Mandatary	
Signed at on the	day of20	<del></del>
Witness	for and on behalf of City of Cape Town	

# (12) INSURANCE BROKER'S WARRANTY (PRO FORMA)

Logo

Letterhead of supplier's Insurance Broker

Date	
CITY OF CAPE TOWN City Manager Civic Centre 12 Hertzog Boulevard Cape Town 8000	
Dear Sir	
TENDER NO.: 359G/2022/23	
TENDER DESCRIPTION: SUPPLY	AND DELIVERY OF VARIOUS AGRICULTURAL TRACTORS.
NAME OF SUPPLIER:	
have been issued and/or in the case	m and warrant that all the insurances required in terms of the abovementioned contract of blanket/umbrella policies, have been endorsed to reflect the interests of the CITY Of covementioned contract, and that all the insurances and endorsements, etc., are all in the contract.
I furthermore confirm that all premiur	ms in the above regard have been paid.
Yours faithfully	
Signed:	
For:	(Supplier's Insurance Broker)

## (13) SPECIFICATION(S)

### 1. GENERAL TECHNICAL SPECIFICATIONS

- 1.1. This tender is for the supply and delivery of various tractors conforming to the technical specification below.

  All tractors must be compliant to the National Road Traffic Act (Act 93 of 1996) (as Amended).
- 1.2. All tractors shall have their first registration and license with respect to the National Road Traffic Act (Act 93 of 1996) (as Amended) in the name of the City of Cape Town such that their legal status is recorded as "**new**" not "second hand".
- 1.3 All tractors must be supplied and delivered to the City of Cape Town's site with registration and license papers displaying the City of Cape Town as the registered owner, as well as fitted with number plates.
- 1.3.1 The successful tenderer will be required to provide proof that the tractors are part of their dealer stock before any purchase orders will be placed by the relevant department within the City during the contract period.
- 1.4 The tenderer must guarantee that all items supplied under the contract are new and unused. Furthermore, the insurance of items against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery will be the responsibility of the tenderer.
- 1.5 Any damaged items as a result of manufacture or acquisition, transportation, storage and delivery must be replaced with new and unused items. Repair to damaged items will not be accepted
- 1.6 The tenderer must have access to fully equipped facilities within the geographical boundaries of the City of Cape Town, which are OEM approved for the maintenance and servicing and co-ordinating major overhauls of the various tractors offered within sixty (60) days from commencement date of the contract. Please see clause 36 of Special Conditions of Contract.
- 1.7 The tenderer shall guarantee the availability of a full range of spare parts, ex stock, within forty-eight (48) hours of request. Tenderers shall state the availability of spare parts and the relevant parts stock value with tender submission. Any limitation to these requirements shall be explained in a covering letter.
- 1.8 Optional for tenderers to provide: All tender documents are to be scanned into a PDF format and not in any other formats such as pictures. Such documents shall be saved to a flash drive which is to be submitted with the tender submission.
- 1.9 All tractors must be delivered to the City of Cape Town with at least a quarter tank of fuel.
- 2. The City of Cape Town will only accept tenders from tenderers that are registered as an Original Equipment Manufacturer (OEM) approved supplier and or dealer.
  - Tenderers must provide documentary proof with tender submission that the tenderer is registered as an Original Equipment Manufacturer (OEM) approved supplier. Documentary proof shall be in the form of:
  - A signed letter from the Original Equipment Manufacturer's delegated authority confirming that the tenderer is an approved dealer for all the tractors offered on tender. Or
  - Alternatively a signed copy of the franchise agreement/ dealer agreement or Service Level Agreement with the Original Equipment Manufacturer.

FAILURE TO PROVIDE SUCH PROOF AS REQUIRED ABOVE WILL RESULT IN AN OFFER BEING CONSIDERED NON RESPONSIVE.

### 3. COMPULSORY REQUIREMENT

Notwithstanding anything to the contrary contained in these specifications offers of all tractors, where applicable shall comply with the latest applicable standards, including and not limited to latest SANS Compulsory Machine Standards requirements as well as the Road Traffic Act No 93 of 1996 as amended.

### 4. WARNING SIGNS:

- 4.1.1 The tractors where so required in terms of the Road Traffic Act No 93 of 1996, as amended, shall fully comply & have fitted on the back thereof the prescribed warning signs as required by the said Act. It shall be fitted with the 3M Orange/ Red diamond grade conspicuity tape marking code: 983-71ECE mark or equivalent standard in consultation with the City of Cape Town's representative.
- 4.1.2 A minimum of Emergency Warning Sign (warning triangles), in accordance with the requirements of the Road Traffic Act No 93 of 1996, shall be provided with each machine. These triangles shall be stored, clipped or otherwise secured in a conveniently accessible but protected position in the driver's cab.

### 5. DECALS

5.1 Decals as listed below and other additional decals will be supplied by the CCT to the successful tenderer and these will have to be fitted by the tenderer to the tractors in consultation with the City of Cape Town's representative before delivery.

The City of Cape Town's representative of Corporate Services, Head of Fleet (Mr Donavin Govender) or his duly appointed representative can be contacted on 021 444 5688 or email: Donavin.Govender@capetown.gov.za for more detailed information on the positioning and fitment of all decals.

The following decals may be supplied by the CCT:

- Driver abuse/ misuse
- CCT Branding fitted to machine doors
- · License disc holder

### 6. LICENSE NUMBER PLATES

- 6.1 Tractors must be supplied and delivered to the City of Cape Town's departments with front and rear backing plates for the fitment of number plates.
- 6.2 Tractors must be supplied and delivered to the City of Cape Town departments with front and rear **number plates** that should be displayed in a manner, which complies with the relevant SANS 1116: 2008 specifications.
- 6.3 4 mm rivets or 4 mm one-way screws in accordance with the Road Traffic Act (Act 93 of 1996) (as Amended) shall secure the number plates.
- 6.4 These plates shall be clearly visible under all circumstances even when the tailboard, where fitted, is lowered.
- 6.5 No selling dealer name or other wording/branding shall be incorporated in the surround or any other place on the vehicle.

### 7. THE OCCUPATIONAL HEALTH AND SAFETY ACT 1993

- 7.1 The tenderer must ensure that they comply with the related regulations as stipulated in the applicable acts and codes of practice associated with the act.
- 7.2 All auxiliary machinery fitted to a machine shall comply with the Occupational Health and Safety Act No 85 of 1993 as amended, and the Regulations framed there under.

### 8. RUSTPROOFING

8.1 The item offered shall have a full 12-month Manufacturer's warranty against rust and discolouration.

8.2 Should any additional accessories, such as lights, have to be fitted to the manufactured bodywork, the rustproofing of the holes and interface between the accessories attached and the original body shall be of the best practise and to the approval of the City of Cape Town's representative.

### 9. LED LIGHT BARS

The tenderer must quote for the price of an LED light bar as an optional/extra in the pricing schedule. The LED light bar must meet the following specification:

- 9.1 Only LED light bars may be fitted.
- 9.2 Lights shall be amber in colour.
- 9.3 The warning lights shall make the machine visible from front, rear and both sides.
- 9.4 The outer lenses shall be of high impact UV protected Polycarbonate available in clear or as specified under specific machine specs.
- 9.5 It shall be completely sealed against the ingress of moisture.
- 9.6 The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.
- 9.7 No holes are to be drilled into the machine roof. Rubber or plastic inserts or linings shall be used to prevent damage to the paint work.
- 9.8 All fasteners shall be stainless steel.
- 9.9 LED lights must conform to SAEJ595 and SAEJ845.
- 9.10 It shall be a minimum of a generation 3 low profile with bright LED modules and with wide angle viewing.
- 9.11 The light output from the LED modules shall be visible through 360° on the horizontal plane.

### 10. SPOT LIGHTS

Where the fitment of spotlights is specified (in the item specification) to be fitted on top of the cab roof, it must meet the following specification:

- 10.1 The spot light body is to be of a robust die cast aluminium construction with grade 304 stainless steel bracket mounts and bolts / washers enabling rotation and tilting.
- 10.2 The spot light must be able to be powered by a 12V or 24V battery, the light output must be equivalent to a 25W 30W and have a current draw of no more than 3A.
- 10.3 The life of the LED devices used in the flood light must be in the order of 30 000 hrs.
- 10.4 The units plus fitment must be fully guaranteed for a minimum of 3 years' normal wear and tear also ultra violet protection against fading or cracking of the polycarbonate lens is also required.

### 11. ACCESSORY FITMENT

## 11.1 ON ROAD FUELLING SYSTEM

The City of Cape Town's machines are currently fitted with an GILBARCO on road fuelling system. The on road fuelling system allows for odometer/hour meter readings to be taken direct from the machine. If the machine

offered by the tenderer cannot provide accurate odometer readings, then the City of Cape Town will hold the tenderer liable for all costs to obtain accurate odometer reading via alternative methods. The fitment of the on road fuelling system must in no means have any effect on the machine's warranty.

### 12. EMISSIONS CONTROL ACT

- 12.1 The City of Cape Town is embarking on a programme which will ensure that all their machines supplied on tenders comply with their initiatives to reduce carbon emissions.
- 12.2 As a minimum, the machines supplied must comply with emission standard of Tier 2 or equivalent.

### 13. HUB ODOMETERS (Optional/extra)

The tenderer shall offer an optional/ extra for the supply and fit of hub odometers on the axles of the tractor which will measure distance travelled. This will offer accurate kilometre readings.

Tenderers must offer a price for this item in the Pricing Schedule.

### 14. GUARANTEE

The tenderer must give an express guarantee that all goods covered by this contract are satisfactory design, material, parts and workmanship and are fit for the purpose for which they are required and without latent defects.

### 15. WARRANTY

- 15.1 Further to the abovementioned guarantee, all tractors and related accessories supplied in terms of this contract are required to have a warranty, which is to be effective on the date that the end-user takes possession of the tractors.
- 15.2 The Tenderer will provide a warranty for a period as specified in Clause 15 of the Special Conditions of Contract, covering all materials, parts and workmanship against latent defects.
- 15.3 The validity of the warranty must be retained, by ensuring that any modifications shall be done such that they are in accordance with the manufacturing standards of tractors as stated by the tractor manufacturer.
- 15.4 Tenderers are requested to state, where ancillary equipment other than that of the manufacturer is offered, the name of the firm appointed by the manufacturer for the purpose of warranty and maintenance of the offered equipment. The tenderer shall be liable for the entire project.
- 15.5 The tenderer shall warrant the availability of the spare parts, components or replacement products for purchase by the CoCT under commercially reasonable terms for a period of at least (10) ten years after the date of delivery.
- 15.5 The City of Cape Town is using vehicle monitoring as well as automated fuel systems for improved management of its' Fleet. Hence, the City of Cape Town will require the fitting of a vehicle monitoring unit as well as a fuel management unit to each tractor purchased.
- 15.6 Tenderers must ensure that the electronic equipment of all tractors offers submitted is compatible for the retro fitment of the selected brand and model of such vehicle monitoring and refuelling equipment. Tenderers are therefore advised to liaise with the approved service providers of these units so as to ensure compatibility with their tractors. The City of Cape Town undertakes to discuss their preferred suppliers with the Tenderers prior to entering into any agreements.
- 15.7 The City of Cape Town has installed on-board computers/ vehicle monitoring systems as well as automated fuel systems to all of their fleet. It must be noted that the fitment of such systems must have no impact on the warranty of equipment purchased. The City will not consider any disputes from the successful tenderer with regards to the fitment of these systems. Furthermore, the successful tenderer will be held responsible for the complete product provided to the City, including both the basic vehicle/ machine as well as associated accessories or optional equipment fitted."

Tenderers must provide via a covering letter attached to their tender document, confirmation that the fitments of the above systems are compatible with the tractors offered and will not affect the vehicle warranty

## **SECTION B: TECHNICAL SPECIFICATION**

	ITEM 1: 4X2, 33kW AGRICULTURAL TRACTOR (with cab)			
	Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.	
	1. SCOPE	OF SPECIFIC	CATION	
1.1.	The tenderer is to supply, deliver and off-loading of 33KW 4X2 Agricultural Tractor/s to City of Cape Town. The details of the delivery address will be specified on the official City of Cape Town purchase order, otherwise it can be accepted as 23 Oude Molen Road, Ndabeni.  The tractor must be suitable for use with bush cutting and heavy rotary cultivators			
	under difficult conditions.			
1.2.	Tenderers are to state here their equipment offered.			
	Make:			
	Model:			
	Country of manufacture:			
	2. APPLIC	CABLE STAND	DARDS	
2.1.	SANS 1506: 1994 or equivalent, Brake systems			
2.2.	SANS 1468: 2006 or equivalent – Roll-over protection structures (ROPS)			
2.3	SANS 3449: 2008 or equivalent, Earthmoving machinery – Falling-object protective structures (FOPS)-Laboratory tests and performance requirements.			
2.4.	SANS 6683: 2008 or equivalent, Earthmoving machinery – Seat belts and seat belts anchorages			
2.5.	SANS 1116: 2016 or equivalent - Retro- reflective number plates			
2.6.	National Road Traffic Act of 1996 or as amended			

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	3. ENGINE	
3.1. Power output of the prime mover at flywheel shall be no less than 33kW and not exceeding 40 kw but adequate nevertheless for the efficient performance of the unit.		
3.1.1 The engine shall be diesel, governed at no more than 90 % of its maximum rated.		
Make and Model:		
Type: Net Engine Power Output: Engine displacement:	kW@ .	rpm
3.2 The fuel tank shall have a filter screen at the filler and an easily accessible drain cock. The fuel tank capacity should be a minimum of 50L.		
3.3 Efficient air, fuel and lubricating oil filters shall be fitted in easily accessible positions. The air filter shall be of the dry type fitted with a replaceable element.		
3.4 A fail safe engine monitoring system shall be fitted, which monitors high cylinder head temperature, low oil pressure and oil level as well as low water level. The protection system shall cut the engine to limp mode immediately in the event of a fault condition and keep the engine in this state until the fault is attended to.		
3.5 The instrument cluster should cater for an hour meter, speedometer, fuel gauge, temperature gauge and oil pressure alert.		
3.6 The exhaust must be routed away from the operator fitted with a heat shield. The design is to be such that the ingress of water is prevented.		
3.7 The battery boxes must be lockable.		
3.8 The noise level, when seated in the driving position, shall be less than 85 dBA to allow operation without hearing protection devices. Max Noise levels measured at the seat:		dBA

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.	
E	NGINE (Cont.)		
3.9 The emissions shall comply with the Tier 2 standard as a minimum or equivalent. In this context emissions must conform to latest applicable standards version requirements and conformance reflected in attached brochures.			
Emission standard			
4.T	RANSMISSION		
4.1. The tractor shall be provided with a minimum of 8 forward and 2 reverse speeds and capable of achieving at least a maximum of 25km/h forward speed.			
Speeds: Number Forward:			
Speeds: Number of Reverse:			
Max Speed:	km/h		
Gradient:	:%		
4.2 The tractor shall be fitted with a Power Take Off (P.T.O.) which operates at a speed of 540 r.p.m. The tenderer shall state the P.T.O. height above ground level			
PTO height above ground level:		mm	
5.HYD	RAULIC SYSTE	M	
5.1. The hydraulic system shall have a tank equipped with a screen in the filler neck and a filter on the breather.			
5.2. All hydraulic pipes shall be placed so as to ensure that the operator is protected in the event of a hydraulic pipe burst.			
5.3 A standard three-point hydraulic linkage system with stabilizer bars shall be fitted, suitable for use with category 1 implements with a lifting capacity exceeding 1400 kg.			

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
6. STE	EERING AND BR	AKES
6.1 The brakes shall be oil cooled, self- adjusting, self-equalizing disc brakes which can be operated both together and independently by twin foot pedals.		
6.2 Full details of the independent emergency parking brake must be submitted.		
6.3 Hydrostatic power steering must be offered.		
	7. TYRES	
<ul> <li>7.1 The single rear wheels shall be fitted with agricultural tread tyres minimum size 13.6 x 24 (radial).</li> <li>7.2. The front wheels shall be fitted with agricultural tread tyres minimum size 6.00 x 16 (BIAS construction) pr6.</li> </ul>		
Front wheel size:		
Rear wheel size:		
7.3 All tyres shall be readily available in South Africa.		
8. EI	LECTRICAL SYS	TEM
8.1. The electrical system shall be powered by a 12/24-volt heavy duty maintenance free deep cycle battery.		
8.1.1 The battery compartment must be lockable and tamper proof.		
8.2. All lights are to be protected against accidental damage by suitable mounting.		
8.3. All electrical wiring connectors must be sealed to IPX7 or equivalent and wiring to run in split convoluted loom.		
8.4. Direction indicators shall be of the flashing type showing amber to the front and rear. They must also act as hazard indicators.		
8.5. A LED type amber hazard light must be fitted on the cab roof.		

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	9. CAB	
9.1 The tractor must be fitted with a fully modern OEM cab which is completely enclosed, lockable and weatherproof.		
9.2 The cab shall be enclosed with tinted safety glass windows which shall offer the operator with an unobstructed view of all operations and minimise UV exposure.		
9.3. All controls must be positioned for logical and ergonomical operation and be clearly marked to show their function.		
9.4. The operator's seat shall be comfortable and dampened against vibration.		
9.4.1 It shall be fully adjustable for the operator's weight as well as for fore aft movement regardless of the size of the operator.		
9.4.2 The seat shall be cushioned and upholstered with durable material and fitted with a seatbelt conforming to applicable standards.		
9.4.3 It shall offer good back support with padded armrest.		
9.5 The cab shall offer a full Roll-Over Protected Structure (ROPS) and Falling-Object Protected Structure (FOPS)		
9.6 It shall be fitted with front windscreen washers and wipers.		
9.7 A sound system incorporating a radio, CD/MP3 or Radio/CD with USB input is to be installed.		
9.8 A 2.5kg portable type fire extinguisher shall be provided and shall be easily accessible to the operator, inside of the cab interior. A quick release bracket must be fitted to hold the fire extinguishers in place.		

Technical Specifications  Tenderer to state compliance by stating YES or NO  CAB (Cont.)  9.10 The following equipment shall be fitted:  Front spot light fitted on cab roof: Rear spot light fitted on cab roof: Sun visor: Interior cab light Left and right rear view mirror(externally fitted):  9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof: The lights shall be controlled by a dashboard mounted switch wired independently of the ignition The LED modules should be self-contained surface mount and sealed against moisture.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11.2. The PTO ground clearance must not be less than 300mm. 11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.			TENDER NO. 333G/2022/23
9.10 The following equipment shall be fitted:  Front spot light fitted on cab roof: Rear spot light fitted on cab roof: Sun visor: Interior cab light: Left and right rear view mirror(externally fitted):  9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof: The lights shall be controlled by a dashboard mounted switch wired independently of the ignition. The LED modules should be self-contained surface mount and sealed against moisture. The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m	Technical Specifications	compliance by stating	
fitted:  Front spot light fitted on cab roof: Rear spot light fitted on cab roof: Sun visor: Interior cab light: Left and right rear view mirror(externally fitted): 9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof: The lights shall be controlled by a dashboard mounted switch wired independently of the ignition The LED modules should be self- contained surface mount and sealed against moisture The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m. 1.1.2. The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard		CAB (Cont.)	
Front spot light fitted on cab roof: Rear spot light fitted on cab roof: Sun visor: Interior cab light: Left and right rear view mirror(externally fitted):  9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof: The lights shall be controlled by a dashboard mounted switch wired independently of the ignition The LED modules should be self- contained surface mount and sealed against moisture The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 30mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	<u> </u>		
Rear spot light fitted on cab roof: Sun visor: Interior cab light:  Left and right rear view mirror(externally fitted):  9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the lightion.  The LED modules should be self- contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m			
Sun visor: Interior cab light: Left and right rear view mirror(externally fitted):  9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof: The lights shall be controlled by a dashboard mounted switch wired independently of the ignition The LED modules should be self- contained surface mount and sealed against moisture The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm. 11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.	·		
Interior cab light: Left and right rear view mirror(externally fitted): 9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the ignition The LED modules should be self- contained surface mount and sealed against moisture The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10.1. The tractor must be 2-wheel drive.  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm. 11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.			
Left and right rear view mirror(externally fitted):  9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.  -The LED modules should be self- contained surface mount and sealed against moisture.  -The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.			
9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.  The LED modules should be self- contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.			
LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm	, , ,		
specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m			
to each front corner of the cab roof:  The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  1.8m.  1.1.2 The PTO ground clearance must not be less than 300mmmm  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.	specifications shall be fitted, one to each		
The lights shall be controlled by a dashboard mounted switch wired independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm			
dashboard mounted switch wired independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.	to each front corner of the cab roof:		
dashboard mounted switch wired independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.	The lights shall be controlled by a		
independently of the ignition.  The LED modules should be self-contained surface mount and sealed against moisture.  The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m	,		
- The LED modules should be self-contained surface mount and sealed against moisture The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard			
against moisture.  - The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	, , ,		
The LED modules should be high bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	contained surface mount and sealed		
bright generation 3 LED modules with wide angle viewing.  10. AXLES  10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m			
10.1. The tractor must be 2-wheel drive.  11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard			
11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm. 11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard			
11.1.1 The wheel base must not be less than 1.8m. 11.1.2 The PTO ground clearance must not be less than 300mm. 11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard		_	
11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard		10. AXLES	
11. DIMENSIONS AND WEIGHT  11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	10.1 The tractor must be 2-wheel drive		
11.1.1 The wheel base must not be less than 1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard		NSIONS AND WE	EIGHT
1.8m.  11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.			
11.1.2 The PTO ground clearance must not be less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard			
less than 300mm.  11.1.3 The basic operating weight shall be a minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard			m
minimum of 1600kg.  12. ANCILLARIES  12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	_		.mm
12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	11.1.3 The basic operating weight shall be a		
12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	minimum of 1600kg.		. kg
pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	12.	ANCILLARIES	
(mass-pieces mounted on the front wheel hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	•		
hubs will not be acceptable).  12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	·		
12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	, ,		
anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	hubs will not be acceptable).		
anticorrosive additive must be added to the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	12.2 The recommended quantities of an		
the engine water cooling system.  12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard	·		
12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard			
a lockable toolbox with all basic standard	and origino nator dodning system.		
a lockable toolbox with all basic standard	12.3 It shall have front and rear tow hooks and		
	tools for field servicing to be included.		

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
ANC	ILLARIES(Cont.)	
12.4 The following shall be lockable: Battery compartment, engine compartment.		
1	3. GENERAL	
13.1 The complete unit shall comply in all respects with the Occupational Health and Safety Act, Act 85 of 1993.		
<ul><li>13.2 Tenderers may be requested to provide a machine for demonstration purposes.</li><li>13.3 The Tenderer shall supply with the machine, a basic set of tools, keys, etc.</li></ul>		
necessary for field maintenance and operation of the unit.  13.4 The cost of licensing, registration, number plates, etc. must be included in the price of		
the tractor.	L4. TRAINING	
14.1 Training for operators in the proper operation of the machine and the coupling of implements must be provided and included in the tendered price. Training should be provided for up to 4 delegates per tractor purchased. The tenderer must ensure that each delegate is issued with a certificate on successful completion of the training. A training manual is to be provided for each delegate.		
	OPTIONAL EXTR	_
15.1. Additional training	bmitted in the P	
15.1.1 <b>Operator training</b> covering the proper operation of the machine, may be required per additional delegate(s). Requirements of Clause 14.1 are applicable.		
15.1.2 <b>Technical training</b> in the maintenance of the tractor must be provided to skilled employees i.e. Artisans, fleet officer etc. The training should be adequate to transfer the necessary skills required in the service, maintenance, diagnostics and minor mechanical repairs of the tractor. A technical training manual is to be provided.		

	1	TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	FIONAL EXTRAS - bmitted in the Pr	
15.2 Maintenance Plan		
15.2.1 The provision of an OEM recommended maintenance plan must be offered as an optional extra in the Price Schedule The expected ending date being that of which would cover a typical operation for a period of up to 36months. The maintenance plan must be inclusive of the following:		
<ul> <li>All standard serving costs inclusive of labour.</li> </ul>		
<ul> <li>Travel costs to and from the asset, round trip no more than 200km</li> </ul>		
Oil analysis (spectrometry)		
<ul> <li>Feedback report covering the condition of mechanical and body components (complete inspection summary)</li> </ul>		
The scope of repair/maintenance plan should be set out (inclusive of excluded items) that may be required to repair once vehicle is repaired/maintained, (for example incidental or operational repairs).		
15.3 Paintwork		
15.3.1 Tenderers are required to offer a corrosion protection coating which is suitable for operation in a coastal environmental. The paint offered shall have at least a 5 year corrosion protection following marine quality international standard i.e. Aluminium epoxy (Mastic) paint specification.		
The paint system must meet or exceed the following specification.		
• Surface preparation ISO 8501- 1-1988		
Primer Coat – Carbomastic 15 or Opti Mastic AL or other approved equivalent		
• Final Coat – Carboline 134 or Opti Thane 421 or other approved equivalent.		

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	TIONAL EXTRAS bmitted in the Pr	
15.3.2 The manufacturer shall contact the City of Cape Town's representative for this Tender who will arrange to perform quality assurance at predetermined stages of the process.		
15.3.3 Final inspection: On completion of the job, after the final coat. Any defects detected may result in the rejection of machine and subsequently all work will have to be redone to the required specification and final approval by COCT's representative		
15.3.4 The paintwork shall result with a report and certificate being attached to the delivery of the completed machine, to the relevant City of Cape Town department. These reports and certificates will be compiled and signed off by the paint supplier and include photographs temperatures, humidity, times between coats and dry film thickness measurements, noted during treatment		
	16.DELIVERY	
16.1 MACHINE ON DELIVERY		
16.1.1 The delivery and off-loading cost of the tractor must form part of the main item in the pricing schedule. The transportation of the tractor must adhere to the legal and safety regulations applicable.		
16.2 DOCUMENTATION ON DELIVERY		
16.2.1 Operating, maintenance and spare parts manuals in professional PDF format in the English language as well as in a properly bound book must be provided by the tenderer.		
16.2.2 Service chart, Warranty and Guarantee details must also be provided.		

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.		
17. V	17. WORKSHOP FACILITY			
17.1 An accredited service and parts outlet (workshop facility) for the tendered tractor and equipment is required within the geographical boundaries of the City of Cape Town area to ensure maximum availability of the equipment within sixty (60) days from date of commencement of contract.		State the address OEM approved workshop facilities:		
17.2 List the accredited service agencies situated within the geographical boundaries of the City of Cape Town, within 60 days from date of commencement of contract.				
17.3 Details of the contact person at the OEM approved workshop facilities:		Name:		
		Contact No.:		
42.011		Email Address:		
18.GUA	RANTEE / WARR	ANIY		
18.1 The tenderer must give a guarantee for 30 days after receipt or 7 days after normal acceptance, whichever happens first, for items delivered in terms of this contract, confirming that all goods covered by this contract are of satisfactory design, material, parts and workmanship and are fit for purpose for which they are required.				
Guarantee Period:	days			
18.2 In addition, the tenderer will provide a minimum 12-month warranty for all materials, parts and workmanship against latent defects.				
Warranty Period:	months			
	19. SPARES			
19.1 Tenderer to state delivery periods of the following types of spares from date of request:				
Mechanical spares which covers the complete drive train.				

Body Spares which includes interior as well as exterior.	
19.2 Tenderer to state the location of the holding areas within the Cape Town area where mechanical are available. The premises must be operational at the start of the contract, with spares being available within 48 hours of request. The CCT may conduct inspections of these premises when required.	

ITEM 2: 4X2, 33kW AGRICULTURAL TRACTOR				
	Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.	
	1. SC	OPE OF SPECIFIC	CATION	
1.1.	The tender is to supply, deliver and off-loading of 33kW 4X2 Agricultural Tractor/s to City of Cape Town. The details of the delivery address will be specified on the official City of Cape Town purchase order, otherwise it can be accepted as 23 Oude Molen Road, Ndabeni.			
	The tractor must be suitable for use with bush cutting and heavy rotary cultivators under difficult conditions.			
1.2.	Tenderers are to state here their equipment offered.			
	Make:			
	Model:			
	Country of manufacture:			
	2. AP	PLICABLE STANI	DARDS	
2.1.	SANS 1506: 1994 or equivalent Brake systems			
2.2.	SANS 6683: 2008 or equivalent Earth- moving machinery – Seat belts and seat belts anchorages			
2.3.	SANS 1116: 2016 or equivalent - Retro- reflective number plates			
2.4.	National Road Traffic Act of 1996 or as amended			

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
;	3.ENGINE	
3.1. Power output of the prime mover at flywheel shall be no less than 33kW and not exceeding 40 kw but adequate nevertheless for the efficient performance of the unit.		
3.1.1 The engine shall be diesel, governed at no more than 90 % of its maximum rated.  Make and Model:  Type:  Net Engine Power Output:  Engine displacement:	kW@	rpm
3.2 The fuel tank shall have a filter screen at the filler and an easily accessible drain cock. The fuel tank capacity should be a minimum of 50L.		
3.3 Efficient air, fuel and lubricating oil filters shall be fitted in easily accessible positions.  The air filter shall be of the dry type fitted with a replaceable element.		
3.4 A fail safe engine monitoring system shall be fitted, which monitors high cylinder head temperature, low oil pressure and oil level as well as low water level. The protection system shall cut the engine to limp mode immediately in the event of a fault condition and keep the engine in this state until the fault is attended to.		
3.5 The instrument cluster should cater for an hour meter, speedometer, fuel gauge, temperature gauge and oil pressure alert.		
3.6 The exhaust must be routed away from the operator fitted with a heat shield. The design is to be such that the ingress of water is prevented.		
3.7 The battery boxes must be lockable.		
3.8 The noise level, when seated in the driving position, shall be less than 85 dBA to allow operation without hearing protection devices.  Max Noise levels measured at the seat:		dBA

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	ENGINE (Cont.)	
3.9 The emissions shall comply with the Tier 2 standard as a minimum or equivalent.  In this context emissions must conform to latest applicable standards version requirements and conformance reflected in attached brochures.		
Emission standard		
	4.TRANSMISSION	
4.1. The tractor shall be provided with a minimum of 8 forward and 2 reverse speeds and capable of achieving at least a maximum of 25km/h forward speed.		
Speeds: Number Forward		
Speeds: Number of Reverse		
Max Speed:		km/h
Gradient:		%
4.2 The tractor shall be fitted with a Power Take Off (P.T.O.) which operates at a speed of 540 r.p.m. The tenderer shall state the P.T.O. height above ground level		
PTO height above ground level:		. mm
5	HYDRAULIC SYSTE	M
5.1. The hydraulic system shall have a tank equipped with a screen in the filler neck and a filter on the breather.		
5.2. All hydraulic pipes shall be placed so as to ensure that the operator is protected in the event of a hydraulic pipe burst.		
5.3 A standard three-point hydraulic linkage system with stabilizer bars shall be fitted, suitable for use with category 1 implements with a lifting capacity exceeding 1400 kg.		

	1	TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
6.8	TEERING AND BRAN	(ES
6.1 The brakes shall be oil cooled, self- adjusting, self-equalizing disc brakes which can be operated both together and independently by twin foot pedals.		
6.2 Full details of the independent emergency parking brake must be submitted.		
6.3 Hydrostatic power steering must be offered.		
	7.TYRES	
<ul> <li>7.1 The single rear wheels shall be fitted with agricultural tread tyres minimum size 13.6 x 24 (radial)</li> <li>7.2. The front wheels shall be fitted with agricultural tread tyres minimum size 6.00 x 16. (BIAS construction) pr6.</li> </ul>		
Front wheel size:		
Rear wheel size:  7.3 All tyres shall be readily available in South Africa.		
8.	ELECTRICAL SYSTE	EM
<ul> <li>8.1. The electrical system shall be powered by a 12/24volt heavy duty maintenance free deep cycle battery.</li> <li>8.1.1 The battery compartment must be lockable and tamper proof.</li> <li>8.2. All lights are to be protected against accidental damage by suitable mounting.</li> <li>8.3. All electrical wiring connectors must be sealed to IPX7 or equivalent and wiring to run in split convoluted loom.</li> <li>8.4. Direction indicators shall be of the</li> </ul>		
8.4. Direction indicators shall be of the flashing type showing amber to the front and rear. They must also act as hazard indicators.		

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
9.COMF	ORT AND CONVI	ENIENCE
9.1. All controls must be positioned for logical and ergonomical operation and be clearly marked to show their function.		
9.2. The operator's seat shall be comfortable and dampened against vibration.		
9.2.1 It shall be fully adjustable for the operator's weight as well as for fore aft movement regardless of the size of the operator.		
9.2.2 The seat shall be cushioned and upholstered with durable material and fitted with a seatbelt conforming to applicable standards.		
9.2.3 It shall offer good back support with padded armrest.		
9.3 Left and right rear view mirrors must be fitted.		
	10. AXLES	
10.1. The tractor must be 2-wheel drive.		
	IENSIONS AND V	WEIGHT
11.1.1 The wheel base must not be less than		
1.8m.		.m
11.1.2 The PTO ground clearance must not be less than 300mm.		mm
11.1.3 The basic operating weight shall be a minimum of 1600kg.		
	12. ANCILLARIES	S
12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).		
12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.		
12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard tools for field servicing to be included.		
12.4 The following shall be lockable: Battery compartment, engine compartment.		

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	13. GENERAL	
13.1 The complete unit shall comply in all respects with the Occupational Health and Safety Act, Act 85 of 1993.		
13.2 Tenderers may be requested to provide a machine for demonstration purposes.		
13.3 The Tenderer shall supply with the machine, a complete set of basic tools, keys, etc. necessary for field maintenance and operation of the unit.		
13.4 The cost of licensing, registration, number plates, etc. must be included in the price of the tractor.		
	14. TRAINING	
14.1 Training for operators in the proper operation of the machine and the coupling of implements must be provided and included in the tendered price. Training should be provided for up to 4 delegates per tractor purchased. The tenderer must ensure that each delegate is issued with a certificate on successful completion of the training. A training manual is to be provided for each delegate.		
(Prices to be	5.OPTIONAL EX submitted in the	TRAS e Price Schedule)
15.1. Additional training 15.1.1 Operator training covering the proper operation of the machine, may be required per additional delegate(s). Requirements of Clause 14.1 are applicable.		
15.1.2 <b>Technical training</b> in the Maintenance of the tractor must be provided to skilled employees i.e. Artisans, fleet officer etc. The training should be adequate to transfer the necessary skills required in the servicing, maintenance, diagnostics and minor mechanical repairs of the tractor. A technical training manual is to be provided.		

TENDER NO: 359G/2022/23		
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	TONAL EXTRAS ubmitted in the	
15.2 Maintenance Plan		
15.2.1 The provision of an OEM recommended maintenance plan must be offered as an optional extra in the Price Schedule The expected ending date being that of which would cover a typical operation for a period of up to 36months. The maintenance plan must be inclusive of the following:		
All standard serving costs inclusive of labour.		
Travel costs to and from the asset, round trip no more than 200km		
Oil analysis (spectrometry)		
Feedback report covering the condition of mechanical and body components (complete inspection summary)		
The scope of repair/maintenance plan should be set out (inclusive of excluded items) that may be required to repair once vehicle is repaired/ maintained, (for example incidental or operational repairs).		
15.3 Paintwork		
15.3.1 Tenderers are required to offer a corrosion protection coating which is suitable for operation in a coastal environmental. The paint offered shall have at least a 5 year corrosion protection following marine quality international standard i.e. Aluminium epoxy (Mastic) paint specification.		
The paint system must meet or exceed the following specification.		
Surface preparation ISO 8501- 1-1988		
Primer Coat – Carbomastic 15 or Opti Mastic AL or other approved equivalent		
Final Coat – Carboline 134 or Opti Thane     421 or other approved equivalent.		
15.3.2 The manufacturer shall contact the City of Cape Town's representative for		

this Tender who will arrange to perform quality assurance at predetermined stages of the process.			
15.3.3 Final inspection: On completion of the job, after the final coat. Any defects detected may result in the rejection of machine and subsequently all work will have to be redone to the required specification and final approval by COCT's representative.			
15.3.4 The paintwork shall result with a report and certificate being attached to the delivery of the completed machine, to the relevant City of Cape Town department. These reports and certificates will be compiled and signed off by the paint supplier and include photographs temperatures, humidity, times between coats and dry film thickness measurements, noted during treatment.			
	16. DELIVERY		
16.1 MACHINE ON DELIVERY			
16.1.1 The delivery and off-loading cost of the tractor must form part of the main item in the pricing schedule. The transportation of the tractor must adhere to the legal and safety regulations applicable.			
16.2 DOCUMENTATION ON DELIVERY 16.2.1 Operating, maintenance and spare parts manuals in professional PDF format in the English language as well as in a properly bound book must be provided by the tenderer.			
16.2.2 Service chart, Warranty and Guarantee details must also be provided.			
17. WORKSHOP FACILITY			
		State the address OEM approved	
17.1 An accredited service and parts outlet (workshop facility) for the tendered tractor and equipment is required within the geographical boundaries of the City of Cape Town area to ensure maximum availability of the equipment within sixty (60) days from data of commencement		workshop facilities:	
(60) days from date of commencement of contract.			

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.	
_	PTIONAL EXTRAS ubmitted in the		
17.2 List the accredited service agencies situated within the geographical boundaries of the City of Cape Town, within 60 days from date of commencement of contract.			
		Name:	
17.3 Details of the contact person at the OEM approved workshop facilities:		Contact No.:	
		Email Address:	
	18.WARRANTY		
18.1 The tenderer must give a guarantee for 30 days after receipt or 7 days after normal acceptance, whichever happens first, for items delivered in terms of this contract, confirming that all goods covered by this contract are of satisfactory design, material, parts and workmanship and are fit for purpose for which they are required.  Guarantee Period:  18.2 In addition, the tenderer will provide a minimum 12-month warranty for all materials, parts and workmanship against latent defects.  Warranty Period:	days		
19. SPARES			
19.1 Tenderer to state delivery periods of the following types of spares from date of request:			
Mechanical spares which covers the complete drive train.  Body Spares which includes interior as well as exterior.			

19.2 Tenderer to state the location of the
holding areas within the Cape
Town area where mechanical
are available. The premises must be
operational at the start of the contract, with
spares being available within 48 hours of
request. The CCT may conduct
inspections of these premises when
required

ITEM 3: 4X2, 50kW AGRICULTURAL TRACTOR (with cab)			
	Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	1. SCOPI	OF SPECIFIC	ATION
1.1.	The tender is to supply, deliver and off-loading of 50kW 4X2 Agricultural Tractor/s to City of Cape Town. The details of the delivery address will be specified on the official City of Cape Town purchase order, otherwise it can be accepted as 23 Oude Molen Road, Ndabeni.		
	The tractor must be suitable for use with bush cutting and heavy rotary cultivators under difficult conditions.		
1.2.	Tenderers are to state here their equipment offered.		
	Make:		
	Model:		
	Country of manufacture:		
	2. APPLI	CABLE STAND	ARDS
2.1.	SANS 1506: 1994 or equivalent, Brake systems		
2.2.	SANS 1468: 2006 or equivalent, – Roll-over protection structures (ROPS)		
2.3	SANS 3449: 2008 or equivalent,- Earth-moving machinery – Falling-object protective structures (FOPS)-Laboratory tests and performance requirements.		
2.4.	SANS 6683: 2008 or equivalent, Earthmoving machinery – Seat belts and seat belts anchorages		
2.5.	SANS 1116: 2016 or equivalent, - Retro- reflective number plates		
2.6.	National Road Traffic Act of 1996 or as amended		

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
3.ENGINE		
3.1. Power output of the prime mover at flywheel shall be no less than 50kW but adequate nevertheless for the efficient performance of the unit.		
3.1.1 The engine shall be diesel, governed at no more than 90 % of its maximum rated		
Make and Model:		
Type: Net Engine Power Output:	kW@rpm	
Engine displacement:	cc	
3.2 The fuel tank shall have a filter screen at the filler and an easily accessible drain cock. The fuel tank capacity should be a minimum of 60L.		
3.3 Efficient air, fuel and lubricating oil filters shall be fitted in easily accessible positions. The air filter shall be of the dry type fitted with a replaceable element.		
3.4 A fail safe engine monitoring system shall be fitted, which monitors high cylinder head temperature, low oil pressure and oil level as well as low water level. The protection system shall cut the engine to limp mode immediately in the event of a fault condition and keep the engine in this state until the fault is attended to.		
3.5 The instrument cluster should cater for an hour meter, speedometer, fuel gauge, temperature gauge and oil pressure alert.		
3.6 The exhaust must be routed away from the operator fitted with a heat shield. The design is to be such that the ingress of water is prevented.		
3.7 The fuel tank cap and battery boxes must be lockable.		
3.8 The noise level, when seated in the driving position, shall be less than 85 dBA to allow operation without hearing protection devices.		
Max Noise levels measured at the seat:		dBA

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
EN	GINE (Cont.)	
3.9 The emissions shall comply with the Tier 2 standard as a minimum or equivalent. In this context emissions must conform to latest applicable standards version requirements and conformance reflected in attached brochures.		
Emission standard		
4. TF	RANSMISSION	
4.1. The tractor shall be provided with at least 8 forward and 3 reverse speed and capable of achieving at least a maximum of 40km/h forward speed.		
Number Forward Speeds:		
Number of Reverse Speeds:		
Maximum speed:		km/h
Maximum Gradient:		%
4.2 The tractor shall be fitted with a Power Take Off (P.T.O.) which operates at a speed of 540 r.p.m. The tenderer shall state the P.T.O. height above ground level.		
PTO height above ground level:		mm
5. HYDI	RAULIC SYSTEM	1
5.1. The hydraulic system shall have a Tank equipped with a screen in the filler neck and a filter on the breather.		
5.2. All hydraulic pipes shall be placed so as to ensure that the operator is protected in the event of a hydraulic pipe burst.		
5.3 A standard three-point hydraulic linkage system with stabilizer bars shall be fitted, suitable for use with category 1 and 2 implements with a lifting capacity exceeding 1800 kg.		

	1	TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
6. STEER	ING AND BRAK	ES
6.1 The brakes shall be power assisted, oil cooled, self- adjusting, self-equalizing disc brakes which can be operated both together and independently by twin foot pedals.		
6.2 Full details of the independent emergency parking brake must be submitted.		
6.3 Hydrostatic power steering must be offered.		
	7. TYRES	
<ul> <li>7.1 The single rear wheels shall be fitted with industrial tread tyres minimum size 16.9 x 28 (radial or cross ply).</li> <li>7.2. The front wheels shall be fitted with suitably sized heavy duty, truck type tyres. Minimum Size 11.2 x 20 (radial or cross ply).</li> </ul>		
Front wheel size:		
Rear wheel size:		
7.3 All tyres shall be readily available in South Africa.		
8. ELEC	TRICAL SYSTEI	M
8.1. The electrical system shall be powered by a 12/24-volt heavy duty maintenance free deep cycle battery.		
8.1.1 The battery compartment must be lockable and tamper proof.		
8.2. All lights are to be protected against accidental damage by suitable mounting.		
8.3. All electrical wiring connectors must be sealed to IPX7 or equivalent and wiring to run in split convoluted loom.		
8.4. Direction indicators shall be of the flashing type showing amber to the front and rear. They must also act as hazard indicators		

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
ELECTRIC	AL SYSTEM(Co	nt.)
8.5. An audible reverse warning beeper must be fitted.		,
8.6. A LED type amber hazard light must be fitted on the cab roof.		
	9. CAB	
9.1 The tractor must be fitted with a fully modern OEM cab which is completely enclosed, lockable and weatherproof.		
9.2 The cab shall be enclosed with tinted safety glass windows which shall offer the operator with an unobstructed view of all operations and minimise UV exposure.		
9.3 All controls must be positioned for logical and ergonomical operation and be clearly marked to show their function.		
9.4 The operator's seat shall be comfortable and dampened against vibration.		
9.4.1 It shall be fully adjustable for the operator's weight as well as for fore and aft movement regardless of the size of operator.		
9.4.2 The seat shall be cushioned and upholstered with durable material and fitted with a seatbelt conforming to applicable standards.		
9.4.3 It shall offer good back support with padded armrests.		
9.5 The cab shall offer full ROPS protection.		
9.6 It shall be fitted with front windscreen washers and wipers.		

Tenderer to state compliance by Where applicable, tenderer to provide all **Technical Specifications** stating relevant information in this column. YES or NO CAB (Cont.) 9.7 A sound system incorporating a radio, CD /MP3 or Radio/Cd with USB input is to be installed. 9.8 A 2.5kg portable type fire extinguisher shall be provided and shall be easily accessible to the operator, inside of the cab interior. A quick release bracket must be fitted to hold the fire extinguishers in place. 9.9 The following equipment shall be fitted: Front spot light fitted on cab roof: Rear spot light fitted on cab roof: Sun visor: Interior cab light: Left and right rear view mirror(externally fitted): 9.10 The cab shall be fitted with an air conditioner. 9.11 Four (4) self-contained (4 head) flashing LED lamps with the following specifications shall be fitted, one to each rear corner of the cab roof as well as one to each front corner of the cab roof. The lights shall be controlled by a dashboard mounted switch wired independently of the ignition. The LED modules should be selfcontained surface mount and sealed against moisture. The LED modules should be high bright generation 3 LED modules with wide angle viewing. 10. AXLES 10.1. The tractor must be 2-wheel drive.

TENDER NO: 359G/2022/23		
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
11. DIM	ENSIONS AND W	EIGHT
<ul> <li>11.1. The wheel base must not be less. than 2.0m.</li> <li>11.2. The PTO ground clearance must not be less than 400mm.</li> <li>11.3 The basic operating weight shall be a minimum of 2100 kg.</li> </ul>		mm
	12. ANCILLARIES	
<ul> <li>12.1 A full set of variable front bumper masspieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).</li> <li>12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.</li> <li>12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard tools for field servicing to be included.</li> <li>12.4 The following shall be lockable: - fuel filler</li> </ul>		
caps, lubricating oil filler caps, battery compartment, engine compartment and storage compartments.		
	13. GENERAL	
13.1 The complete unit shall comply in all respects with the Occupational Health and Safety Act, Act 85 of 1993.		
13.2 Tenderers may be requested to provide a machine for demonstration purposes.		
13.3 The Tenderer shall supply with the machine, a complete set of basic tools, keys, etc. necessary for field maintenance and operation of the unit.		
13.4 The cost of licensing, registration, number plates, etc. must be included in the price of the tractor.		

Tenderer to state compliance by Where applicable, tenderer to provide all **Technical Specifications** relevant information in this column. stating YES or NO 14. TRAINING 14.1 Training for operators in the proper operation of the machine and the coupling of implements must be provided and included in the tendered price. Training should be provided for up to 4 delegates per tractor purchased. The tenderer must ensure that each delegate is issued with a certificate on successful completion of the training. A training manual is to be provided for each delegate. 15. OPTIONAL EXTRA 15.1. **Additional training** 15.1.1 **Operator training** covering the proper operation of the machine, may be required per additional delegate(s). Requirements of Clause 14.1 are applicable. 15.1.2 Technical training in the maintenance of the tractor must be provided to skilled employees i.e. Artisans, fleet officer etc. The training should be adequate to transfer the necessary skills required in the servicing, maintenance, diagnostics and minor mechanical repairs of the tractor. A technical training manual is to be provided 15.2 Maintenance Plan 15.2.1 The provision of an OEM recommended maintenance plan must be offered as an optional extra in the Price Schedule The expected ending date being that of which would cover a typical operation for a period of up to 36months. The maintenance plan must be inclusive of the following: All standard serving costs inclusive of labour. Travel costs to and from the asset, round trip no more than 200km Oil analysis (spectrometry) Feedback report covering the condition of mechanical and body components (complete inspection summary) The scope of repair/maintenance plan should be set out (inclusive of excluded items) that may be required to repair once vehicle is repaired/ maintained. example incidental (for operational repairs).

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
15. OPTIONAL EXTRAS - continued (Prices to be submitted in the Price Schedule)		
15.3 Paintwork		
15.3.1 Tenderers are required to offer a corrosion protection coating which is suitable for operation in a coastal environmental. The paint offered shall have at least a 5 year corrosion protection following marine quality international standard i.e. Aluminium epoxy (Mastic) paint specification.		
The paint system must meet or exceed the following specification.		
• Surface preparation ISO 8501- 1-1988		
<ul> <li>Primer Coat – Carbomastic 15 or Opti Mastic AL or other approved equivalent</li> </ul>		
<ul> <li>Final Coat – Carboline 134 or Opti Thane 421 or other approved equivalent.</li> </ul>		
15.3.2 The manufacturer shall contact the City of Cape Town's representative for this Tender who will arrange to perform quality assurance at predetermined stages of the process.		
15.3.3 Final inspection: On completion of the job, after the final coat. Any defects detected may result in the rejection of machine and subsequently all work will have to be redone to the required specification and final approval by COCT's representative		
15.3.4 The paintwork shall result with a report and certificate being attached to the delivery of the completed machine, to the relevant City of Cape Town department. These reports and certificates will be compiled and signed off by the paint supplier and include photographs temperatures, humidity, times between coats and dry film thickness measurements, noted during treatment.	40 DELIVERY	
16.1 MACHINE ON DELIVERY	16. DELIVERY	
16.1 MACHINE ON DELIVERY  16.1.1 16.1.1 The delivery and off-loading cost of the tractor must form part of the main item in the pricing schedule. The transportation of the tractor must adhere to the legal and safety regulations applicable		

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
16.2 DOCUMENTATION ON DELIVERY 16.2.1 Operating, maintenance and spare parts manuals in professional PDF format in English language as well as in a properly bound book must be provided by the tenderer.		
16.2.2 Service chart, Warranty and Guarantee details must also be provided.		
17. V	VORKSHOP FAC	CILITY
17.1 An accredited service and parts outlet (workshop facility) for the tendered tractor and equipment is required within the geographical boundaries of the City of Cape Town area to ensure maximum availability of the equipment within sixty (60) days from date of commencement of contract.		State the address OEM approved workshop facilities:
17.2 List the accredited service agencies situated within the geographical boundaries of the City of Cape Town, within 60 days from date of commencement of contract.		
17.3 Details of the contact person at the OEM approved workshop facilities:		Name:  Contact No.:  Email Address:
	18. WARRANTY	
18.1 The tenderer must give a guarantee for 30 days after receipt or 7 days after normal acceptance, whichever happens first, for items delivered in terms of this contract, confirming that all goods covered by this contract are of satisfactory design, material, parts and workmanship and are fit for purpose for which they are required.  Guarantee Period:  18.2 In addition, the tenderer will provide a minimum 12-month warranty for all materials, parts and workmanship against latent defects.	days	
Warranty Period:	months	

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	19. SPARES	
<ul> <li>19.1 Tenderer to state delivery periods of the following types of spares from date of request:</li> <li>Mechanical spares which covers the complete drive train.</li> <li>Body Spares which includes interior as well as exterior.</li> </ul>		
19.2 Tenderer to state the location of the holding areas within the Cape Town area where mechanical are available. The premises must be operational at the start of the contract, with spares being available within 48 hours of request. The CCT may conduct inspections of these premises when required.		

ITEM 4: 4X2, 50kW AGRICULTURAL TRACTOR				
	Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.	
	1. SCOPE OF SPECIFICATION			
	The tender is to supply, deliver and off – loading of 50kW 4X2 Agricultural Tractor/s to City of Cape Town. The details of the delivery address will be specified on the official City of Cape Town purchase order, otherwise it can be accepted as 23 Oude Molen Road, Ndabeni.  The tractor must be suitable for use with bush cutting and heavy rotary cultivators under difficult conditions.  Tenderers are to state here their equipment offered.			
	Make:			
	Model:			
	Country of manufacture:	CABLE STA	NDARDS	
2.1.	SANS 1506: 1994 or equivalent, Brake systems			
2.2.	SANS 6683: 2008 or equivalent, Earthmoving machinery – Seat belts and seat belts anchorages			
2.3.	SANS 1116: 2016 or equivalent, - Retro- reflective number plates			
2.4.	National Road Traffic Act of 1996 or as amended			

Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	3.ENGINE	
3.1. Power output of the prime mover at flywheel shall be no less than 50kW but adequate nevertheless for the efficient performance of the unit.		
3.1.1 The engine shall be diesel, governed at no more than 90 % of its maximum rated.		
Make and Model:		
Type: Net Engine Power Output: Engine displacement:	kW@	rpm
3.2 The fuel tank shall have a filter screen at the filler and an easily accessible drain cock. The fuel tank capacity should be a minimum of 60L.		
3.3 Efficient air, fuel and lubricating oil filters shall be fitted in easily accessible positions. The air filter shall be of the dry type fitted with a replaceable element.		
3.4 A fail safe engine monitoring system shall be fitted, which monitors high cylinder head temperature, low oil pressure and oil level as well as low water level. The protection system shall cut the engine to limp mode immediately in the event of a fault condition and keep the engine in this state until the fault is attended to.		
3.5 The instrument cluster should cater for an hour meter, speedometer, fuel gauge, temperature gauge and oil pressure alert.		
3.6 The exhaust must be routed away from the operator fitted with a heat shield. The design is to be such that the ingress of water is prevented.		
3.7 The battery boxes must be lockable.		
3.8 The noise level, when seated in the driving position, shall be less than 85 dBA to allow operation without hearing protection devices.  Max Noise levels measured at the seat:		dBA

	Tandanii	
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	ENGINE (Cont.)	
3.9 The emissions shall comply with the Tier 2 standard as a minimum or equivalent. In this context emissions must conform to latest applicable standards version requirements and conformance reflected in attached brochures.		
Emission standard	<del> </del>	
4.	TRANSMISSIO	N
4.1. The tractor shall be provided with at least 8 forward and 8 reverse speeds and capable of achieving at least a maximum of 25km/h forward speed.  Speeds: Number Forward:		
·		
Speeds: Number of Reverse:		
Max Speed:		km/h
Gradient:		%
4.2 The tractor shall be fitted with a Power Take Off (P.T.O.) which operates at a speed of 540 r.p.m. The tenderer shall state the P.T.O. height above ground level		
PTO height above ground level:		mm
5.HY	DRAULIC SYS	TEM
5.1. The hydraulic system shall have a tank equipped with a screen in the filler neck and a filter on the breather.		
5.2. All hydraulic pipes shall be placed so as to ensure that the operator is protected in the event of a hydraulic pipe burst.		
5.3 A standard three-point hydraulic linkage system with stabilizer bars shall be fitted, suitable for use with category 1 and 2 implements with a lifting capacity exceeding 1800 kg.		

TENDER NO: 359G/2022/23		
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
6.STE	ERING AND BR	AKES
6.1 The brakes shall be oil cooled, self- adjusting, self-equalizing disc brakes which can be operated both together and independently by twin foot pedals.		
6.2 Full details of the independent emergency parking brake must be submitted.		
6.3 Hydrostatic power steering must be offered.		
	7.TYRES	
<ul> <li>7.1 The single rear wheels shall be fitted with industrial tread tyres minimum size 16.9 x 28 (radial or cross ply).</li> <li>7.2. The front wheels shall be fitted with suitably sized heavy duty, truck type tyres. Minimum Size 11.2 x 20 (radial or cross ply)</li> <li>Front wheel size:</li> </ul>		
Rear wheel size:		
7.3 All tyres shall be readily available in South Africa.		
8.EL	ECTRICAL SYS	TEM
<ul><li>8.1. The electrical system shall be powered by a 12/24-volt heavy duty maintenance free deep cycle battery.</li><li>8.1.1 The battery compartment must be lockable and tamper proof.</li></ul>		
8.2. All lights are to be protected against accidental damage by suitable mounting.		
8.3. All electrical wiring connectors must be sealed to IPX7 or equivalent and wiring to run in split convoluted loom.		
8.4. Direction indicators shall be of the flashing type showing amber to the front and rear. They must also act as hazard indicators.		

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
9.COMFO	RT AND CONVI	ENIENCE
9.1. All controls must be positioned for logical and ergonomical operation and be clearly marked to show their function.		
9.2. The operator's seat shall be comfortable and dampened against vibration.		
9.2.1 It shall be fully adjustable for the operator's weight as well as for fore aft movement regardless of the size of the operator.		
9.2.2 The seat shall be cushioned and upholstered with durable material and fitted with a seatbelt conforming to applicable standards.		
9.2.3 It shall offer good back support with padded armrest.		
9.3 Left and right rear view mirrors must be fitted.		
	10. AXLES	
10.1. The tractor must be 2-wheel drive.		
	NSIONS AND V	NEIGHT
11.1.1 The wheel base must not be less than		
2.0m.		m
11.1.2 The PTO ground clearance must not be less than 400mm.		mm
11.1.3 The basic operating weight shall be a minimum of 2100kg.		kg
12	2. ANCILLARIES	S
12.1 A full set of variable front bumper mass- pieces shall be supplied fitted to the unit (mass-pieces mounted on the front wheel hubs will not be acceptable).		
12.2 The recommended quantities of an anticorrosive additive must be added to the engine water cooling system.		
12.3 It shall have front and rear tow hooks and a lockable toolbox with all basic standard tools for field servicing to be included.		
12.4 The following shall be lockable: Battery compartment, engine compartment.		

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	13. GENERAL	
13.1 The complete unit shall comply in all respects with the Occupational Health and Safety Act, Act 85 of 1993.		
13.2 Tenderers may be requested to provide a machine for demonstration purposes.		
13.3 The Tenderer shall supply with the machine, a complete set of tools, keys, etc. necessary for field maintenance and operation of the unit.		
13.4 The cost of licensing, registration, number plates, etc. must be included in the price of the tractor.		
	14. TRAINING	
14.1 Training for operators in the proper operation of the machine and the coupling of implements must be provided and included in the tendered price.  Training should be provided for up to 4 delegates per tractor purchased. The tenderer must ensure that each delegate is issued with a certificate on successful completion of the training. A training manual is to be provided for each delegate.		
	OPTIONAL EX	
(Prices to be s	ubmitted in the	e Price Schedule)
15.1.1 Operator training may be required in the proper operation of the machine for additional delegates.  Requirements of Clause 14.1 are applicable.		
15.1.2 <b>Technical training</b> in the maintenance of the tractor must be provided to skilled employees i.e. Artisans, fleet officer etc. The training should be adequate to transfer the necessary skills required in the servicing, maintenance, diagnostics and minor mechanical repairs of the tractor. A technical training manual is to be provided.		

TENDER NO: 359G/2022/23		
	Tenderer to	
Technical Specifications	state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
15.OPT	IONAL EXTRA -	continued
(Prices to be su	ubmitted in the I	Price Schedule)
15.2 Maintenance Plan		
15.2.1 The provision of an OEM recommended maintenance plan must be offered as an optional extra in the Price Schedule The expected ending date being that of which would cover a typical operation for a period of up to 36months. The maintenance plan must be inclusive of the following:		
All standard serving costs inclusive of labour.		
Travel costs to and from the asset, round trip no more than 200km		
Oil analysis (spectrometry)		
<ul> <li>Feedback report covering the condition of mechanical and body components (complete inspection summary)</li> </ul>		
The scope of repair/maintenance plan should be set out (inclusive of excluded items) that may be required to repair once vehicle is repaired/ maintained, (for example incidental or operational repairs).		
15.3 Paintwork		
15.3.1 Tenderers are required to offer a corrosion protection coating which is suitable for operation in a coastal environmental. The paint offered shall have at least a 5 year corrosion protection following marine quality international standard i.e. Aluminium epoxy (Mastic) paint specification.		
The paint system must meet or exceed the following specification.		
Surface preparation ISO 8501- 1-1988		
Primer Coat – Carbomastic 15 or Opti Mastic AL or other approved equivalent		
• Final Coat – Carboline 134 or Opti Thane 421 or other approved equivalent.		
15.3.2 The manufacturer shall contact the City of Cape Town's representative for this Tender who will arrange to perform quality assurance at predetermined stages of the process.		

	1	TENDER NO: 359G/2022/23		
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.		
15. 0	15. OPTIONAL EXTRA - continued			
	submitted in the P			
15.3.3 Final inspection: On completion of the job, after the final coat. Any defects detected may result in the rejection of machine and subsequently all work will have to be redone to the required specification and final approval by COCT's representative.				
15.3.4 The paintwork shall result with a report and certificate being attached to the delivery of the completed machine, to the relevant City of Cape Town department. These reports and certificates will be compiled and signed off by the paint supplier and include photographs temperatures, humidity, times between coats and dry film thickness measurements, noted during treatment				
	16. DELIVERY			
16.1 MACHINE ON DELIVERY				
16.1.1 The delivery and off-loading cost of the tractor must form part of the main item in the pricing schedule. The transportation of the tractor must adhere to the legal and safety regulations applicable.				
16.2 DOCUMENTATION ON DELIVERY				
<ul> <li>16.2.1 Operating, maintenance and spare parts manuals in professional PDF format in the English language as well as in a properly bound book must be provided by the tenderer.</li> <li>16.2.2 Service chart, Warranty and Guarantee details must also be provided.</li> </ul>				
17. WORKSHOP FACILITY				
17.1 An accredited service and parts outlet (workshop facility) for the tendered tractor and equipment is required within the geographical boundaries of the City of Cape Town area to ensure maximum availability of the equipment within sixty (60) days from date of commencement of contract.		State the address OEM approved workshop facilities:		

	1	TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
17.2 List the accredited service agencies situated within the geographical boundaries of the City of Cape Town, within 60 days from date of commencement of contract.		
17.3 Details of the contact person at the OEM approved workshop facilities:		Name:
18.GU	ARANTEE / WAR	RANTY
18.1 The tenderer must give a guarantee for 30 days after receipt or 7 days after normal acceptance, whichever happens first, for items delivered in terms of this contract, confirming that all goods covered by this contract are of satisfactory design, material, parts and workmanship and are fit for purpose for which they are required.		
Guarantee Period:	days	
18.2 In addition, the tenderer will provide a minimum 12-month warranty for all materials, parts and workmanship against latent defects.		
Warranty Period:	months	
	19.SPARES	
19.1 Tenderer to state delivery periods of the following types of spares from date of request:		
Mechanical spares which covers the complete drive train.		
Body Spares which includes interior as well as exterior.		
19.2 Tenderer to state the location of the holding areas within the Cape Town area where mechanical are available. The premises must be operational at the start of the contract, with spares being available within 48 hours of request. The CCT may conduct inspections of these premises when required.		

ITEM 5: 4X4, 50kW AGRICULTURAL TRACTOR (with cab)			
	Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
	1. SCC	PE OF SPECIF	ICATION
1.1.	The tender is to supply, deliver and off-loading 50kW 4X4 Agricultural Tractor/s to City of Cape Town. The details of the delivery address will be specified on the official City of Cape Town purchase order, otherwise it can be accepted as 23 Oude Molen Road, Ndabeni.		
	The tractor must be suitable for use with bush cutting and heavy rotary cultivators under difficult conditions.		
1.2.	Tenderers are to state here their equipment offered.		
	Make:	•••••	
	Model:		
	Country of manufacture:		
	2. APF	PLICABLE STAI	NDARDS
2.1.	SANS 1506: 1994 or equivalent, Brake systems		
2.2.	SANS 1468: 2006 or equivalent, – Rollover protection structures (ROPS)		
2.3	SANS 3449:2008 or equivalent, - Earthmoving machinery – Falling-object protective structures (FOPS)- Laboratory tests and performance requirements.		
2.4.	SANS 6683: 2008 or equivalent, Earthmoving machinery – Seat belts and seat belts anchorages		
2.5.	SANS 1116: 2016 or equivalent, - Retroreflective number plates		
2.6.	National Road Traffic Act of 1996 or as amended		

		1 LINDLIN INO. 3339/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	3.ENGINE	
3.1. Power output of the prime mover at flywheel shall be no less than 50kW but adequate nevertheless for the efficient performance of the unit.		
3.1.1 The engine shall be diesel, governed at no more than 90 % of its maximum rated.  Make and Model:  Type:  Net Engine Power Output:  Engine displacement:		
3.2 The fuel tank shall have a filter screen at the filler and an easily accessible drain cock. The fuel tank capacity should be a minimum of 50L.		
3.3 Efficient air, fuel and lubricating oil filters shall be fitted in easily accessible positions. The air filter shall be of the dry type fitted with a replaceable element.		
3.4 A fail safe engine monitoring system shall be fitted, which monitors high cylinder head temperature, low oil pressure and oil level as well as low water level. The protection system shall cut the engine to limp mode immediately in the event of a fault condition and keep the engine in this state until the fault is attended to.		
3.5 The instrument cluster should cater for an hour meter, speedometer, fuel gauge, temperature gauge and oil pressure alert.		
3.6 The exhaust must be routed away from the operator fitted with a heat shield and capped with a weather protector flap. The design is to be such that the ingress of water is prevented.		
3.7 The fuel tank cap and battery boxes must be lockable.		
3.8 The noise level, when seated in the driving position, shall be less than 85 dBA to allow operation without hearing protection devices.  Max Noise levels measured at the seat:		dBA

	TENDER NO: 359G/2022/23		
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.	
E	NGINE (Cont.)		
3.9 The emissions shall comply with the Tier 2 standard as a minimum or equivalent. In this context emissions must conform to latest applicable standards version requirements and conformance reflected in attached brochures.			
Emission standard:			
4	TRANSMISSION		
4.1. The tractor shall be provided with a minimum of 8 forward and 8 reverse speed and capable of achieving at least a maximum of 40km/h forward speed.			
Number Forward Speeds:			
Number of Reverse Speeds:			
Maximum speed:		m/s	
Maximum Gradient:		%	
4.2 The tractor shall be fitted with a Power Take Off (P.T.O.) which operates at a speed of 540 r.p.m. The tenderer shall state the P.T.O. height above ground level			
PTO height above ground level:		mm	
5. HY	DRAULIC SYSTEM	Л	
5.1. The hydraulic system shall have a Tank equipped with a screen in the filler neck and a filter on the breather.			
5.2. All hydraulic pipes shall be placed so as to ensure that the operator is protected in the event of a hydraulic pipe burst.			
5.3 A standard three-point hydraulic linkage system with stabilizer bars shall be fitted, suitable for use with category 1 and 2 implements with a lifting capacity exceeding 1800 kg.			

	TENDER NO: 359G/2022/23	
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
6. STEE	RING AND BRAK	ES
6.1 The brakes shall be power assisted, oil cooled, self- adjusting, self-equalizing disc brakes which can be operated both together and independently by twin foot pedals.		
6.2 Full details of the independent emergency parking brake must be submitted.		
6.3 Hydrostatic power steering must be offered.		
	7. TYRES	
<ul> <li>7.1 The single rear wheels shall be fitted with industrial tread tyres minimum size 16.9 x 28 (radial or cross ply).</li> <li>7.2. The front wheels shall be fitted with suitably sized heavy duty, truck type tyres. Minimum Size 11.2 x 20 (radial or cross ply).</li> </ul>		
Front wheel size:		
Rear wheel size:		
7.3 All tyres shall be readily available in South Africa.		
8. ELE	CTRICAL SYSTE	М
<ul><li>8.1. The electrical system shall be powered by a 12/24-volt heavy duty maintenance free deep cycle battery.</li><li>8.1.1 The battery compartment must be lockable and tamper proof.</li></ul>		
8.2. All lights are to be protected against accidental damage by suitable mounting.		
8.3. All electrical wiring connectors must be sealed to IPX7 or equivalent and wiring to run in split convoluted loom.		
8.4. Direction indicators shall be of the flashing type showing amber to the front and rear. They must also act as hazard indicators		

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.
ELECTRI	CAL SYSTEM(Co	nt.)
8.5. An audible reverse warning beeper must be fitted.		
8.6. A LED type amber hazard light must be fitted on the cab roof.		
	9. CAB	
9.1 The tractor must be fitted with a fully modern OEM cab which is completely enclosed, lockable and weatherproof.		
9.2 The cab shall be enclosed with tinted safety glass windows which shall offer the operator with an unobstructed view of all operations and minimise UV exposure.		
9.3 All controls must be positioned for logical and ergonomical operation and be clearly marked to show their function.		
9.4 The operator's seat shall be comfortable and dampened against vibration.		
9.4.1 It shall be fully adjustable for the operator's weight as well as for fore and aft movement regardless of the size of operator.		
9.4.2 The seat shall be cushioned and upholstered with durable material and fitted with a seatbelt conforming to applicable standards.		
9.4.3 It shall offer good back support with padded armrests.		
9.5 The cab shall offer full ROPS protection.		
9.6 It shall be fitted with front windscreen washers and wipers.		
9.7 A sound system incorporating a radio, CD /MP3 or Radio/CD with USB input is to be installed.		

Technical Specifications	Tenderer to state compliance by stating <u>YES</u> or <u>NO</u>	Where applicable, tenderer to provide all relevant information in this column.	
	CAB (Cont.)		
9.8 A 2.5kg portable type fire extinguisher shall			
be provided and shall be easily accessible to			
the operator, inside of the cab interior. A quick			
release bracket must be fitted to hold the fire			
extinguishers in place.			
9.9 The following equipment shall be			
fitted:			
Front spot light fitted on cab roof:  Rear spot light fitted on cab roof:			
Sun visor:			
Interior cab light:			
Left and right rear view mirror(externally fitted):			
9.10 The cab shall be fitted with an			
air conditioner.			
9.11 Four (4) self-contained (4 head) flashing LED			
lamps with the following specifications shall			
be fitted, one to each rear corner of the cab roof as well as one to each front corner of the			
cab roof.			
The lights shall be controlled by a dashboard			
mounted switch wired independently of the			
ignition.			
The LED modules should be self-contained			
surface mount and sealed against moisture.			
The LED modules should be high bright			
generation 3 LED modules with wide angle viewing.			
viewing.	40. AVI 50		
	10. AXLES		
10.1. The tractor must capable of being			
engaged in 4-wheel drive.			
11. DIMEI	NSIONS AND WEI	GHT	
11.1. The wheel base must not be less than 2.0m.	r	n	
11.2. The PTO ground clearance must not be less			
than 400mm.	r	nm	
11.3 The basic operating weight shall be a		ka	
minimum of 2100 kg.		ng	
12. ANCILLARIES			
12.1 A full set of variable front bumper mass-			
pieces shall be supplied fitted to the unit			
(mass-pieces mounted on the front wheel			
hubs will not be acceptable).			

e applicable, tenderer to provide evant information in this column.
chedule)
_

		TENDER NO: 359G/2022/23
Technical Specifications	Tenderer to state compliance by stating YES or NO	Where applicable, tenderer to provide all relevant information in this column.
	NAL EXTRA -cor mitted in the Pric	
15.2 Maintenance Plan		e Scriedule)
15.2.1 The provision of an OEM recommended maintenance plan must be offered as an optional extra in the Price Schedule The expected ending date being that of which would cover a typical operation for a period of up to 36months. The maintenance plan must be inclusive of the following:		
<ul> <li>All standard serving costs inclusive of labour.</li> </ul>		
<ul> <li>Travel costs to and from the asset, round trip no more than 200km</li> </ul>		
Oil analysis (spectrometry)		
<ul> <li>Feedback report covering the condition of mechanical and body components (complete inspection summary)</li> </ul>		
The scope of repair/maintenance plan should be set out (inclusive of excluded items) that may be required to repair once vehicle is repaired/maintained, (for example incidental or operational repairs).		
15.3 Paintwork		
15.3.1 Tenderers are required to offer a corrosion protection coating which is suitable for operation in a coastal environmental. The paint offered shall have at least a 5 year corrosion protection following marine quality international standard i.e. Aluminium epoxy (Mastic) paint specification.		
The paint system must meet or exceed the following specification.		
• Surface preparation ISO 8501- 1-1988		
Primer Coat – Carbomastic 15 or Opti Mastic AL or other approved equivalent		
• Final Coat – Carboline 134 or Opti Thane 421 or other approved equivalent.		
15.3.2 The manufacturer shall contact the City of Cape Town's representative for this Tender who will arrange to perform quality assurance at predetermined stages of the process.		

	Tenderer to state								
Technical Specifications	compliance by stating	Where applicable, tenderer to provide all relevant information in this column.							
16 OPTIC	YES or NO ONAL EXTRA -continued								
	mitted in the Pric								
15.3.3 Final inspection: On completion of the									
job, after the final coat. Any defects									
detected may result in the rejection of machine and subsequently all work will									
have to be redone to the required									
specification and final approval by COCT's									
representative.									
15.3.4 The paintwork shall result with a report									
and certificate being attached to the delivery of the completed machine, to the									
relevant City of Cape Town department.									
These reports and certificates will be									
compiled and signed off by the paint									
supplier and include photographs									
temperatures, humidity, times between coats and dry film thickness									
measurements, noted during treatment.									
15.4 Front end loader attachment with bucket									
The Supply and fitment of a fully operational									
front end loader attachment with bucket and									
all other hydraulic components must be									
offered as an optional extra in the Price Schedule.									
Goricadic.									
The attachment will be utilised for the									
following functions:									
-Loading									
- grading - earthmoving									
- Transferring soil and other material									
The unit shall incorporate the following									
features:									
Quick release design for easy removal of									
bucket and other attachments.									
<ul> <li>Joystick controls to ensure peak operational performance.</li> </ul>									
General purpose bucket to perform									
functions such as scooping, grading and									
levelling.									
The bucket shall have an approximate									
width of 1500mm with capacity of not less									
than 0.3m <sup>3</sup> .									
Double boom arms with hydraulic cylinders to be fitted to each arm, capable of a dump									
height of not less than 2000mm.									
	0 DELIVEDY								
	6. DELIVERY								
16.1 MACHINE ON DELIVERY									
16.1.1 The delivery and off-loading cost of the tractor must form part of the main item in the									
pricing schedule. The transportation of the tractor									
must adhere to the legal and safety regulations applicable.									

	Tenderer to state compliance by	Where applicable, tenderer to provide					
Technical Specifications	stating YES or NO	all relevant information in this column.					
16.2 DOCUMENTATION ON DELIVERY							
16.2.1 Operating, maintenance and spare parts manuals in professional PDF format in the English language as well as in a properly bound book must be provided by the tenderer.							
16.2.2 Service chart, Warranty and Guarantee details must also be provided.							
17. WO	RKSHOP FACILIT	ΓΥ					
17.1 An accredited service and parts outlet (workshop facility) for the tendered tractor and equipment is required within the geographical boundaries of the City of Cape Town area to ensure maximum availability of the equipment within sixty (60) days from date of commencement of contract.		State the address OEM approved workshop facilities:					
17.2 List the accredited service agencies situated within the geographical boundaries of the City of Cape Town, within 60 days from date of commencement of contract.							
17.3 Details of the contact person at the OEM approved workshop facilities:		Name:					
approved workshop lacinities.		Contact No.:					
40.0114.0		Email Address:					
18.GUAR	ANTEE / WARRAI	NIY					
18.1 The tenderer must give a guarantee for 30 days after receipt or 7 days after normal acceptance, whichever happens first, for items delivered in terms of this contract, confirming that all goods covered by this contract are of satisfactory design, material, parts and workmanship and are fit for purpose for which they are required.							
Guarantee Period:	days						
18.2: In addition, the tenderer will provide a minimum 12-month warranty for all materials, parts and workmanship against latent defects.							
Warranty Period:	months						
	19. SPARES						
19.1 Tenderer to state delivery periods of the following types of spares from date of request:							

Mechanical spares which covers the complete drive train.								
Body Spares which includes interior as well as exterior.								
19.2 Tenderer to state the location of the holding areas within the Cape Town area where mechanical are available. The premises must be operational at the start of the contract, with spares being available within 48 hours of request. The CCT may conduct inspections of these premises when required.								

## 20 TRADE NAMES OR PROPRIETARY PRODUCTS

Bid specifications may not make any reference to any particular trade mark, name, patent, design, type, specific origin or producer, unless there is no other sufficiently precise or intelligible way of describing the characteristics of the work, in which case such reference must be accompanied by the words "or equivalent".

TENDERERS MUST NOTE THAT WHEREVER THIS DOCUMENT REFERS TO ANY PARTICULAR TRADE MARK, NAME, PATENT, DESIGN, TYPE, SPECIFIC ORIGIN OR PRODUCER, SUCH REFERENCE SHALL BE DEEMED TO BE ACCOMPANIED BY THE WORDS 'OR EQUIVALENT"

# 21. EMPLOYMENT OF SECURITY PERSONNEL

All security staff employed by the supplier on behalf of the CCT or at any CCT property must be registered with Private Security Industry Regulatory Authority (PSiRA). Proof of such registration must be made available to the CCT's agent upon request.

## 22. FORMS FOR CONTRACT ADMINISTRATION

The supplier shall complete, sign and submit with each invoice, the following:

# a) Monthly Project Labour Report ( Annexed).

The Monthly Project Labour Report must include details of <u>all</u> labour (including that of sub-contractors) that are South African citizens earning less than R350.00 per day, as adjusted from time to time (excluding any benefits), who are employed on a temporary or contract basis on this contract in the month in question.

In addition to the Monthly Project Labour Report the Supplier shall simultaneously furnish the CCT's Agent with copies of the employment contracts entered into with such labour, together with certified copies of identification documents, proof of attendance in the form of attendance register or timesheets as well as evidence of payments to such labour in the form of copies of payslips or payroll runs. If the worker is paid in cash or by cheque, this information must be recorded on the envelope and the worker must acknowledge receipt of payment by signing for it and proof of such acknowledgement shall be furnished to the CCT's Agent.

# (14) MONTHLY PROJECT LABOUR REPORT (EXAMPLE)

## ANNEX 1

# CITY OF CAPE TOWN MONTHLY PROJECT LABOUR REPORT



#### Instructions for completing and submitting forms

#### General

- 1 The Monthly Project Labour Reports must be completed in full, using typed, proper case characters; alternatively, should a computer not be available, handwritten in black ink.
- 2 Incomplete / incorrect / illegible forms will not be accepted.
- 3 Any conditions relating to targeted labour stipulated in the Contract (in the case of contracted out services or works) shall apply to the completion and submission of these forms.
- 4 This document is available in Microsoft Excel format upon request from the City's EPWP office, tel 021 400 9406, email EPWPLR@capetown.gov.za.

#### **Project Details**

- 5 If a field is not applicable insert the letters: NA
- 6 Only the Project Number supplied by the Corporate EPWP Office must be inserted. The Project Number can be obtained from the Coordinator or Project Manager or from the e-mail address in point 4 above.
- 7 On completion of the contract or works project the anticipated end date must be updated to reflect the actual end date.

#### Beneficiary Details and Work Information

8 Care must be taken to ensure that beneficiary details correspond accurately with the beneficiary's ID document.

- 9 A new beneficiary is one in respect of which a new employment contract is signed in the current month. A certied ID copy must accompany this labour report on submission.
- 10 Was the beneficiary sourced from the City's job seeker database?
- 11 The contract end date as stated in the beneficiary's employment contract.
- 12 Where a beneficiary has not worked in a particular month, the beneficiary's name shall not be reflected on this form at all for the month in question.
- 13 Training will be recorded separately from normal working days and together shall not exceed the maximum of 23 days per month
- 14 Workers earning more than the maximum daily rate (currently R450 excluding any benefits) shall not be reflected on this form at all.

#### Submission of Forms

- 15 Signed hardcopy forms must be scanned and submitted to the City's project manager in electronic (.pdf) format, together with the completed form in Microsoft Excel format.
- Scanned copies of all applicable supporting documentation must be submitted along with each monthly project labour report. Copies of employment contracts and ID documents are only required in respect of new beneficiaries.
- 17 If a computer is not available hardcopy forms and supporting documentation will be accepted.

#### PROJECT DETAILS

Numbers in cells below e.g (6) refer to the relevant instruction above for completing and submitting forms

CONTRA	CT OR WO	RKS							- 1	EPWP SUP														
PROJEC1	NAME:	(6)								PROJECT N	NUM	IBER: (6)												
DIRECTO	TORATE:								DEPARTMENT:															
CONTRA	CTOR OR								CONTRACTOR OR VENDOR															
VENDOR NAME:									E-MAIL ADDRESS:															
CONTRA	CTOR OR V	VENDOR	ENDOR							CONTRACTOR OR VENDOR														
CONTACT PERSON:									TEL. NUMBER:															
PROJEC1	LABOUR	REPORT C	URRENT	MONTH (m	ark with "X"	)																		
JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	00	CT NO	V	DEC	YEAR											
ACTUAL S	START DA	TE (yyyy/mi	m/dd)									ANTICIPA	TED / A	CTUAL	END	DATE	(уууу	/mm/c	dd)			(7)		
TOTAL PI	ROJECT E	XPENDITU	RE / VALUI	E OF WOR	K DONE TO	D-DATE (IN	ICLUDING	ALL COST	S, BU	T EXCLUDII	NG '	VAT)												
R																Ī								

# ANNEX 1 (continued)

# MONTHLY PROJECT LABOUR REPORT



#### BENEFICIARY DETAILS AND WORK INFORMATION

	CONTRACT OR WORKS	Ţ		Year	Month	1		Sheet		Ţ		
	PROJECT NUMBER:			<u> </u>				]	1	of		1
	(0)	(0)	(0)	(0)			(40)	1	(44)	(40)	(40)	(4.4)
$\vdash$	(8)	(8)	(8)	(9)	ļ		(10)		(11)	(12)	(13)	(14)
No.	First name	Surname	ID number	New Beneficiary (Y/N)	Gender (M/F)	Disabled (Y/N)	Job seeker database (Y/N)	Contract start date (DDMMYY)	Contract end date (DDMMYY)	No. days worked this month (excl. training)	Training days	Rate of pay per day (R – c)
1												
2												
3												
4												
5							1					
7												
8												
9												<del>                                     </del>
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20					<u> </u>			<u> </u>				R -
						1				0		) R -
Declared by Contractor or Vendor to be true and correct:		Name				Signature						
		Date										
Received by Employer's Agent Agent Representative:		Name				Ciamatura						
		Date				Signature						