



Request for Quote

Printed: 30.03.2023

Page:

Number:

1 of 3

6000369272

Date:

30.03.2023

VAT REG NO: 4740101508

ESKOM HOLDINGS GENERATION

eskom holdings generation Ltd

P O Box 2634

johannesburg

2157

RFQ Collective number

Contact person

MADELAINE PRINSLOO

Your person responsible/Your reference

Please deliver to:

Majuba Power Station.

Volksrust - Amersfoort Road.

Volksrust.

2470

Your vendor number with us

11070302

Quotation deadl.: 08.05.2023

Delivery date: Day 08.06.2023

THE SUPPLY AND DELIVER OF MECHANICAL SPARES AT MAJUBA POWER STATION

Tender number : MPMAJ10640GX

Issue date : 31 March 2023

Closing date and time : 08 MAY 2023 at 10:00am South African Standard Time

Tender validity period : Fifty two (52) weeks from the closing date and time

Tenders are to be delivered to the following address on the stipulated closing date and time:

Eskom Holdings SOC Ltd

Tender Centre

No.10 Smuts Avenue

Witbank / Emalahleni

Majuba Power Station

Procurement

PO Box 382 VOLKSRUST 2470 SA

Tel 0177993211 Fax 0177992145

Mpumalanga
1035

Item	Material	Unit	Description	Deliv. date
RFQ quantity				
00010	0229872		MANIFOLD VLV:2 WAY SHUT OFF;CRNIMOTI	
5		each	MANIFOLD, VALVE: STYLE: 2 WAY SHUT OFF; BODY MATERIAL: CRNIMOTI; SUPPL P/N: 7MF9401; SIEMENS SITRANS P; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	
00020	0635074		WHEEL SET:METAL V GROOVED;METAL	
12		each	WHEEL SET: TYPE: METAL V GROOVED; DIMENSIONS: OD 3-7/8 X WD 2-3/4 IN; MATERIAL: METAL; SHAFT 3/4 INCH; MOVING HEAD BELT TROLLEY	
00030	0562218		HOUSING:SPLITTER BOX;MILD STEEL	
7		each	HOUSING: TYPE: SPLITTER BOX; DIMENSIONS: WD 100 X LG 430 X HT 300 MM; MATERIAL: MILD STEEL; DRAWING NO: 0.66/84095 REV 0; 2.0 MM MILD STEEL; JUNCTION BOX - OUTDOOR SPLITTER BOX (INCLUDING MOUNTING AND GLAND PLATES); TO BE SUPPLIED AS PER DRAWING; NO QUOTATIONS OR PARTS TO BE ACCEPTED IF SUPPLIED WITHOUT TECHNICAL SPECIFICATIONS AS PER DRAWING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	
00040	0244912		THERMOCOUPLE:K;3 MM;1.025 M;0-600 DEG C	
10		each	THERMOCOUPLE: TYPE: K; SHEATH DIAMETER: 3 MM; DESIGN LENGTH: 1.025 M; TEMPERATURE RANGE: 0-600 DEG C; SHEATH MATERIAL: SS; WIRES: 2; NUMBER OF JUNCTIONS: 1; HEAD CERAMIC, THERMOCOUPLE WITH LENGTH SPECIFIED FROM TIP TO BOTTOM OF THE BASEPLATE, WIRE LEADS FROM THERMOCOUPLE IS CONNECTED TO A CERAMIC CONNECTOR ON THE BASEPLATE OF THE THERMOCOUPLE TO WHICH CONNECTION IS MADE FOR FEEDBACK PURPOSES, USED ON UNITS 1-3	
00050	0230854		SHAFT:VALVE;LG 641.1 MM;17-4PH	
1		each	SHAFT: TYPE: VALVE; LENGTH: 641.1 MM; MATERIAL: 17-4PH; SUPPL P/N: L19132K0012	



Request for Quote

Printed: 30.03.2023

Page:

3 of 3

Number:

6000369272

Date:

30.03.2023

VAT REG NO: 4740101508

Item	Material		Description	
	RFQ quantity	Unit		Deliv. date
00060	0231490		SHAFT:LG 300 MM;17-4PH	
	1	each	SHAFT: LENGTH: 300 MM; MATERIAL: 17-4PH; MODEL NO: 8560, UNK; SUPPL P/N: 75B0040X012; BUTTERFLY VALVE	
00070			BELLOWS:EXPANSION JOINT;SOLE SOURCE	
	16	each	Your material number STM-029137	
			BELLOWS: TYPE: EXPANSION JOINT; PRESSURE RANGE: SOLE SOURCE; MATERIAL: SOLE SOURCE; DIMENSIONS: 60.33 MM; BELLOWS / EXPANSION JOINT.##STEAM AIR HEATER (PRIMARY & SECONDARY)##SOLE SOURCE.####; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	
00080	0680540		COUPLING:FLEXIBLE GEAR;STL;SPEC GO11AV	
	4	each	COUPLING: TYPE: FLEXIBLE GEAR; SIZE: ID 300 X OD 500 MM; MATERIAL: STL; SPECIFICATION: GO11AV; CONNECTION 1: MOTOR; CONNECTION 1 SIZE: 240 MM; CONNECTION 2: PUMP; CONNECTION 2 SIZE: 250 MM; CONNECTION1: SHAFT OD: 240MM; COUPLING ID: 239.97MM; TWO KEYS OPPOSITES FROM ANOTHER 260.4MM; KEY WD:: 45.1MM; INTERFERENCE FIT: 0.03MM; CONNECTION2: SHAFT OD:250MM; COUPLING ID: 249.97MM; KEY TO BORE: : 262.6MM; KEY WD::56.2MM; INTERFERENCE FIT: 0.03MM	