South African National Accreditation System

Libertas Office Park
Cnr Libertas and Highway Streets
Equestria
Pretoria
0184

REQUEST FOR QUOTATION




PLEASE COMPLETE AND SUBMIT TOGETHER WITH REQUIRED DOCUMENTS AND QUOTATION					
DATE OF ISSUE:	27 September 2022	REQUISITION NUMBER	REQ0004586		
CLOSING DATE:	04 October 2022	CLOSING TIME:	11:00		
QUOTE VALIDITY:	30 days from the date the RFQ closed	Submissions and enquires to be made to:	Ms Nkhesani Mathebula procurement@sanas.co.za 012 740 8536		


1. PRODUCT /SERVICE DETAILS

Des	Quantity required	
	SANAS requires 2 projectors to be urgently supply and install the following specifications: TECHNOLOGY Projection System 3LCD Technology, RGB liquid crystal shutter LCD Panel 0,61 inch with MLA (D10)	2 projectors
1	IMAGE Color Light Output 3.400 Lumen- 2.200 Lumen (economy) In accordance with ISO 21118:2013 White Light Output 3.400 Lumen - 2.200 Lumen (economy) In accordance with ISO 21118:2013 Resolution Full HD 1080p, 1920 x 1080, 16:9 Contrast Ratio 16.000: 1 Lamp UHE, 210 W, 6.000 h durability, 12.000 h durability (economy mode) Keystone Correction Auto vertical: ± 30°, Manual horizontal ± 30° Colour Reproduction Up to 1.07 billion colours High Definition Full HD Aspect Ratio 16:9 Light source Lamp Colour Video Processing 10 Bits 2D Vertical Refresh Rate 192 Hz - 240 Hz Throw Ratio 1,00 - 1,20:1 Zoom Manual, Factor: 1,2 Screen Size 30 inches - 300 inches Projection Distance Wide/Tele 1,02 m - 1,23 m (60 inch screen Projection Lens Focal Length 14,06 mm - 16,82 mm Projection Lens Focus Manual Lens Optical Projection Lens F Number 1,58 - 1,7	
	ADVANCED FEATURES 3D No 2D Colour Modes Dynamic, Cinema, Bright Cinema Other features AV Mute Slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, MHL audio/video interface, Quick Corner, Split-Screen-Function	
	CONNECTIVITY USB Display Function 2 in 1: Image / Mouse Interfaces USB 2.0 Type A, USB 2.0 Type B, VGA	

HDMI in (2x), Composite in, Cinch audio in, Miracast, Wireless LAN IEEE 802.11b/g/n, Stereo mini jack audio out

PC control (9 pin) (see picture) below as an example





Email:					
VAT number (if applicable):					
VAT humber (ii applicable).					
Physical address:					
2 SCM COMPLIANCE PEOLIPEMENTS (place	so tick)				
3. SCM COMPLIANCE REQUIREMENTS (please	se tick)				
Central Supplier Database Report or Summary					
Completed and signed SBD 4					
Completed and signed SBD 6.1					
Completed and signed SBD 8	N/A				
Completed and signed SBD 9	N/A				
Certified valid B-BBEE Certificate					
Certified valid B-BBEE CertificateCertified valid B-BBEE Certificate (Please note bidders will not be disqualified for not submitting a valid certified BBBEE certificate or a sworn affidavid but will lead to the service provider not being awarded preference (BEE) points where the preferential point system is applicable)					
EVALUATION PROCESS All bids will be evaluated as follows: • The First stage, bids will be evaluated first for Administrative requirements, Only bids that meet					
Administrative and Compliance requirements will be co	insidered for further evaluation.				
• The second stage, bids will be evaluated in terms of and below R50 000 000.	f price and 80/20 preference point system for quotations above R30 000				
4. QUOTATION TERMS & CONDITIONS:					
	Quote validity refers to calendar days				
·					
•	SANAS reserves the right to increase or decrease quantities at the prices quoted.				
4. SANAS reserves the right to cancel this request.					
·	5. All goods/services must be quoted in Rand value.				
7. All fields must be filled in / completed for this document to be accepted.					
8. Failure to submit the quotation by the date and time stipulated will result in disqualification.					
9. Payment will be made 30 days after delivery of goods of services.					
10. THIS QUOTE DOES NOT CONSTITUTE AN ORDER					
5. ACKNOWLEDGEMENT AND SUBMISSION:					
I hereby acknowledge and accept the terms and conditions of this request for quotation:					
Name: Date:					