



Type. F

Exposure
Coating:
colour:
Furniture

Crealco Swift 38 or eq. approved top hung aluminium casement window, per layout. Casement sash 1500 x 1200mm max capacity
Fixing lugs suitable for fixing to plastered brickwork reveals.
AAAMSA exposure category: A3. SANS613 - 2000Pa wind load capacity
Class 2 powder coated to SANS 10322:2014; Coatings in accordance with SANS 1796 using powders in accordance with SANS 1578.
TBC. Provisionally Mat Black
500mm Stays, 13mm stack, capacity 28Kg. Crealco code STF-TH600S-304 or equal app
Handles - Per manufacturers specification to suite operation indicated.
Glazing throughout to be 12mm thick toughened safety glass , per PFG Armourplate.
Req. 0.7
U-Value Req. 5.8 W/m².K (system)
Mesh security screen: Per Trellidor Clearguard casement window, consisting of: 89x23 box section outer frame .
s/steel woven mesh screen in 42x33 casement framing . Finish- Powder coated of colour to match window frame.
Locking with cylinder deadlatch and escutcheon, at max 600mm cc. 100mm sinkless S/steel hinges.

Blinds / Curtains:

Vertical Louvre blinds, polycotton drape, 127mm width vanes, cord operable. 45x25 Aluminium head rail, per Hospitrack, Hospi-Lux

QUANTITY:	Incl Blinds	Incl Blinds + security mesh
4	WG13 WG52 WG24 WG45	WG13 WG52 WG24 WG45

NOTES:

- ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO MANUFACTURE.
- WINDOWS DRAWN AS VIEW FROM EXTERIOR.

REVISIONS

Rev.	Date	Description	By
A	2024.08.06	Window & description updated.	PD
B	2024.08.13	Security mesh added.	PD

PROJECT:

PORT SHEPSTONE HOSPITAL
NEW PSYCHIATRIC WARD

DRAWING DESCRIPTION:

WINDOW SCHEDULE
WINDOW TYPE F

Architect:

ARTEK 4 ARCHITECTS (KZN) CC

Durban: 46 Lena Ahrens Road, Glenwood, Durban 4000
tel: 031 201 0445 fax: 031 201 6609 email: admin@artek4.co.za
Port Shepstone: 19 Tradewinds, Marine Drive, Shelly Beach
tel: 039 682 2447 fax: 039 682 2446 email: adminps@artek4.co.za



Scale	Date	Drawn	Project No.	Drawing No.	Rev.
1:25	14.11.2022	WP	1518	401-6	B