

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

PART 2: PRICING DATA

NEC3 Supply Contract

Document reference	Title	No of pages
C2.1	Pricing assumptions	2
C2.2	The <i>price schedule</i>	45

C2.1 Pricing assumptions

1. How *goods and services* are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

Identified and defined terms	11 11.2	(11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate. (12) The Price Schedule is the <i>price schedule</i> unless later changed in accordance with this contract.
Assessing the amount due	50.2	The amount due is <ul style="list-style-type: none"> • the Price for each lump sum item in the Price Schedule which the <i>Supplier</i> has completed, • where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the <i>Supplier</i> has completed by the rate, • plus other amounts to be paid to the <i>Supplier</i>, • less amounts to be paid by or retained from the <i>Supplier</i>. <p>Any tax which the law requires the <i>Purchaser</i> to pay to the <i>Supplier</i> is included in the amount due.</p>

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods and services* which can be priced as lump sums or as expected quantities of *goods and services* multiplied by a rate, or a mix of both.

2. Function of the Price Schedule

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

3. Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the *price schedule*;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

- Spread the cost of doing work he chooses not to list as separate items in the *price schedule* across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for the tendered total of the Prices;
- Understood that there is no adjustment to lump sum prices in the *price schedule* if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the *Supplier* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;
- Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

3.1. Format of the *price schedule*

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

C2.2 the price schedule

Item	Full Description	Material Number	Unit of Measure	Quantity	Rate	Price
1	ASSEMBLY: TYPE: PLUMMER BLOCK; APPLICATION: SPARGO 500 DIAMETER X 600 LEFT HAND TWO ROLL ASH CRUSHER; COMPRISING: HOUSING SSN 524/GB3, BEARING SKF.23224 CC/W33; DRAWING NO: 8492 REV 0; CAT NO: LINATEX BIN NUMBER 416-095	0034688	EA	11		
2	BEARING, BALL: MODEL NO: M/P 4INX5IN; REFERENCE NO: 29; TYPE HOFFMAN ONLY, FOR MATHER AND PLATT MEDIVANE AUXILLARY COOLING WATER PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0240406	EA	11		
3	BEARING, BALL: ROW: DOUBLE; TYPE PROPELLER SHAFT FRONT; FOR 4 IN SPARLING WATER METER WITH ALL S/STEEL INTERNALS, WITH ELECTRICAL TRANSMITTING HEADS FOR REMOTE INTEGRATORS , BESTOBELL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032121	EA	5		
4	BEARING, BALL: STYLE: DOUBLE SEAL; INSIDE DIAMETER: 5 MM; OUTSIDE DIAMETER: 16 MM; WIDTH: 5 MM; SUPPL P/N: 625B; REFERENCE NO: A/FRME HOF CS0; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030222	EA	5		
5	BEARING, BALL: STYLE: DOUBLE SHIELD; SUPPL P/N: 6007-2Z; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030337	EA	5		
6	BEARING, BALL: STYLE: SHIELD; SUPPL P/N: 6220-Z; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030178	EA	5		
7	BEARING, BALL: SUPPL P/N: 0071+45100072; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031149	EA	5		
8	BEARING, BALL: SUPPL P/N: 1200NR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030336	EA	5		
9	BEARING, BALL: SUPPL P/N: 1206; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030412	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

10	BEARING, BALL: SUPPL P/N: 2216C2; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030126	EA	5		
11	BEARING, BALL: SUPPL P/N: 3205A; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030340	EA	5		
12	BEARING, BALL: SUPPL P/N: 3206A; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030284	EA	5		
13	BEARING, BALL: SUPPL P/N: 3310A; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030554	EA	5		
14	BEARING, BALL: SUPPL P/N: 3317AM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030341	EA	5		
15	BEARING, BALL: SUPPL P/N: 53042; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032617	EA	5		
16	BEARING, BALL: SUPPL P/N: 6236C3; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030197	EA	5		
17	BEARING, BALL: SUPPL P/N: 6310-Z/CH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032135	EA	5		
18	BEARING, BALL: SUPPL P/N: 901110-0045; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032126	EA	11		
19	BEARING, BALL: SUPPL P/N: AMS8; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032691	EA	5		
20	BEARING, BALL: SUPPL P/N: EE5-2Z; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030177	EA	5		
21	BEARING, BALL: SUPPL P/N: MJT4EC2; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032710	EA	5		
22	BEARING, BALL: SUPPL P/N: QJM1 3-4LOC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030319	EA	5		
23	BEARING, BALL: SUPPL P/N: QJM2LOC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030555	EA	5		
24	BEARING, BALL: SUPPL P/N: R&M MT+MB13; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF	0030362	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	APPLICABLE).					
25	BEARING, BALL: SUPPL P/N: RLS14; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029890	EA	5		
26	BEARING, BALL: SUPPL P/N: RLS32; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029897	EA	5		
27	BEARING, BALL: TYPE: ANGULAR CONTACT; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 120 MM; WIDTH: 29 MM; ROW: SINGLE; SUPPL P/N: 7311BECB; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, THRUST BALL, CONTROL OIL PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0229488	EA	5		
28	BEARING, BALL: TYPE: ANGULAR CONTACT; INSIDE DIAMETER: 65 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 33 MM; ROW: SINGLE; SUPPL P/N: 7313 BECB; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, M5 (INT) X M6 (EXT), SKF 7313 BG THRUST T/MECH/BOOST/P/P, 4300 RPM (OIL); VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0229484	EA	5		
29	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 1-1/4 IN; OUTSIDE DIAMETER: 2-3/4 IN; WIDTH: 11/16 IN; ROW: SINGLE; SUPPL P/N: ALS10; REFERENCE NO: ALS 10; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032683	EA	5		
30	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 120 MM; OUTSIDE DIAMETER: 180 MM; WIDTH: 28 MM; ROW: SINGLE; SUPPL P/N: 6024; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030125	EA	5		
31	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 20 MM; OUTSIDE DIAMETER: 47 MM; WIDTH: 14 MM; ROW: SINGLE; SUPPL P/N: 7204B; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032673	EA	5		
32	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 20 MM; OUTSIDE DIAMETER: 52 MM; WIDTH: 15 MM; ROW: SINGLE; CAGE MATERIAL: STL; SUPPL P/N: 6304; ITEM MUST BE ORIGINAL PACKED; IBI 14788; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029956	EA	7		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

33	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 2-1/2 IN; OUTSIDE DIAMETER: 3-7/8 IN; WIDTH: 11/16 IN; ROW: SINGLE; SUPPL P/N: XLJ2 1/2; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030169	EA	5		
34	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: 6405; ITEM MUST BE ORIGINAL PACKED, SKF BRAND ONLY, NO OTHER BRANDS ACCEPTABLE; DUTY: HEAVY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030270	EA	11		
35	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 72 MM; WIDTH: 19 MM; ROW: SINGLE; SUPPL P/N: 6306; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029940	EA	11		
36	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 72 MM; WIDTH: 19 MM; ROW: SINGLE; SUPPL P/N: 7306B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029919	EA	5		
37	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: 7307B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030281	EA	5		
38	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 34.9 MM; ROW: DOUBLE; SUPPL P/N: 3307A; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030407	EA	7		
39	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 34.9 MM; ROW: DOUBLE; SUPPL P/N: 3307AC3; REFERENCE NO: 3307; DUTY: EXTRA LIGHT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030361	EA	5		
40	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 25 MM; ROW: SINGLE; SUPPL P/N: 6309C3; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029841	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

41	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 25 MM; ROW: SINGLE; SUPPL P/N: 7309B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029922	EA	5		
42	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 120 MM; WIDTH: 49.2 MM; ROW: DOUBLE; SUPPL P/N: 3311A; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030410	EA	5		
43	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 120 MM; WIDTH: 49.2 MM; ROW: DOUBLE; SUPPL P/N: 3311AC3; FOR USE WITH SFP GLAND SEALING WATER PUMP, NO OTHER BRANDS ACCEPTABLE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032008	EA	5		
44	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 60 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 31 MM; ROW: SINGLE; SUPPL P/N: 7312B; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030182	EA	5		
45	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 65 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 33 MM; ROW: SINGLE; SUPPL P/N: 7313B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030157	EA	15		
46	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 7/8 IN; OUTSIDE DIAMETER: 2 IN; WIDTH: 9/16 IN; ROW: SINGLE; SUPPL P/N: ALS7; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032681	EA	5		
47	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 35 MM; ROW: SINGLE; SUPPL P/N: 7314B; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029925	EA	5		
48	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 63.5 MM; ROW: DOUBLE; SUPPL P/N: 3314A; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030561	EA	7		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

49	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 26 MM; ROW: SINGLE; SUPPL P/N: 7216B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0000145	EA	5		
50	BEARING, BALL: TYPE: ANGULAR CONTACT; STYLE: OPEN; INSIDE DIAMETER: 95 MM; OUTSIDE DIAMETER: 170 MM; WIDTH: 32 MM; ROW: SINGLE; REFERENCE NO: 7219B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032674	EA	5		
51	BEARING, BALL: TYPE: CONRAD; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 14 MM; ROW: SINGLE; REFERENCE NO: 901110-0069; FOR CARRIAGE ASSEMBLY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031517	EA	5		
52	BEARING, BALL: TYPE: CONRAD; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 18 MM; ROW: SINGLE; REFERENCE NO: 901110-0049; FOR CARRIAGE ASSEMBLY; BOILER SOOTBLOWERS CONSUMABLE SPARES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031518	EA	5		
53	BEARING, BALL: TYPE: CONRAD; STYLE: DOUBLE SHIELD; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 14 MM; ROW: SINGLE; SUPPL P/N: 6007-ZZ; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031521	EA	5		
54	BEARING, BALL: TYPE: CONRAD; STYLE: DOUBLE SHIELD; INSIDE DIAMETER: 60 MM; OUTSIDE DIAMETER: 110 MM; WIDTH: 22 MM; ROW: SINGLE; SUPPL P/N: 6212C3; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030571	EA	5		
55	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 101.6 MM; OUTSIDE DIAMETER: 142.88 MM; WIDTH: 22.23 MM; ROW: SINGLE; SUPPL P/N: XLJ4EC3; SOLE SOURCE: CLYDE BERGEMANN AFRICA PTY LTD; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029819	EA	5		
56	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 105 MM; OUTSIDE DIAMETER: 225 MM; WIDTH: 49 MM; ROW: SINGLE; SUPPL P/N: 6321; FOR LAWRENCE SCOTT PA FAN MOTORS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030217	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

57	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 114.3 MM; OUTSIDE DIAMETER: 203.2 MM; WIDTH: 33.34 MM; ROW: SINGLE; SUPPL P/N: RLS36; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030276	EA	5		
58	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 12.7 MM; OUTSIDE DIAMETER: 33.34 MM; WIDTH: 9.53 MM; ROW: SINGLE; SUPPL P/N: RLS4; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030418	EA	5		
59	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 1-5/8 IN; OUTSIDE DIAMETER: 3-1/2 IN; WIDTH: 3/4 IN; ROW: SINGLE; SUPPL P/N: RLS13; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029888	EA	5		
60	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 17 MM; ROW: SINGLE; REFERENCE NO: 901110-0052; FOR LANCE DRIVE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031522	EA	5		
61	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 25.4 MM; OUTSIDE DIAMETER: 63.5 MM; WIDTH: 19.05 MM; ROW: SINGLE; SUPPL P/N: RMS8; SOLE SOURCE: CLYDE BERGEMANN AFRICA PTY LTD; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029882	EA	5		
62	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 38.1 MM; OUTSIDE DIAMETER: 95.25 MM; WIDTH: 23.81 MM; ROW: SINGLE; SUPPL P/N: RMS12; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029887	EA	5		
63	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 18 MM; ROW: SINGLE; SUPPL P/N: 6208C3; PACKED IN SIGLES AND CORROSION PROTECTED* CAMDEN: SKF BRAND ONLY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030163	EA	6		
64	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: SINGLE; SUPPL P/N: 6308; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029840	EA	7		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

65	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 110 MM; WIDTH: 44 MM; ROW: DOUBLE; SUPPL P/N: 5310ND; USED ON SAND FILTER PUMP IN WATER TREATMENT PLANT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031379	EA	5		
66	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 20 MM; ROW: SINGLE; SUPPL P/N: 6210; REFERENCE NO: 6210; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029829	EA	5		
67	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 50.8 MM; OUTSIDE DIAMETER: 114.3 MM; WIDTH: 26.9 MM; ROW: SINGLE; SUPPL P/N: RMS16; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0000073	EA	5		
68	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 57.15 MM; OUTSIDE DIAMETER: 114.3 MM; WIDTH: 22.23 MM; ROW: SINGLE; SUPPL P/N: RLS18; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029893	EA	9		
69	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 60 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 31 MM; ROW: SINGLE; SUPPL P/N: 6312; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030269	EA	7		
70	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 75 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 37 MM; ROW: SINGLE; SUPPL P/N: 6315; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029835	EA	5		
71	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 76 MM; OUTSIDE DIAMETER: 178 MM; WIDTH: 40 MM; ROW: SINGLE; SUPPL P/N: 901110-0062; FOR SHAFT ASSEMBLY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031523	EA	5		
72	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 85 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 28 MM; ROW: SINGLE; SUPPL P/N: 6217; DUTY: EXTRA LIGHT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029844	EA	5		
73	BEARING, BALL: TYPE: CONRAD; STYLE: OPEN; INSIDE DIAMETER: 9.53 MM; OUTSIDE DIAMETER: 22.23 MM; WIDTH: 5.56 MM; ROW: SINGLE; SUPPL P/N: EE3; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE	0029898	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
74	BEARING, BALL: TYPE: CONRAD; STYLE: SHIELD; INSIDE DIAMETER: 120 MM; OUTSIDE DIAMETER: 180 MM; WIDTH: 28 MM; ROW: SINGLE; REFERENCE NO: 901110-0016; FOR CARRIAGE ASSEMBLY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031519	EA	5		
75	BEARING, BALL: TYPE: CONRAD; STYLE: SHIELD; INSIDE DIAMETER: 20 MM; OUTSIDE DIAMETER: 42 MM; WIDTH: 12 MM; ROW: SINGLE; SUPPL P/N: 6004-Z; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030380	EA	5		
76	BEARING, BALL: TYPE: DEEP GROOVE; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 17 MM; ROW: SINGLE; SUPPL P/N: 6305; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, DC OIL PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0229490	EA	6		
77	BEARING, BALL: TYPE: DEEP GROOVE; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 72 MM; WIDTH: 19 MM; ROW: SINGLE; SUPPL P/N: 6306; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, STATOR COOLANT PUMPS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0229492	EA	7		
78	BEARING, BALL: TYPE: DEEP GROOVE; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: 6307; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, AC OIL PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0229491	EA	5		
79	BEARING, BALL: TYPE: DEEP GROOVE; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: SINGLE; SUPPL P/N: 6308; DRAWING NO: FAG6308 REV 1; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, T/BOOSTER PUMP, 9000 RPM (OIL); VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0229487	EA	5		
80	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 10 MM; OUTSIDE DIAMETER: 26 MM; WIDTH: 8 MM; ROW: SINGLE; SUPPL P/N: 6000-2RS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030476	EA	5		
81	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 12 MM; OUTSIDE DIAMETER: 28 MM; WIDTH: 8 MM; ROW: SINGLE; SUPPL P/N: 6001-2RS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	0030477	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	DRAWING REVISION NUMBER (IF APPLICABLE).					
82	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 22.23 MM; OUTSIDE DIAMETER: 57.15 MM; WIDTH: 17.46 MM; ROW: SINGLE; SUPPL P/N: RMS7; SUPPLIER NOTE: THE ITEM MUST BE ORIGINAL PACKED, SEALED AND CLEARLY MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030277	EA	5		
83	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 17 MM; ROW: SINGLE; SUPPL P/N: 6305-2RS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030385	EA	5		
84	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 25.4 MM; OUTSIDE DIAMETER: 57.15 MM; WIDTH: 15.88 MM; ROW: SINGLE; SUPPL P/N: RLS8; SOLE SOURCE: CLYDE BERGEMANN AFRICA PTY LTD; SUPPLIER NOTE: THE ITEM MUST BE ORIGINAL PACKED, SEALED AND CLEARLY MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030273	EA	5		
85	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 18 MM; ROW: SINGLE; SUPPL P/N: 6208-2RS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030484	EA	5		
86	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SEAL; INSIDE DIAMETER: 5/8 IN; OUTSIDE DIAMETER: 1-9/16 IN; WIDTH: 7/16 IN; ROW: SINGLE; SUPPL P/N: RLS5-2RSC2; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030128	EA	5		
87	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: DOUBLE SHIELD; INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 35 MM; ROW: SINGLE; SUPPL P/N: 6314-2ZC3; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029857	EA	9		
88	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 17 MM; OUTSIDE DIAMETER: 47 MM; WIDTH: 14 MM; ROW: SINGLE; SUPPL P/N: 6303; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029827	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

89	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 17 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 17 MM; ROW: SINGLE; SUPPL P/N: 6403; NOTE: ITEM MUST BE ORIGINAL PACKED; DUTY: HEAVY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030379	EA	5		
90	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 52 MM; WIDTH: 15 MM; ROW: SINGLE; SUPPL P/N: 6205; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029957	EA	5		
91	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 3/4 IN; OUTSIDE DIAMETER: 7-1/2 IN; WIDTH: 1-9/16 IN; ROW: SINGLE; SUPPL P/N: RMS26; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032661	EA	5		
92	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 16 MM; ROW: SINGLE; SUPPL P/N: 6206; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030291	EA	5		
93	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: SINGLE; SUPPL P/N: 6406C3; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032564	EA	5		
94	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 85 MM; WIDTH: 19 MM; ROW: SINGLE; SUPPL P/N: 6209; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030395	EA	5		
95	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 5 IN; OUTSIDE DIAMETER: 10 IN; WIDTH: 2 IN; ROW: SINGLE; SUPPL P/N: RMS40; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030160	EA	5		
96	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 120 MM; WIDTH: 29 MM; ROW: SINGLE; SUPPL P/N: 6311; ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030268	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

97	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 65 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 33 MM; ROW: SINGLE; CAGE MATERIAL: STL; MANUF P/N: 6313-C3; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030991	EA	10		
98	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 35 MM; ROW: SINGLE; SUPPL P/N: 6314; ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0000084	EA	5		
99	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: OPEN; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 170 MM; WIDTH: 39 MM; ROW: SINGLE; SUPPL P/N: 6316; DUTY: MEDIUM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0000069	EA	7		
100	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: SHIELD; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: 6307-Z; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029954	EA	5		
101	BEARING, BALL: TYPE: DEEP GROOVE; STYLE: SHIELD; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 18 MM; ROW: SINGLE; SUPPL P/N: 6208Z; NOTE: ITEM MUST BE ORIGINAL PACKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029854	EA	5		
102	BEARING, BALL: TYPE: HIGH SPEED; OUTSIDE DIAMETER: 9-1/2 IN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0034850	EA	5		
103	BEARING, BALL: TYPE: OPEN, STANDARD; SUPPL P/N: 6316; REFER MATERIAL NUMBER 0000069; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0400269	EA	5		
104	BEARING, BALL: TYPE: RADIAL CONTACT; STYLE: OPEN; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: SINGLE; SUPPL P/N: 6406C3; SKF BRAND ONLY, NO OTHER BRANDS ACCEPTABLE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030271	EA	5		
105	BEARING, BALL: TYPE: SELF ALIGNING; STYLE: OPEN; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: DOUBLE; SUPPL P/N: 1308; REFERENCE NO: 1308; HOFF U340; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING	0029910	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
106	BEARING, BALL: TYPE: SPHERICAL; STYLE: OPEN; INSIDE DIAMETER: 75 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 25 MM; ROW: DOUBLE; SUPPL P/N: 1215K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030295	EA	5		
107	BEARING, BALL: TYPE: TURNTABLES; STYLE: SLEWING RING; INSIDE DIAMETER: 959 MM; OUTSIDE DIAMETER: 1.111 M; WIDTH: 90 MM; ROW: SINGLE; REFERENCE NO: HE18; INSIDE DIAMETER LOWER RING: 986MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0661835	EA	5		
108	BEARING, CAM FOLLOWER: SUPPL P/N: KR26	0030154	EA	5		
109	BEARING, FLANGE BLOCK: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 45 MM; SHAPE: SQ; BLOCK SIZE: SQ 137 X THK 10 MM; BOLT MOUNTING: 4; BOLT DIAMETER: M14; HOUSING MATERIAL: CI; SUPPL P/N: UCF209; DUTY LIGHT	0217225	EA	280		
110	BEARING, FLANGE BLOCK: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 60 MM; SHAPE: SQ; BLOCK SIZE: WD 177 X THK 50 MM; BOLT MOUNTING: 4; BOLT DIAMETER: M19; HOUSING MATERIAL: CI; REFERENCE NO: UCF 212-60; DUTY LIGHT	0031298	EA	5		
111	BEARING, FLANGE BLOCK: SUPPL P/N: 722520B	0034847	EA	5		
112	BEARING, PILLOW BLOCK: INSIDE DIAMETER: 185 MM; BOLT MOUNTING: 2; BOLT DIAMETER: M24; BLOCK SIZE: 350 MM; MANUF P/N: SN 522-619; USED IN ASH PLANT; THE BLOCK MUST BE COMPLETE WITH U-LOCK SEALS	0565157	EA	6		
113	BEARING, PILLOW BLOCK: INSIDE DIAMETER: 185 MM; BOLT MOUNTING: 2; MANUF P/N: SN 524-620	0560969	EA	13		
114	BEARING, PILLOW BLOCK: INSIDE DIAMETER: 4-1/2 IN; BOLT MOUNTING: 4; BOLT DIAMETER: M20; BLOCK SIZE: WD 220 X LG 419.1 X HT 238.1 MM; SHAFT HEIGHT: 120.65 MM; ROLLING ELEMENT: SPHERICAL; HOUSING MATERIAL: CI; SUPPL P/N: AMEP5408YF	0219366	EA	5		
115	BEARING, PILLOW BLOCK: INSIDE DIAMETER: 93 MM; BOLT MOUNTING: 2; BOLT DIAMETER: 21 MM; BLOCK SIZE: WD 120 X LG 313 X HT 175 MM; SHAFT HEIGHT: 95 MM; ROLLING ELEMENT: ROLLER CYLINDRICAL; HOUSING MATERIAL: CI; SUPPL P/N: SNA516-613; HOUSING, WITH ADAPTER SLEEVE; DUTY: HEAVY	0034982	EA	5		
116	BEARING, ROLLER: INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: NSK307; CONSUMABLES FOR TURBINE/AUXILIARY PLANT, CW BOOSTER PUMP	0229493	EA	7		
117	BEARING, ROLLER: INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 35 MM; ROW: SINGLE; BORE SHAPE: CYLINDRICAL; CAGE MATERIAL: STL; MANUF P/N: NU314WC3;	0244257	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	NU314WC3; FOR USE ON SECONDRY COOLING SYSTEM					
118	BEARING, ROLLER: MODEL NO: M/P 4INX5IN; REFERENCE NO: 30; FOR MATHER AND PLATT MEDIVANE AUXILLARY COOLING WATER PUMP	0240407	EA	10		
119	BEARING, ROLLER: SUPPL P/N: 22319CCC3	0032671	EA	5		
120	BEARING, ROLLER: SUPPL P/N: 22326CC3					
		0030082	EA	5		
121	BEARING, ROLLER: SUPPL P/N: N219	0029967	EA	5		
122	BEARING, ROLLER: SUPPL P/N: N311	0029870	EA	5		
123	BEARING, ROLLER: SUPPL P/N: NU202	0030351	EA	5		
124	BEARING, ROLLER: SUPPL P/N: NU207K	0030350	EA	5		
125	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 110 MM; OUTSIDE DIAMETER: 200 MM; WIDTH: 35 MM; ROW: SINGLE; SUPPL P/N: N222C3	0030347	EA	5		
126	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 13 MM; OUTSIDE DIAMETER: 33.4 MM; WIDTH: 9.8 MM; ROW: SINGLE; SUPPL P/N: LRJA1-2	0030066	EA	5		
127	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 130 MM; OUTSIDE DIAMETER: 280 MM; WIDTH: 58 MM; ROW: SINGLE; SUPPL P/N: NU326	0030097	EA	5		
128	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 15.88 MM; OUTSIDE DIAMETER: 39.69 MM; WIDTH: 11.11 MM; ROW: SINGLE; SUPPL P/N: CRL5; NOTE: ITEM MUST BE ORIGINAL PACKED	0030065	EA	5		
129	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 52 MM; WIDTH: 15 MM; ROW: SINGLE; REFERENCE NO: N205 STD; N205	0030244	EA	6		
130	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 16 MM; ROW: SINGLE; SUPPL P/N: N206; REFERENCE NO: ETVP2	0029867	EA	5		
131	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 30 MM; OUTSIDE DIAMETER: 62 MM; WIDTH: 16 MM; ROW: SINGLE; SUPPL P/N: NU206	0030132	EA	5		
132	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 80 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: N307; SKF BRAND ONLY, NO OTHER BRANDS ACCEPTABLE	0030246	EA	9		
133	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 4 IN; OUTSIDE DIAMETER: 8-1/2 IN; WIDTH: 1-3/4 IN; ROW: SINGLE; SUPPL P/N: CRM32	0030074	EA	5		
134	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: SINGLE; SUPPL P/N: N308	0030434	EA	5		
135	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 4-1/2 IN; OUTSIDE DIAMETER: 9-3/8 IN; WIDTH: 2 IN; ROW: SINGLE; SUPPL P/N: CRM36	0030433	EA	5		
136	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 4-1/4 IN; OUTSIDE DIAMETER: 8-3/4 IN; WIDTH: 1-3/4 IN; ROW: SINGLE; SUPPL P/N: CRM34	0030440	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

137	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 44.45 MM; OUTSIDE DIAMETER: 107.95 MM; WIDTH: 26.99 MM; ROW: SINGLE; SUPPL P/N: CRM14	0030238	EA	5		
138	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 25 MM; ROW: SINGLE; SUPPL P/N: NU309EC; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, T/MECH/BOOST/P/P, 7500 RPM (OIL)	0229485	EA	5		
139	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 110 MM; WIDTH: 27 MM; ROW: SINGLE; SUPPL P/N: N310	0030436	EA	5		
140	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 20 MM; ROW: SINGLE; SUPPL P/N: N210	0029868	EA	5		
141	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 90 MM; WIDTH: 23 MM; ROW: DOUBLE; CAGE MATERIAL: STL; SUPPL P/N: 22210KEJW33C3	0661842	EA	9		
142	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 50.8 MM; OUTSIDE DIAMETER: 114.3 MM; WIDTH: 26.99 MM; ROW: SINGLE; SUPPL P/N: CRM16	0030240	EA	5		
143	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 21 MM; ROW: SINGLE; SUPPL P/N: N211	0029869	EA	5		
144	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 120 MM; WIDTH: 29 MM; ROW: SINGLE; SUPPL P/N: N311; CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, CONTROL OIL PUMP	0229489	EA	5		
145	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 60 MM; OUTSIDE DIAMETER: 110 MM; WIDTH: 22 MM; ROW: SINGLE; SUPPL P/N: N212	0029871	EA	5		
146	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 60 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 31 MM; ROW: SINGLE; SUPPL P/N: N312	0029872	EA	5		
147	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 65 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 33 MM; ROW: SINGLE; SUPPL P/N: N313; NOTE - ITEM MUST BE ORIGINAL PACKED	0030247	EA	6		
148	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 65 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 33 MM; ROW: SINGLE; SUPPL P/N: N313C3	0030348	EA	11		
149	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 75 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 37 MM; ROW: SINGLE; SUPPL P/N: N315STD; NOTE: ITEM MUST BE ORIGINAL PACKED	0029873	EA	5		
150	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 170 MM; WIDTH: 39 MM; ROW: SINGLE; SUPPL P/N: NU316	0030525	EA	5		
151	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 85 MM; OUTSIDE DIAMETER: 180 MM; WIDTH: 41 MM; ROW: SINGLE; SUPPL P/N: N317; TWO LIPS ON INNER, PLAIN OUTER, NOTE: ITEM MUST BE ORIGINAL PACKED	0030519	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

152	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 88.9 MM; OUTSIDE DIAMETER: 165.1 MM; WIDTH: 28.58 MM; ROW: SINGLE; SUPPL P/N: CRL28	0030069	EA	5		
153	BEARING, ROLLER: TYPE: CYLINDRICAL; INSIDE DIAMETER: 90 MM; OUTSIDE DIAMETER: 190 MM; WIDTH: 43 MM; ROW: SINGLE; SUPPL P/N: N318; NOTE - ITEM MUST BE ORIGINAL PACKED	0030076	EA	5		
154	BEARING, ROLLER: TYPE: NEEDLE; INSIDE DIAMETER: 12 MM; OUTSIDE DIAMETER: 24 MM; WIDTH: 13 MM; ROW: SINGLE; OEM P/N: 5360-207, OEM: GE STEAM POWER SERVICE; 5160-207, OEM: GE STEAM POWER SERVICE; REFERENCE NO: NA4901	0030100	EA	5		
155	BEARING, ROLLER: TYPE: NEEDLE; INSIDE DIAMETER: 12 MM; OUTSIDE DIAMETER: 25 MM; WIDTH: 10.5 MM; ROW: SINGLE; SUPPL P/N: KC1211NRD	0030224	EA	5		
156	BEARING, ROLLER: TYPE: NEEDLE; INSIDE DIAMETER: 15 MM; OUTSIDE DIAMETER: 35 MM; WIDTH: 14 MM; ROW: SINGLE; OEM P/N: 5160-290, OEM: GE STEAM POWER SERVICE; 5360-290, OEM: GE STEAM POWER SERVICE; REFERENCE NO: NA2202-2RS	0030104	EA	5		
157	BEARING, ROLLER: TYPE: NEEDLE; SUPPL P/N: HK 1816	0030102	EA	5		
158	BEARING, ROLLER: TYPE: NEEDLE; SUPPL P/N: NA2100	0030352	EA	5		
159	BEARING, ROLLER: TYPE: NEEDLE; SUPPL P/N: NAF40X55X17	0030153	EA	5		
160	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 200 MM; WIDTH: 69.8 MM; ROW: DOUBLE; SUPPL P/N: 23222CCKW33	0225579	EA	10		
161	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 110 MM; OUTSIDE DIAMETER: 200 MM; WIDTH: 53 MM; ROW: DOUBLE; SUPPL P/N: 22222CK-STD	0030259	EA	17		
162	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 115 MM; OUTSIDE DIAMETER: 230 MM; WIDTH: 80 MM; ROW: DOUBLE; SUPPL P/N: 23226CCKW33	0225580	EA	5		
163	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 120 MM; OUTSIDE DIAMETER: 215 MM; WIDTH: 76 MM; ROW: DOUBLE; SUPPL P/N: 23224CC3; CYLINDRICAL BORE, NOTE: THE REFERENCE NUMBER MUST BE CAST AND NOT ENGRAVED ON BEARING AND ORIGINAL PACKED	0030058	EA	11		
164	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 160 MM; OUTSIDE DIAMETER: 290 MM; WIDTH: 104 MM; ROW: SINGLE; MODEL NO: 23232 CCK-W33; NOTE: ITEM MUST BE ORIGINAL PACKED	0030016	EA	11		
165	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 25 MM; ROW: DOUBLE; SUPPL P/N: 22211CCKC3C3	0031148	EA	11		
166	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 29 MM; ROW: DOUBLE; SUPPL P/N: 21311EK	0225878	EA	5		
167	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 120 MM; WIDTH: 43 MM; ROW: DOUBLE; SUPPL	0030356	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	P/N: 22311CC					
168	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 60 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 46 MM; ROW: DOUBLE; SUPPL P/N: 22312C; REFERENCE NO: 22312	0030445	EA	5		
169	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 75 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 31 MM; ROW: DOUBLE; SUPPL P/N: 22215CK; SKF BRAND ONLY, NO OTHER BRANDS ACCEPTABLE	0030451	EA	72		
170	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 170 MM; WIDTH: 58 MM; ROW: DOUBLE; SUPPL P/N: 22316C; FOR USE ON SULZER SFP BOOSTER PUMP TYPE NPTX(D)48-25, SKF BRAND ONLY, NO OTHER BRANDS ACCEPTABLE	0030447	EA	5		
171	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 170 MM; WIDTH: 58 MM; ROW: DOUBLE; SUPPL P/N: 22316EC3; REFERENCE NO: 22316E	0030357	EA	5		
172	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 90 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 40 MM; ROW: DOUBLE; BORE SHAPE: TAPER; SUPPL P/N: 22218CKC3	0030452	EA	57		
173	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 90 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 40 MM; ROW: SINGLE; SUPPL P/N: 22218CCKW3C3; FEEDER END STATION	0032040	EA	43		
174	BEARING, ROLLER: TYPE: SELF ALIGNING; INSIDE DIAMETER: 90 MM; OUTSIDE DIAMETER: 180 MM; WIDTH: 60.3 MM; ROW: DOUBLE; SUPPL P/N: 23220CCKW33	0225578	EA	16		
175	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 130 MM; OUTSIDE DIAMETER: 200 MM; WIDTH: 52 MM; ROW: DOUBLE; SUPPL P/N: 22224EK; TAPER; FOR USE ON ASH PLANT	0237853	EA	54		
176	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 85 MM; WIDTH: 23 MM; ROW: DOUBLE; BORE SHAPE: TAPER; SUPPL P/N: 22209CCKC3	0031758	EA	7		
177	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 75 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 31 MM; ROW: DOUBLE; REFERENCE NO: 22215CCKC3; THE REFERENCE NUMBER MUST BE CAST AND NOT ENGRAVED ON BEARING, ITEM MUST BE ORIGINAL PACKED	0030257	EA	15		
178	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 75 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 55 MM; ROW: DOUBLE; REFERENCE NO: 22315CCKW33; 22315CCKW33C3; ITEM TO BE BOXED OR WRAPPED IN GREASE CLOTH	0031999	EA	6		
179	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 140 MM; WIDTH: 33 MM; ROW: DOUBLE; SUPPL P/N: 22216CCKC3; NOTE - THE REFERENCE NUMBER MUST BE CAST AND NOT ENGRAVED ON AND ORIGINAL PACKED	0030201	EA	9		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

180	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 52.4 MM; ROW: DOUBLE; SUPPL P/N: 23218CCKW33; CONVEYOR PILLOW BLOCK; TO BE SUPPLIED WITH ADAPTOR SLEEVE	0225662	EA	7		
181	BEARING, ROLLER: TYPE: SELF ALIGNING; SPHERICAL; INSIDE DIAMETER: 85 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 36 MM; ROW: DOUBLE; BORE SHAPE: TAPER; SUPPL P/N: 22217CCKW33C3; LUBRICATION GROOVE AND THREE HOLES IN OUTER RING	0029975	EA	18		
182	BEARING, ROLLER: TYPE: SPHERICAL RADIAL; INSIDE DIAMETER: 160 MM; OUTSIDE DIAMETER: 340 MM; WIDTH: 114 MM; ROW: DOUBLE; OEM P/N: 22332C/C3; USED ON MCW PUMP 1- 4 AND R GEARBOX FOR THE INPUT SHAFT; STRAIGHT BORE	0597984	EA	7		
183	BEARING, ROLLER: TYPE: SPHERICAL; INSIDE DIAMETER: 240 MM; OUTSIDE DIAMETER: 440 MM; WIDTH: 120 MM; ROW: DOUBLE; OEM P/N: 22248C; USED ON MCW PUMP GEAR BOX 1-4 AND R OUTPUT BEARING SHAFT; SELF ALIGNING	0597983	EA	5		
184	BEARING, ROLLER: TYPE: SPHERICAL; INSIDE DIAMETER: 320 MM; OUTSIDE DIAMETER: 540 MM; WIDTH: 176 MM; ROW: DOUBLE; SPECIFICATION: 23164CC3; SUPPL P/N: 23164CC3	0030205	EA	5		
185	BEARING, ROLLER: TYPE: TAPER CONE/CUP; INSIDE DIAMETER: 98.43 MM; OUTSIDE DIAMETER: 168 MM; WIDTH: 41.28 MM; ROW: SINGLE; SUPPL P/N: 685; REFERENCE NO: TIM 865	0029807	EA	5		
186	BEARING, ROLLER: TYPE: TAPER; INSIDE DIAMETER: 120 MM; OUTSIDE DIAMETER: 215 MM; WIDTH: 74.22 MM; ROW: DOUBLE; BORE SHAPE: SPHERICAL; STYLE: SELF ALIGNING; SUPPL P/N: 23224CKC3; COMPLETE WITH ADAPTOR SLEEVE 82324	0242109	EA	38		
187	BEARING, ROLLER: TYPE: TAPER; INSIDE DIAMETER: 133.35 MM; OUTSIDE DIAMETER: 234.95 MM; WIDTH: 114.3 MM; ROW: DOUBLE; SUPPL P/N: K95528 - K95927; FOR USE ON ASH PUMPS; CONSISTING OF 2 X K95528 AND 1 X K95927D OUTER CONE	0240151	EA	5		
188	BEARING, ROLLER: TYPE: TAPER; INSIDE DIAMETER: 190 MM; OUTSIDE DIAMETER: 340 MM; WIDTH: 92 MM; ROW: DOUBLE; OEM P/N: 22238 C/C3; USED ON MCW PUMP GEARBOX 1-4 AND R INPUT BEARING SHAFT; NON LOCATED	0597985	EA	5		
189	BEARING, ROLLER: TYPE: TAPER; INSIDE DIAMETER: 35 MM; OUTSIDE DIAMETER: 72 MM; WIDTH: 18.25 MM; SUPPL P/N: 30207; CONSUMABLES FOR TURBINE/AUXILIARY PLANT, BID/STEAM OP/GEAR	0229482	EA	6		
190	BEARING, ROLLER: TYPE: TAPER; INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 110 MM; WIDTH: 24 MM; ROW: SINGLE; SUPPL P/N: 30211A; USED ON ROLLWAY	0031862	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

191	BEARING, ROLLER: TYPE: TAPER; INSIDE DIAMETER: 67 MM; OUTSIDE DIAMETER: 125 MM; STYLE: SPLIT; DRAWING NO: BP8004/0 REV 1; I.D. PRE-MACHINED, O.D. +0.02 MM -0.00 MM; FOR MAIN TURBINE GOVERNOR DRIVE WITHIN FRONT PEDESTAL UNIT; WHITE METAL BONDING 100% ADHESION, BONDING/POROSITY CERTIFICATE TO BE SUPPLIED AT DELIVERY OF EACH BEARING; MATERIAL: METAL WHITE 84; RATING: 3000 RPM	0252867	EA	7		
192	BEARING, ROLLER: TYPE: TAPER; SUPPL P/N: 30311	0030541	EA	5		
193	BEARING, ROLLER: TYPE: TAPER; SUPPL P/N: 32217J2; FOR ORBIT PUMP TYPE 8001 (CI EN8HCP) CAPACITY 55M3/HR BY 6 BAR AND 700RPM, ITEM TO BE PACKED AGAINST RUST AND DAMAGE	0032007	EA	5		
194	BEARING, ROLLER: TYPE: TAPER; SUPPL P/N: 5475+95927D	0030543	EA	5		
195	BEARING, ROLLER: TYPE: TAPER; SUPPL P/N: 71450+71750	0030358	EA	5		
196	BEARING, ROLLER: WIDTH: 175 MM; DRAWING NO: Z1292/13 REV 1; FOR AIR HEATERS, MAIN DRIVE SHAFT, BOILERS 2, 3 & 4, LG 500MM	0247226	EA	5		
197	BEARING, SLEEVE: INSIDE DIAMETER: 105 MM; OUTSIDE DIAMETER: 210 MM; LENGTH: 195 MM	0034471	EA	5		
198	BEARING, SLEEVE: TYPE: ADAPTER; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 70 MM; LENGTH: 42 MM; MATERIAL: STL; REFERENCE NO: H310; COMPLETE WITH LOCK NUT	0661831	EA	5		
199	BEARING, SLEEVE: TYPE: BUSH; INSIDE DIAMETER: 193 MM; OUTSIDE DIAMETER: 223 MM; LENGTH: 229 MM; SUPPL P/N: C/279795; TUF, VISCONITE	0033490	EA	5		
200	BEARING, SLEEVE: TYPE: BUSH; INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 32 MM; LENGTH: 38 MM; MATERIAL: BRZ; SUPPL P/N: 901118-0049; FOR CAM/ARM ASSEMBLY, BOILER SOOTBLOWERS CONSUMABLE SPARES	0031524	EA	5		
201	BEARING, SLEEVE: TYPE: CYLINDRICAL SPLIT JOURNAL; INSIDE DIAMETER: 152.4 MM; MATERIAL: WHITE METAL 90 BS 1463 GR 300WA; DRAWING NO: BS 1463 GR300 WA REV 1; REQUIRED FOR EFP MOTOR, UNIT 2, WHITE METAL BONDING 100% ADHESION, BONDING & POROSITY CERTIFICATE TO BE SUPPLIED WITH EACH BEARING AT DELIVERY	0252714	EA	5		
202	BEARING, SLEEVE: TYPE: ID FAN NDE; MATERIAL: METAL; DRAWING NO: D2894 REV 1; REQUIRED FOR USE ON ID FANS, BOILERS 1, 5 AND 6, 9-1/2 IN SAFL STANDARD, REMETAL	0247949	EA	5		
203	BEARING, SLEEVE: TYPE: ID FAN, DE; MATERIAL: METAL; DRAWING NO: D2893 REV 1; REQUIRED FOR USE ON ID FANS, BOILERS 1, 5 AND 6, 9-1/2 IN SAFL STANDARD, REMETAL	0247948	EA	7		
204	BEARING, SLEEVE: TYPE: ID FAN; INSIDE DIAMETER: 241.6 MM; OUTSIDE DIAMETER: 285.8 MM; LENGTH: 228.6 MM; MATERIAL: WHITE METAL; SIZE: 9-1/2 IN	0650176	EA	8		
205	BEARING, SLEEVE: TYPE: JOURNAL THRUST; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 150 MM; LENGTH: 100 MM; MATERIAL: WHITE METAL; FOR USE ON HIGH LIFT PUMP MOTOR	0033697	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

206	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 201 MM; LENGTH: 110 MM; MATERIAL: STL BABBITTED; MODEL NO: HCD6N/8; REFERENCE NO: 2LM3572/01; SPLIT IN HALVES, 100MM TOP AND BOTTOM DRIVE END GEC MOTOR, FRAME SIZE: IK5605, USED AT UNIT 6 B EFP	0032243	EA	5		
207	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 108 MM; OUTSIDE DIAMETER: 203 MM; LENGTH: 110 MM; MATERIAL: STL BABBITTED; MODEL NO: HCD6N/8; TOP AND BOTTOM NDE GEC MTR	0032242	EA	5		
208	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 114.32 MM; OUTSIDE DIAMETER: 158.75 MM; MATERIAL: WHITE METAL 90; FOR USE ON UNIT 1 EFP MOTOR (2350 KW, 6.6 KV, 2 POLE), PEDESTAL MOUNTED, DRIVE AND NON DRIVE END, CARRYING CAPACITY OF 3600 KG	0240271	EA	5		
209	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 320 MM; OUTSIDE DIAMETER: 484 MM; LENGTH: 265 MM; MATERIAL: STL/WHITE METAL; SUPPL P/N: ST73300; NO 01	0033620	EA	6		
210	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 100 MM; LENGTH: 45 MM; MATERIAL: STL BABBITTED; FOR USE ON GOVERNOR DRIVE GEARBOX ON M.A.N. BROWN BOVERI 200 MW TURBINE	0033672	EA	5		
211	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 105 MM; LENGTH: 75 MM; MATERIAL: STL BABBITTED; SUPPL P/N: 1301-1-310-2-14; FOR USE ON MAIN OIL PUMP ON M.A.N. BROWN BOVERI 200MW TURBINE	0033693	EA	5		
212	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 84 MM; OUTSIDE DIAMETER: 117 MM; LENGTH: 110 MM; MATERIAL: STL BABBITTED; SUPPL P/N: 423; MODEL NO: HCD6N/8; REFERENCE NO: 2-211-141601; COMPLETE WITH BOTTOM AND TOP DRIVE END HALVES, FOR USE WITH KSB PUMP; RE-METAL CERTIFICATE TO BE SUBMITTED ON DELIVERY	0034026	EA	5		
213	BEARING, SLEEVE: TYPE: JOURNAL; INSIDE DIAMETER: 85 MM; OUTSIDE DIAMETER: 117 MM; LENGTH: 110 MM; MATERIAL: STL BABBITTED; MODEL NO: HCD6N/8; REFERENCE NO: 119-903-017-026; 319-319A; DE COMPLETE WITH TOP AND BOTTOM DRIVE END HALVES, FOR 50 PCT KSB PUMP	0034025	EA	10		
214	BEARING, SLEEVE: TYPE: SPHERICAL; INSIDE DIAMETER: 44.5 MM; OUTSIDE DIAMETER: 71.5 MM; LENGTH: 38 MM; MATERIAL: STL; REFERENCE NO: GEZ112ES; SPLIT, FOR IP STOP VALVE, ROD END	0033486	EA	5		
215	BEARING, SLEEVE: TYPE: SPLIT; INSIDE DIAMETER: 110 MM; MATERIAL: WHITE METAL 90; DRAWING NO: BS 1463 GR30 0 WA REV 1; REFERENCE NO: BP8057/110; REQUIRED FOR EFP MOTOR, UNIT 1, DESIGN MODIFICATION TO FLOOD LUBE DE & NDE BEARING SLEEVE - BP8057 TO MNF INCLUDING FLOOD OIL, WHITE METAL BONDING 100% ADHESI ON, BONDING & POROSITY CERTIFICATE TO BE SUPPLIED AT DELIVERY OF EACH BEARING	0252715	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

216	BEARING, SLEEVE: TYPE: TURBINE; INSIDE DIAMETER: 318 MM; MATERIAL: WHITE METAL 84; SPECIFICATION: GGSS0526 MAY 2001; REFERENCE NO: C42.49200-5802 0; COMPLETE PRE-MACHINED ID, GROUP 4920, ITEM 001	0253523	EA	5		
217	BEARING, THRUST: INSIDE DIAMETER: 200 MM; OUTSIDE DIAMETER: 419 MM; WIDTH: 100 MM; MATERIAL: STL; DRAWING NO: Z260 REV 1; FOR USE ON AIR HEATERS, BOILERS 2, 3/4, SUPPORT	0226694	EA	8		
218	BEARING, THRUST: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 17 MM; OUTSIDE DIAMETER: 35 MM; WIDTH: 12 MM; STYLE: OPEN; SUPPL P/N: 51203; FOR LATHE IN WORKSHOP	0233616	EA	5		
219	BEARING, THRUST: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 20 MM; OUTSIDE DIAMETER: 35 MM; WIDTH: 10 MM; STYLE: OPEN; SUPPL P/N: 51104; FOR UNIT 4 CONDENSER LEVEL CONTROL VALVE; ROW SINGLE	0029969	EA	5		
220	BEARING, THRUST: ROLLING ELEMENT: BALL; INSIDE DIAMETER: 45 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 45 MM; SUPPL P/N: 3309C3; ROW DOUBLE	0031840	EA	5		
221	BEARING, THRUST: ROLLING ELEMENT: BALL; SUPPL P/N: 51126	0030108	EA	5		
222	BEARING, THRUST: ROLLING ELEMENT: BALL; SUPPL P/N: 51128	0030193	EA	5		
223	BEARING, THRUST: ROLLING ELEMENT: NEEDLE; INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 100 MM; WIDTH: 30 MM; HEIGHT: 18 MM; STYLE: OPEN; CONFIGURATION: WAFER; MATERIAL: STL; CAGE MATERIAL: STL; MANUF P/N: 5113-CENG-THB; SINGLE DIRECTION; 37.5 KILONEWTN; FOR USE ON ATTEMPERATOR SPRAY WATER VALVE REVOLVING NUT; IBI 5113	0567975	EA	7		
224	BEARING: TYPE: DRIVE END; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 180 MM; STYLE: TAPER SLEEVE; DRAWING NO: WF0 519 REV 0; UNIT 5 DE BEARING RACE; IBI 23122KC3	0555674	EA	13		
225	BEARING: TYPE: NON DRIVE END; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 170 MM; DRAWING NO: WF0 519 REV 0 ITEM 0; FOR USE ON UNIT 5 PA FAN; NON DRIVE END BEARING RACE; C/W TAPER RACE; IBI 23022KC3	0552741	EA	15		
226	BUSH, TAPER LOCK: BORE DIAMETER: 1 IN; SERIES: 2517; MATERIAL: STL; SUPPLIER NOTE: THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED	0034930	EA	6		
227	BUSH, TAPER LOCK: BORE DIAMETER: 100 MM; SERIES: 4535; MATERIAL: CS; FOR USE ON ASH PUMP	0227260	EA	7		
228	BUSH, TAPER LOCK: BORE DIAMETER: 120 MM; SERIES: 4535; MATERIAL: STL; REQUIRED FOR USE ON ASH PLANT; ASH PUMP DRIVE COUPLING	0255963	EA	6		
229	BUSH, TAPER LOCK: BORE DIAMETER: 125 MM; SERIES: 5050; MATERIAL: STL; SUPPLIER NOTE: THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED	0046973	EA	5		
230	BUSH, TAPER LOCK: BORE DIAMETER: 16 MM; SERIES: 1610; 37HX122D	0046083	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

231	BUSH, TAPER LOCK: BORE DIAMETER: 25 MM; SERIES: 1610; MATERIAL: STL	0053486	EA	5		
232	BUSH, TAPER LOCK: BORE DIAMETER: 28 MM; SERIES: 1610; MATERIAL: STL; SPECIFICATION: ISO 9001-2008; MANUF P/N: 1610-28	0025434	EA	5		
233	BUSH, TAPER LOCK: BORE DIAMETER: 32 MM; MATERIAL: STL; MODEL NO: 2517-32	0240428	EA	5		
234	BUSH, TAPER LOCK: BORE DIAMETER: 38 MM; SERIES: 2012; MATERIAL: STL	0112866	EA	5		
235	BUSH, TAPER LOCK: BORE DIAMETER: 38 MM; SERIES: 2517; MATERIAL: STL	0113023	EA	6		
236	BUSH, TAPER LOCK: BORE DIAMETER: 50 MM; SERIES: 2517; MATERIAL: STL	0053488	EA	5		
237	BUSH, TAPER LOCK: BORE DIAMETER: 60 MM; SERIES: 3020; MATERIAL: STL; SPECIFICATION: ISO 9001-2008; MANUF P/N: 3020-60; REFERENCE NO: 3020; KEYWAY: 18MM WIDTH, 4.4MM DEPTH, 108MM NOMINAL OD AT LARGE END OF TAPER	0034244	EA	6		
238	BUSH, TAPER LOCK: BORE DIAMETER: 80 MM; SERIES: 4535; MATERIAL: CS; FOR USE ON ASH PUMP	0227259	EA	15		
239	BUSH, TAPER LOCK: BORE DIAMETER: 95 MM; SERIES: 4545; MATERIAL: CARBON STEEL; 45X45X95; FOR USE ON ASH CRUSHERS	0565621	EA	5		
240	BUSH: APPLICATION: FINAL DRIVE; DGR 24DU16	0036394	EA	5		
241	BUSH: INSIDE DIAMETER: 100 MM; FOR USE ON ASH CRUSHER, 3535 X 24/4	0227261	EA	6		
242	BUSH: INSIDE DIAMETER: 11 MM; OUTSIDE DIAMETER: 13 MM; LENGTH: 20 MM; MATERIAL: RUBBER	0113335	EA	5		
243	BUSH: INSIDE DIAMETER: 13 MM; OUTSIDE DIAMETER: 22 MM; LENGTH: 19 MM; MATERIAL: RUBBER NATURAL; 12MM HOLE SIZE	0112165	EA	5		
244	BUSH: INSIDE DIAMETER: 13 MM; OUTSIDE DIAMETER: 25 MM; LENGTH: 29 MM; MATERIAL: PU; APPLICATION: COUPLING	0112160	EA	5		
245	BUSH: INSIDE DIAMETER: 16 MM; OUTSIDE DIAMETER: 29 MM; LENGTH: 24 MM; MATERIAL: RUBBER NATURAL; APPLICATION: COUPLING	0112149	EA	5		
246	BUSH: INSIDE DIAMETER: 16 MM; OUTSIDE DIAMETER: 32 MM; LENGTH: 38 MM; MATERIAL: RUBBER	0112147	EA	5		
247	BUSH: INSIDE DIAMETER: 19 MM; OUTSIDE DIAMETER: 32 MM; LENGTH: 32 MM; MATERIAL: RUBBER	0112159	EA	5		
248	BUSH: INSIDE DIAMETER: 19 MM; OUTSIDE DIAMETER: 35 MM; LENGTH: 32 MM; MATERIAL: RUBBER	0112152	EA	5		
249	BUSH: INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 31 MM; LENGTH: 28 MM; APPLICATION: STEAM CONTROL; GM	0034480	EA	5		
250	BUSH: INSIDE DIAMETER: 25 MM; OUTSIDE DIAMETER: 32 MM; LENGTH: 32 MM; APPLICATION: STEAM CONTROL; GM	0034479	EA	5		
251	BUSH: INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 45 MM; LENGTH: 58 MM; MATERIAL: RUBBER	0113296	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

252	BUSH: INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 78 MM; LENGTH: 70 MM; MATERIAL: RUBBER	0112158	EA	9		
253	BUSH: INSIDE DIAMETER: 55 MM; OUTSIDE DIAMETER: 60 MM; LENGTH: 45 MM; ITEM 148	0033643	EA	5		
254	BUSH: INSIDE DIAMETER: 83 MM; OUTSIDE DIAMETER: 121 MM; LENGTH: 146 MM; MATERIAL: RUBBER	0113295	EA	5		
255	BUSH: OUTSIDE DIAMETER: 1-1/4 IN; MATERIAL: BRZ OILITE	0036395	EA	5		
256	BUSH: TYPE: GLACIER; INSIDE DIAMETER: 40 MM; OUTSIDE DIAMETER: 45 MM; LENGTH: 41 MM; MATERIAL: STL; APPLICATION: FD FAN; DRAWING NO: D2866 REV 1; BOILERS 1 TO 4 AND 6, OUTER VANE SPINDLE	0247371	EA	5		
257	BUSH: TYPE: SLEEVE; INSIDE DIAMETER: 112 MM; OUTSIDE DIAMETER: 132 MM; LENGTH: 227 MM; MATERIAL: STL	0033609	EA	11		
258	BUSHING: MATERIAL: 41055; SUPPL P/N: 0207080001; REFERENCE NO: 50566-000-01	0243512	EA	7		
259	CONE, BEARING: MANUF P/N: 748; AND ROLL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0029808	EA	5		
260	CONE, BEARING: MANUF P/N: 98350; AND ROLL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030207	EA	5		
261	CONE, BEARING: MANUF P/N: HH221449; AND ROLL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030208	EA	5		
262	CONE, BEARING: MANUF P/N: HH926744; AND ROLL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0031257	EA	5		
263	COUPLING, PIPE: CONNECTION: FEMALE; MATERIAL: BRASS; 66 X 4	0059675	EA	5		
264	COUPLING, PIPE: SIZE: 10 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 62-1971; GRADE 4.6; STEAM	0057126	EA	5		
265	COUPLING, PIPE: SIZE: 100 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 62; STYLE: SOCKET; GRADE 4.6; PLAIN; STEAM PIPE; TO THE LATEST EDITION OF SABS 62 AND BEARING THE SABS MARK OF APPROVAL	0057135	EA	5		
266	COUPLING, PIPE: SIZE: 100 MM; CONNECTION: GROOVED; MATERIAL: GALV; FOR USE ON FIRE SYSTEM PIPE CONNECTIONS	0569470	EA	5		
267	COUPLING, PIPE: SIZE: 15 MM; CONNECTION: FBPT; MATERIAL: STL GALV	0000659	EA	82		
268	COUPLING, PIPE: SIZE: 150 MM; CONNECTION: FNPT; MATERIAL: STEEL; SPECIFICATION: SABS 62-1971; STYLE: SOCKET; GRADE 4.6; STEAM PIPE; PLAIN	0057137	EA	5		
269	COUPLING, PIPE: SIZE: 150 MM; CONNECTION: GROOVED; MATERIAL: GALV; FOR USE ON FIRE SYSTEM PIPE CONNECTIONS	0569474	EA	6		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

270	COUPLING, PIPE: SIZE: 20 MM; CONNECTION: FPT; MATERIAL: MI GALV; SPECIFICATION: SABS 763; STYLE: SOCKET; 33 MM LONG	0000660	EA	38		
271	COUPLING, PIPE: SIZE: 200 MM; CONNECTION: GROOVED; MATERIAL: GALV; FOR USE ON FIRE SYSTEM PIPE CONNECTIONS	0570294	EA	9		
272	COUPLING, PIPE: SIZE: 220 MM; CONNECTION: SLIP ON; MATERIAL: STEEL; RATING: 4800 KPA; SPECIFICATION: SABS 1123; GRADE: 300W	0057485	EA	5		
273	COUPLING, PIPE: SIZE: 25 MM; CONNECTION: FPT; MATERIAL: MI GALV; SPECIFICATION: SABS 509-1955 TABLE 13; STYLE: SOCKET	0000661	EA	10		
274	COUPLING, PIPE: SIZE: 25 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 1740; STYLE: SOCKET; GRADE 4.6; STEAM PIPE	0057129	EA	32		
275	COUPLING, PIPE: SIZE: 250 MM; CONNECTION: GROOVED; MATERIAL: GALV; FOR USE ON FIRE SYSTEM PIPE CONNECTIONS	0570299	EA	22		
276	COUPLING, PIPE: SIZE: 3 IN; CONNECTION: BOLTED; MATERIAL: GALVANISED; USED ON THE FIRE SYSTEM	0578772	EA	5		
277	COUPLING, PIPE: SIZE: 32 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 62; STYLE: SOCKET; GRADE 4.6, STEAM PIPE	0057130	EA	21		
278	COUPLING, PIPE: SIZE: 400 MM; CONNECTION: FLANGE; STYLE: STRAIGHT; DRAWING NO: WLI/2720 REV 1; REFERENCE NO: UNK; FOR BABCOCK 8.5E MILLS PF PIPING; UNITS 1-4/6; OD 407 MM	0243428	EA	5		
279	COUPLING, PIPE: SIZE: 400 MM; CONNECTION: FLANGE; STYLE: STRAIGHT; DRAWING NO: WLI/2722 REV 1; REFERENCE NO: UNK; FOR BABCOCK 8.5E MILLS PF PIPING, UNITS 1-4/6; OD 407 MM	0243429	EA	15		
280	COUPLING, PIPE: SIZE: 407 MM; STYLE: STEP; DRAWING NO: WLI/2720 REV 1; REFERENCE NO: UNK; FOR USE ON BABCOCK 8.5E MILLS PF PIPING; UNITS 1-4/6; OD 424 MM	0243432	EA	9		
281	COUPLING, PIPE: SIZE: 6 MM; CONNECTION: COMPRESSION X THD FEMALE; MATERIAL: STAINLESS STEEL; SUPPL P/N: SS-6M1-PC; FOR USE ON INSTRUMENTATION PIPEWORK; PORT CONNECTOR; FEMALE PIPE TO FEMALE PIPE	0249749	EA	5		
282	COUPLING, PIPE: SIZE: 6 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 62; STYLE: SOCKET; FOR STEAM PIPE; PLAIN; TO THE LATEST EDITION OF BEARING THE SABS MARK	0057124	EA	5		
283	COUPLING, PIPE: SIZE: 6 MM; MATERIAL: STEEL; SUPPL P/N: GE6LR; PLUG	0059710	EA	5		
284	COUPLING, PIPE: SIZE: 600 MM; CONNECTION: SLIP ON; MATERIAL: STEEL	0059523	EA	5		
285	COUPLING, PIPE: SIZE: 65 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 62; STYLE: SOCKET; GRADE 4.6; STEAM PIPE	0057133	EA	5		
286	COUPLING, PIPE: SIZE: 65 MM; CONNECTION: FPT; MATERIAL: STL GALV; 40 MM GLAV SOCKETS PLAIN	0057422	EA	5		
287	COUPLING, PIPE: SIZE: 65 MM; CONNECTION: GROOVED; MATERIAL: GALV; FOR USE ON FIRE SYSTEM PIPE CONNECTIONS	0569469	EA	5		
288	COUPLING, PIPE: SIZE: 8 MM; CONNECTION: FPT; MATERIAL: STEEL; SPECIFICATION: SABS 62; STYLE: SOCKET; GRADE 4.6, STEAM PIPE	0057125	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

289	COUPLING, PIPE: SIZE: 80 MM; CONNECTION: FNPT; MATERIAL: STEEL; SPECIFICATION: SABS 62-1971; STYLE: SOCKET; GRADE 4.6, STEAM PIPE	0057134	EA	17		
290	COUPLING, PIPE: SIZE: 80 MM; CONNECTION: FPT; MATERIAL: STL GALV; STYLE: SOCKET	0057303	EA	8		
291	COUPLING, PIPE: SIZE: ID 323.9 X WD 600 MM; MATERIAL: STEEL; SPECIFICATION: JOHNSON (VJ); COLOR CODING: GREEN; MEDIA FOR WHICH DESIGNED: ASH WATER; TYPE AQUALOCK COUPLINGS; FOR 300NB PIPE; SEAMLESS	0231664	EA	27		
292	COUPLING, PIPE: SIZE: OD 547 MM; STYLE: STRAIGHT; REFERENCE NO: UNK; FOR BABCOCK 8.5E MILLS PF PIPING; UNITS 1-4/6	0243433	EA	5		
293	COUPLING, SHAFT FLEXIBLE: BORE DIAMETER: 160 MM; TORQUE: 16 KNM; MATERIAL: STL; SPEED: 2500 RPM; SUPPL P/N: F5050; CENTRE CAP 24MM, COMPLETE WITH TWO TAPER LOCK BUSHES, INSIDE DIAMETER SIDE 1 = 110MM, SIDE 2 = 98MM; LG: 298MM; OD: 410MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0060268	EA	34		
294	COUPLING, SHAFT FLEXIBLE: MATERIAL: NUPEX; 140-140MM TYPE H; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0025384	EA	5		
295	COUPLING, SHAFT FLEXIBLE: MATERIAL: NUPEX; 140-180MM TYPE H; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0025383	EA	5		
296	COUPLING, SHAFT FLEXIBLE: MATERIAL: NUPEX; 160-180MM TYPE H; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0025385	EA	5		
297	COUPLING, SHAFT FLEXIBLE: MATERIAL: NUPEX; 200-180MM TYPE H; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0025386	EA	5		
298	COUPLING, SHAFT FLEXIBLE: TAPER LOCK SERIES: 2517; BORE DIAMETER: 55 MM; MATERIAL: STL; REFERENCE NO: F80; COMPRISING OF: 2 X FLANGES, 1 X NATURAL RUBBER TYRE, 2 X BUSHES, SHAFT DIA 55.0MM; LG: 165MM; OD: 80MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0025766	EA	5		
299	COUPLING, SHAFT FLEXIBLE: TYPE: ELASTIC; BORE DIAMETER: 19 MM; TORQUE: 70 NM; MATERIAL: CI; USED ON ELECTRICAL FEED PUMP (EFP) TANK MOTORS; AN ITEM DESIGNED TO ALLOW FOR SLIGHT MISALIGNMENT; CONNECTION TWO SHAFTS; LINEAR AND ANGULAR; TRANSMITTING ROTARY MOTION FROM THE DRIVER TO DRIVEN; SPIDEX 24/32; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	0609103	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	DRAWING REVISION NUMBER (IF APPLICABLE).					
300	COUPLING, SHAFT FLEXIBLE: TYPE: FLUID DRIVE; BORE DIAMETER: 150 X 241.3 MM; FOR BOILERS 2-4 LH/RH ID FANS; CONNECTION 1 TO FAN VIA MULTI DISK; CONNECTION 2 TO MOTOR; QUALITY CONTROL CERTIFICATES TO BE SUBMITTED FOR EACH SPARE AND OR MATERIALS ON DELIVERY, IN ACCORDANCE WITH MANUFACTURER QUALITY CONTROL PROCEDURE; SIZE: 52 IN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0249246	EA	5		
301	COUPLING, SHAFT FLEXIBLE: TYPE: GRID (2090 T10); BORE DIAMETER: 85 X 60 MM; TORQUE: 2309 NM; MATERIAL: STL; SPEED: 1490 RPM; SPECIFICATION: 2090 T 10; HORIZONTAL SPIT; SERIES 2000; MAX DIA 215MM; MAX WIDTH 200MM; BORE MACHINING DEPTH TO BE THE SAME FOR BOTH BORE DIAMETERS; MOTOR SIDE/DRIVING SHAFT DIAMETER: 85 MM; GEARBOX SIDE/DRIVEN SHAFT DIAMETER: 60 MM; MAX COUPLING DIAMETER: 215 MM; MAX COUPLING WIDTH: 200 MM; BORE MACHINING DEPTH TO BE THE SAME FOR BOTH BORE DIAMETERS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0669433	EA	5		
302	COUPLING, SHAFT FLEXIBLE: TYPE: HEAVY DUTY; MATERIAL: STL; DRAWING NO: Z1294 REV 1; FOR AIR HEATER, SIZE 12 IN, FOR USE ON BOILERS 1 AND 6; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0234675	EA	9		
303	COUPLING, SHAFT FLEXIBLE: TYPE: RIGID DRIVE; BORE DIAMETER: 68 MM; MATERIAL: STL; REFERENCE NO: F80; 215 MM OUTSIDE DIAMETER, 70 MM LENGTH, CONSISTING OF TWO F80F MK3 FENAFLEX 2517 AND ONE FENAFLEX NAT RUBBER TYRE, FENAFLEX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0026528	EA	5		
304	COUPLING, SHAFT FLEXIBLE: TYPE: TIRE; BORE DIAMETER: 80 MM; MATERIAL: RUBBER/STL; SUPPL P/N: F 80; FOR USE ON DEMIN PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0227250	EA	8		
305	COUPLING, SHAFT FLEXIBLE: TYPE: TIRE; MATERIAL: RUBBER/STL; SUPPL P/N: F 110; SIZE OD 110MM, FOR USE ON SERVICE WATER PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	0227251	EA	7		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	NUMBER (IF APPLICABLE).					
306	COUPLING, SHAFT FLEXIBLE: TYPE: TIRE; MATERIAL: RUBBER/STL; SUPPL P/N: F 140; SIZE OD 140MM, FOR USE ON ASH WATER RETURN PUMP, ASH AND SLUICE PUMPS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0227248	EA	12		
307	COUPLING, SHAFT FLEXIBLE: TYPE: TIRE; MATERIAL: RUBBER/STL; SUPPL P/N: F 60; FOR USE ON SEAL WATER PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0227338	EA	10		
308	COUPLING, SHAFT FLEXIBLE: TYPE: TIRE; MATERIAL: RUBBER/STL; SUPPL P/N: F 90; SIZE OD 90MM, FOR USE ON HOPPER COOLING PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0227249	EA	6		
309	COUPLING, SHAFT FLEXIBLE: TYPE: TURBOFLEX 150 DBSE; BORE DIAMETER: 65-63.5 MM; MATERIAL: STL; MODEL NO: D142-6/2AH; 188MM OD X 307MM LG; FOR USE ON STEAM FEED PUMP BETWEEN GEARBOX AND BOOSTER PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0240427	EA	5		
310	COUPLING, SHAFT FLEXIBLE: TYPE: TURBOFLEX 218 DBSE; MATERIAL: STL; MODEL NO: HBS1500-8; PILOT BORED, SIZE: 285MM OD X 472MM LG; FOR USE ON ELECTRIC FEED PUMP BETWEEN PUMP AND MOTOR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0240424	EA	5		
311	COUPLING, SHAFT FLEXIBLE: TYPE: TURBOFLEX 268 DBSE; BORE DIAMETER: 63.5 X 60 MM; MATERIAL: STL; MODEL NO: D102-6/2AH; 156MM OD X 459.3MM LG; FOR USE ON STEAM FEED PUMP BETWEEN PUMP AND GEARBOX; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0240426	EA	5		
312	COUPLING, SHAFT FLEXIBLE: TYPE: TURBOFLEX 476 DBSE; BORE DIAMETER: 109.9 X 104.86 MM; MATERIAL: STL; MODEL NO: D232-6/2AH; 304MM OD X 774MM LG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0240425	EA	5		
313	COUPLING, SHAFT FLEXIBLE: TYPE: TURBOFLEX; BORE DIAMETER: 101 X 81 MM; MATERIAL: STL; MODEL NO: HBS1500-8; 276 MM OUTSIDE DIAMETER, 472 MM LENGTH, FOR USE ON 50PST KSB FEED PUMP HCD6N/8, ITEM TO BE PACKED AND PRESERVED AND CLEARLY MARKED; VENDORS ARE RESPONSIBLE FOR	0240298	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
314	COUPLING, SHAFT HALF: TYPE: STD FLANGE; SUPPL P/N: F90B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0026227	EA	39		
315	COUPLING, SHAFT: BORE: 24 MM; MATERIAL: STL; WD 14 MM; FOR AIR HEATERS; BOILER 5 LUBE OIL PUMP	0247230	EA	5		
316	COUPLING, SHAFT: GRADE: 300WA; DRAWING NO: C2.301.006173 REV 1; FOR I.D.FANS; PROPSHAFT; BOILERS 1, 5/6	0247252	EA	5		
317	COUPLING, SHAFT: MATERIAL: STL; DRAWING NO: 74/3176 REV 1; FD FAN, BOILERS 1-4/6; SIZE: DIA 2.14 M	0247364	EA	6		
318	COUPLING, SHAFT: TYPE: FENAFLEX COUPLING F140H WITH TYRE BUT WITHOUT TAPER-LOCK BUSHES; MANUF P/N: 562275	0078434	EA	5		
319	COUPLING, SHAFT: TYPE: FLUID DRIVE; MATERIAL: ALUMINIUM; SUPPL P/N: 422TVB; FOR USE AS CONVEYOR DRIVE, EACH TV TO INCORPORATE TORQUE LIMITING DELAY FEED CHAMBER WHICH SERVES TO FACILITATE AN EXTENDED TIME DELAYED TORQUE RISE, INCLUDING FIRST OIL FILLING, INPUT COUPLING BORED AND KEYED TO SUIT MOTOR SHAFT, OUTPUT HUB BORED AND KEYED TO SUIT GEARBOX INPUT SHAFT AND TWO FUSIBLE PLUGS	0025333	EA	5		
320	COUPLING, SHAFT: TYPE: TURBOFLEX; DRAWING NO: C3.354-006133 REV 1; REFERENCE NO: BD902201; FOR I.D.FANS; BOILERS 1, 5/6	0247249	EA	7		
321	COUPLING: SIZE: OD 400 X WD 230 MM; MATERIAL: STEEL; MODEL NO: 230 - 400; FOR USE ON CONVEYOR 21A AND 21B	0226090	EA	6		
322	COUPLING: TYPE: CONVEYOR; SIZE: 16 MM; MATERIAL: STAINLESS STEEL; GRADE: 316; CONNECTION 1 SIZE: 16 MM; FOR USE ON CONVEYOR PLANT. FLEXIBLE COUPLING	0618873	EA	17		
323	COUPLING: TYPE: CROWN PIN; SIZE: 80 MM; MATERIAL: STEEL; SPECIFICATION: EN19; CONNECTION 2: PULLEY; MANUF P/N: CP 120/8; USE ON CONVEYOR 25 A-B, 26 A-B; SOLID COUPLING SIZE 12 INCH GEARBOX AND THE DRIVE PULLEY; WITH THE PILOT HOLE THAT YOU CAN CUT TO A MINIMUM OF 45 MM TO 95 MM HOLE DIAMETER AND WITH EIGHT BOLTS	0571211	EA	20		
324	COUPLING: TYPE: FLUID DRIVE; SIZE: 487 MM; MATERIAL: ALUMINIUM; SUPPL P/N: 487TVVS HA/BR; 4 X 2MM NOZZLE; FOR FRONT TRANSFER CONVEYORS	0211931	EA	7		
325	COUPLING: TYPE: FLUID DRIVE; SIZE: OD 420 MM; MATERIAL: ALUMINIUM; SPECIFICATION: 366TVB; CONNECTION 1: GEARBOX; CONNECTION 2: MOTOR SHAFT; CONVEYOR	0634184	EA	5		
326	COUPLING: TYPE: FLUID DRIVE; SIZE: OD 420 MM; MATERIAL: ALUMINIUM; SUPPL P/N: 366T TVB	0226011	EA	7		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

327	COUPLING: TYPE: PULL ON/OFF; SIZE: ID 410 X OD 430 X LG 180 MM; MATERIAL: MS; TO FIT 406 MM OD TUBE SIZE	0057342	EA	5		
328	COUPLING: TYPE: SAMPLING LINE; SIZE: 3-12.7 MM; MATERIAL: STAINLESS STEEL; CONNECTION 1 SIZE: 3 MM; CONNECTION 2 SIZE: 12.7 MM; OEM P/N: UCM-M0308N	0610125	EA	5		
329	COUPLING: TYPE: STUD; SUPPL P/N: 930711-9035; FOR USE ON SOOTBLOWER.	0231934	EA	5		
330	COVER: TYPE: BEARING END; DIMENSIONS: DIA 7-1/2 IN; MATERIAL: STL; APPLICATION: FD FANS/BOILERS 1-4/6; DRAWING NO: D3798 REV 1; SIROCCO	0247370	EA	5		
331	COVER: TYPE: BEARING NDE; SUPPL P/N: 44-2; MODEL NO: HPT32-25-4STG; FOR SULZER FEED PUMP	0046379	EA	5		
332	COVER: TYPE: THRUST BEARING; MATERIAL: STL; SUPPL P/N: 2SA 1063P; MODEL NO: M/P8INX8INX24IN; REFERENCE NO: 24; FOR USE ON 100PCT CONDENSATE EXTRACTION PUMP	0239955	EA	5		
333	CUP, BEARING: TYPE: SGL; OUTSIDE DIAMETER: 150.09 MM; WIDTH: 36.51 MM; SUPPL P/N: 742; IBI 30852	0029968	EA	5		
334	CUP, BEARING: TYPE: SGL; OUTSIDE DIAMETER: 168.28 MM; WIDTH: 30.16 MM; SUPPL P/N: TIM 672; REFERENCE NO: 672; TAPERED ROLLER BEARING; IBI 30921	0029802	EA	5		
335	CUP, BEARING: TYPE: TAPER ROLLER; MANUF P/N: 98788	0030143	EA	6		
336	CUP, BEARING: TYPE: TAPER ROLLER; MANUF P/N: HH926710	0031258	EA	5		
337	HOUSING, BEARING UNIT: TYPE: PA FAN DE; BORE: 100 MM; MATERIAL: SS GR 42; BLOCK SIZE: WD 80 X LG 290 MM; BOLT MOUNTINGS: 4; BOLT DIAMETER: 20 MM; SHAPE: CYLINDRICAL; SURFACE TREATMENT: RED OXIDE; WFO 519 DE HOUSING; TYPE KBF; WFO OIL LUBRICATED PLUMBER BLOCK; FOR USE ON UNIT 5 PA FAN DE HOUSING C/W COVERS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0614159	EA	7		
338	HOUSING, BEARING UNIT: TYPE: PA FAN NDE; BORE: 100 MM; MATERIAL: SS GR 42; BLOCK SIZE: WD 80 X LG 290 MM; BOLT MOUNTINGS: 4; BOLT DIAMETER: 20 MM; SHAPE: CYLINDRICAL; SURFACE TREATMENT: RED OXIDE; WFO 519 NDE HOUSING TYPE KAL; WFO OIL LUBRICATED PLUMBER BLOCK; FOR USE ON UNIT 5 PA FAN NDE BEARING HOUSING C/W; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0614155	EA	7		
339	HOUSING, BEARING UNIT: TYPE: PILLOW BLOCK; MATERIAL: CI; REFERENCE NO: SNA518; SIZE 140MM WD X 340MM LG X 195MM HT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0035016	EA	37		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

340	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: 100 MM; MATERIAL: CI; BLOCK SIZE: DIA 100 MM; BOLT MOUNTINGS: 2; BOLT DIAMETER: M24; SUPPL P/N: SNA522/619; WITH TWO LABARYNTH SEALS; SHAFT HEIGHT: 125MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225516	EA	15		
341	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: ID 100 MM; MATERIAL: CI; SUPPL P/N: SNH511; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225518	EA	5		
342	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: ID 150 MM; MATERIAL: CI; SUPPL P/N: SNA517; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225514	EA	14		
343	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: ID 160 MM; MATERIAL: CI; SUPPL P/N: SNA515; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225511	EA	35		
344	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: ID 180 MM; MATERIAL: CI; SUPPL P/N: SNH520; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225515	EA	14		
345	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: ID 230 MM; MATERIAL: CI; SUPPL P/N: SNH526; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225517	EA	6		
346	HOUSING, BEARING UNIT: TYPE: PILLOW; BORE: ID 290 MM; MATERIAL: CI; SUPPL P/N: SNH532; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225547	EA	9		
347	HOUSING, MECHANICAL DRIVE: TYPE: AIR SEAL; DIMENSIONS: OD 400 X WD 65 MM; MATERIAL: CI; APPLICATION: MILL LOADING ARM UNIT 1-4/6; C/W BOLTS AND NUTS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0243210	EA	5		
348	INSERT, FLEXIBLE COUPLING: TYPE: FLEXIBLE COUPLING; SIZE: 38 MM; MATERIAL: POLYMER; FOR USE AT CONVEYOR PLANT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0618874	EA	5		
349	LINER: TYPE: BEARING DE; DIMENSIONS: ID 105 X OD 186 X TH 60 MM; MATERIAL: STL; APPLICATION: FEED PUMP; MODEL NO: HPT32-25-4STG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	0034508	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	NUMBER (IF APPLICABLE).					
350	LINER: TYPE: BEARING NDE; DIMENSIONS: ID 95 X OD 122 X THK 60 MM; MATERIAL: STL; APPLICATION: FEED PUMP; MODEL NO: HPT32-25-4STG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0034509	EA	5		
351	PAD, BEARING: DRAWING NO: 40/81033/2103 REV 1; RESILIAN T THRUST; ITEM 24 FOR 8.5E BALL MILL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0230383	EA	5		
352	PULLEY, CONVEYOR: TYPE: BEND 31; DRUM DIAMETER: 295 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 65 MM; SHAFT LENGTH: 1.65 M; FACE STYLE: PLAIN; MACHINED FACE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225540	EA	6		
353	PULLEY, CONVEYOR: TYPE: BEND C/WEIGHT 31; DRUM DIAMETER: 255 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 65 MM; SHAFT LENGTH: 1.45 M; FACE STYLE: DIAMOND LAGGING RUBBER; 515 PILLOW BLOCK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225527	EA	5		
354	PULLEY, CONVEYOR: TYPE: C/WEIGHT 21/13; DRUM DIAMETER: 450 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 100 X 80 MM; SHAFT LENGTH: 1.72 M; FACE STYLE: DIAMOND LAGGING RUBBER; 518/522 PILLOW BLOCKS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225528	EA	7		
355	PULLEY, CONVEYOR: TYPE: DRIVE 21; DRUM DIAMETER: 520 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 80 MM; SHAFT LENGTH: 1.72 M; FACE STYLE: LAGGING CERAMIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225543	EA	5		
356	PULLEY, CONVEYOR: TYPE: DRIVE 23; DRUM DIAMETER: 600 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 100 MM; SHAFT LENGTH: 1.86 M; FACE STYLE: LAGGING CERAMIC; 522 PILLOW BLOCK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225534	EA	8		
357	PULLEY, CONVEYOR: TYPE: DRIVE 24 A/C; DRUM DIAMETER: 1.02 M; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 140 MM; SHAFT LENGTH: 2.035 M; FACE STYLE: LAGGING CERAMIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE	0225510	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
358	PULLEY, CONVEYOR: TYPE: DRIVE 24B; DRUM DIAMETER: 1.02 M; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 140 MM; SHAFT LENGTH: 4.175 M; FACE STYLE: LAGGING CERAMIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225512	EA	6		
359	PULLEY, CONVEYOR: TYPE: DRIVE 25/26; DRUM DIAMETER: 730 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 80 MM; SHAFT LENGTH: 1.8 M; FACE STYLE: PLAIN; 518 PILLOW BLOCK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225531	EA	6		
360	PULLEY, CONVEYOR: TYPE: DRIVE 30; DRUM DIAMETER: 500 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 110 MM; SHAFT LENGTH: 1.86 M; FACE STYLE: LAGGING CERAMIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225526	EA	5		
361	PULLEY, CONVEYOR: TYPE: DRIVE 31; DRUM DIAMETER: 500 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 100 MM; SHAFT LENGTH: 1.9 M; FACE STYLE: LAGGING CERAMIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225529	EA	7		
362	PULLEY, CONVEYOR: TYPE: HEAD 24; DRUM DIAMETER: 730 MM; DRUM WIDTH: 1.12 M; MATERIAL: STEEL; SHAFT DIAMETER: 140 MM; SHAFT LENGTH: 1.82 M; FACE STYLE: DIAMOND LAGGING RUBBER; 532 PILLOW BLOCK; 1.12M FACE LENGTH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0666009	EA	6		
363	PULLEY, CONVEYOR: TYPE: HEAD 24; DRUM DIAMETER: 730 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 140 MM; SHAFT LENGTH: 1.82 M; FACE STYLE: DIAMOND LAGGING RUBBER; 532 PILLOW BLOCK; 1.12M FACE LENGTH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225535	EA	6		
364	PULLEY, CONVEYOR: TYPE: HEAD 25/26; DRUM DIAMETER: 640 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 115 MM; SHAFT LENGTH: 1.66 M; FACE STYLE: MACHINED; 528 PILLOW BLOCK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225532	EA	8		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

365	PULLEY, CONVEYOR: TYPE: SNUB 23/21; DRUM DIAMETER: 295 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 65 MM; SHAFT LENGTH: 1.45 M; FACE STYLE: PLAIN; MACHINED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225513	EA	7		
366	PULLEY, CONVEYOR: TYPE: SNUB 24; DRUM DIAMETER: 350 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 90 MM; SHAFT LENGTH: 1.48 M; FACE STYLE: LAGGING CERAMIC; 520 PILLOW BLOCK; 1.12M FACE LENGTH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225530	EA	6		
367	PULLEY, CONVEYOR: TYPE: SNUB 30; DRUM DIAMETER: 295 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 60 MM; SHAFT LENGTH: 1.45 M; FACE STYLE: PLAIN; MACHINED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225520	EA	22		
368	PULLEY, CONVEYOR: TYPE: SNUB 31; DRUM DIAMETER: 295 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 70 MM; SHAFT LENGTH: 1.45 M; FACE STYLE: PLAIN; MACHINED FACE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225538	EA	5		
369	PULLEY, CONVEYOR: TYPE: TAIL 25/C/WEIGHT 25/26; DRUM DIAMETER: 430 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 90 MM; SHAFT LENGTH: 1.68 M; FACE STYLE: DIAMOND LAGGING RUBBER; 520 PILLOW BLOCK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225536	EA	7		
370	PULLEY, CONVEYOR: TYPE: TAIL END 21; DRUM DIAMETER: 500 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 90 MM; SHAFT LENGTH: 1.45 M; FACE STYLE: PLAIN; MACHINED FACE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225541	EA	6		
371	PULLEY, CONVEYOR: TYPE: TAIL END 31/22; DRUM DIAMETER: 500 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 90 MM; SHAFT LENGTH: 1.72 M; FACE STYLE: PLAIN; MACHINED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225537	EA	6		
372	PULLEY, CONVEYOR: TYPE: TAIL; DRUM DIAMETER: 720 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 100 MM; SHAFT LENGTH: 1.82 M; FACE STYLE: PLAIN; MACHINED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	0225508	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	NUMBER (IF APPLICABLE).					
373	PULLEY, CONVEYOR: TYPE: TAKE UP, BEND; DRUM DIAMETER: 445 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 75 MM; SHAFT LENGTH: 1.4 M; FACE STYLE: PLAIN; MACHINED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225509	EA	11		
374	PULLEY, CONVEYOR: TYPE: TRIPPER CAR 25/26; DRUM DIAMETER: 900 MM; DRUM WIDTH: 1.12 M; MATERIAL: STL; SHAFT DIAMETER: 100 MM; SHAFT LENGTH: 1.86 M; FACE STYLE: PLAIN; 522 PILLOW BLOCK; MACHINED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0225533	EA	5		
375	PULLEY, V BELT: BELT TYPE: 22N; SPC; OUTSIDE DIAMETER: 315 MM; GROOVES: 8; MATERIAL: CAST IRON; TAPER LOCK SERIES: 4040; PULLEY TO BE BALANCED	0528684	EA	5		
376	PULLEY, V BELT: BELT TYPE: 22N; SPC; OUTSIDE DIAMETER: 355 MM; GROOVES: 8; MATERIAL: CAST IRON; TAPER LOCK SERIES: 4545; PULLEY TO BE DYNAMIC BALANCED	0528682	EA	7		
377	PULLEY, V BELT: BELT TYPE: SPB; BORE: 108 MM; OUTSIDE DIAMETER: 315 MM; GROOVES: 3; MATERIAL: STEEL; TAPER LOCK SERIES: 3020; 3020 SERIES; FOR USE AT EFFLUENT PLANT	0584215	EA	10		
378	PULLEY, V BELT: BELT TYPE: SPC; OUTSIDE DIAMETER: 1.045 M; GROOVES: 5; MATERIAL: STL; FOR USE ON ASH CRUSHER FLY WHEEL; BELT CLASS: SPC9000	0227255	EA	5		
379	PULLEY, V BELT: BELT TYPE: SPC; OUTSIDE DIAMETER: 210 MM; GROOVES: 5; MATERIAL: STL; FOR USE ON ASH CRUSHERS MOTOR; BELT CLASS: SPC9000	0227254	EA	15		
380	PULLEY, V BELT: BELT TYPE: SPC; OUTSIDE DIAMETER: 240 MM; GROOVES: 8; MATERIAL: STL; FOR USE ON ASH PUMP; BELT CLASS: SPC6700	0227258	EA	5		
381	PULLEY, V BELT: BELT TYPE: SPC; OUTSIDE DIAMETER: 630 MM; GROOVES: 8; MATERIAL: CI; TAPER LOCK SERIES: 6050; WIDTH 213 MM; WD 8.213 MM	0253161	EA	22		
382	PULLEY, V BELT: BORE: 120 MM; OUTSIDE DIAMETER: 277 MM; GROOVES: 8; MATERIAL: CI; PITCH DIAMETER: 265 MM; SLURRY PUMPS	0027267	EA	5		
383	PULLEY, V BELT: BORE: 120 MM; OUTSIDE DIAMETER: 312 MM; GROOVES: 8; MATERIAL: CI; PITCH DIAMETER: 300 MM; SLURRY PUMPS	0027268	EA	5		
384	PULLEY, V BELT: BORE: 120 MM; OUTSIDE DIAMETER: 347 MM; GROOVES: 8; MATERIAL: CI; PITCH DIAMETER: 335 MM; SLURRY PUMPS	0027269	EA	7		
385	PULLEY, V BELT: BORE: 120 MM; OUTSIDE DIAMETER: 367 MM; GROOVES: 8; MATERIAL: CI; PITCH DIAMETER: 355 MM; SLURRY PUMPS	0027270	EA	5		
386	PULLEY, V BELT: BORE: 120 MM; OUTSIDE DIAMETER: 387 MM; GROOVES: 8; MATERIAL: CI;	0027271	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	PITCH DIAMETER: 375 MM; SLURRY PUMPS					
387	PULLEY: TYPE: IDLER; DIAMETER: 150 MM; MATERIAL: RUBBER; GROOVE: 1; WIDTH: 1250 MM; SPECIFICATION: BP1150; TO BE USED AT CONVEYOR BELT. STORAGE: INDOORS	0621054	EA	11		
388	PULLEY: TYPE: SPC; DIAMETER: 310 MM; MATERIAL: CAST STEEL; GROOVE: 8; WIDTH: 213 MM; 300MM SPC WEDGE BELT PULLEY; FOR USE ON PUMPS	0565626	EA	13		
389	RETAINER: TYPE: BEARING; SUPPL P/N: 323452-1122; SOOTBLOWERS, FOR ITEM 111 LANCE DRIVE ASSEMBLY	0231965	EA	5		
390	RETAINER: TYPE: SEAL; DIMENSIONS: ID 92 X OD 200 MM; MATERIAL: ASTM A36; SUPPL P/N: 033-047-01; FOR USE ON MIGI RAPPER, BOOT; MATERIAL 5 MM HOT ROLL PLATE	0232795	EA	5		
391	RING: TYPE: COUPLING; INSIDE DIAMETER: 230 MM; OUTSIDE DIAMETER: 250 MM; WIDTH: 25 MM; MATERIAL: RUBBER; TO FIT 219MM OD PIPING; JOHNSON VIKING CP	0026665	EA	5		
392	RING: TYPE: NDE BEARING; INSIDE DIAMETER: 160 MM; OUTSIDE DIAMETER: 170 MM; WIDTH: 8 MM; MATERIAL: MILD STEEL; APPLICATION: PA FAN	0528710	EA	5		
393	SCRAPER, BELT: TYPE: HEAD PULLEY; DIMENSIONS: 150 MM; MATERIAL: RUBBER/STL; REFERENCE NO: 1/E901TW1050; FOR 1050MM CONVEYOR, C/W P/U; BLADES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0231596	EA	20		
394	SEAL, LABYRINTH: APPLICATION: BOILER 5; DRAWING NO: QR208-85 REV 1; FOR USE ON INNER AIR HEATER	0226647	EA	5		
395	SEAL, LABYRINTH: DIMENSIONS: DIA 505 X THK 51 MM; APPLICATION: HP TURBINE DIAPHRAGMS 2/7; OEM P/N: 2940-080, OEM: GE STEAM POWER SERVICE; DRAWING NO: E42.29450-7024 REV 1; (8) SEGMENTS	0247183	EA	5		
396	SEAL, LABYRINTH: DIMENSIONS: DIA 610 X THK 51 MM; APPLICATION: HP TURBINE DIAPHRAGMS 8/9; DRAWING NO: E42.29450-7025 REV 1; GROUP NO.2 940, IN 8 SEGMENTS	0247184	EA	5		
397	SEAL, LABYRINTH: DIMENSIONS: DIA 680 X THK 47 MM; APPLICATION: HP TURBINE DIAPHRAGMS 10/11; OEM P/N: 2940-100, OEM: GE STEAM POWER SERVICE; DRAWING NO: E42.29450-8019 REV 1; (8) SEGMENTS	0247181	EA	5		
398	SEAL, LABYRINTH: DIMENSIONS: DIA 760 X THK 55 MM; APPLICATION: HP TURBINE DIAPHRAGMS 12/13; OEM P/N: 2940-110, OEM: GE STEAM POWER SERVICE; DRAWING NO: E42.29450-8020 REV 1; (8) SEGMENTS; FOR MORE INFORMATION CONTACT W.BOTHA ON 0177798812	0247182	EA	5		
399	SEAL, LABYRINTH: DIMENSIONS: DIA 900 X THK 45 MM; APPLICATION: HP TURBINE DIAPHRAGMS 17/18; DRAWING NO: E42.29450-8008 REV 1; GROUP NO .2940, I.D.WITH 3 MM UNDERSIZE, RING IN 8 SEGMENTS	0247187	EA	5		
400	SEAL, LABYRINTH: TYPE: GLAND; DIMENSIONS: DIA 400 X THK 53 MM; APPLICATION: HP TURBINE; DRAWING NO: E42.29450-5019 REV 1; GROUP NO.2 940, IN 6 SEGMENTS	0247151	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

401	SEAL, LABYRINTH: TYPE: GLAND; DIMENSIONS: DIA 400 X THK 54 MM; APPLICATION: HP TURBINE; DRAWING NO: E42.29450-5011 REV 1; GROUP NO.2 940, IN 6 SEGMENTS	0247152	EA	5		
402	SEAL, LABYRINTH: TYPE: GLAND; DIMENSIONS: DIA 450 X THK 59 MM; APPLICATION: HP TURBINE; DRAWING NO: E42.29450-6015 REV 1; GROUP NO.2 940, IN 6 SEGMENTS	0247149	EA	5		
403	SEAL, LABYRINTH: TYPE: GLAND; DIMENSIONS: DIA 680 X THK 57 MM; APPLICATION: HP TURBINE; DRAWING NO: E42.29450-8018 REV 1; GROUP NO.2 940, IN 8 SEGMENTS	0247150	EA	5		
404	SEAL, LABYRINTH: TYPE: RING; DIMENSIONS: DIA 400 X THK 39 MM; DRAWING NO: E42.29450 - 5026 REV 1; REQUIRED FOR HP GLAND, GROUP 2940, IN 6 SEGMENTS	0241387	EA	5		
405	SEAL, LABYRINTH: TYPE: RING; DIMENSIONS: DIA 850 X THK 55 MM; APPLICATION: HP TURBINE DIAPHRAGMS 14/15; OEM P/N: 2940-120, OEM: GE STEAM POWER SERVICE; DRAWING NO: E42.29450-8021 REV 1; (8) SEGMENTS	0247186	EA	5		
406	SEAL, LABYRINTH: TYPE: RING; MATERIAL: RUBBER; SUPPL P/N: 328; WATER FLINGER, REQUIRED FOR 50PCT EFP, PREVENT WATER INGRESS	0240274	EA	5		
407	SEAL, OIL: TYPE: BEARING; DRAWING NO: 100 WIDE RANGE 5290 REV 1; REQUIRED FOR USE ON PA FANS; OIL LEVEL GAUGE; BOILERS 1 TO 4 & 6	0247386	EA	5		
408	SEAL, RING: INSIDE DIAMETER: 115 MM; MATERIAL: RUBBER; APPLICATION: BEARING; SUPPL P/N: TSN526A	0225523	EA	5		
409	SEAL, RING: INSIDE DIAMETER: 140 MM; MATERIAL: RUBBER; APPLICATION: BEARING; SUPPL P/N: TSN532A	0225524	EA	9		
410	SEAL, RING: INSIDE DIAMETER: 65 MM; MATERIAL: RUBBER; APPLICATION: BEARING; SUPPL P/N: TSN515A	0225519	EA	8		
411	SEAL, RING: INSIDE DIAMETER: 80 MM; MATERIAL: RUBBER; APPLICATION: BEARING; SUPPL P/N: TSN518A	0225546	EA	5		
412	SEAL, RING: INSIDE DIAMETER: 90 MM; MATERIAL: RUBBER; APPLICATION: BEARING; SUPPL P/N: TSN520A	0225521	EA	7		
413	SEAL, RING: OUTSIDE DIAMETER: 260 MM; THICKNESS: 47 MM; DRAWING NO: E42.29450-0002 REV 1; REQUIRED FOR BFPT SHAFT REAR GLAND, GROUP 2940, IN 6 SEGMENTS	0240951	EA	5		
414	SEAL, RING: OUTSIDE DIAMETER: 320 MM; THICKNESS: 59 MM; DRAWING NO: E42.29450-30 REV 1; REQUIRED FOR BFPT SHAFT FRONT GLAND, GROUP 2940, IN 6 SEGMENTS	0240949	EA	5		
415	SEAL, RING: TYPE: BEARING; INSIDE DIAMETER: 100 MM; MATERIAL: RUBBER; SUPPL P/N: TSN522A	0225522	EA	5		
416	SEAL, RING: TYPE: BFPT SHAFT REAR GLAND; OUTSIDE DIAMETER: 320 MM; THICKNESS: 47 MM; DRAWING NO: E42.29450-0002 REV 1; GROUP 2940, IN 6 SEGMENTS	0240950	EA	5		
417	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 110 MM; THICKNESS: 12 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256249	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

418	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 105 MM; OUTSIDE DIAMETER: 120 MM; THICKNESS: 13 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256250	EA	5		
419	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 110 MM; OUTSIDE DIAMETER: 120 MM; THICKNESS: 13 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256251	EA	5		
420	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 155 MM; OUTSIDE DIAMETER: 165 MM; THICKNESS: 6 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256254	EA	5		
421	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 48 MM; THICKNESS: 10 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256248	EA	13		
422	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 48 MM; THICKNESS: 8 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256247	EA	31		
423	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 70 MM; OUTSIDE DIAMETER: 80 MM; THICKNESS: 12 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256253	EA	13		
424	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 90 MM; OUTSIDE DIAMETER: 100 MM; THICKNESS: 100 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256252	EA	5		
425	SEAL, RING: TYPE: PRESSURE; INSIDE DIAMETER: 95 MM; OUTSIDE DIAMETER: 105 MM; THICKNESS: 12 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE	0256255	EA	5		
426	SEAL, RING: TYPE: TRACK; REFERENCE NO: ITEM 4; FOR 8.5E BALL MILL ROTATING THROAT ASSEMBLY	0230414	EA	110		
427	SEAL, RING: TYPE: V RING; INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 76 MM; THICKNESS: 6 MM; MATERIAL: RUBBER; REFERENCE NO: TSNA511A; TYPE CAP, FOR USE WITH PLUMMER BLOCK HOUSING	0097618	EA	5		
428	SEAL, RING: TYPE: V RING; INSIDE DIAMETER: 68 MM; OUTSIDE DIAMETER: 110 MM; THICKNESS: 6 MM; MATERIAL: RUBBER; APPLICATION: PLUMMER BLOCK; SUPPL P/N: TSNA517A	0098974	EA	5		
429	SEAL, RING: TYPE: WELDED; FOR 250NB RP64	0102277	EA	5		
430	SEAL: DIMENSIONS: OD 30 X WD 1.1 MM; MATERIAL: GLASS FIBER; TADPOLE, 30M ROLL WITH 60MM TAIL	0238630	EA	23		
431	SEAL: MATERIAL: VITON; APPLICATION: CARTRIDGE VALVE; SPECIFICATION: 297992-26; MANUF P/N: 5161-368; 202-00-003; DRAWING NO: NG50 REV 1; B42.51600-0187 REV 0; REFERENCE NO: SZ50015187; SET, (4) DIA 34.52 X THK 3.53, (3) DIA 20.29 X 2.62; NG16; HYDRAULIC; SIZE RANGE: IMPERIAL	0244700	EA	5		
432	SEAL: TYPE: BEARING; DIMENSIONS: WD 120 X LG 150 X THK 12 MM; MATERIAL: VITON A; APPLICATION: PA FAN; REFERENCE NO: WFO 519; DE VITON SEAL NON SPLIT	0528689	EA	5		
433	SEAL: TYPE: DOUBLE LIP, PREFORMED; DIMENSIONS: ID 355 X OD 375 X THK 48 MM; MATERIAL: GRAPHITE GR NUCLEAR; APPLICATION: TURBINE PLANT UNITS 2/4 FINAL STEAM INLET STRAINERS; 45 DEGREE ANGLE	0244220	EA	7		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

434	SEAL: TYPE: SEALING; DIMENSIONS: ID 184 X OD 203 X HT 47 MM; MATERIAL: 4130/42; APPLICATION: VALVE; SUPPL P/N: 021305001; REFERENCE NO: 50566-000-01	0243502	EA	7		
435	SEAL: TYPE: SET; DIMENSIONS: 19.2 X 3 MM; MATERIAL: VITON; APPLICATION: CARTRIDGE VALVE; OEM P/N: 7161-248, OEM: GE STEAM POWER SERVICE; 5161-367, OEM: GE STEAM POWER SERVICE; DRAWING NO: A42.71600-0164 REV 0; B42.51600-0187 REV 0; NG50 REV 1; REFERENCE NO: SZ50013433; SZ50013214; 2 WAY SET NG 16; HP ESV SERVO MOTOR	0244699	EA	5		
436	SEAL: TYPE: SHAFT; DIMENSIONS: DIA 54 MM; MATERIAL: KLINGERITE; APPLICATION: AIR FAN UNITS 1/2/3/4/6; DRAWING NO: F29.026.036/1 REV 1; UNITS 1, 2, 3, 4 AND 6	0247292	EA	5		
437	SEAL: TYPE: SHAFT; DIMENSIONS: ID 75 X OD 190 X THK 3 MM; MATERIAL: KLINGERITE; APPLICATION: AIR FAN; DRAWING NO: A1.244.1000-03 REV 1; UNIT 5	0247290	EA	5		
438	SEAL: TYPE: TAPER; DIMENSIONS: ID (40 X 105) X LG 190 MM; MATERIAL: RUBBER; APPLICATION: BOOT; FOR USE ON PRECIPITATORS, MIGI RAPPER	0234041	EA	5		
439	SEAL: TYPE: THROAT; APPLICATION: AIR HEATER; 1 SET = 32	0102264	EA	5		
440	SEAL: TYPE: VALVE; MATERIAL: POLYMER; EPDM; APPLICATION: CEMENCO VON ROLL T1-T2 BUTTERFLY VALVES DN 1400/180 KPA UNIT 1-6	0255089	M	5		
441	SEAT, BEARING: DIMENSIONS: ID 515 X OD 635 X THK 60 MM; MATERIAL: CAST IRON; TYPE: SPHERICAL; MANUF P/N: M949; DRAWING NO: Z560 REV 0; FOR USE ON AIR HEATER SUPPORT BEARING	0563339	EA	5		
442	SEAT, BEARING: DIMENSIONS: ID 60 X OD 82 X THK 8 MM; MATERIAL: STL; SUPPL P/N: U308; FOR USE ON MEDIUM TYPE DOUBLE THRUST BALL BEARING; WITH SPHERED HOUSING WASHERS; 5 RINGS PER SET	0019005	EA	5		
443	SET: APPLICATION: COUPLING; MATERIAL: STL; DRAWING NO: C3.014.006208 REV 0 ITEM 0; REFERENCE NO: STH 2110 LEF	0552752	EA	5		
444	SHAFT, PROPELLER: TYPE: DRIVE; LENGTH: 2.002 M; CONNECTION 1: COUPLING; CONNECTION 2: 2 KEYS; APPLICATION: BUFFALO FEEDER; SPECIFICATION: 521-1382-02; SUPPL P/N: 52-1614-1S; DRAWING NO: 52-A1614 -1S REV 1; CONSISTS OF: DRIVE END HOUSING 30-45-032, NON DRIVE END HOUSING 45-361-4A	0255010	EA	8		
445	SHAFT: TYPE: JOCKEY PULLEY; LENGTH: 640 MM; MATERIAL: EN57; END 1 SIZE: 100 MM; END 2 SIZE: 100 MM; DRAWING NO: 0.19/46390 REV 0; FOR USE ON ASH PUMPS AT ASH PLANT	0563343	EA	8		
446	SHAFT: TYPE: PULLEY DRIVE; LENGTH: 870 MM; MATERIAL: EN57; END 1 SIZE: 80 MM; END 2 SIZE: 80 MM; DRAWING NO: 0.19/46388 REV 0; FOR USE ON ASH PUMP BOTTOM DRIVE PULLEY	0563341	EA	9		
447	SLEEVE, ADAPTOR: LENGTH: 110 MM; MATERIAL: STL; SUPPL P/N: H3124; FOR USE ON ASH PLANT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	0237855	EA	47		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	NUMBER (IF APPLICABLE).					
448	SLEEVE, ADAPTOR: MATERIAL: STL; SUPPL P/N: H318; SIZE 80MM; FOR USE ON ASH PLANT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0237856	EA	9		
449	SLEEVE, ADAPTOR: SUPPL P/N: AHX2324; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030173	EA	5		
450	SLEEVE, ADAPTOR: TYPE: BEARING; MATERIAL: STL; SUPPL P/N: HE317; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030049	EA	6		
451	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 100 MM; LENGTH: 63 MM; MATERIAL: STEEL; SUPPL P/N: HE222; 115 MM OD; 83.3 TAPER PER METER IN MM, 1:12 ON DIA, 4 INCH BORE DIAMETER IMPERIAL SHAFT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030034	EA	9		
452	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 100 MM; LENGTH: 77 MM; MATERIAL: STEEL; SUPPL P/N: H322; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; SIZE 116.5 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030305	EA	30		
453	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 100 MM; LENGTH: 77 MM; MATERIAL: STEEL; SUPPL P/N: HE322; SIZE 145 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030213	EA	5		
454	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 110 MM; MATERIAL: STEEL; SUPPL P/N: 3124; REFERENCE NO: 1028-721; 83.3 TAPER PER METRE IN MM 1:12 ON DIA 50 MM BORE DIA; SIZE 125 MM OD X 90 MM HT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0032090	EA	5		
455	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 114 MM; LENGTH: 93 MM; MATERIAL: STEEL; SUPPL P/N: HE3126; 134 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030175	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

456	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 115 MM; LENGTH: 92 MM; MATERIAL: STEEL; SUPPL P/N: H3126; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; SIZE 165 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030307	EA	5		
457	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 127 MM; LENGTH: 97 MM; MATERIAL: STEEL; SUPPL P/N: HE3128; SIZE 145 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030174	EA	5		
458	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 140 MM; LENGTH: 118 MM; MATERIAL: STEEL; SUPPL P/N: HE3132; SIZE 166 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030214	EA	5		
459	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 140 MM; LENGTH: 119 MM; MATERIAL: STEEL; SUPPL P/N: H3132; 210 MM OD; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PACKED AND MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030309	EA	11		
460	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 25 MM; LENGTH: 27 MM; MATERIAL: STEEL; SUPPL P/N: H206; REFERENCE NO: H206; 32 MM OD; 83.3 TAPER PER METRE IN MM 1:12 ON DIA; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030221	EA	5		
461	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 30 MM; LENGTH: 29 MM; MATERIAL: STEEL; SUPPL P/N: H207; REFERENCE NO: H207; 37 MM OD; 83.3 TAPER PER METRE IN MM, 1:12 ON DIA; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030134	EA	5		
462	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 38 MM; LENGTH: 37 MM; MATERIAL: STEEL; SUPPL P/N: HE209; OD 46 MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030210	EA	5		
463	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 40 MM; LENGTH: 33 MM; MATERIAL: STEEL; REFERENCE NO: H209; 83.3 TAPER PER METRE IN MM 1:12 SIZE 48 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030335	EA	7		
464	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 40 MM; LENGTH: 39 MM; MATERIAL: STEEL; SUPPL P/N: H309; 47 MM OD, 45 MM OUTSIDE DIAMETER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE	0032096	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
465	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 45 MM; LENGTH: 50 MM; MATERIAL: STEEL; REFERENCE NO: AJX2310; 55 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030035	EA	5		
466	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 50 MM; LENGTH: 37 MM; MATERIAL: STEEL; SUPPL P/N: H211; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; SIZE 56.5 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030299	EA	5		
467	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 50 MM; LENGTH: 45 MM; MATERIAL: STEEL; SUPPL P/N: H311; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030043	EA	5		
468	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 50 MM; LENGTH: 54 MM; MATERIAL: STEEL; SUPPL P/N: AHX2311; 60 MM OD; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030297	EA	5		
469	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 63 MM; MATERIAL: STEEL; SUPPL P/N: HE215; SIZE 77 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030231	EA	5		
470	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 63.5 MM; LENGTH: 55 MM; MATERIAL: STEEL; SUPPL P/N: HE315; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030046	EA	5		
471	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 65 MM; LENGTH: 55 MM; MATERIAL: STEEL; SUPPL P/N: H315; 98 MM OD; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; CAMDEN SKF BRAND ONLY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030304	EA	56		
472	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 70 MM; LENGTH: 59 MM; MATERIAL: STEEL; SUPPL P/N: H316; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PACKED AND MARKED; SIZE 83 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	0030140	EA	6		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	DRAWING REVISION NUMBER (IF APPLICABLE).					
473	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 75 MM; LENGTH: 63 MM; MATERIAL: STEEL; SUPPL P/N: H317; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; SIZE 110 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030048	EA	12		
474	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 77 MM; LENGTH: 55 MM; MATERIAL: STEEL; SUPPL P/N: HE217; REFERENCE NO: HE 217; 85 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030032	EA	5		
475	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 80 MM; LENGTH: 65 MM; MATERIAL: STEEL; SUPPL P/N: H318; OD 90 MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030141	EA	22		
476	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 83 MM; LENGTH: 65 MM; MATERIAL: STEEL; REFERENCE NO: HE318; SIZE 94 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030142	EA	15		
477	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 89 MM; LENGTH: 58 MM; MATERIAL: STEEL; SUPPL P/N: HE220; 83.3 TAPER PER METRE IN MM 1:2 ON DIAMETER; 105 MM OD, 165 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030033	EA	5		
478	SLEEVE, ADAPTOR: TYPE: BEARING; SHAFT SIZE: 90 MM; LENGTH: 71 MM; MATERIAL: STEEL; SUPPL P/N: H320; SUPPLIER NOTE - THE ITEM MUST BE ORIGINAL PROTECTIVE PACKED AND MARKED; SIZE 130 MM OD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0030050	EA	13		
479	SLEEVE, COUPLING: TYPE: CONVEYOR; DIMENSIONS: LG 543 MM; MATERIAL: EN8; MANUF P/N: E60I023BIBSL/01; BRAKE DRUM SLEEVE; FOR USE ON CONVEYOR 24A-C FLUID COUPLING	0569012	EA	5		
480	SLEEVE, SHAFT: TYPE: PA FAN BEARING; INSIDE DIAMETER: 100 MM; OUTSIDE DIAMETER: 145 MM; LENGTH: 10 MM; MATERIAL: STEEL; GRADE: 300WA SABS	0606806	EA	5		
481	SLEEVE, SHAFT: TYPE: PUMP; INSIDE DIAMETER: 114 MM; OUTSIDE DIAMETER: 130 MM; LENGTH: 261 MM; MATERIAL: SS GR 316 WC COATED; SUPPL P/N: EN 25 MG; FOR USE ON SLURRY PUMPS IN THE ASH PLANT	0240153	EA	40		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

482	SLEEVE, SHAFT: TYPE: PUMP; INSIDE DIAMETER: 135 MM; OUTSIDE DIAMETER: 142 MM; LENGTH: 125 MM; MATERIAL: STL; REFERENCE NO: AHX2328	0030040	EA	5		
483	SLEEVE: TYPE: BEARING; SUPPL P/N: HE211	0030211	EA	5		
484	SLEEVE: TYPE: BEARING; SUPPL P/N: HE2311	0030036	EA	5		
485	SLEEVE: TYPE: PUMP DE; SUPPL P/N: 14348P-1; MODEL NO: M/P 4INX5IN; REFERENCE NO: 21; FOR MATHER AND PLATT MEDIVANE AUXILLARY COOLING WATER PUMP	0240402	EA	5		
486	SLEEVE: TYPE: PUMP FE; SUPPL P/N: 14348P-1; MODEL NO: M/P 4INX5IN; REFERENCE NO: 22; FOR MATHER AND PLATT MEDIVANE AUXILLARY COOLING WATER PUMP	0240403	EA	5		
487	SLEEVE: TYPE: SEAL; DIMENSIONS: ID 300 MM; MATERIAL: RUBBER NATURAL; APPLICATION: KNIFE GATE VALVE IN ASH LINES; SUPPL P/N: SKG-W203-015-0078; REFERENCE NO: P0300CMP-MSR-R	0257022	EA	5		
488	SLEEVE: TYPE: SHRINK ADHESIVE; DIMENSIONS: DIA 10 MM X 1 M; REFERENCE NO: CFM0400; GLOBE ELECTRIC	0135168	EA	5		
489	SLEEVE: TYPE: THROTTLING; DIMENSIONS: ID 99 X OD 108 X LG 130 MM; MATERIAL: STL; MODEL NO: HCD6N/8; REFERENCE NO: 210; 119-903-017-012; FOR KSB 50PCT BOILER FEED PUMP	0047492	EA	5		
490	SPRING: TYPE: SEALING; DIMENSIONS: 5 MM; SUPPL P/N: 917	0110524	EA	5		
491	SPRING: TYPE: SEALING; DIMENSIONS: 5 MM; SUPPL P/N: 918	0110525	EA	5		
492	STRIP: TYPE: SEALING; DRAWING NO: F42.39453-5801 REV 1; REQUIRED FOR USE ON L P DIAPHRAGMS 16 TO 21; GROUP 3750; 8 PIECE; ITEM 932	0253522	M	5		
493	STRIP: TYPE: SEALING; WIDTH: 12 MM; THICKNESS: 0.5 MM; MATERIAL: STL; REQUIRED FOR USE ON TURBINE H.P.DIAPHRAGMS 2 TO 15; GROUP NO.3350; ITEM NO 911	0247191	M	5		
494	STRIP: TYPE: SEALING; WIDTH: 14 MM; LENGTH: 1 M; THICKNESS: 0.5 MM; MATERIAL: STEEL; APPLICATION: ONE SET RINGS; 16 TO 21; GROUP 3750; ITEM 931	0253521	M	5		
495	TAPE, THREAD: TYPE: SEALING; WIDTH: 10 MM; MATERIAL: PTFE; COLOR: WHITE; REFERENCE NO: PTFE; WITHOUT DISPENSER; THK 0.075 MM	0016853	EA	884		
496	TROLLEY: TYPE: BALL BEARING ROLLERS; CAPACITY: 50 KG; MANUF P/N: CTBR/620; A COMLETE SET OF FESTOON TROLLEYS USED ON THE TRIPPER CARS; (FESTOON DIAMOND RAIL TROLLEY BRACKETS); GALVANSED CASTING SIDE SEALED BALL BEARING ROLLERS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	0528690	EA	268		
497	WASHER, SEALING: INSIDE DIAMETER: 21 MM; OUTSIDE DIAMETER: 31 MM; THICKNESS: 4 MM; MATERIAL: RUBBER	0094581	EA	5		
498	WASHER, SEALING: INSIDE DIAMETER: 47 MM; OUTSIDE DIAMETER: 60 MM; THICKNESS: 9.5 MM; MATERIAL: RUBBER	0094593	EA	5		
499	WASHER, SEALING: INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 90 MM; THICKNESS: 5 MM; MATERIAL: RUBBER	0101818	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

500	WASHER, SEALING: NOMINAL SIZE: 15 MM; INSIDE DIAMETER: 16 MM; OUTSIDE DIAMETER: 20 MM; THICKNESS: 1.6 MM; MATERIAL: CU; FOR USE ON BOILER MILL REFURBISHMENT	0233619	EA	5		
501	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 119 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 12.5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNA 515 BEARING TYPE : 22215CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNA 515	725820	EA	5		
502	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 149 MM; OUTSIDE DIAMETER: 160 MM; WIDTH: 12.5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNA 518 BEARING TYPE :23218CCK/W33; CAT NO: 13186/EN; MODEL NO: SNA518; 12.5/160 LOCATING RING, BEARING BLOCK : SNA 518 BEARING TYPE :23218CCK/W33	728158	EA	5		
503	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 119 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 12.5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNA 515 BEARING TYPE : 22215CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNA 515	725821	EA	5		
504	RING: TYPE: LOCATING (STABILIZING)RING; INSIDE DIAMETER: 167 MM; OUTSIDE DIAMETER: 180 MM; WIDTH: 9.7 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNH 520 BEARING TYPE 23220CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNA 520; 12/180 LOCATING RING, BEARING BLOCK : SNH 520, BEARING TYPE 23220CCK/W33	728375	EA	5		
505	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 275 MM; OUTSIDE DIAMETER: 290 MM; WIDTH: 5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNH 532 BEARING TYPE : 23232CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNH 532; 5/290 LOCATING RING FOR BEARING BLOCK : SNH 532 & BEARING TYPE: 23232CCK/W33	725819	EA	5		
506	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 275 MM; OUTSIDE DIAMETER: 290 MM; WIDTH: 5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNH 532 BEARING TYPE : 23232CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNH 532; 5/290 LOCATING RING FOR BEARING BLOCK : SNH 532 & BEARING TYPE: 23232CCK/W3	725819	EA	5		
507	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 215 MM; OUTSIDE DIAMETER: 230 MM; WIDTH: 5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNH 526 BEARING TYPE : 23226CCK/W33; CAT NO: 13186/EN; MODEL NO: SNH526; 10/230 LOCATING RING,BEARING BLOCK : SNH 526, BEARING TYPE : 23226CCK/W33	728325	EA	5		
508	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 235 MM; OUTSIDE DIAMETER: 250 MM; WIDTH: 5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNH 528 BEARING TYPE : 23228CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNH528	725818	EA	5		
509	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 139 MM; OUTSIDE DIAMETER: 150 MM; WIDTH: 12.5 MM; MATERIAL:	725817	EA	5		

The supply and delivery of various bearings, housings, sleeves and transmission couplings at Grootvlei power station for as an when required for a period of 5 years

	STEEL; APPLICATION: BEARING BLOCK : SNA 517 BEARING TYPE :22217CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNA 517; 12.5/150 LOCATING RING FOR BEARING BLOCK : SNA 517 & BEARING TYPE :22217CCK/W33					
510	RING: TYPE: LOCATING (STABILIZING) RING; INSIDE DIAMETER: 119 MM; OUTSIDE DIAMETER: 130 MM; WIDTH: 12.5 MM; MATERIAL: STEEL; APPLICATION: BEARING BLOCK : SNA 515 BEARING TYPE : 22215CCK/W33; CAT NO: 13186/1EN; MODEL NO: SNA 515	725820	EA	5		

The total of the Prices