



Class 2 powder coated to SANS 10322:2014; Coatings in accordance with SANS 1796 using powders in accordance with SANS 1578.

CWType L Crealco Facade 60 or eq. approved aluminium pressure glazed drained facade system, incl

Sliding door per layout.
Fixing suitable for fixing to concrete / brickwork reveals.

Exposure AAAMSA exposure category: A3. SANS613 - 2000Pa wind load capacity

Glazing Glazing throughout to be 12mm thick toughened safety glass , per PFG Armourplate.

Class 2 powder coated to SANS 10322:2014; Coatings in accordance with SANS 1796 using powders in accordance with SANS 1578.

colour: TBC. Provisionally Mat Black
Structural bracing Installation to include horizontal structural steel RHS, 250x100x6mm incl 12mm end plates of size 280x280, bolt fixed to concrete columns, and Same column supports (x2)

Steel to be Hot dipped galvanised and painted to spec. Degrease, Etching primer, Undercoat, and 2 enamel finishing coats.

Colour to match window framing.

Furniture Handles - Per manufacturers specification to suite operation indicated.

Glazing Glazing throughout to be 12mm thick toughened safety glass, per PFG Armourplate.

U-Value N/A Curtains:

U-Value N/A Curtains: N/A

QUANTITY:

Excl Curtains

CG20

Incl Curtains CG17 CG23 CG18 CG24

Description Information only 17.02.2016 23.02.2016 SG For purpose of discussion 12.10.2023 WP All glazing types updated 08.08.2024 Curtain wall & description

Window Specification:

PRIOR TO COMMENCEMENT OF WORK ON SITE THE FOLLOWING CERTIFICATES ARE TO BE PROVIDED:

- 1. Copy of the relevant AAAMSA Performance certificate from the manufacturer/contractor supplying the architectural aluminum product.
- 2. A Certificate of conformance certifying that all anodizing or powder coating has been processed in strict accordance with SABS 999/1998 and SABS 1796/2001 respectively.
- 3. A powder guarantee of no less than 15 years issued by the powder manufacturer. The specific conditions contained in this guarantee shall form part of the process and may only be applied by an approved powder applicator.
- 4. A Certificate of conformance that the glazing has been installed in accordance with SABS137 ensuring that safety glazing materials have been installed in the mandatory areas & that each individual pane of safety glazing material has been permanently marked.
- 5. A warranty from the manufacture of the laminated safety glass and / or hermetically sealed glazing units warranting the products against delamination for a period of not less than 5 years.

HEALTH DEPARTMENT SIGNATURES
DEPUTY DIRECTOR GENERAL
HEAD OFFICE PROGRAMME / SERVICE
DISTRICT MANAGER
CEO / MANAGER OF THE FACILITY
DOH PROJECT MANAGER
IMPLEMENTING AGENT PROJECT MANAGER
PROFESSIONAL SERVICE PROVIDER
NAME

ARCHITECT:

SIGNATURE _____

ARTEK 4 ARCHITECTS (KZN) CC Durban: 46 Lena Ahrens Road, Glenwood, Durban 4000 tel: 031 201 0445 fax: 031 201 6609 email: admindbn@artek4.co.za Port Shepstone: 19 Tradewinds, Marine Drive, Shelly Beach tel: 039 682 2447 fax: 039 682 2446 email:



____ DATE___



public works Department:

Public Works PROVINCE OF KWAZULU-NATAL

SOUTHERN REGION

WIMS NO. 044044: SOUTHERN REGION: PORT SHEPSTONE: DEPARTMENT OF HEALTH: PORT SHEPSTONE: PORT SHEPSTONE HOSPITAL: NEW PSYCHIATRIC WARD

Drawing Description

CURTAIN WALL SCHEDULE TYPE H-L

Scale	ale Drawn		Date	
1:25	WP		17/01/2022	
Consultant Project No.		Drawing No.		Rev
1518		402-03		С
DOW Drawing number				Rev

Stamped by Plans Approval Commitee