



**GUARD HOUSE ROOF PLAN SKETCH**  
1 : 50



**GUARD HOUSE CEILING PLAN SKETCH**  
1 : 50

Image	Type	Specification
	Ce. 1a	Global Roofing Solutions, and or equal approved, 762mm corrugated profile roll-formed in continuous lengths from 0.47mm thick AZ150 spelter G550 Colorplus Seaspray finish topcoat and cool grey backing coat roof sheeting, fixed to existing timber battens at max. 1200mm centres using hex flange head + EPDM Seal self drilling Type 17 drill point, no 12-11 x 65mm long fasteners. Batten fixed to first, fourth and eighth crest of each sheet and at all crests, all following the manufacturer's specifications by a GRS or equal and approved contractor.
		1.2mm thick galvanised steel custom flashing to match roof sheeting specification to latter detail.

**GENERAL DRAWING NOTES**

- THE DESIGN ON THIS DRAWING IS COPYRIGHT AND REMAINS THE PROPERTY OF SAKHISIZWE ARCHITECTS CC.
- DRAWINGS ARE STRICTLY TO BE ISSUED AND DISTRIBUTED BY SAKHISIZWE ARCHITECTS ONLY.
- ALL WORK IS TO BE CARRIED OUT STRICTLY IN ACCORDANCE WITH MUNICIPAL REGULATIONS.
- DRAWINGS ARE NOT TO BE SCALED. ALL DIMENSIONS ARE TO BE READ AS ANNOTATED.
- ALL RELEVANT DATUM LEVELS AND DIMENSIONS ARE TO BE VERIFIED ON SITE BEFORE COMMENCEMENT OF WORK.
- ALL DRAWINGS ARE TO BE CHECKED BY THE MAIN CONTRACTOR PRIOR TO CONSTRUCTION AND ANY DISCREPANCIES ON THE DRAWINGS OR BETWEEN THE DRAWINGS IS TO BE REFERRED TO THE ARCHITECT.
- CONTRACTORS ARE TO CHECK ALL QUANTITIES PRIOR TO ORDERING AND MANUFACTURE.
- CONTRACTOR IS TO PROVIDE WORKSHOP DRAWINGS TO BE APPROVED BY ARCHITECT PRIOR TO MANUFACTURE.

**REVISION SCHEDULE**

Rev. No.	Date	Description

Client: Owner

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Architect:

**SAKHISIZWE** ARCHITECTS  
33 ADELAIDE TAMBO DR., DURBAN NORTH (Head Office)  
TEL: 031 563 3424  
www.sakhisizwearchitects.co.za

Principal Architect's Signature  
Mr. K.P. Mawundla - Pr. Arch. SACAP (1962) SAIA (1993)

**ULUNDI LA COMPLEX: THE URGENT REPAIRS & REPLACEMENT OF THE STORM & WATER DAMAGED ROOFS, ASSOCIATED BUILDINGS AND INFRASTRUCTURE COMPONENTS AT ULUNDI LEGISLATIVE COMPLEX ADMINISTRATION BUILDING IN THE NORTH COAST. ZNT 08/25/26 W:WIMS NO: 029108**

Project Address:  
LA ADMINISTRATIVE COMPLEX - PRINCE MANGOSUTHU STREET, ULUNDI B, KWAZULU-NATAL

Date: 01/21/26 Scale: 1 : 50

Drawn: K.Tshimanga Checked: M.Mavundla

Drawing Description:

**GUARD HOUSE ROOF & CEILING PLAN SKETCH**

Workstage: Project Status

Job No.	Drawing No.	Revision No.
S564	WD-A107	

ISSUED FOR APPROVAL	
ISSUED FOR INFORMATION	
ISSUED FOR LA SUBMISSION	
ISSUED FOR TENDER	
ISSUED FOR CONSTRUCTION	