




SLEEVES AT ROAD CROSSINGS
TYPICAL SECTION(2 SLEEVES - 1 LAYER)
(1:10)



SLEEVES AT ROAD CROSSINGS
TYPICAL SECTION(4 SLEEVES - 1 LAYER)
(1:10)



SLEEVES AT ROAD CROSSINGS
TYPICAL SECTION(6 SLEEVES - 2 LAYER)
(1:10)



SLEEVES AT ROAD CROSSINGS
TYPICAL SECTION (8 SLEEVES - 2 LAYER)
(1:10)

DRAWING NOTES:

1. REFER TO PLAN FOR QUANTITY AND SIZE OF SLEEVES.
2. ALL SLEEVES TO EXTEND 1000MM BEYOND ROAD EDGE.
3. ALL BACKFILL BEDDING AND FINISH MATERIAL TO BE SPECIFIED BY CIVIL ENGINEERS.
4. TRENCH TO BE BACKFILLED IN 150MM LAYERS AND COMPACTED WITH MECHANICAL VIBRATORS TO 90% MOD AASHTO DENSITY.
5. ALL SLEEVES TO BE HDPE / HEAVY DUTY CLASS 34 UPVC CORRUGATED SLEEVES WITH A SMOOTH FINISH ON INSIDE WALL.
6. ALL SLEEVES TO BE CAPPED TO PREVENT INGRESS OF WATER AND DIRT.
7. ALL SLEEVES TO BE PROVIDED WITH GALVANIZED DRAW WIRE/ ROPE FOR CABLE INSTALLATION.
8. ALL SLEEVES FOR ROAD CROSSINGS ARE TO REMAIN WITHIN 2000MM WIDE TRENCH. SHOULD THIS REQUIREMENT BE EXCEEDED THEN A DUAL LAYER DUCT ARRANGEMENT WILL APPLY.
9. IN THE CASE OF CABLES WITH A CONDUCTOR SIZE OF NOT MORE THAN 70mm², THE MINIMUM HORIZONTAL FREE SPACE REQUIRED BETWEEN CABLES IS 75mm.
10. IN THE CASE OF CABLES WITH A CONDUCTOR SIZE EXCEEDING 70mm², THE MINIMUM HORIZONTAL FREE SPACE REQUIRED BETWEEN CABLES IS 105mm.

No.	DATE	REVISION	APPROVED
V1	28-04-2023	UPDATE	Z.M
V1	20-07-2018	ORIGINAL VERSION	Z.M

SANRAL TYPICAL DRAWINGS
 COPYRIGHT: THIS DRAWING IS PROTECTED IN TERMS OF THE COPYRIGHT ACT No. 98 OF 1978 AND MAY NOT BE REPRODUCED WITHOUT THE PERMISSION IN WRITING FROM SANRAL.
 CONDITIONS FOR USE: CONSULTANTS APPOINTED BY SANRAL SHALL INCORPORATE THE TYPICAL DETAILS HEREON INTO THEIR SPECIFIC DESIGN FOR WHICH THEY WILL ASSUME FULL PROFESSIONAL RESPONSIBILITY. THIS TYPICAL DRAWING MAY NOT BE USED FOR TENDER PURPOSES.



HEAD OFFICE
 43 Tambolie Avenue
 Val de Grace
 Pretoria
 0184
 PO Box 415
 Pretoria 0001
 South Africa
 Tel: (012) 644 8000

EASTERN REGION
 58 van Eck Place
 Pietermaritzburg
 3201
 PO Box 106410
 Scottsville
 3209
 Tel: (033) 392 8100

APPROVED

 Date: _____

TYPICAL DRAWINGS - ELECTRICAL

SLEEVE INSTALLATION

SANRAL DOC No. (PDF)	-
SANRAL DOC No. (DWG)	-
SANRAL DRAWING No.	TD-E-P-3002-1-V1

TD-E-P-3002-1-V1