



# **SUPPLY AND DELIVERY OF GOODS** **CONTRACT**

**Bid for the supply of goods for City Power Johannesburg (SOC) Ltd Johannesburg (SOC) Ltd**

## **REQUEST FOR BID**

**Bid No 2581G**

**BID FOR BID SUPPLY AND DELIVERY OF BUILDING MATERIAL**

**COMPANY NAME: \_\_\_\_\_**

**Closing Date: 25 MARCH 2026**

**Time: 11h00am**



40 Heronmere Road  
Reuven  
Johannesburg

P.O.Box 38766  
Booyens  
2016

Tel +27(0) 11 490 7000  
Fax +27(0) 11 490 7590

## **TABLE OF CONTENTS**

### **PART 1: TENDERING PROCEDURE**

- 1.1 INVITATION TO BID (MBD 1)
- 1.2 APPLICATION FOR TAX CLEARANCE CERTIFICATE (MBD 2)
- 1.3 TENDER DATA
- 1.4 CIDB STANDARD CONDITION OF TENDER

### **PART 2: PRICING DATA**

- 2.1 PRICING INSTRUCTION
- 2.2 FIRM PRICES FORM (MBD 3.1)
- 2.3 NON FIRM PRICES FORM (MBD 3.2)
- 2.3 PRICE SCHEDULE

### **PART 3: AGREEMENTS AND CONTRACT DATA**

- 3.1 FORM OF ACCEPTANCE
- 3.2 CONTRACT DATA
- 3.3 FORMAL CONTRACT (MBD 7.1)

### **PART 4: RETURNABLE DOCUMENTS**

#### 4.1 RETURNABLE DOCUMENTS REQUIRED FOR EVALUATION PURPOSE

- Municipal Rates and Taxes (Municipal rates & taxes statement in the name of the company or any of its director/s (must not be in arrears for more than 90 days & not older than 3 months or Lease agreement must be duly signed by both the lessor or lessee)
- SHERQ Regulations
- Invitation to Bid (MDB 1)
- Form of Offer / Acceptance
- Pricing Schedule – Firm Prices (MBD 3.1)
- Pricing Schedule – Non Firm Prices (MBD 3.2)
- Declaration of Interest Form (MBD 4)
- Declaration for Procurement above R10 000 000 (MBD 5)
- Preference Claim Form (MBD 6.1)
- Declaration for Purchase of Goods (MBD 7.1)
- Declaration of Bidder's past SCM practices (MBD 8)
- Certificate of Independent Bid Determination (MBD 9)
- Certified copy of B-BBEE Certificate or Sworn Affidavit signed by the Commissioner of Oath. A consolidated certificate or sworn statement in case of Joint Venture (Failure to attach certificate will lead to non- allocation of points). Refer to evaluation criteria for more information regarding specific goals.
- Valid Tax Clearance Certificate or SARS Pin
- Financial Statements for the past three years
- Central Supplier Database (CSD) Registration Report
- Additional soft copy of the Bid Document must be submitted on CD or Memory Stick

#### 4.2 OTHER DOCUMENTS REQUIRED FOR EVALUATION PURPOSE

#### 4.3 DOCUMENTS THAT WILL BE INCORPORATED IN THE CONTRACT

### **PART 5: SCOPE OF WORK**

- 5.1 EVALUATION CRITERIAS
- 5.2 SPECIFICATIONS
- 5.3 BILL OF QUANTITIES

1.1 TENDER NOTICE AND INVITATION TO TENDER  
INVITATION TO BID

MBD 1

<b>YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF CITY POWER JOHANNESBURG SOC.</b>			
BID NUMBER:	2581G	CLOSING DATE:	25 MARCH 2025
DESCRIPTION		BID FOR BID FOR SUPPLY AND DELIVERY OF BUILDING MATERIAL	
<b>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).</b>			
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)			
<b>City Power Tender Advice Centre</b>			
<b>40 Heronmere Road</b>			
<b>Reuven</b>			
<b>Johannesburg</b>			
Bidders should ensure that bids are delivered timeously to the correct address. If the bid is late, it will not be accepted for consideration. The bid box is generally open 24 hours a day, 7 days a week.			
<b>SUPPLIER INFORMATION</b>			
NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE	NUMBER	
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE	NUMBER	
E-MAIL ADDRESS			
VAT REGISTRATION NUMBER			
TAX COMPLIANCE STATUS	TCS PIN:	OR	CSD No:
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No	B-BBEE STATUS LEVEL SWORN AFFIDAVIT	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES &amp; QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]</b>			
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER PART B:3]
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE	R
SIGNATURE OF BIDDER	.....	DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED			
<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:</b>		<b>TECHNICAL INFORMATION MAY BE DIRECTED TO:</b>	
DEPARTMENT	SCM	CONTACT PERSON	Zanele Lesikara
CONTACT PERSON	Zanele Lesikara	TELEPHONE NUMBER	(011) 490 7073
TELEPHONE NUMBER	(011) 490 7073	FACSIMILE NUMBER	N/A
FACSIMILE NUMBER	N/A	E-MAIL ADDRESS	zlesikara@citypower.co.za
E-MAIL ADDRESS	zlesikara@citypower.co.za		

## PART B TERMS AND CONDITIONS FOR BIDDING

<b>1. BID SUBMISSION:</b>
<p>6.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.</p> <p>6.2. <b>ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED– (NOT TO BE RE-TYPED) OR ONLINE</b></p> <p>6.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.</p>
<b>2. TAX COMPLIANCE REQUIREMENTS</b>
<p>2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.</p> <p>2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.</p> <p>2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.</p> <p>2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B: 3.</p> <p>2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.</p> <p>2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.</p> <p>2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.</p>
<b>3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS</b>
<p>3.1. IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? <span style="float: right;"><input type="checkbox"/></span>          YES <input type="checkbox"/> NO</p> <p>3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span></p> <p>3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? <span style="float: right;"><input type="checkbox"/></span>          YES <input type="checkbox"/> NO</p> <p>3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? <span style="float: right;"><input type="checkbox"/></span>          YES <input type="checkbox"/> NO</p> <p>3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? <span style="float: right;"><input type="checkbox"/></span>          YES <input type="checkbox"/> NO</p> <p><b>IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.</b></p>

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....

DATE: .....

**ANY ENQUIRIES REGARDING THE BIDDING PROCEDURE MAY BE DIRECTED TO:**

**Municipality / Municipal Entity: City Power (SOC) Johannesburg (PTY) Ltd**

**Department: Supply Chain Management**

**Contact Person: Zanele Lesikara**

**Tel: 011 490 7073**

**Fax: N/A**

**E-mail: [zlesikara@citypower.co.za](mailto:zlesikara@citypower.co.za)**

**ANY ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO:**

**Contact Person: Zanele Lesikara**

**Tel: 011 490 7073**

**Fax: N/A**

**E-mail: [zlesikara@citypower.co.za](mailto:zlesikara@citypower.co.za)**

**REPORT FRAUD AND CORRUPTION TO EITHER OF THE FOLLOWING SERVICES;**

**TOLL FREE – 0800 002 587**

**FAX – 0800 007 788**

**E-mail: [anticorruption@tip-offs.com](mailto:anticorruption@tip-offs.com)**

## 1.1 TENDER DATA

The conditions of tender are the Standard Conditions of Tender as contained in Annex F of the CIDB Standard for Uniformity in Construction Procurement (August 2019). (See [WWW.CIDB.ORG.ZA](http://WWW.CIDB.ORG.ZA)).

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender. Each item data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.

The CIDB Standard Condition of Tender, as contained in Annex F of the Standard for Uniformity published on May 2010 are included in this document.

F1.1 The employer is City Power Johannesburg (SOC) Ltd

F1.2 The tender documents issued by the employer comprise:

### **Part 1: Tendering procedure**

- 1.1 Invitation to Bid ( MBD 1 )
- 1.2 Application for Tax Clearance Certificate ( MBD 2 )
- 1.3 Tender data
- 1.4 CIDB Standard conditions of tender

### **Part 2: Pricing data**

- 2.1 Pricing instruction
- 2.2 Firm Prices Form (MBD 3.1)
- 2.3 Non-Firm Prices Form (MBD 3.2)
- 2.4 Price Schedule

### **Part 3: Agreements and contract data**

- 3.1 Form of acceptance
- 3.2 Contract data
- 3.3 Formal contract (MBD 7.1)

#### **Part 4: Returnable documents**

##### 4.1 Returnable documents required for evaluation purpose

- Municipal Rates and Taxes (Municipal rates & taxes statement in the name of the company or any of its director/s (must not be in arrears for more than 90 days & not older than 3 months or Lease agreement must be duly signed by both the lessor or lessee.)
- SHEQ Regulations
- Invitation to Bid ( MDB 1)
- Form of Offer
- Firm Prices Form (MBD 3.1)
- Non-Firm Prices Form (MBD 3.2)
- Declaration of Interest Form ( MBD 4 )
- Declaration for Procurement above R10 000 000 ( MBD 5 )
- Preference Claim Form ( MBD 6.1 )
- Declaration for Purchase of Goods (MBD 7.1)
- Declaration of Bidder's past SCM practices ( MBD 8 )
- Certificate of Independent Bid Determination ( MBD 9 )
- Certified copy of B-BBEE Level of contribution Certificate or Sworn Affidavit signed by the Commissioner of Oath. A consolidated certificate or sworn statement in case of Joint Venture (Failure to attach certificate will lead to non- allocation of points). Refer to evaluation criteria for more information regarding specific goals.
- Valid Tax Clearance Certificate or SARS Pin
- Financial Statements for the past three years
- Central Supplier Database (CSD) Registration Report
- Additional soft copy of the Bid Document must be submitted on CD or Memory Stick

##### 4.2 Other documents required for evaluation purpose

##### 4.3 Documents that will be incorporated in the contract

#### **Part 5: Scope of work**

##### 5.1 Evaluation Criteria's

##### 5.2 Specifications

##### 5.3 Bill of Quantities

#### F1.4 The employer's agent is

**Zanele Lesikara**

**Address: 40 Heronmere Road, Booysens, Johannesburg**

**Tel: 011 490 7073**

**Fax: N/A**

**E-mail: [zlesikara@citypower.co.za](mailto:zlesikara@citypower.co.za)**

F1.5 The employer's right to accept or reject any tender offer.

F1.5.1 The employer may accept or reject any variation, deviation, tender offer, or alternative tender, and may cancel the tender process and reject all tender offers at any time before the formation of contract. The employer shall not accept or incur any liability to a tenderer for such cancellation and rejection but will give written reasons for such action upon written request to do so.

F2.1 Only those bidders who satisfy the eligibility criteria are eligible to submit tenders and the tenderer, or his principals, is not under any restriction to do business with employer. Only bidders who satisfy the following mandatory requirements will be further evaluated:

(a) Mandatory Requirements

- **The Bill of Quantity must be completed in full, failure to do so will render your Bid non-responsive.**

F2.7 The arrangements for a COMPULSORY / NON-COMPULSORY clarification meeting are:

Location: N/A

Date: N/A

Starting time: N/A

F2.8 Requests for clarification from the employer will be allowed up to five working days before the bid closes.

F2.10. Prices will be fixed and firm for the first twelve months after award and after which will be adjusted in line with the Consumer Price Index (CPI).

F2.11. Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer.

F2.12 If a tenderer wishes to submit an alternative offer, the only criteria permitted for such alternative offer is that it demonstrably satisfies the Employer's standards and requirements, the details of which may be obtained from the Employer's agent.

Submit only 1 alternative offer to the main offer, strictly in accordance with all the requirements of the tender documents. The alternative offer is to be submitted with the main offer together with a schedule that compares the requirements of the tender documents with the alternative requirements the tenderer proposes. Should both offers comply with the tender requirements, the employer reserves the right to choose the lowest priced offer to be evaluated further on stage two (2). (Only 1 offer will be considered for price evaluation)

Acceptance of an alternative offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.

F2.13.2 Return all returnable documents after completing and signing them in their entirety.

F2.13.3 Parts of each tender offer communicated on paper shall be submitted as an original, plus two copies.

F2.13.5 The employer's address for delivery of tender offer and identification details to be shown on each tender offer package are:

Location of tender box: City Power Head Office at Tender Advice Centre

Physical address: 40 Heronmere Road, Reuven

Identification details: Tender no: 2581G

Postal address: P.O. Box 38766, Booyens, 2016

F2.13.6 A two envelope system will not be followed.

F2.15 The closing time for submission of tender offers is as stated in the Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.

F2.16 The tender offer is validity period is 120 days.

F2.16.2 The tender must consider extending the validity period if requested by the Purchaser.

#### F.2.18 Provide other material

F.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

F.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

#### F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for or inspections, tests and analysis as provided for in the tender data. All Factory Routine Testing for the commodities awarded, will be required to be done during Proto-Type.

#### F.3.1 Respond to clarification

Responses to requests for clarification received will be up to five working days before the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.

F3.2 Addenda that amend or amplify the tender documents to the bid during the period from the date that tender documents will be available until seven days before the tender closing time stated in the Tender Data. An extension to the closing date as a result of the addenda will be at the discretion of City Power, if an extension is granted a notice will be given on the e-tender portal and City Power website.

F3.4 Tender offers/quotes will be opened by City Power SCM unit in accordance with City Power procurement policy, in the presence of City Power Legal Representative. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.

F3.11 The procedure for the evaluation of responsive tenders is as follows:

##### Method 4

City Power reserves the right to award the bid to multiple bidders up to a **maximum number of two (2) bidders per stream.**

The minimum threshold for functionality is 80% (Only bidders who obtain 80% and above will be evaluated on Price and specific goals)

**THE 80/20 PREFERENCE POINT SYSTEMS**

A maximum of 80 points is allocated for price on the following basis:

**80/20**

$$P_s = 80 \left( 1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

*P<sub>s</sub>* = Points scored for comparative price of tender or offer under consideration;

*P<sub>t</sub>* = Comparative price of tender or offer under consideration; and

*P<sub>min</sub>* = Comparative price of lowest acceptable tender or offer.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

**(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.**

**Note to tenderers: The tenderer must indicate how they claim points for each preference point system):**

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprise owned by black people with at least 51% shareholding		4		
Enterprise owned by black women with at least 30% shareholding		4		
Enterprise owned by black youth with disabilities with at least 30% shareholding		4		
Enterprise owned by black people with disabilities with at least 51% shareholding		4		
Enterprise owned by local suppliers within City of Johannesburg		4		

F3.13.1 Tenders will only be accepted if:

- a) The tenderer has in his or her possession an original valid tax clearance certificate or pin issued by the South African Revenue Services or a pin
- b) The tenderer is registered with Central System Database ( CSD)
- c) The tenderer is not in arrears for more than 3 months with municipal rates and taxes and municipal service charges
- d) The tenderer or any of its directors is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector
- e) The tenderer has not:
  - i) Abused the Employer's Supply Chain Management System; or
  - ii) Failed to perform on any previous contract and has been given a written notice to this effect
- f) Has completed the declaration of Interest Form and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interest of the employer or potentially compromise the tender process.

F3.18 The number of paper copies of the signed contract to be provided by the employer is one. This contract will be based on rates for a (3) three year term unless awarded otherwise by the adjudication committee .

**Annex F  
(normative)**

**Standard Conditions of Tender**

**F.1 General****F.1.1 Actions**

**F.1.1.1** The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with other, they shall discharge their duties and obligations as set out in **F.2** and **F.3**, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.

**F.1.1.2** The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict, and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate

Note 1) A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.

Note 2) Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any bias, inclination, obligation, allegiance or loyalty which in any way affect any decisions taken.

**F.1.1.3** The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

**F.1.2 Tender Documents**

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

**F.1.3 Interpretation**

**F.1.3.1** The tender data additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.

**F.1.3.2** These conditions of tender, the tender data and tender schedules which are only required for tender evaluation purposes, shall not form part of any contract arising from the invitation to tender.

**F.1.3.3** For the purposes of these conditions for the calling for expressions of interest, the following definitions apply:

- a) **conflict of interest** means any situation in which:
  - i) someone in a position of trust has competing professional or personal interests which make it difficult to fulfill his or her duties impartially;
  - ii) an individual or organization is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit: or

- iii) incompatibility or contradictory interests exist between an employee and the organization which employs that employee.
- b) **comparative offer** means the tenderer's financial offer after the factors of non-firm prices, all unconditional discounts and any other tendered parameters that will affect the value of the financial offer have been taken into consideration
- c) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
- d) **fraudulent practice** means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels
- e) **organization** means a company, firm, enterprise, association or other legal entity, whether incorporated or not, or a public body
- f) **quality (functionality)** means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied need

#### **F.1.4 Communication and employer's agent**

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be read, copied and recorded. Writing shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

#### **F.1.5 The employer's right to accept or reject any tender offer**

**F.1.5.1** The employer may accept or reject any variation, deviation, tender offer, or alternative tender offer, and may cancel the tender process and reject all tender offers at any time before the formation of a contract. The employer shall not accept or incur any liability to a tenderer for such cancellation and rejection, **but** will give written reasons for such action upon written request to do **so**.

**F.1.5.2** The employer may not subsequent to the cancellation or abandonment of a tender processor the rejection of all responsive tender offers re-issue a tender covering substantially the same scope of work within a period of six months unless only one tender was received and such tender was returned unopened to the tenderer.

#### **F.1.6 Procurement Procedures**

##### **F1.6.1 General**

Unless otherwise stated in the tender data, a contract will, subject to F.3.13, be concluded with the tenderer who in terms of F.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time of tenders.

##### **F.1.6.2 Competitive negotiation procedure**

**F.1.6.2.1** Where the tender data require that the competitive negotiating procedure is to be followed, tenders shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of F.3.4, the employer shall announce only the names of the tenders who make a submission. The requirements of F.3.8 relating to the material deviations or qualifications which affect the competitive position of tenders shall not apply.

**F.1.6.2.2** All responsive tenderers, or not less than three responsive tenderers that are highest ranked in terms of the evaluation method and evaluation criteria stated in the tender data, shall be invited in each round to enter into competitive negotiations, based on the principle of equal treatment and keeping confidential the proposed solutions and associated information. Notwithstanding the provision of F.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have discriminatory effect.

**F.1.6.2.3** At the conclusion of each round of negotiations, tenderers shall be invited by the employer to make a fresh tender offer, based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.

**F.1.6.2.4** The contract shall be awarded in accordance with the provisions of F.3.11 and F.3.13 after tenderers have been requested to submit their best and final offer.

### **F.1.6.3 Proposed procedure using the two-stage system**

#### **F.1.6.3.1 Option 1**

Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tender scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.

#### **F.1.6.3.2 Option 2**

**F.1.6.3.2.1 Tenderers** shall submit in the first stage only technical proposals. The employer shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.

**F.1.6.3.2.2** The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

### **F.2 Tenderer's Obligations**

#### **F.2.1 Eligibility**

**F.2.1.1** Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.

**F.2.1.2** Notify the employer of any proposed material change in the capabilities or information of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.

#### **F.2.2 Cost of tendering**

Accept that the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer satisfy requirements.

#### **F.2.3 Check documents**

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

#### **F.2.4 Confidentiality and copyright of documents**

Treat as confidential all matters arising in connection with the tender. Use **and** copy the documents issued **by** the employer only for the purpose of preparing and submitting a tender offer in response to the invitation

#### **F.2.5 Reference documents**

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other which are not attached but which are incorporated into the tender documents by reference.

#### **F.2.6 Acknowledge addenda**

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

### **F.2.7 Clarification meeting**

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meetings are stated in the data.

### **F.2.8 Seek clarification**

Request clarification of the tender documents, if necessary, by notifying the employer at least five working days before the closing time stated in the tender data.

### **F.2.9 Insurance**

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

### **F.2.10 the tender offer**

Include in the rates, prices, and the tendered total of the prices (if any) all duties, (except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable **14** days before the closing time stated in the tender data. VAT payable by the employer separately as an addition to the tendered total of the prices.

**F.2.10.3** Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of identified in the contract data

**F.2.10.4** State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the data may provide for part payment in other currencies.

### **F.2.11 Alterations to documents**

Not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations. Erasures and the use of masking fluid are prohibited.

### **F.2.12 tender offers**

**F.2.12.1** Submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted. The alternative tender offer is to be submitted with the main tender offer together with a schedule that compares the requirements of the tender documents with the alternative requirements the tenderer proposes.

**F.2.12.2** Accept that an alternative tender offer may be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.

### **F.2.13 submitting a tender offer**

**F.2.13.1** Submit a tender offer to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.

**F.2.13.2** Return all returnable documents to the employer after completing them in their entirety, either electronically (they were issued in electronic format) or by writing in Mack ink.

**F.2.13.3** Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.

**F.2.13.4** Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.

**F.2.13.5** Seal the original and each copy of the tender offer as separate packages marking the packages as and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.

**F.2.13.6** Where a two-envelope system **is** required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.

**F.2.13.7** Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender **data**. **F.2.13.8** Accept that the employer will not assume any responsibility for the premature opening of the tender offer if the outer package is not sealed and marked as stated.

#### **F.2.14 Information and data to be completed in all respects**

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

#### **F.2.15 Closing time**

**F.2.15.1** Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Proof of shall not be accepted as proof of delivery. The employer shall **not** accept tender offers submitted by telegraph, telex, facsimile or e-mail, unless stated otherwise in the tender data.

**F.2.15.2** Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

#### **F.2.16 Tender offer validity**

**F.2.16.1** Hold the tender valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.

**F.2.16.2** If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period.

#### **F.2.17 of tender offer after submission**

Provide clarification of a tender offer in response to a request to do **so** from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (Or both). **No** change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

Note: **F.2.17** does not preclude the negotiation of the final terms of the contract **with** a preferred tenderer following a competitive selection **process**, should the Employer **elect** to do **so**.

#### **F.2.18 Provide other material**

**F.2.18.1** Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment.

Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

**F.2.18.2** Dispose of samples of materials provided for evaluation by the employer, where required.

### **F.2.19 Inspections, tests and analysis**

Provide access during working hours to premises for or inspections, tests and analysis as provided for in the tender data.

### **F.2.20 Bonds, policies, etc.**

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

### **F.2.21 Check final draft**

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

### **F.2.22 Return of other tender documents**

If instructed by the employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the tender data.

### **F.2.23 Certificates**

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

## **F.3 The employer's undertakings**

### **F.3.1 Respond to clarification**

Respond to a request for clarification received up to five working days before the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.

### **F.3.2 Issue Addenda**

If necessary, issue addenda that amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until seven days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all tenderers who drew documents.

### **F.3.3 Return late tender offers**

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

### **F.3.4 of tender submissions**

**F.3.4.1** Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.

**F.3.4.2** Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened, the total of his prices, preferences claimed and time for completion, if any, for the main tender offer only.

**F.3.4.3** Make available **the** record outlined in to all interested persons upon request.

### **F.3.5 Two-envelope system**

F.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.

**F.3.5.2** Evaluate the of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the quality evaluation more than the minimum number of points for quality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any preferences claimed. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for quality.

### **F.3.6 Non-disclosure**

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

### **F.3.7 Grounds for rejection**

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

### **F.3.8 Test for responsiveness**

**F.3.8.1** Determine, after opening and before detailed evaluation, whether each tender offer properly received:

- a) complies with the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.

**F.3.8.2** A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- b) change the Employer's or the tenderer's risks and responsibilities under the contract, or
- c) affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive correction or withdrawal of the non-conforming deviation or reservation.

### **F.3.9 Arithmetical errors**

**F.3.9.1** Check responsive tender offers for arithmetical errors, correcting them in the following manner:

- a) Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern.
- b) If bills of quantities (or schedule of quantities or schedule of rates) apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
- c) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities)

**F.3.9.2** Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of his arithmetical errors in the manner described in F.3.9.1.

### **F.3.10 Clarification of a tender offer**

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

### F.3.11 Evaluation of tender offers

#### F.3.11.1 General

Appoint an evaluation panel of not less than three persons. Reduce each responsive tender offer to a comparative offer and evaluate it using the tender evaluation method that is indicated in the Tender Data described below:

Method 1: Financial offer	<ol style="list-style-type: none"> <li>1. Rank tender offers from the most favourable to the least favourable comparative offer.</li> <li>2. Recommend highest ranked tenderer for the award of the contract, unless there are compelling and justifiable reasons not to do so.</li> </ol>
Method 2: Financial offer and preferences	<ol style="list-style-type: none"> <li>1. Score tender evaluation points for financial offer</li> <li>2. Confirm that tenderers are eligible for the preferences claimed and if so, score Tender evaluation points for preferencing</li> <li>3) Calculate total tender evaluation points.</li> <li>4. Rank tender offers from the highest number of tender evaluation points to the lowest.</li> <li>5) Recommend tenderer with the highest number of tender evaluation points for The award of the contract, unless there are compelling and justifiable reasons not to do so.</li> </ol>
Method 3: Financial offer and Quality	<ol style="list-style-type: none"> <li>1. Score quality, rejecting all tender offers that fail to score the minimum number of points for Quality stated in the Tender data</li> <li>2. Score tender evaluation points for financial offer</li> <li>3. Calculate total tender evaluation points</li> <li>4. Rank tender offers from the highest number of tender evaluation to the lowest</li> <li>5) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.</li> </ol>
Method 4: Financial offer, quality And preferences Preferences	<ol style="list-style-type: none"> <li>1. Score quality, rejecting all tender offers that fail to score the minimum number of points for Quality stated in the Tender data.</li> <li>2. Score tender evaluation points for financial offer.</li> <li>3. Confirm that tenderers are eligible for the preferences claimed, and if so, score tender evaluation points for preferencing.</li> <li>3. Calculate total tender evaluation points.</li> <li>4. Rank tender offers from the highest number of tender evaluation to the lowest.</li> <li>5) Rank tender offers from the highest number of tender evaluation points to the lowest.</li> <li>6) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.</li> </ol>

Where:

P<sub>m</sub> = the comparative offer of the most favourable tender offer.

P = the comparative offer of tender offer under consideration.

#### F.3.11.3 Scoring quality (functionality)

Score quality in each of the categories in accordance with the Tender Data and calculate total score for quality.

### F.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

### **F.3.13 Acceptance of tender offer**

**F.3.13.1** Accept tender offer only if the tenderer complies with the legal requirements stated in the Tender Data.

**F.3.13.2** Notify the successful tenderer of the employer's acceptance of his tender offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the tender data, or agreed additional period. Providing the form of offer acceptance does not contain any qualifying statements, it will constitute the formation of a contract between the employer and the successful tenderer as described in the form of offer and acceptance.

### **F.3.14 Notice to unsuccessful tenderers**

After the successful tenderer has acknowledged the employer's notice Of acceptance, notify other tenderers that their tender offers have not been accepted.

### **F.3.15. Prepare contract documents**

If necessary, revise documents that shall form part of the contract and that were issued by employer as part of the tender documents to take account of:

- a) addenda issued during the tender period
- b) inclusion of some of the returnable documents
- c) other revisions agreed between the employer and the successful tenderer, and
- d) the schedule of deviations attached to the form of offer and acceptance, if any.

### **F.3.16 Issue final contract**

Prepare and issue the final draft of contract documents to the successful tenderer for acceptance as soon as possible after the date of the employer's signing of the form of offer and acceptance (including the schedule of deviations, if any). Only those documents that the conditions of tender require the tenderer to submit, after acceptance by the employer, shall be included.

### **F.3.17 Complete adjudicator's contract**

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

### **F.3.18 Provide copies of the contracts**

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

### **F.3.19 Provide written reasons for actions taken**

Provide upon request written reasons to tenderers for any action that is taken in applying these conditions of tender, but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

**PRICING SCHEDULE – FIRM PRICES  
(PURCHASES)**

**NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS)**

**IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT**

Name of Bidder.....	Bid Number.....
Closing Time .....	Closing Date .....

OFFER TO BE VALID FOR 120 DAYS FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY ** (ALL APPLICABLE TAXES EXCLUDED)
1	1	<b>Cost per unit</b>	<b>R</b>

**Note:**

- 
- Required by: .....
  - At: .....
  - Brand and Model .....
  - Country of Origin .....
  - Does the offer comply with the specification(s)? \*YES/NO
  - If not to specification, indicate deviation(s) .....
  - Period required for delivery .....
  - Delivery basis .....

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

\*\* “all applicable taxes” excludes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

**PRICING SCHEDULE – NON-FIRM PRICES  
(PURCHASES)**

**NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.**

**IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT**

Name of Bidder.....	Bid number.....
Closing Time .....	Closing Date .....

OFFER TO BE VALID FOR 120 DAYS FROM THE CLOSING DATE OF BID.

---

ITEM NO. **	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY (ALL APPLICABLE TAXES INCLUDED)
-------------	----------	-------------	--

---

<b>1</b>	<b>Cost per unit</b>	<b>R</b>
----------	----------------------	----------

**Note:**

- 
- Required by: .....
  - At: .....
  - Brand and Model .....
  - Country of Origin .....
  - Does the offer comply with the specification(s)? \*YES/NO
  - If not to specification, indicate deviation(s) .....
  - Period required for delivery .....
  - Delivery basis .....

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

\*\* "all applicable taxes" excludes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

**PRICE ADJUSTMENTS**

**A NON-FIRM PRICES SUBJECT TO ESCALATION**

1. IN CASES OF PERIOD CONTRACTS, NON FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left( D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where:

- Pa = The new escalated price to be calculated.
- (1-V) Pt = 85% of the original bid price. **Note that Pt must always be the original bid price and not an escalated price.**
- D1, D2.. = Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1,D2...etc. must add up to 100%.
- R1t, R2t..... = Index figure obtained from new index (depends on the number of factors used).
- R1o, R2o = Index figure at time of bidding.
- VPt = 15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. The following index/indices must be used to calculate your bid price:

Index..... Dated.....      Index..... Dated.....      Index..... Dated.....  
 Index..... Dated.....      Index..... Dated.....      Index..... Dated.....

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

**B PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS**

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE



## CONTRACT FORM - PURCHASE OF GOODS / WORKS

**THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.**

### PART 1 (TO BE FILLED IN BY THE BIDDER)

1. I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to (name of institution)..... in accordance with the requirements and specifications stipulated in bid number..... at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated and calculated from the closing time of bid.
  
2. The following documents shall be deemed to form and be read and construed as part of this agreement:
  - (i) Bidding documents, viz
    - Invitation to bid;
    - Tax clearance certificate;
    - Pricing schedule(s);
    - Technical Specification(s);
    - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2022;
    - Declaration of interest;
    - Declaration of bidder's past SCM practices;
    - Certificate of Independent Bid Determination;
    - Special Conditions of Contract;
  - (ii) General Conditions of Contract; and
  - (iii) Other (specify)
  
3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
  
4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.
  
5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
  
6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT) .....

CAPACITY .....

SIGNATURE .....

NAME OF FIRM .....

DATE .....

<b>WITNESSES</b>	
1	.....
2.	.....
DATE:	.....

**CONTRACT FORM - PURCHASE OF GOODS/WORKS**

**PART 2 (TO BE FILLED IN BY THE PURCHASER)**

1. I.....in,my,capacity  
as.....accept your bid under reference number  
.....dated.....for the supply of goods/works indicated hereunder and/or  
further specified in the annexure(s).
2. An official order indicating delivery instructions is forthcoming.
3. I undertake to make payment for the goods/works delivered in accordance with the terms and  
conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery  
note.

ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)

4. I confirm that I am duly authorized to sign this contract.

SIGNED AT .....ON.....

NAME (PRINT) .....

SIGNATURE .....

OFFICIAL STAMP

WITNESSES

1. ....

2. ....

DATE .....

## **3.2 CONTRACT DATA**

### **3.2.1 PURCHASE PRICE**

- 3.2.1 The Purchase Price shall be the amount set out in the PURCHASE ORDER.
- 3.2.2 Unless otherwise stipulated in the PURCHASE ORDER, no additional costs of whatever nature shall be payable by CITY POWER.
- 3.2.3 VAT shall be deemed to be included from the Purchase Price.
- 3.2.4 All other taxes payable in respect of the items stipulated on the PURCHASE ORDER shall be deemed to be included in the Purchase Price.
- 3.2.5 PURCHASE ORDERS placed on a "Price to be Agreed" (PTBA), "Estimated Price" or "Price Subject to Adjustment" basis, are issued on the condition that CITY POWER shall be advised, in writing, of the details of the proposed Purchase Price prior to execution of the order CITY POWER may demand, prior to payment, that the price computation be substantiated by documentary evidence.

### **3.3 TERMS OF PAYMENT**

CITY POWER payment terms are 30 days from the date of receipt of the invoice and statement of account.

### **3.4 METHOD OF PAYMENT**

- 3.4.1 SUPPLIER must elect payment by cheque or electronic fund transfer for the purpose of a contract within 14 (fourteen) days of a purchase order being awarded. SUPPLIER must exercise its choice in writing and submit it to CITY POWER's Financial Department, failing which all payments in terms of this contract will be by cheque. The onus is on the SUPPLIER to ensure that the Financial Department has received and recorded its choice in this regard.
- 3.4.2 The method of payment elected by SUPPLIER may only be altered with CITY POWER's consent.
- 3.4.3 If payment is made by cheque, same will be posted.
- 3.4.4 SUPPLIER assumes the entire risk in cheques from the moment of posting and CITY POWER's liability is deemed to be met when the cheque is posted.
- 3.4.5 If cheque(s) will be delivered by hand to SUPPLIER or be collected from CITY POWER by SUPPLIER or its representative. The receiver should acknowledge the receipt.
- 3.4.6 SUPPLIER shall ensure that CITY POWER at all times has the correct banking information of SUPPLIER in order to make an electronic fund transfer, by submitting a cancelled cheque and a letterhead to:

FINANCIAL ACCOUNTANT  
FINANCIAL DEPARTMENT  
CITY POWER  
P.O. BOX 38766  
BOOYSENS  
2016

If any aspect of SUPPLIER's banking information changes, SUPPLIER shall timeously inform CITY POWER in writing of such changes.

SUPPLIER assumes the entire risk of incorrect electronic fund transfers arising from changes in SUPPLIER's banking information.

3.4.7 Settlement discount as agreed upon and stated in the contract will be deducted from payment.

### **3.5 INVOICING**

3.5.1 Invoices shall comply with the VAT Act, failing which payment will not be made.

3.5.2 All invoices, monthly statements and other related documentation must be submitted to:

THE FINANCIAL DEPARTMENT  
CITY POWER  
P.O. BOX 38766  
BOOYSENS  
2016

3.5.3 SUPPLIERS invoice(s) shall be fully detailed in respect of:

#### **3.5.3.1 Information**

- The CITY POWER Purchase Order Number.
- The full description of item(s) to which the invoice(s) relate(s)
- A unique Invoice Number.
- Date of issue of the invoice.
- Company/Close Corporation Registration Number
- VAT Registration Number
- Delivery Notes Number

#### **3.5.3.2 Value Added Tax**

- Amount of VAT.
- In the event of VAT being levied at differentiated rates, each rate invoiced.

#### **3.5.3.3 Structure of Invoice**

- Total value of GOODS AND SERVICES excluding VAT
- VAT on amount payable
- Total amount payable
- Comments if applicable
- Settlement Discount ... %

### **3.6 STATEMENT OF ACCOUNTS**

3.6.1 SUPPLIER shall submit an original monthly statement to the Financial Department by not later than the 10<sup>th</sup> day of the month following the month in which the GOODS AND SERVICES were delivered.

3.6.2 Said statement must reflect the following:

- Opening balance (which shall be the closing balance of the immediate preceding statement).
- Add: Amount of the current month's invoices  
Debit notes  
(Detailed as per document number)
- Deduct: Credit notes  
Payments received during month  
Settlement discounts allowed  
(Detailed as per document number)
- Closing balance

### **3.7 ORIGINAL DOCUMENTS**

SUPPLIER must submit original invoices, debit/credit notes, for GOODS AND SERVICES supplied and relevant information or documentation and monthly statements. Faxed documents will not be accepted and processed for payment.

### **3.8 SET OFF**

CITY POWER may deduct any amount owed by the SUPPLIER to CITY POWER from any liquidated and fully due amount owed by CITY POWER to SUPPLIER.

### **3.9 STANDARD COMMERCIAL TERMS AND CONDITIONS**

#### **3.9.1 ENTIRE CONTRACT**

The CONTRACT constitutes the entire CONTRACT between the parties and all previous negotiations, proposals and writings pertaining to the procurement of GOODS AND SERVICES or the subject matter thereof are superseded by this CONTRACT as are SUPPLIERS terms and conditions contained in any of its documentation, invoices and/or delivery notes.

#### **3.9.2 SUPPLY OF GOODS AND SERVICES**

SUPPLIER shall supply the GOODS AND SERVICES as specified in the PURCHASE ORDER in accordance with these Standard Commercial Terms for Procurement of GOODS AND SERVICES.

#### **3.9.3 QUOTATIONS**

##### **3.9.3.1 SIGNED AND ACCEPTED IN WRITING:**

3.9.3.1.1 Quotations in response to a request by CITY POWER shall be in writing when requested and be signed by the SUPPLIER.

3.9.3.1.2 The quotation must be signed by an authorised representative of the SUPPLIER.

3.9.3.1.3 Failure to sign the quotation will invalidate the quotation.

3.9.3.1.4 CITY POWER does not hold itself liable to be bound by any agreement, arrangement or order for the procurement of GOODS AND SERVICES, not entered into by and on behalf of CITY POWER by authorised CITY POWER Procurement and Supply Management personnel.

3.9.3.1.5 The representative of the SUPPLIER signing the quotation warrants his/her authority by his/her signature on the quotation.

3.9.3.1.6 Unless otherwise advised, only written acceptance of a quotation, by means of a Purchase Order, by an authorised CITY POWER Official shall be valid.

#### **3.10 TERMS AND CONDITIONS:**

3.10.1 CITY POWER reserves the right to adjust arithmetical errors in quotations. CITY POWER will not accept any liability whatsoever for errors in quotations.

3.10.2 The SUPPLIER must prepare and submit its quotations at its own expense.

3.10.3 CITY POWER reserves the right to invite quotations from several potential SUPPLIERS for the supply of GOODS AND SERVICES.

- 3.10.4 CITY POWER may in its discretion accept or reject quotations without furnishing reasons.
- 3.10.5 CITY POWER may accept any part of or an item of a quotation without being obliged to accept such quotation in its entirety.
- 3.10.6 Notwithstanding clause 4.3.1.5, whoever submits an accepted quotation, shall satisfy CITY POWER, if so required by CITY POWER, in the manner and detail required:

3.10.6.1 As to the authority of the person who signed the quotation and the SUPPLIER's legal capacity to enter into a CONTRACT;

3.10.6.2 As to the SUPPLIER's capability (financially, technically and otherwise) to successfully supply the GOODS AND SERVICES in accordance with the specifications of the GOODS AND SERVICES.

- 3.10.7 For purposes of making an offer and acceptance thereof the parties agree that the following shall be deemed as acceptable in execution thereof.

-Facsimile Message delivered by CITY POWER

- 3.10.8 An offer shall be deemed to be accepted upon the terms and conditions contained in the CONTRACT as Follows

3.10.8.1 Facsimile Message - Successful despatch per facsimile confirmed by CITY POWER's fax transmission report.

- 3.10.9 It is the responsibility of the SUPPLIER to ensure that their sets of documents relating to the GOODS AND SERVICES are complete and legible, and if not, SUPPLIER must apply to CITY POWER for the required documents of portions thereof. CITY POWER will not accept any liability whatsoever for errors in quotations if the SUPPLIER has failed to perform its obligation in terms thereof.

- 3.10.10 Both parties undertake to act only on the basis of utmost good faith and trust in the execution of this CONTRACT. Should the SUPPLIER commit any act which compromise or may compromise such relationship, or which is contrary to CITY POWER's Commercial Ethics with which the SUPPLIER declares itself fully familiar then CITY POWER shall be entitled, notwithstanding the provisions of clause 4.15, to terminate this CONTRACT forthwith.

#### 3.10.11 DISCREPANCY IN DESCRIPTION

The SUPPLIER shall immediately inform the relevant Procurement Officer of any discrepancy or ambiguity between the Request for Quotation and the PURCHASE ORDER with respect to the description, dimension or quantities in the PURCHASE ORDER prior to executing the PURCHASE ORDER, failing which the SUPPLIER shall indemnify CITY POWER against any and all damages arising as a result thereof.

### **3.11 DELIVERY AND INSPECTION UPON DELIVERY**

#### **3.11.1 DELIVERY**

3.11.1.1 The SUPPLIER rendering the GOODS AND SERVICES to be done in terms of the PURCHASE ORDER to CITY POWER as specified by the project engineer during the hours stipulated in 3.11.1.2. CITY POWER reserves the right to withdraw SUPPLIER's permits should SUPPLIER not adhere hereto.

3.11.1.2 The GOODS AND SERVICES shall be done during normal working hours at the following times:

Monday – Friday: 08:00 to 17:00

- 3.11.1.3 In the event that delivery of the GOODS AND SERVICES can only be effected outside of the above stipulated times, the CITY POWER Project co-ordinator shall be contacted.
- 3.11.1.4 SUPPLIER must ensure that the GOODS AND SERVICES are accompanied by the works completion certificate with a valid CITY POWER purchase order number failing which CITY POWER will not accept the GOODS AND SERVICES. The GOODS AND SERVICES must physically be identifiable per PURCHASE ORDER and line number, failing which no acceptance of the GOODS AND SERVICES can and will be made. In the event that SUPPLIER delivers the GOODS AND SERVICES by sub-contractor, SUPPLIER must ensure that its official works completion certificate accompanies the GOODS AND SERVICES as the sub contractor's documentation shall not be acceptable. The GOODS AND SERVICES shall be provisionally accepted upon delivery and such provisional acceptance shall be indicated on the works completion certificate by CITY POWER.
- 3.11.1.5 In the event that the GOODS AND SERVICES are not rendered in accordance with the Standard Commercial Terms of Procurement of GOODS AND SERVICES and the CONTRACT, CITY POWER shall be entitled to withhold payment.
- 3.11.1.6 SUPPLIER must submit its invoices to the Financial Department as indicated in clause 3.5. The project co-ordinator shall not direct invoices to the Financial Department. CITY POWER shall not be responsible for delays in payment emanating as a result of incorrect submission of invoices or incorrect invoicing procedures followed by the SUPPLIER and no interest shall accrue on such outstanding amounts due the SUPPLIER.

### **3.11.2 INSPECTION UPON DELIVERY**

- 3.11.2.1 CITY POWER shall inspect the GOODS AND SERVICES upon receipt thereof on site with a signed works completion certificate.
- 3.11.2.2 GOODS AND SERVICES shall be subject to one or more of the following inspections, whatever the case may be and whichever may be applicable, under the circumstances
- Statutory
  - Technical in accordance with applicable specifications
  - Visual
  - Statutory and Technical inspection shall take place within 3 (three) business days from date of delivery.
- 3.11.2.3 Where GOODS AND SERVICES are subject to statutory, technical and visual inspections, the GOODS AND SERVICES will:
- be provisionally accepted upon delivery and such provisional acceptance shall be indicated by CITY POWER on the works completion certificate.
- 3.11.2.4 In the event that the GOODS AND SERVICES are rejected after either a statutory, technical or visual inspection, CITY POWER shall notify the SUPPLIER verbally or in writing of such rejection and the GOODS AND SERVICES must be rectified by the SUPPLIER within 7 (seven) business days of receipt of notice of the rejection. Should the SUPPLIER not rectify the DEFECTS within 7 (seven) days, CITY POWER shall notify the SUPPLIER in writing that the GOODS AND SERVICES have not been rectified.
- 3.11.2.5 CITY POWER reserves the right to rectify the GOODS AND SERVICES should the DEFECTS not be rectified within the above-specified period. CITY POWER shall supply the SUPPLIER with the following documentation:
- Dispatch Advice
  - Non-conformance Report, stating the reason for the non-acceptance of the GOODS AND SERVICES,
  - Any certification documentation, which accompanied the GOODS AND SERVICES.

### **3.12 INSPECTION OF GOODS AND SERVICES**

3.12.1 CITY POWER shall be entitled to inspect the GOODS AND SERVICES to be performed in terms of a CONTRACT

3.12.2 Failure to inspect the GOODS AND SERVICES shall in no way impair and prejudice any of CITY POWER's rights set out in clause 3.11.2 hereunder nor be deemed to constitute acceptance of the GOODS AND SERVICES by CITY POWER.

### **3.11 RISK AND INSURANCE**

#### **3.12.1 RISK**

All risk in the GOODS AND SERVICES which are to be rendered by the SUPPLIER, shall remain with the SUPPLIER until delivery and commissioning of said GOODS AND SERVICES has been made to the point of delivery as stated in the PURCHASE ORDER or clause 4.6 of this CONTRACT and the works completion form signed and accepted by the designated CITY POWER official, at which point the risk shall pass to CITY POWER.

#### **3.12.2 INSURANCE**

- a) The minimum limit of indemnity for insurance in respect of loss or damage to property (except the works, Plant, Machinery and Equipment) and liability for bodily injury to or death of a person (*not an employee of the Contractor*) caused by activity in connection with this contract for any one event is R5m
- b) The contractor is liable for insurance in respect of death of or bodily injury to employees of the *Contractor* arising out and in the course of their employment in connection with this contract.
- c) The insurance against loss of or damage to the *works*, Plant and Materials which includes cover for Plant and Materials provided by the *Employer* for an amount of R50m. The *Contractor is liable* for any amount exceeding R50m.

### **3.13 WARRANTIES**

The SUPPLIER warrants that the GOODS AND SERVICES supplied by it in terms of the PURCHASE ORDER complies with the specifications of the GOODS AND SERVICES as stipulated in the CONTRACT.

### **3.14. COMMUNICATIONS**

The SUPPLIER must indicate the PURCHASE ORDER number on all its documentation which shall include but not be limited to, invoices, delivery notes, consignment notes, bills of lading, packing lists, packaging and communications, failure to do so will result in delayed payment. No interest will accumulate in respect of such payments and settlement discount shall still be deducted.

### **3.15. FORCE MAJEURE**

3.16.1 Should circumstances which were not foreseeable with reasonable foresight or avoidable with reasonable care ("circumstances"), arise (or be reasonably anticipated) and delay, (or have the potential to delay) performance, (whether in whole or in part) or make performance, (whether in whole or in part) impossible, the party who's performance is affected, (or who's performance may be affected) ("affected party") shall forthwith, in good faith and by the most expeditious means, notify the other party in writing of:

3.16.1.1 the cause(s), nature and extent of the circumstances;

3.16.1.2 the expected duration of the circumstances;

3.16.1.3 the extent to which the performance will be affected.

3.16.2 If the circumstances change after the affected party has notified the other party in accordance with clause 4.11.1, the affected party shall forthwith, in good faith and by the most expeditious means inform the other party of such changes and keep the other party updated on such changes.

3.16.3 Subject to paragraphs 3.16.1 and 3.16.2 the circumstances shall NOT terminate the CONTRACT between the parties or absolve the affected party from performance.

3.16.3.1 Should the circumstances make the agreed performance impossible, the affected party shall, having regard to all relevant factors, as soon as possible and in good faith submit proposals for alternatives to the other party. Such proposals shall be in sufficient detail(s) to enable the other party to technically and financially assess the alternative(s) and to decide whether any alternative is acceptable.

3.16.3.2 Should there be no alternative acceptable to the other party, it may elect to cancel the CONTRACT.

3.16.4 Should the circumstances delay the agreed performance?

3.16.4.1 the affected party shall forthwith and in good faith take all reasonable steps to mitigate the delay and to recover lost time, and

3.16.4.2 having regard to all relevant factors and in good faith notify the other party as soon as possible of the steps to be taken to mitigate the delay and recover lost time and keep the other party updated on changes and progress thereof;

3.16.4.3 the other party may, if the extent to which the delay may be mitigated and lost time be recovered are unacceptable to it, elect to cancel the CONTRACT.

3.16.5 Neither of the parties shall have any claim, arising from the circumstances, on the other.

3.16.6 Without limiting the generality and intention of clause 3.16.1 in any way, the circumstances may include, without being limited thereto:

- Acts of God;
- War, riots, civil- or military insurrection and like political happenings;
- Natural disasters such as earthquakes, fire, storms and floods;
- Governmental acts or omissions;
- Terrorism or sabotage;
- Labour unrest such as strikes and lockouts.

### **3.17 ADDITIONS AND OMISSIONS**

3.17.1 The AGREEMENT may only be amended in writing by "Change Order" under signature of the parties and SUPPLIER shall only react to written amendments.

3.17.2 No amendment shall be valid unless it is signed on behalf of CITY POWER by:

3.17.2.1 A duly authorised commercial officer or his/her superior.

3.17.3 Terms and conditions in SUPPLIER's documentation, which conflict with the contents hereof, shall be of no force or effect.

### **3.18 CONCESSIONS**

3.18.1 Concessions made by CITY POWER shall not prejudice its rights.

### **3.19 DISPUTE RESOLUTION**

- 3.19.1 Should any dispute arise at any time and in any way in connection with this CONTRACT, the dispute will be referred to contracting parties nominated senior management to resolve the dispute within ten (7) days after referral of the dispute to them.
- 3.19.2 Should the PARTIES fail to resolve the dispute or difference within the aforesaid period or such longer period as the PARTIES may agree, such dispute shall be determined by arbitration in terms of the following:
- 3.19.2.1 Within 3 (three) days after the negotiations in paragraph 3.19.1. became deadlocked, CITY POWER and SUPPLIER shall by negotiating in good faith, agree on an arbitrator, failing which either may refer the matter to Arbitration Board of South Africa for appointment.
- 3.19.2.2 The PARTIES shall within 14 (fourteen) days of the appointment of the arbitrator or such other period as the arbitrator considers reasonable, submit written representations to him. Thereafter the arbitrator shall give his determination in writing and furnish CITY POWER and the SUPPLIER each with a copy thereof, provided that the arbitrator may, in his discretion, convene a hearing of the parties and their witnesses or accept further representations from the PARTIES, before giving his determination.
- 3.19.2.3 The cost of appointment of the arbitration, whatever the case may be shall be determined by the arbitrator hearing the dispute.
- 3.19.2.4 The appointment of an arbitrator shall be in no way prejudice the rights that either party have to institute legal proceedings in a competent Court of Law with jurisdiction over the subject matter.

### **3.20 TERMINATION**

- 3.20.1 In the event that the GOODS AND SERVICES stipulated in the PURCHASE ORDER:
- not conform to the provisions of the order;
  - be defective in any way;
  - not be delivered by the stipulated date of performance
- CITY POWER shall be entitled to:
- cancel the order, either wholly or in part and claim any damages it may have suffered as a result thereof;
  - demand that the rejected GOODS AND SERVICES be re-done at no cost to CITY POWER.
- 3.20.2 CITY POWER may in its sole and unfettered discretion, unless agreed to otherwise in writing, and at Any time, with or without cause, terminate the agreement by written notice to SUPPLIER.
- 3.20.2.1 Unless otherwise agreed in writing such termination shall become effective 3 (three) business days after date on which SUPPLIER is notified in writing of the termination.
- 3.20.2.2 Should either of the parties fail to comply with the terms and conditions of this agreement and remain in default for 3 (three) days or any other period as agreed to by the parties after having been given notice to remedy the default, then the other party may cancel this agreement without further notice.
- 3.20.2.3 Should CITY POWER, at any time, have reason to suspect that SUPPLIER is no longer capable (financially, technically or otherwise) of supplying the GOODS AND SERVICES, then CITY POWER may cancel this agreement in terms of 3.20.2.1

3.20.2.4 Cancellation in terms of 3.20.2.1 shall be without prejudice to the cancelling party's other rights.

3.20.2.5 If CITY POWER cancels this agreement in terms of 3.20.2.1, it shall be entitled to retain all Monies due to SUPPLIER until such time as the WORK is completed.

3.20.3 Time is of the essence to the extent that it goes to the root of agreements be between CITY POWER and SUPPLIER in respect of the delivery date of the GOODS AND SERVICES, and entitles CITY POWER to cancel in terms of Clause 3.20.

### **3.21 CESSIONS**

3.21.1 SUPPLIER shall not cede, assign, factorise or otherwise make over its right, or obligations, or any part or aspect thereof, in terms of any agreement with CITY POWER, unless consented to in writing by CITY POWER.

3.21.2 SUPPLIER shall in no way encumber its rights or obligations in terms of any agreement with CITY POWER.

3.21.3 Should the SUPPLIER be taken over, or should control of the SUPPLIER pass to anybody other than those disclosed to CITY POWER, then CITY POWER may at its discretion cancel the agreement without prior notice.

3.21.4 SUPPLIER shall immediately advise CITY POWER, in writing, of any actual or proposed transfer of ownership, passing of or change of directors, partners or other stakeholders.

### **3.22 CONFIDENTIALITY**

3.22.1 SUPPLIER hereby undertakes not to disclose, in whole or in part, any Confidential Information to anybody without the express prior written approval thereto by CITY POWER.

3.22.2 The SUPPLIER shall restrict access to the Confidential Information only to a limited number of its employees, officers, agents or associates and directors ("representatives") who have a clear need to know the same for the purpose of this Contract.

3.22.3 The SUPPLIER shall be responsible for ensuring that all representatives are underwritten obligation of sufficient scope to obligate them to comply with the terms and conditions of this Contract.

3.22.4 The Confidential Information shall remain the property of CITY POWER and CITY POWER may demand the return thereof at any time upon giving written notice to the SUPPLIER. Within 30 days of receipt of such notice, the SUPPLIER shall return all of the original Confidential Information and shall destroy all copies and reproductions (including in electronic form) in its possession and in the possession of its representatives to whom it was disclosed pursuant to this Contract. The SUPPLIER may however retain one copy of the Confidential Information in its confidential legal files for the sole purpose of identifying and maintaining its obligations under this Contract.

3.22.5 Without derogating from the generality of the foregoing, SUPPLIER hereby binds itself not to do anything, directly or indirectly, which will or may prejudicially affect CITY POWER's position in the markets, local and international.

3.22.6 Each party shall, in respect of information received from the other, employ the same methods and endeavours to prevent such information becoming known to others as they do in respect of their own.

3.22.7 Should there be a breach of the provisions of clause 3.22.1, 3.22.2, 3.22.3, 3.22.4 or 3.22.6 of this CONTRACT, CITY POWER shall, without limiting any other rights that it might have, be entitled to forthwith cancel any CONTRACT that it has with SUPPLIER.

### **3.23 TRANSPORT**

- 3.23.1 SUPPLIER shall arrange transport in accordance with CITY POWER's instructions which shall be obtained in good time before the transport is required; however CITY POWER may elect to arrange transport.

### **3.24 FOREIGN CURRENCY**

- 3.24.1 SUPPLIER shall arrange forward cover for foreign currency, in accordance with CITY POWER's instructions, however CITY POWER may elect to arrange forward cover for foreign currency.

### **3.25 JURISDICTION**

- 3.25.1 The parties consent to the jurisdiction of the Magistrates Court in proceedings arising from the CONTRACT.
- 3.25.2 The above consent is without prejudice to the right of either of the parties to institute proceedings in any other South African court of competent jurisdiction, at will.

### **3.26 LABOUR RELATIONS**

- 3.26.1 CITY POWER practices labour relations in the spirit of its Mission.
- 3.26.3 SUPPLIER shall do nothing to the detriment of CITY POWER's labour relations or which may prejudice harmonious labour relations on CITY POWER's premises, regardless of whether CITY POWER's labour or the labour of others are involved.
- 3.26.4 SUPPLIER shall not recruit personnel:
- 3.26.4.1 in the employ of CITY POWER or any of its other SUPPLIERS/CONTRACTORS, or their SUB-CONTRACTORS,
  - 3.26.4.2 anywhere on CITY POWER's premises without CITY POWER's consent which shall be obtained beforehand in writing.
- 3.26.5 Should SUPPLIER experience any labour disharmony which may have an impact on CITY POWER's operation or SUPPLIER's supply of the GOODS AND SERVICES it shall immediately inform CITY POWER thereof and keep it informed.

### **3.27 COMPLIANCE WITH LAW AND CITY POWER'S RULES**

- 3.27.1 SUPPLIER shall comply with the law.
- 3.27.2 Without limiting the generality of 3.26.1, SUPPLIER shall in particular comply with:
- 3.27.2.1 all laws relating to Security, Safety, Occupational Health and Environment;
  - 3.27.2.2 **CITY POWER'S SAFETY AND HEALTH REQUIREMENTS i.e.**
    1. CITY POWER maintains high standards with respect to Safety and Health.
    2. SUPPLIER may enter areas which may be hazardous.
    3. In order to maintain Safety Standards, SUPPLIER shall at all times fully comply with the provisions of the provisions of the Occupational Health and Safety Act 85 of 1993, as amended and all regulations published therewith.
    4. No delivery SUPPLIER may enter the premises without a guide.
    5. All hazardous materials must be delivered with Safety Data Sheets.

6. If any delivery must take place after hours, the standby person of the Plant or Standby from Procurement and Supply Management must guide the truck to the correct place.
7. After the delivery has been completed it is the responsibility of the guide to ensure that the truck is guided out to the Secondary area.

3.27.2.3 The latest revision of all CITY POWER's rules and in particular those relating to Security, Safety, Occupational Health and Environment which SUPPLIER admits it is fully acquainted with,

3.27.2.4 The successful bidder would be required to submit a signed written agreement with CITY POWER on occupational health and safety regulations in accordance with the provision of Section 37 (2) of the Occupational Health and Safety Act 85 of 1993.

3.27.3 SUPPLIER must acquaint itself with CITY POWER's Procurement Policy that is available on request.

### **3.28 NON-EXCLUSIVITY**

CITY POWER shall not in any way be precluded from contracting with any other party the supply of the GOODS AND SERVICES during performance of or after expiration of this agreement.

### **3.29 CONFLICT OF LAWS**

The provision of this CONTRACT shall be governed by South African Law and the parties agree to the inclusive jurisdiction of South African courts.

### **3.30 PENALTY CLAUSE**

3.30.1 CITY POWER may deduct from the Contract Price of the GOODS AND SERVICES concerned an amount equal to 0.5% of outstanding purchase order value for each day beyond the specified delivery time.

3.30.2 In the event that the supplier fails to perform and the penalty clause is imposed for a period of more than four weeks, CITY POWER shall terminate the agreement with immediate effect. The SUPPLIER shall not be entitled to claim for damages or for outstanding amount after the aforesaid termination.

3.30.3 CITY POWER may in its sole and absolute discretion, obtain the GOODS AND SERVICES from other suppliers and provided that the failure to perform is not attributable to any of the circumstances set out in the vis major or casus fortuitous clause, CITY POWER may recover from SUPPLIER any amount by which the price so paid exceeds of the Contract Price of the GOODS AND SERVICES concerned. The cost to CITY POWER if any of collection of GOODS AND SERVICES shall be taken into account in determining the amount of any such excess.

## **PART 4: RETURNABLE DOCUMENTS**

### **4.1 RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES**

- Municipal Rates and Taxes (Not in arrears for more than 90 days)
- SHEQ Regulations
- Invitation to Bid ( MDB 1)
- Form of Offer / Acceptance
- Pricing Schedule – Firm Prices (MBD 3.1)
- Pricing Schedule – Non Firm Prices (MBD 3.2)
- Declaration of Interest Form ( MBD 4 )
- Declaration for Procurement above R10 000 000 ( MBD 5 )
- Preference Claim Form ( MBD 6.1 )
- Declaration for Purchase of Goods (MBD 7.1)
- Declaration of Bidder's past SCM practices ( MBD 8 )
- Certificate of Independent Bid Determination ( MBD 9 )
- Certified copy of B-BBEE Level of contribution Certificate or Sworn Affidavit signed by the Commissioner of Oath. A consolidated certificate or sworn statement in case of Joint Venture (Failure to attach certificate will lead to non- allocation of points). Refer to evaluation criteria for more information regarding specific goals.
- Valid Tax Clearance Certificate or SARS Pin
- Financial Statements for the past three years
- Central Supplier Database (CSD) Registration Report
- Additional soft copy of the Bid Document must be submitted on Memory Stick

### **4.2. OTHER DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES**

- Electricity, water and rates statement (latest) indicating the firm's good standing with the municipality that the bidders head office is located and it must not be in arrears for more than 90 days
- Audited annual financial statements for the past three years or since the company's establishment if established during the past three years, the bidder is required by law to prepare annual financial statements for auditing
- Particulars of any contracts awarded to the bidder by an organ of state during the past five years including particulars of any material non-compliance or dispute concerning the execution of such contract.
- Delivery/lead times
- Company profile
- CIDB Registration particulars ( CIDB Registration number ), where applicable.
- List of references
- Valid tax clearance certificate or SARS Pin
- Additional soft copy of the Bid Document must be submitted on Memory Stick

### **4.3. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT**

- Offer
- Firm Price / Non-firm price Form ( MBD 3.1 & MBD 3.2)
- Signed contract document
- Suppliers signed bid document

# **AGREEMENT ON OCCUPATIONAL HEALTH AND SAFETY AND REGULATIONS REGARDING MANDATARIES**

## **1. Background**

The Occupational Health and Safety Act 85 of 1993 (OHS Act) (Republic of South Africa) schedules comprehensive requirements for employers such as contractors. The Construction Regulations lay down requirements with respect to clients and designers.

Clients shall, inter alia:

- prepare Health & Safety specification for the construction work
- appoint full-time competent employees in writing
- perform Risk Assessments
- develop a Health and Safety Plan
- train and involve employees on matters pertaining to Health and Safety

## **2. Purpose**

To determine the procedure necessary for the implementation and management of all construction projects to be undertaken.

## **3. Objectives**

- To comply with the provisions of OHS Act section 37(2) in implementing and maintaining an effective control system with regard to managing contractors within city power premises.
- implement and maintain an effective management system for each construction project
- minimize and or mitigate risks and hazards associated with construction activities
- develop a cost-effective program for both the contractor and principal contractor

## **4. References**

- Occupational Health &, Safety Act 85 of 1993 (Construction Regulations)
- Compensation for Injuries and Diseases Act 130 of 1993
- Integrated ISO Management System
- SANS 16001:2013 (Wellness and Diseases Management System)
- Basic Conditions of Employment Act, 1983 (Act 3 of 1983)
- King III Code of Conduct

**CITY POWER JHB (SOC) LTD**

**WRITTEN AGREEMENT ON OCCUPATIONAL  
HEALTH AND SAFETY AND REGULATIONS**

In accordance with the provision of Section 37 (2) of the  
Occupational Health and Safety Act 85 of 1993

AS ENTERED INTO BY AND BETWEEN

City Power of Johannesburg (SOC) Ltd  
(Hereinafter referred to as "the Employer")

AND

COMPANY

(Hereinafter referred to as "the Mandatory")

WORKMAN'S COMPENSATION FUND  
NUMBER

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

CONTRACT/ORDER NO.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## **PART “A”**

### **GENERAL RULES FOR PROMOTING THE HEALTH, SAFETY AND DISCIPLINE OF CONTRACTORS**

#### **1. DEFINITIONS**

In these rules, unless inconsistent with the context, the following words of expression shall be interpreted to have the following meaning:

##### **1.1 Act**

The Occupational Health and Safety Act 85 of 1993

##### **1.2 City Power**

City Power Johannesburg (SOC) Ltd

##### **1.3 City Power controlled area**

The City Power Loss Control department controls entry to the area of City Power works in Johannesburg including all the areas within the works perimeter security fence.

##### **1.4 City Power premises**

The whole of City Power control area, together with all other buildings, land, etc. which are owned, rented or leased by City Power or which in any other way fall under the authority of City Power in Johannesburg area.

##### **1.5 Risk area**

An area with a probability that a hazard can result in injury to persons or damage

##### **1.6 Competent person**

A person who complies with the definition in the regulations of the Act.

##### **1.7 Authorized person**

A competent person employed, appointed and authorized by City Power to Perform a specific task, operation or duty.

##### **1.8 City Power authorized person**

The authorized City Power official appointed to represent City Power in all matters relating to a particular contractor, sub-contractor or contract works. For matters concerning construction and erection work on City Power premises, City Power`s authorized representative shall be either:

- a. the area manager, team leader, maintenance manager or his/her nominated representative; or
- b. the manager concerned , or his/her nominated representative as indicated to the Contractor in writing at the time of, or subsequent to, the placing of the contract or order, or as indicated to the Contractor`s head representative in writing at the time of or subsequent to, his/her appointment.

## 1.9 **Contractor**

Any company, business, firm or individual who has a contract or agreement with or an order from City Power to carry out work or to perform any task or operation for City Power to carry out work or to perform any task or operation for City Power or on City Power premises.

Where appropriate to the context, the word contractor shall be understood to include sub-contractor.

## 1.10 **Sub-contractor**

Any company, business, firm or partnership or individual who has a contract or agreement with or an order from a contractor to carry out work or to perform any task or operation for the contractor to carry out work or to perform any task or operation for the contractor or on City Power premises.

## 1.11 **Contract Works**

The materials, plant and equipment to be supplied, work to be done and tasks and operations to be performed under terms of a contractor's contract or order from agreement with City Power or a sub-contractor's contract or order from or agreement with a contractor.

## 1.12 **Contractor's head representative**

The competent person appointed as a Managing Director, in terms of the Act and as the contractor's head representative and responsible person for the contract works.

## 1.13 **Contractor's employees**

Includes any of the following:

- a. any person employed by the contractor or a sub-contractor, including the contractor's head representative.
- b. any person, other than an employee of City Power, who carries out work or performs any task on City Power premises for or on behalf of the contractor or any sub-contractor.
- c. any principal, partner, shareholder, director, consultant, executive, manager, staff member or employee of the contractor or any sub-contractor any contractor's employee, for any reason whatsoever.

## 1.14 **Site or construction site**

Includes the following:

- a. the buildings, ground or any other place on City Power premises, in which or over or under which the contract works are to be executed.
- b. any off-loading, stacking or storage areas, yards, workshops, offices, permanent or temporary buildings or other areas erected by, occupied by or allocated to the contractor or sub-contractor for the purpose of carrying out any contract works.

## 1.15 **Regulation**

Refers to any rule in these "General Rules" aimed at improving health, safety and discipline of contractors and/or sub-contractors.

### 1.16 **Rule**

Refers to any rule in these “General Rules” aimed at improving health, safety and discipline of contractors and/or sub-contractors.

### 1.17 **Gender, singular and plural**

Where consistent with the text, any word in these rules implying the masculine gender shall be interpreted as including the feminine gender and vice-versa.

Similarly, any word implying the singular shall be interpreted as including the plural and vice-versa.

## 2. **APPLICABLE LEGISLATION**

- 2.1 City Power premises (offices and depots) are defined as factory, in terms of the Act. Therefore, whilst contractors or sub-contractors or contractor’s employees are on City Power premises, they shall adhere strictly to the requirements of this Act and associated regulations.
- 2.2 In addition to City Power’s general conditions of contract and the requirements of the Act, these rules are issued in accordance with duties allocated to the Managing Director, as appointed in terms of the Act to draw attention to certain regulations and requirements of the said Act, together with other requirements necessary for safety, health and proper discipline on City Power premises.
- 2.3 Apart from the Act and Regulations and special instructions issued by the chief inspector, these rules and instructions may be amended, substituted or deleted by authorized City Power officials as and when circumstances and conditions require, in the interest of health and safety and in provision for proper discipline.
- 2.4 The contractor shall comply with the requirements of the OHS Act and other relevant statutes; Code of Practices; Policies; Standards and Guidelines and Protocols.

## 3. **ENTERING AND WORKING IN RISK AREAS**

### 3.1 **Medical Certificate of fitness**

The contractor shall, in compliance with the Act, be responsible for the medical examination of his/her employees and shall provide City Power with written proof that medical examination of his/her employees engaged on the site has been done and that the necessary certificates of fitness have been obtained. These medical examinations shall be conducted before the employee will be allowed to commence working on City Power sites. The Wellness department (City Power) can conduct the examinations at a prescribed fee payable by the contractor.

### 3.2 **Hazard Identification and Risk Assessment**

Prior to contract work commencing on site, the contractor together with City Power project team shall conduct HIRA’s related to the specific task to be performed. A HIRA shall be completed before the start of commissioning.

3.3 **Safe Work Procedures**

The contractor shall prepare written safe work procedures for all tasks to be performed.

3.4 **Safety Induction Course**

All the contractor`s employees shall attend a safety induction course presented by City Power before commencing work on site

3.4 **Protection Services (Loss Control)**

City Power Loss Control is responsible for the security of and controls the movement of persons on City Power premises. In terms of the Control of Access to Public Premises and Vehicles Act, Act No 53 of 1985, security officers have the authority to arrest, search and question any person without a warrant.

It is expected that the contractor`s representative and all contractors employees will give full co-operation to the security officers in the execution of their duties

**PART “B”**

**AGREEMENT ON OCCUPATIONAL HEALTH AND SAFETY AND REGULATIONS REGARDING MANDATARIES**

1. **General**

The Mandatory and City Power are individual employers, each in its own right, with duties and obligations prescribed by the Occupational Health and Safety Act 85 of 1993 and Regulations.

The Mandatory accepts, in terms of the general conditions of the contract and in terms of the Act, his/her obligations as an Employer in respect of all persons in his/her employ, other persons on the premises or on the site or place of work to be executed by him/her and under his/her control. S/He shall, before commencement with the execution of the contract work, comply with the procedures stipulated in the Act, and shall implement and maintain a Health and Safety Policy and Programme on the Site and Work for the duration of the contract.

City Power accepts, in terms of the Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Mandatory and his/her responsible person shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of work.

2. **Special Permits**

Where special permits are required before work may be carried out such as for work, isolation permits, work permits and occupations, the Mandatory shall apply to City Power Representative or the relevant external Authority for such permit to be issued. The Mandatory shall comply with the conditions and requirements pertaining to the issue of such permits.

### 3. **Health and Safety Programme**

The Mandatory shall, with his/her tender, submit a Health and Safety Programme setting out the practical arrangements and procedures to be implemented by him/her to ensure compliance by him/her with the Act and Regulations and particularly in respect of :-

(i) the provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health and safety of his/her employees and sub-contractors in terms of section 8 of the OHS Act.

(ii) the execution of the contract work in such a manner as to ensure in terms of section 9 of the OHS Act that persons other than those in the Mandatory's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety.

(iii) ensuring, as far as is reasonably practical, in terms of section 37 of the OHS Act that no employee or sub-contractor of the Mandatory does or omits to do any act which could be an offence for the Mandatory to do or omit to do.

3.2 The Mandatory's Health and Safety Programme shall be based on a Risk Analysis in respect of the hazards to health and safety of his/her employees and other persons under his/her control, that are associated with or directly affected by the Mandatory's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.

3.2.1 The Health and Safety Programme shall include full particulars in respect of:

#### 3.2.1.1 **Reporting**

The Mandatory and/or his designated person appointed in terms of Section 16(2) of the Occupational Health and Safety Act 85 of 1993 (OHS Act) shall report to the Regional Manager and/or representative designated by the Employer prior to commencing the work at the premises.

#### 3.2.1.2 **Compliance**

- (i) In terms of this agreement the Mandatory warrants that s/he agrees the arrangements and procedures as prescribed by City Power and as provided for in terms of Section 37 (2) of OHS Act for the purposes of compliance thereto.
- (ii) The Mandatory acknowledges that this agreement constitutes an agreement in terms of Section 37 (2) of OHS Act, whereby all responsibility for health and safety matters relating to the work that the Mandatory and his employees are to perform on the premises shall be the obligation of the Mandatory.
- (iii) The Mandatory further warrants that he and/or his employees undertake to maintain such compliance with the OHS Act. Without derogating from the generality of the above, or from the provisions of the said agreement, the Mandatory shall ensure that the clauses as hereunder described are at all times adhered to by him or her

- (iv) The Mandatory hereby undertakes to ensure that the health and safety of any other person on the premises is not endangered by the conduct and/or activities of all his employees while they are on the premises of City Power
- (v) City Power may terminate this agreement with immediate effect on written notice to the contractor in the event that the mandatory fails to comply with the signed agreement. This may further lead to liquidation, judgement etc.

#### 3.2.1.3 **Mandatory**

The Mandatory shall be deemed to be an employer in his own right while on the premises of City Power. In terms of Section 16 (1) of the OHS Act, the Mandatory shall accordingly ensure that the requirements of the OHS Act are complied with by himself and/or his nominated Managing Director.

#### 3.2.1.4 **Appointments and training**

The Mandatory shall appoint competent persons as per Section 16 (2) of the OHS Act. Any such appointed person shall be trained on any occupational health and safety matter and the OHS Act provisions pertinent to the work that is to be performed under his responsibility. Copies of any appointments made by the Mandatory shall immediately be provided to the Safety, Health and Environmental Risk (SHEQ) Manager`s office.

The Mandatory shall further ensure that all his/her employees are trained on the health and safety aspects relating to the work and that they understand the hazards associated with such work being carried out on the premises. Without derogating from the a foregoing, the Mandatory shall, in particular, ensure that all his/her users or operators of any materials, machinery or equipment are properly trained in the use of such materials, machinery or equipment.

Notwithstanding the provision of the above, the Mandatory shall ensure that the appointed responsible persons and his employees are at all times familiar with the provisions of the OHS Act, and that they comply with the provisions thereof.

#### 3.2.1.5 **Supervision, disciplinary and reporting**

The Mandatory shall ensure that all work performed on City Power premises are done under strict supervision and that no unsafe or unhealthy work practices are permitted. Discipline regarding health and safety matters shall be strictly enforced against any of his/her employees regarding non-compliance by such employee with any health and safety matters.

The Mandatory shall further ensure that his/her employees report to him/her all unsafe or unhealthy work situations immediately after they become aware of the same and that he/she in turn immediately reports these to City Power representative.

3.2.1.6 **Access to the OHS Act**

The Mandatory shall ensure that he/she has an updated copy of the OHS Act on site at all times and that this is accessible to his/her appointed responsible persons and employees, save that the parties may make arrangements for the Mandatory and his/her appointed responsible persons and employees to have access to the Employer's updated copy/copies of the Act.

3.2.1.7 **Co-operation**

The Mandatory and/or his/her responsible persons and employees shall provide full co-operation and information if and when City Power or a representative inquiries into occupational health and safety issues concerning the Mandatory. It is hereby recorded that City Power or a representative shall at all times be entitled to make such inquiry.

Without derogating from the generality of the above, the Mandatory and his/her responsible person/s shall make available to City Power or a representative/s, on request, all and any checklists and inspection register/s required to be kept by him/her in respect of any of his/her materials, machinery or equipment.

3.2.1.8 **Work procedures**

The Mandatory shall be entitled to utilize the procedures, guidelines and other documentation as used by City Power for the purposes of ensuring a healthy and safe working environment. The Mandatory shall then ensure that his/her responsible persons and employees are familiar with and utilize the documents.

The Mandatory shall implement safe work practices as prescribed by City Power and shall ensure that his/her responsible persons and employees are made conversant with and adhere to such Safe Work Practices.

The Mandatory shall ensure that work for which a permit is required by the Employer is not performed by his employees prior to the obtaining of such a permit.

3.2.1.9 **Health and safety meetings**

If required in terms of the OHS Act, the Mandatory shall establish his/her own health and safety committee(s) and ensure that his/her employees, being the committee members, hold health and safety meetings as often as may be required and at least once every three (3) months. City Power may elect to permit the Mandatory's health and safety representatives to attend City Power's health and safety committee meetings.

3.2.1.10 **Compensation registration**

The Mandatory shall ensure that he/she has a valid registration with the Compensation Commissioner, as required in terms of the Compensation for Occupational Injuries and Diseases Act 130 of 1993 (COID Act), and that all payments owing to the Commissioner are discharged.

The Mandatory shall further ensure that the cover shall remain in force while any such employee is present on the premises

3.2.1.11 **Medical Examinations**

The Mandatory shall ensure that all his/her employees undergo routine medical examinations and that they are medically fit for the purposes of the work they are to perform.

3.2.1.12 **Incident Reporting and Investigation**

All incidents referred to in Section 24 of the OHS Act shall be reported by the Mandatory to the Department of Labour and to City Power. City Power shall further be provided with copies of any written documentation relating to any incident. City Power retains an interest in the reporting of any incident as described above as well as in any formal investigation and/or inquiry conducted in terms of Section 32 of the OHS Act into such incident.

3.2.1.13 **Subcontractors**

The Mandatory shall notify City Power or a representative of any subcontractor he/she may wish to perform work on the Employer's premises. It is hereby recorded that all the terms and provisions contained in this clause shall be equally binding upon the subcontractor commencing with the work.

Without derogating from the generality of this paragraph:

- [a] The Mandatory shall ensure that training as discussed under Appointments and training, is provided prior to the subcontractor commencing work on City Power premises.
- [b] The Mandatory shall ensure that work performed by the subcontractor is done under strict supervision and discipline, as described under the section Supervision, discipline and reporting.
- [c] The Mandatory shall inform the Employer of any health and safety hazard and/or issue that the subcontractor may have brought to his attention.
- [d] The Mandatory shall inform City Power or a representative of any difficulty encountered regarding compliance by the subcontractor with any health and safety instruction, procedure and/or legal provision applicable to the work the subcontractor performs on City Power premises.

3.2.1.14 **Security and Access**

The Mandatory and his/her employees shall enter and leave the premises only through the main gate(s) and/or checkpoint(s) designated by City Power. The Mandatory shall ensure that employees observe the security rules of City Power at all times and shall not permit any person who is not directly associated with the work from entering the premises.

The Mandatory and his/her employees shall not enter any area of the premises that is not directly associated with the work.

The Mandatory shall ensure that all materials, machinery or equipment brought by him/her onto the premises are recorded at the main gate(s) and/or checkpoint(s). A failure to do this may result in a refusal by the Employer to allow the materials, machinery or equipment to be removed from the premises.

3.2.1.15 **Fire Precautions and Facilities**

The Mandatory shall ensure that an adequate supply of fire-protection and first-aid facilities are provided for the work to be performed on the Employer's premises, save that the parties may mutually make arrangements for the provision of such facilities.

The Mandatory shall further ensure that all his/her employees are familiar with fire precautions at the premises, which include fire-alarm signals and emergency exits, and that such precautions are adhered to.

3.2.1.16 **Hygiene and Cleanliness**

The Mandatory shall ensure that the work site and surrounding area is at all times maintained to a reasonably practicable level of hygiene and cleanliness. In this regard, no loose materials shall be left lying about unnecessarily and the work site shall be cleared of waste material regularly and on completion of the work.

3.2.1.17 **Nuisance**

The Mandatory shall ensure that neither he nor his employees undertake any activity that may cause environmental impairment or constitute any form of nuisance to the Employer and/or his surroundings.

The Mandatory shall ensure that no hindrance, hazard, annoyance or inconvenience is inflicted on the Employer, another Mandatory or any tenants. Where such situations are unavoidable, the Mandatory shall give prior notice to the Employer.

3.2.1.18 **Intoxication**

No intoxicating substance of any form shall be allowed on site. Any person suspected of being intoxicated shall not be allowed on the site. Any person required to take medication shall notify the relevant responsible person thereof, as well as the potential side effects of the medication.

3.2.1.19 **Personal Protective Equipment**

NB: Non-conformance to the PPE Policy and any instruction regarding the use of PPE is regarded as a serious and dismissible misconduct.

The Mandatory shall ensure that his responsible persons and employees are provided with adequate personal protective equipment (PPE) for the work they may perform and in accordance with the requirements of General Safety Regulation 2(1) of the OHS Act, Construction Regulation Sec.4 )e) & (h) and the approved City Power PPE Policy. The Mandatory shall further ensure that his responsible persons and employees wear the PPE issued to them all material times.

The Mandatory shall supply his/her employees with the necessary safety clothing and equipment as required by the areas worked in, which includes amongst others:

- o Hard hats
- o Safety shoes
- o Eye protection
- o Respirators
- o Safety gloves
- o Hearing protection
- o Overalls (fire/acid resistant)
- o Safety harness and any other appropriate PPE relevant to the scope of the activity.

The Mandatory shall ensure that the equipment is maintained in a good condition. In the event of the Mandatory committing a breach of this agreement and failing to remedy such breach within seven (07) days of receiving a Non-Conformance Notice from City Power to remedy such breach, City Power shall be entitled to terminate the contract with immediate effect.

#### 3.2.1.20 **Plant, Machinery and Equipment**

The Mandatory shall ensure that all the plant, machinery, equipment and/or vehicles he may wish to utilize on the Employer's premises is/are at all times of sound order and fit for the purpose for which they intended, and that it/they complies/comply, with the requirements of Section 10 of the OHS Act.

In accordance with provisions of Section 10(4) of the OHS Act, the Mandatory hereby assumes the liability for taking the necessary steps to ensure that any article or substance that it erects or installs at the premises, or manufactures, sells or supplies to or for the Employer, complies with all the prescribed requirements and will be safe and without risks to health and safety when properly used.

#### 3.2.1.21 **Usage of the Employer's Equipment**

The Mandatory hereby acknowledges that his employees shall not be permitted to use any materials, machinery or equipment of the Employer unless the prior written consent of the Employer has been obtained, in which case the Mandatory shall ensure that only those persons authorized to make use of same, have access thereto.

#### 3.2.1.22 **Transport**

The Mandatory shall ensure that all road vehicles used on the premises are in a roadworthy condition and are licensed and insured. All drivers shall have relevant and valid driving licenses and no vehicle shall carry passengers unless it is specifically designated to do so. All drivers shall adhere to the speed limits and road signs on the premises at all time.

In the event that any hazardous substances are to be transported on premises, the Mandatory shall ensure that the requirements of then Regulations for Hazardous Chemical Substances (OHS Act 85 of 1993) are complied with at all times.

3.2.1.23 **Clarification**

In the event that the Mandatory requires clarification of any of the terms of provisions of this agreement, he should contact the Safety Health and Environmental Risk Department.

3.2.1.24 **Duration of Agreement**

This agreement shall remain in force for the duration of the work to be performed by the Mandatory and/or while any of the Mandatory's workmen are present on the Employer's premises.

3.2.1.25 **Headings**

The headings as contained in this agreement are for reference purposes only and shall not be construed as having any interpretative value in themselves or as giving any indication as to the meaning of the contents of the paragraphs contained in this agreement.

In the event of the Mandatory committing a breach of this agreement City Power shall be entitled to suspend and or terminate the Contract with immediate effect as per 11.2.1.2 (v)(Compliance).

**Signatories**

Thus done and signed at \_\_\_\_\_ on \_\_\_\_\_

\_\_\_\_\_  
for and on behalf of the Employer

\_\_\_\_\_  
for and on behalf of the Mandatory

**Witnesses:**

1. \_\_\_\_\_

2. \_\_\_\_\_

## INDEMNITY CLAUSE

I/We the undersigned do hereby indemnify and hold harmless City Power Johannesburg (Pty) Ltd in respect of all loss, damage or injury that may be caused to any premises or to any person or animal by reason of the performance of this contract.

I/We, further indemnify City Power Johannesburg (Pty) Ltd in respect of all legal and other expenses that may be incurred by City Power Johannesburg in examining, resisting or settling any claims which may be made by the third party in respect of any damage, injury or loss that may in any way be occasioned by work necessary in terms of the contract.

### BUSINESS NAME AND ADDRESS

---

---

---

---

### NAME OF PERSON AUTHORISED

TO SIGN THIS BID

---

**(Block Letters)**

SIGNATURE

---

WITNESSES (Block Letters)

(1) \_\_\_\_\_

(2) \_\_\_\_\_

Telephone \_\_\_\_\_

Facsimile \_\_\_\_\_

**DECLARATION OF INTEREST**

- 1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.

3 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3.1 Full Name of bidder or his or her representative:.....

3.2 Identity Number: .....

3.3 Position occupied in the Company (director, trustee, hareholder<sup>2</sup>):.....

3.4 Company Registration Number: .....

3.5 Tax Reference Number:.....

3.6 VAT Registration Number: .....

3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.

3.8 Are you presently in the service of the state? **YES / NO**

3.8.1 If yes, furnish particulars. ....

.....

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be –

- (a) a member of –
  - (i) any municipal council;
  - (ii) any provincial legislature; or
  - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

<sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months? ..... **YES / NO**

3.9.1 If yes, furnish particulars.....

.....

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? ..... **YES / NO**

3.10.1 If yes, furnish particulars.

.....

.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? ..... **YES / NO**

3.11.1 If yes, furnish particulars

.....

.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? ..... **YES / NO**

3.12.1 If yes, furnish particulars.

.....

.....

3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? ..... **YES / NO**

3.13.1 If yes, furnish particulars.

.....

.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. ..... **YES / NO**

3.14.1 If yes, furnish particulars:

.....

.....

4. Full details of directors / trustees / members / shareholders.

<b>Full Name</b>	<b>Identity Number</b>	<b>State Employee Number</b>

.....  
**Signature**

.....  
**Date**

.....  
**Capacity**

.....  
**Name of Bidder**

**DECLARATION FOR PROCUREMENT ABOVE R10 MILLION (ALL APPLICABLE TAXES INCLUDED)**

For all procurement expected to exceed R10 million (all applicable taxes included), bidders must complete the following questionnaire:

1 Are you by law required to prepare annual financial statements for auditing?

1.1 If yes, submit audited annual financial statements for the past three years or since the date of establishment if established during the past three years.

.....  
.....

2 Do you have any outstanding undisputed commitments for municipal services towards any municipality for more than three months or any other service provider in respect of which payment is overdue for more than 30 days?

2.1 If no, this serves to certify that the bidder has no undisputed commitments for municipal services towards any municipality for more than three months or other service provider in respect of which payment is overdue for more than 30 days.

2.2 If yes, provide particulars. **\*YES / NO**

.....  
.....  
.....  
.....

3 Has any contract been awarded to you by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract?

3.1 If yes, provide particulars. **\*YES / NO**

.....  
.....

4. Will any portion of goods or services be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from municipality / municipal entity is expected to be transferred out of the Republic?

4.1 If yes, provide particulars. **\*YES / NO**

.....  
.....

**CERTIFICATION**

I, THE UNDERSIGNED (NAME) .....

**CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM IS CORRECT.**

**I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.**

.....  
Signature

.....  
Date

.....  
Position

.....  
Name of Bidder

**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

**1. GENERAL CONDITIONS**

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

**1.2 To be completed by the organ of state**

a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

**1.4 To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	<b>POINTS</b>
<b>PRICE</b>	80
<b>SPECIFIC GOALS</b>	20
<b>Total points for Price and SPECIFIC GOALS</b>	<b>100</b>

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

**2. DEFINITIONS**

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

##### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

**80/20 or 90/10**

$$P_s = 80 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right) \quad \text{or} \quad P_s = 90 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where

- $P_s$  = Points scored for price of tender under consideration  
 $P_t$  = Price of tender under consideration  
 $P_{min}$  = Price of lowest acceptable tender

#### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

##### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

**80/20 or 90/10**

$$P_s = 80 \left( 1 + \frac{P_t - P_{max}}{P_{max}} \right) \quad \text{or} \quad P_s = 90 \left( 1 + \frac{P_t - P_{max}}{P_{max}} \right)$$

Where

- $P_s$  = Points scored for price of tender under consideration  
 $P_t$  = Price of tender under consideration  
 $P_{max}$  = Price of highest acceptable tender

### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

Then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**  
*(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.*  
*Note to tenderers: The tenderer must indicate how they claim points for each preference point system.*

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprise owned by black people with at least 51% shareholding		4		
Enterprise owned by black women with at least 30% shareholding		4		
Enterprise owned by black youth with disabilities with at least 30% shareholding		4		
Enterprise owned by black people with disabilities with at least 51% shareholding		4		
Enterprise owned by local suppliers within City of Johannesburg		4		

**DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that

the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

.....

## DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2022, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

### 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2022 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) on the date of advertisement of the bid as indicated in paragraph 3.1 below.

**The SABS approved technical specification number SATS 1286:2011 is accessible on [http://www.thedti.gov.za/industrial development/ip.jsp](http://www.thedti.gov.za/industrial%20development/ip.jsp) at no cost.**

- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

**2. The stipulated minimum threshold(s) for local production and content for this bid is/are as follows: N/A (There is no designated local content).**

3. Does any portion of the goods or services offered have any imported content?  
**(Tick applicable box)**

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on [www.reservebank.co.za](http://www.reservebank.co.za)

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the DTI must be informed accordingly in order for the DTI to verify and in consultation with the AO/AA provide directives in this regard.

**LOCAL CONTENT DECLARATION**  
**(REFER TO ANNEX B OF SATS 1286:2011)**

**LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)**

**IN RESPECT OF BID NO.** .....

**ISSUED BY:** (Procurement Authority / Name of Institution):  
 .....

NB

- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- 2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on [http://www.thedti.gov.za/industrial\\_development/ip.jsp](http://www.thedti.gov.za/industrial_development/ip.jsp). Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, ..... (full names),  
do hereby declare, in my capacity as .....  
of .....(name of bidder  
entity), the following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
  - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

**If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.  
The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E.**

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

**SIGNATURE:** \_\_\_\_\_

**WITNESS No. 1** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**WITNESS No. 2** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**DECLARATION OF BIDDER’S PAST SUPPLY CHAIN MANAGEMENT PRACTICES**

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
  - a. abused the municipality’s / municipal entity’s supply chain management system or committed any improper conduct in relation to such system;
  - b. been convicted for fraud or corruption during the past five years;
  - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	<p>Is the bidder or any of its directors listed on the National Treasury’s Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?</p> <p>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p><b>The Database of Restricted Suppliers now resides on the National Treasury’s website(<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) and can be accessed by clicking on its link at the bottom of the home page.</b></p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>
4.1.1	<p>If so, furnish particulars:</p>		

4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? <b>Defaulters can be accessed on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) by clicking on its link at the bottom of the home page.</b>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.3.1	If so, furnish particulars:		
<b>Item</b>	<b>Question</b>	<b>Yes</b>	<b>No</b>
4.4	Directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.7.1	If so, furnish particulars:		

### CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME) .....**  
**CERTIFY THAT THE INFORMATION FURNISHED ON THIS**  
**DECLARATION FORM TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT,**  
**ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION**  
**PROVE TO BE FALSE.**

.....  
**Signature**

.....  
**Date**

.....  
**Position**

.....  
**Name of Bidder**

**CERTIFICATE OF INDEPENDENT BID DETERMINATION**

- 1 This Municipal Bidding Document (MBD) must form part of all bids<sup>1</sup> invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *per se* prohibition meaning that it cannot be justified under any grounds.
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - a. take all reasonable steps to prevent such abuse;
  - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

**<sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.**

**<sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.**

**CERTIFICATE OF INDEPENDENT BID DETERMINATION**

I, the undersigned, in submitting the accompanying bid:

\_\_\_\_\_  
(Bid Number and Description)

in response to the invitation for the bid made by:

\_\_\_\_\_  
(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: \_\_\_\_\_ that:  
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium<sup>3</sup> will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:

- (a) prices;
- (b) geographical area where product or service will be rendered (market allocation)
- (c) methods, factors or formulas used to calculate prices;
- (d) the intention or decision to submit or not to submit, a bid;
- (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
- (f) bidding with the intention not to win the bid.

8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.

9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

<sup>3</sup> **Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.**

**MBD 9**

- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....  
Signature

.....  
Date

.....  
Position

.....  
Name of Bidder

**PART 5: SCOPE OF WORK**

1. EVALUATION CRITERIAS
2. SPECIFICATIONS
3. BILL OF QUANTITIES

## 5.1 Evaluation criteria: Paints and brushes

**MINIMUM THRESHOLD OF 75% ON TECHNICAL FUNCTIONALITY MUST BE ACHIEVED FAILING WHICH, THE BID WILL NOT BE FURTHER EVALUATED**

BID NO: 2581G: REQUEST FOR BID FOR SUPPLY AND DELIVERY OF BUILDING MATERIAL			
Mandatory requirements			Yes/No
1.	Bill of quantities to be completed in full. Failure to complete the Bill of quantities in full will result in your submission being regarded as non-responsive.		
2.	Provide Material Safety Data Sheet (MSDS) for all paints and brushes listed on the specification. Failure to provide all Material Safety Data Sheets for paints and brushes (MSDS) will result in your submission being regarded as non-responsive.		
<b>1st Stage Evaluation: A minimum threshold of 75% must be achieved to proceed to the 2<sup>nd</sup> Stage Evaluation Evaluation will be done on a relationship to the weighting on a scale of 0 to 10</b>			
	<b>Technical Evaluation:</b>	<b>Scoring</b>	<b>Weight</b>
1.	<b>Technical schedules</b>  Fully compliant, completed and signed technical schedule for all items on the specification (CP TSSPEC 238)	Fully compliant, completed and signed technical schedule = 10 points Not fully compliant, completed and signed technical schedule = 0 points	35
2.	<b>SANS Standards</b>  Provide all valid SANS certificates as specified below: <ul style="list-style-type: none"> <li>• SANS 630 (paint)</li> <li>• SANS 174 (paint)</li> <li>• SANS 901 (paint brushes)</li> <li>• SANS 552 (rollers)</li> </ul>	All valid SANS certificate as listed above provided = 10 points Any one of the above valid SANS certificate not provided = 0 points  <b>Note: The certificate must be issued in the name of the manufacturer</b>	35
3.	<b>ISO requirements</b>  Provide the following valid ISO Certificates from the manufacturer/s ISO 9001;2015 ISO 14001;2015 ISO 45001;2018	ISO 9001;2015 = 4 points ISO 14001;2015 = 3 points ISO 45001;2018 = 3 points  <b>Note: The certificate must be issued in the name of the manufacturer</b>	20
4.	<b>Contactable references</b>  Provide contactable reference letters on a signed client's letterhead, clearly stating the duration, value and contact person for the work done.	More than 3 contactable references = 10 points 3 contactable references = 7,5 points Two (2) contactable references = 5 points Less than two (2) contactable reference = 0 points  <b>NB: No purchase orders, work completion certificates, appointment letters and contracts will be accepted as references.</b>	10
	<b>Total</b>		<b>100</b>
<b>2<sup>nd</sup> Stage Evaluation</b>			
	<b>PRICE</b>		<b>80</b>
	<b>SPECIFIC GOALS</b>		<b>20</b>

	SPECIFIC GOALS	
1.	Enterprises owned by black people with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black ownership = 4 points</li> <li>&gt; Less than 51% black ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BEE certificate / sworn affidavit; Fully completed supplier registration form )	4
2.	Enterprise owned by black women with at least 30% shareholding <ul style="list-style-type: none"> <li>&gt; 30% black women ownership = 4 points</li> <li>&gt; Less than 30% black women ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit)	4
3.	Enterprise owned by black youth with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black youth ownership = 4 points</li> <li>&gt; Less than 51% black youth ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit and certified copies (not older than three (3) months of ID copies of owners)	4
4.	Enterprise owned by black people with disabilities with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black people with disabilities = 4 points</li> <li>&gt; Less than 51% black people with disabilities = 0 points</li> </ul> (Letter from a Doctor, Physician, and/or Psychologist licensed to practice or a letter from any state or federal agency for Disability classification)	4
5.	Enterprise owned by local suppliers within City of Johannesburg <ul style="list-style-type: none"> <li>&gt; Within COJ = 4 points</li> <li>&gt; Outside COJ = 0 points</li> </ul> (Provide municipal account statement or signed lease agreement)	4

## 5.2 Evaluation criteria: Carpentry

Minimum threshold of 75% on technical functionality must be achieved failing which, the bid will not further evaluated

BID NO: 5581G : REQUEST FOR BID FOR SUPPLY AND DELIVERY OF BUILDING MATERIAL			
Mandatory requirements		Yes/No	
1.	Bill of quantities to be completed in full. Failure to complete the Bill of quantities in full will result in your submission being regarded as non-responsive.		
<b>1st Stage Evaluation: A minimum threshold of 75% must be achieved to proceed to the 2<sup>nd</sup> Stage Evaluation Evaluation will be done on a relationship to the weighting on a scale of 0 to 10</b>			
Technical Evaluation:		Scoring	
		Weight	
1.	<b>Technical schedules</b> Fully compliant, completed and signed technical schedule for all items on the specification (CP_TSSPEC_386)	Fully compliant, completed and signed technical schedule = 10 points Not fully compliant, completed and signed technical schedule = 0 points	35
2.	<b>SANS Standards</b> Provide all valid SANS certificates as specified in the technical from schedule 5.2.1 until 5.6.4	All valid SANS certificate as per technical schedule provided = 10 points All valid SANS certificate as per technical schedule not provided = 0 points <b>Note: The certificate must be issued in the name of the manufacturer</b>	35
3.	<b>ISO requirements</b> Provide the following valid ISO Certificates from the manufacturer/s ISO 9001;2015 ISO 14001;2015 ISO 45001;2018	ISO 9001;2015 = 4 points ISO 14001;2015 = 3 points ISO 45001;2018 = 3 points <b>Note: The certificate must be issued in the name of the manufacturer</b>	20
4.	<b>Contactable references</b> Provide contactable reference letters on a signed client's letterhead, clearly stating the duration, value and contact person for the work done.	More than 3 contactable references = 10 points 3 contactable references = 7,5 points Two (2) contactable references = 5 points Less than two (2) contactable reference = 0 points <b>NB: No purchase orders, work completion certificates, appointment letters and contracts will be accepted as references.</b>	10
<b>Total</b>			<b>100</b>
<b>2<sup>nd</sup> Stage Evaluation</b>			
<b>PRICE</b>			<b>80</b>
<b>Specific goals</b>			<b>20</b>

SPECIFIC GOALS		
1.	Enterprises owned by black people with at least 51% shareholding <ul style="list-style-type: none"> <li>➢ 51% black ownership = 4 points</li> <li>➢ Less than 51% black ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BEE certificate / sworn affidavit; Fully completed supplier registration form )	4
2.	Enterprise owned by black women with at least 30% shareholding <ul style="list-style-type: none"> <li>➢ 30% black women ownership = 4 points</li> <li>➢ Less than 30% black women ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit)	4
3.	Enterprise owned by black youth with at least 51% shareholding <ul style="list-style-type: none"> <li>➢ 51% black youth ownership = 4 points</li> <li>➢ Less than 51% black youth ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit and certified copies (not older than three (3) months) of ID copies of owners)	4
4.	Enterprise owned by black people with disabilities with at least 51% shareholding <ul style="list-style-type: none"> <li>➢ 51% black people with disabilities = 4 points</li> <li>➢ Less than 51% black people with disabilities = 0 points</li> </ul> (Letter from a Doctor, Physician, and/or Psychologist licensed to practice or a letter from any state or federal agency for Disability classification)	4
5.	Enterprise owned by local suppliers within City of Johannesburg <ul style="list-style-type: none"> <li>➢ Within COJ = 4 points</li> <li>➢ Outside COJ = 0 points</li> </ul> (Provide municipal account statement or signed lease agreement)	4

**Evaluation criteria 3: Plumbing Material**

**Minimum threshold of 75% on technical functionality must be achieved failing which, the bid will not further evaluated**

<b>BID NO: 2581G: REQUEST FOR BID FOR SUPPLY AND DELIVERY OF BUILDING MATERIAL</b>		
<b>Mandatory requirements</b>		<b>Yes/No</b>
1.	Bill of quantities to be completed in full. Failure to complete the Bill of quantities in full will result in your submission being regarded as non-responsive.	
<b>1st Stage Evaluation: A minimum threshold of 75% must be achieved to proceed to the 2nd Stage Evaluation Evaluation will be done on a relationship to the weighting on a scale of 0 to 10</b>		
		<b>Weight</b>
1.	<b>Technical schedules</b>  Fully compliant, completed and signed technical schedule for all items on the specification (CP_TSSPEC_286)	35
	Fully compliant, completed and signed technical schedule = 10 points chnical schedule = 0 points	
2.	<b>SANS Standards</b>  Provide all valid SANS certificates as specified in the technical from schedule 4.2.2 until 4.4.3	35
	All valid SANS certificate as per technical schedule provided = 10 points All valid SANS certificate as per technical schedule not provided = 0 points  <b>Note: The certificate must be issued in the name of the manufacturer</b>	
3.	<b>ISO requirements</b>  Provide the following valid ISO Certificates from the manufacturer/s  ISO 9001;2015 ISO 14001;2015 ISO 45001;2018	20
	ISO 9001;2015 = 4 points ISO 14001;2015 = 3 points ISO 45001;2018 = 3 points  <b>Note: The certificate must be issued in the name of the manufacturer</b>	
4.	<b>Contactable references</b>  Provide contactable reference letters on a signed client's letterhead, clearly stating the duration, value and contact person for the work done.	10
	ore than 3 contactable references = 10 points Three (3) contactable references = 7.5 points Two (2) contactable references = 5 points Less than two (2) contactable reference = 0 points  <b>NB: No purchase orders, work completion certificates, appointment letters and contracts will be accepted as references.</b>	
	<b>Total</b>	<b>100</b>
<b>2nd Stage Evaluation</b>		
	<b>PRICE</b>	<b>80</b>
	<b>B-BBEE</b>	<b>20</b>

	<b>SPECIFIC GOALS</b>	
1.	Enterprises owned by black people with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black ownership = 4 points</li> <li>&gt; Less than 51% black ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BEE certificate / sworn affidavit; Fully completed supplier registration form )	4
2.	Enterprise owned by black women with at least 30% shareholding <ul style="list-style-type: none"> <li>&gt; 30% black women ownership = 4 points</li> <li>&gt; Less than 30% black women ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit)	4
3.	Enterprise owned by black youth with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black youth ownership = 4 points</li> <li>&gt; Less than 51% black youth ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit and certified copies (not older than three (3) months) of ID copies of owners)	4
4.	Enterprise owned by black people with disabilities with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black people with disabilities = 4 points</li> <li>&gt; Less than 51% black people with disabilities = 0 points</li> </ul> (Letter from a Doctor, Physician, and/or Psychologist licensed to practice or a letter from any state or federal agency for Disability classification)	4
5.	Enterprise owned by local suppliers within City of Johannesburg <ul style="list-style-type: none"> <li>&gt; Within COJ = 4 points</li> <li>&gt; Outside COJ = 0 points</li> </ul> (Provide municipal account statement or signed lease agreement)	4

**Evaluation criteria 4: Masonry Material**

**Minimum threshold of 75% on technical functionality must be achieved failing which, the bid will not further evaluated**

<b>BID NO: 2581G: REQUEST FOR BID FOR SUPPLY AND DELIVERY OF BUILDING MATERIAL</b>		
<b>Mandatory requirements</b>		<b>Yes/No</b>
1.	Bill of quantities to be completed in full. Failure to complete the Bill of quantities in full will result in your submission being regarded as non-responsive.	
1st Stage Evaluation: A minimum threshold of 75% must be achieved to proceed to the 2 <sup>nd</sup> Stage Evaluation Evaluation will be done on a relationship to the weighting on a scale of 0 to 10		
<b>Technical Evaluation:</b>		<b>Scoring</b>
		<b>Weight</b>
1.	Fully compliant, completed and signed technical schedule for all items on the specification (CP_TSSPEC_388)	Fully compliant, completed and signed technical schedule = 10 points Not fully compliant, completed and signed technical schedule = 0 points
2.	<b>SANS Standards</b> Provide all valid SANS certificates as specified below: SANS 10400 (building material) SANS EN 197-1 (cement) SANS 0100 (reinforce concrete) SANS 248 (damp course)	All valid SANS certificate as listed above provided = 10 points Any one of the above valid SANS certificate not provided = 0 points  <b>Note: The certificate must be issued in the name of the manufacturer</b>
3.	<b>ISO requirements</b> Provide the following valid ISO Certificates from the manufacturer/s ISO 9001;2015 ISO 14001;2015 ISO 45001;2018	ISO 9001;2015 = 4 points ISO 14001;2015 = 3 points ISO 45001;2018 = 3 points  <b>Note: The certificate must be issued in the name of the manufacturer</b>
4.	<b>Contactable references</b> Provide contactable reference letters on a signed client's letterhead, clearly stating the duration, value and contact person for the work done.	More than 3 contactable references = 10 points Three (3) contactable references = 7 points Two (2) contactable references = 5 points Less than two (2) contactable reference = 0 points  <b>NB: No purchase orders, work completion certificates, appointment letters and contracts will be accepted as references.</b>
<b>Total</b>		<b>100</b>
<b>2<sup>nd</sup> Stage Evaluation</b>		
<b>PRICE</b>		<b>80</b>
<b>B-BBEE</b>		<b>20</b>

<b>SPECIFIC GOALS</b>		
1.	Enterprises owned by black people with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black ownership = 4 points</li> <li>&gt; Less than 51% black ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BEE certificate / sworn affidavit; Fully completed supplier registration form )	<b>4</b>
2.	Enterprise owned by black women with at least 30% shareholding <ul style="list-style-type: none"> <li>&gt; 30% black women ownership = 4 points</li> <li>&gt; Less than 30% black women ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit)	<b>4</b>
3.	Enterprise owned by black youth with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black youth ownership = 4 points</li> <li>&gt; Less than 51% black youth ownership = 0 points</li> </ul> (Provide original or certified copy (not older than three (3) months) of BBBEE certificate / sworn affidavit and certified copies (not older than three (3) months) of ID copies of owners)	<b>4</b>
4.	Enterprise owned by black people with disabilities with at least 51% shareholding <ul style="list-style-type: none"> <li>&gt; 51% black people with disabilities = 4 points</li> <li>&gt; Less than 51% black people with disabilities = 0 points</li> </ul> (Letter from a Doctor, Physician, and/or Psychologist licensed to practice or a letter from any state or federal agency for Disability classification)	<b>4</b>
5.	Enterprise owned by local suppliers within City of Johannesburg <ul style="list-style-type: none"> <li>&gt; Within COJ = 4 points</li> <li>Outside COJ = 0 points</li> </ul> (Provide municipal account statement or signed lease agreement)	<b>4</b>

## **5.2 SPECIFICATION**

**5.2.1 Please see attached Specification: CP\_TSSPEC\_238 PAINTS AND BRUSHES**

**5.2.2 Please see attached Specification: CP\_TSSPEC\_286 PLUMBING MATERIAL**

**5.2.3 Please see attached Specification: CP\_TSSPEC\_386 CARPENTRY**

**5.2.4 Please see attached Specification: CP\_TSSPEC\_388 MASONRY**

### 5.3 BILL OF QUANTITIES

#### 5.3.1 (PAINT AND BRUSHES)

DESCRIPTION	UOM	QTY	UNIT PRICE EXCL. OF VAL	TOTAL PRICE EXCL. OF VAT
Paint enamel city power blue 20lt sans 1091	Each	10		
Paint:black, enamel, 5l sans 1091	Each	10		
Paint:avo green sans 1091	Each	10		
Varnish:glyptal, 5l sans 1091	Each	10		
Paint white pva 20ltr sans 1091	Each	10		
Paint:white, 5l, undercoat sans 1091	Each	10		
Paint:red oxide, matt, 5l sans 1091	Each	10		
Paint:silver, gloss, 5l, aluminium sans 1091	Each	10		
Paint:red, enamel, 5l sans 1091	Each	10		
Paint:blue, enamel, 5l sans 1091	Each	10		
Paint:golden yellow, enamel, 5l sans 1091	Each	10		
Paint:green, 5l, stoep 5l sans 1091	Each	10		
Paint dark grey pva 20l tr sans 1091	Each	10		
Paint:white , enamel, 5l sans 1091	Each	10		
Paint:green , enamel, 5l sans 1091	Each	10		
Paint black pva 5ltr sans 1091	Each	10		
City power new colour (duram satin touch b - paint code for the paint ( dc=205.00 df= 5.00 dl =147.50 )	Each	10		
Masking tape 25mm	Each	10		
Sand paper 320 packet	Each	10		
Sand paper 180 packet	Each	10		
Sand paper 1000 packet	Each	10		
Sand paper 80 packet	Each	10		
Putty packet 500g	Each	10		
Turpentine 5l	Each	10		
Thinners 5l	Each	10		
Road marker paint white 20l	Each	10		
Road marker paint yellow 20l	Each	10		
Sanding sealer 5l	Each	10		
Varnish mat 5l	Each	10		
Putty knife small	Each	10		
Paint scarper 50mm	Each	10		
Paint scarper 100mm	Each	10		
Plascon double velvet antique white 20l	Each	10		
Academy 2,5 roller extension pole paint roller	Each	10		
Spray gun ( spraying)	Each	10		
Brush:hand, 25mm	Each	10		
Brush:hand, 50mm	Each	10		

Brush:hand,75mm	Each	10		
Brush:hand,100mm	Each	10		
Roller paint:225mm,lambswool	Each	10		
Sheet glass 1830 x 2250 4mm	Each	10		
<b>SUB-TOTAL</b>				
<b>VAT</b>				
<b>TOTAL</b>				

### 5.3.1.2 BILL OF QUANTITIES (PLUMBING MATERIAL)

Description	UNIT	QTY	UNIT PRICE EXCL. OF VAT	TOTAL EXC. OF VAT
<b>15 mm C x C fittings</b>				
15 mm copper to copper elbows	EA	10		
15 mm copper to copper T Piece	EA	10		
15mm Copper to Copper Slip Socket	EA	10		
15mm Copper 45-degree Elbow	EA	10		
15mm copper to copper Cross over	EA	10		
15mm Wall plate elbow	EA	10		
15mm Copper Pipe class 0	EA	10		
15mm Class 2 Copper Pipe	EA	10		
15 mm copper to copper elbows	EA	10		
15mm Copper Elbow	EA	10		
15 mm Copper to male iron adaptor	EA	10		
15mm PVC Master Bats	EA	10		
15 mm copper to copper elbows	EA	10		
15 mm copper to copper T Piece	EA	10		
15 mm copper to copper 45-degree elbow	EA	10		
15 mm copper to copper Cross over	EA	10		
15mm copper pipe spring bender	EA	10		
<b>20mm C x C fittings</b>				
20mm Copper elbow	EA	10		
20mm Copper T piece	EA	10		
20mm by 15mm by 22mm Reducing T-piece	EA	10		
20mm Copper to Copper Slip Socket	EA	10		
20mm Copper Pipe class 0	EA	10		
20mm Copper Pipe class 2	EA	10		
22mm x 22mm x 3/4-inch copper to copper to female iron	EA	10		
22mm PVC Master Bats	EA	10		
22mm wall plate elbow	EA	10		
20 mm Copper to male iron adaptor	EA	10		
22 mm copper to copper Elbows	EA	10		
22mm by 15mm copper reducing	EA	10		
20mm copper pipe spring bender	EA	10		
20 mm copper to copper 45-degree elbow	EA	10		
<b>Solder/flux/ gas/ Gas torch</b>				
Plumbers gas Torch	EA	10		
Plumbers gas cartridge	EA	10		

Plumbers soldering wire	EA	10		
LACO plumbers' flux	EA	10		
<b>15mm Conex fittings</b>				
15mm Conex elbows	EA	10		
15mm T- Piece Conex	EA	10		
15mm Male Iron to Connex	EA	10		
15mm Female Iron to Connex	EA	10		
15mm Connex Straight Couplings	EA	10		
15mm Female Iron to Connex elbows	EA	10		
15mm Male Iron to Connex elbow	EA	10		
15mm Connex Straight Couplings	EA	10		
15mm PVC Master bats	EA	10		
50-meter roll Polycorp pipe 15mm	EA	10		
<b>20mm Conex fittings</b>				
22mm conex elbows	EA	10		
22mm T-Piece Conex	EA	10		
22mm by 15mm reducing coupler conex	EA	10		
22 mm Conex straight couplers	EA	10		
22mm Male Iron to Connex	EA	10		
22mm Female Iron to Connex	EA	10		
22mm Male Iron to Connex elbows	EA	10		
22mm Female Iron to Connex elbows	EA	10		
22mm by 15mm by 22mm conex T piece	EA	10		
22mm PVC Master bats	EA	10		
Polycorp pipe 20mm by 50-meter roll	EA	10		
50mm Copper pipe	EA	10		
<b>Geysers and valves</b>				
200Lt dual Kwikhot Geyser 600Kpa	EA	10		
150Lt Dual Kwikhot Geyser 600Kpa	EA	10		
100l geyser	EA	10		
250 Liter Kwikhot geyser	EA	10		
450 Liter industrial Kwikhot geyser vertical standing	EA	10		
450 Liter industrial Kwikhot geyser horizontal standing	EA	10		
Prisma Geyser 15 Liter over basin	EA	10		
Prisma Geyser 15 Liter under basin	EA	10		
200Lt Geyser Drip tray	EA	10		
150Lt Geyser Drip Tray	EA	10		
250 Liter Geyser tray	EA	10		
600kpa Master flow 2 Pressure Valve	EA	10		
22mm Kwikhot High Flow Valve	EA	10		
Twin Pack Latco Valve	EA	10		
Kwikhot Multi valve KHN3-214	EA	10		

400Kpa High Pressure Master flow Valve's	EA	10		
22 mm 600 KPA Conex vacuum breaker conex	EA	10		
22mm Draincock	EA	10		
22mm x 100kpa Closy Pressure valve	EA	10		
22mm x 400kpa Masterflo II Pressure valve	EA	10		
Kwikhot 400 KPA expansion relief valve	EA	10		
Kwikhot 600 KPA expansion relief valve	EA	10		
Kwikhot 400 KPA T&P safety valve	EA	10		
Kwikhot 600 KPA T&P safety valve	EA	10		
400 KPA red Pressure Control closing pressure valve	EA	10		
600 KPA Green Pressure Control closing pressure valve	EA	10		
400 KPA red Expansion relief discharge pressure valve	EA	10		
40mm Kwikhot Pressure reducing valve with gauge 400 KPA	EA	10		
40mm Kwikhot Pressure reducing valve with gauge 600 KPA	EA	10		
3 phase distribution board wall mount for Kwikhot industrial geyser	EA	10		
400kpa master flow 1 valve	EA	10		
400kpa master flow 2 valves	EA	10		
22 mm 400kpa safety valve	EA	10		
600 KPA Kwikhot multi valve KHN3.226	EA	10		
Commercial brass diaphragm pressure reducing valve with pressure gauge with setting range of 1.5 to 7 bar by 40mm tread	EA	10		
Industrial pressure Reducing valve 50mm (KHB-500) 400 KPA	EA	10		
Industrial pressure Reducing valve 50mm (KHB-500) 600 KPA	EA	10		
Pressure gauge (KH7-000)	EA	10		
Closy Pressure valve 400Kpa repair kit P-A1.10	EA	10		
4000W 120v tankless water heater for sink and basins	EA	10		
<b>PEX-AL-PEX Multilayer pipe</b>				
PEX-AL-PEX Multilayer pipe 200-meter white B-16	EA	10		
PEX-AL-PEX Multilayer pipe 200-meter white B-20	EA	10		
PEX-AL-PEX Multilayer pipe 100-meter white B-25	EA	10		
PEX-AL-PEX Multilayer pipe 50-meter white B-32	EA	10		

Pex -B Pipe with EVOH transparent 200-meter PEX-B-16	EA	10		
Pex -B Pipe with EVOH transparent 200-meter PEX-B-20	EA	10		
Pex -B Pipe with EVOH transparent 100-meter PEX-B-25	EA	10		
Pex Multilayer pipe for gas 200-meter brown G-16	EA	10		
Pex Multilayer pipe for gas 200-meter brown G-20	EA	10		
<b>PEX equal straight union</b>				
PEX equal straight union S-16*16	EA	10		
PEX equal straight union S-20*20	EA	10		
PEX equal straight union S-25*25	EA	10		
PEX equal straight union S-32*32	EA	10		
<b>PEX reducer</b>				
PEX reducer S-20*16	EA	10		
PEX reducer S-25*16	EA	10		
PEX reducer S-25*20	EA	10		
PEX reducer S-32*16	EA	10		
<b>PEX Male Union</b>				
PEX Male Union S-16*1/2	EA	10		
PEX Male Union S-16*3/4	EA	10		
PEX Male Union S-20*1/2	EA	10		
PEX Male Union S-20*3/4	EA	10		
PEX Male Union S-25*1/2	EA	10		
PEX Male Union S-25*3/4	EA	10		
PEX Male Union S-25*1 inch	EA	10		
PEX Male Union S-32*3/4	EA	10		
PEX Male Union S-32*1 inch	EA	10		
<b>PEX Female union</b>				
PEX Female union S-16*1/2F	EA	10		
PEX Female union S-16*3/4F	EA	10		
PEX Female union S-20*1/2F	EA	10		
PEX Female union S-20*3/4F	EA	10		
PEX Female union S-25*1/2F	EA	10		
PEX Female union S-25*3/4F	EA	10		
PEX Female union S-25*1 inch F	EA	10		
PEX Female union S-32*3/4F	EA	10		
PEX Female union S-32*1 inch F	EA	10		
<b>PEX Demountable Female union</b>				

PEX Demountable Female union S-16*1/2 F(H)	EA	10		
PEX Demountable Female union S-20*3/4 F(H)	EA	10		
PEX Demountable Female union S-25*3/4 F(H)	EA	10		
PEX Demountable Female union S-32*1 inch F(H)	EA	10		
<b>PEX Equal Elbows</b>				
PEX Equal Elbows L-16*16	EA	10		
PEX Equal Elbows L-20*20	EA	10		
PEX Equal Elbows L-25*25	EA	10		
PEX Equal Elbows L-32*32	EA	10		
<b>PEX Unequal elbows</b>				
PEX Unequal elbows L-20*16	EA	10		
PEX Unequal elbows L-25*16	EA	10		
PEX Unequal elbows L-25*20	EA	10		
PEX Unequal elbows L-32*20	EA	10		
<b>PEX Male Elbows</b>				
PEX Male Elbows L-16*1/2	EA	10		
PEX Male Elbows L-16*3/4	EA	10		
PEX Male Elbows L-20*1/2	EA	10		
PEX Male Elbows L-20*3/4	EA	10		
PEX Male Elbows L-25*1/2	EA	10		
PEX Male Elbows L-25*3/4	EA	10		
PEX Male Elbows L-32*1 inch	EA	10		
<b>PEX Female elbow</b>				
PEX Female elbow L-16*1/2F	EA	10		
PEX Female elbow L-16*3/4F	EA	10		
PEX Female elbow L-20*1/2F	EA	10		
PEX Female elbow L-20*3/4F	EA	10		
PEX Female elbow L-25*1/2F	EA	10		
PEX Female elbow L-25*3/4F	EA	10		
PEX Female elbow L-32*1 inch F	EA	10		
<b>PEX Wall plate female elbow</b>				
PEX Wall plate female elbow L-16*1/2 F (Z)	EA	10		
PEX Wall plate female elbow L-20*1/2 F(Z)	EA	10		
PEX Wall plate female elbow L-20*3/4 F(Z)	EA	10		
PEX Wall plate female elbow L-25*3/4 F(Z)	EA	10		
<b>PEX Equal Tee</b>				
PEX Equal Tee T-16*16*16	EA	10		
PEX Equal Tee T-20*20*20	EA	10		

PEX Equal Tee T-25*25*25	EA	10		
PEX Equal Tee T-32*32*32	EA	10		
<b>PEX Unequal Tee</b>				
PEX Unequal Tee T-16*25*16	EA	10		
PEX Unequal Tee T-20*16*20	EA	10		
PEX Unequal Tee T-20*25*20	EA	10		
PEX Unequal Tee T-25*16*25	EA	10		
PEX Unequal Tee T-25*20*25	EA	10		
PEX Unequal Tee T-32*16*32	EA	10		
PEX Unequal Tee T-32*20*32	EA	10		
PEX Unequal Tee T-32*25*32	EA	10		
<b>PEX Male T Piece</b>				
PEX Male T Piece T-16*1/2*16	EA	10		
PEX Male T Piece T-20*1/2*20	EA	10		
PEX Female Tee T-16*1/2F*16	EA	10		
PEX Female Tee T-20*1/2F*20	EA	10		
PEX Female Tee T-25*1/2F*25	EA	10		
PEX Female Tee T-25*3/4F*25	EA	10		
PEX Female Tee T-32*3/4F*32	EA	10		
PEX Female Tee T-32*1F*32	EA	10		
<b>PEX MANIFOLDS</b>				
PEX MANIFOLDS FS5-3/4*1/2*2 (Red)	EA	10		
PEX MANIFOLDS FS5-3/4*1/2*2B (Blue)	EA	10		
PEX MANIFOLDS FS5-3/4*1/2*3 (Red)	EA	10		
PEX MANIFOLDS FS5-3/4*1/2*3B (Blue)	EA	10		
PEX MANIFOLDS FS5-3/4*1/2*4 (Red)	EA	10		
PEX MANIFOLDS FS5-3/4*1/2*4B (Blue)	EA	10		
<b>PEX Connector Core</b>				
PEX Connector Core F1-C16*1/2A - Connector core	EA	10		
PEX Connector Core F1-C16*3/4*A - Connector core	EA	10		
<b>PEX Brass Ball valve with butterfly handles</b>				
PEX Brass Ball valve with butterfly handles Q-16*16	EA	10		
PEX Brass Ball valve with butterfly handles Q-20*20	EA	10		
PEX Brass Ball valve with butterfly handles Q-25*25	EA	10		
PEX Brass Ball valve with butterfly handles Q-32*32	EA	10		

<b>PEX Compression adaptors</b>				
PEX Compression adaptors S-16*15 Cu2	EA	10		
PEX Compression adaptors S-20*22 Cu2	EA	10		
PEX Compression adaptors S-25*22 Cu2	EA	10		
PEX Compression adaptors S-32*28 Cu2	EA	10		
<b>PEX Straight Multi-Welded copper</b>				
PEX Straight Multi-Welded Copper S-16*1/2 CuF	EA	10		
PEX Straight Multi-Welded Copper S-20*3/4 CuF	EA	10		
PEX Straight Multi-Welded Copper S-25*3/4CuF	EA	10		
PEX Straight Multi-Welded Copper S-32*1 CuF	EA	10		
<b>PEX Brass Ball valve for gas</b>				
PEX Brass Ball valve for gas 16*T10	EA	10		
PEX Brass Ball valve for gas 20*T10	EA	10		
<b>PEX End Cap</b>				
PEX End Cap D-16	EA	10		
PEX End Cap D-20	EA	10		
PEX End Cap D-25	EA	10		
<b>PEX Stainless Steel Sleeves</b>				
PEX Stainless Steel Sleeves S-16	EA	10		
PEX Stainless Steel Sleeves S-20	EA	10		
PEX Stainless Steel Sleeves S-25	EA	10		
PEX Stainless Steel Sleeves S-32	EA	10		
<b>PEX Open Aluminium sockets</b>				
PEX Open Aluminium sockets KK-16	EA	10		
PEX Open Aluminium sockets KK-20	EA	10		
PEX Open Aluminium sockets KK-25	EA	10		
PEX Open Aluminium sockets KK-32	EA	10		
<b>PEX Closed sockets</b>				
PEX Closed sockets KB-16	EA	10		
PEX Closed sockets KB-20	EA	10		
PEX Closed sockets KB-25	EA	10		
PEX Closed sockets KB-32	EA	10		
<b>PEX Baffles</b>				
PEX Baffles 16	EA	10		
PEX Baffles 20	EA	10		

PEX Baffles 25	EA	10		
PEX Baffles 32	EA	10		
<b>PEX Manual adjustable press NG Clamp set</b>				
PEX Manual adjustable press NG Clamp set SYQ-16-32A	EA	10		
PEX Clamp insert for SYG -16-32A YYQB-16	EA	10		
PEX Clamp insert for SYG -16-32A YYQB- 20	EA	10		
PEX Clamp insert for SYG -16-32A YYQB- 25	EA	10		
PEX Clamp insert for SYG -16-32A YYQB- 32	EA	10		
PEX Manual adjustable hand clamp SYQ-16-20A	EA	10		
PEX Clamp insert for SYQ -16	EA	10		
PEX Clamp insert for SYQ -20	EA	10		
PEX Crimping head Rems crimper YYQ - 16-32	EA	10		
<b>PEX O rings</b>				
PEX O rings 16- EPDM Water	EA	10		
PEX O rings 20- EPDM Water	EA	10		
PEX O rings 25- EPDM Water	EA	10		
PEX O rings 32- EPDM Water	EA	10		
PEX O rings 16- NBR Gas	EA	10		
PEX O rings 20- NBR Gas	EA	10		
<b>PEX tools</b>				
PEX 42mm pipe cutter PC-207	EA	10		
PEX Inner bending spring WH - 16	EA	10		
PEX Inner bending spring WH - 20	EA	10		
PEX Inner bending spring WH - 25	EA	10		
PEX Inner bending spring WH - 32	EA	10		
PEX Outer bending spring WH-16II	EA	10		
PEX Outer bending spring WH-20II	EA	10		
PEX Outer bending spring WH-25II	EA	10		
PEX Outer bending spring WH-32II	EA	10		
PEX Plastic/Metal reamer ZYD2-16-20-25	EA	10		
PEX Plastic/Metal reamer ZYD2-20-25-32	EA	10		
<b>Beta valve kits/bung/cones/washers/ball valve</b>				
Beta Valve Complete with Ball Valve	EA	10		
Beta Valve Kits Complete with Side Inlet	EA	10		
Beta Valve Kits Complete with Bottom Inlet	EA	10		
Beta valve complete with right hand handle for closed couple paraplegic toilet cistern	EA	10		

Beta valve complete with left hand handle for closed couple paraplegic toilet cistern	EA	10		
Beta Valve Kits Complete with Handle	EA	10		
Beta valve complete with handle for close couple cistern	EA	10		
Flush pipe rubber cones	EA	10		
Flush pipe rubber bungs	EA	10		
Wirquin top flush beta valve kits complete with push button and bottom inlet Jollyfill ball valve	EA	10		
Kleenflo Ball valve diaphragm washers	EA	10		
Beta valve flat washer 10mm hole	EA	10		
Beta valve flat washer 32mm hole	EA	10		
Beta valve Tapered washer 32mm hole	EA	10		
Beta valve Hi-flo washer	EA	10		
15mm Ball Valve	EA	10		
Side inlet ball valve	EA	10		
Bottom inlet ball valve	EA	10		
<b>Toilet pans/ Cisterns /Basins/ urinal</b>				
White toilets pan	EA	10		
White low level porcelain cistern	EA	10		
Plastic Elf cistern	EA	10		
White close couple toilet pan	EA	10		
White close couple Cistern	EA	10		
Lacico Atlas low level Paraplegic suite (PAN & F/F CIST and MECH)	EA	10		
White porcelain cistern universal	EA	10		
Pedestal basin white	EA	10		
White pedestal	EA	10		
Basin waist fitting with plug and chain	EA	10		
Sink waist fitting with plug and chain	EA	10		
Wall mounted white basin standard	EA	10		
Bantam basin white	EA	10		
Wall mount tear drop urinal and brackets	EA	10		
Tear drop urinal waist fitting	EA	10		
Fixation bolt and not for wall mount basin	EA	10		
Lecico paraplegic box pan Cis	EA	10		
Leila square wall hung toilet pan & STC -7107-t (Square)	EA	10		
Grohe Concealed Cistern G-38643001	EA	10		
Grone Gr-38732000 Skate Flush Actuation Shiny	EA	10		
MN-205305 SOLO Guernsey Basin white 560 x 440	EA	10		
<b>Toilet Seats</b>				
Tecnoplast Atlantic CP 108049 toilet seat	EA	10		

A1 Delux Wooden Seat	EA	10		
Plastic Toilet Seat	EA	10		
Le-chiseascscs0004ulecico universal soft close toilet seat	EA	10		
<b>Flexi connectors</b>				
15mm Flexi connector for single hole tap mixers 300mm	EA	10		
15mm Flexi connector for single hole tap mixers 400mm	EA	10		
15mm Flexi connector for single hole tap mixers 350mm	EA	10		
15mm Flexi Connector 150mm long	EA	10		
15mm Flexi Connector 350mm long	EA	10		
15mm Flexi Connector 450mm long	EA	10		
<b>Basin and bath Taps/Angle valves/Garden taps/Stop cock/Tap extensions</b>				
15 mm Cobra water tech heavy pattern pillar tap	EA	10		
15 mm Cobra water tech light pattern pillar tap	EA	10		
15mm Push button demand cobra water tech	EA	10		
15mm stop cock brass	EA	10		
15mm stop cock Chrome plated	EA	10		
15mm Garden hose tap	EA	10		
20mm Garden hose tap	EA	10		
15mm Chrome bib tap heavy pattern	EA	10		
15mm Chrome bib tap with washing machine fitting	EA	10		
15mm angle valve	EA	10		
15mm bath mixer tap cobra water tech	EA	10		
20mm bath mixer tap cobra water tech	EA	10		
20mm chrome plated bib taps for bath	EA	10		
15mm by 22mm Chrome plated tap extensions	EA	10		
15mm by 15mm Chrome plated tap extensions with flange	EA	10		
22mm by 22mm Chrome plated tap extensions flange	EA	10		
15mm Cobra chrome plated lever action pillar taps Left hand	EA	10		
15mm Cobra chrome plated lever action pillar taps Right hand	EA	10		
15mm Male iron to Female iron ball-o-stops with short black handle	EA	10		

15mm Heavy duty chrome plated angle valve	EA	10		
15mm Under tile stop tap (stop cock)	EA	10		
20mm Under tile stop tap (stop cock)	EA	10		
15mm Genebre Prerinse mixer and hand shower bib type	EA	10		
15mm Genebre Prerinse mixer and hand shower Pillar type	EA	10		
Lockable Brass hose bib taps 15mm	EA	10		
Lockable Brass hose bib taps 20mm	EA	10		
15mm Pillar type chrome platted metering basin taps with internal flow control, strainer, no hold feature and water saving shut off	EA	10		
15mm Bib type chrome platted metering wall type tap with internal flow control	EA	10		
15mm chrome platted in-line demand stopcock with internal flow control	EA	10		
15mm medical pillar type chrome plated long arm basin tap left hand	EA	10		
15mm medical pillar type chrome plated long arm basin tap Right hand	EA	10		
<b>Sink Mixers/Single hole basin mixers</b>				
15mm Cobra water tech sink mixer with over arm (star type) BIB type	EA	10		
15mm Cobra water tech sink mixer with over arm (star type) pillar type	EA	10		
15mm Cobra water tech sink mixer with over arm (star type) single hole	EA	10		
15mm Genebre Prerinse mixer and hand shower bib type	EA	10		
15mm Genebre Prerinse mixer and hand shower Pillar type	EA	10		
20mm Genebre Prerinse mixer and hand shower bib type	EA	10		
20mm Genebre Prerinse mixer and hand shower Pillar type	EA	10		
Over arm spout for mixer	EA	10		
Single hole basin mixer with Cobra water tech Stella 3294ST complete	EA	10		
Sink mixer Pillar type (star type)	EA	10		
Cartridges for basin, kitchen and shower mixers all makes	EA	10		
25mm Fibre washers	EA	10		
15mm chrome plated tap extensions	EA	10		
20mm chrome plated tap extensions	EA	10		
20mm by 15mm mixer goose nek	EA	10		

15mm by 15mm mixer goose nek	EA	10		
20mm by 20mm mixer goose nek	EA	10		
15mm running nipples	EA	10		
20mm running nipples	EA	10		
Fiber washers for sink mixers	EA	10		
LECICO atlas Basin 55 cm 1 x tap hole	EA	10		
<b>Tap washers</b>				
15mm Tap washers for light pattern taps	EA	10		
20mm Tap washers for Heavy pattern taps	EA	10		
15mm Tap washers for Heavy pattern taps	EA	10		
20mm Tap washers for Heavy pattern taps	EA	10		
	EA			
<b>Tap Head parts</b>	EA			
15mm Head part Lite patterns (Carrina type)	EA	10		
15mm Head part Heavy patterns (Carrina type)	EA	10		
15mm Head part Heavy patterns under tile stop cock (Carrina type)	EA	10		
<b>Shower roses/Arms</b>				
15mm Ball joint Cobra water tech Shower rose	EA	10		
15mm Ball joint Cobra water tech Shower rose arm	EA	10		
Cobra KP2-6 CP vandal proof shower head	EA	10		
COBRA KP2-65 CP vandal proof shower head	EA	10		
High quality antitheft shower rose and arm combination	EA	10		
<b>Drop-in sink tops</b>				
0.900-meter single bowl Left hand sink drop-in unit	EA	10		
0.900-meter single bowl Right hand sink drop-in unit	EA	10		
Prep bowl round sink drop-in unit	EA	10		
1.200-meter single bowl Left hand sink drop-in unit	EA	10		
1.200-meter single bowl Right hand sink drop-in unit	EA	10		
1.200-meter Double bowl sink drop-in unit drip tray bought sides	EA	10		
	EA			
<b>Sink Units</b>	EA			
0.900-meter single bowl Left hand sink unit complete	EA	10		

0.900-meter single bowl Right hand sink unit complete	EA	10		
1.200-meter single bowl Left hand sink unit complete	EA	10		
1.200-meter single bowl Right hand sink unit complete	EA	10		
<b>Universal drop-in sink tops</b>				
Sink Unit steel 0,900 meter by 0,460-meter single bowl L/R	EA	10		
Sink Unit steel 1,500 meter by 0,500-meter double bowl L/R	EA	10		
Drop-in Sink 1,200 meter by 0,480-meter double bowl universal	EA	10		
Drop-in Sink 0,915 meter by 0,460-meter single bowl universal	EA	10		
<b>Waste fittings</b>				
Chrome plated waste fitting for sink with plug and chain	EA	10		
Chrome plated waste fitting for basin with plug and chain	EA	10		
Chrome plated waste fitting for Urinal	EA	10		
MN-201099 URINAL SOLO ALSON COMPLETE	EA	10		
MN-6004807 URINAL SPREADER UNIT PACIFIC	EA	10		
MN-6003260 FLUSH MASTER FOR URINAL PUSH BUTTON	EA	10		
<b>Basin/Sink/Urinal traps</b>				
40 mm by 40mm S trap	EA	10		
40 mm by 40mm P trap	EA	10		
32 mm by 40mm S trap	EA	10		
32 mm by 40mm S trap	EA	10		
32mm by 32mm S trap	EA	10		
32mm by 32mm P trap	EA	10		
40mm Combination trap complete for sink	EA	10		
40mm mini-P trap	EA	10		
Plastic bottle trap 32mm	EA	10		
Plastic anti-vacuum bottle trap 40mm	EA	10		
<b>Flush Master toilet/urinals</b>				
Senior flush master back entry for Toilet FM1.100	EA	10		
Senior flush master for toilet FM1.210	EA	10		
Junior flush master for toilet FJ2.210	EA	10		

Junior flush master for toilet back entry FJ2.100	EA	10		
Senior Flush master Toilet (code FM1.210)	EA	10		
Senior Flush master C-FM8.80 complete	EA	10		
Senior Flush master toilet (code FM1.100)	EA	10		
Junior Flush pipe (code FJT5.4 and FJT5.5)	EA	10		
Junior flush master for urinal FJ6.000	EA	10		
Cobra water tech Flush master control stop head part C-FM8,32	EA	10		
Cobra water tech Flush master control stop C-FMC 1.3	EA	10		
Cobra water tech Junior Flush master urinal piston kit C-FJ8,11	EA	10		
Cobra water tech Junior Flush master urinal push button C-FJ8,20	EA	10		
Cobra water tech Senior control stop for toilet C-FMC1.3	EA	10		
Cobra water tech Senior toilet Flush pipe FM1,100	EA	10		
Cobra water tech rubber flush pipe connector FMV8,3	EA	10		
Cobra water tech Vandal master shower rose KP2,65	EA	10		
Cobra water tech Urinal flush pipe FJT5,3	EA	10		
Cobra water tech Urinal flush pipe FJT5,4	EA	10		
Cobra water tech Urinal flush pipe FJT5,5	EA	10		
Cobra water tech FM8,20 flush pipe connector	EA	10		
Urinal flush pipe spreader	EA	10		
Toilet 25mm BSP Senior Flush master exposed lever operated chrome with top entry flush pipe	EA	10		
Toilet 25mm BSP exposed lever operated, chrome, toilet Flush master valve with isolating check valve and telescopic adjustment with top entry flush pipe	EA	10		
Toilet 25mm BSP exposed lever operated, chrome, toilet Flush master valve with isolating check valve and telescopic adjustment with back entry flush pipe	EA	10		
Toilet 25mm exposed extended lever operated chrome Flush master, isolating check valve with telescopic adjustment and top entry flush pipe.	EA	10		
Urinal 15mm exposed chrome flush valve with flow control, strainer and no hold feature for single bowl urinal	EA	10		
15mm Offset chrome flush pipe for urinal flush vale	EA	10		

15mm Straight chrome flush pipe for urinal flush vale with spreader	EA	10		
Toilet 25mm BSP Senior Flush master exposed lever operated chrome with back entry flush pipe	EA	10		
Junior Flush master Piston Kits Complete (Toilet)	EA	10		
Senior Flush master Piston Kits Complete (Toilet)	EA	10		
Senior Flush master Piston Kits Complete (Urinal)	EA	10		
Senior Flush master Control Valve	EA	10		
Junior Flush master Push Buttons (Toilet)	EA	10		
Junior Flush master Push Buttons (Urinal)	EA	10		
Senior Flush master Chrome Plated Flush Pipe Connector 38.2mm (FMT1.1)	EA	10		
Vacuum Breaker for Flush master C-FM8.10	EA	10		
Push button assembly kit for junior Flush master C-FJ8.23	EA	10		
Urinal piston kit for Flush master C-FM8.31	EA	10		
Chrome plated flush pipe FMT1.1	EA	10		
Cobra control stop and wall plate (C-FMC1-3/N)	EA	10		
<b>Flushing systems</b>				
Gerberit Alpha chrome Dual Kombi fix for toilet Code GEB-110.175.001	EA	10		
Isca Urinal Sensor Flushing Code IS-440CH	EA	10		
<b>Paraplegic Railings</b>				
Paraplegic CNTX BR Cistern back rail	EA	10		
Paraplegic CNTX PAR grab rail	EA	10		
Paraplegic CNTX21 Angle bar 90 degree	EA	10		
Paraplegic CNTX300 Straight grab rail	EA	10		
Paraplegic CNTX450 Straight grab rail	EA	10		
Paraplegic CNTX600 Straight grab rail	EA	10		
Paraplegic CNTX700A Angle Bar 135 degree	EA	10		
Paraplegic CNTX70B Fold down grab rail	EA	10		
Paraplegic CNTX750 Straight grab rail	EA	10		
<b>Stainless steel clamps from cast iron to PVC</b>				
50mm stainless steel clamps from cast iron to PVC	EA	10		
110mm stainless steel clamps from cast iron to PVC	EA	10		

<b>50mm PVC Fittings</b>				
50mm PVC Bend 45 degree with Eye	EA	10		
50mm PVC Bend 45 degree Plain	EA	10		
50mm PVC Bend 90 degree with Eye	EA	10		
50mm PVC Bend 90 degree Plain	EA	10		
50mm PVC T Junction Plain	EA	10		
50mm PVC T Junction Complete with Eye	EA	10		
50mm PVC Master Bats	EA	10		
50mm by 40mm PVC reducer	EA	10		
50mm PVC sockets	EA	10		
50 mm by 45-degree PVC junction	EA	10		
50mm by 40mm PVC reducer	EA	10		
50mm by 50mm Male iron PVC adaptor	EA	10		
50mm by 50mm Female iron PVC adaptor	EA	10		
50mm PVC vent valve	EA	10		
50mm PVC end cap	EA	10		
50mm PVC pipe 6 meter long	EA	10		
50mm PVC sockets	EA	10		
50mm Holderbats for PVC pipe	EA	10		
50mm aluminium holder bats	EA	10		
50mm PVC Shower trap	EA	10		
50mm Stainless steel cast iron to PVC adaptors	EA	10		
50mm PVC screw on end cap	EA	10		
50mm PVC end cap	EA	10		
50mm by 110mm PVC Eccentric Reducer	EA	10		
<b>40mm PVC Fittings</b>				
40mm by 32mm Male iron PVC adaptor	EA	10		
40mm by 32mm Female iron PVC adaptor	EA	10		
40mm by 45-degree PVC bend	EA	10		
40mm PVC T Junction Plain	EA	10		
40mm PVC T Junction Complete with Eye	EA	10		
40mm PVC Bend 45 degree with Eye	EA	10		
40mm PVC Bend 45 degree Plain	EA	10		
40mm PVC Bend 90 degree with Eye	EA	10		
40mm PVC Bend 90 degree Plain	EA	10		
40mm PVC Master Bats	EA	10		
40mm by 50mm PVC reducer	EA	10		
40mm PVC sockets	EA	10		
40 mm by 45-degree PVC junction	EA	10		
50mm by 40mm PVC reducer	EA	10		
40mm by 40mm Male iron PVC adaptor	EA	10		
40mm by 40mm Female iron PVC adaptor	EA	10		
40mm PVC end cap	EA	10		
40mm PVC pipe 6 meter long	EA	10		
40mm PVC sockets	EA	10		

40mm Holderbats for PVC pipe	EA	10		
40mm aluminium holder bats	EA	10		
40mm Stainless steel cast iron to PVC adaptors	EA	10		
<b>75mm PVC fittings</b>				
75mm PVC by 22.5 Plain bend	EA	10		
75mm PVC single access heel junction 90 degree	EA	10		
75 mm by 50mm PVC vent horn Access Heel 90 degree	EA	10		
75mm by 135-degree Access Heel	EA	10		
75mm PVC screw on end cap	EA	10		
75mm PVC end cap	EA	10		
75mm PVC pipe	EA	10		
75mm Holderbats for PVC pipe	EA	10		
75mm PVC Bend 45 degree with Eye	EA	10		
75mm PVC Bend 45 degree Plain	EA	10		
75mm PVC Bend 90 degree with Eye	EA	10		
75mm PVC Bend 90 degree Plain	EA	10		
75mm Stainless steel cast iron to PVC adaptors	EA	10		
<b>110mm PVC Fittings under ground</b>				
110mm PVC Single socket	EA	10		
110mm PVC Double socket	EA	10		
110mm PVC Kimberly socket	EA	10		
110mm PVC Inspection pipe	EA	10		
110mm PVC Plain bend 22.5 degree	EA	10		
110mm PVC Plain bend 135 degree	EA	10		
110mm PVC Bend access 135 degree	EA	10		
110mm PVC Bend Plain 87.5 degree	EA	10		
110mm PVC Bend access heel 87.5 degree	EA	10		
110mm PVC Junction plain 45 degrees	EA	10		
110mm PVC Junction access right hand 45 degree	EA	10		
110mm PVC Junction access left hand 45 degree	EA	10		
110mm PVC Square junction	EA	10		
110mm PVC Reducing junction 45 degree	EA	10		
110mm PVC Adaptor female PVC/ erwenware	EA	10		
110mm PVC Gully P trap	EA	10		
110mm PVC Gully head and grate	EA	10		
110mm PVC Gully grate only	EA	10		
110mm PVC Rodding eye 45 degree	EA	10		
110mm PVC Stop end plain	EA	10		

110mm PVC Stop end access	EA	10		
110mm PVC pipe 6 meter long	EA	10		
110mm PVC Overflow gully head	EA	10		
Concrete gully top	EA	10		
<b>110mm PVC Fittings above ground</b>				
110mm PVC pipe 6 meter long	EA	10		
110mm PVC by 50mm PVC Boss connector	EA	10		
110mm PVC Earthenware to PVC adaptor	EA	10		
110mm PVC Flexible Pan connector	EA	10		
110mm PVC Offset Pan connector	EA	10		
110mm PVC Pan connector straight	EA	10		
110mm PVC Bend Pan connector 90 degree	EA	10		
110mm PVC Bend Pan connector access heel 90 degree	EA	10		
110mm PVC Stainless steel cast iron to PVC adaptors	EA	10		
110mm PVC screw on end cap	EA	10		
110mm PVC Holderbats for PVC pipe	EA	10		
110mm Aluminium Holderbats for PVC pipe	EA	10		
110mm PVC PVC vent valve	EA	10		
110mm PVC Plain bend 95 degree	EA	10		
110mm PVC Behind access heel 95 degree	EA	10		
110mm PVC Bend plain 104 degrees	EA	10		
110mm PVC Behind access heel 104 degree	EA	10		
110mm PVC Bend plain 135 degrees	EA	10		
110mm PVC Vent Horn bend access heel 95 degree	EA	10		
110mm PVC Vent Horn bend access heel 104 degree	EA	10		
110mm PVC Straight inspection pipe	EA	10		
110mm PVC Junction single plain 95 degrees	EA	10		
110mm PVC Junction single access 95 degree	EA	10		
110mm PVC junction single plain 104 degree	EA	10		
110mm PVC Junction single access 104 degree	EA	10		
110mm PVC Junction single plain 135 degrees	EA	10		
110mm PVC Junction single access 135 degree	EA	10		

110mm PVC by 50mm reducing junction plain 135 degrees	EA	10		
110mm PVC by 50mm reducing T junction plain 95 degrees	EA	10		
110mm PVC by 50mm reducing T junction access 95 degree	EA	10		
110mm PVC to 50mm Boss connector	EA	10		
110mm PVC Junction double plain 95 degrees	EA	10		
110mm PVC Junction double access 95 degree	EA	10		
110mm PVC Socket single	EA	10		
110mm PVC Socket double	EA	10		
110mm PVC Overflow gully head	EA	10		
110mm PVC Rodding eye 45 degree	EA	10		
<b>Fischer Anchor Products</b>				
Fischer saddle AM 15/16 Art. Nr 60189 box off 50	EA	10		
Fischer Hammer fix N 6 x 40/10 S M 6 with connecting thread gvz box of 50	EA	10		
Fischer FIS HB 345 S Injection Mortar	EA	10		
Fischer Battery-operated dispenser for injection cartridges	EA	10		
Fischer plastic anchor sleeve FIS H 12 * 50K	EA	10		
Fischer plastic anchor sleeve FIS H 12 * 85K	EA	10		
Fischer plastic anchor sleeve FIS H 16 * 85K	EA	10		
Fischer plastic anchor sleeve FIS H 16 * 130K	EA	10		
Fischer plastic anchor sleeve FIS H 20 * 85K	EA	10		
Fischer plastic anchor sleeve FIS H 20 * 130K	EA	10		
Fischer plastic anchor sleeve FIS H 20 * 200K	EA	10		
Fischer FIS VS 300 T Injection mortar	EA	10		
<b>15mm Plasson fittings</b>				
15mm by 15mm Plasson T piece	EA	10		
15mm male iron straight 25mm plasson coupler	EA	10		
15mm Plasson by 15mm Male iron elbow	EA	10		
15mm Plasson by 15mm Female iron elbow	EA	10		
15mm Plasson by 20mm Male iron elbow	EA	10		
15mm Plasson by 20mm Female iron elbow	EA	10		
15mm Plasson by 25mm Male iron elbow	EA	10		
15mm Plasson by 25mm Female iron elbow	EA	10		

20mm male iron straight 25mm plasson coupler	EA	10		
25mm male iron straight 25mm plasson coupler	EA	10		
32mm male iron straight 25mm plasson coupler	EA	10		
15mm straight plasson coupler	EA	10		
15mm plasson Elbows	EA	10		
15mm Female iron 15mm plasson Elbows	EA	10		
15mm by 15mm-by-15mm Female plasson T piece	EA	10		
15mm by 15mm-by-15mm male plasson T piece	EA	10		
15mm by 20mm by 15mm Female plasson T piece	EA	10		
15mm by 20mm by 15mm male plasson T piece	EA	10		
15mm by 25mm by 15mm Female plasson T piece	EA	10		
15mm by 25mm by 15mm male plasson T piece	EA	10		
15mm Plasson pipe - 50-meter rolls	EA	10		
15mm Female iron to 25mm plasson straight adaptor	EA	10		
15mm male iron to 25mm plasson straight adaptor	EA	10		
<b>20mm Plasson fittings</b>				
20mm by 20mm Plasson T piece	EA	10		
20 mm Female iron to 25mm plasson straight adaptor	EA	10		
25 mm Female iron to 25mm plasson straight adaptor	EA	10		
32 mm Female iron to 25mm plasson straight adaptor	EA	10		
40 mm Female iron to 25mm plasson straight adaptor	EA	10		
46 mm Female iron to 25mm plasson straight adaptor	EA	10		
50 mm Female iron to 25mm plasson straight adaptor	EA	10		
25 mm Male iron to 25mm plasson straight adaptor	EA	10		
32 mm Male iron to 25mm plasson straight adaptor	EA	10		
40 mm Male iron to 25mm plasson straight adaptor	EA	10		

46 mm Male iron to 25mm plasson straight adaptor	EA	10		
50 mm Male iron to 25mm plasson straight adaptor	EA	10		
<b>25mm Plasson fittings</b>				
15mm male iron straight 25mm plasson coupler	EA	10		
20mm male iron straight 25mm plasson coupler	EA	10		
25mm male iron straight 25mm plasson coupler	EA	10		
32mm male iron straight 25mm plasson coupler	EA	10		
40mm male iron straight 25mm plasson coupler	EA	10		
46mm male iron straight 25mm plasson coupler	EA	10		
50mm male iron straight 25mm plasson coupler	EA	10		
25mm Plasson by 25mm Male iron elbow	EA	10		
25mm Plasson by 25mm Female iron elbow	EA	10		
25mm Plasson by 15mm Male iron elbow	EA	10		
25mm Plasson by 15mm Female iron elbow	EA	10		
25mm Plasson by 20mm Male iron elbow	EA	10		
25mm Plasson by 20mm Female iron elbow	EA	10		
25mm Plasson by 32mm Male iron elbow	EA	10		
25mm Plasson by 32mm Female iron elbow	EA	10		
25mm Plasson by 40mm Male iron elbow	EA	10		
25mm Plasson by 40mm Female iron elbow	EA	10		
25mm straight plasson coupler	EA	10		
25mm plasson Elbows	EA	10		
25mm plasson T piece	EA	10		
25mm Female iron 25mm plasson Elbows	EA	10		
25mm Plasson Reducing 15mm straight coupler	EA	10		
25mm by 25mm by 25mm Female plasson T piece	EA	10		
25mm by 20mm by 25mm Female plasson T piece	EA	10		
25mm by 32mm by 25mm Female plasson T piece	EA	10		

25mm by 40mm by 25mm Female plasson T piece	EA	10		
25mm by 46mm by 25mm Female plasson T piece	EA	10		
25mm by 50mm by 25mm Female plasson T piece	EA	10		
25mm by 25mm-by-25mm male plasson T piece	EA	10		
25mm by 15mm by 25mm Reducing plasson T piece	EA	10		
25mm plasson by 25mm male iron Plasson T piece	EA	10		
Plasson pipe 25mm - 50-meter rolls	EA	10		
<b>32mm Plasson fittings</b>				
32mm by 32mm Plasson T piece	EA	10		
32mm by 32mm Plasson Elbow	EA	10		
32mm male iron straight 32mm plasson coupler	EA	10		
32mm straight plasson coupler	EA	10		
32mm plasson Elbows	EA	10		
32mm Female iron 32mm plasson Elbows	EA	10		
32mm Plasson Reducing 25mm Straight coupler	EA	10		
32mm by 32mm-by-32mm Female plasson T piece	EA	10		
32mm by 32mm-by-32mm male plasson T piece	EA	10		
32mm Plasson pipe - 50-meter rolls	EA	10		
<b>40mm Plasson fittings</b>				
40mm male iron straight plasson coupler	EA	10		
40mm Plasson pipe - 50-meter rolls	EA	10		
40mm plasson by 32mm male iron coupler	EA	10		
40mm by 40mm plasson straight couplers	EA	10		
40mm by 40mm Plasson T piece	EA	10		
40mm by 40mm Plasson Elbow	EA	10		
40mm Female iron 40mm plasson Elbows	EA	10		
40mm Plasson Reducing 25mm Straight coupler	EA	10		
40mm by 40mm-by-40mm Female plasson T piece	EA	10		
40mm by 40mm-by-40mm male plasson T piece	EA	10		
<b>50mm Plasson fittings</b>				
50mm male iron straight plasson coupler	EA	10		

50mm straight plasson coupler	EA	10		
50mm plasson Elbows	EA	10		
50mm Plasson Reducing 25mm Straight couplers	EA	10		
50mm Plasson pipe - 50-meter rolls	EA	10		
50mm by 50mm Plasson T piece	EA	10		
50mm by 50mm Plasson Elbow	EA	10		
50mm Female iron 50mm plasson Elbows	EA	10		
50mm Plasson Reducing 25mm Straight coupler	EA	10		
50mm by 50mm-by-50mm Female plasson T piece	EA	10		
50mm by 50mm-by-50mm male plasson T piece	EA	10		
<b>63mm Plasson fittings</b>				
63mm male iron straight plasson coupler	EA	10		
63mm straight plasson coupler	EA	10		
63mm plasson Elbows	EA	10		
63mm Plasson Reducing 25mm Straight couplers	EA	10		
63mm Plasson pipe - 50-meter rolls	EA	10		
63mm by 63mm Plasson T piece	EA	10		
63mm by 63mm Plasson Elbow	EA	10		
63mm Female iron 63mm plasson Elbows	EA	10		
63mm Plasson Reducing 25mm Straight coupler	EA	10		
63mm by 63mm-by-63mm Female plasson T piece	EA	10		
63mm by 63mm-by-63mm male plasson T piece	EA	10		
<b>Brass Strainers</b>				
15mm Brass strainer valve	EA	10		
20mm Brass strainer valve	EA	10		
25mm Brass strainer valve	EA	10		
32mm Brass strainer valve	EA	10		
40mm Brass strainer valve	EA	10		
50mm Brass strainer valve	EA	10		
<b>Brass non return valve</b>				
15mm conex brass non return valve	EA	10		
22mm conex brass non return valve	EA	10		
25mm brass non return valve	EA	10		
32mm brass non return valve	EA	10		
40mm brass non return valve	EA	10		
50mm brass non return valve	EA	10		

<b>Isolating ball valves</b>				
15mm Isolating ball valve	EA	10		
20mm Isolating ball valve	EA	10		
25mm Isolating ball valve	EA	10		
32mm Isolating ball valve	EA	10		
40mm Isolating ball valve	EA	10		
50mm Isolating ball valve	EA	10		
<b>Gate Valve</b>				
15mm Gate Valve	EA	10		
22mm Gate Valve	EA	10		
40mm Gate Valve	EA	10		
50mm Gate Valve	EA	10		
25mm Gate Valve	EA	10		
32mm Gate Valve	EA	10		
<b>Galvanize elbows</b>				
15 mm Galvanize elbows	EA	10		
20 mm Galvanize elbows	EA	10		
25 mm Galvanize elbows	EA	10		
32 mm Galvanize elbows	EA	10		
40 mm Galvanize elbows	EA	10		
50 mm Galvanize elbows	EA	10		
<b>Galvanize T piece</b>				
15 mm Galvanize T piece	EA	10		
20 mm Galvanize T piece	EA	10		
25 mm Galvanize T piece	EA	10		
32 mm Galvanize T piece	EA	10		
40 mm Galvanize T piece	EA	10		
50 mm Galvanize T piece	EA	10		
<b>Galvanize Sockets</b>				
15 mm Galvanize Socket	EA	10		
15 mm Galvanize Socket	EA	10		
20 mm Galvanize Socket	EA	10		
32 mm Galvanize Socket	EA	10		
40 mm Galvanize Socket	EA	10		
50 mm Galvanize Socket	EA	10		
<b>Galvanize Plugs</b>				
15 mm Galvanize Plugs	EA	10		
25 mm Galvanize Plugs	EA	10		
20 mm Galvanize Plugs	EA	10		
35 mm Galvanize Plugs	EA	10		
40 mm Galvanize Plugs	EA	10		

50 mm Galvanize Plugs	EA	10		
<b>Galvanize reducing bushes</b>				
15mm by 20mm Galvanize reducing bush	EA	10		
20mm by 25mm Galvanize reducing bush	EA	10		
25mm by 32mm Galvanize reducing bush	EA	10		
32mm by 40mm Galvanize reducing bush	EA	10		
40mm by 15mm Galvanize reducing bush	EA	10		
40mm by 20mm Galvanize reducing bush	EA	10		
40mm by 25mm Galvanize reducing bush	EA	10		
40mm by 32mm Galvanize reducing bush	EA	10		
50mm by 15mm reducing galvanize bush	EA	10		
50mm by 20mm reducing galvanize bush	EA	10		
50mm by 25mm reducing galvanize bush	EA	10		
50mm by 32mm reducing galvanize bush	EA	10		
50mm by 40mm reducing galvanize bush	EA	10		
<b>Galvanize Unions</b>				
15mm Galvanize unions	EA	10		
20mm Galvanize unions	EA	10		
25mm Galvanize unions	EA	10		
32mm Galvanize unions	EA	10		
40mm Galvanize unions	EA	10		
50mm Galvanize unions	EA	10		
<b>Vicking Johnsons</b>				
Vicking Johnson coupling 65 mm	EA	10		
Vicking Johnson coupling 80 mm	EA	10		
Vicking Johnson coupling 100 mm	EA	10		
Vicking Johnson coupling 115 mm	EA	10		
Vicking Johnson coupling 135 mm	EA	10		
Vicking Johnson coupling 150 mm	EA	10		
Vicking Johnson coupling 178 mm	EA	10		
Vicking Johnson coupling 254 mm	EA	10		
<b>Galvanize reducing Sockets</b>				
15 mm by 20 mm Galvanize Socket	EA	10		
20 mm by 25 mm Galvanize Sockets	EA	10		
25 mm by 15 mm Galvanize Sockets	EA	10		
25 mm by 20 mm Galvanize Sockets	EA	10		
32 mm by 15 mm Galvanize Sockets	EA	10		
32 mm by 20 mm Galvanize Sockets	EA	10		
40 mm by 15 mm Galvanize Sockets	EA	10		
40 mm by 20 mm Galvanize Sockets	EA	10		
40 mm by 25 mm Galvanize Sockets	EA	10		
50mm by 15mm Galvanize reducing socket	EA	10		
50mm by 20mm Galvanize reducing socket	EA	10		

50mm by 25mm Galvanize reducing socket	EA	10		
50mm by 32mm Galvanize reducing socket	EA	10		
50mm by 40mm Galvanize reducing socket	EA	10		
<b>Galvanize water pipe 6 meter long</b>				
15mm galvanize pipe 6 meter long	EA	10		
20mm galvanize pipe 6 meter long	EA	10		
25mm galvanize pipe 6 meter long	EA	10		
32mm galvanize pipe 6 meter long	EA	10		
40mm galvanize pipe 6 meter long	EA	10		
50mm galvanize pipe 6 meter long	EA	10		
65mm galvanize pipe 6 meter long	EA	10		
80mm galvanize pipe 6 meter long	EA	10		
100mm galvanize pipe 6 meter long	EA	10		
<b>Galvanize nipples</b>				
15 mm galvanize nipples	EA	10		
20 mm galvanize nipples	EA	10		
25 mm galvanize nipples	EA	10		
32 mm galvanize nipples	EA	10		
40 mm galvanize nipples	EA	10		
50 mm galvanize nipples	EA	10		
<b>Galvanize running nipples</b>				
15mm galvanize running nipples	EA	10		
20mm galvanize running nipples	EA	10		
<b>Cascade clamps</b>				
Cascade clamps 15mm	EA	10		
Cascade clamps 20mm	EA	10		
Cascade clamps 25mm	EA	10		
Cascade clamps 32mm	EA	10		
Cascade clamps 40mm	EA	10		
Cascade clamps 50mm	EA	10		
Cascade clamps 75mm	EA	10		
Cascade clamps 100mm	EA	10		
Cascade clamps 125mm	EA	10		
Cascade clamps 150mm	EA	10		
Cascade clamps 200mm	EA	10		
Cascade clamps 225mm	EA	10		
Cascade clamps 250mm	EA	10		
Cascade clamps 300mm	EA	10		
Cascade clamps 350mm	EA	10		
<b>Johnson couplings</b>				
Johnson coupling 15mm	EA	10		
Johnson coupling 20mm	EA	10		

Johnson coupling 25mm	EA	10		
Johnson coupling 32mm	EA	10		
Johnson coupling 40mm	EA	10		
Johnson coupling 50mm	EA	10		
<b>Mineflo high pressure PVC pipe</b>				
Mineflo high pressure PVC class 16 pipe 55mm	EA	10		
Mineflo high pressure PVC class 16 pipe 105mm	EA	10		
Mineflo high pressure PVC class 16 pipe 155mm	EA	10		
Mineflo high pressure PVC class 16 pipe 210mm	EA	10		
Mineflo high pressure PVC class 16 pipe 250mm	EA	10		
	EA	10		
<b>Loose Minelok pipe collars</b>	EA	10		
Loose Minelok pipe collars 55mm	EA	10		
Loose Minelok pipe collars 105mm	EA	10		
Loose Minelok pipe collars 155mm	EA	10		
Loose Minelok pipe collars 201mm	EA	10		
Loose Minelok pipe collars 250mm	EA	10		
<b>Standard cast iron clamp for Minelok collars</b>				
Standard cast iron clamp for Minelok collars 50mm	EA	10		
Standard cast iron clamp for Minelok collars 80mm	EA	10		
Standard cast iron clamp for Minelok collars 100mm	EA	10		
Standard cast iron clamp for Minelok collars 150mm	EA	10		
Standard cast iron clamp for Minelok collars 200mm	EA	10		
Standard cast iron clamp for Minelok collars 250mm	EA	10		
<b>Minelok repair coupling</b>				
Minelok repair coupling 105mm	EA	10		
Minelok repair coupling 155mm	EA	10		
Minelok repair coupling 210mm	EA	10		
Minelok repair coupling 250mm	EA	10		
<b>Minelok steel saddle</b>				
Minelok steel saddle 55 by 1 inch	EA	10		
Minelok steel saddle 105 by 1 inch	EA	10		

Minelok steel saddle 105 by 2 inch	EA	10		
Minelok steel saddle 155 by 2 inch	EA	10		
Minelok steel saddle 210 by 2 inch	EA	10		
Minelok steel saddle 250 by 2 inch	EA	10		
<b>Minelok Ultralock coupling</b>				
Minelok Ultralock coupling 105mm	EA	10		
Minelok Ultralock coupling 110mm	EA	10		
<b>Saddles reinforced</b>				
-saddles reinforced 32mm by ¾ inches	EA	10		
-saddles reinforced 50mm by 1/2 inches	EA	10		
-saddles reinforced 50mm by 1 inch	EA	10		
-saddles reinforced 50mm by 3/4 inches	EA	10		
-saddles reinforced 63mm by 1 inch	EA	10		
-saddles reinforced 63mm by 1/2 inches	EA	10		
-saddles reinforced 63mm by 1,1/4 inch	EA	10		
-saddles reinforced 63mm by ¾ inches	EA	10		
-saddles reinforced 75mm by 1 inch	EA	10		
-saddles reinforced 75mm by 1.1/2 inch	EA	10		
-saddles reinforced 75mm by ¼ inches	EA	10		
-saddles reinforced 75mm by ½ inches	EA	10		
-saddles reinforced 75mm by 1,1/4 inch	EA	10		
-saddles reinforced 75mm by ½ inches	EA	10		
-saddles reinforced 75mm by ¾ inches	EA	10		
-saddles reinforced 90mm by 1 inch	EA	10		
-saddles reinforced 90mm by 1,1/2 inch	EA	10		
-saddles reinforced 90mm by 1,1/4 inch	EA	10		
-saddles reinforced 90mm by 1/2 inch	EA	10		
-saddles reinforced 90mm by 2 inch	EA	10		
-saddles reinforced 90mm by ¾ inches	EA	10		
-saddles reinforced 110mm by 1 inch	EA	10		
-saddles reinforced 110mm by 1,1/2 inch	EA	10		
-saddles reinforced 110mm by 1,1/4 inch	EA	10		
-saddles reinforced 110mm by 1/2 inches	EA	10		
-saddles reinforced 110mm by 2 inches	EA	10		
-saddles reinforced 110mm by 2,1/2 inch	EA	10		
-saddles reinforced 110mm by 3 inches	EA	10		
-saddles reinforced 110mm by 3/4 inches	EA	10		
-saddles reinforced 125mm by 1 inch	EA	10		
-saddles reinforced 125mm by 1,1/2 inch	EA	10		
-saddles reinforced 125mm by 1,1/4 inch	EA	10		
-saddles reinforced 125mm by 2 inches	EA	10		
-saddles reinforced 125mm by 3/4 inches	EA	10		
-saddles reinforced 140mm by 1 inch	EA	10		
-saddles reinforced 140mm by 1,1/2 inch	EA	10		
-saddles reinforced 140mm by 1,1/4 inch	EA	10		

-saddles reinforced 140mm by 2 inches	EA	10		
-saddles reinforced 140mm by 3 inches	EA	10		
-saddles reinforced 160mm by 1 inch	EA	10		
-saddles reinforced 160mm by 1,1/2 inch	EA	10		
-saddles reinforced 160mm by 1,1/4 inch	EA	10		
-saddles reinforced 160mm by 1/2 inches	EA	10		
-saddles reinforced 160mm by 2 inches	EA	10		
-saddles reinforced 160mm by 3 inches	EA	10		
-saddles reinforced 160mm by 3/4 inches	EA	10		
-saddles reinforced 160mm by 4 inches	EA	10		
-saddles reinforced 200mm by 1 inch	EA	10		
-saddles reinforced 200mm by 1,1/2 inch	EA	10		
-saddles reinforced 200mm by 1,1/4 inch	EA	10		
-saddles reinforced 200mm by 2 inches	EA	10		
-saddles reinforced 200mm by 3 inches	EA	10		
-saddles reinforced 200mm by 3/4 inches	EA	10		
-saddles reinforced 200mm by 4 inches	EA	10		
-saddles reinforced 225mm by 1 inch	EA	10		
-saddles reinforced 225mm by 1,1/2 inch	EA	10		
-saddles reinforced 225mm by 1,1/4 inch	EA	10		
-saddles reinforced 225mm by 1/2 inches	EA	10		
-saddles reinforced 225mm by 2 inches	EA	10		
-saddles reinforced 225mm by 3 inches	EA	10		
-saddles reinforced 225mm by ¾ inches	EA	10		
-saddles reinforced 225mm by 4 inches	EA	10		
<b>Table D Flanged casted steel gate valve</b>				
Table D Flanged casted steel gate valve with rising pin 100mm pipe size	EA	10		
Table D Flanged casted steel gate valve with rising pin 125mm pipe size	EA	10		
Table D Flanged casted steel gate valve with rising pin 150mm pipe size	EA	10		
Table D Flanged casted steel gate valve with rising pin 200mm pipe size	EA	10		
Table D Flanged casted steel gate valve with rising pin 250mm pipe size	EA	10		
<b>Blank Flanges</b>				
Blank Flanges square 125mm by 125mm by 6mm	EA	10		
Blank Flanges square 150mm by 150mm by 6mm	EA	10		
Blank Flanges Round 100mm 6mm thick	EA	10		
Blank Flanges Round 120mm 6mm thick	EA	10		
Blank Flanges Round 150mm 6mm thick	EA	10		
Blank Flanges Round 190mm 6mm thick	EA	10		

Blank Flanges Round 250mm 6mm thick	EA	10		
Blank Flanges Round 300mm 6mm thick	EA	10		
<b>Threaded rods, nuts, washers</b>				
Galvanize threaded rod 1-meter long 8mm	EA	10		
Galvanize threaded rod 1-meter long 10mm	EA	10		
Galvanize threaded rod 1-meter long 12mm	EA	10		
Galvanize threaded rod 1-meter long 14mm	EA	10		
Stainless steel threaded rod 1-meter long 8mm	EA	10		
Stainless steel threaded rod 1-meter long 10mm	EA	10		
Stainless steel threaded rod 1-meter long 12mm	EA	10		
Stainless steel threaded rod 1-meter long 16mm	EA	10		
Washers galvanize 8mm	EA	10		
Washers galvanize 10mm	EA	10		
Washers galvanize 12mm	EA	10		
Washers galvanize 16mm	EA	10		
Washers Stainless steel 8mm	EA	10		
Washers Stainless steel 10mm	EA	10		
Washers Stainless steel 12mm	EA	10		
Washers Stainless steel 16mm	EA	10		
Galvanize Nuts 8mm	EA	10		
Galvanize Nuts 10mm	EA	10		
Galvanize Nuts 12mm	EA	10		
Galvanize Nuts 16mm	EA	10		
Stainless steel Nuts 8mm	EA	10		
Stainless steel Nuts 10mm	EA	10		
Stainless steel Nuts 12mm	EA	10		
Stainless steel Nuts 16mm	EA	10		
<b>Grinding discs</b>				
115mm x 6.5mm x 22.2mm Grinding disc steel	EA	10		
400mm x 3mm x 25.4mm Cutting disc steel	EA	10		
350mm x 3mm x 25.4mm Cutting disc steel	EA	10		
115mm x 3mm x 22mm cutting disc steel	EA	10		
230mm x 3mm x 22.2mm Cutting disc steel	EA	10		
230mm x 7.2mm x 22.2mm Grinding disc steel	EA	10		
230mm x 3mm x 22.2mm Cutting disc masonry	EA	10		
230mm x 3mm x 22.2mm Diamond Cutting disc masonry	EA	10		
230mm x 3mm x 22.2mm Diamond Cutting disc universal	EA	10		

<b>Tools</b>				
Universal copper pipe cutter 15mm – 40mm	EA	10		
Universal copper pipe cutter 8mm - 25mm	EA	10		
Universal basin spanner	EA	10		
Aluminium ladder double sided steps 2.4 meter high	EA	10		
Aluminium ladder double sided steps 3.6 meter high	EA	10		
Aluminium extension ladders extended height of 6.35 meter	EA	10		
Ridged copper pipe cutter 15mm-40mm	EA	10		
Sabre saw cutting blades for steel 225mm x 0.9mm	EA	10		
Sabre saw cutting blades for steel 150mm x 0.9mm	EA	10		
Sabre saw cutting blades for steel and wood universal 225mm x 1.6mm	EA	10		
Sabre saw cutting blades for steel and wood universal 105mm x 1.6mm	EA	10		
Sabre saw cutting blades for steel and wood universal 300mm x 0.9mm	EA	10		
Sabre saw cutting blades for wood Fast cutting 300mm x 1.25	EA	10		
Sabre saw cutting blades for wood Fast cutting 225mm x 1.25	EA	10		
Denzo tape 100mm by 10 meters	EA	10		
Ridgid cutting oil 5lt bottle	EA	10		
All in one multipurpose oil 100ml	EA	10		
Metal and tapping cutting paste	EA	10		
WD 40 spray with straw 450ml	EA	10		
UNIVERSAL 404 PCE O-RING KIT	EA	10		
Fragram Metric O-Ring 3-50mm - 419 Piece	EA	10		
Stag jointing compound	EA	10		
500 Gr Window putty	EA	10		
Rubber toilet plunger with short wooden handle	EA	10		
Universal reseating tool for water taps	EA	10		
Plumbers' butane gas blow torch	EA	10		
Butane gas canister for plumber butane gas blow torch	EA	10		
100-meter building fish line	EA	10		
Fish line spirit level	EA	10		
Nylon ski rope 7mm thick by 30 meter long	EA	10		
500 ml PVC weld	EA	10		
Hank off hemp	EA	10		

100mm (4 inch) AVK Series 854 Ball valve stainless steel to accommodate size 100mm water pipe	EA	10		
Wide roll white PTFE tape	EA	10		
20Pcs Diamond Coated Core Drill Bit Set 3-50mm Hole Saw Cutter for Glass, Marble, Granite	EA	10		
50 LBS Arrow welding Magnetic holder	EA	10		
Combination square sets	EA	10		
Combination square	EA	10		
5 meter measuring tapes	EA	10		
10 meter measuring tapes	EA	10		
Respirator w/o filter	EA	10		
Respirator spare filter for dust	EA	10		
Steel hose clamps 4-12mm	EA	10		
Steel hose clamps 6-17mm	EA	10		
Steel hose clamps 10-22mm	EA	10		
Steel hose clamps 15-27mm	EA	10		
Steel hose clamps 14-27mm	EA	10		
Steel hose clamps 14-32mm	EA	10		
Steel hose clamps 17-38mm	EA	10		
Steel hose clamps 19-44mm	EA	10		
Steel hose clamps 25-51mm	EA	10		
Steel hose clamps 32-57mm	EA	10		
Steel hose clamps 38-63mm	EA	10		
Steel hose clamps 44-70mm	EA	10		
Steel hose clamps 51-76mm	EA	10		
Steel hose clamps 57-82mm	EA	10		
Steel hose clamps 70-95mm	EA	10		
Steel hose clamps 76-102mm	EA	10		
Steel hose clamps 82-108mm	EA	10		
<b>6.5mm/8mm Drain rods and fittings</b>				
6.5mm thick spring steel drain rods 2 meter long complete with male and female couplings	EA	10		
8.0mm thick spring steel drain rods 2 meter long complete with male and female couplings	EA	10		
Double corkscrew for 6.5mm drain rods	EA	10		
Double corkscrew for 8mm drain rods	EA	10		
Root auger for 6.5mm drain rods	EA	10		
Root auger for 8mm drain rods	EA	10		
Single corkscrew for 6.5mm drain rods	EA	10		
Single corkscrew for 8mm drain rods	EA	10		
8mm spring steel gully plunger for 100 mm drain	EA	10		

<b>Eco Rubber water proofing</b>				
Eco Rubber water proofing paint 25 square meter drum	EA	10		
Eco Rubber water proofing tape 100mm by 2.5 meter	EA	10		
Eco Rubber water proofing tape 150mm by 10 meters	EA	10		
<b>Everbond water proofing</b>				
Everbond Red 5lt paint	EA	10		
Everbond Grey 5lt paint	EA	10		
Everbond Black 5lt paint	EA	10		
<b>JOJO Tank and accessories</b>				
5'000 LT green Vertical water tank clip on lid	EA	10		
1'500 LT green Vertical water tank clip on lid	EA	10		
0,75 KW single stage water booster pump with flow switch with theft protection min 3,6 bar	EA	10		
Pressure flow switch controller	EA	10		
0,75 Kw vane booster pump with theft protection min 3,6 bar	EA	10		
40 by 25mm PVC reducer	EA	10		
25mm PVC barrel nipple	EA	10		
25mm PVC Female Ball valve with red handle	EA	10		
25mm Polyprop male couplers	EA	10		
Flexible hose assembly plus 2 female polyprop couplers attached	EA	10		
PVC Leaf eater for water tank	EA	10		
PVC first flush diverter for water tank	EA	10		
<b>Steel works</b>				
Castor wheels 150mm wheel size by 170mm high and plate size of 150mm by 110mm	EA	10		
Sliding gate wheels with top roller guides complete 60mm	EA	10		
Sliding gate wheels with top roller guides complete 80mm	EA	10		
Steel gas welding rods 1kg bundle	EA	10		
250g brazing flux powder	EA	10		
brassing rods 1,6mm, 5kg bundles	EA	10		
brassing rods 3mm, 5kg bundles	EA	10		
brassing rods 5mm, 5kg bundles	EA	10		
Sliding gate Shox wheel set 80mm stainless steel with end stopper	EA	10		
500 g Copper slip grease	EA	10		

STAG jointing compound	EA	10		
Electronic welding helmet	EA	10		
3.0mm Afrox Vitamax welding rods 5 KG	EA	10		
2.15mm Afrox Vitamax welding rods 5 KG	EA	10		
<b>SDS Concrete drill bits</b>				
SDS concrete drill bit 4mm standard size	EA	10		
SDS concrete drill bit 6mm standard size	EA	10		
SDS concrete drill bit 8mm standard size	EA	10		
SDS concrete drill bit 10mm standard size	EA	10		
SDS concrete drill bit 12mm standard size	EA	10		
SDS concrete drill bit 14mm standard size	EA	10		
SDS concrete drill bit 16mm standard	EA	10		
SDS concrete drill bit 16mm by 350mm long	EA	10		
SDS concrete drill bit 18mm standard size	EA	10		
SDS concrete drill bit 20mm by 350mm long	EA	10		
SDS concrete drill bit 22mm by 350mm long	EA	10		
SDS concrete drill bit 24mm standard size	EA	10		
<b>High-quality high-Speed steel drill bits</b>				
3.2mm High-quality High-Speed steel drill bit	EA	10		
4.0mm High-quality High-Speed steel drill bit	EA	10		
4.5mm High-quality High-Speed steel drill bit	EA	10		
5.0mm High-quality High-Speed steel drill bit	EA	10		
6.0mm High-quality High-Speed steel drill bit	EA	10		
6.5mm High-quality High-Speed steel drill bit	EA	10		
7.0mm High-quality High-Speed steel drill bit	EA	10		
8.0mm High-quality High-Speed steel drill bit	EA	10		
10.0mm High-quality High-Speed steel drill bit	EA	10		
10.5mm High-quality High-Speed steel drill bit	EA	10		
12.0mm High-quality High-Speed steel drill bit	EA	10		
13.0mm High-quality High-Speed steel drill bit	EA	10		
14.0mm High-quality High-Speed steel drill bit	EA	10		

15.0mm High-quality High-Speed steel drill bit	EA	10		
16.0mm High-quality High-Speed steel drill bit	EA	10		
18.0mm High-quality High-Speed steel drill bit	EA	10		
<b>Galvanize Gutters/Bolts/Pop Rivets</b>				
Squares galvanize gutter box 300mm by 450 mm	EA	10		
Gutter Square 75mm by 100mm by 6 meter long	EA	10		
Gutter Square 100mm by 175mm by 6 meter long	EA	10		
Round gutter 130mm by 6 meter long	EA	10		
Square gutter corner internal 75mm by 100mm	EA	10		
Square gutter corner external 100mm by 175mm	EA	10		
Round gutter corner 130 mm Internal	EA	10		
Round gutter corner 130 mm external	EA	10		
Gutter Square 125mm by 95mm by 6 meter long	EA	10		
Square gutter corner internal 125mm by 95mm	EA	10		
Square gutter 125mm by 95mm outlet	EA	10		
Square gutter corner external 125mm by 95mm	EA	10		
Gutter Square 125mm by 95mm stop ends	EA	10		
Gutter Square 100mm by 75mm stop ends	EA	10		
Gutter Square 100mm by 75mm outlet	EA	10		
Round gutter 130mm stop ends	EA	10		
Square down pipe 75mm by 100mm 0.915 meter long	EA	10		
Square Telescopic offset 75mm by 100mm	EA	10		
Square down pipe 75mm by 100mm shoe	EA	10		
Square down pipe 75mm by 100mm bracket	EA	10		
Square down pipe 75mm by 100mm by 1.8-meter-long standard with shoe	EA	10		
Round down pipe 75mm by 0.915 meter long	EA	10		
Round Telescopic offset 75mm	EA	10		
Round down pipe 75mm shoe	EA	10		
Round down pipe 75mm outlet	EA	10		
Round down pipe 75mm bracket	EA	10		
Round down pipe 75mm by 1.8-meter-long standard with shoe	EA	10		
Round down pipe 90mm by 0.915 meter long	EA	10		

Round Telescopic offset 90mm	EA	10		
Round down pipe 90mm shoe	EA	10		
Round down pipe 90mm outlet	EA	10		
Round down pipe 90mm bracket	EA	10		
Round down pipe 90mm by 1.8-meter-long standard with shoe	EA	10		
Gutter bolts 6mm by 25mm	EA	10		
Gutter bolts 6mm by 50mm	EA	10		
Gutter Bolts 6mm by 65mm	EA	10		
Pop Rivets 3.2 mm by 6mm long	EA	10		
Pop Rivets 3.2 mm by 10mm long	EA	10		
Pop Rivets 4.8 mm 6mm long	EA	10		
Pop Rivets 4.8 mm 10mm long	EA	10		
Pop Rivets 4.8 mm 12mm long	EA	10		
Closed End Blind Rivets 4 mm by 6.4mm long	EA	10		
Closed End Blind Rivets 4 mm by 9.5mm long	EA	10		
Closed End Blind Rivets 4 mm by 12.7mm long	EA	10		
Closed End Blind Rivets 4 mm by 15.9 mm long	EA	10		
<b>Silicon</b>				
Silicon white	EA	10		
Silicon grey	EA	10		
Silicon Marine clear	EA	10		
Silicone Sikaflex-295 UV	EA	10		
Silicone Sikaflex-221	EA	10		
Silicone Sikaflex-223	EA	10		
Silicone Sikaflex-554 Power Cure	EA	10		
<b>Rawl bolts</b>				
6mm Rawl bolts	EA	10		
8mm Rawl bolts	EA	10		
10 mm Rawl bolts	EA	10		
10 mm Projection Rawl bolts	EA	10		
12mm Rawl bolts	EA	10		
<b>Kwikboil/ Hydroboil taps</b>		10		
Kwik boil urn taps	EA	10		
Hydroboil taps	EA	10		
<b>Kwikboil/Hydroboil/Bluewave boiler</b>				
7.5Lt Hydroboil	EA	10		
5Lt Hydroboil	EA	10		
2.5Lt Hydroboil	EA	10		
BlueWave E-Boil system 5 L	EA	10		

BlueWave E-Boil system 7 L	EA	10		
BlueWave E-Boil MK2-CT Tap Classic: complete assembly	EA	10		
BlueWave E-Boil 15556 Tap Seal	EA	10		
BlueWave E-Boil 100005 Tap spring	EA	10		
BlueWave E-Boil 1902299 Tap Handle	EA	10		
BlueWave E-Boil 1902022 Tap stem	EA	10		
BlueWave E-Boil 315889 Tap surround cover	EA	10		
BlueWave E-Boil MK3-PSU PC board	EA	10		
BlueWave E-Boil MK2-ELE Incalloy Element 2,0 Kw (5-10 Lit size)	EA	10		
BlueWave E-Boil MK2-ST Silicone tube	EA	10		
BlueWave E-Boil TP001 Selenoid Valve	EA	10		
BlueWave E-Boil Hi/Lo Probe	EA	10		
BlueWave E-Boil MK2-TS Thermistor/ temperature sensor	EA	10		
<b>Galvanize/Black iron sheets</b>				
Galvanize Sheet 2,450 meter by 1.225 meter by 0.6mm thick	EA	10		
Galvanize Sheet 2,450 meter by 1.225 meter by 0.8mm thick	EA	10		
Galvanize Sheet 2,450 meter by 1.225 meter by 1.0mm thick	EA	10		
Galvanize Sheet 2,450 meter by 1.225 meter by 1.2 mm thick	EA	10		
Galvanize Sheet 2,450 meter by 1.225 meter by 1.6 mm thick	EA	10		
Galvanize Sheet 2,450 meter by 1.225 meter by 2.0 mm thick	EA	10		
Galvanize Sheet 2,450 meter by 1.225 meter by 3.0 mm thick	EA	10		
Black iron sheet 2.450 meter by 1.225 meter by 0.8 mm thick	EA	10		
Black iron sheet 2.450 meter by 1.225 meter by 1.0 mm thick	EA	10		
Black iron sheet 2.450 meter by 1.225 meter by 1.6 mm thick	EA	10		
Black iron sheet 2.450 meter by 1.225 meter by 2.0 mm thick	EA	10		
Black iron sheet 2.450 meter by 1.225 meter by 3.0 mm thick	EA	10		
<b>Steel bar and tubing</b>				
6 mm Mild steel square bar 6 meter	EA	10		
6mm Mild steel round bar 6 meter	EA	10		
8 mm Mild steel square bar 6 meter	EA	10		

8mm Mild steel round bar 6 meter	EA	10		
15 mm Mild steel square tubing 1,6mm by 6 meters	EA	10		
10 mm Mild steel square bar 6 meter	EA	10		
10mm Mild steel round bar 6 meter	EA	10		
20 mm Mild steel square tubing 1,6mm by 6 meters	EA	10		
12 mm Mild steel square bar 6 meter	EA	10		
12 mm Mild steel round bar 6 meter	EA	10		
25 mm Mild steel square tubing 1,6mm by 6 meters	EA	10		
16mm Mild steel square bar 6 meters	EA	10		
25mm x 38mm x38mm Fiberglass grating by 3660mm by 1220mm	EA	10		
38mm x 38mm x38mm Fiberglass grating by 3660mm by 1220mm	EA	10		
20mm Straight Conduit 4000mm Bosal	EA	10		
25mm Straight Conduit 4000mm Bosal	EA	10		
20mm Male Adaptors Bosal	EA	10		
25mm Male Adaptors Bosal	EA	10		
20mm Lock Nuts	EA	10		
25mm Lock nuts	EA	10		
20mm Solid Coupling Bosal	EA	10		
25mm solid Coupling Bosal	EA	10		
20mm 2-way through Box	EA	10		
25mm 2-way through Box Bosal	EA	10		
20mm 4way side entry box Bosal	EA	10		
25mm 4-way side entry box Bosal	EA	10		
20mm Pipe bender	EA	10		
25mm Pipe Bender	EA	10		
<b>SUB-TOTAL</b>				
<b>VAT</b>				
<b>TOTAL</b>				

### 5.3.1.3 BILL OF QUANTITIES (CARPENTRY)

DESCRIPTION	UOM	Qty	UNIT PRICE EXCL. OF VAT	TOTAL PRICE EXCL. OF VAT
Brass plated spring hinges	Per pair	10		
Automatic door closers union	Each	10		
Shower curtains with hooks	Each	10		
4 lever union mortice locks	Each	10		
Pear shape lock sets and cylinders only	Each	10		
Ovalshape lock sets and cylinders only	Each	10		
Small oval locks sets and cylinders	Each	10		
Elzette lock sets	Each	10		
Gross hinges pot type	Each	10		
Sinkless door hinges 100mm aluminium	Each	10		
Steel butt hinges 100mm	Each	10		
Night latches yale /union type	Each	10		
32mm cam locks	Each	10		
Push locks 19 x22mm	Each	10		
Drawer locks 19 x22mm	Each	10		
Avs lock systems front mount 600mm	Each	10		
Double sided tape 25mm x 3mm rolls	Each	10		
19 mm chrome pipe 6meter lengths	Each	10		
19mm flat flanges	Each	10		
22mm flat flanges	Each	10		
Woodscrews 10 x 50mm (100 per packet)	Each	10		
Woodscrews 10 x 75mm (100 per packet)	Each	10		
Woodscrews 4x16mm (100 per packet)	Each	10		
Woodscrews 8 x40mm (100 per packet)	Each	10		
Chipboard screws brass plated 4 x16mm (100 per packet)	Each	10		
Chipboard screws brass plated 8 x16mm (100 per packet)	Each	10		
Chipboard screws brass plated 8 x30mm (100 per packet)	Each	10		
41mm drywall screws (100 per packet)	Each	10		
25mm drywall screws (100 per packet)	Each	10		
Gutter bolts and nuts 75mm x 6mm (100 per packet)	Each	10		
Gutter bolts and nuts 50mm x 6mm (100 per packet)	Each	10		
Gutter bolts and nuts 25mm x 6mm (100 per packet)	Each	10		
Pad bolts 150mm lockable type	Each	10		
Black japan pad bolt 300mm	Each	10		
Abe super laycryn fibrated red and black (5l tin)	Each	10		
Membrane cloth rolls 100mm /200mm /300mm (10 m per roll)	Each	10		
Cupboard rollers bottom wheel (per pair)	Each	10		
Cupboard rollers top wheel (per pair)	Each	10		
150mm black hasp and staple box of 10	Each	10		
40mm panel pins per kg	Each	10		
25mm panel pins per kg	Each	10		

32mm panel pins per kg	Each	10		
100mm wire nails per kg	Each	10		
75mm wire nails per kg	Each	10		
125mm wire nails per kg	Each	10		
25mm wire nails per kg	Each	10		
75mm roof screws with washers 500 in a box	Each	10		
50mm tex screws with washers 500 in a box	Each	10		
30mm tex screws with washers 500 in a box	Each	10		
25mm tex screws with washers 500 in a box	Each	10		
Concrete nails 25mm per kg	Each	10		
Concrete nails 40mm per kg	Each	10		
Genkem 5l tin	Each	10		
White alkaline wood glue 5 l tin	Each	10		
Brass plated mirror plates 100 per box	Each	10		
Picture frame eye hooks 100 per box	Each	10		
920 barber point carpets per 10 m2 per box	Each	10		
Carpet glue 5l tin	Each	10		
Solid brass fire door hinges 100mm	Each	10		
Hammer fix 8 x100mm (50 per box)	Each	10		
Hammer fix 8 x 80mm (50 per box)	Each	10		
Grinding discs 230mm	Each	10		
Spring toggles m5x75mm (10 per pack)	Each	10		
Washer penny 32mmx 6mm (100 per pack)	Each	10		
Wall anchor 16mm x 6mm (100 per box)	Each	10		
Brass hat and coat hooks	Each	10		
Rawl bolts m10 (50 per box)	Each	10		
Rawl bolts m 8 (50 per box)	Each	10		
Rawl bolts m6 (50 per box)	Each	10		
Jig saw blades all sizes (5 per packet)	Each	10		
Window handles brass left and right	Each	10		
Window stays as per sizes required	Each	10		
Lemelo biscuits 020 (1000 per box)	Each	10		
Sandpaper belts for hand machines (5 per packet)	Each	10		
Sandpaper belts for workshop machine (5 per packet)	Each	10		
Ion on edging 100m roll	Each	10		
3000mm l x 230mm w fascia boards	Each	10		
3000mm l x 230mm barge boards	Each	10		
Rhino ceiling boards 2400mm l x 1200mm w x 6,4 mm t	Each	10		
Ceiling rhino cornish	Each	10		
Rhino boards joint strips	Each	10		
Futura vinyl 6033 ceiling boards (8 per box)	Each	10		
Diamond mesh wire 30m x 2,5 m x 3,6 mm diameter (64mm x64mm aperture)	Each	10		
Diamond mesh wire 30m l x 1,8m h x 3,6 mm diameter (64mm x64mm aperture)	Each	10		
Diamond mesh wire 30m x 2,5 m x 2,5 mm diameter (64mm x64mm aperture)	Each	10		
Diamond mesh wire 30m l x 1,8m h x 2,5mm diameter (64mm x64mm aperture)	Each	10		
Flat razor fence 2,4 m h x 30 m l	Each	10		

Flat razor wire 0,450m h x 30 m l	Each	10		
Coil razor wire 0,450m x 30 m l	Each	10		
Fence poles 2,4m l x 0,068m diameter x 2mm t	Each	10		
Fence stay 1,800 mm h x 0,040mm diameter x 2mm t	Each	10		
Double swing diamond fence gates 1, 800 m h x 1,5m l with lockable mechanism	Each	10		
Black fence standards 2,4m l	Each	10		
Straining wire fencing 4mm per 50 kg roll	Each	10		
Binding wire 1.6mm x 10kg roll	Each	10		
6 m l x 40mm x 40mm angle iron	Each	10		
Welding rods 2.5mm per 5kg	Each	10		
Sa pine wood filler 200g	Each	10		
Meranti wood filler 200g	Each	10		
Light oak wood filler 200g	Each	10		
Oak wood filler 200g	Each	10		
Toilet indicator bolts union	Each	10		
Toilet paper dispenser 3 rolls lockable stainless steel	Each	10		
PVC wall panelling kiasat 5,8 m l x 0,134m w x 24 mm t (10 pannels per box)	Each	10		
PVC panelling iocrete opulence crete 2,9 ml	Each	10		
Blinds Navy Bleu vertical (Code Itaca 2)	M2	10		
Blinds Linen wash venetian 50 mm American hard	M2	10		
Vinyl flooring owa futura	M2	10		
50mm brass pad locks	Each	10		
40mm brass pad locks	Each	10		
Bolts and nuts 10mm x 100mm (50 per box)	Each	10		
Bolts and nuts 10mm x 125mm (50 per box)	Each	10		
Bolts and nuts 6mm x 75mm (50 per box)	Each	10		
Bolts and nuts 6mm x 60mm (50 per box)	Each	10		
Galvanized chain 6mm (per kg)	Each	10		
Galvanised chain 10mm (per kg)	Each	10		
3mm masonite 2440m x 1200mm	Each	10		
75 mm paint scraper	Each	10		
100mm paint scraper	Each	10		
Wooden handle wire brush 300mm	Each	10		
Diamond glass cutters	Each	10		
Putty knife	Each	10		
Yellow oxide tinter	Each	10		
Masking tape 40mm	Each	10		
Rhino ceiling board 2400mm x 900mm x 6.4mm	Each	10		
30mm mild steel bullet hinges	Each	10		
Super track galvanized 63,5mm x 24mm x 3000mm drywalling	Each	10		
Head and wall channel dry walling 3000mm x no 89	Each	10		
Rhino board 2700mm x 1200mm x 12.5mm	Each	10		
Flat aluminium skirting 3000mm long	Each	10		
Galvanized stud 63.5mm x 35mm x 3000 mm (20 per bundle)	Each	10		
Sapele/ meranti hollow core door 2030mm x 815mm x 44mm	Each	10		

Cross tee wide grid 38mm x 1206mm long (60 per box)	Each	10		
Cross tee standard grid 25mm x 1200mm long (60 per box)	Each	10		
Main tee standard grid 25mm x 3600mm long (20 per box)	Each	10		
Main tee wide grid 38mm x 3600mm long (20 per box)	Each	10		
Jointing tape 152m	Each	10		
Rhino light 20kg bag	Each	10		
Rhino glide 20kg bag	Each	10		
Door frame 4 leg 87 drywalling 6400mm	Each	10		
External corner 90 degree 3600mm long	Each	10		
Internal corner 90 degrees 3600mm long	Each	10		
Complete door frame 4 leg 98 set	Each	10		
Idube vinyl tiles 1200mm x 600mm x 8mm (8 per box)	Each	10		
Window brass slider 175mm long	Each	10		
Window brass sliders 270mm long	Each	10		
Brass window peg 200mm long	Each	10		
Brass window peg 270mm long	Each	10		
Pear shape lock cylinder	Each	10		
Oval shape lock cylinder	Each	10		
White melamine board 2750mm x 1850mm	Each	10		
Oak melamine board 2750mm x 1850mm	Each	10		
Pop rivets 4.8mm x 16mm (500 per box)	Each	10		
Metal angle bracket 49mm x 36mm x 2mm thick	Each	10		
Coner brackets with lids white and oak code h020/br-c	Each	10		
Shelf studs clear with 5mm pin	Each	10		
Double roller catch zinc plated	Each	10		
Postform tops 3500mm x 600mm white and oak couler	Each	10		
Postform end trims 600mm long white and oak couler	Each	10		
Postform joiners 600mm long white and oak couler	Each	10		
Plastic mushroom knob 32mm diameter white code rsk232	Each	10		
Medium plastic d handle white for cupboard doors code 1496plwh	Each	10		
Oak cup handle for cupboard doors code rwh104	Each	10		
<b>SUB-TOTAL</b>				
<b>VAT</b>				
<b>TOTAL</b>				

### 5.3.1.4 BILL OF QUANTITIES (MASONRY)

DESCRIPTION	UOM	QTY	UNIT PRICE EXCL OF VAT	TOTAL PRICE EXCL. OF VAT
32.5 mpa cement 50kg	Ea	10		
42.5 mpa cement 50kg	Ea	10		
200mm x 200mm shiny white johnson wall tile	M2	10		
150mm x 150mm shiny white johnson wall tile	M2	10		
200mm x 200mm white johnson wall tile	M2	10		
150mm x 150mm white johnson wall tile	M2	10		
50kg rhinolite	Ea	10		
50kg rhinoglide	Ea	10		
20 l plaster key	Ea	10		
10 l plaster key	Ea	10		
5 l plaster key	Ea	10		
Tile cement 20kg	Ea	10		
White grout 10kg	Ea	10		
Grey grout 10kg	Ea	10		
River sand	M3	10		
Building sand	M3	10		
Plaster sand	M3	10		
Concrete stone 13,2	M3	10		
Concrete stones 19mm	M3	10		
Silver grey travertine fbx	Ea	10		
Silver grey satin fbx	Ea	10		
Agate satin	Ea	10		
Buff satin fbx	Ea	10		
Buff travertine fbx	Ea	10		
Opal satin	Ea	10		
Corngold satin	Ea	10		
Golden wheat travertine	Ea	10		
Protea travertine	Ea	10		
Topaz satin	Ea	10		
Topaz travertine	Ea	10		
Maize travertine	Ea	10		
Bergendal light satin	Ea	10		
Wolkberg light satin	Ea	10		
Wolkberg rose satin	Ea	10		
Mopani travertine	Ea	10		
Sapphire travertine	Ea	10		
Kiaat coral	Ea	10		
Country meadow travertine	Ea	10		
Country meadow satin	Ea	10		
Tamboti satin	Ea	10		
Country cottage travertine	Ea	10		
Nevada travertine	Ea	10		
Wild wheat travertine	Ea	10		

Burnt apricot satin	Ea	10		
Firelight satin	Ea	10		
Firelight travertine	Ea	10		
Terracotta satin	Ea	10		
Terracotta travertine	Ea	10		
Redwood satin	Ea	10		
Redwood travertine	Ea	10		
Onyx satin	Ea	10		
De hoop matt brown	Ea	10		
Cape stormberg travertine	Ea	10		
Cape stormberg rustic	Ea	10		
Corojem corngold satin	Ea	10		
Corojem manor blend travertine	Ea	10		
Blue barley travertine clay face brick	Ea	10		
Solid stock brick 7 mpa	Ea	10		
Cederberg paving brick 220mm x 108,5mm x 50mm	Ea	10		
Dusky paving brick 220mm x 108,5mm x 50mm	Ea	10		
Champagne paving brick 220mm x 108,5mm x 50mm	Ea	10		
Tuscan blend paving brick 220mm x 108,5mm x 50mm	Ea	10		
Burgundy paving brick 220mm x 108,5mm x 50mm	Ea	10		
Nutmeg paving brick 220mm x 108,5mm x 50mm	Ea	10		
60mm grey interlocking paving brick 25 mpa	Ea	10		
80mm grey interlocking heavy duty paving brick 25 mpa	Ea	10		
Av-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (0,813m long x 2.032m high for 0.23m w made of 1,6mm)	Ea	10		
Bv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (0,914m long x 2.134m high for 0.23m w made of 1,6mm)	Ea	10		

Cv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,219m long x 2.134m high for 0.23m w made of 1,6mm)	Ea	10		
Dv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,830m long x 2.438m high for 0.23m w made of 1,6mm)	Ea	10		
Fv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,219m long x 2.438m high for 0.23m w made of 1,6mm)	Ea	10		
Gv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,819m long x 2.134m high for 0.23m w made of 1,6mm)	Ea	10		
Hv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (0,914m long x 2.438m high for 0.23m w made of 1,6mm)	Ea	10		
Mv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,524m long x 2.134m high for 0.23m w made of 1,6mm)	Ea	10		
Yv-type transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,524m long x 2.438m high for 0.23m w made of 1,6mm)	Ea	10		

Special transformer door with 1 x air ventilation in each leaf with vermin proofing 3,5mm flatex 346 mesh, anti-temper box, 2 x locking bars, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,450m long x 2,000m high opening for 0.23mw made of 1,6mm)	Ea	10		
Alu-type louvre with vermin proofing 3,5mm flatex 346 mesh, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (0.9m long x 0,745m high for 0,23 thick w)	Ea	10		
Blu-type louvre with vermin proofing 3,5mm flatex 346 mesh, painted with red oxide first cote and pwd brown solid paint as final cote (paint code: g18) (1,59m long x 0,745m high for 0,23 thick w)	Ea	10		
Wheel barrow heavy duty	Ea	10		
Hand stamper square or round head 10kg	Ea	10		
Flat spade 300mm length blade x 200mm width blade x 660mm long handle	Ea	10		
Square mouth shovel 320mm length blade x 265mm width blade x 660mm long handle	Ea	10		
Round nose shovels 330mm length blade x 230mm width blade x 600mm length handle	Ea	10		
Building trowel (rosa), heavy duty	Ea	10		
230 mm diamond blade	Ea	10		
115 mm diamond blade	Ea	10		
Heavy duty spirit level 0,5m long (stanley)	Ea	10		
Heavy duty spirit level 1,2m long (stanley)	Ea	10		
Heavy duty spirit level 1,8m long (stanley)	Ea	10		
Plaster trowel 290mm x 120mm x 0,56mm with wooden banana handle and extra flexible blade 10 rivets	Ea	10		
Serrated edge flooring trowel 280mm x 120mm x 0,56mm for spreading plastic and adhesive	Ea	10		
Flooring trowel 405mm x 120mm x 0,71mm with 13 rivets extra strong aluminum tang	Ea	10		
Plastering hand hawk (300mm x 300mm galvanized with plastic handle and centre screw)	Ea	10		
Carpenter square 50mm x 600mm body; 50mm x 400mm tongue	Ea	10		
Plaster square 38mm x 300mm body; 25mm x 200mm tongue	Ea	10		
Wooden float	Ea	10		
Heavy duty plastic float	Ea	10		
Building fish line 0,5mm	Ea	10		

Building pin (+- 180mm long)	Ea	10		
Brick wheel jointer ( brick jointer on two nylon wheels and adjustable steel jointing pin)	Ea	10		
Flat cold chisel 200mm x 19mm ø	Ea	10		
Flat cold chisel 150mm x 13mm ø	Ea	10		
Electrician bolster 210mm x 55mm	Ea	10		
Brick bolster 230mm x 100mm	Ea	10		
Brick hammer with wooden handle	Ea	10		
Scutch brick hammer with wooden handle	Ea	10		
4 pound hammer with rubber handle	Ea	10		
Claw hammer with steel shaft 600g	Ea	10		
Chalk line reels	Ea	10		
Chalk line refills 1kg	Ea	10		
Toolbox 600mm l x 450mm w x 500mm h	Ea	10		
Clip-on dust pan and brush set	Ea	10		
Builders scrub brush	Ea	10		
Plaster brush with brown centre white wash	Ea	10		
Notched trowel/ tiling trowel 8mm x 8mm made of plastic handle	Ea	10		
Rhinolite trowel made of plastic with foam rubber base	Ea	10		
Squeegees 150mm	Ea	10		
Squeegees 300mm	Ea	10		
Ribbed aluminum staright edge 1,5m l	Ea	10		
Ribbed aluminum staright edge 2m l	Ea	10		
Ribbed straight edge 2,5m l	Ea	10		
U-channel aluminum straight edge 3m l	Ea	10		
Corner trowel outside cove 150mm	Ea	10		
Corner trowel outside sharp 150mm	Ea	10		
Corner trowel inside sharp 150mm	Ea	10		
Corner trowel inside cove 150mm	Ea	10		
Corner trowel inside cove 150mm	Ea	10		
Six grove reeder grano jointer	Ea	10		
Single grove reeder grano jointer	Ea	10		
Skirting handle 230mm x 75mm	Ea	10		
Pointing trowel 125mm	Ea	10		
Pointing trowel 175mm	Ea	10		
Gauging trowel 150mm	Ea	10		
Round jointer long 6mm	Ea	10		
Round jointer short 6mm	Ea	10		
Square jointer long 6mm	Ea	10		
Square jointer short 6mm	Ea	10		
Tyrolean machine made of zinc sheet	Ea	10		
Raco tile cutting nipper	Ea	10		
Rubber hammer tile with wooden handle	Ea	10		
Rubber hammer paving standard	Ea	10		
Rubber hammer tile heavy duty	Ea	10		
Wrecking bars 600mm x 19mm	Ea	10		

Pinch bars 1800mm x 25mm	Ea	10		
Crow bar 1500mm x 25mm	Ea	10		
1m3 ready mix concrete 15mpa	M3	10		
1m3 ready mix concrete 20mpa	M3	10		
1m3 ready mix concrete 25mpa	M3	10		
1m3 ready mix concrete 30mpa	M3	10		
1m3 ready mix concrete 35mpa	M3	10		
1m3 ready mix concrete 40mpa	M3	10		
1m3 ready mix concrete 45mpa	Ea	10		
1 point concrete pump	Ea	10		
10 liter water proof paint to treat damp	Ea	10		
20 liter water proof paint to treat damp	Ea	10		
10m l x 1,8m wide perforated cloth	Ea	10		
Wooden 4 pound handles	M2	10		
300 x 300 floor tiles kilimanjaro range floor tiles	M2	10		
Mosaic floor tiles	Ea	10		
Mosaic adhesive glue 20 kg	Ea	10		
Mosaic adhesive grout 10 kg	Ea	10		
110 mm brick force 2,8mm ø	Ea	10		
230 mm brick force 2,8mm ø	Ea	10		
110 mm dpc 250 micron	Ea	10		
230 mm dpc 250 micron	Ea	10		
30 m x 6m dpm 250 micron	Ea	10		
30 m x 6m dpm 350 micron	Ea	10		
Steel scrub brush	M2	10		
Slate tiles oyster 20mm thick	Ea	10		
Figure 3 heavy duty concrete kerb	Ea	10		
Figure 7 heavy duty semi-mountable kerb	Ea	10		
Figure 8 mountable kerb	Ea	10		
Fig 5 light barrier kerb	Ea	10		
Fig. 6 light semi-mountable kerb	Ea	10		
Fig. 10 concrete kerb	Ea	10		
Light plain edging x 600mm l x 50mm w x 228mm h	Ea	10		
Fig 12 edging	Ea	10		
300 x 300 x 50mm thick traditional concrete paving	Ea	10		
450 x 450 x 50mm thick traditional concrete paving	Ea	10		
500 x 500 x 50mm thick traditional concrete paving	Ea	10		
610 x 610 x 50mm thick traditional concrete paving 25 mpa	Ea	10		
300 x 300 x 50mm thick concrete paving slabs with an exposed aggregate finish, 50mm thick.colour of stone - black/blue granite	Ea	10		

450 x 450 x 50mm thick paving slabs with an exposed aggregate finish, 50mm thick.colour of stone - black/blue granite	Ea	10		
500 x 500 x 50mm thick paving slabs with an exposed aggregate finish, 50mm thick.colour of stone - black/blue granite	Ea	10		
610 x 610 x 50mm thick paving slabs with an exposed aggregate finish, 50mm thick.colour of stone - black/blue granite	Ea	10		
100 x 100 x 50mm standard coble	Ea	10		
205 x 205 x 50mm double-size cobble	Ea	10		
150 x150 x 50mm mid-sized cobble	Ea	10		
Standard 250 bollard smooth 1200mm l x 250mm ø	Ea	10		
Standard 250 bollard aggregate finish 1200mm l x 150mm ø	Ea	10		
Standard 150 bollard smooth 1200mm l x 250mm ø	Ea	10		
Standard 150 bollard aggregate finish 1200mm l x 150mm ø	Ea	10		
1500mm light tree ring - quarters	Ea	10		
1500mm barrier tree ring - quarters	Ea	10		
1000mm barrier tree ring - quarters	Ea	10		
1000mm barrier tree ring - thirds	Ea	10		
Concrete window sill 240 x 180 x 35mm thick	Ea	10		
Concrete air brick 220 x 160 x 50mm	Ea	10		
Cable guard 1000mm x 300mm x 60mm thick 25 mpa	Ea	10		
Cable guard 500mm x 500mm x 60mm thick mpa	Ea	10		
Cable guard 500mm x 300mm x 60mm thick mpa	Ea	10		
Cable guard 600mm x 600mm x 60mm thick mpa	Ea	10		
Heavy duty cast iron manhole cover and frame (750mm ø x 140mm h) 153 kg, 135 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (610mm ø x 140mm h) 112 kg 135 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (610mm ø x 60mm h) 46kg 40 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (545mm ø x 70mm h) 31kg 40 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (660mm l x 660mm w x 70mm h) 34kg 7kn	Ea	10		

Heavy duty cast iron manhole cover and frame (670mm l x 525mm w x 60mm h) 23kg 7 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (930mm l x 630mm w x 50mm h) 61kg 7 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (930mm l x 930mm w x 60mm h) 80kg 7 kn	Ea	10		
Heavy duty cast iron manhole cover and frame (450mm l x 450mm w x 30mm h) 16kg 7 kn	Ea	10		
Road concrete barrier 2m l x 1,2m h x 0,3m w	Ea	10		
Spirit of salt 5 long	Ea	10		
Spirit of salt 10 long	Ea	10		
Ref. 078 reinforce welded mesh	Ea	10		
Ref. 100 reinforce welded mesh	Ea	10		
Ref. 156 reinforce welded mesh	Ea	10		
Ref. 193 reinforce welded mesh	Ea	10		
Ref. 245 reinforce welded mesh	Ea	10		
Ref. 289 reinforce welded mesh	Ea	10		
Ref. 311 reinforce welded mesh	Ea	10		
Ref. 395 reinforce welded mesh	Ea	10		
Ref. 500 reinforce welded mesh	Ea	10		
Ref. 617 reinforce welded mesh	Ea	10		
Ref. 746 reinforce welded mesh	Ea	10		
Ref. 888 reinforce welded mesh	Ea	10		
Standard single steel door frame open inside to the left 110mm	Ea	10		
Standard single steel door frame open inside to the right 110mm	Ea	10		
Complete standard single steel door frame and door open inside to the left 110mm	Ea	10		
Complete standard single steel door frame and door open inside to the right 110mm	Ea	10		
Standard single steel door frame open inside to the left 230 mm	Ea	10		
Standard single steel door frame open inside to the right 230mm	Ea	10		
Complete standard single steel door frame and door open inside to the left 230mm	Ea	10		
Complete standard single steel door frame and door open inside to the right 230mm	Ea	10		
Standard double door frame 230mm	Ea	10		
Complete standard steel double door frame and door 230mm	Ea	10		
Scaffolding tressels	Ea	10		

1440mm long x 300mm wide louvre flat top concrete pre-cast slab	Ea	10		
1440mm long x 300mm wide louvre round top concrete pre-cast slab	Ea	10		
1440mm long x 300mm wide jumbo concrete pre-cast slab	Ea	10		
1440mm long x 300mm wide plain concrete pre-cast slab	Ea	10		
1440mm long x 300mm wide plain round top concrete pre-cast slab	Ea	10		
1440mm long x 300mm wide concrete pre-cast slab	Ea	10		
1550mm x 300 mm wide concrete pre-cast slab	Ea	10		
1550mm x 300 mm wide concrete pre-cast slab with brick finish	Ea	10		
2,4 m l concrete pre-cast poles	Ea	10		
3m l concrete pre-cast poles	Ea	10		
3000mm x 140mm x 230mm concrete palisade main post 190 kg	Ea	10		
2350mm x 75mm x 80mm concrete palisade pales 39kg	Ea	10		
2000mm x 80mm x 150mm concrete palisade beams/ cross member 56kg	Ea	10		
8mm t x 100mm l bolt, 13mm nut and washer per kg	Ea	10		
3,4 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
3,0 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
2,8 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
2,6 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
2,4 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
2 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
1,8 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
1,6 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
1,4 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
1,2 m l x 0,11m w x 0,075 concrete lintol	Ea	10		
1 m l x 0,11m w x 0,075 concrete lintol	Ea			
32mm ø x 1200 m l x crow bar	Ea	10		
Heavy duty bolt cutter 600mm 20mm	Ea	10		
32mm ø x 1830 mm crow bar with both sharp point and flat chisel on either sides	Ea	10		
45 x 750mm l x 320mm w x 88mm h light shallow open-ended concrete channel section with mass of 36kg per section and 35 mpa strength	Ea	10		
1552 mm l x 300 mm h diamond decorative concrete pre-cast slabs	Ea	10		
1440 mm l x 300 mm h diamond decorative concrete pre-cast slabs	Ea	10		

Roan satin face brick	Each	10		
2 louvre pre-cast wall	Each	10		
3 louvre pre-cast wall	Each	10		
1200mm x 600 mm ceramic floor tiles	M2	10		
500 mm x 500 mm ceramic floor tiles	M2	10		
400 mm x 400 mm ceramic floor tiles	M2	10		
250 mm x 250mm ceramic floor tiles	M2	10		
600mm x 600 mm ceramic floor tiles	M2	10		
10 l heavy duty dap spray foam sealant, 12 oz, aerosol can sister foam and gun for outdoor use.	Ea	10		
10 l heavy duty builders bucket with a steel handle	Ea	10		
Pvc knit wrist work gloves	Ea	10		
Knee caps	Ea	10		
Sit – rg50040 montreal rich matt porcelain tiles 1200mm x 600 mm	Ea	10		
Sit-rg50117r stone ware porcelain 600 mm x 600 mm	Ea	10		
Sit-rp612005 montreal rich porcelain 1200 mm x 600 mm	Ea	10		
Jt1-sky-metro whiskey white beveled 100 mm x 200 mm	Ea	10		
Ph-a14750 element white poli. Glazed porcelain	Ea	10		
Vi1-electra black high gloss porcelain	Ea	10		
Tz-mrg66103z concret gris anti slip porcelain 1200mm x 600mm	Ea	10		
Tz-mrp612040z riverdell brown polished porcelain	Ea	10		
Sit-rg50040 monteal rich matt porcelain 1.200 by 0.600	Ea	10		
Pig skin gloves size 10	pair	10		
<b>SUB-TOTAL</b>				
<b>VAT</b>				
<b>TOTAL</b>				