

280 Pretoria Street, Silverton, Pretoria  
 Private Bag X112, Pretoria 0001, South Africa  
**Tel:** +27 (0)12 841 1911  
**Fax:** +27 (0)12 841 1221  
**email:** info@geoscience.org.za  
**website:** www.geoscience.org.za



**Council for Geoscience**

**APPOINTMENT OF A SERVICE PROVIDER WITH A MULTIDISCIPLINARY PROFESSIONAL TEAM OF CONSULTANTS FOR THE CONSTRUCTION OF A NEW GEOLOGICAL ANALYTICAL LABORATORY.**

**NAME OF THE BIDDER:**.....

**CLOSING DATE: 01 APRIL 2026**

**CLOSING TIME: AT 11H00 AM**

**Pricing**

**Estimated cost of works is R37 000 000.00 including VAT.**

<b>Professional Services</b>	<b>Indicate approximate percentage weighting of the professional service works relative to Total cost of Works.</b>	<b>Cost of Service</b>	<b>Illustrate a fee calculation based on applicable fee structure for each professional service.</b>
Architect	%	R	
Structural	%	R	
Civil	%	R	
Mechanical	%	R	
Electrical	%	R	
Quantity Survey	%	R	
Other (Specify)	%	R	

Total Incl. of VAT	<b>R</b>	
--------------------	----------	--

- All pricing to be quoted in South Africa Rands. Where your product is influenced by foreign currency fluctuations, kindly stipulate the exchange rate used. Note that any foreign exchange risk remains that of the supplier. Any exchange control approval remains the responsibility of the supplier. All fees and expenses are inclusive of any export and import tax.
- All pricing quoted must be inclusive of VAT. In an event that non-VAT vendor intentionally or erroneously quoted prices inclusive of VAT, the CGS shall consider total price exclusive of VAT in consultation with the affected service provider(s)
- Bidders must quote based on a fixed-price-fixed-scope approach. No variations to the contract price will be allowed once the fee has been approved.

**TREATMENT OF ARITHMETIC ERRORS IN THE BID PRICE**

If the pricing schedule apply and there is an error in the line-item total resulting from the product or services of the unit rate and quantity, the line-item total shall govern, and rate shall be corrected. Where there is obviously gross misplacement of the decimals point in the unit rate, the line-item total as quoted shall govern and the unit rate shall be corrected.

Where there is an error in the of the prices, either as result of other corrections required by the checking process or in the bids addition of prices, the total of the prices shall govern, and the service provider will be asked to revise selected item prices to achieve the total quoted price.

No bidder shall be offered competitive advantage to change total quoted prices after the closing of the bid

..... Signature	..... Date
..... Position	..... Name of bidder