

CONTENTS

	Page
1. INTRODUCTION	4
2. SUPPORTING CLAUSES	4
2.1 SCOPE	4
2.1.1 Purpose	4
2.1.2 Applicability	4
2.2 NORMATIVE/INFORMATIVE REFERENCES	4
2.2.1 Normative	4
2.2.2 Informative	4
2.3 DEFINITIONS	5
2.3.1 Classification	5
2.4 ABBREVIATIONS	5
2.5 ROLES AND RESPONSIBILITIES	5
2.6 PROCESS FOR MONITORING	5
2.7 RELATED/SUPPORTING DOCUMENTS	5
3. TENDER TECHNICAL EVALUATION STRATEGY	6
3.1 TECHNICAL EVALUATION THRESHOLD	6
3.2 TET MEMBERS	6
3.3 MANDATORY TECHNICAL EVALUATION CRITERIA	7
3.4 QUALITATIVE TECHNICAL EVALUATION CRITERIA	9
3.5 TET MEMBER RESPONSIBILITIES	14
3.6 FORESEEN ACCEPTABLE / UNACCEPTABLE QUALIFICATIONS	15
3.6.1 Risks	15
7.1.1 Exceptions / Conditions	15
8. AUTHORISATION	17
9. REVISIONS	17
10. DEVELOPMENT TEAM	17
11. ACKNOWLEDGEMENTS	17
12. ANNEXURE A, TECHNICAL SCHEDULES A/B FOR ALARM SYSTEM	18
13. ANNEXURE B, TECHNICAL SCHEDULES A/B FOR CCTV SYSTEM	18
14. ANNEXURE C, TECHNICAL SCHEDULES A/B FOR THE IACS	18
15. ANNEXURE D, TECHNICAL SCHEDULES A/B FOR INTRUSION PRE-DETECTION SYSTEM	18
16. ANNEXURE E, TECHNICAL SCHEDULES A AND B FOR PHYSICAL SECURITY INTEGRATION STANDARD	18
17. ANNEXURE F, TECHNICAL SCHEDULES A/B FOR PROJECT SERVICES (GENERIC TECHNICAL)	18
18. ANNEXURE G, SUPPLIER EQUIPMENT TENDERED DECLARATION	18

TABLES

Table 1: TET Members	6
Table 2: Mandatory Technical Evaluation Criteria	7
Table 3: Qualitative Technical Evaluation Criteria	9
Table 4: TET Member Responsibilities	14
Table 5: Acceptable Technical Risks	15

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

Table 6: Unacceptable Technical Risks 15

Table 7: Acceptable Technical Exceptions / Conditions..... 15

Table 8: Unacceptable Technical Exceptions / Conditions 16

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

1. INTRODUCTION

To accommodate a bigger premises within the Megawatt Park complex, the National Security Co-ordination Centre (NSCC) is relocating to the old ENERWEB offices at MWP Ground Floor Block A. The National Security Nerve Centre is part of the National Security Co-ordination Centre (NSCC) in Group Security and is currently located in Megawatt Park lower ground (Proto Room). It consists of a security nerve centre room, offices, and boardrooms and the current location is unsuited hence a request was made via Eskom Real Estate Space Planning to relocate this centre.

2. SUPPORTING CLAUSES

2.1 SCOPE

This document provides the tender technical evaluation strategy for the required works of the Eskom Megawatt Park National Security Co-ordination Centre (NSCC) upgrade project. The team members are listed and appointed through this document. The document also describes the acceptable and unacceptable risks, qualifications and/or conditions.

2.1.1 Purpose

The purpose of this tender technical evaluation strategy is to define the Mandatory Evaluation Criteria, Qualitative Evaluation Criteria and TET member responsibilities for tender technical evaluation. The technical evaluation strategy serves as basis for the tender technical evaluation process.

2.1.2 Applicability

This document is applicable to the Eskom Mega Watt Park Megawatt National Security Co-ordination Centre (NSCC) upgrade project only.

2.2 NORMATIVE/INFORMATIVE REFERENCES

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs.

2.2.1 Normative

- [1] 240-48929482: Tender Technical Evaluation Procedure
- [2] 32-1034 Eskom Procurement Policy

2.2.2 Informative

- [3] 363-ERE-CEEC-D00035-6 - Mega Watt Park Establishment of the National Security Co-ordination Centre Technical Specification

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

2.3 DEFINITIONS

Definition	Description
Contractor/Tenderer	Refers to the corporation appointed to perform the engineering, procurement, and construction works required for the project.
Employer	Refers to Eskom Holdings State Owned Company
Eskom ERE Engineering	Refers to the Eskom Engineering team who will perform the reviews and provide technical assistance for the work performed by the appointed Contractor.
Specification	The document/s forming part of the contract in which the methods of executing the various items of work to be done is described, as well as the nature and quality of the materials to be supplied and it includes technical schedules and drawings attached thereto as well as all samples and patterns
The Client	The end user will be Eskom who will be represented by National Security Co-ordination Centre staff throughout the duration of the Project.

2.3.1 Classification

Controlled Disclosure: Controlled Disclosure to external parties (either enforced by law, or discretionary).

2.4 ABBREVIATIONS

Abbreviation	Description
BoQ	Bill of Quantity
CoC	Certificate of Compliance
DoL	Department of Labour
ECSA	Engineering Council of South Africa
EDWL	Engineering Design Work Lead
LDE	Lead Discipline Engineer
TET	Technical Evaluation Team

2.5 ROLES AND RESPONSIBILITIES

As per 240-48929482: Tender Technical Evaluation Procedure

2.6 PROCESS FOR MONITORING

N/A

2.7 RELATED/SUPPORTING DOCUMENTS

Refer to Section 2.2

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

3. TENDER TECHNICAL EVALUATION STRATEGY

3.1 TECHNICAL EVALUATION THRESHOLD

Mandatory Technical Evaluation Criteria (gatekeepers) are 'must meet' criteria. These criteria shall not be weighted, or point scored but shall be assessed on a Yes/No basis as to whether the criteria are met. An assessment of 'No' against any criterion shall technically disqualify the tenderer and shall not be further evaluated against Qualitative Criteria.

Qualitative Technical Evaluation Criteria are weighted evaluation criteria used to identify the highest technically ranked tenderer after determining that all the Mandatory Evaluation Criteria have been met. The Qualitative Evaluation Criteria are weighted to reflect the relevant importance of each criterion. The minimum weighted final score (threshold) required for a tender to be considered from a technical perspective is 70%.

The following scoring method will be used:

SCORE	PERCENTAGE (%)	DESCRIPTION
5	100	COMPLIANT 1. Meet the technical requirement(s) AND, 2. No foreseen technical risk(s) in meeting technical requirements
4	80	COMPLIANT WITH ASSOCIATED QUALIFICATIONS 1. Meet the technical requirement(s) with, 2. Acceptable technical risks AND/OR; 3. Acceptable exceptions AND/OR; 4. Acceptable conditions
2	40	NON-COMPLIANT 1. Does not meet the technical requirement(s) AND/OR 2. Unacceptable technical risk(s) AND/OR; 3. Unacceptable exceptions AND/OR; 4. Unacceptable conditions
0	0	TOTALLY DEFICIENT/NON-RESPONSIVE

3.2 TET MEMBERS

Table 1: TET Members

TET number	TET Member Name	Designation
TET 1		Senior Engineer C&I and BMS
TET 2		Senior Engineer Mechanical
TET 3		Senior Engineer Electrical
TET 4		Senior Advisor Architect
TET 5		Senior Advisor Security

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

3.3 MANADATORY TECHNICAL EVALUATION CRITERIA

Table 2: Mandatory Technical Evaluation Criteria

	Mandatory Technical Criteria Description	Reference to Technical Specification / Tender Returnable	Motivation for use of Criteria
1.	<p>All professional body registrations for specifically mentioned disciplines are in place and tangible proof is provided.</p> <p>Tangible proof here means an up-to-date CV and certified copy of registration certificate from appropriate professional body by the principal contractor OR Joint Venture (JV) OR Sub-Contractor.</p> <p>In the case of a Sub-Contractor a letter of agreement with the Sub-Contractor shall accompany the tender.</p>	<p>As per NEC3 Professional Services Contract (PSC3) Part 3 Section 3.2.3. "Design shall be prepared and signed off by Professionally Registered Engineer/Technologist for each discipline".</p> <p>Minimum post registration experience of 5 years.</p> <ul style="list-style-type: none"> • ECSA Registration as a Professional Engineer/Technologist. (Electrical and Mechanical (HVAC)) • Plumbing Trade certificate and registered with Plumbing Industry Registration Board (PIRB) as a licenced plumber. • SAQCC Fire Detection/Protection. 	<p>The Engineering Profession Act, 2000, (Act 46 of 2000) provide for the reservation of work of an engineering nature for the exclusive performance by registered persons.</p> <p>It is a legal requirement for plumbers to be registered with the PIRB in order to legally practice their trade and issue Plumbing Certificates of Compliance (CoCs).</p> <p>By virtue of the Department of Employment and Labour (DEOL) mandate to SAQCC, any person designing, installing, commissioning or maintaining portable fire equipment, fire detection and gas extinguishing systems therefore needs to be certified by SAQCC at the appropriate level.</p>
2.	<p>Registration as an Electrical Contractor with Department of Employment and Labour and tangible proof is provided.</p> <p>Tangible proof here means an up-to-date CV and certified copy of registration certificate from Department of Employment and Labour by the principal contractor OR Joint Venture (JV) OR Sub-Contractor.</p> <p>In the case of a Sub-Contractor a letter of agreement with the Sub-Contractor shall accompany the tender.</p>	<p>As per NEC3 Professional Services Contract (PSC3) Part 3 Section 3.2.3. "The works is inclusive of provision of CoC's for all required installation, such as electrical installation, gas piping by Authorised Person".</p> <p>"A CV and valid certificate of registration as a Three-Phase Electrician" (IE) for a personnel or Company registered with Department of Employment and Labour.</p>	<p>Electrical Requirement to ensure all works conform to specific SANS regulations.</p> <p>Compliance with the Occupational Health and Safety Act's Electrical Machinery Regulations (85 of 1993) Certification</p>

3.	<p>Proof of company registration with Private Security Industry Regulatory Authority (PSIRA) by the principal contractor OR Joint Venture (JV) OR Sub-Contractor.</p> <p>In the case of a Sub-Contractor a letter of agreement with the Sub-Contractor shall accompany the tender.</p>	<p>As per NEC3 Professional Services Contract (PSC3) Part 3 Section 3.1 "The Contractor's sub-contractor designing and implementing the Integrated Physical Security System (IPSS) is a paid-up member of Private Security Industry Regulatory Authority (PSIRA)".</p> <p>The PSIRA certificate grade shall be suitable for installing, servicing and/or repairing security equipment.</p>	<p>Private Security Industry Regulatory Authority (PSIRA) is a South African government entity responsible for regulating and controlling the private security industry. Its primary objective is to ensure that security service providers operate professionally, ethically, and in the public interest.</p>
----	--	--	--

3.4 QUALITATIVE TECHNICAL EVALUATION CRITERIA

Table 3: Qualitative Technical Evaluation Criteria

	Qualitative Technical Criteria Description	Tender Returnable	Criteria Weighting (%)	Criteria Sub Weighting (%)
	1. Integrated Physical Security System (IPSS)		35%	
1.1	Provide a Detailed Method Statement indicating all the design and construction activities that will be conducted for the execution of the IPSS scope (Design/ erection/ installation/ test/ commission – how will the expected work be performed)	Tenderer to supply a detailed method statement, showing their understanding of the activities that need to be conducted in line with the required IPSS Scope of Works.	5 – If methodology is supplied AND all aspects are satisfactory, 2- If methodology is supplied but all aspects are not satisfactorily explained, 0- If not provided.	20%
1.2	Relevant Contactable Project References Three (3) Reference letters from Clients both signed and stamped (verifiable with the company information) on work of a similar nature completed in past seven (7) years. The references must specifically be related to Integrated Physical Security System (IPSS).	The letter should contain contact details of the client, project name, project start and end dates and duration (the original contract duration and the actual project execution duration). Description of the works and cost of the project.	5 – At least 3 acceptable/relevant IPSS projects completed, 4 – Only 2 acceptable/relevant IPSS projects completed, 2 – Only 1 acceptable/relevant IPSS project completed, 0 – No acceptable projects completed.	15%
1.3	Provide details, product catalogues and datasheets for the Integrated Physical Security System (IPSS) equipment envisaged to be utilised.	<ul style="list-style-type: none"> •Video walls with a graphical user interface and behaviour models, •Standby power system, •Integrated access control system including biometric and face recognition systems, •Camera surveillance system (CCTV), •Intruder detection and pre-detection systems, 	5 – If all catalogues and datasheets are supplied AND all aspects are satisfactory, 4 – If all catalogues and datasheets are supplied but all aspects are not satisfactory, 2- If not all catalogues and datasheets are supplied, 0- If not provided.	20%

		<ul style="list-style-type: none"> •Alarm system, •Physical Security Information Management System (including IT Infrastructure), •Visitor management system, •Security management system, •Metal detector and X-Ray machines, Intrusion detection system (IDC).		
1.4	Technical Schedules A/B			45%
	Alarm System	Evaluation of completed Technical Schedules A/B indicating compliance to the technical specification 240-86738968 as per Annex A of this document.	Full compliance = 179 x 3 x weight (15)	
	CCTV	Evaluation of completed Technical Schedules A/B indicating compliance to the technical specification 240-91190304 as per Annex B of this document.	Full compliance = 401 x weight (15)	
	IACS	Evaluation of completed Technical Schedules A/B indicating compliance to the technical specification 240-102220945 as per Annex C of this document.	Full compliance = 335 x 3 x weight (15)	
	Intrusion Pre-detection System	Evaluation of completed Technical Schedules A/B indicating compliance to the technical specification 240-170000691 as per Annex D of this document.	Full compliance = 134 x 3 x weight (15)	
	System Integration	Evaluation of completed Technical Schedules A/B indicating compliance to the technical specification 240-170000096 as per Annex E of this document.	Full compliance = 90 x 3 x weight (20)	
	Generic Technologies	Evaluation of completed technical Schedule A/B indicating compliance to 240-17000723 specification requirements as per Annex F of this document.	Full compliance = weight of line-item x 3 x weight (20)	

	2. HVAC		20%	
2.1	Provide a Detailed Method Statement indicating all the design and construction activities that will be conducted for the execution of the HVAC scope (Site investigations, design development and review, construction works etc)	Tenderer to supply a detailed method statement, showing their understanding of the activities that need to be conducted in line with the required HVAC Scope of Works.	5 - If methodology is supplied AND all aspects are satisfactory, 2- If methodology is supplied but all aspects are not satisfactorily explained, 0- If not provided.	50%
2.2	Relevant Contactable Project References Three (3) Reference letters from Clients both signed and stamped (verifiable with the company information) on work of a similar nature completed in past seven (7) years. The references must specifically be related to HVAC system including Mechanical, Electrical, Electronics, civil and fire for the works.	The letter should contain contact details of the client, project name, project start and end dates and duration (the original contract duration and the actual project execution duration). Description of the works and cost of the project.	5 – At least 3 acceptable/relevant HVAC projects completed, 4 – Only 2 acceptable/relevant HVAC projects completed, 2 – Only 1 acceptable/relevant HVAC project completed, 0 – No acceptable projects completed.	50%

		3. Electrical		20%	
	3.1	Provide a copy of the CV and qualifications of a Professional Engineer/Technologist that will be responsible for the Electrical Scope of works. This Engineer/Technologist is responsible for the Assessments, Design, and construction supervision of the Electrical scope for the project.	Tenderer to supply a CV and qualifications of the Electrical Engineer that will be the design authority on the project. The Professional Engineer/Technologist must have a minimum 3 years' experience Post Professional Registration.	5 – If the engineer/technologist meets the required years and type of experience, 4 – If the engineer/technologist is deficit with the type of experience but still meets the required minimum years post registration, 2 - If the engineer/technologist is deficit with the type of experience and the minimum years post registration, 0 – If the person is not a Professional Engineer/Technologist.	40%
	3.2	Provide a Detailed Method Statement indicating all the design and construction activities that will be conducted for the execution of the Electrical scope (Site investigations, design development and review, construction works etc)	Tenderer to supply a detailed method statement, showing their understanding of the activities that need to be conducted in line with the required Electrical Scope of Works.	5 - If methodology is supplied AND all aspects are satisfactory, 2- If methodology is supplied but all aspects are not satisfactorily explained, 0- If not provided.	30%
	3.3	Relevant Contactable Project References Three (3) Reference letters from Clients both signed and stamped (verifiable with the company information) on work of a similar nature completed in past seven (7) years. The references must specifically be related to Electrical and standby power system.	The letter should contain contact details of the client, project name, project start and end dates and duration (the original contract duration and the actual project execution duration). Description of the works and cost of the project.	5 – at least 3 acceptable/relevant Electrical projects completed, 4 – only 2 acceptable/relevant Electrical projects completed, 2 – only 1 acceptable/relevant Electrical project completed, 0 – no acceptable projects completed.	30%

		4. Architecture		20%	
	4.1	Provide a Detailed Method Statement indicating all the design and construction activities that will be conducted for the execution of the architectural scope (Site investigations, design development and review, construction works etc)	Tenderer to supply a detailed method statement, showing their understanding of the activities that need to be conducted in line with the required architectural Scope of Works.	5 - If methodology is supplied AND all aspects are satisfactory, 2- If methodology is supplied but all aspects are not satisfactorily explained, 0- If not provided.	50%
	4.2	Relevant Contactable Project References Three (3) Reference letters from Clients both signed and stamped (verifiable with the company information) on work of a similar nature completed in past seven (7) years. The references must specifically be related to architectural and or building work of similar nature.	The letter should contain contact details of the client, project name, project start and end dates and duration (the original contract duration and the actual project execution duration). Description of the works and cost of the project.	5 – At least 3 acceptable/relevant architectural projects completed, 4 – Only 2 acceptable/relevant architectural projects completed, 2 – Only 1 acceptable/relevant architectural project completed, 0 – No acceptable projects completed.	50%
		5. General		5%	
	5.1	Provide a level 3 schedule indicating the works covering all the durations aligned to the activities listed in all detailed method statements.	Tenderer to supply a detailed Schedule, showing the durations and interdependencies of activities required and to be conducted in line with the Scope of Works	5 – Level 3 project schedule acceptable and related to scope of work 4 – Level 3 project schedule acceptable but does not cover 100% of the scope of work. 2 – Level 3 project schedule submitted but not related to scope of work 0 – No Method statement submitted	100%
				TOTAL	

3.5 TET MEMBER RESPONSIBILITIES

Table 4: TET Member Responsibilities

Mandatory Criteria Number	TET 1	TET 2	TET 3	TET 4	TET 5
1 Professional Registrations	X	X	X	X	X
2 Electrical CoC's	X	X	X	X	X
3 PSIRA	X	X	X	X	X
Qualitative Criteria Number					
1.1 – 1.4 IPSS	X				X
2.1 – 2.2 HVAC		X			
3.1 – 3.3 Electrical			X		
4.1 – 4.2 Architectural				X	
5.1 Schedule	X	X	X	X	X

X – Mandatory