

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	<p><b><u>BILL NO.1</u></b>  <b><u>WATERPROOFING</u></b>  <b><u>(CPAP WORK GROUP NO. 120 UNLESS OTHERWISE STATED)</u></b></p> <p><b><u>The Tenderer is advised to study relevant clauses in the separate document Model Preambles for Trades (1992 Edition) and the Supplementary Preambles.</u></b></p> <p><b><u>WATERPROOFING ON ROOFING</u></b></p> <p>Remove dirt with approved Degreaser, thinned 1:5 with clean water rinse off well and allow to dry thoroughly before the next application. Ensure that the surface is free from dirt, fungal &amp; oily deposit and loosely bount powdery paint. Loosely bount paint should be water-jetted and allowed to dry before one coat of Bonding Liquid is applied as a prime coat. Allow to dry for 4 hours before application of the waterproofing commences</p> <p>Seal nails and over laps of the entire roof for leaks, with SABS approved roof sealer/membrane. All loose screws shall be replaced with long one before sealing commences.</p> <p><b>Notes:</b>  It is extremely important that no short cuts are taken throughout the entire procedure to achieve the desired results.</p> <p>Applications should be applied and be allowed to dry before another is being applied.</p> <p>The contractor must submit a guarantee of 1 year certificate from the date of first delivery.</p>	m <sup>2</sup>	15000		
	<b><u>BILL NO. 1</u></b> <b><u>WATERPROOFING</u></b> <b><u>CARRIED OVER TO SUMMARY</u></b>			SUB-TOTAL	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>BILL NO. 2</u></b>  <b><u>PAINTWORK, ETC.</u></b>  <b><u>(CPAP WORK GROUP NO. 152 UNLESS OTHERWISE STATED)</u></b></p> <p><u>PREPARATORY WORK TO EXISTING &amp; NEW WORK.</u></p> <p><u>Previously painted plastered surfaces.</u></p> <p>Surfaces shall be thoroughly washed down &amp; allowed to dry completely, before any paint is applied. Blistered or peeling paint shall be completely removed, cracks shall be opened, filled with a suitable filler and finished to smooth.</p> <p><u>Previously painted metal surfaces.</u></p> <p>Surfaces shall be thoroughly rubbed &amp; cleaned down. Blistered or peeling paint shall be completely removed down to bare metal.</p> <p><b><u>Paint on roof</u></b></p> <p>1 Apply one coat of galvanised cleaner scrubbed with a Scotch Pad thoroughly washed down with clean water, apply one coat of zink chromate primer and finish off with two coats of Red Oxide paint.</p>	m <sup>2</sup>	15000		
	<b><u>BILL NO. 2</u></b>				

	<u>PAINTWORK, ETC</u> <u>CARRIED FORWARD</u>			SUB- TOTAL	
--	---	--	--	---------------	--

## **SUMMARY OF TRADES: BUILDING WORK**

<b><u>Bill</u></b>	<b><u>Description</u></b>	<b><u>Pages:</u></b>	<b><u>Amount</u></b>
1	Waterproofing		
2	Paintwork		

**SUB-TOTAL:**

**TOTAL AMOUNT CARRIED TO FINAL SUMMARY:**

## FINAL SUMMARY OF TRADES

<u>Sections of Bill of Quantities:</u>		<u>Trades Per Bill:</u>	<u>Amount per Final Summary</u>
<b>Section 1: Building</b>	1	Waterproofing	
	2	Painting	
		<b>Sub-Total:</b>	
		15% Vat:	
		<b>Total Tender Amount:</b>	

