

Specifications, Evaluation Criteria and Works Space Norms Cape Town Local Office

No.	Contents	Page
1	Specification evaluation criteria for procurement of office accommodation	2
2	Comparison of existing facilities at current office with Legal Aid SA Space Norms	5
3	Legal Aid SA - Workspace Norms	6



LEGAL AID SA SPECIFICATION: EVALUATION CRITERIA FOR PROCUREMENT OF OFFICE ACCOMMODATION IN CAPE TOWN AREA

No.	TERMS AND CONDITIONS OF THE SPECIFICATION	YES	NO	Comment
1	OPERATIONAL LEASE REQUIREMENTS			
1.1.	The properties should be offered on an operational lease, for a minimum period of five (5) years.			
1.2.	No deposit shall be paid for rental of the leased office accommodation.			
1.3.	A bidder must be open for negotiation with Legal Aid SA for Tenant Installation Allowance.			
	The lease proposal must include an estimate of the costs of refurbishment and the Tenant Installation			
1.4.	Allowance offered in accordance with the detailed work space norms provided on the last page of this			
	document.			
	The Landlord must be willing to undertake all refurbishments on behalf of Legal Aid SA in line with			
1.5.	Construction Industry Development Board (CIDB) requirements. Legal Aid SA will reimburse the Landlord			
_	for all costs negotiated less any Tenant Installation Allowance provided. The refurbishments will form part of			
4.0	the signed lease agreement.			
1.6.	Legal Aid SA reserves the right to negotiation for space, rental and refurbishment costs.			
1.7.	A separate water and electricity meter must be in place which is managed and controlled by the local municipality or Eskom. No other meter system will be accepted.			
	The Landlord must ensure proper and adequate maintenance of the exterior of leased premises together with			
1.8.	common areas for the duration of the agreement.			
	The Landlord must be willing to include a clause in the lease agreement regarding right of first refusal where			
1.9.	the building will be first offered to Legal Aid SA should it be up for sale subject to Legal Aid SA adhering to its			
1.0.	Supply Chain Management Policy.			
	Standard Lease Agreement used by Legal Aid SA shall form part of the tender document . By submitting the			
	tender, the Landlord agrees that it will use the agreement and Legal Aid SA reserves its rights to reject the			
	Landlord from using their own lease agreement. In cases where Legal Aid SA waives its right to use its			
1.10.	standard lease agreement, no levies or contract drafting costs shall be payable by Legal Aid SA. Such			
	leases shall be vetted by Legal Aid SA's legal team to ensure compliance with the organization's policies and			
	regulations.			
1.11.	Legal Aid SA reserves the right not to make any appointment and shall not entertain any claim for costs that			
1.11.	may have been incurred in the preparation and the submission of proposals.			
1.12.	Building that have no rising damp or visible structural defects or wall cracks. Building with structural defects			
	and wall cracks exceeding 5mm will not be considered for further evaluation.			
1.13.	Legal Aid SA will request copies of the following documents:			
	An approved building plan, approved existing floor plan and proposed floor plan. A proposed floor plan			
1.13.1	should highlight areas that will be partitioned as per the space norms of this RFP. In the case of an existing			
	landlord, the floor plan should highlight areas that require repartitioning.			
1.13.2	A zoning certificate issued by the local authority for office, business or commercial purposes.			
1.13.3	A building completion certificate of the premises.			
1.13.4	A municipal occupation certificate of the premises.			
1.13.5	A valid electrical compliance certificate of the premises, pests control certificate and a maintainance plan.			

2	Evaluation Criteria The bid will be evaluated in four (4) phases as outlined below:		
2.1	The bid will be evaluated in four (4) phases as outlined below: Phase 1: Prequalification Criteria		
	A bidder must provide a copy of the title deed for the building or proof of ownership.		
2.1.1	An agent/entity of the landlord must provide a relationship agreement with detailed responsibilities that the		
	owner of the building has granted. Bidder must submit a confirmation letter in the company's letterhead. Letter must be signed by delegated authority as per company's resolution.		
	ANY BIDDER WHO WILL NOT COMPLY WITH ABOVE PREQUALIFICATION CRITERIA WILL BE DISQUALIFIED.		
2.2	Phase 2: Responsiveness		
	Bidders must ensure that they complete and sign documents as indicated below, and the documents must be submitted as part of the bid document by the closing date and time: i. Signed SBD 1: Invitation to Bid.		
2.2.1	ii. Signed SBD 3.1: Pricing schedule – firm prices (Purchases). iii. Signed SBD 4: Declaration of interest. iv. Signed SBD 6.1: Preference Points claim form in terms of the Preferential Procurement Regulations 2017. v. Original or certified valid B-BBEE certificate or sworn affidavit. JV must submit a consolidated B-BBEE certificate. The bidder must be registered on Central Supplier Database (CSD): The bidder must ensure that their company is registered on CSD (attach the CSD report with the bid document or provide bidder CSD registration number). vi. Municipal Account Statement and/or electricity account of not older than two (2) months from the tender closing date.		
	NB: IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH ENTITY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.		
2.3	Phase 3: Functionality In this phase, Legal Aid SA will look at the most appropriate property aligned to its operation, compatible with its infrastructure and feedback from reference checks. These will include site visits of properties and presentation by the landlords where necessary. The building will be evaluated on the following functionality criteria:		
	Criteria Scoring Value: 1=Poor; 2=Average; 3=Good; 4=Very Good; 5=Excellent	Weights	
<u> </u>	Building Documentations	50	
	i. Building inspection conducted by Legal Aid SA officials and the bidder within five (5) days upon request by Legal Aid SA. (5 points)		
	ii. A bidder must submit an officially signed commitment letter with clear timeframes to provide the following building compliance documents and/or actual documents:		
	(a) approved building plan (20 points); (b) Occupancy Certificate (20 points). (40 points) Timeframe scoring will be applied:		
	Commitment to submit between 1-7 days = 40 points;		
	Commitment to submit between 8-14 days = 30 points;		
	Commitment to submit between 15-21 days =20 points;		
2.3.1	Commitment to submit between 22 – 60 days =10 points; Commitment to submit after 60 days or no commitment = 0 points		
	iii. A bidder must submit an officially signed commitment letter with clear timeframes to provide the following		
	building compliance documents: (a) Zoning Certificate (1 point); (b) Fire Protection/Evacuation Plan (1 point); (c) Electrical Compliance		
	Certificate (1 point); (d) Pests Control Certificate (1 point) and (e) Maintenance plan (1 point). (5 points)		
	<u>Timeframe scoring will be applied:</u> Commitment to submit between 1-7 days = 5 points;		
	Commitment to submit between 8-14 days = 3 points;		
	Commitment to submit between 15-21 days =2 points;		
	Commitment to submit after 21 days or no commitment = 0 points		
	Building location and accessibility:	20	
	(Distance value allocation - less than (<): <2km=5, <3km=4; <4km=3; <5km=2; >5km=1) i. The rental office space offered must be located within the jurisdiction of Cape Town area at a reasonable	20	
000	walking distance to court. (5 points)		
2.3.2	ii. The rental office space must be within reasonable walking distance from taxi rank or public transport route. (5 points)		
	iii. A building must be accessible to people living with disabilities. (Ramps, lifts if offices not on ground floor		
-	and signage) (10 points) Building requirements:	20	
	i. Office space (15 points)		
	Office building with a) air-conditioners, b) electrical plugs per office, c) minimum ablution facilities as per		
	space norm, d) fire escape routes/emergency exits. (15 points) Office building with a) electrical plugs per office, b) minimum ablution facilities as per space norm, c) fire		
	escape routes/emergency exits. (5 points)		
	No information or insufficient information provided (0 points) ii. Parking Space (5 points)		
2.3.3	A building with:		
	a) availability minimum of 8 covered lockable parking bays on the premises – Access controlled by security guard on a segmented building with additional free open parking bay for Legal Aid SA's employees, visitors		
	and clients. (5 points) b) availability minimum of 8 covered parking bays behind locked gate on the premises (Access control by		
	remote) on a secured office block. (3 points)		
	c) additional free open parking bay for Legal Aid SA's employees, visitors and clients. (1 points). d) No information or insufficient parking provided (0 points)		
	Building Conditions and Availability:		
	i. The premises must be within a safe and secure office environment, as deemed acceptable by the Legal Aid SA in its sole and absolute discretion, which inter alia means that the property and the buildings (including the		
2.3.4	office offered to the Legal Aid SA) comprising the bidder's proposal and that of neighboring properties must	10	
	have acceptable look, promote Legal Aid SA image and its business objectives. (8 points) ii. The premises must be made available for occupation by the <u>01 March 2023</u> . (2 points)		
	,		
	TOTAL	100	
Only Bio	ds that score 70 points or more on functionality will be evaluated further		



Comparison of existing facilities at Cape Town Local Office with Legal Aid Space Norms

			t Cape Town Local Office w	ith Legal Ald Sp		
A	В	С	D	E	F	
Office	m²	Toilet Specifications (Toilets included in Column D)	No. Offices including facilities	No. Employees	No. Parking Bays (Parking Bays not included in Column D)	
Cape Town Local Office - Current Building Statistics (Minimum requirements)	1130.41	2 Toilets and 6 basins(1 toilet with five cubicles for females and 4 basins. 1 toilet for males with two cubicles, 2 urinal and two basins.	2 toilets and 6 basins, 1 x Paralegal office, 1 x reception and waiting area, 4 x consultation rooms, 6 x Civil LP offices, 1 x PLP Civil Office,3 x SLP Criminal Offices, 1 HoO Office, 1 x Admin Manager Office, 4 x (2-Admin Officers, Secreraty to HCU & 1- Admin Supervisor)- sharing office,3 x(Admin Officer Civil, 2x Legal Secretary)- sharing office, 12 x Cubicles in the Open plan occupied by 4CLP's, 3 x LP-DC's and 5 LP-RC's,11x small offices HCU LP, 1 x boardroom, 1 x store room, 1 x kitchen.	55	7 parking bays (2 x fleet, 1x HOO, 4 x visitors)	
Per work space norms/ requirements	823	2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) Add: 1 toilet for clients 1 toilet for disabled people.	29 offices, 27 cubicles and 13 facility rooms and 2 designated open area which serves as reception and computer café.	60	7 parking bay for fleet vehicle & 1 parking for Head of office based in Cape Town LO	



Legal Aid SA - Workspace Norms Cape Town Local Office

Position	Number of Employees	Offices Required	Cubicles Required	Open Area	Space Allocation per employee position/ facility	Total space m²	Comments
Space allocation based on							
employees Admin Manager	1	1		1	12	12	Office
Admin Officer, Admin Sup, Legal			-				Open Plan cubicle recommended -
Secretary, Secretary	7		7		10	70	Height 1.5 m
Office Assistant* also playing role of receptionist at JC	1	1			10	10	Open Plan cubicle recommended - Height 1.5 m
Candidate Attorney	12		12		4	48	(i) Drywall height is 1200mm from the ground and the glass is 300mm,give a total of 1.5meters all around.The drywall height of 1.5meters is to provide for privacy of Practitioners. (ii) The length and breadth is 2.0 meters on each side give a total space of 4m². (iii) One side will have an opening of 750mm for access.
Head of Office	1	1			12	12	Office
HCU Unit	11	11			9	99	Office
Paralegal	3	3			9	27	Office
Legal Practitioners - Criminal	9		9		4	36	(i) Drywall height is 1200mm from the ground and the glass is 300mm,give a total of 1.5meters all around. The drywall height of 1.5meters is to provide for privacy of Practitioners. (ii) The length and breadth is 2.0 meters on each side give a total space of 4m². (iii) One side will have an opening of 750mm for access.
Supervisory LPs, PLP, HCU Mananger	7	7			10	70	Office
Civil LPs	5	5			9	45	Office
Land Rights - LP	3	3			9	27	Office
Receptionist & Waiting Area Total Space based on	60	32	28	1	30	30 486	Reception counter
employees Space allocation based on facilities	60	32	26	'		400	
Satellite Office Staff	0						
Registry/ Filing Room							
		1			9	9	
Boardroom		1			9 50	9 50	Board room can be dual purpose i.e. temporary partitions to convert into additional consultation rooms when not used for meetings.
Consultation rooms		1 2			50 9	50 18	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings.
Consultation rooms Storeroom		1 2 1			50 9 70	50 18 70	i.e. temporary partitions to convert into additional consultation rooms
Consultation rooms Storeroom Stationery room		1 2 1			50 9 70 4	50 18 70 4	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings.
Consultation rooms Storeroom		1 2 1			50 9 70	50 18 70	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings.
Consultation rooms Storeroom Stationery room Kitchen		1 2 1 1			50 9 70 4 9	50 18 70 4 9	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients
Consultation rooms Storeroom Stationery room Kitchen Toilet		1 2 1 1 1 1		1	50 9 70 4 9	50 18 70 4 9	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients 1 toilet for disabled people.
Consultation rooms Storeroom Stationery room Kitchen Toilet Server/Network room		1 2 1 1 1 4	0	1	50 9 70 4 9 6	50 18 70 4 9 24	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients 1 toilet for disabled people. Ventilated Open plan. No Cubicles. 12m²
Consultation rooms Storeroom Stationery room Kitchen Toilet Server/Network room Computer Café		1 2 1 1 1 1 1	0		50 9 70 4 9 6	50 18 70 4 9 24 4 12	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients 1 toilet for disabled people. Ventilated Open plan. No Cubicles. 12m²
Consultation rooms Storeroom Stationery room Kitchen Toilet Server/Network room Computer Café Total Space based on facilities Total Area Offices and Facilities Walkways, stairs and hallways		1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	50 9 70 4 9 6 4 12	50 18 70 4 9 24 4 12 200 686 137	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients 1 toilet for disabled people. Ventilated Open plan. No Cubicles. 12m² consisting of an open area of 12m².
Consultation rooms Storeroom Stationery room Kitchen Toilet Server/Network room Computer Café Total Space based on facilities Total Area Offices and Facilities	60	1 2 1 1 1 1 1	0		50 9 70 4 9 6	50 18 70 4 9 24 4 12 200 686	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients 1 toilet for disabled people. Ventilated Open plan. No Cubicles. 12m²
Consultation rooms Storeroom Stationery room Kitchen Toilet Server/Network room Computer Café Total Space based on facilities Total Area Offices and Facilities Walkways, stairs and hallways	60	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	50 9 70 4 9 6 4 12	50 18 70 4 9 24 4 12 200 686 137	i.e. temporary partitions to convert into additional consultation rooms when not used for meetings. Safe storage room 2 Toilets (3 cubicles and 3 basins for females and 3 cubicles, 3 basins and 3 urinals for males) 1 toilet for clients 1 toilet for disabled people. Ventilated Open plan. No Cubicles. 12m² consisting of an open area of 12m².