



Type. B Crealco Swift 38 or eq. approved top hung aluminium casement window, per layout. Casement sash 1500 x 1200mm max capacity
 Fixing lugs suitable for fixing to plastered brickwork reveals.
Exposure AAAMSA exposure category: A3. SANS613 - 2000Pa wind load capacity
Coating: Class 2 powder coated to SANS 10322:2014; Coatings in accordance with SANS 1796 using powders in accordance with SANS 1578.
colour: TBC. Provisionally Mat Black
Furniture 500mm Stays, 13mm stack, capacity 28Kg. Crealco code STF-TH600S-304 or equal app
 Handles - Per manufacturers specification to suite operation indicated.
Glazing Glazing throughout to be 6,38mm thick normal strength PVB laminated Low E safety glass
 SHGC Req. 0.57 per PG Glass E-Range Solarvue Neutral SHG (or equal approved)
 U-Value Req. 5.8 W/m².K (system) Glazing - 3.7 W/m².K

Mesh security screen: Per Trellidor Clearguard casement window, consisting of: 89x23 box section outer frame .
 s/steel woven mesh screen in 42x33 casement framing . Finish- Powder coated of colour to match window frame.
 Locking with cylinder deadlatch and escutcheon, at max 600mm cc. 100mm sinkless S/steel hinges.

Blinds / Curtains: Vertical Louvre blinds, polycotton drape, 127mm width vanes, cord operable. 45x25 Aluminium head rail, per Hospitrack, Hospi-Lux

QUANTITY:	No Blinds / Mesh	Incl Blinds	Incl Security Mesh	Incl Mesh and Blinds
1	-		WG9	

NOTES:

- ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO MANUFACTURE.
- WINDOWS DRAWN AS VIEW FROM EXTERIOR.

REVISIONS			
Rev.	Date	Description	By
A	2024.08.06	Window & description updated.	PD

PROJECT:

PORT SHEPSTONE HOSPITAL
NEW PSYCHIATRIC WARD

DRAWING DESCRIPTION:

WINDOW SCHEDULE
WINDOW TYPE B

Architect:

ARTEK 4 ARCHITECTS (KZN) CC

Durban: 46 Lena Ahrens Road, Glenwood, Durban 4000
 tel: 031 201 0445 fax: 031 201 6609 email: admin@artek4.co.za
 Port Shepstone: 19 Tradewinds, Marine Drive, Shelly Beach
 tel: 039 682 2447 fax: 039 682 2446 email: admin@artek4.co.za



Scale	Date	Drawn	Project No.	Drawing No.	Rev.
1:25	14.11.2022	WP	1518	401-2	A