

NO. DATE REVISION

DRAWN

- NOTES AND SPECIFICATIONS:

  GENERAL

  1. Use dimensions provided and do not salae drawing.

  2. All work to comply with SANS, PW371 and SABS.

  3. All dimensions, levels and positions to be verified on site prior to construction.

  4. All concrete work to be as per Engineer's details and specifications.

  5. All pits to face North.

  5. All pits to face North.

  6. All brickwork have brickforce at every 2nd course in pit lining and 3rd course in
- superstructure.

# All stages of pit excavation to be inspected and approved by Engineer and signed off. All pit lining to be inspected by EnviroLoo Services before slab casting. COMPACTION OF SURFACES

PIT EXCAVATION

- All ground surfaces receiving concrete floors / slab should be compacted to 150mm layers 93% ModAASHTO density before casting concrete. CONCRETE WORKS

- All concrete to be as per Engineer's details and specifications.
   25 MPa strength concrete to be used throughout construction:
  Trial Concrete Mixes: Proportions
  Concrete Strength at 28 Days 2SMpa:
   1: 2: 2 (mix proportion by volume)
   1 bag cement: 0.08m3 Sand: 0.09m3 Stone (Volume/Bag)
   385 kg cement: 820 kg sand: 960 kg stone (Mass/m3)
   3. Pre-cast concrete lintols to be used as support under top slab of pit.
   All concrete aprons to be 1000nm wide.

id proportions to be:
1 cement : 3 sand
(i.e.1 bag cement : 3 wheelbarrows (37 litres) sand)

ARCHITECT

# BRICKWORK Sub-structure

- All pit lining / foundation brickwork to be solid NFP clay brick.
   All internal surface of pit lining to be painted with two coats black expoxy paint installing Enviro-Loo units.

- Super-structure

  1. All external walls / partitions to be of clay face brick to SABS quality.

  2. All cubicle partition walls to be 3 courses above door height.

  3. All brickwork above door openings should have brickforce on evry course at least 3.
- courses.

  4. Air bricks: Standard 230X152mm terra-colts be used above all window openings. vermin proofed lourved air grating to

- ROOF SHEETING
  1. 0.6mm kliplock chromadek roof sheeting.

- ROOF TIMBER / CEILING

  1. All roof timbers to be machined SABS treater wood with three coats of approved wood
- preservative.

  2. Timber connections (Hurricane Clips) are required all intercessions rafters and purlins.

  3. Sisalation is to be applied interval under all roof surfaces.

CIVIL ENGINEER

- METALWORK

  1. All metalwork should be primed before installation.

  2. All steel window should have 6x20mm flat bar burglar proofing.

MA POXE CONSULTING ENGINEERS 100 MCDOMALD AVENUE POLOKWANE 0787 TEL: 015 291 2101/2088

Consulting Engineers

PLUMBING

1. Double concrete wash trough to be used.

2. All wash troughs should be connected to the school's water supply system and the waste water should be piped to a soakaway.

3. The soakaway should be as per Engineer's detail and position to be determined on site.

4. Only 20mm and galvanised pipework should be used as connection from wall to the discharge points.

- GLAZING 1. 6.28mm
- 2. Stainless steel mirrors obscure safety glass s steel mirrors size 350x450mm
- PAINTING
  1. All paintwork to comply with SABS and PW371
  2. All steel window and door frames including do: 6/1 specification.
  doors and fascia / barge


IMPLEMENTED BY

14.11.2019 STATUS ECEND
1 = NFORMATION
1 = STATUS ECEND
C = CORSTRUCTION
AS-AS BUILT

DATE SHEET SIZE

14.11.2019
SCALE

discharge points. to be



DITEMENT DOOR    101   1	1022   1   1022   1   1   1   1   1   1   1   1   1
DU LOS LUF RES PER	PROOF NO.  COLUMN TRANS  FRAME TRESS  ROAD ROAD NO.
CUBCLE DOOR    Charles   C	### ##################################
	TYPE ()
	The state of the s

EMIS NUMBER	(0,0 T)	DRAWING TITLE	PROVING		PROJECT			SPOI	THE MVULA TRUST 9A LAWROS MARI POLOWIANE TEL: 015 291 2405	A lea	no una rascia / parga pouras co pa
DISCIPLINE DRAV	FEMALE 3 SEATS, 2 DISAB SEAT AND 2 URINALS ENVI SDM3 - MALE AND FEMALE	G TITLE	PROVINCE: LIMPOPO	TSHIENDEULA PRIMARY S	T			SPONSOR	THE MVULATRUST 9A LANDROS MARE STREET POLOKWANE 6899 TEL: 015 291 2405 FAX: 015 291 1270	A leading developmental NGC	MVULA

TSHIENDEULA	
PRIMARY SCHOOL	
	ENDEULA PRII

BLED, MALE 1 VIROLOO LE EDUCATORS

STATUS REVISION
T 0