

	The Supply and delivery of Consumables for the Nuclear Operating Unit	User Requirement Specifications
---	--	--

Title: The Supply and delivery of Consumables for the Nuclear Operating Unit	Area of Applicability:	Koeberg Power Nuclear Station
	Functional Area:	Materials Management
	Revision:	1
	Total Pages:	98

Compiled by



.....

Redah Hendricks
Senior Advisor

Date: 25 May 2024

Reviewed by



.....

Hannellie Van Jaarsveld
Inventory Planner

Date: 25 May 2024

Authorised by



.....

Jamie-Lee Booysen
Inventory Manager

Date: 25 May 2024

CONTENTS

	Page
1. SCOPE OF WORK	3
2. DESCRIPTION OF THE SERVICES 3-	97
3. ABBREVIATIONS.....	98
5. DELIVERY TIMES	98
6. METHOD.....	98

1. SCOPE OF WORK

The Supply delivery of Consumables for the Nuclear Operating Unit.

2. DESCRIPTION OF THE SERVICES

The Supply and delivery of Consumables for the Nuclear Operating Unit.

The following is a categorised list of Consumable items. Batch 1 includes Household Consumables, Batch 2 includes Foreign Material Exclusion (FME) Consumables, and Batch 3 includes Tools and Equipment. Suppliers have the option to submit tenders for specific "parts" referred to as Batch 1, Batch 2, or Batch 3, or for the "whole' (entire list of consumables), referred to as Batch 1 and Batch 2 and Batch 3.

Batch 1- Household Consumables

Material	Description	Full Description	Estimated Quantities	Unit
0011460	TIE CBL:SELF LOCKING;50 MM;WD 4.7 MM;15	C.O.C; 0040/88Q; Q4:NSF:NC:0; CABLE TIE STRAP (BLACK); DIMEN: 200MM LG X 4.7MM WIDE; MATL: NYLON; PRICING = PER CABLE TIE; SUGGESTED PACKAGINF 1 EA = PACK OF 100 TIES; KBA:1217L00009; KBA:1215G08001, ITM:X; FUNCT.LOC:1/2LGX 000JA, 9LGX 000JA, (1 ea = 1 tie)	230000	EA
0011461	TIE CBL:SELF LOCKING;18 MM;WD 2.5 MM;15	COC\0040/88Q\;Q4:NSF:NC:0 CABLE TIE STRAP P/NO: T18R DIMEN: 2,5MM WIDE X 104MM LG MATL: BLACK PLASTIC; PRICING = PER CABLE TIE; SUGGESTED PACKAGINF 1 EA = PACK OF 100 TIES; KBA:1217L00009 ITM:X 1 = SEQ:1048 KBA:1215G08001 ITM:X 2 = SEQ:1049 S/LIST: M/MAN: / ASMT: 1 = SEQ:1048 S/LIST: M/MAN: / ASMT: 2 = SEQ:1049; (1 ea = 1 tie)	60000	EA
0011523	TIE CBL:SELF LOCKING;120 MM;WD 7.6 MM	C.O.C\0040/88Q\Q4:NSF:NC:0 ELECTRICAL CABLE TIE STRAP P/NO: T120R DIMEN: 7,6W X 385LG MM MATL: BLACK PLASTIC; PRICING = PER CABLE TIE; SUGGESTED PACKAGINF 1 EA = PACK OF 50 TIES; (1 ea = 1 tie)	180 000	EA
0014413	BATT DCELL:ZN CARBON;1.5 VDC;D	COC; 0012/88Q; Q4:NSF:NC:0; SPEC DESCRIPTION CONFIRMED DRY TORCH BATTERY ZINK CARBON MNF: EVEREADY SIZE: D LARGE RATED VOLTAGE: 1.5 VOLT; SAFETY DATA SHEET TO BE SUPPLIED WITH DELIVERY;	8500	EA
0016493	TAPE ADHSV:MASKING;WD 18 MM X LG 40 M	C.O.C; 0040/88Q; Q5:NSF:NC:NEV BUFF COLOUR MASKING TAPE MATL:18MM X 40M X 75MM BORE MOISTURE OIL AND SOLVENT RESISTANT	700	EA
0016511	PAPER BOND:A3;WHITE;SHEET;80 G/M2;REAM	N/A\0040/88Q\NQL:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-92/11 BOND PAPER * MNF: TYPEK; DIMEN: 420MM LG X 297MM WIDE * A3 MATL: PAPER 80GSM WHITE 500/REAM	1 500	EA
0109008	HANDLE,BROOM PLATFORM	N/A\0040/88Q\NQL:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-92/10 BROOM HANDLE FOR PLATFORM TYPE BROOM P/NO: DIMEN: MATL: KBA: ITM: KBY: / S/LIST: M/MAN: ASMT: TRI:	200	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

4 of 98

0144647	BATT DCELL:ALKALINE;1.5 VDC;C	C.O.C; 0012/88Q;Q4:NSF:NC:0; DRYCELL BATTERY (GOLD); MATL:ALKALINE MANGANESE; TYPE: FLAT SURFACE TERMINALS; SIZE:MEDIUM; RANGE:1,5 VOLT; SUGGESTED VENDOR: ELECTRIC CENTRE;	1 000	EA
0146122	TORCH:2 CELL;2D	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 2 CELL TORCH (NOT INDUSTRIAL TYPE) WITH MAGNETIC ATTACHMENT; FUNCT LOC: 6MBI 008BG	600	EA
0159580	ENVELOPE MLNG:C5; WD 162 X LG 229 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV ENVELOPE (C5) DESIGN ELEMENTS FRONT:THE PRINTED ENVELOPE FEATURES THE CORPORATE SIGNATURE POSITIONED IN THE TOP LEFT- HAND CORNER,AS INDICATED. BACK:THE ONLY INFORMATION THAT MAY APPEAR ON THE BACK OF THE ENVELOPE IS THE RETURN ADDRESS AND REGISTRATION DETAILS OF ESKOM,UNLESS OTHERWISE SPECIFIED. NOTE:DO NOT USE ANY PUNCTUATION IN THE PRE-PRINTED INFORMATION;INSERT A DOUBLE SPACE INSTEAD. INSIDE:THE ESKOM BASKET-WEAVE PATTERN IS USED IN A 20% TINT ON THE INSIDE OF THE ENVELOPE,AS ILLUSTRATED ON THE PAGE.THIS SERVES AS A SECURITY PATTERN. NOTE:THERE ARE NO DIVISIONAL ENVELOPES,EXCEPT FOR ESKOM ENTERPRISES. DIMEN:229 X 162MM PAPER SPECIFICATIONS OPAQUE BOND COLOUR SPECIFICATIONS ESKOM SIGNATURE AND ALL PRINTED TEXT: PANTONE 287 TYPE SPECIFICATIONS POSTAL ADDRESS AND REGISTRATION DETAILS: GILL SANS LIGHT - 8 PT CENTRED LEFT AND RIGHT, LEADING - 8,25 PT LANGUAGE:ENGLISH	500	EA
0159778	CLEANER:ANTI-FOGGER;BOTTLE 110 ML	N/A\0040/88Q\Q5:NSF:NC:NEV (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY) KEEP CLEAR ANTI-FOGGER CLEANER (110ML BOTTLE) CODE:D8241079	1000	EA
0159837	POLISH,FURNITURE:275 ML	C.O.C; 0040/88Q;Q4:NSF:NC:NEV; (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY); POLISH, FURNITURE; TYPE: PLEDGE; CONTAINER: CAN; CAPACITY: 275 ML; PAKG: SIX IN BOX;	2 100	EA
0159848	POLISH,FLOOR SUPERCOAT 25L	N/A\0040/88Q\NQL:NSF:NC:NEV (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY) FLOOR POLISH P/NO: SUPERCOAT DIMEN:25 LITRE CONTAINER	1800	L
0159868	CLEANER:HANDY ANDY;COMPOUND	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY); HANDY ANDY CLEANING COMPOUND W/AMMONIA; SIZE: 500ML BOTTLE;	5500	EA
0160335	BAG:REFUSE;WD 750 X LG 950 MM;PLASTIC	N/A\0040/88Q\Q5:NSF:NC:NEV REFUSE BAG DIMEN: LTH=950 X W=750 X 40 MICRON THICK MATL: PLASTIC COLOUR:BLACK	500 000	EA
0160369	BAG:WD 750 MM X LG 950 MM X THK 50 UM	N/A\0040/88Q\Q5:NSF:NEV:NC GREY PLASTIC BAGS P/NO: DIMEN:950LX 750WX 50MICRON MATL: PLASTIC	110 000	EA
0160383	BAG,PLASTIC CLEAR 120LX 80W ZIPPERLOCK	N/A\0040/88Q\Q5:NSF:NC:NEV PLASTIC BAG W/SELF SEALING "ZIPPERLOCK" DIMEN: 120LG X 80W MATL: CLEAR PLASTIC X 50 MICRON THICK	36500	EA
0160471	TOWEL,KIMCLOTH X50 BLUE 250MMX400M	N/A\0040/88Q\Q5:NSF:NC:NEV KIMCLOTH X50 JUMBO ROLL BLUE 45 GSM RAYON BASED ON DISPENSING ROLL COLOUR: BLUE P/NO: SA081653 DIMEN: 250MM WIDE,AND 400M IN LENGTH; 1 ea = 1 roll	1400	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

5 of 98

0161134	CLEANER,HAND:REINOL FLAX;DEGREASER	N/A\0040/88Q\NQL:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-93/03 REINOL HAND CLEANER WITHOUT SOLVENTS (NATURAL INGREDIENTS) TO CLEAN AND CONDITION SKIN DIMEN:3KG CARTRIDGES	150	EA
0161141	SOAP:HAND,LIQUID,1 L	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY); LIQUID TOILET SOAP; (1 EACH = 1 LITRE); COLOUR : WHITE; P/NO: CALSOAP;	20 000	EA
0161144	DEODORANT,AIRFRESHNER AEROSOL CAN 180ML	N/A\0040/88Q:NQL:NSF:NEV:NC (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY) DEODORANT AIRFRESHNER P/NO: SIZE: 180 ML AEROSOL CAN	12000	EA
0161153	TOWEL,PAPER:2 PLY;WD 240 MM;LG 324 MM	N/A\0040/88Q\Q5:NSF:NC:NEV KLEENEX BRAND PREMIER HANDTOWELS P/NO: 285917 PACKAGING: 120 TOWELS/PACK 20PACKS/BOX DIMEN: 240MM X 324MM MATL: 2PLY PAPER	2500	EA
0161155	TOWEL,PAPER:2 PLY JUMBO;WD 270 MM;WHITE	N/A\0040/88Q\Q5:NSF:NC:NEV 2 PLY WHITE JUMBO TOWEL DIMEN: 270MM WIDE X 1500M MATL: PAPER; 1 ea = 1 roll	8 000	EA
0161759	PLASTIC,CLING-WRAP CLEAR 300MMX1400M	C.O.C\0040/88Q\Q4:NSF:NC:NEV PLASTIC CLEAR CLING-WRAPPING 300MM WIDE 1400 METRE LONG ; 1 ea = 1 roll	30	EA
0213946	DISINFECTANT:750 ML	N/A; 0040/88Q; Q5:NSF:NC:NEV; LIQUID DISINFECTANT (GENERAL PURPOSES) DETTOL ANTISEPTIC (CONCENTRATED); MFR:N/A; P/N:N/A; PACK: 750ML CONTAINER	7500	EA
0217562	SOAP:BATHING	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PROTEX SOAP (WHITE); MFR:PROTEX SOAP; TYPE: PROTEX; SIZE: 150 G;	3000	EA
0222082	PAPER BOND:A4;GREEN LIGHT;SHEET;80 G/M2	C.O.C; PAPER, BOND; MNF: MONDI ROTATRIM; SIZE: A4; COLOR: GREEN LIGHT; USAGE FORM: SHEET; NOMINAL BASIS WEIGHT: 80 G/M2; SPECIFIC USE: PHOTO COPYING; LONG GRAIN; TYPEK, 500 PER REAM, 5 PER BOX; SIZE: 210MM WD X 297MM LG;	100	EA
0229603	HEAD,BROOM 78X305MM FIBRE	N/A\0040/88Q\Q5:NSF:NC:NEV SOFT DOMECTIC BROOM WITHOUT HANDLE (WITH BROOM STAY/GRIP FOR HANDLE) MATL:WOODEN TOP WITH BLACK FIBRE BRISTLES SIZE:78 X 305MM	200	EA
0237131	MOP:GRIP;COTTON; WD 140 X LG 450 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV GRIP MOP 500G WITH DETACHABLE METAL HEAD SUPPLIER:F&A DISTRIBUTORS SIZE:140MM WIDTH X 450MM LENGTH MATERIAL: COTTON FFT:SUPPLIED WITH HANDLE	300	EA
0243995	PAPER BOND:A4; WD 210 X LG 297 MM;WHITE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV A4 PAPER (500 SHEETS PER REAM) (CONTRACT MATERIAL NUMBER 0159154); MNF: TYPEK; TYPE: 80GSM;PAPER, BOND: SIZE: A4; WD 210 X LG 297 MM; COLOR: WHITE; USAGE FORM: SHEETS/REAM 500; PACKAGE TYPE: REAM; PACKAGE QUANTITY: 500 PAGES; COLOUR:WHITE;	45000	EA
0248023	PAPER BOND:A4;PINK;PHOTOCOPY;BOX	C.O.C; PAPER, BOND; MNF: MONDI ROTATRIM; SIZE: A4; COLOR: PINK; SPECIFIC USE: PHOTOCOPY; PACKAGE TYPE: BOX; PACKAGE QUANTITY: 500 SHEETS PER REAM; TYPE REAM PHONE; 80G/M2, 500 SHEETS PER REAM;	100	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

6 of 98

0502922	PAGER:2028 ALPHA-NUMERIC	C.O.C; 0147/88Q; Q4:NSF:NC:0; PAGER; ALPHA NUMERIC; MFR:ITRONICS; P/NO: 2028; SIGNAL FORMAT: POCSAG 512 OR 1200BPS; CAP CODES: 8; MESSAGE CAPACITY: 19 MESSAGES UP TO 512 CHARACTERS EACH; LCD DISPLAY: 4 LINES X 20 CHARACTERS OR ZOOM TO 2 LINES X 2 CHARACTERS; LCD BACKLIGHT: WHITE LED; DIMENSION: 80MM (L) X 54MM (W) X 19MM (H); WEIGHT: 68G WITH BATTERY;	150	EA
0595684	TOWEL,HAND:21 CM;LG 660 SHEETS PER ROLL	N/A; NO ENG.INPUT REQ,D; SCOTT SLIMROLL HAND TOWEL; SUPPLIER:PTA AGENCY CC; CODE:6657010/1; WIDTH: 21 CM; LENGTH: 660 SHEETS PER ROLL; MATERIAL: SCOTT SLIMROLL; COLOR: WHITE; 1 ea = 1 roll	150	EA
0597202	TORCH:PROTECTIVE HELMET HEADLAMP	C.O.C; 0040/88Q; Q4:NSF:NC:0:L3; TORCH; MNF: ENERGIZER; P/NO: MSHD3AA; TYPE: PROTECTIVE HELMET HEADLAMP; DIMENSIONS: SHALL BE INTRINSICALLY SAFE; ADJUSTABLE; PROVIDE AT LEAST 400 LUMENS AT 20 METER FOR 6 HOURS AND MUST BE ABLE TO FIT ALL TYPES OF PROTECTIVE HELMETS	300	EA
0600620	BATT DCELL:NIMH;1.2 V;AAA;FLAT TERMINALS	C.O.C; 0016/96Q; Q4:NSF:NC:1; BATTERY, DRY CELL: TYPE: RECHARGEABLE; POTENTIAL: 1.2 V; DIMENSIONS: AAA; CONNECTION: FLAT TERMINALS; MATERIAL: NIMH	1500	EA
0604458	BATT:DURACELL, AA;1.5 V	N/A; 0200/87Q; Q5:NSF:NC:0; DURACELL BATTERY; TYPE: DURACELL; AA; POTENTIAL: 1.5 V;	4 500	EA
0607409	PAPER BOND:WD 210 X LG 297 MM;BLUE;REAM	C.O.C; 0040/88Q; Q4:NSF:NC:0; PAPER,BOND; MNF: TYPEK; SIZE: WD 210 X LG 297 MM; COLOR: BLUE; PACKAGE TYPE: REAM; PACKAGE QUANTITY: 500 PAGES; A4; REAM; COLOR: BLUE; ALL PRINTERS	2 000	EA
0716592	DISHWASH COMP 5L	C.O.C; 0040/88Q; Q4:NSF:NEV:NC; DETERGENT; MNF: ZONE CHEMICALS; P/NO: E15DW5;TRADE NAME: DETERGENT; SPECIFIC USE: DISH WASHING; PACKAGE TYPE: CAN PLASTIC; PACKAGE WEIGHT: 5 L; PHYSICAL FORM: LIQUID; ISO 9002 SABS MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY; Issued in 5L containers - 1 ea = 5 L	1 300	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

7 of 98

0724197	PAPER,TOILET:ROLL;1;WHITE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PERFORATED, SHALL BE WOUND ON TO A CORE AND SHALL BE OF THE UNDERMENTIONED SHEET COUNT, 500 SHEETS AND MULTIPLES OF 100 SHEETS PER ROLL ABOVE 500 SHEETS, WRAPPED IN POLYTHENE BAGS CONTAINING 48 ROLLS SABS SPEC 648-1984 AS AMENDED; CORE SIZE: 40 MM; SIZE: WD 100 X LG 110 MM; 1 ea = 1 roll	550 000	EA
0079224	BLADE KNF:TRIMMING;STL	C.O.C; 0040/88; NQL:NSF:NC: BLADE, KNIFE; P/NO: 1992; TYPE: TRIMMING; DIMENSIONS: WD 19 X LG 60 X THK 0.6 MM; MATERIAL: HEAVY DUTY;	4500	EA
0079228	KNIFE:TRIMMING, RETRACTABLE BLADE	N/A\0040/88Q;Q5:NSF:NC:NEV DESCRIPTION CONFIRMED-STG/COD-91/05 RETRACTABLE BLADE TRIMMING KNIFE 3-POSITION BLADE BUTTON & BLADE STORAGE FURNISHED WITH NO1992 HEAVY DUTY BLADES TYPE 99 P/NO: TH128-99 MATL: LIGHT ALUMINIUM BODY	600	EA
0108549	PADLOCK:KEY;6 MM;WD 33 X THK 40 MM;BRASS	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PADLOCK; TYPE: KEY; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 33 X THK 40 MM; MATERIAL: BRS; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 23 MM	7500	EA
0109013	TAPE:MIRROR SCOTCH;SYNTHETIC ADHESIVE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; TAPE; MFR:3M; TYPE: MIRROR SCOTCH; DIMENSIONS: WD 24 MM X LG 33 M X THK 3 MM; MATERIAL: SYNTHETIC ADHESIVE;	300	EA
0160050	BRUSH PAINT:SETTER;WD 25 MM;FLAT;PLASTIC	C.O.C\0040/88Q\Q4:NSF:NC:NEV FLAT PAINT BRUSH DIMEN:25MM X 48MM X 16MM	1500	EA
0160051	BRUSH PAINT:SETTER;WD 50 MM;FLAT;PLASTIC	SABS901-1973; 0040/88Q;Q5:NSF:NC:NEV; BRUSH, PAINT: TYPE: SETTER; WIDTH: 50 MM; MATERIAL: BRISTLE CHINESE PURE; SHAPE: FLAT; HANDLE: PLASTIC; LG 55 MM X THK 15 MM	1500	EA
0160052	BRUSH PAINT:SETTER;WD 75 MM;FLAT;PLASTIC	SABS901-1973\0040/88Q\Q5:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-92/12	800	EA
0256629	INSECTICIDE:FLYING/CRAWLING INSECTS	C.O.C\0040/88Q\Q4:NSF:NC:NEV (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF-LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR; NEO INSEKIL AERO SPACE INSECTICIDE PACKG:ANY ACCEPTABLE	2000	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0
Page: 8 of 98

0578629	CREAM BARR:PETROLEUM JELLY WHITE;500 G	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE,EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT;ALL CHEMICALS WITH A SHELF-LIFE,SHALL NOT EXPIRE WITHIN ONE (1) YEAR); WHITE VASELINE SOOTHING PETROLEUM CREAM; CRACK APPROVED - CATEGORY 1; DIMEN: 500GRAM CONTAINER;	330	EA
0579645	LATCH DOOR:WITH LATCH & DEADBOLT	DSG-319-008; 0086/91Q; Q4:NSF:NC:NEV; CISA HD EXIT PANIC LATCH; (LATCH, DOOR); SUPPLIER:JK HARDWARE; CODE:52840-60; TYPE: HEAVY DUTY CYLINDER MOTICE LOCK; STYLE: WITH LATCH & DEADBOLT; DIMENSIONS: WD 170 X HT 85 MM;	70	EA
0579646	LATCH DOOR:LATCH ONLY-NO DEADBOLT	DSG-319-008; 0086/91Q; Q4:NSF:NC:NEV; CISA MORTICE LATCH/LOCK; (LATCH, DOOR); SUPPLIER:JK HARDWARE; CODE:52755-60-20; TYPE: HEAVY DUTY CYLINDER MOTICE LOCK; STYLE: LATCH ONLY-NO DEADBOLT; DIMENSIONS: WD 170 X HT 85 MM;	200	EA
0579707	HANDLE DOOR:BLANK;SS	DSG-310-084; 0353/Q4:NSF:NC:NEV; BLANK S/S L HANDLE PER PAIR; LEFT & RIGHT HAND HANDLES; SUPPLIER:JK HARDWARE; P/N:MOLO/Q54484; TYPE: BLANK; SIZE: WD 45 X LG 245 X THK 8 MM; MATERIAL: SS; CENTRE TO CENTRE DIMENSION FOR FIXING BOLTS (BOOK BINDING SCREW) MUST BE 220M;	250	EA
0728125	BATT:LITHIUM;3 V;540 AH	C.O.C; Q4; BATTERY: TYPE: LITHIUM; POTENTIAL: 3 V; CURRENT CAPACITY: 540 AH;	4000	EA
0690550	BATT:ALKALINE-MANGANESE; 9 V	BATTERY: TYPE: ALKALINE-MANGANESE; POTENTIAL: 9 V; ALKALINE-MANGANESE DIOXIDE INTRINSIC SAFE 9V BATTERY (MN 1604 OR MX 1604)	200	EA
0013856	BATT DCELL:ZN CARBON;1.5 VDC;C	C.O.C; 0012/88Q;Q4:NSF:NC:0; DRYCELL BATTERY; (MEDIUM); MFR:EVEREADY; DIMEN:24MM DIA X 48MM LONG; (1,5VOLT); MATL:ZINC CARBON;	6000	EA
0109565	PAD CLNG:TAPE, FINISHING ROLL	C.O.C; 0040/88; Q4:NSF:NC:NEV; PAD, CLEANING; TYPE: TAPE, FINISHING ROLL; DIMEN: WD 50 MM X LG 10 M; MAT: SCOTCH BRIGHT TAPE / BUFFRITE;	12000	M
0144630	BATT DCELL:ALKALINE;1.5 V;AAA;SLIM	C.O.C; 0125/89Q; Q4:NSF:NC:0; LR03 HP 16 BATTERY FOR USE IN PAGERS & COMMUNICATIONS; TYPE: AAA; MFR:DURACELL; P/NO: MN2400; DIMEN: 10.5 X 44.5MM;	35000	EA
0144646	BATT DCELL:ALKALINE;1.5 VDC;AA;FLAT PIN	BATTERY, DRY CELL: MATERIAL: ALKALINE; POTENTIAL: 1.5 VDC; DIMENSIONS: AA; CONNECTION: FLAT PIN; SUPPL P/N: MN1500; SAFETY DATA SHEETS REQUIRED ON DELIVERY HAZARDOUS SUBSTANCES, THIS PRODUCT IS CLASSIFIED AS HAZARDOUS SUBSTANCE AND SAFETY BROCHURES MUST ACCOMPANY DELIVERY, IN ACCORDANCE WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT OHSA, ACT 85 OF 1993 SECTION 10 AND 11; SIZES LR6/R6PP/AA/UM3/MN1500; DIMEN: 14X50MM LG	32000	EA
0144702	BATT DCELL:LITHIUM;3.6 V	N/A\0125/89Q\Q5:NSF:NC:0 LITHIUM BATTERY MFR: SAFT DIMEN: 14,3MM DIA X 25MM RANGE: 3,6V	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

9 of 98

0147474	DISINFECTANT:BOTTLE PLASTIC;100 ML	N/A; 0040/88Q; Q4:NSF:NC:NEV; (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT ALL CHEMICALS WITH A SHELF-LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR); DISINFECTANT; MNF: BE SAFE PARAMEDICAL; TYPE: CETRIMIDE ANTISEPTIC CLEANER; UNIT PACKAGE TYPE: BOTTLE PLASTIC; PACKAGE WEIGHT: 100 ML	200	EA
0159426	PAPER RL:CONTINUOUS FLAT FOLD;WHITE	N/A\0040/87Q\Q5:NSF:NC:O CONSOLE PAPER * PLAIN * SIZE 280MM LONG * 240MM WIDE * PERFORATED * PUNCHED HOLES ON BOTH SIDES * 2000 SHEETS = PER BOX	15	EA
0159552	BOOK REC:SHIFT SUPERVISORS LOG;A4;150	NA; 0040/88Q; Q5:NSF:NC:NEV; BOOK, RECORD; P/NO: T 8971; TYPE: SHIFT SUPERVISORS LOG; SIZE: A4; PAGE QUANTITY: 150; NUMBERED PAGES: YES; MATL 3 PLY WHITE, GREEN, PINK;	400	EA
0159741	BRUSH SCRUB:HANDY NAIL, DISPOSABLE	N/A\0040/88Q\Q4:NSF:NC:NEV NAIL BRUSH HANDISCRUB PLAIN (DISPOSABLE) (25 PER BOX)	350	EA
0159835	CLEANER FLR:25 L	N/A\0040/88Q\Q5:NSF:NC:NEV (MATERIAL DATA SHEET REQUIRED WITH EVERY DELIVERY) FLOOR SELECT EASI CLEANING COMPOUND STRIP AMMONIATED CRACK NON PLANT - CATEGORY 3 DIMEN:25 LITRE CONTAINER	3000	L
0160053	BRUSH PAINT:SETTER;WD 100 MM;FLAT	C.O.C\0040/88Q\Q4:NSF:NC:NEV BRUSH PAINT:TYPE SETTER SIZE:100MM WD X 79MM LG X 22MM THK MATL:PURE CHINESE BRISTLE,PLASTIC HANDLE,SHAPE FLAT	10	EA
0160440	BOTTLE:NAT DUMPY JAR;1 L;HDPE	C.O.C; 0040/88Q; Q4:NQL:NSF:NC:NEV; BOTTLE; POLYTHENE BOTTLE (GRIP JAR) ; MNF:PLASTIC WORLD PTY (LTD); TYPE: NAT DUMPY JAR; CAPACITY: 1 L; MATERIAL: SEMI CLEAR WITH WHITE LID; STYLE: HDPE; SPECIFICATION: 1 EACH = 1 BOTTLE / JAR	7000	EA
0160441	BOTTLE:LIQUID AND OIL SAMPLE;100 ML;PE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV;BOTTLE: TYPE: LIQUID AND OIL SAMPLE; CAPACITY: 100 ML; MATERIAL: PE; STYLE: ROUND SCREW TOP; DIA 3.5 CM X HT 7.5 CM;	12000	EA
0160444	LID:SCREW ON, BOTTLE 1 L;120 MM	N/A\0040/88Q\NQL:NQL:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-92/08 POLYTHENE SCREW-ON LID MFR: POLYOAK P/N:CODE E 0417 RED 00 SUPPLIER: POLYOAK; DIME N:120MM (322 PER BOX)	100	EA
0162637	LEAD ELECT	N/A\0040/88Q\Q5:NSF:NC:NEV DESCRIPTION CONFIRMED-STG/COD-92/04 WIRE LEAD DIMEN:1MM KBA:1215G02005 ITM:X 1 = SEQ:0643 S/LIST: M/MAN: / ASMT:1781 1 = SEQ:0643	50	EA
0209935	SPRAYER:BOTTLE 500 ML	C.O.C\0040/88Q\Q4:NSF:NC:NEV PLASTIC 500ML SPRAY BOTTLE WITH TRIGGER MECH.(WATER) (FOR ASBESTOS USE) SUPPLIER:N/A MATL:PLASTIC RANGE:500ML	1000	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

10 of 98

0209936	BAG:650 X 800 MM;PLASTIC	C.O.C\0040\88Q\Q4:NSF:NC:NEV PLASTIC BAGS WITH ASBESTOS WARNING ON SIDE SUPPLIER:N/A DIMEN:650 X 800MM MATL:PLASTIC	500	EA
0214560	TAPE EMBSG:BLUE ON WHITE;24 MM;160 UM;8	C.O.C\0040\88Q\Q4:NSF:NEV LABELING TAPE CASSETTE MFR:BROTHER-P-TOUCH 9500 PC P/NO:TZ-253	170	EA
0227583	CORD EXT:3;250 V;10;16 A	CORD, EXTENSION: CONDUCTOR: 3; POTENTIAL: 250 V; RECEPTACLES: 10; CURRENT: 16 A; REFERENCE NO: SK380010; ELECTRICAL; 1 POLE, MULTIPLUG DOUBLE SIDED WITH INDIVIDUAL ON/OFF SWITCHES; C/W EARTH LEAKAGE; RESET BUTTON AND 3M CABLE	50	EA
0234404	TAPE:DEMARCATON;WD 48 X HT 105 X LG 33M	C.O.C; 0040/88Q;Q4:NSF:NC:NEV; TAPE; MFR:INTEGRAL SAFETY PRODUCTS (PTY)LTD; P/NO: DT-48/Y; TYPE: DEMARCATION; DIMENSIONS: WD 48 MM X HT 105 MM X LG 33M; MATERIAL: SYNTHETIC ACRYLIC ADHESIVE; COLOR: YELLOW; CODE: FLOOR MARKING; A HIGH PERFORMANCE, CONFORMABLE TAPE IDEALLY SUITED TO COLOUR CODING AND DEMARCATION OF FACTORY/WAREHOUSE AND OTHER FLOOR AREAS;	150	EA
0234405	TAPE SFTY BARR:DEMARCATON;WHITE	C.O.C\0040\88Q\Q4:NSF:NC:NEV DEMARCATION TAPE MFR:INTEGRAL SAFETY PRODUCTS (PTY)LTD CODE:DT-48/W COLOUR:WHITE	150	EA
0234656	TAPE ADHSV:MASKING;WD 48 MM X LG 40 M	(N/A\0040\88Q\Q5:NSF:NC:NEV MASKING TAPE MOISTURE OIL AND SOLVENT RESISTANT DIMEN:LTH = 40M X WTH = 48MM	15000	EA
0236094	BARRIER ZNR	C.O.C\0040\88Q\Q4:NSF:NC:NEV Z-BARRIER P/NO:MTL-992-5020K LENGTH:2-4M	3500	EA
0236095	BARRIER ZNR	C.O.C\0040\88Q\Q4:NSF:NC:NEV Z-BARRIER P/NO:MTL-992-5030K LENGTH:3-6M	5000	EA
0236097	BARRICADE:POCKET BARRIER SIGN;PVC	C.O.C\0040\88Q\Q4:NSF:NC:NEV BARRIER SIGN POCKET P/NO:MTL-992-7010K MATL:PVC SIZE:A4	5000	EA
0242383	BOTTLE:OIL SAMPLE;90 ML;PLASTIC	C.O.C\0040\88Q\Q4:NSF:NC:NEV PLASTIC SAMPLE CONTAINER (90ML PLASTIC OIL SAMPLE BOTTLES WITH A BLACK PLASTIC SAFETY BOTTLE OUTER) MFR:OILWATCH RANGE:10 SAMPLES IN A BOX	250	EA
0584937	BATT:LEAD ACID;12 V;65 AH	BATTERY: TYPE: LEAD ACID; POTENTIAL: 12 V; CURRENT CAPACITY: 65 AH; MANUF P/N: DB12-65; BATTERY FOR MINIMAX PANEL PLANT A; 12V 65AH AGM LONG LIFE BATTERY	5	EA
0592142	TIE CBL:LOCKABLE IMS ONLY;50 MM;WD 2.6	C.O.C; 0201/87Q; Q4:NSF:NC:0; CABLE TIES FOR HIGH TEMPERATURE; SUPPLIER: TIDY CABLES; P/N:PLT1.5M-C71; TYPE: SELF LOCKING; HIGH TEMPERATURRE USE ONLY; DIAMETER RANGE: 50 MM; WIDTH: 2.6 MM; LENGTH: 147 MM; MATERIAL: POLYETHERETHERKETONE;	100	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: **0**
Page: **11 of 98**

0595683	SOAP:LUXURY FOAM;1 L;1800 X 24 DOUBLE	N/A; NO ENG.INPUT REQ'D; KLEENEX LUXURY FOAM SOAP; ; CODE:6342020; 1LITRE;	15	EA
0648390	TISSUE:CLOTH LINT FREE;WD 5 X LG 10 CM	C.O.C; 0059/86Q; Q4:NSF:NC:NEV; P/NO: HI731318; TISSUE: TYPE: LINT FREE CLOTH; DIMENSIONS: WD 5 X LG 10 CM; CONTAINER: BOX	5	EA
0662602	BOTTLE:STORAGE;5 L;POLYETHYLENE;WHITE	C.O.C; 0044/88Q; Q4:NSF:NC:NEV; BOTTLE; MNF: MERCK; P/NO: 130970; TYPE: STORAGE; CAPACITY: 5 L; MATERIAL: POLYETHYLENE; STYLE: ROUND, WIDE MOUTH WITH SCREW CAP AND CARRY HANDLE; COLOR: WHITE	5	EA
0662606	BOTTLE:STORAGE;10 L;POLYETHYLENE	C.O.C; 0044/88Q; Q4:NSF:NC:NEV; BOTTLE; MNF: MERCK; P/NO: 130974; TYPE: STORAGE; CAPACITY: 10 L; MATERIAL: POLYETHYLENE; STYLE: WIDE MOUTH WITH SCREW CAP AND CARRYING HANDLE	5	EA
0675227	WIPE:DISPOSABLE;UNIVERSAL	C.O.C.;0040/88Q;NSF:NC:Q4:NEV; WIPE; P/NO: SA081653; TYPE: DISPOSABLE; KIMCLOTH X50 JUMBO ROLL BLUE 45 GSM RAYON BASED ON DISPENSING ROLL COLOUR: BLUE; DIMENSIONS: 250MM WIDE,AND 300M IN LENGTH, 200 SHEETS PER ROLL; RTCOVID19-010;	1000	EA
0703710	LABEL:THERMAL;70.5 X 45 MM;GREEN;BLANK	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; LABEL; MNF: NEW WORLD DESIGN; TYPE: THERMAL; SIZE: 70.5 X 45 MM; COLOR: GREEN; DESIGNATION: BLANK; MATERIAL: THERMAL TOP COAT, HOTMELT ADHESIVE; PACKAGE SIZE: 500 LABELS PER ROLL;	500	EA
0721581	CASST:BROTHER P - TOUCH;PLASTIC	C.O.C; 0040/88Q; Q4:NSF:NC:0:L3; CASSETTE: TYPE: BROTHER P -TOUCH; MNF: BROTHER; P/N: TZE-231; MAT: PLASTIC; SIZE: 12 MM X 8 M; APPLICATION: LAMINATED LABEL CASSETTE;	30	EA
0721634	BATT:BUTTON;1.5 V;1.5 V	C.O.C; 0040/88Q; Q4:NSF:NC:0:L3; BATTERY; MNF: DURACELL; P/N: N/A; TYPE: BUTTON; POTENTIAL: 1.5 V; CURRENT CAPACITY: 1.5 V; PRODUCT CODE: LR44;	30	EA
0721639	CASST:BROTHER P - TOUCH;PLASTIC	C.O.C; 0040/88Q; Q4:NSF:NC:0:L3; CASSETTE; MNF: BROTHER; P/N: TZE-241; TYPE: BROTHER P -TOUCH; MAT: PLASTIC; SIZE: 18 MM X 8 M; APPLICATION: LAMINATED LABEL CASSETTE, BLACK ON YELLOW;	30	EA
0721727	CASST:BROTHER P - TOUCH;PLASTIC	C.O.C; 0040/88Q; Q4:NSF:NC:0:L3; CASSETTE; MNF: BROTHER; P/N: TZE-251; TYPE: BROTHER P -TOUCH; MAT: PLASTIC; SIZE: 24 MM X 8 M; APPLICATION: LAMINATED LABEL CASSETTE; BLACK ON YELLOW;	30	EA
0724839	CARTRIDGE INK:3;BLACK	C.O.C; Q4; CARTRIDGE, INK; MNF: ROTRING WEBSITE; P/N: SKU: RS0194640; CARTRIDGE TYPE: CARTRIDGE 3; COLOR: BLACK; APPLICATION: ROTRING RAPIDOGRAPH DRAWING INK	5	EA

The Household Consumables listed below are considered chemical products, therefore a updated Material Safety Data Sheet (MSDS) or Safety Data Sheet (SDS) should be included with the tender.

0159778 CLEANER:ANTI-FOGGER;BOTTLE 110 ML

0159837 POLISH,FURNITURE:275 ML

0159848 POLISH,FLOOR SUPERCOAT 25L

The Supply of Consumables for Nuclear Operating Unit

Revision: **0**
 Page: **12 of 98**

- 0159868 CLEANER:HANDY ANDY;COMPOUND
- 0161134 CLEANER,HAND:REINOL FLAX;DEGREASER
- 0161141 SOAP:HAND,LIQUID,1 L
- 0161144 DEODORANT,AIRFRESHNER AEROSOL CAN 180ML
- 0217562 SOAP:BATHING
- 0716592 DISHWASH COMP 5L
- 0256629 INSECTICIDE:FLYING/CRAWLING INSECTS
- 0578629 CREAM BARR:PETROLEUM JELLY WHITE;500 G
- 0147474 DISINFECTANT:BOTTLE PLASTIC;100 ML
- 0159835 CLEANER FLR:25 L
- 0595683 SOAP:LUXURY FOAM;1 L;1800 X 24 DOUBLE

Batch 2: Foreign Material Exclusion (FME) Consumables

Material	Description	Full Description	Estimated Quantities	Unit
0241944	CLIP:GLOVE	C.O.C\0040/88Q\Q4:NSF:NC:NEV GG GLOVE CLIPS MFR:OVERSEA SUPPLIER:GREYSTOKE MECHANICAL P/NO:1-888-660-6133 COLOUR:BLUE	13000	EA
0244561	LANYARD:TOOL	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; TOOL LANYARD, HEAVY DUTY; SUPPLIER:BOLT & ENGINEERING DISTRIBUTORS CAPE; P/NO:MISC/004;	5000	EA
0244562	LANYARD:WRIST	C.O.C\0040/88Q\Q4:NSF:NC:NEV WRIST LANYARD SUPPLIER:CAD TECHNICAL AND INDUSTRIAL SUPPLIES P/NO:3115 COLOUR:BLACK	7000	EA
0592297	LANYARD:RETRACTABLE;PLASTIC;LG 5 IN;CLIP	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; RETRACTABLE LANYARDS WITH SWIVEL SPRING CLIP; SUPPLIER:SIYAPHAMBILI ELECTRICAL & INDUSTRIAL SUPPLIES CC; P/N:CC5-PH; MATERIAL: PLASTIC; LENGTH: 5 IN; ENDS: CLIP;	6000	EA
0592298	RETAINER:EYEGLOSS;STD;COTTON 100 PCT	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; EYEGLOSS RETAINER; SUPPLIER:SIYAPHAMBILI ELECTRICAL & INDUSTRIAL CC; DIMENSIONS: STANDARD; MATERIAL: 100% COTTON;	14000	EA
0597723	LANYARD:FME NECK ORANGE;LG 500 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; NECK LANYARD BREAK AWAY WITH FME FOP (ORANGE); MANUFACTURER: TY-FLOT; LOCAL SUPPLIER:SIYAPHAMBILI ELECTRICAL AND INDUSTRIAL SUPPLIES; CODE:NL-PR-19-34W-OR; LENGTH:500MM;	13000	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

13 of 98

0597728	CLIP:FME BADGE;30 MM;METAL	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; VERSACLAMP UNIVERSAL BADGE; CLIP; MNF: TY-FLOT; P/NO: TETHCRRDOR; DIMENSIONS: 30 MM; MATERIAL: METAL; ORANGE;	7000	EA
0597739	RING:D;ID 18 MM;OD 20 MM;WD 2.5 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; HIGH STRENGTH NYLON WEBBING D-RING; MANUFACTURER:TY-FLOT; LOCAL SUPPLIER:SIYPHAMBILI ELECTRICAL AND INDUSTRIAL SUPPLIES; CODE:DRSM; TYPE: D; INSIDE DIAMETER: 18 MM; OUTSIDE DIAMETER: 20 MM; WIDTH: 2.5 IN; MATERIAL: NYLON; COLOUR:ORANGE;	1500	EA
0160381	BAG:WD 500 MM X LG 1 M X THK 250 UM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; CLEAR PLASTIC BAG PRINTED IN BLACK:"KOEBERG MAINTENANCE DEPARTMENT" PRINTING ON A WHITE SQUARE 200X200MM SUITABLE FOR WRITING ON; MFR:PACKIT; P/N:N/A; DIMENSIONS: WD 500 MM X LG 1 M X THK 250 UM; MATERIAL: PLASTIC HEAVY DUTY; COLOR: ORANGE SEE-THROUGH PLASTIC; DESIGNATION: KOEBERG MAINTENANCE DEPARTMENT; DESIGNATION COLOR: BLACK ON WHITE; SQUARE 200 X 200 MM;	40000	EA
0160360	BAG:MAINTENANCE;ORANGE;BLACK ON WHITE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; CLEAR PLASTIC BAG PRINTED IN BLACK:"KOEBERG MAINTENANCE DEPARTMENT" PRINTING ON A WHITE SQUARE 200X200MM SUITABLE FOR WRITING ON; MNF:PACKIT; DIMENSIONS: WD 300 MM X LG 500 MM X THK 180 UM; MATERIAL: PLASTIC HEAVY DUTY; COLOR: ORANGE SEE-THROUGH PLASTIC; DESIGNATION: KOEBERG MAINTENANCE DEPARTMENT; DESIGNATION COLOR: BLACK ON WHITE;	70000	EA
0568371	SHEET PLSTC:WD 1 M;LG 100 M;THK 250 UM	C.O.C;0040/88Q; Q4:NSF:NC:NEV; ORANGE COLOUR PLASTIC SHEET; MFR:N/A; P/NO:N/A; LENGTH: 100 M; WIDTH: 1 M; THICKNESS: 250 U; COLOR: ORANGE SEE-THROUGH PLASTIC; MATERIAL: PLASTIC; SHOULD BE VLAMVAS / NON-FLAMMABLE;	200	EA
0568370	SHEET:PLASTIC;WRAPPING;ORANGE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; ORANGE COLOUR PLASTIC SHEET; MFR:N/A; P/N:N/A; DIMEN: 2M WIDE X 30M LONG X 250 MICRON CENTREFOLD; MATL:N/A;	250	EA
0597740	RING:D;ID 36 MM;OD 38 MM;WD 3-1/2 IN	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; HIGH STRENGTH NYLON WEBBING WITH RING; MANUFACTURER:TY-FLOT; LOCAL SUPPLIER:SIYPHAMBILI ELECTRICAL AND INDUSTRIAL SUPPLIES; CODE:DRHD; TYPE: D; INSIDE DIAMETER: 36 MM; OUTSIDE DIAMETER: 38 MM; WIDTH: 3-1/2 IN; MATERIAL: NYLON; COLOR: ORANGE;	700	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 14 of 98

0597751	PEN:LANYARD;ORANGE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PEN,PENCIL,MARKER 3" LANYARD; HEAT SHRINK STYLE (ORANGE); MANUFACTURER:TY- FLOT; LOCAL SUPPLIER:SIYPHAMBILI ELECTRICAL AND INDUSTRIAL SUPPLIES; CODE:LYATTI;	8000	EA
0619205	COVER:FOREIGN MATERIAL;DIA 38 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 38 INCH NYLON FME COVER; MFR:TY-FLOT; CODE:CBFR38;	300	EA
0619206	COVER:FOREIGN MATERIAL;DIA 24 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 24 INCH NYLON FME COVER; MFR:TY-FLOT; CODE:CBFR24;	500	EA
0619207	COVER:FOREIGN MATERIAL;DIA 18 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 18 INCH NYLON FME COVER; MFR:TY-FLOT; CODE:CBFR18;	1000	EA
0619208	COVER:FOREIGN MATERIAL;DIA 12 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 12 INCH NYLON FME COVER; MFR:TY-FLOT; CODE:CBFR12;	1000	EA
0619209	COVER:FOREIGN MATERIAL;DIA 9 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 9 INCH NYLON FME COVER; MFR:TY-FLOT; CODE:CBFR9;	1000	EA
0619210	COVER:FOREIGN MATERIAL;DIA 6 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 6 INCH NYLON FME COVER; MFR:TY-FLOT; CODE:CBFR6;	1000	EA
0619211	COVER:FOREIGN MATERIAL;DIA 4 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 4 INCH FME COVER; MFR:TY-FLOT; CODE:CBFR4;	1000	EA
0619212	COVER:FOREIGN MATERIAL;DIA 2 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; 2 INCH FME COVER; MFR:TY-FLOT; CODE:CBFR2	1000	EA
0619204	COVER:FOREIGN MATERIAL;DIA 1 IN;NYLON	C.O.C; 0040/88Q; Q4:NSF:NC:0; 1 INCH NYLON FME COVERS, MFR:TY-FLOT; P/N:CBFR1	1000	EA
0709170	CLIP:REUSABLE DOUBLE STRAP - FME	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; CLIP; MNF: TY-FLOT; P/NO: VCLAMPBDGRL; TYPE: REUSABLE DOUBLE STRAP; DIMENSIONS: WD 15 X LG 90 X HT 10 MM; MATERIAL: NON METALLIC (PLASTIC)	1200	EA
0708401	CAP:FOREIGN MATERIAL EXCLUSION;1/2 IN	C.O.C; 0040/88Q; Q4:NSF:NC:0/1:L3; CAP; MNF: TY-FLOT; P/NO: SWGTC8; TYPE: FOREIGN MATERIAL EXCLUSION; DIMENSIONS: 1/2 IN; MATERIAL: LOW DENSITY POLYETHYLENE; PACKAGE: 100 PER PACK; WILL BE ISSUED IN EACH	50	EA
0708402	CAP:FOREIGN MATERIAL EXCLUSION;3/8 IN	C.O.C; 0040/88Q; Q4:NSF:NC:0/1:L3; CAP; MNF: TY-FLOT; PNO: SWGTC6; TYPE: FOREIGN MATERIAL EXCLUSION; DIMENSIONS: 3/8 IN; MATERIAL: LOW DENSITY POLYETHYLENE; PACKAGE: 100 PER PACK; WILL BE ISSUED IN EACH	50	EA
0708408	CAP:FOREIGN MATERIAL EXCLUSION;1/4 IN	C.O.C; 0040/88Q; Q4:NSF:NC:0/1:L3; CAP; MNF: TY-FLOT; P/NO: SWGTC4; TYPE: FOREIGN MATERIAL EXCLUSION; DIMENSIONS: 1/4 IN; MATERIAL: LOW DENSITY	50	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: **0**
Page: **15 of 98**

		POLYETHYLENE; PACKAGE: 100 PER PACK; WILL BE ISSUED IN EACH		
0576143	TAG:INSTRUCTION;PLANT;WD 297 X HG 210 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; FOREIGN MATERIAL EXCLUSION ZONE; ZONE OWNER; (TAG); SUPPLIER:NEW WORLD DESIGN; TYPE:INSTRUMENTATION; FINISH:IVORY; WIDTH:297; HEIGHT:210MM; MATERIAL:PAPER; DESIGNATION:PLANT; COLOR:ORANGE	400	EA
0576147	TAG:INSTRUCTION;PLANT;WD 297 X HG 210 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; FOREIGN MATERIAL EXCLUSION SIGNS; ZONE 1,2 & 3; (TAG); SUPPLIER:NEW WORLD DESIGN; TYPE:INSTRUMENTATION; FINISH:IVORY; WIDTH:297; HEIGHT:210MM; MATERIAL:PAPER; DESIGNATION:PLANT; COLOR:ORANGE	600	EA
0576151	TAG:INSTRUCTION;PLANT;WD 152 X HG 127 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; FME TAGS WITH STRING; PRINTED BOTH SIDES; SUPPLIER:NEW WORLD DESIGN; TYPE:INSTRUCTION; FINISH:IVORY; MATL:PAPER; WIDTH:152MM; HEIGHT:127MM; DESIGNATION:PLANT; COLOR:ORANGE	100	EA

Batch 3: Tools & Equipment

Material	Description	Full Description	Estimated Quantities	Unit
0000999	BLADE SAW:HACK;COMBINATION;24;HS S;METAL	C.O.C\0040/88Q\Q4:NSF:NC:NEV HACKSAW BLADE DIMEN:12.5MM WD X 305 MM LG X 0.63 MM THK 24 TEETH PER INCH	1200	EA
0001000	BLADE SAW:HACK, JUNIOR;FINE;32;HSS;METAL	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; JUNIOR HACKSAW BLADE; DIMEN:LTH=155MM X THK=0,45 32; TEETH PER 25MM; MATL:CARBON STEEL;	360	EA
0001015	BLADE SAW:JIG;CROSS CUT;12;HSS;HSS	BLADE, SAW: SAW TYPE: JIG; TOOTH DESIGN: CROSS CUT; TEETH PER INCH: 12; BLADE MATERIAL: HSS; CUT MATERIAL: HSS; REFERENCE NO: T118B; SIZE 8MM WD X 100MM LG X 3MM THK, FOR 1577,1578/1580, FOR BOSCH 1577, 1578 AND 1580, CUTTING DATA:MILD STEEL 3 TO 6MM,NON FERROUS METAL, ALUMINIUM 3 TO 10MM, REINFORCED PLATE STEEL:-COOL W/CUTTING OIL OR OIL EMULSION, ALUMINIUM:-COOL W/TURPINTINE OR MIXTURE TURPINTINE AND PARAFFIN	100	EA
0001779	INSERT:MATERIAL;RUBBER	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; INSERTION RUBBER-BLACK; TYPE: MATERIAL;	1600	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0
Page: 16 of 98

		DIMENSIONS: WD 1.2M X LG 20M X THK 3MM; MATERIAL: RUBBER;		
0035825	SAW HOLE:20 MM	N/A\0040/88Q\Q5:NSF:NC:0 DESCRIPTION CONFIRMED-SEG/COD-94-04 JAP HOLE SAW COMPLETE WITH MANDREL MFR:BELLCO ELECTRICAL P/NO:H6343 BELLCO STOCK NO.:11820200 DIMEN:20MM MATL:N/A	10	EA
0040983	TESTER:SMOKE DETECTOR	C.O.C\0421/87Q\Q4:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-96/09 Z-STC2 AEROSOL SMOKE DETECTOR TESTER MFR:ZITON SA (PTY) LTD P/NO:18710101 DIMEN:1 CAN = 300G	3	EA
0079179	BLADE SAW:BAND;14 TEETH/IN	BLADE, SAW: SAW TYPE: BAND; TEETH PER INCH: 14 TEETH/IN; 10MM	5	EA
0079197	BLADE SAW:HACK HAND;FINE;32;HSS;METAL	N/A\0040/88Q\Q5:NSF:NC:NEV DESCRIPTION CONFIRMED-STG/COD-91/11 BLADE HACKSAW HAND TYPE P/NO: DIMEN: 300MMLG 0,63MMTHICK 32 TEETH MATL: HIGH SPEED STEEL KBA: ITM: KBY: / S/LIST: M/MAN: ASMT: TRI:	600	EA
0079362	WRENCH ALLN:6 MM;LG L; 32 X 90 MM	WRENCH, ALLEN: SIZE: 6 MM; LENGTH: L; 32 X 90 MM; MATERIAL: HTS ALLOY; HEXAGON HEAD KEY	5	EA
0079398	JACK:ROTATING	JACK: TYPE: ROTATING; IN SIPPING TEST	3	EA
0079446	HAMMER:CHIPPING;STL;STL	N/A\0040/88Q\NQL:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-94-11 WELDERS CHIPPING HAMMER MNF:LITECOR P/NO:3450001 DIMEN:N/A MATL:STEEL KBA: ITM: KBY: / S/LIST: M/MAN: / ASMT:	5	EA
0079516	WRENCH:TRANSFORMER NUT	N/A\0856/57Q\NQL:NSF:NC:NEV DESCRIPTION CONFIRMED-SEG/COD-94/02 SPANNER, FOR TRANSFORMER NUT MFR:SEREG P/N:140-279-31B DIMEN: MATL: KBA:1216H00259 ITM: KBY:624/8802 S/LIST:624KBY8802 M/MAN:510 ASMT:0117	3	EA
0079520	JACK HYD HND:CLAW;20 T	JACK, HYDRAULIC HAND: UNIT TYPE: CLAW; LOAD CAPACITY: 20 T	3	EA
0079523	WRENCH ALLN	WRENCH, ALLEN: SUPPL P/N: C13567/3	5	EA
0079562	JACK:PNEUMATIC	JACK: TYPE: PNEUMATIC; MANUF P/N: DC70100PP	3	EA
0079563	JACK:DGS 40 600 PPV	JACK: PART NO: DGS 40 600 PPV, MANUFACTURER: FESTO	3	EA
0079566	JACK:PNEUMATIC	C.O.C\0204/87Q\Q4:NSF:NC:NEV JACK PNEUMATIC CPOAC NOMO MFR:N/A P/NO:CPOAC 100.30.AP200.G.1.KC36.39 (2Q = 86 NOM) KBA:0905N13320 ITM:44 S/LIST:787KBY8801 M/MAN:553 VOL 1-3 FUNCT.LOC:9TES 002AG	3	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0
Page: 17 of 98

0079567	JACK:PNEUMATIC	C.O.C\0204\87Q\Q4:NSF:NC:NEV PNEUMATIC JACK, FOR CASQUEL PRODUCTS MFR:PEC P/N:AX-60-ST DIMEN:DIA-95 STROKE-100 MATL:N/A KBA:0905N13325 ITM:10 KBY:787/3309 S/LIST:787KBY8801 M/MAN:553/1 ASMT:N/A	3	EA
0079611	BLADE SAW:JIG;FINE;20;HSS	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; JIGSAW BLADE FOR BOSCH JIGSAW; P/N:T118A; SAW: SAW TYPE: JIG; TOOTH DESIGN: FINE; TEETH PER INCH: 20; BLADE MATERIAL: HSS; CUT MATERIAL: PLYWOOD/PRE FINISHED PANEL; 1,2MM PITCH; MATL:HIGH SPEED TENSILE; PACKG: PACKED IN FIVES	80	EA
0079643	CHISEL PWR:BULL POINT;HEX 32 MM;LG 550	CHISEL, POWER: TYPE: BULL POINT; SHANK: HEX 32 MM; LENGTH: 550 MM; MATERIAL: ALLOY FORGED A9260; REFERENCE NO: 4F8993; JACKHAMMER	3	EA
0079645	JACK:PNEUMATIC VENT CONTROL	JACK: TYPE: PNEUMATIC VENT CONTROL	3	EA
0079650	BLADE SAW:BAND;6-10;HTS	C.O.C\0040\88Q\Q4:NSF:NC:NEV BANDSAW BLADE MFR:ECLIPS SUPPLIER:TOOLQUIP & ALLIED DIMEN:LTH=3700MM WIDTH=27MM TPI 6/10 MAT:HI-TENSILE STEEL	10	EA
0079743	BIT MSNRY:HAND STAR;11 MM;LG 150 MM	BIT, MASONRY: TYPE: HAND STAR; DIAMETER: 11 MM; LENGTH: 150 MM; TIP: TUNGSTEN CARBIDE; SINGLE TWIST FLUTED	2	EA
0079761	BIT TWST:24 MM;MORSE TAPER NO 3;HSS	BIT, TWIST: DIAMETER: 24 MM; SHANK: MORSE TAPER NO 3; MATERIAL: HSS; LENGTH: 281 MM; STANDARD: BS 328; DIN 345; ISO 235; 160MM FLUTE LENGTH	15	EA
0079799	BIT TWST:3 MM;HSS;LG 57 MM;CENTER DRILL	BIT, TWIST: DIAMETER: 3 MM; MATERIAL: HSS; LENGTH: 57 MM; TYPE: CENTER DRILL; STANDARD: BS 4; DOUBLE END, 7.9 MM BODY DIA, 60 DEG ANGLE BOTH ENDS	50	EA
0079800	BIT TWST:HSS;LG 76 MM;CENTER DRILL;BS 6	BIT, TWIST: MATERIAL: HSS; LENGTH: 76 MM; TYPE: CENTER DRILL; STANDARD: BS 6	50	EA
0079802	BIT MSNRY:PERCUSSION;25 MM;LG 152 MM	BIT, MASONRY: TYPE: PERCUSSION; DIAMETER: 25 MM; LENGTH: 152 MM; TIP: TUNGSTEN CARBIDE	2	EA
0079874	BIT TOOL:COUNTERSUNK;DIA 25 X LG 95 MM	BIT, TOOL: TYPE: COUNTERSUNK; DIMENSIONS: DIA 25 X LG 95 MM; MATERIAL: TIP WC; REFERENCE NO: 902210100NW20-25; SUPPL P/N: NW 20-25; COUNTERSUNK CUTTER; ANGLE: 60; FLUTES: 5; SHANK DIAMETER: 12 MM	3	EA
0137467	BRUSH WRE:CUP;140 X 14 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; BRUSH, WIRE; TYPE: CUP; MNF: L-ORD; P/NO: C652142; DIMEN: 140 X14 MM	10	EA
0190985	TESTER:AIR FLOW TEST SET	TESTER: TYPE: AIR FLOW TEST SET	10	EA
0193142	CALLIPER VRNR:DIGITAL	CALLIPER, VERNIER: TYPE: DIGITAL; MANUF P/N: CD-12; DIGIMATIC INDICATOR IDU 25E	5	EA

The Supply of Consumables for Nuclear Operating Unit

0206905	WRENCH TRQ:4-20 N M	TORQUE WRENCH MFR:NORBAR RANGE:4-20NM	5	EA
0234419	INSERT THRDG:HELICOIL;2UN-8	C.O.C\0159\92Q\Q4:NSF:NC:NEV HELICOIL INSERTS, MFR:AREVA - NP SUPPLIER:BOLLHOFF HCFR UN 2"-8 X 1,5 DTN REFNO:V/CDE 23A/1002006265 KBA: 1220B06031 KBY: 557/1004	2	EA
0235304	INSERT:LM;ID 12.4 X LG 130 MM	C.O.C\0018\87Q\Q4:NSF:NC:NEV CORRO-INSERT "LM" MFR:CORROCOAT LENGTH:130MM DIA.I/D:12,4MM	2	EA
0243561	BIT TOOL:CRANKED KNIFE	C.O.C\0040\88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO6-10X10LH P25	5	EA
0243562	BIT TOOL:CRANKED KNIFE	C.O.C\0040\88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO6-10X10RH P25	5	EA
0243563	CUTTER END MILL:10 MM;3 FLUTE SLOT DRILL	C.O.C\0040\88Q\Q4:NSF:NC:NEV THREE FLUTE SLOT DRILL MFR:TOOLQUIP & ALLIED CODE:HSS-C08 DIA O/D:10MM	30	EA
0243564	CUTTER END MILL:12 MM;3 FLUTE SLOT DRILL	C.O.C\0040\88Q\Q4:NSF:NC:NEV THREE FLUTE SLOT DRILL MFR:TOOLQUIP & ALLIED CODE:HSS-C08 DIA O/D:12MM	20	EA
0243565	CUTTER END MILL:16 MM;3 FLUTE SLOT DRILL	C.O.C\0040\88Q\Q4:NSF:NC:NEV THREE FLUTE SLOT DRILL MFR:TOOLQUIP & ALLIED CODE:HSS-C08 DIA O/D:16MM	20	EA
0243566	CUTTER END MILL:18 MM;3 FLUTE SLOT DRILL	C.O.C\0040\88Q\Q4:NSF:NC:NEV THREE FLUTE SLOT DRILL MFR:TOOLQUIP & ALLIED CODE:HSS-C08 DIA O/D:18MM	5	EA
0243567	CUTTER END MILL:22 MM;3 FLUTE SLOT DRILL	C.O.C\0040\88Q\Q4:NSF:NC:NEV THREE FLUTE SLOT DRILL MFR:TOOLQUIP & ALLIED CODE:HSS-C08 DIA O/D:22MM	5	EA
0243568	BIT TOOL:CRANKED KNIFE	C.O.C\0040\88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO6-20X20LH K20	5	EA
0243569	CUTTER END MILL:28 MM;3 FLUTE SLOT DRILL	C.O.C\0040\88Q\Q4:NSF:NC:NEV THREE FLUTE SLOT DRILL MFR:TOOLQUIP & ALLIED CODE:HSS-C08 DIA O/D:28MM	5	EA
0243570	BIT TOOL:PARTING	C.O.C\0040\88Q\Q4:NSF:NC:NEV PARTING TOOL BLADE MFR:TOOLQUIP & ALLIED CODE:SGIH 19-2	50	EA
0243571	BIT TOOL:PARTING	C.O.C\0040\88Q\Q4:NSF:NC:NEV; BIT, TOOL: MNF: TOOLQUIP; TYPE: PARTING; DIMEN:: WD 3.2 X LG 150 X HT 32 MM; MAT: ISCAR; P/N: ALLIED CODE: SGIH 32- 4;	50	EA
0243610	INSERT CUTNG TL	C.O.C\0040\88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:DNMG 150404-GMNC 3020	120	EA
0243611	INSERT CUTNG TL	C.O.C\0040\88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:SP400NCM325	600	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 19 of 98

0243612	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:SP200NCM325	600	EA
0243613	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:TPCN 1603-PPR ST30A	70	EA
0243614	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:TNMG 160408-HMNC 3020	70	EA
0243615	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:KNUX 160405-R11NC 3020	320	EA
0243616	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:TPCN 2204 PDR ST30A	270	EA
0243618	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:DNMG 150408-GMNC 3020	70	EA
0243619	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:SP300NCM325	220	EA
0243620	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:TPMR 110304-FNC 3020 FUNCT.LOC:NON PLANT	410	EA
0243650	BIT TOOL:PARTING, RH;SQ 20 MM;STL P25	C.O.C\0040/88Q\Q4:NSF:NC:NEV PARTING TOOL H MFR:TOOLQUIP & ALLIED STOCK CODE:H6RP25 DESIGNATION:ISO7 SHANK HEIGHT:20MM SHANK WIDTH:20MM DIRECTION:RH GRADE:P25 TO CUT:STEEL	30	EA
0243651	BIT TOOL:CRANKED TURNING, LH;SQ 16 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV 45 APPROACH CRANKED TURNING TOOL J MFR:TOOLQUIP & ALLIED STOCK CODE:J5LP25 DESIGNATION:ISO2 SHANK HEIGHT:16MM SHANK WIDTH:16MM DIRECTION:LH GRADE:P25 TO CUT:STEEL	5	EA
0243652	BIT TOOL:STRAIGHT RD NOSE ROUGHING;SQ 16	C.O.C\0040/88Q\Q4:NSF:NC:NEV STRAIGHT ROUND NOSE ROUGHING TOOL C MFR:TOOLQUIP & ALLIED STOCK CODE:C5P25 SHANK HEIGHT:16MM SHANK WIDTH:16MM DIRECTION:NEUTRAL GRADE:P25 TO CUT:STEEL	2	EA
0243655	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR P MFR:TOOLQUIP & ALLIED STOCK CODE:P3RP25 DESIGNATION:ISO9 SHANK HEIGHT:10MM SHANK WIDTH:10MM DIRECTION:RH GRADE:P25 TO CUT:STEEL	2	EA
0244262	INSERT THRDG:INTERNAL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING INSERTS MFR:TOOLQUIP & ALLIED CODE:16IR AG60 MXC	30	EA

The Supply of Consumables for Nuclear Operating Unit

0244266	INSERT THRDG:INTERNAL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING INSERTS MFR:TOOLQUIP & ALLIED CODE:22 IR N 60 BMA	2	EA
0244267	INSERT THRDG:EXTERNAL	C.O.C\0040/88Q\Q4:NSF:NC:NEV EXTERNAL THREADING INSERTS MFR:TOOLQUIP & ALLIED CODE:16 ER AG 60 MXC FUNCT.LOC:(NON PLANT) ***** END DETAIL DESCRIPTION ***** JNF 2009/10/01	90	EA
0244268	INSERT THRDG:EXTERNAL	C.O.C\0040/88Q\Q4:NSF:NC:NEV EXTERNAL THREADING INSERTS MFR:TOOLQUIP & ALLIED CODE:22 ER N 60 MXC JNF 2009/10/01	30	EA
0244269	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL MFR:TOOLQUIP & ALLIED CODE:16 IR AG 55 MXC	2	EA
0244270	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL MFR:TOOLQUIP & ALLIED CODE:22 IR N 55 MXC	2	EA
0244271	BIT TOOL:EXTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV EXTERNAL THREADED TOOL MFR:TOOLQUIP & ALLIED CODE:16 ER AG 55 MXC	2	EA
0244272	BIT TOOL:EXTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV EXTERNAL THREADED TOOL MFR:TOOLQUIP & ALLIED CODE:22 ER N 55 MXC	2	EA
0249855	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:SNMG 120404-HFNC 3020	70	EA
0249857	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:CNMG 190612-B25NC330	70	EA
0249858	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:CNMG 120404-HANC9020	120	EA
0249859	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:HDCMT070204-HMP NC3020	320	EA
0249869	INSERT CUTNG TL	C.O.C;0040/88Q;Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP AND ALLIED; P/NO:VNMG 12T304 NF;	120	EA
0249870	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:CCMT060204-HMPNC3020	70	EA
0249871	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:TNMG 160404-HMNC3020	110	EA
0249872	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:16IR AG60 MXC	60	EA
0249873	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:16IR BAG60	50	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 21 of 98

0249874	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:16IRB AG60BMA	50	EA
0249875	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:22IR N60BMA	70	EA
0249876	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:22ER N60MXC	70	EA
0249877	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:CNMG 160608-B25NC330	50	EA
0249878	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:TPMR 160308-PG	700	EA
0249879	INSERT CUTNG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV CUTTING TOOL INSERT MFR:TOOLQUIP & ALLIED CODE:KNUX160405-L11NC3015	100	EA
0249881	BIT TOOL:CRANKED TURNING;SQ 10 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-10X10 LHP 25	20	EA
0249882	BIT TOOL:CRANKED TURNING;SQ 20	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-20X20 RH K20 ET 2010/07/06	10	EA
0249883	BIT TOOL:CRANKED TURNING;SQ 20	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-20X20 LH K20 ET 2010/07/06	10	EA
0249884	BIT TOOL:CRANKED TURNING;SQ 10 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-10X10 RH P25	25	EA
0249885	BIT TOOL:CRANKED TURNING;SQ 25 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-25X25 RH P25 FUNCT.LOC:NON PLANT	10	EA
0249886	BIT TOOL:CRANKED TURNING;SQ 25 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-25X25 LH P25	10	EA
0249887	BIT TOOL:CRANKED TURNING;SQ 20	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-20X20 RH P25	15	EA
0249888	BIT TOOL:CRANKED TURNING;SQ 20	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-20X20 LH P25	10	EA
0249889	BIT TOOL:CRANKED TURNING;SQ 16	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-16X16 RH P25	25	EA
0249890	BIT TOOL:CRANKED TURNING;SQ 12 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-12X12 RH P2 FUNCT.LOC:NON PLANT	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

22 of 98

0249891	BIT TOOL:CRANKED TURNING;SQ 16	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-16X16 LH K20	15	EA
0249892	BIT TOOL:CRANKED TURNING;SQ 16	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-16X16 LH	10	EA
0249893	BIT TOOL:CRANKED TURNING;SQ 12 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED TURNING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2-12X12 LH P25	10	EA
0249905	CUTTER END MILL:2 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 2MM	30	EA
0249908	CUTTER END MILL:3 MM;SLOT;3;HSS	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 3MM	35	EA
0249912	CUTTER END MILL:4 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 4MM	35	EA
0249925	CUTTER END MILL:5 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 5MM	35	EA
0249926	CUTTER END MILL:6 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 6MM	35	EA
0249927	CUTTER END MILL:8 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 8MM	35	EA
0249928	CUTTER END MILL:14 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 14MM	10	EA
0249929	CUTTER END MILL:20 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 20MM	10	EA
0249930	CUTTER END MILL:24 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 24MM	15	EA
0249932	CUTTER END MILL:25 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 25MM	15	EA
0249933	CUTTER END MILL:26 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 26MM	15	EA
0249938	CUTTER END MILL:30 MM;3 FLUTE SLOT DRILL	C.O.C\0040/88Q\Q4:NSF:NC:NEV DRILL THREE FLUTE SLOT MFR:TOOLQUIP & ALLIED CODE:HSS-C08 30MM	15	EA
0249961	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO 6-20 X 20 LH P25	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 23 of 98

0249962	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO 6-20 X 20 RH P25	15	EA
0249963	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO 6-16 X 16 LH P25	10	EA
0249965	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO 6-16 X 16 RH P25	10	EA
0249967	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO 6-20 X 20 RH P20	10	EA
0249968	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO 6-16 X 16 RH K20	10	EA
0249969	BIT TOOL:CRANKED KNIFE	C.O.C\0040/88Q\Q4:NSF:NC:NEV CRANKED KNIFE TOOL B MFR:TOOLQUIP & ALLIED CODE:ISO6-16 X 16 LH K20	10	EA
0249971	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-12 X 12 P25	2	EA
0249972	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-16 X 16 P25	2	EA
0249973	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-10 X 10 K20	2	EA
0249974	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-16 X 16 K20	2	EA
0249975	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-25 X 25 K20	2	EA
0249981	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-25 X 25 P25	2	EA
0249982	BAR BORING TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL BORING BAR MFR:TOOLQUIP & ALLIED CODE:ISO9-20 X 20 P25	2	EA
0249986	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K1 MFR:TOOLQUIP & ALLIED CODE:ISO14-16X16 RH 55ç P25	15	EA
0249987	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K1 MFR:TOOLQUIP & ALLIED CODE:ISO14-16X16 RH 60ç P25	10	EA
0250009	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K1 MFR:TOOLQUIP & ALLIED CODE:ISO14-20X20 RH 55ç P25	15	EA

The Supply of Consumables for Nuclear Operating Unit

0250010	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K1 MFR:TOOLQUIP & ALLIED CODE:ISO14-20X20 RH 60 \pm P25	15	EA
0250062	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K MFR:TOOLQUIP & ALLIED CODE:ISO13-20X22 RH 60 \pm P25	15	EA
0250063	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K MFR:TOOLQUIP & ALLIED CODE:ISO13-25X16 RH 55 \pm P25	15	EA
0250064	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K MFR:TOOLQUIP & ALLIED CODE:ISO13-25X16 RH 60 \pm P25	10	EA
0250067	BIT TOOL:INTERNAL THREADING	C.O.C\0040/88Q\Q4:NSF:NC:NEV INTERNAL THREADING TOOL K MFR:TOOLQUIP & ALLIED CODE:ISO13-20X12 RH 55 \pm P25	10	EA
0250072	BIT TOOL:STRAIGHT RD NOSE;SQ 10 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV STRAIGHT ROUND NOSE TOOL C MFR:TOOLQUIP & ALLIED CODE:10 X 10 NEUTRAL P25	2	EA
0250074	BIT TOOL:STRAIGHT RD NOSE;SQ 25 MM	C.O.C\0040/88Q\Q4:NSF:NC:NEV STRAIGHT ROUND NOSE TOOL MFR:TOOLQUIP & ALLIED CODE:25 X 25 NEUTRAL P2	5	EA
0250085	BIT TOOL:PARTING	C.O.C\0040/88Q\Q4:NSF:NC:NEV PARTING TOOL MFR:TOOLQUIP & ALLIED CODE:ISO7-16 X 16 P25	25	EA
0250087	BIT TOOL:PARTING	C.O.C\0040/88Q\Q4:NSF:NC:NEV PARTING TOOL H MFR:TOOLQUIP & ALLIED CODE:ISO7-12 X 12 P25	30	EA
0250089	HOLDER MACHG TL	C.O.C\0040/88Q\Q4:NSF:NC:NEV PARTING TOOL HOLDER MFR:TOOLQUIP & ALLIED CODE:SG TBN 16-2	5	EA
0250091	BIT TOOL:RH;TIP TUNGSTEN	C.O.C\0040/88Q\Q4:NSF:NC:NEV TUNGSTEN TIP TOOL MFR:TOOLQUIP & ALLIED CODE:ISO2R 25X25 P25 R/HAND	25	EA
0403206	TESTER:TELEPHONE BLEEP SET;MK1	TESTER: TYPE: TELEPHONE BLEEP SET; REFERENCE NO: MK1; WITH BUILT IN SPEAKER;TONE EMITTER TONE EMITTER WHEN LINE IS BEING TESTED	5	EA
0513601	SAW HND:HACKSAW	SAW, HAND: DESIGN TYPE: HACKSAW	5	EA
0518355	GRINDER ELEC:ANGLE	GRINDER, ELECTRIC: TYPE: ANGLE	10	EA
0521344	SAW PWR:CIRCULAR	SAW, POWER: TYPE: CIRCULAR; SMALL	5	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: **0**

Page: **25 of 98**

0545129	BIT TWST:3.5 MM;STRAIGHT;HSS;LG 70 MM	BIT, TWIST: DIAMETER: 3.5 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: 70 MM; TYPE: JOBBER DRILL	100	EA
0545302	BIT TWST:4.5 MM;STRAIGHT;HSS;LG 76 MM	BIT, TWIST: DIAMETER: 4.5 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: 76 MM; TYPE: JOBBER DRILL	100	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

26 of 98

0546107	BIT TWST:5.5 MM;STRAIGHT;HSS;LG 93 MM	BIT, TWIST: DIAMETER: 5.5 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: 93 MM; TYPE: JOBBER DRILL	100	EA
0547094	BIT TWST:5 MM;STRAIGHT;HSS;LG 86 MM	BIT, TWIST: DIAMETER: 5 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: 86 MM; TYPE: JOBBER DRILL	100	EA
0548902	BIT TWST:4 MM;STRAIGHT;HSS;LG 75 MM	BIT, TWIST: DIAMETER: 4 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: 75 MM; TYPE: JOBBER DRILL	100	EA
0548904	BIT TWST:6.5 MM;STRAIGHT;HSS;LG 101 MM	BIT, TWIST: DIAMETER: 6.5 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: 101 MM; TYPE: JOBBER DRILL	100	EA
0569847	ASSY:DOLPHIN WAVE 100 CB;POOL CLEANER	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; ASSEMBLY; MNF: BLSA; P/NO: 100 CB; TYPE: DOLPHIN WAVE 100 CB; APPLICATION: POOL CLEANER; (REACTOR CAVITY; CADDY);	6	EA
0570614	BLADE SAW:BAND;RAKE;6-10	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; BLADE FOR AUTOMATIC HEAVY DUTY BANDSAW; SUPPLIER:TOOLQUIP & ALLIED; CODE:BMBSB34X6-10S; SAW TYPE:BAND SAW; TEETH PER INCH:6-10; TOOTH DESIGN:RAKE;	10	EA
0570774	TOOL:CUTTING;LATHE;16 X 16 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PARTING TOOL (CAST IRON); MNF:TOOLQUIP & ALLIED; CODE:H5RK20; TYPE:CUTTING TOOL; DIMEN:16 X 16 MM; STYLE:LATHE;	15	EA
0570796	TOOL:CUTTING;LATHE;25 X 25 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PARTING TOOL (CAST IRON); SUPPLIER:TOOLQUIP & ALLIED; CODE:H5RP25; TYPE:CUTTING TOOL; MATLNO:KEY STEEL; DIMEN:25MM X 25MM; STYLE:LATHE;	20	EA
0570823	TOOL:CUTTING;LATHE;20 X 20 MM	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; PARTING TOOL (CAST IRON); SUPPLIER:TOOLQUIP & ALLIED; CODE:H6RK20; TYPE:CUTTING TOOL; DIMEN:20MM X 20MM; STYLE:LATHE;	20	EA
0602758	INSERT:MILLING;DIA 4.1 MM;GR 2030	C.O.C; 0040/88Q; Q4:NSF:NC:NEV; MILLING INSERT; MFR:SANDVIK; CODE:R390-17 04 08M-MM; TYPE: MILLING; DIMENSIONS: DIA 4.1 MM; MATERIAL: GRADE 2030	150	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

27 of 98

0616414	BLADE:ANGLE PLOUGH KIT;LG 150 MM	BLADE: TYPE: ANGLE PLOUGH KIT; DIMENSIONS: LG 150 MM; MATERIAL: POLYURATHANE; SPECIAL FEATURES: BOLT KIT; SUPPL P/N: 2/5/1500; DRAWING NO: E505-011-A REV 0; USED ON OC1/2; EC1/2 SC1/2 ASH CONVEYORS; REPLACEMENT BLADE SET TO FIT BRELKO E505; BELT WIDTH: 1500M	5	EA
0665581	INSERT FLEX CPLG:BLOCK;EPDM	C.O.C; 0052/93Q; Q4:NSF:NC:NEV; (OLD MATERIAL NO: 0043125); INSERT, FLEXIBLE COUPLING: MNF: CREPELLE & CO; TYPE: BLOCK; SIZE: WD 24 X LG 42 X THK 18 MM; MATERIAL: EPDM; KBA: 1214B02009; KBA1214B001001; ITM: FM1923011; M/MAN:002/1; ASMT:	10	EA
0701453	BIT:JOBBER DRILL;LG 103 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF: SOMTA; TYPE: JOBBER DRILL; LENGTH: 103 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 10 MM;	5	EA
0701454	BIT:JOBBER DRILL;LG 118 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF: SOMTA; TYPE: JOBBER DRILL; LENGTH: 118 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 10.5 MM;	5	EA
0701455	BIT:JOBBER DRILL;LG 103 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF: SOMTA; TYPE: JOBBER DRILL; LENGTH: 103 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 8.50 MM	5	EA
0701456	BIT:JOBBER DRILL;LG 91 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:BC:NEV:L3; BIT; MNF:SOMTA; TYPE: JOBBER DRILL; LENGTH: 91 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 8 MM;	5	EA
0701457	BIT:JOBBER DRILL;LG 91 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF:SOMTA; TYPE: JOBBER DRILL; LENGTH: 91 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 6.50 MM;	5	EA
0701473	BIT:JOBBER DRILL;LG 82 MM;SOLID CARBIDE	C.O.C; 004/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF:SOMTA; TYPE: JOBBER DRILL; LENGTH: 82 MM; MATERIAL: SOLID:CARBIDE; DIAMETER: 6 MM;	5	EA
0701474	BIT:JOBBER DRILL;LG 82 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF:SOMTA; TYPE: JOBBER DRILL; LENGTH: 82 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 5 MM;	5	EA
0701475	BIT:JOBBER DRILL;LG 74 MM;SOLID CARBIDE	C.O.C; 0040/88Q;Q4:NSF:NC:NEV:L3; BIT; MNF: SOMTA; TYPE: JOBBER DRILL; LENGTH: 74 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 4 MM;	5	EA
0701476	BIT:JOBBER DRILL;LG 66 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF: SOMTA; TYPE: JOBBER DRILL; LENGTH: 66 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 3.50 MM;	5	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

28 of 98

0701477	BIT:JOBBER DRILL;LG 66 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF:SOMTA; TYPE: JOBBER DRILL; LENGTH: 66 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 3 MM; F	5	EA
0701538	BIT:JOBBER DRILL;LG 57 MM;SOLID CARBIDE	C.O.C; 0040/88Q; Q4:NSF:NC:NEV:L3; BIT; MNF:SOMTA; TYPE: JOBBER DRILL; LENGTH: 57 MM; MATERIAL: SOLID CARBIDE; DIAMETER: 2.50 MM;	5	EA
STM-053319	SCREWDRIVER SET:CHROME VANADIUM;4	SCREWDRIVER, SET: TYPE: DUAL GRIP - GENERAL PURPOSE; TIP TYPES: PHILLIPS AND SLOT MAGNETIC; TIP MATERIAL: CHROME VANADIUM; TIP SIZE RANGE: NO. 2, 3, 5, 8; HANDLE MATERIAL: RUBBER GRIP; QUANTITY: 4; LENGTH 75-200 MM, SHANK: ROUND, SHANK LENGTH: 5 MM, CODE: SEN-572-9100K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-059627	KEY:ALLEN KEY CHROME VANADIUM;BALL HEAD	ALLEN KEY SET - BALL POINT - LONG - 9 PIECE KEY: TYPE: ALLEN KEY CHROME VANADIUM; STYLE: BALL HEAD; MATERIAL: CHROME VANADIUM; SPECIFICATION: 1.5-10 MM; ALLEN KEY BALL HEAD LONG SERIES SET 1.5-10MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-059629	PLIERS:COBINATION;LG 200 MM;INSULATED	PLIERS - COMBINATION - 200MM LONG - INSULATED MAKE: GEDORE; PLIERS: TYPE: COBINATION; LENGTH: 200 MM; HANDLE: INSULATED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
79394	WRENCH ADJSTBL:56 MM;LG 450 MM	WRENCH, ADJUSTABLE: JAW CAPACITY: 56 MM; LENGTH: 450 MM; MATERIAL: STL DROP FORGED; SHIFTING SPANNER, HARDENED KNURLS	10	EA
80126	TAP SET THRD CUT:M8;1 MM;HSS;3	TAP SET, THREAD CUTTING: TAP SIZE: M8; THREAD: 1 MM; MATERIAL: HSS; QUANTITY: 3; TYPE: TAPER; SECOND; BOTTOM; HAND	50	EA
206641	CALLIPER VRNR:0-150 MM	CALLIPER, VERNIER: RANGE: 0-150 MM	50	EA
206816	CALLIPER VRNR:STORM;0-300 MM	CALLIPER, VERNIER: TYPE: STORM; RANGE:0-300 MM MAKE: MITUTOYO	20	EA
701318	CALLIPER VRNR:DIGITAL;0-150 MM;0.005 MM	MITOTOYO 150MM VERNIER CALIPER - PRODUCT CODE:MIT531-101; REQUIRED FOR A MECHNICAL FITTER.	10	EA
703849	BIT TWST:3 MM;STRAIGHT;LG 61 MM;N	BIT, TWIST: DIAMETER: 3 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 61 MM; TYPE: N; TIP: DRILLING	100	EA

The Supply of Consumables for Nuclear Operating Unit

708093	CUTTER CABL:COPPER & ALUMINIUM;60 MM2	CUTTER, CABLE: TYPE: COPPER & ALUMINIUM; CABLE SIZE ACCOMMODATED: 60 MM2; COMMERCIAL SIZE: 60 MM2; HANDLE MATERIAL: PLASTIC	10	EA
STM-012655	CUTTER BLT:AXIAL;450 MM;STEEL;11	GEDORE BOLT CUTTER 460MM - PRODUCT CODE:GED2675137. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-014754	BOX TOOL:TOOLBOX	KENNEDY 62 PIECE CANTILEVER TOOLBOX TOOLSET - PRODUCT CODE:KEN5950055K. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-014961	HANDLE, SPANNER WRENCH:BA	HANDLE, SPANNER RACHET: SETS OF RACHET SPANNERS	10	EA
STM-014965	PLIERS:LONG NOSE;LG 150 MM;INSULATED;STL	PLIERS: TYPE: LONG NOSE; LENGTH: 150 MM; HANDLE: INSULATED; MATERIAL: STL; LONGNOSE PLIERS 150MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-017517	PUNCH:DRIVE PIN PUNCHES;3-9.5 MM	PUNCH: TYPE: DRIVE PIN PUNCHES; POINT SIZE: 3-9.5 MM; LENGTH: 200 MM; MATERIAL: METAL/STL; STARRETT 5 PIECE	5	EA
STM-017548	TAPE MEASNG:RUBBER CASE;5 M;STEEL	TAPE, MEASURING: TYPE:DIMENSIONS: 5 M; POWERLOCK TAPE MEASURE	10	EA
STM-018139	WRENCH CMBTN:SPANNER;;10 MM;LG 140 MM	GEDORE 10MM COMBINATION SPANNERS - PRODUCT CODE: GED600083. WRENCH, COMBINATION: TYPE: SPANNER,; SIZE: 10 MM; LENGTH: 140 MM; STYLE: FLAT; RING; MATERIAL: CR VANADIUM STL; 10MM RING AND FLAT SPANNER GEDORE. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-024130	DRILL PWR:ROTARY HAMMER DRILL;ELECTRICAL	HILTI TE 6-A36 AVR ROTARY HAMMER DRILLS PERFORMANCE PACKAGE WITH BATTERY. DRILL, POWER: TYPE: ROTARY HAMMER DRILL; CORDLESS HILTI TE 6-A36 AVR ROTARY HAMMER DRILL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA

The Supply of Consumables for Nuclear Operating Unit

STM-025038	DRILL PWR:ROTARY HAMMER DRILL;230V	HILTI ROTARY HAMMER PERFORMANCE PACKAGE - CODE:03497788; DRILL, POWER: TYPE: ROTARY HAMMER DRILL; SPEED: APPROPRIATE; DRIVE SIZE: APPROPRIATE; CHUCK SIZE: APPROPRIATE; POWER: ELECTRICAL; POTENTIAL: 230V; POWER SOURCE: ELECTRICAL; FEATURE: HILTI; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-025094	TOOL:FLARING TOOL;FLARING TOOL	TOOL: TYPE: FLARING TOOL; STYLE: FLARING TOOL; DIMENSIONS: FLARING TOOL MM; SPECIFICATION: FLARING TOOL; FLARING TOOL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-025530	LADDER:STEP;LG 3M;ALUMINIUM;115KG	LADDER: TYPE: STEP; LENGTH: 3M; MATERIAL: ALUMINIUM; LOAD CAPACITY: 115KG; CROSSPIECE TYPE: AL AND RUBBER UV RESISTANT; CROSSPIECE SURFACE TYPE: AL AND RUBBER NON SLIP; SAFETY FEET: YES RUBBER; SAFETY FEET TYPE: NON-SLIP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-026418	CRIMPER:MODULAR PLUGS;HAND CRIMPING	CRIMPER: TYPE: MODULAR PLUGS; CRIMPING RANGE: RJ11/12 (9.65MM) AND RJ45(11.68MM); JAW TYPE: HAND CRIMPING; DESIGN TYPE: THREE CRIMP CAVITIES FOR 4, 6 & 8 POSITION MODULAR PLUGS; SPECIFICATION: L=190MM; FURNISHED ITEMS: BUILT IN CUTTER AND STRIPPER.; MULTI-PURP OSE FUNCTIONS TOOL FOR TELECOM/NETWORK INSTALLERS WORKING WITH RJ11, RJ12 MODULAR PLUGS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	10	EA
STM-028125	CALLIPER VRNR:0-200	CALLIPER, VERNIER: TYPE: DIGITAL VERNIER CALIPER MEASURING; RANGE: 0-200; DIGITAL VERNIER CALIPER MEASURING 200MM, WITH MM & INCH READINGS. GROUND TIPS. IN STURDY PLASTIC CASE INCLUDING SPARE BATTERY.; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-030504	FRAME HAND HCKSW:HACKSAW LARGE	ECLIPSE HACKSAW FLAT FRAME 300MM LONG - PRODUCT CODE:ECP4150. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	10	EA

The Supply of Consumables for Nuclear Operating Unit

		DRAWING REVISION NUMBER (IF APPLICABLE)		
STM-030509	CUTTER:STRAIGHT CUT TIN SNIPS	CUTTER: TYPE: STRAIGHT CUT TIN SNIPS	10	EA
STM-040481	DRILL PWR:AUTOMATIC LOCK;1100 RPM;13 MM	BOSCH CORDLESS PROFESSIONAL GSB 18-2LI PLUS DRILLING MACHINES COMPLETE WITH CARRY CASE,4/5Ah BATTERY & BATTERY CHARGER FOR EACH CORDLESS DRIILLING MACHINE. CHUCK SIZE: 13 MM; POWER: VARIOUS; POTENTIAL: 18 VDC; POWER SOURCE: BATTERY; FEATURE: VARIABLE SPEED; CORDLESS PROFESSIONAL GSB 18-2LI PLUS. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-053319	SCREWDRIVER SET:CHROME VANADIUM;4	SCREWDRIVER, SET: TYPE: DUAL GRIP - GENERAL PURPOSE; TIP TYPES: PHILLIPS AND SLOT MAGNETIC; TIP MATERIAL: CHROME VANADIUM; TIP SIZE RANGE: NO. 2, 3, 5, 8; HANDLE MATERIAL: RUBBER GRIP; QUANTITY: 4; LENGTH 75-200 MM, SHANK: ROUND, SHANK LENGTH: 5 MM, CODE: SEN-572-9100K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-053523	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 6 AND 7MM; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-053524	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 8 AND 9MM; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053525	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 10 AND 11MM; LENGTH: STANDARD; STYLE: BOTH OPEN END; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	30	EA

		DRAWING REVISION NUMBER (IF APPLICABLE).		
STM-053526	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 12 AND 13MM; LENGTH: STANDARD; STYLE: OTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053527	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 14 AND 15MM; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053529	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 16 AND 17MM; LENGTH: STANDARD; STYLE: OTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053531	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 20 AND 22MM; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053533	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 18 AND 19MM; LENGTH: STANDARD; STYLE: OTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA

The Supply of Consumables for Nuclear Operating Unit

STM-053534	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 21 AND 23MM; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053536	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 24 AND 26MM; LENGTH: STANDARD; STYLE: OTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053537	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 25 AND 28MM; LENGTH: STANDARD; STYLE: TH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053538	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 27 AND 30MM; LENGTH: STANDARD; STYLE: OTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053540	WRENCH CMBTN:COMBINATION SPANNER	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 27 AND 32; LENGTH: STANDARD; STYLE: BOTH OPEN END; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053541	WRENCH CMBTN:COMBINATION SPANNER;9/16"	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 9/16"; LENGTH: STANDARD; STYLE: BOTH OPEN END; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

34 of 98

STM-053542	WRENCH CMBTN:COMBINATION SPANNER;11/16"	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 11/16"; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053543	WRENCH CMBTN:COMBINATION SPANNER;5/8"	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 5/8"; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053544	WRENCH CMBTN:COMBINATION SPANNER;7/8"	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 7/8"; LENGTH: STANDARD; STYLE: BOTH OPEN ENDS; MATERIAL: CHROME VANADIUM STL; MAKE: GEDORE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECTDRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053563	WRENCH SET ALLN:ALLEN KEY SET;LONG ARM	WRENCH SET, ALLEN: TYPE: ALLEN KEY SET; SIZE: LONG ARM; SET QUANTITY: 25; CONTAINER: PLASTIC; RS PRO LONG ARM HEX ALLEN KEY SET 25 PIECE; METRIC & IMPERIAL	30	EA
STM-053588	PLIERS VISE GRP:VICE GRIP;40 MM;LG 25 CM	PLIERS, VISE GRIP: TYPE: VICE GRIP; CAPACITY: 40 MM; LENGTH: 25 CM; MATERIAL: STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053599	PLIERS DGNL CUTNG:110MM;YES	PLIERS, DIAGONAL CUTTING: OVERALL LENGTH: 110MM; INSULATED HANDLE: YES; SIDE CUTTER; MAKE: RS PRO PART NUMBER:536420; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-053603	PLIERS DGNL CUTNG:180MM;YES	PLIERS, DIAGONAL CUTTING: OVERALL LENGTH: 180MM; INSULATED HANDLE: YES; SIDE CUTTER; MANUFACTURER: RS PRO; STOCK NUMBER: 8755799; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

35 of 98

STM-053674	PLIERS:WATERPUMP;LG 250 MM;INSULATED;STL	PLIERS: TYPE: WATERPUMP; LENGTH: 250MM; HANDLE: INSULATED; MATERIAL: STL; WATER PUMP PLIER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-055005	SCKT WRNCH SET:SOCKETS;CHROME VANADIUM	SOCKET, WRENCH SET: TYPE: SOCKETS; MATERIAL: CHROME VANADIUM; SIZE RANGE: 4/4.5/5/5.5/6/7/8/9/10/11/12/13 MM; SPECIAL FEATURES: 1/4 INCH DRIVE; COMPRISING: N/A; SPECIFICATION: N/A; STANDARD: N/A; 16 PIECE SOCKET SET MAKE: RS PRO STOCK NR:623 6413; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-055118	SCREWDRIVER SET:SCREWDRIVER SET;STEEL	SCREWDRIVER, SET: TYPE: SCREWDRIVER SET; TIP TYPES: FLAT/PHILIPS VDC; TIP MATERIAL: STEEL; TIP SIZE RANGE: 1/1.2/1.4/1.8/2.4/3MM, PH0,PH1,PH2,PH3,PH4; FEATURE: N/A; HANDLE MATERIAL: N/A PC; QUANTITY: 11 PC; PRECISION SCREWDRIVER SET MAKE:RS PRO, STOCK NUMBER:537-883; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-055156	SCREWDRIVER SET:SCREWDRIVER SET;1000V	SCREWDRIVER, SET: TYPE: SCREWDRIVER SET; TIP TYPES: SLOTTED,PHILIPS,POZIDRIV VDC; TIP MATERIAL: CHROME VANADIUM; TIPSIZE RANGE: 2.5X75, 3X100,4X100, 5.5X125, 6.5X150MM,#0X60, #1X80, #2X100MM, PX0X60, PC1X80MM; FEATURE: 1000V; HANDLE MATERIAL: PP/TPR PC; QUANTITY: 10 PC; VDE SCREWDRIVER SET 1000V UNIOR ; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-055216	PLIERS:WATERPUMP;LG 250;INSULATED;STL	GEDORE UNIVERSAL WATERPUMP PLIERS 250MM LONG - PRODUCT CODE: GED6410650. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-057974	DRILL:IMPACT;13 MM;DURA SHIELD HOUSING	BOSCH GSB 16RE 13MM IMPACT DRILL 700W. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

36 of 98

STM-058795	BIT TWST:2.0 MM;STRAIGHT;HSS;DRILL	BIT, TWIST: DIAMETER: 2.0 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: STANDARD MM; TYPE: DRILL	100	EA
STM-059621	HANDLE, SPANNER WRENCH:8MM RING SLOGGING	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: 8MM RING SLOGGING; MATERIAL: CHROME VANADIUM; TORQUE: DESIGNED FOR HEAVY DUTY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-059622	HANDLE, SPANNER WRENCH:10MM RING SLOG	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: 10MM RING SLOG; MATERIAL: CHROME VANADIUM; TORQUE: HEAVY DUTY APPLICATION; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-059624	HANDLE, SPANNER WRENCH:13MM RING SLOG	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: 13MM RING SLOG; MATERIAL: CHROME VANADIUM; TORQUE: DESIGNED FOR HEAVY DUTY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-059625	HANDLE, SPANNER WRENCH:17MM RING SLOG	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: 17MM RING SLOG; MATERIAL: CHROME VANADIUM; TORQUE: DESIGNED FOR HEAVY DUTY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-059627	KEY:ALLEN KEY CHROME VANADIUM;BALL HEAD	ALLEN KEY SET - BALL POINT - LONG - 9 PIECE KEY: TYPE: ALLEN KEY CHROME VANADIUM; STYLE: BALL HEAD; MATERIAL: CHROME VANADIUM; SPECIFICATION: 1.5-10 MM; ALLEN KEY BALL HEAD LONG SERIES SET 1.5-10MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-059629	PLIERS:COBINATION;LG 200 MM;INSULATED	PLIERS - COMBINATION - 200MM LONG - INSULATED MAKE: GEDORE;PLIERS: TYPE: COBINATION; LENGTH: 200 MM; HANDLE: INSULATED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

37 of 98

STM-059973	HOLDER ELECTRD WELD:OPTIMUS STYLE;400 A	HOLDER, ELECTRODE WELDING: DESIGN TYPE: OPTIMUS STYLE; OPERATING CURRENT: 400 A; ELECTRODE QUANTITY: 1; ELECTRODE TYPE: FULLY INSULATED JAWS; INSULATION: RIBBED HANDLE; FULLY INDUSTRIAL TYPE ELECTRODE HOLDER; RIBBED HANDLES FOR BETTER GRIP AND OPTIMAL COOLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-059980	HELMET WELDG:POLYPROPYLENE;FLIP FRONT	HELMET, WELDING: MATERIAL: POLYPROPYLENE; FACEPIECE TYPE: FLIP FRONT; DIMENSIONS: 108 X 51 MM; POLYPROPYLENE WELDING HELMET FOR MIG,TIG AND ARC WELDING; OFFERS FULL PROTECTION AND COMPLIES WITH EN 175; AFROX ITEM CODE: W053151; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-060148	LEVEL:TORPEDO;203 MM;3	LEVEL: TYPE: TORPEDO; DIMENSIONS: 203 MM; MATERIAL: MOULDED ABS BODY FPR STRENGTH; VIALS: 3; 0-42-294; LIGHTWEIGHT INJECTION MOULDED ABS BODY FOR STRENGTH; 3 VIALS HORIZONTAL, PLUMB AND 45 DEGREES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-060150	WRENCH ALLN:LG N/A	WRENCH, ALLEN: SIZE: T10, T15, T20, T25, T27, T30, T40, T45, T50; LENGTH: N/A; MATERIAL: CHROME MOLYDBENUM / VANADIUM; ALLEN KEY SET - TRRX - CLIP 9 PIECE; SIZE: T10,T15,T20,T25,T27,T30,T40,T45,T50 PROFESSIONAL QUALITY KEY SET MANUFACTURED FROM CHROME MOLYDBENUM / VANADIUM STEEL,CORRECTLY HARDENEDAND TEMPERED FOR MAXIMUM TORQUE; LONG PATTTERN WITH SATIN-NICKEL FINISH; SET IN HANDY PLASTIC CASE FOR CONVENIENCE; MAKE:RACO; ITEM CODE: RIC0197; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

38 of 98

STM-060830	TOOL:SPECIAL TOOL	TOOL: TYPE: SPECIAL TOOL; PAP6600-SIL. Pull Rod Assembly for installation of Pop-a-Plug® P2 sizes P2-460 to P2-500 / P2-600 to P2-680. Assembly Includes: Pull Rod, Knurled Nut, Rod & Tube Positioner, Plug Positioner & Safety Hex Nut. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-060830	TOOL:SPECIAL TOOL	TOOL: TYPE: SPECIAL TOOL; PAP6600-SIL. Tapered Reamer 5/8" (15.9mm), 0.400-0.580 (10.2-14.7mm). VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-064030	KEY:2- 10MM ALLEN KEYS	KEY: TYPE: 2- 10MM ALLEN KEYS; STYLE: 2- 10MM ALLEN KEYS; MATERIAL: 2- 10MM ALLEN KEYS; SPECIFICATION: 2- 10MM ALLEN KEYS; ALLEN KEYS SETS 2 -10MM	15	EA
STM-064746	SET:DRILL BITS SET 25PC;1-13 MM;HSS	SET: TYPE: DRILL BITS SET 25PC; APPLICATION: 1-13 MM; SPECIFICATION: DRILL BIT SET 25PC; QUANTITY: AS NEEDED; COMPRISING: HSS; SIZE RANGE: DRILL BIT SET 25PC; MATERIAL: HSS; DRILL BIT SET 25 PIECE HSS 1-13MM	15	EA
STM-064885	TOOL:COUNTER WEIGHT TOOL;N/A;N/A;N/A	TOOL: TYPE: MAIN BEARING REMOVAL TOOL; STYLE: N/A; DIMENSIONS: N/A; SPECIFICATION: N/A; MANUFACTURE MAIN BEARING REMOVAL TOOL FOR DIESEL ENGINE; VENDORS ARE RESPONSIBLE FOR ENSURIBG THAT THEY USNG THE CORRECT SPECIFICATIONS ; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-064912	TOOL:MAIN BEARING REMOVAL TOOL;N/A;N/A	TOOL: TYPE: COUNTER WEIGHT TOOL; STYLE: N/A; DIMENSIONS: N/A; SPECIFICATION: N/A; MANUFACTURE COUNTER WEIGHT TOOL (REMOVAL AND REFIT); VENDORS ARE RESPONSIBLE FOR ENSURIBG THAT THEY USNG THE CORRECT SPECIFICATIONS ; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA

STM-068966	LADDER STEP:HT 1.2 M;FIBREGLASS;135 KG;4	LADDER, STEP: HEIGHT: 1.2 M; MATERIAL: FIBREGLASS; LOAD RATING: 135 KG; STEP QUANTITY: 4; CROSSPIECE SURFACE TYPE: DEEPLY SERRATED 76MM PULTRUDED FIBREGLASS; CROSSPIECE TYPE: STEPS; PLATFORM: HEAVY DUTY STRUCTURAL MOULDED TOP KEEPS TOOLS HANDY; SAFETY FEET: INCLUDED; WIDTH: 420 MM; FGS4-ALL HEAVY DUTY NON-CONDUCTIVE STEP-LADDER IS RECOMMENDED FOR INDUSTRIAL APPLICATIONS WHICH ENTAIL WORKING WITH OR AROUND ELECTRICAL CURRENT, FIBREGLASS CONSTRUCTION ENSURES NON-CONDUCTIVITY LIVE LINE TESTED TO 32KV, MAXIMUM STATIC LOAD RATING MSVL 175KG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-072063	HOLDER MACHG TL:MACHINING TOOL;10 X 10	HOLDER, MACHINING TOOL: STYLE: MACHINING TOOL; HOLDER SIZE: 10mm X 10mm; MATERIAL: CARBON STEEL; INSERT MATERIAL: NA; TYPE: TOOL HOLDER; 3600884 SDJCR 1010F-07 TOOL HOLDER; PART NUMBER: 987654; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-072064	HOLDER MACHG TL:MACHINING TOOL;NA	HOLDER, MACHINING TOOL: STYLE: MACHINING TOOL; HOLDER SIZE: 10MM X 10MM; MATERIAL: CARBON STEEL; INSERT MATERIAL: NA; TYPE: TOOL HOLDER; 3600875 SDJCL 1010F-07 TOOL HOLDER; PART NUMBER: 987654; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-072065	HOLDER MACHG TL:MACHINING TOOL;NA	HOLDER, MACHINING TOOL: STYLE: MACHINING TOOL; HOLDER SIZE: 12MM X 12MM; MATERIAL: CARBON STEEL; INSERT MATERIAL: NA; TYPE: TOOL HOLDER; 3600885 SDJCR 1212F-11 TOOL HOLDER; PART NUMBER: 987654; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-072066	HOLDER MACHG TL:MACHINING TOOL;NA	HOLDER, MACHINING TOOL: STYLE: MACHINING TOOL; HOLDER SIZE: 12MM X 12MM; MATERIAL: CARBON STEEL; INSERT MATERIAL: NA; TYPE: TOOL HOLDER; 3600876 SDJCL 1212F-11 TOOL HOLDER; PART NUMBER: 987654; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 40 of 98

		DRAWING REVISION NUMBER (IF APPLICABLE).		
STM-072067	HOLDER MACHG TL:MACHINING TOOL;NA	HOLDER, MACHINING TOOL: STYLE: MACHINING TOOL; HOLDER SIZE: 10MM X 10MM; MATERIAL: CARBON STEEL; INSERT MATERIAL: NA; TYPE: TOOL HOLDER; 3600900 SDNCN 1010F-07 TOOL HOLDER; PART NUMBER: 987654; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-072068	HOLDER MACHG TL:MACHINING TOOL;NA	HOLDER, MACHINING TOOL: STYLE: MACHINING TOOL; HOLDER SIZE: 12MM X 12MM; MATERIAL: CARBON STEEL; INSERT MATERIAL: NA; TYPE: TOOL HOLDER; 3600901 SDNCN 1212F-07 TOOL HOLDER; PART NUMBER: 987654; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-072070	LADDER:A FRAME;LG 0.90;AL;NA;NA;NA;NA;NA	LADDER: TYPE: A FRAME; LENGTH: 0.90; MATERIAL: AL; LOAD CAPACITY: NA; CROSSPIECE TYPE: NA; CROSSPIECE SURFACE TYPE: NA; SAFETY FEET: NA; SAFETY FEET TYPE: NA; LAS3 - H/DUTY A-FRAME LADDER 0.9M; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-072071	LADDER:STEP;LG 1.8;AL;NA;NA;NA;NA;NA	LADDER: TYPE: STEP; LENGTH: 1.8; MATERIAL: AL; LOAD CAPACITY: NA; CROSSPIECE TYPE: NA; CROSSPIECE SURFACE TYPE: NA; SAFETY FEET: NA; SAFETY FEET TYPE: NA; LAS6 - INDUSRIAL STEP LADDER; VENDORS ARE RESPONSIBLE FOR ENSURING THATTHEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

STM-073911	LADDER:LG STORAGE LENGHT 2.85X0.70X0.25	LADDER: TYPE: ROLGUARD PLATFORM LADDER WITH EXTRA-LARGE SURFACE; LENGTH: STORAGE LENGHT 2.85X0.70X0.25; MATERIAL: ALUMINIUM; LOAD CAPACITY: WEIGHT:23.40; CROSSPIECE TYPE: ALUMINIUM; CROSSPIECE SURFACE TYPE: EXTRA-LARGE WORKING PLATFORM; SAFETY FEET: TELESCOPIC EXPENDABLE; SAFETY FEET TYPE: EQUIPPED WITH WHEEL FOR EASY TRANSPORT; ROLGUARD PLATFORM LADDER WITH EXTRALARGE SURFACE; ITEM NUMBER: 502136; NUMBER OF RUNGS: 6; PLATFORM HEIGHT (M): 1.39; STORAGE LENGHTS(M): 2.85 X 0.70X0.25; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-073921	TROLLEY:1143MMX630MMX410MM N	TROLLEY: TYPE: TROLLEY INDUSTRIAL FOLDING NOSE MEDIUM LIGHT DUTY; DIMENSIONS: 1143MMX630MMX410MM N; MILD STEEL, ELECTROPLATED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-074940	CUTTER BLT:STRAIGHT;NORMAL;200 MM;3 MM	CUTTER, BOLT: HEAD TYPE: STRAIGHT; CUT TYPE: NORMAL; SIZE: 200 MM; MATERIAL ACCOMODATED DIAMETER: 3 MM; MINI BOLT CUTTER. NON SLIP MOULDED PLASTIC GRIP. SPRING RETURN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	20	EA
STM-074944	CUTTER BLT:BENT;NORMAL;200 MM;3 MM	CUTTER, BOLT: HEAD TYPE: BENT; CUT TYPE: NORMAL; SIZE: 200 MM; MATERIAL ACCOMODATED DIAMETER: 3 MM; MINI BOLT CUTTER. NON-SLIP MOULDED PLASTIC GRIP. SPRIND LOADED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-074951	PUNCH CENTR:SQUARE HEAD;60 DEG;MULITPLE	PUNCH, CENTER: TYPE: SQUARE HEAD; POINT DIAMETER: 60 DEG; DIAMETER: MULITPLE; OVERALL LENGTH: 100 MM; CENTRE PUNCH SET, 4 PIECE. 3.2MM, 4.0MM, 4.8MM AND 6.3MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

42 of 98

STM-074954	SCRAPER:COMFORT GRIP;150 X 75 MM;STEEL	SCRAPER: TYPE: COMFORT GRIP; DIMENSIONS: 150 X 75 MM; MATERIAL: STEEL; HEAVY DUTY, WITH SCALE TANGS, TEMPERED FLEXIBLE STEEL BLADES AND COMFORT GRIP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINSTTHE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-074956	EXTRACTOR SET:C-SCREW;6 PC	EXTRACTOR SET: TYPE: C-SCREW; QUANTITY: 6 PC; 6 PIECE C-SCREW EXTRACTOR SET; SIZES: 1, 2, 3, 4, 5 AND 6; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-075888	TOOL:WIRE STRIPPING;170 MM	TOOL: TYPE: WIRE STRIPPING; DIMENSIONS: 170 MM; WIRE STRIPPING TOOL FOR 1.0, 1.6,2.0,2.6,3.2MM BODY: ZINC ALLOY; BLADE: SS41; BLADE HARDNESS: HV450~800; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078302	TAP THRD CUT:M6;66MM;1MM PITCH;HSS;3	TAP, THREAD CUTTING: TAP SIZE: M6; OVERALL LENGTH: 66MM; THREAD: 1MM PITCH; MATERIAL: HSS; FLUTE QUANTITY: 3; THREAD LENGTH: 19MM; FEW M6 X 1MM METRIC TAP SET, METRIC COARSE HSS GROUND THREAD TAPS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEYARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078303	TAP THRD CUT:M8;75MM;1.25;HSS;3;22MM	TAP, THREAD CUTTING: TAP SIZE: M8; OVERALL LENGTH: 75MM; THREAD: 1.25; MATERIAL: HSS; FLUTE QUANTITY: 3; THREAD LENGTH: 22MM; SUPPLY M8 X 1.25 METRIC TAP SET, FEW, METRIC COURSE HSS GROUND THREAD TAPS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078304	TAP THRD CUT:M10;80MM;1.5;HSS;3;24MM	TAP, THREAD CUTTING: TAP SIZE: M10; OVERALL LENGTH: 80MM; THREAD: 1.5; MATERIAL: HSS; FLUTE QUANTITY: 3; THREAD LENGTH: 24MM; SUPPLY FEW - M10 X 1.5 METRIC TAP SET, METRIC COARSE HSS GROUND THREAD TAPS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

43 of 98

STM-078418	TAP SET THRD CUT:M12;1.75;HSS;3;HAND;RH	TAP SET, THREAD CUTTING: TAP SIZE: M12; THREAD: 1.75; MATERIAL: HSS; QUANTITY: 3; TYPE: HAND; THREAD DIRECTION: RH; SUPPLY FEW M12 X 1.75 METRIC COURSE TAPS, HSS GROUND THREAD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078432	DIE SET THRD CUTNG:BOLT/PIPE;1MM METRIC	DIE SET, THREAD CUTTING: TYPE: BOLT/PIPE; THREAD: 1MM METRIC; DIMENSIONS: WD 0.71 X 6.3MM THICK; DIE QUANTITY: 5; MATERIAL: HSS; SUPPLY FEW M6 X 1.0 HSS GROUND THREAD DIE NUT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078441	DIE SET THRD CUTNG:BOLT/PIPE;1.25MM;5	DIE SET, THREAD CUTTING: TYPE: BOLT/PIPE; THREAD: 1.25MM; DIMENSIONS: WD 0.82 X THK 9.4; DIE QUANTITY: 5; MATERIAL: HSS; SUPPLY FEW M8 X 1.25 HEX DIE NUT GROUND THREAD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078452	DIE SET THRD CUTNG:BOLT/PIPE;1.5MM;5	DIE SET, THREAD CUTTING: TYPE: BOLT/PIPE; THREAD: 1.5MM; DIMENSIONS: WD 0.94 X THK 9.4; DIE QUANTITY: 5; MATERIAL: HSS; SUPPLY FEW M10 X 1.5 METRIC HEX DIE NUT GROUND THREAD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINSTTHE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078456	DIE SET THRD CUTNG:BOLT/PIPE;1.75MM;5	DIE SET, THREAD CUTTING: TYPE: BOLT/PIPE; THREAD: 1.75MM; DIMENSIONS: WD 1.10 X THK 12.7; DIE QUANTITY: 5; MATERIAL: HSS; SUPPLY FEW M12 X 1.75 HEX DIE NUT GROUND THREAD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078504	REAMER:HAND TAPER PIN;M6;LG 135;3;RH;HSS	REAMER: TYPE: HAND TAPER PIN; DIAMETER: M6; LENGTH: 135; FLUTES: 3; CUT: RH; MATERIAL: HSS; SUPPLY M6 HSS STAIGHT SHANK HAND TAPER PIN REAMER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

44 of 98

STM-078509	REAMER:HAND TAPER PIN;M8;LG 180;5;RH;HSS	REAMER: TYPE: HAND TAPER PIN; DIAMETER: M8; LENGTH: 180; FLUTES: 5; CUT: RH; MATERIAL: HSS; SUPPLY M8 STRAIGHT SHANK HAND TAPER PIN REAMER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-078515	REAMER:HAND TAPER PIN;M10;LG 255;5;RH	REAMER: TYPE: HAND TAPER PIN; DIAMETER: M10; LENGTH: 255; FLUTES: 5; CUT: RH; MATERIAL: HSS; SUPPLY M10 STRAIGHT SHANK HAND TAPER PIN REAMER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-078520	REAMER:HAND TAPER PIN;M12;LG 255;5;RH	REAMER: TYPE: HAND TAPER PIN; DIAMETER: M12; LENGTH: 255; FLUTES: 5; CUT: RH; MATERIAL: HSS; SUPPLY M12 STRAIGHT SHANK HAND TAPER PIN REAMER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-078525	BIT:CARBIDE;LG 25MM;HSS;12MM	BIT: TYPE: CARBIDE; LENGTH: 25MM; MATERIAL: HSS; DIAMETER: 12MM; SUPPLY 12MM X 25MM CYLINDER-END CARBIDE BURR, CUT 9 CHIPBREAKER, PRODUCT CODE: KEN2100360K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078530	BIT:CARBIDE BIT;LG 25;HSS;12	BIT: TYPE: CARBIDE BIT; LENGTH: 25; MATERIAL: HSS; DIAMETER: 12; SUPPLY 12MM X 25MM ROUND TREE CARBIDE BURR BIT, CUT 9 CHIPBREAKER, PRODUCT CODE: KEN2103320K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-078535	WRENCH, TAP:TAP WRENCH;3/4 INCH;480	WRENCH, TAP: TYPE: TAP WRENCH; TAP SIZE: 3/4 INCH; BODY LENGTH: 480; MATERIAL: TEMPERED STEEL; SUPPLY 19MM HAND TAP WRENCH, PRODUCT CODE: KEN5188480K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

45 of 98

STM-078540	WRENCH, TAP:TAP WRENCH;3/8 INCH;275	WRENCH, TAP: TYPE: TAP WRENCH; TAP SIZE: 3/8 INCH; BODY LENGTH: 275; MATERIAL: TEMPERED STEEL; SUPPLY 3/8 INCH TRADITIONAL TAP WRENCH, PRODUCT CODE: KEN5188470K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092791	INDEX, DRILL BIT:4MM;TITANIUM STEEL	INDEX, DRILL BIT: DRILL SIZE: 4MM; MATERIAL: TITANIUM STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092805	INDEX, DRILL BIT:9MM;TITANIUM STEEL	INDEX, DRILL BIT: DRILL SIZE: 9MM; MATERIAL: TITANIUM STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092807	INDEX, DRILL BIT:10MM;TITANIUM STEEL	INDEX, DRILL BIT: DRILL SIZE: 10MM; MATERIAL: TITANIUM STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092815	INDEX, DRILL BIT:3MM;MASIONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 3MM; MATERIAL: MASIONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092818	INDEX, DRILL BIT:4NN;NASIONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 4NN; MATERIAL: NASIONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092820	INDEX, DRILL BIT:5MM;MASIONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 5MM; MATERIAL: MASIONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092822	INDEX, DRILL BIT:6MM;MASIONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 6MM; MATERIAL: MASIONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

46 of 98

STM-092824	INDEX, DRILL BIT:7MM;MASONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 7MM; MATERIAL: MASONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092826	INDEX, DRILL BIT:8MM;MASONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 8MM; MATERIAL: MASONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092832	INDEX, DRILL BIT:9MM;MASONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 9MM; MATERIAL: MASONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092833	INDEX, DRILL BIT:10MM;MASONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 10MM; MATERIAL: MASONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092836	INDEX, DRILL BIT:12MM;MASONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 12MM; MATERIAL: MASONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-092838	INDEX, DRILL BIT:11MM.;MASONARY BIT	INDEX, DRILL BIT: DRILL SIZE: 11MM.; MATERIAL: MASONARY BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-093206	TOOL:DEMOLITION DRILL;JACK HAMMER	TOOL: TYPE: DEMOLITION DRILL; STYLE: JACK HAMMER; DIMENSIONS: UNKNOWN; SPECIFICATION: 1500W, MAX 10.1KG; DRILL P DEMOLITION 1500W BOS. HAMMER SDS MAX 10.1KG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWINGREVISION NUMBER (IF APPLICABLE).	5	EA
STM-093207	TOOL:BELT SANDER;1200W;100MM X 610MM	TOOL: TYPE: BELT SANDER; STYLE: 1200W; DIMENSIONS: 100MM X 610MM; MAKITA BELT SANDER 100MM X 610MM BELT 1200W WITH DUST BAG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

47 of 98

STM-093504	PLIERS:QUICK ACTION;LG NA;INSULATED	PLIERS: TYPE: QUICK ACTION; HANDLE: INSULATED; MATERIAL: PLASTICE; 1/4" PLIER FOR HOSE ASSEMBLY CODE: IND4470010K; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-094253	SAW:HACK;300MM	SAW: TYPE:HACK; DIMENSIONS: 300MM; RS COMPLNENT PAST NUMBER: 442-0515; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-094585	GUN:HEAT;ELECTRICAL	GUN: TYPE: HEAT; POWER SOURCE: ELECTRICAL; HEAT GUN. RS PART NUMBER: 175-7106; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-094594	WRENCH PIPE:44;LG 305;STL	WRENCH, PIPE: CAPACITY: 44; LENGTH: 305; MATERIAL: STL; BAHCO PIPE WRENCH. RS STOCK NUMBER: 731-9402; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-095895	TAP SET THRD CUT:M3 TO M10;METRIC;40 PC	TAP SET, THREAD CUTTING: TAP SIZE: M3 TO M10; THREAD: METRIC; QUANTITY: 40 PC; TYPE: HAND; THREAD DIRECTION: CLOCKWISE; 40PC METRIC TAP AND DIE SET. RS STOCK NUMBER: 6122718; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-098268	PLIERS:GRIP;LG 250 MM;NON INSULATED;STL	PLIERS: TYPE: GRIP; LENGTH: 250 MM; HANDLE: NON INSULATED; MATERIAL: STL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-098338	TAPE MEASNG:HIGH IMPACT;STAINLESS STEEL	TAPE, MEASURING: TYPE: HIGH IMPACT; DIMENSIONS: WD 9.5 MM X LG 30 M; MATERIAL: STAINLESS STEEL; DURABLE YELLOW HIGH IMPACT ABS CASE FOR STRENGTH; FEATURES A BLADE GUARD AND ROLLERS OF SS FOR SMOOTH OPERATION; STEEL BLADE WITH 2 COLOUR GRADUATIONS FOR EASY READING IN ALL CONDITIONS; MYLAR COATING FOR MAXIMUM PROTECTION AGAINST ABRASION; HOOK WITH SPURS FOR EASE OF USE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT	15	EA

		DRAWING REVISION NUMBER (IF APPLICABLE).		
STM-098348	BIT TWST:3 MM;STRAIGHT;LG 61 MM;N	BIT, TWIST: DIAMETER: 3 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 61 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098366	BIT TWST:4 MM;STRAIGHT;LG 75 MM;N	BIT, TWIST: DIAMETER: 4 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 75 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098372	BIT TWST:5 MM;STRAIGHT;LG 86 MM;N	BIT, TWIST: DIAMETER: 5 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 86 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098381	BIT TWST:6 MM;STRAIGHT;LG 93 MM;N	BIT, TWIST: DIAMETER: 6 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 93 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098407	BIT TWST:7 MM;STRAIGHT;LG 109 MM;N	BIT, TWIST: DIAMETER: 7 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 109 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA

The Supply of Consumables for Nuclear Operating Unit

STM-098408	BIT TWST:8 MM;STRAIGHT;LG 117 MM;N	BIT, TWIST: DIAMETER: 8 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 117 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	30	EA
STM-098410	BIT TWST:10 MM;STRAIGHT;LG 133 MM;N	BIT, TWIST: DIAMETER: 10 MM; SHANK: STRAIGHT; MATERIAL: HSS; LIGHT INDUSTRIAL STEEL; LENGTH: 133 MM; TYPE: N; TIP: DRILLING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098417	TAPE MEASNG:PROFESSIONAL;LG 5 M	TAPE, MEASURING: TYPE: PROFESSIONAL; DIMENSIONS: LG 5 M; MATERIAL: RUBBER CASE; FAST LOCK TO SECURE BLADE; STAND OUT 1.4M; NYLON BLADE COATING TWICE DURABILITY OF ACRYLIC COATING; HOOK MAGNETS, 2 RIVETS + 1 EYELET FOR MULTI-USE WITH EXTRA STRENGHT; DOUBLE SIDED BLADE FOR EASY READABILITY FROM ALL ANGLES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098446	COLLET WELDG:BODIES;2.4 MM;LG 47 MM	COLLET, WELDING: TYPE: BODIES; SIZE: 2.4 MM; LENGTH: 47 MM; COLLET BODIES USED TO SECURELY CLAMP THE TUNGSTEN ELECTRODE, FOR USE WITH 17/26 AND 18 SERIES TORCHES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA
STM-098505	CHISEL COLD HND:LG 300 MM;25 MM;FLAT	CHISEL, COLD HAND: LENGTH: 300 MM; BLADE WIDTH: 25 MM; MATERIAL: HEXAGONAL TOOL STEEL; TYPE: FLAT; THE BODY IS TAPERED TO THE EDGE WHERE A PRIMARY AND SECONDARY CUTTING EDGE ARE FORMED; THESE CHISELS ARE USED BY THE CONSTRUCTION AND ENGINEERINGINDUSTRIES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-098767	CLEANER TIP:CLEANING FILE;ALUMINIUM	CLEANER, TIP: TYPE: CLEANING FILE; HANDLE: ALUMINIUM; DIAMETER: ASSORTED SIZES; MATERIAL: STRONG ALUMINIUM CASE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA

The Supply of Consumables for Nuclear Operating Unit

STM-098976	TOOL:13MM CHROME VANADIUM COMB SPANNER	GEDORE 13MM COMBINATION SPANNERS - PRODUCT CODE: GED600113. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-098994	TAPE MEASNG:PROFESSIONAL;LG 8 M	TAPE, MEASURING: TYPE: PROFESSIONAL; DIMENSIONS: LG 8 M; MATERIAL: RUBBER CASE; FAST LOCK TO SECURE BLADE; STAND OUT 1.4M; NYLON BLADE COATING TWICE DURABILITY OF ACRYLIC COATING; HOOK MAGNETS, 2 RIVETS + 1 EYELET FOR MULTI-USE WITH EXTRA STRENGHT; DOUBLE SIDED BLADE FOR EASY READABILITY FROM ALL ANGLES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-099464	TAPE:TAPE MEASURE (3M);N/A;N/A;N/A	STANLEY POWERBLOCK MEASURING TAPE 3M X 19MM. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-099478	SQUARE:ENGINEERS SQUARE (5);N/A	GR ENGINEERS SQUARE SSA/12 300MM - PRODUCT CODE: GRO6525. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-099926	WRENCH IMPCT:1 IN;PNEUMATIC;400-1400 NM	WRENCH, IMPACT: DRIVE SIZE: 1 IN; POWER SOURCE: PNEUMATIC; TORQUE: 400-1400 NM; SPEED: 5100 RPM; CP6778EX-P18D H/DUTY PISTOL GRIP ATEX 1750NM; TORQUE WRENCH; SPEC.; SQUARE DRIVE-1"; NET WEIGHT - 4,6KG; LENGTH - 255MM; MAX TORQUE - 1750 NM	15	EA
STM-100135	PLIERS VISE GRP:VICE GRIP, LG 250MM MM	PLIERS, VISE GRIP: TYPE: VICE GRIP, CAPACITY: NOT APPLICCABLE MM, LENGTH: 250MM MM, MATERIAL: CVS; WRENCH, ADJUSTABLE, CURVED JAW; NICKEL PLATED;	20	EA
STM-100387	GUN AIR BLW:HAND-HELD;FNPT 1/4;NA	GUN, AIR BLOW: TYPE: HAND-HELD; FITTING TYPE: FNPT 1/4; TEMPERATURE RANGE: NA; CODE: KBE2592550K PISTOL GRIP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-100511	ADAPTOR WRNCH SCKT:1/2;LG NA;NA;NA	ADAPTOR, WRENCH SOCKET: DRIVE SIZE: 1/2; CODE: 987654; DESCRIPTION: ADAPTOR - 7680650 1/2" DR RATCHET HEAD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THECORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA

The Supply of Consumables for Nuclear Operating Unit

STM-100512	ADAPTOR WRNCH SCKT	ADAPTOR, WRENCH SOCKET: DRIVE SIZE: 3/4"; CODE: 987654; DESCRIPTION:ADAPTOR - 7680730 3/4"DR RATCHET HEAD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THECORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-100558	SOCKET SCKT WRNCH:NA;SQUARE;3/4 IN;NA;NA	SOCKET, SOCKET WRENCH: DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 3/4 IN; CODE:987654; DESCRIPTION: KEN5838831K 46MM DEEP IMPACT SOCKET 3/4" SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-100688	PUNCH SET:PIN;.;.;6	PUNCH, SET: TYPE: PIN; SET QUANTITY: 6; CODE: 20977; DESCRIPTION: KEN5182200K SET OF 6 PARALLEL PIN PUNCHES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-100691	TOOL DBRRNG:DUALCUT;6 MM;.;CARBIDE;HAND	TOOL, DEBURRING: TYPE: DUALCUT; DIAMETER: 6 MM; MATERIAL: CARBIDE; APPLICATION: HAND; CODE: 34226; DESCRIPTION: YRK2109920K SPEEDWAY DUALCUT 6MM SHANK 8PCECARBIDEBURR SET; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-100694	PLIERS DGNL CUTNG:.;PLASTIC;.	PLIERS, DIAGONAL CUTTING: INSULATED HANDLE: PLASTIC; CODE: 21726; DESCRIPTION: KEN5583330K 7 DIAGONAL CUTTING NIPPERS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THECORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	30	EA
STM-100704	PLIERS RETNG RNG:INTERNAL;LG ;.;.;BENT	PLIERS, RETAINING RING: TYPE: INTERNAL; TIP STYLE: BENT; INSULATION: PLASTIC; CODE: 21788; DESCRIPTION:KEN5586510K 5 BENT NOSE INTERNAL CIRCLIP PLIERS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-100709	PLIERS RETNG RNG:EXTERNAL;LG ;.;.;BENT	PLIERS, RETAINING RING: TYPE: EXTERNAL; TIP STYLE: BENT; INSULATION: PLASTIC; CODE:21790; DESCRIPTION: KEN5586530K 5 BENT NOSE EXTERNAL CIRCLIP PLIERS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

52 of 98

STM-100718	PLIERS:SNIPE NOSE;LG .;PLASTIC;STL	PLIERS: TYPE: SNIPE NOSE; HANDLE: PLASTIC; MATERIAL: STL; CODE:21721; DESCRIPTION: KEN5583230K 8 SNIPE NOSE PLIERS WITH SIDE CUTTER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-100727	SCRIBER:DOUBLE ENDED;;STEEL	SCRIBER: TYPE: DOUBLE ENDED; MATERIAL: STEEL; CODE: 21051; DESCRIPTION:KEN5184370K 7 INCH DOUBLE ENDED ENGINEERS SCRIBER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-100809	HAMMER MLLT:MALLET;16 OZ;WOOD	HAMMER, MALLET: TYPE: MALLET; HEAD WEIGHT: 16 OZ; HEAD MATERIAL: RUBBER COMPOTHANE; HANDLE: WOOD; CODE:21206; DESCRIPTION:KEN5259160K 16OZ BLACK RUBBER MALLETWOOD SHAFT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-100823	BIT SET	BIT SET: CODE:27960; DESCRIPTION:SHR0258500K SET OF 25 HSS DRILLS 113.00MM X 0.5mm; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-100864	TAPE MEASNG	TAPE,MEASURING: CODE:33469; DESCRIPTION: YMT5361490K 8M LOCKING TAPE RULE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-101852	TOOL:CHAMFERING TOOL;10MM STRAIGHT SHANK	TOOL: TYPE: CHAMFERING TOOL; STYLE: 10MM STRAIGHT SHANK; DIMENSIONS: 45 DEGREES; 45 DEGREE CHAMFERING TOOL WITH 10MM STRAIGHT SHANK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-101860	BIT TWST:2.5 MM;STRAIGHT 2.5;HSS	BIT, TWIST: DIAMETER: 2.5 MM; SHANK: STRAIGHT 2.5; MATERIAL: HSS; LENGTH: UNKNOWN; 2.5MM STRAIGHT SHANK DRILL BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

53 of 98

STM-101865	BIT TWST:3.5 MM;STRAIGHT 3.5;HSS	BIT, TWIST: DIAMETER: 3.5 MM; SHANK: STRAIGHT 3.5; MATERIAL: HSS; LENGTH: UNKNOWN; 3.5MM STRAIGHT SHANK DRILL BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA
STM-101867	BIT TWST:4 MM;STRAIGHT 4;HSS;LG UNKNOWN	BIT, TWIST: DIAMETER: 4 MM; SHANK: STRAIGHT 4; MATERIAL: HSS; LENGTH: UNKNOWN; 4MM STRAIGHT SHANK DRILL BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA
STM-101869	BIT TWST:6.8 MM;STRAIGHT 6.8;HSS	BIT, TWIST: DIAMETER: 6.8 MM; SHANK: STRAIGHT 6.8; MATERIAL: HSS; LENGTH: UNKNOWN; 6.8MM STRAIGHT SHANK DRILL BIT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA
STM-101903	CHUCK:DRILL CHUCK ARBOR	CHUCK: TYPE: DRILL CHUCK ARBOR; DRILL CHUCK ARBOR B16 X MT4 C4B PORTA; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-101904	CHUCK:DRILL CHUCK KEYED	CHUCK: TYPE: DRILL CHUCK KEYED; DRILL CHECK KEYED MED. 3-16 B16 KS3 PORTA; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-102981	HAMMER:CHIPPING CHISEL AND POINT END	HAMMER: TYPE: CHIPPING CHISEL AND POINT END; HEAD WEIGHT: 0.413 KG; HEAD MATERIAL: STEEL SPRING; HANDLE: SHOCKPROOF SPRING WIRE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-104799	SET:BIT;POZI;BIT	SET: TYPE: BIT; COMPRISING: POZI; MATERIAL: BIT; POZI BIT 225MM VERMONT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA
STM-104803	BIT SCRWDVR:BIT PHILL;2X25MM	BIT, SCREWDRIVER: TIP TYPE: BIT PHILL; TIP SIZE: 2X25MM; DRIVE SHANK TYPE:; BIT PHILL NO 2X25MM CLASSIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	100	EA

The Supply of Consumables for Nuclear Operating Unit

STM-104806	TOOL:NUT SETTER;VERMON;5/16" X 65MM MM	SPECIFICATION:; NUT SETTER 5/16" X 65MM VERMON; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-106191	CHISEL PWR:FLAT POINT;25;18;LG 400	BOSCH SDS MAX FLAT R-TECH CHISELS FOR CFI REFURBISHMENT PROJECT. CHISEL, POWER: TYPE: FLAT POINT; BLADE SIZE: 25; SHANK: 18; LENGTH: 400; MATERIAL: STL HARDENED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-106216	CHISEL PWR:POINTED CHISEL;22;18;LG 400	BOSCH SDS MAX POINTED CHISELS FOR CFI REFURBISHMENT PROJECT. CHISEL, POWER: TYPE: POINTED CHISEL; BLADE SIZE: 22; SHANK: 18; LENGTH: 400; MATERIAL: STL HARDENED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-106486	BIT MSNRY:SDS MAX;30;LG 400;DIA 10	BOSCH SDS MAX M4 CONCRETE DRILL BIT - 30MM DIAMETER X 400MM LONG -CFI PROJECT. BIT, MASONRY: TYPE: SDS MAX M4; DIAMETER: 30; LENGTH: 400; MATERIAL: TUNGSTEN TIPPED; SHANK: DIA 10; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-106503	TAPE MEASNG:STANLEY;WD 13MM X 3M;STEEL	STANLEY MEASURING TAPE - 3MX13MM - CFI PROJECT. TAPE, MEASURING: TYPE: STANLEY; DIMENSIONS: WD 13MM X 3M LONG; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-106506	TAPE MEASNG:STANLEY;WD 19MM X 5M LONG	STANLEY MEASURING TAPE - 5MX19MM -CFI PROJECT. TAPE, MEASURING: TYPE: STANLEY; DIMENSIONS: WD 19MM X 5M LONG; MATERIAL: STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107174	WRENCH TRQ	TORQUE WRENCH 20-100NM PRO 100FTH 9X12; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107213	WRENCH TRQ:9 X 12;0-20;LINEAR;LG NA;NA	TORQUE WRENCH 0-20NM SLO FTH 9X12; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE	30	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

55 of 98

		CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).		
STM-107226	WRENCH TRQ:14X18;20-200;LINEAR;LG NA;NA	TORQUE WRENCH 20-200NM PRO 200FTH 14X18; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107233	WRENCH TRQ:14X18;60-300;LINEAR;LG NA;NA	TORQUE WRENCH 60-300NM 300FTH 14X18; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107244	WRENCH TRQ:14X18;40-200;LINEAR;LG NA;NA	TORQUE WRENCH 40-200NM 200FTH 14X18; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107252	WRENCH TRQ	TORQUE WRENCH 0-360NM 400FTH 14X18; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107264	WRENCH TRQ:16MM;4-20;LINEAR;LG NA;NA;NA	11126 - SLO TH,16MM SPIGOT 4-20NM,40-180 LBF; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-107269	WRENCH TRQ:16;10-50;LINEAR;LG NA;NA;NA	15062- PRO 50,16MM SPIGOT,10-50NM,7.5-37.5LB; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	30	EA
STM-107568	WRENCH TRQ:16;20-100;LINEAR;LG NA;NA;NA	150603 - PRO 100,16MM SPIGOT,20-100NM,15-75; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	30	EA
STM-107579	WRENCH TRQ:16;40-200;LINEAR;LG NA;NA;NA	15064 PRO 200,16MM SPIGOT,40-200NM,30-150 L; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	30	EA
STM-107598	WRENCH TRQ:16;60-300;LINEAR;LG NA;NA;NA	15065 - PRO 300,16MM SPIGOT,60-300NM,44-222 L; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	30	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

56 of 98

STM-108453	TOOL:RING FLAT SPANNER MM;HAND;23MM MM	TOOL: TYPE: RING FLAT SPANNER MM; STYLE: HAND; DIMENSIONS: 23MM MM; SPECIFICATION: GEDORE; 23 MM RING FLAT	15	EA
STM-108455	TOOL:RING FLAT SPANNER MM;HAND;24 MM MM	TOOL: TYPE: RING FLAT SPANNER MM; STYLE: HAND; DIMENSIONS: 24 MM MM; SPECIFICATION: GEDORE; 24MM RING FLAT	15	EA
STM-108601	TOOL:VENIER CALIPER MICROMETER;HAND	TOOL: TYPE: VENIER CALIPER MICROMETER; STYLE: HAND; DIMENSIONS: 6 INCH/150MM MM; SPECIFICATION: STAINLESS STEEL; MEASURING TOOL FOR PRECISION MEASUREMENTS	10	EA
STM-109386	TORQUE CONVERTER:HYTORC	TORQUE CONVERTER: TYPE: HYTORC; AVANTI 5 - 1 1/2" SQD TORQUE WRENCH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-109398	WRENCH IMPCT	WRENCH, IMPACT; IW750 3/4 DR AIR IMPACT WRENCH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-109404	SCREWDRIVER PWR:AS PER ITEM TEXT	CORDLESS GD _X 180-LI 2X3.0 COMPACT; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	25	EA
STM-109492	BAR WRNCH:SPEED BRACE;1/2";LG 425MM	BAR, WRENCH: TYPE: SPEED BRACE; DRIVE SIZE: 1/2"; LENGTH: 425MM; MATERIAL: CHROME VANADIUM; SPEED BRACE , RAPID WRENCH 1/2" DRIVE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-109506	HAMMER MLLT:NYLON MALLET;3;NYLON;WOODEN	HAMMER, MALLET: TYPE: NYLON MALLET; HEAD WEIGHT: 3; HEAD MATERIAL: NYLON; HANDLE: WOODEN; NYLON MALLET WITH FIXED NYLON HEAD , NOT REMOVAL NYLON HAEDS, WOODEN HANDLE.	10	EA
STM-109517	FRAME:JUNIOR HACKSAW;LG 150 MM;STL	FRAME: TYPE: JUNIOR HACKSAW; SIZE: LG 150 MM; MATERIAL: STL; JUNIOR HACKSAW , LG 150MM , FRAMW , S/ST.	20	EA
STM-109527	PUNCH CENTR:CENTRE PUNCH SET;3.2 - 6.3MM	PUNCH, CENTER: TYPE: CENTRE PUNCH SET; POINT DIAMETER: 3.2 - 6.3MM; DIAMETER: 8 - 10MM; OVERALL LENGTH: 100MM; CENTER PUNCH SET ,	20	EA
STM-109601	WRENCH:RATCHET;10;STL;NA	WRENCH: TYPE: RATCHET; SIZE: 10MM; MATERIAL: STL; APPLICATION: NA	20	EA
STM-109605	WRENCH:RATCHET;13;STL;NA	WRENCH: TYPE: RATCHET; SIZE: 13MM; MATERIAL: STL; APPLICATION: NA	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

57 of 98

STM-109609	WRENCH	WRENCH: TYPE: RATCHET; SIZE: 17MM; MATERIAL: STL; APPLICATION: NA	20	EA
STM-109616	WRENCH:RATCHET;19MM;STL;NA	WRENCH: TYPE: RATCHET; SIZE: 19MM; MATERIAL: STL; APPLICATION: NA	20	EA
STM-109725	TOOL:HYDRAULIC TORQUE;1 IN SQ DRIVE	TOOL: TYPE: HYDRAULIC TORQUE; STYLE: COAXIAL SQUARE DRIVE AND REACTION ARM; DIMENSIONS: 1 IN SQ DRIVE; TORQUE RANGE 604 - 4025 NM; REACTION RELEASE LEVER; TITAL 399 HIGH STRENGTH LIGHTWEIGHT BODY; HIGHEST QUALITY STEEL INTERNAL COMPONENTS	3	EA
STM-109790	TOOL:TOOL WITH SENSOR;HAND;N/A	TOOL: TYPE: TOOL WITH SENSOR; STYLE: HAND; DIMENSIONS: N/A; 8DT OEG TOOL WITH SENOR	3	EA
STM-111141	TOOL BOX PORTBL:WORKSHOP TOOLKIT;RED	SENATOR 90 PIECE WORKSHOP TOOLKIT - PRODUCT CODE: SEN-595-1000K FOR HPIC DEPARTMENT.	5	EA
STM-115194	DRILL:CORDLESS;13MM;LG AS PER ITEM TEXT	MAKITA DHB458 18V CORDLESS DRILL WITH 2 X 3AH BATTERIES & CHARGER	5	EA
STM-115226	WINCH:NON MOTORISED;2000 KG;NA	WINCH: TYPE: NON MOTORISED; CAPACITY: 2000 KG; DIMENSIONS: NA; HAND WINCH 2000KG WITH STEEL WIRE ROPE AND HOOK	10	EA
STM-115414	CUTTER PIPE:TUBE CUTTER;TUBE CUTTER	CUTTER, PIPE: TYPE: TUBE CUTTER; CUTTING RANGE;; FEATURES: TUBE CUTTER; CUTTING MATERIAL;; PIPE SIZE: KEN50304; TUBE CUTTER - KEN50304	10	EA
STM-115421	CUTTER PIPE:TUBE CUTTER - KEN50305	CUTTER, PIPE: TYPE: TUBE CUTTER - KEN50305; CUTTING RANGE: TUBE CUTTER; FEATURES: TUBE CUTTER - KEN50305; CUTTING MATERIAL: KEN50305; PIPE SIZE: KEN50305; TUBE CUTTER - KEN50305	10	EA
STM-115425	CUTTER PIPE:TUBE CUTTER;PVC;0-42 MM	CUTTER, PIPE: TYPE: KEN50312 CUTTER TUBE 0-42MM PVC; CUTTING RANGE: TUBE CUTTER; FEATURES: KEN50312 CUTTER TUBE 0-42MM PVC; CUTTING MATERIAL: PVC; PIPE SIZE: 0-42 MM; KEN50312 CUTTER TUBE 0-42MM PVC	10	EA
STM-115429	TOOL KIT:CUTTER RATCHET;26-42 MM	TOOL KIT: TYPE: CUTTER RATCHET; DIMENSIONS: 26-42 MM; MATERIAL: PVC - KEN50318; CUTTER RATCHET 26-42MM PVC KEN50318	10	EA
STM-115433	RIVET:GUN;FASCOR FH10 MM;LG;RIVERT GUN	RIVET: TYPE: GUN; DIAMETER: FASCOR FH10 MM; LENGTH;; HEAD DIAMETER;; HEAD: RIVERT GUN; MATERIAL;; RIVET GUN FASCOR FH10	10	EA
STM-115440	RATCHET:SPANNER;RATCHET SPANNER;STEEL	RATCHET: TYPE: SPANNER; LOAD CAPACITY: RATCHET SPANNER; MATERIAL: STEEL; RATCHET SPANNER COMBO - 10MM KEN15510 ; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 58 of 98

		AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).		
STM-115445	RATCHET:RATCHET SPANNER COMBO;13 MM	RATCHET: TYPE: RATCHET SPANNER COMBO; DIMENSIONS: 13 MM; MATERIAL: KEN15513; RATCHET SPANNER COMBO 13MM KEN15513; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-115446	RATCHET:RATCHET SPANNER COMBO - KEN15517	RATCHET: TYPE: RATCHET SPANNER COMBO - KEN15517; LOAD CAPACITY: KEN15517; DIMENSIONS: 17 MM; MATERIAL: RATCHET SPANNER COMBO; RATCHET SPANNER COMBO 17MM KEN15517; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-115448	RATCHET:RATCHET SPANNER COMBO 19MM	RATCHET: TYPE: RATCHET SPANNER COMBO 19MM; LOAD CAPACITY: KEN15519; DIMENSIONS: 19 MM; MATERIAL: RATCHET SPANNER COMBO 19MM KEN15519; RATCHET SPANNER COMBO 19MM KEN15519; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-115450	TOOL:SPANNER;COMB OFFSET;10 MM	TOOL: TYPE: SPANNER; STYLE: COMB OFFSET; DIMENSIONS: 10 MM; SPANNER COMBO - SPANNER COMBO 10MM OFFSE	15	EA
STM-115454	TOOL:SPANNER;COMB OFFSET;13 MM	TOOL: TYPE: SPANNER; STYLE: COMB OFFSET; DIMENSIONS: 13 MM; SPECIFICATION: SPANNER COMBO 13MM OFFSET; SPANNER COMBO 13MM OFF SET	15	EA
STM-115455	TAPE MEASNG:5 M	TAPE, MEASURING: TYPE: TAPE MEASURE 5M P/LOCK STANLEY; DIMENSIONS: 5 M; MATERIAL: TAPE MEASURE 5M P/LOCK STANLEY; TAPE MEASURE 5M P/LOCK STANLEY	15	EA
STM-115457	TOOL:PLIER CRESCENT WATER PUMP;CRE0270	TOOL: TYPE: PLIER CRESCENT WATER PUMP; STYLE: CRE0270; DIMENSIONS: 250 MM; SPECIFICATION: PLIER CRESCENT WATER PUMP 250MM; PLIER CRESCENT WATER PUMP 250MM	15	EA
STM-115463	TOOL:PLIER CRESCENT WATER PUMP;CRE0295	TOOL: TYPE: PLIER CRESCENT WATER PUMP; STYLE: CRE0295; DIMENSIONS: 406 MM; SPECIFICATION: PLIER CRESCENT WATER PUMP 406MM; PLIER CRESCENT WATER PUMP 406MM	15	EA

The Supply of Consumables for Nuclear Operating Unit

STM-115467	PLIERS VISE GRP:VICEGRIP;LG 180 MM	PLIERS, VISE GRIP: TYPE: VICEGRIP; CAPACITY: VICEGRIP CURVED JAW; LENGTH: 180 MM; MATERIAL: KEN11605; VICEGRIP CURVED JAW 180MM KEN11605	10	EA
STM-115472	SAW HOLE:HOESAW STARRETT KIT MM;16-51MM	SAW, HOLE: SIZE: HOESAW STARRETT KIT MM; ARBOR: 16-51MM; TEETH: HOESAW STARRETT KIT 16-51MM STT0496; BLADE MATERIAL: HSS; HOESAW STARRETT KIT 16-51MM STT0496	10	EA
STM-116530	TAP SET THRD CUT:M6;1;HSS;3;HAND;RH	TAP SET, THREAD CUTTING: TAP SIZE: M6; THREAD: 1; MATERIAL: HSS; QUANTITY: 3; TYPE: HAND; THREAD DIRECTION: RH; CARRY CASE: PLASTIC; MAKE: SOMTA	60	EA
STM-116546	WRENCH TRQ:AS PER ITEM TEXT	15065 - PRO 300,16MM SPIGOT,60-300NM,44-222 L; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	5	EA
STM-116607	TOOL KIT:ELECTRICAL;WD 300 X 500 LG	KENNEDYS VDE 16 PIECE ELECTRICAINS TOOLKIT FOR ESTATE MAINTENANCE SECTION HEAD AND IN-HOUSE STORES.	10	EA
STM-118705	BIT TWST:4.2 MM;STRAIGHT;HSS;DRILL	BIT, TWIST: DIAMETER: 4.2 MM; SHANK: STRAIGHT; MATERIAL: HSS; LENGTH: STANDARD MM; TYPE: DRILL; 4.2MM STRAIGHT SHANK DRILL BIT	100	EA
STM-118716	PUNCH SET:LETTER PUNCH SET;A-Z;UNKNOWN	PUNCH, SET: TYPE: LETTER PUNCH SET; RANGE SIZE: A-Z; MATERIAL: UNKNOWN; SET QUANTITY: 27 PIECE SET; 6MM LETTER STAMP SET A-Z	3	EA
STM-118717	PUNCH SET:LETTER PUNCH SET;A-Z;UNKOWN	PUNCH, SET: TYPE: LETTER PUNCH SET; RANGE SIZE: A-Z; MATERIAL: UNKOWN; SET QUANTITY: 27 PIECE SET; 12MM LETTER STAMP SET, A-Z.	3	EA
STM-118718	PUNCH SET:NUMBER;1-9;UNKNOWN;9 PIECE SET	PUNCH, SET: TYPE: NUMBER; RANGE SIZE: 1-9; MATERIAL: UNKNOWN; SET QUANTITY: 9 PIECE SET; 6MM NUMBER STAMP SET, 1-9.	3	EA
STM-118720	PUNCH SET:NUMBER;1-9;UNKNOWN;9 PIECE SET	PUNCH, SET: TYPE: NUMBER; RANGE SIZE: 1-9; MATERIAL: UNKNOWN; SET QUANTITY: 9 PIECE SET; 12MM NUMBER STAMP SET, 1-9.	3	EA
STM-118746	HAMMER MLLT:DEAD BLOW;4.5 KG;RUBBER	HAMMER, MALLET: TYPE: DEAD BLOW; HEAD WEIGHT: 4.5 KG; HEAD MATERIAL: RUBBER; HANDLE: RUBBER; DEAD BLOW HAMMER, 4.5KG	15	EA
STM-118753	SCRAPER:TANG;125 X 50 MM;UNKNOWN	SCRAPER: TYPE: TANG; DIMENSIONS: 125 X 50 MM; MATERIAL: UNKNOWN; SCRAPER 125MM X 50MM	20	EA
STM-118756	SCRAPER:TANG;125MM X 75MM;UNKNOWN	SCRAPER: TYPE: TANG; DIMENSIONS: 125MM X 75MM; MATERIAL: UNKNOWN; SCRAPER 125MM X 75MM	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

60 of 98

STM-118757	SLEEVE MRSE TAPR:DRILL;4-5;STEEL;UNKNOWN	SLEEVE, MORSE TAPER: TYPE: DRILL; DIMENSIONS: 4-5; MATERIAL: STEEL; TAPER TYPE: UNKNOWN; TAPER SIZE: UNKNOWN; MORSE TAPER DRILL SLEEVES, 4-5.	10	EA
STM-118763	TOOL:TAPER;REVOLVING CENTRE;MT4	TOOL: TYPE: TAPER; STYLE: REVOLVING CENTRE; DIMENSIONS: MT4; REVOLVING CENTRE 4MT, STANDARD DUTY	10	EA
STM-119636	ROLLER PAINT:MOHAIR	ACADEMY PAINT ROLLERS WITH HANDLE - 225MM LONG. ROLLER, PAINT: TYPE: MOHAIR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	50	EA
STM-119641	HAMMER:SCUTCH;800;STL;RUBBER/STL	LASHER SCUTCH HAMMER 800G. HAMMER: TYPE: SCUTCH; HEAD WEIGHT: 800; HEAD MATERIAL: STL; HANDLE: RUBBER/STL;	30	EA
STM-119643	HAMMER:BRICK COMB;N/A;STL;N/A	LASHER SCUTCH HAMMER BRICK COMBS - 4 PER PACK. HAMMER: TYPE: BRICK COMB; HEAD WEIGHT: N/A; HEAD MATERIAL: STL; HANDLE: N/A;	60	EA
STM-119647	NIPPERS:CONCRETE;LG 250;STEEL	HEAVY DUTY CONCRETE NIPPERS - 250MM LONG. NIPPERS: TYPE: CONCRETE; LENGTH: 250; MATERIAL:	20	EA
STM-119653	PLIERS:FENCING;LG 250;INSULATED	GEDORE FENCING PLIERS, 250MM LONG & PRODUCT CODE:670250 NO:8260 . PLIERS: TYPE: FENCING; LENGTH: 250; HANDLE: INSULATED; MATERIAL: HARDENED & TEMPERED;	15	EA
STM-119656	CUTTER BLT:DOUBLE CAM;DUAL ENDS;460;N/A	GEDORE BOLT CUTTERS 460MM LONG - PRODUCT CODE:2675137 NO:8178. CUTTER, BOLT: HEAD TYPE: DOUBLE CAM; CUT TYPE: DUAL ENDS; SIZE: 460; MATERIAL: DIN ISO 5743; MATERIAL ACCOMODATED DIAMETER: N/A;	10	EA
STM-119694	SPRAYER:PRESSURE;5L PLASTIC CONTAINER;5L	5L WATER BOTTLE PRESSURE SPRAYERS. SPRAYER: TYPE: MANUAL PRESSURE; DIMENSIONS: 5L PLASTIC CONTAINER; CAPACITY: 5L;	10	EA
STM-119706	PLIERS VISE GRP:GRIP JAW;20;LG 250	GEDORE VICE GRIP PLIERS 250MM LONG - PRODUCT CODE:640670 NO:137/250. PLIERS, VISE GRIP: TYPE: GRIP JAW; CAPACITY: 20; LENGTH: 250; MATERIAL: CHROME VANADIUM STEEL;	10	EA
STM-120420	BIT:LG 75	TORK CRAFT HSS TITANIUM STEP DRILL BITS - PRODUCT CODE: TC353043.	15	EA
STM-120422	WRENCH SET ALLN:HEX, L-SHAPED;10	10 PIECE HEX KEY IDLER ALLEN SET. WRENCH SET, ALLEN: TYPE: HEX, L-SHAPED; SIZE: 2.5; 3; 3.5; 4 ETC; SET QUANTITY: 10; CONTAINER: PLASTIC INDEX HOLDER;	15	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 61 of 98

STM-120476	SCREWDRIVER:GP;LG 150;125;ROUND;PHILLIPS	SCHMIDT 6-PIECE SCREWDRIVER SETS - PRODUCT CODE: SCH11001. SCREWDRIVER: TYPE: GENERAL PURPOSE; LENGTH: 150; SHANK LENGTH: 125; SHANK: ROUND; TIP: PHILLIPS; TIP SIZE: 6.5; HANDLE TYPE: PLASTIC; MATERIAL: SHANK CRV; TIP TUNGSTEN CARBIDE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	15	EA
STM-120480	SAW PWR:MITRE SAW;255;SLIDING;2000	RYOBI SLIDING COMP MITRE SAW 255MM, 2000W. SAW, POWER: TYPE: MITRE SAW; BLADE SIZE: 255; STYLE: SLIDING; RATING: 2000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	3	EA
STM-128050	TOOL:SCREW EXTRACTORS;MANUAL;4 TO 22MM	KENNEDY INDUSTRIAL SCREW EXTRACTORS, SET OF 6 - PRODUCT CODE:KEN-075-1160K. TOOL: TYPE: SCREW EXTRACTORS; STYLE: MANUAL; DIMENSIONS: 4 TO 22MM;	10	EA
STM-128053	BIT TOOL:COMBINATION DRILL;5;HSS	FB 5MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 5; MATERIAL: HSS GROUND;	150	EA
STM-128055	BIT TOOL:TWIST DRILL;6;HSS GROUND	FB 6MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 6; MATERIAL: HSS GROUND;	150	EA
STM-128056	BIT TOOL:TWIST DRILL;7MM;HSS GROUND	FB 7MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 7MM; MATERIAL: HSS GROUND;	100	EA
STM-128059	BIT TOOL:TWIST DRILL;8MM;HSS GROUND	FB 8MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 8MM; MATERIAL: HSS GROUND;	100	EA
STM-128063	BIT TOOL:TWIST DRILL;10MM;HSS GROUND	FB 10MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 10MM; MATERIAL: HSS GROUND;	100	EA
STM-128065	BIT TOOL:TWIST DRILL;11MM;HSS GROUND	FB 11MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 11MM; MATERIAL: HSS GROUND;	100	EA
STM-128067	BIT TOOL:TWIST DRILL;12MM;HSS GROUND	FB 12MM HSS TWIST DRILLS FULLY GROUND - DIN 338 FINISH. BIT, TOOL: TYPE: TWIST DRILL; DIMENSIONS: 12MM; MATERIAL: HSS GROUND;	100	EA
STM-128068	TAP THRD CUT:M5;66;0.8;HSS	HSS GROUND (M5 X 0.8) SET OF TAPS - MANUFACTURER: FEW. TAP, THREAD CUTTING: TAP SIZE: M5; OVERALL LENGTH: 66; THREAD: 0.8 PITCH; MATERIAL: HSS;	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

62 of 98

STM-128070	TAP THRD CUT:M6;70;1.0;HSS	HSS SET OF TAPS M6 X 1.0 - MANUFACTURER:FEW. TAP, THREAD CUTTING: TAP SIZE: M6; OVERALL LENGTH: 70; THREAD: 1.0 PITCH; MATERIAL: HSS;	10	EA
STM-128184	TOOL DBRRNG:CARBIDE;12MM;70MM;HSS	KENNEDY CARBIDE BURR CUT 9; 12 X 25MM - ORDER CODE: KEN-210-0360K. TOOL, DEBURRING: TYPE: CARBIDE; DIAMETER: 12MM; OVERALL LENGTH: 70MM; MATERIAL: HSS;	10	EA
STM-128186	TOOL DBRRNG:CARBIDE BURR;12MM;75MM;HSS	KENNEDY ROUND TREE CARBIDE BURR CUT 9, 12 X 25MM - ORDER CODE:KEN-210-3320K. TOOL, DEBURRING: TYPE: CARBIDE BURR; DIAMETER: 12MM; OVERALL LENGTH: 75MM; MATERIAL: HSS;	10	EA
STM-130451	CROWBAR:1500 X 25MM,NA,LG na	CROWBAR: TYPE: 1500 X 25MM; MATERIAL: NA; LENGTH: na	10	EA
STM-133336	SCREWDRIVER:TERMINAL,LG 180 MM,100 MM	SCREWDRIVER: TYPE: TERMINAL; LENGTH: 180 MM; SHANK LENGTH: 100 MM; SHANK: ROUND; TIP: SLOTTED; TIP SIZE: 3.5 MM; HANDLE TYPE: PLASTIC	30	EA
STM-133341	PLIERS DGNL CUTNG:115 MM,YES,YES	PLIERS, DIAGONAL CUTTING: OVERALL LENGTH: 115 MM; INSULATED HANDLE: YES; SHORT NOSE FEATURE: YES	30	EA
STM-133343	SCREWDRIVER:TERMINAL,LG 160 MM,80 MM,3	SCREWDRIVER: TYPE: TERMINAL; LENGTH: 160 MM; SHANK LENGTH: 80 MM; SHANK: ROUND; TIP: SLOTTED; TIP SIZE: 3 MM; HANDLE TYPE: PLASTIC	30	EA
STM-133345	SCREWDRIVER:TERMINAL,LG 160 MM,80 MM,1	SCREWDRIVER: TYPE: TERMINAL; LENGTH: 160 MM; SHANKLENGTH: 80 MM; SHANK: ROUND; TIP: PHILLIPS; TIP SIZE: 1 MM; HANDLE TYPE: PLASTIC	30	EA
STM-133346	KEY:UNIVERSAL SQUARE TRIANGLE KEY,STAR	KEY: TYPE: UNIVERSAL SQUARE TRIANGLE KEY; STYLE: STAR; MATERIAL: ZINC ALLOY STEEL; SPECIFICATION: SILVER SPANNER KEY	30	EA
STM-134078	CUTTER BLT:NORMAL,COMPOUND,600MM,VARIOUS	CUTTER, BOLT: HEAD TYPE: NORMAL; CUT TYPE: COMPOUND; SIZE: 600MM; MATERIAL: ALLOY STEEL; INSULATED HANDLE: SOFT GRIP STEEL; MATERIAL ACCOMODATED DIAMETER: VARIOUS	10	EA
STM-135122	SCRAPER:HEAVY DUTY PAINT SCRAPER,75 MM	SCRAPER: TYPE: HEAVY DUTY PAINT SCRAPER; DIMENSIONS: 75 MM; MATERIAL: HEAVY DUTY PAINT SCRAPER	20	EA
STM-135123	SCRAPER:HEAVY DUTY PAINT SCRAPER,38 MM	SCRAPER: TYPE: HEAVY DUTY PAINT SCRAPER; DIMENSIONS: 38 MM; MATERIAL: HEAVY DUTY PAINT SCRAPER	20	EA
STM-135479	TAPE MEASNG:5M TAPE MEASURE,5 M	TAPE, MEASURING: TYPE: 5M TAPE MEASURE; DIMENSIONS: 5 M; MATERIAL: MEASURING TAPE	10	EA
STM-137046	TOOL:FENNER BELT TENSION INDICATOR,n/a	TOOL: TYPE: FENNER BELT TENSION INDICATOR; STYLE: V-BELT; DIMENSIONS: n/a N/A; FENNER V-BELT TENSION INDICATOR TOOL	10	EA

The Supply of Consumables for Nuclear Operating Unit

STM-137120	WRENCH, TAP:WRENCH TAP SET	WRENCH, TAP: TYPE: WRENCH TAP SET; TAP SIZE: SQUARE SIZE: 2.8 - 5MM AND 4.0 - 12MM; TAP WRENCH SET, 2 PIECE. SQUARE SIZE: 2.8 - 5MM AND 4.0 - 12MM	50	EA
STM-137123	WRENCH, TAP:CHUCK STYLE,5 PIECE SET	WRENCH, TAP: TYPE: CHUCK STYLE; TAP SIZE: 5 PIECE SET; CHUCK STYLE TAP WRENCHES, 5 PIECE SET.	10	EA
STM-137125	EXTRACTOR SET:C-SCREW,6 PIECE	EXTRACTOR SET: TYPE: C-SCREW; QUANTITY: 6 PIECE; EASY OUT SCREW EXTRACTOR SET, 6 PIECE	10	EA
STM-137130	INSERT THRDG:KORLOY,UNKOWN,LG N/A N/A	INSERT, THREADING: TYPE: KORLOY; THREAD: UNKOWN; LENGTH: N/A N/A; MATERIAL: CARBIDE; TIPS FOR LATHE MACHINE TOOLS. SNMG120408-VM NC3120 SNMG432; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	100	EA
STM-137133	INSERT THRDG:KORLOY/CARMEX,UNKOWN,LG N/A	INSERT, THREADING: TYPE: KORLOY/CARMEX; THREAD: UNKOWN; LENGTH: N/A N/A; MATERIAL: CARBIDE; TIPS FOR LATHE MACHINE TOOLS 16 ER AG60 MXC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	100	EA
STM-137136	INSERT THRDG:KORLOY, TRIANGLE,UNKOWN	INSERT, THREADING: TYPE: KORLOY, TRIANGLE; THREAD: UNKOWN; LENGTH: N/A N/A; MATERIAL: CARBIDE; TIPS FOR LATHE MACHINE TOOLS. TNMG 160408-VM TNMG332NC 3120; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	100	EA
STM-137138	INSERT THRDG:LAYDOWN,UNKOWN,LG N/A N/A	INSERT, THREADING: TYPE: LAYDOWN; THREAD: UNKOWN; LENGTH: N/A N/A; MATERIAL: CARBIDE; TIPS FOR LATHE MACHINE TOOLS 16 ER AG60 BMA; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	100	EA
STM-137592	PLIERS VISE GRP:VICE GRIP,LG 175MM MM	PLIERS, VISE GRIP: TYPE: VICE GRIP; CAPACITY: NOT APPLICABLE MM; LENGTH: 175MM MM	10	EA
STM-137647	WRENCH:DRIVE RATCHET,1/2 IN,STEEL	WRENCH: TYPE: DRIVE RATCHET; SIZE: 1/2 IN; MATERIAL: STEEL; 1/2 DRIVE RATCHET	10	EA
STM-137649	EXTENSION TOOL:DRIVE,1/2 IN,LG 250 MM	EXTENSION, TOOL: TYPE: DRIVE; DRIVE SIZE: 1/2 IN; LENGTH: 250 MM	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

64 of 98

STM-138617	HAMMER:CLUB HAMMER,1.1 KG,UNKNOWN,WOOD	HAMMER: TYPE: CLUB HAMMER; HEAD WEIGHT: 1.1 KG; HEAD MATERIAL: UNKNOWN; HANDLE: WOOD; HAMMER CLUB 1.1KG WOOD HANDLE LAS (6) - WOODEN HANDLE	10	EA
STM-138982	FILE HND:HALF ROUND BASTARD CUT,LG 250	FILE, HAND: CUT: HALF ROUND BASTARD CUT; CUT DESIGN: BASTARD CUT; SHAPE: HALF ROUND; LENGTH: 250 MM; SIZE: 250MM; TYPE: SAKATA - COURSE - BLISTER PACK WITH HANDLE; FILE H/ROUND BASTARD 250MM SAKATA - COARSE - BLISTER PACK WITH HANDLE	10	EA
STM-139979	PLIERS VISE GRP:CRV JAW;250 MM;LG N/A	PLIERS, VISE GRIP: TYPE: CRV JAW; CAPACITY: 250 MM; LENGTH: N/A N/A; VICEGRIP CRV JAW 250MM GED - BOTTOM CURVED / TOP JAW STRAIGHT	10	EA
STM-139981	BIT:SPADE / FLAT;LG 32 x 150 MM;STEEL	BIT: TYPE: SPADE / FLAT; LENGTH: 32 x 150 MM; MATERIAL: STEEL; SPADE DRILL / FLAT DRILL BIT FOR WOOD. FLAT BIT 32 X 150MM FB - AMERICAN ASTM SPEC	10	EA
STM-140041	DRILL:MAKITA IMPACT DRILL 18V;0 MM	DRILL: TYPE: MAKITA IMPACT DRILL 18V; CHUCK SIZE: 0 MM; LENGTH: 22-125 MM; MATERIAL: MAKITA IMPACT DRILL	10	EA
STM-140070	SET:TORK CRAFT 12 X ROUTER BITS	SET: TYPE: TORK CRAFT 12 X ROUTER BITS; SPECIFICATION: TORK CRAFT; MATERIAL: ROUTER BITS	10	EA
STM-140071	SCREWDRIVER SET:PHILLIPS SLOTTED;10 PC	SCREWDRIVER, SET: TYPE: CRESCENT 10 PIECE SCREW DRIVER SET; TIP TYPES: PHILLIPS SLOTTED; TIP MATERIAL: CHROME VANADIUM; TIP SIZE RANGE: 10 PIECES; QUANTITY: 10 PC	15	EA
STM-140074	SET:STANLEY 0-16-159 PIECE CHISEL SET	SET: TYPE: STANLEY 0-16-159 PIECE CHISEL SET; SPECIFICATION: STANLEY; COMPRISING: WOOD CHISEL; SIZE RANGE: 0-16-159 4 PIECE	15	EA
STM-140079	BIT:TORK CRAFT 13 PIECE SPADE DRILL BITS	BIT: TYPE: TORK CRAFT 13 PIECE SPADE DRILL BITS; LENGTH: 6-25 MM; MATERIAL: STEEL	15	EA
STM-140081	SET:ALPEN HSS SUPER SET DRILL BITS;21 PC	SET: TYPE: ALPEN HSS SUPER SET DRILL BITS; SPECIFICATION: DRILLING; QUANTITY: 21 PC; MATERIAL: HSS	15	EA
STM-140086	SET:BLACKSMITH HSS DRILL BITS (1/10MM)	SET: TYPE: BLACKSMITH HSS DRILL BITS (1/10MM); SPECIFICATION: BLACKSMITH; QUANTITY: 10 PC; SIZE RANGE: 1-10 MM; MATERIAL: HSS	15	EA
STM-140103	SET:GEDORE SPANNER SET 1B/17M	SET: TYPE: GEDORE SPANNER SET 1B/17M; SPECIFICATION: GEDORE	10	EA
STM-140112	SCKT WRNCH SET:GEODRE D19TMZ SOCKET SET	SOCKET, WRENCH SET: TYPE: GEODRE D19TMZ SOCKET SET; MATERIAL: STEEL; SIZE RANGE: 8-32 MM; SPECIAL FEATURES: COMBINATION; COMPRISING: MANUAL; SPECIFICATION: 19TMZ	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

65 of 98

STM-140241	BIT MSNRY:DRILL BIT MASONARY;M6;LG 220	BIT, MASONRY: TYPE: DRILL BIT MASONARY; DIAMETER: M6; LENGTH: 220 MM; MATERIAL: DRILL BIT; SHANK: TE-C SDS PLUS	20	EA
STM-140361	BIT:SPADE / FLAT;LG 18 x 150 MM;STEEL	BIT: TYPE: SPADE / FLAT; LENGTH: 18 x 150 MM; MATERIAL: STEEL; FLAT BIT 18 X 150MM FB - AMERICAN ASTM SPEC SPADE DRILL / FLAT DRILL BIT FOR WOOD	10	EA
STM-140364	BIT:SPADE / FLAT;LG 16 x 150 MM;STEEL	BIT: TYPE: SPADE / FLAT; LENGTH: 16 x 150 MM; MATERIAL: STEEL; FLAT BIT 16 X 150MM FB - AMERICAN ASTM SPEC SPADE DRILL / FLAT DRILL BIT FOR WOOD	10	EA
STM-140366	STONE SHRPNG:OILSTONE, COMBINATION	STONE, SHARPENING: TYPE: OILSTONE, COMBINATION; GRIT: COARSE AND FINE; DIMENSIONS: 200x50x 25 MM; MATERIAL: ALUMINIUM OXIDE;OILSTONE COMB 200X50X25MM FB - COMBINATION SHARPENING STONE	10	EA
STM-140371	SCREWDRIVER SET:MECHANICS;STEEL;6 PC	SCREWDRIVER, SET: TYPE: MECHANICS; TIP TYPES: SLOT AND CROSS-HEAD; TIP MATERIAL: STEEL; TIP SIZE RANGE: 4 - 8, PH1 - PH2 MM; QUANTITY: 6 PC; S/DRIV SET 6PC GEDORE MEC - SCREWDRIVER SET (MECH) - 6 PIECE PH1X80,PH2X100,4X100,5.5X100,6.5X150,8X150	15	EA
STM-140373	HAMMER:CLAW HAMMER;700 G;STEEL;VINYL	HAMMER: TYPE: CLAW HAMMER; HEAD WEIGHT: 700 G; HEAD MATERIAL: STEEL; HANDLE: VINYL; HAMMER CLAW 700G ESTWING VINYL 24OZ - VINYL GRIP - AMERICAN PATTERN	15	EA
STM-140375	SAW:HACK JUNIOR;150 MM	SAW: TYPE: HACK JUNIOR; DIMENSIONS: 150 MM; SAW HACK JUNIOR 150MM FB (F-TYPE) - JUNIOR HACK SAW (CARDED)	10	EA
STM-140379	FRAME HAND HCKSW:STEEL FRAME;STEEL	FRAME, HAND HACKSAW: TYPE: STEEL FRAME; MATERIAL: STEEL; LENGTH: 300 MM; HANDLE MATERIAL: RED KNOB; SAW HACK FRAME 300MM MIT - PROFESSIONAL - RED KNOB	10	EA
STM-140380	TOOL:AVIATION SNIP;STRAIGHT;250 MM	TOOL: TYPE: AVIATION SNIP; STYLE: STRAIGHT; DIMENSIONS: 250 MM; AVIATION SNIP 250MM STR (6) STANLEY - STRAIGHT	15	EA
STM-140382	PLIERS:WATER PUMP;LG 250 MM;STEEL	PLIERS: TYPE: WATER PUMP; LENGTH: 250 MM; HANDLE: STEEL; PLIER WATER PUMP 250MM GEDORE - 7 POSITIONS	10	EA
STM-140385	CUTTER:TUBE;3-30MM;STEEL	CUTTER: TYPE: TUBE; SIZE: 3-30MM; MATERIAL: STEEL; TUBE CUTTER 3-30MM STAN (10) - STANLEY	10	EA
STM-140388	CHISEL SET HND:WOOD;4 PC;6 - 25 MM	CHISEL SET, HAND: TYPE: WOOD; QUANTITY: 4 PC; SIZE RANGE: 6 - 25 MM; MATERIAL: STEEL BLADE; CHISEL SET 4 PC STANLEY (2) - 6MM-12MM-18MM-25MM	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 66 of 98

STM-140390	TROWEL:GAUGING;150 MM	TROWEL: TYPE: GAUGING; BLADE SIZE: 150 MM; TROWEL GAUGING 150MM WOOD HDLFB - WOODEN HANDLE	30	EA
STM-140396	TAPE MEASNG:STANLEY;5 x 19 MM;TYLON	TAPE, MEASURING: TYPE: STANLEY; DIMENSIONS: 5 x 19 MM; MATERIAL: TYLON; TAPE 5X19MM STANLEY TYLON	30	EA
STM-140397	HAMMER MLLT:RUBBER;675 G;RUBBER;WOOD	HAMMER, Mallet: TYPE: RUBBER;HEAD WEIGHT: 675 G; HEAD MATERIAL: RUBBER; HANDLE: WOOD; MALLET RUBBER 675G WOOD BLACK FB - WOODEN HANDLE BLACK HEAD	15	EA
STM-140403	CUTTER GLS:GLASS;DIAMOND CHIP	CUTTER, GLASS: CUTTER TYPE: GLASS; CUTTING END TYPE: DIAMOND CHIP; GLASS CUTTER C/W DIAMOND CHIP	10	EA
STM-140404	PLANE:JACK	PLANE: TYPE: JACK; PLANE JACK 355 X 50MM STAN - DWS	5	EA
STM-140555	DRILL:MAKITA IMPACT DRILL 18V;13 MM	DRILL: TYPE: MAKITA IMPACT DRILL 18V; CHUCK SIZE: 13 MM; LENGTH: 410 MM; MATERIAL: MAKITA IMPACT DRILL 18V (DHP453RYE)	5	EA
STM-140557	CUTTER:MANUAL 60CM DESKTOP TILE CUTTER	CUTTER: TYPE: MANUAL 60CM DESKTOP TILE CUTTER; SIZE: 60CM; MATERIAL: CERAMIC BLADE HEAVY DUTY	5	EA
STM-140563	POLISHER:1400 W;CONSTANT SPEED N/A	POLISHER: TYPE: BOSCH PROFESSIONAL POLISHER GPO 14 CE; POTENTIAL: 1400 W; SPEED: CONSTANT SPEED N/A; CURRENT: GPO 14 CE N/A	5	EA
STM-140564	SANDER ELEC:240 WATT;12000;MODEL M9204B	SANDER, ELECTRIC: TYPE: MAKITA RANDOM ORBITAL SANDER 240W; SIZE: 240 WATT; SPEED: 12000; RATING: MODEL M9204B	10	EA
STM-140569	SANDER:MULTI SANDER TH-OS 1016;EINHELL	SANDER: TYPE: MULTI SANDER TH-OS 1016; SIZE: TH-OS 1016; MATERIAL: EINHELL	5	EA
STM-140595	SANDER:MAKITA BELT SANDER;940W;M9400B	SANDER: TYPE: MAKITA BELT SANDER; SIZE: 940W; MATERIAL: M9400B	5	EA
STM-140596	SAW:BOSCH RECIPROCATING SAW;900 W	SAW: TYPE: BOSCH RECIPROCATING SAW; DIMENSIONS: 900 W	5	EA
STM-140599	KIT:TORCH KIT;SPEC SIEVERT	KIT: TYPE: SIEVERT ROOFING TORCH KIT - GREY/ORANGE; APPLICATION: TORCH KIT; SPECIFICATION: SIEVERT	5	EA
STM-140601	SCRAPER:245X30X70 MM	SCRAPER: TYPE: SMITH AND CO DELUX SCRAPER - BROWN; DIMENSIONS: 245X30X70 MM; MATERIAL: SS AND WOODEN HANDLE	30	EA
STM-140602	SCRAPER:245x100x15 MM	SCRAPER: TYPE: SMITH AND CO DELUX SCRAPER - BROWN; DIMENSIONS: 245x100x15 MM; MATERIAL: SS AND WOODEN HANDLE	30	EA
STM-140617	SCRAPER:SPACKLE SET;50/80/100/120 MM	SCRAPER: TYPE: SPACKLE SET; DIMENSIONS: 50/80/100/120 MM; MATERIAL: ALUMINIUM; APPLICATION: HAMILTONS	30	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

67 of 98

STM-140621	SCRAPER:80 MM;SS AND WOODEN HANDLE	SCRAPER: TYPE: SMITH AND CO DELUX SCRAPER - BROWN; DIMENSIONS: 80 MM; MATERIAL: SS AND WOODEN HANDLE	30	EA
STM-140623	CALLIPER VRNR:GRIP VERNIER CALIPER 150MM	CALLIPER, VERNIER: TYPE: GRIP VERNIER CALIPER 150MM; RANGE: GRIP; GRADUATIONS: GRIP VERNIER CALIPER; MATERIAL: VERNIER CALIPER	10	EA
STM-141261	BIT TWST:SET;METAL HSS;LG assortment	BIT, TWIST: DIAMETER: assortment 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10, 10.5, 11, 11.5, 12, 12.5,13 MM; SHANK: SET; MATERIAL: METAL HSS; LENGTH: assortment	10	EA
STM-141264	CALLIPER VRNR:DIGITAL;0-150 MM	CALLIPER, VERNIER: TYPE: DIGITAL; RANGE: 0-150 MM; GRADUATIONS: 0.01 MM (2 DECIMALS); MATERIAL: STAINLESS STL	10	EA
STM-141297	SET:HOLES AW SET IN CASE;SPEC HSS	SET: TYPE: HOLES AW SET IN CASE; SPECIFICATION: HSS; SIZE RANGE: 19, 22, 29, 35, 38, 44, 51, 57, 64 MM	5	EA
STM-141471	SET	SET: TYPE: 45 PIECE METRIC STEEL TAP & DIE SET IN CASE.; APPLICATION: METRIC COURSE & METRIC FINE COMBINATION; DIE SIZES M6 x 1, M6 x 0.75, M8 x 1.25, M8 x 1, M10 x 1.5, M10 x 1.25, M12 x 1.75, M12 1.5, M14 x 2, M14 x 1.5, M16 x 2, M16 x 1.5, M18 x 2.5, M18 x 1.5, M20 x 2.5, M20 x 1.5, M22 x 2.5, M22 x 1.5, M24 x 3, M24 x 1.5; TAP SIZES 6 x 1, 8 x 1.25, 10 x 1.5, 12 x 1.75, 14 X 2, 16 X 2, 18 X 2.5, 20 x 2.5, 22 x 2.5, 24 x 3, 6 x 0.75, 8 x 1, 10 x 1.25, 12 x 1.5, 14 x 1.5, 16 x 1.5, 18 x 1.5, 20 x 1.5, 20 x 1.5, 22 x 1.5, 25 x 1.5	10	EA
STM-141627	WRENCH SET:45# CARBON STEEL	WRENCH SET: TYPE: 8 PCE GEAR WRENCH SET WITH FORWARD/REVERSE BUTTON CR-V METRIC SET; SIZE: 72-TEETH CHROME VANADIUM RATCHETING BOX END; MATERIAL: 45# CARBON STEEL; SIZE RANGE: 8, 10, 11, 12, 13, 14, 17, 19 MM	10	EA
STM-141665	DRILL:1,5/13 MM;LG N/A	DRILL: TYPE: PORTABLE CORDLESS DRILLING MACHINE BOSCH PROFESSIONAL GSB18V-50 CORDLESS IMPACT DRILL 06019H5100; CHUCK SIZE: 1,5/13 MM; LENGTH: N/A; MATERIAL: INCLUDED:2 X BATTERY GBA 18V 2.0AH , CHARGER GAL 18V-20 PROFESSIONAL , L-CASE	5	EA
STM-141705	SOCKET:1/2 INCH DRIVE DEEP SOCKET	SOCKET: TYPE: 1/2 INCH DRIVE DEEP SOCKET; SIZE: METRIC 16, 19, 23, 24, 26, 27 MM; MATERIAL: CHROME VANADIUM	10	EA
STM-142166	WRENCH CMBTN:SPANNER;46 MM;LG 440 MM	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 46 MM; LENGTH: 440 MM; STYLE: RING-OPEN END; MATERIAL: CR VANADIUM STL	10	EA
STM-142167	WRENCH CMBTN:SPANNER;36 MM;LG 420 MM	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 36 MM; LENGTH: 420 MM; STYLE: RING-OPEN END; MATERIAL: CR VANADIUM STL	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 68 of 98

STM-142187	WRENCH CMBTN:SPANNER;50 MM;LG 505 MM	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 50 MM; LENGTH: 505 MM; STYLE: RING-OPENEND; MATERIAL: CR VANADIUM STL	10	EA
STM-142191	TOOL:SLOGGING SPANNER;24 MM	TOOL: TYPE: SLOGGING SPANNER; STYLE: HEAVY DUTY RING SLOGGING SPANNER; DIMENSIONS: 24 MM	10	EA
STM-142192	TOOL:SLOGGING SPANNER;30 MM	TOOL: TYPE: SLOGGING SPANNER; STYLE: HEAVY DUTY RING SLOGGING SPANNER; DIMENSIONS: 30 MM	10	EA
STM-142193	TOOL:SLOGGING SPANNER;32 MM	TOOL: TYPE: SLOGGING SPANNER; STYLE: HEAVY DUTY RING SLOGGING SPANNER; DIMENSIONS: 32 MM	10	EA
STM-142222	TOOL:SLOGGING SPANNER;36 MM	TOOL: TYPE: SLOGGING SPANNER; STYLE: HEAVY DUTY RING SLOGGING SPANNER; DIMENSIONS: 36 MM	10	EA
STM-142223	TOOL:SLOGGING SPANNER;46 MM	TOOL: TYPE: SLOGGING SPANNER; STYLE: HEAVY DUTY RING SLOGGING SPANNER; DIMENSIONS: 46 MM	10	EA
STM-142224	TOOL:SLOGGING SPANNER;50 MM	TOOL: TYPE: SLOGGING SPANNER; STYLE: HEAVY DUTY RING SLOGGING SPANNER; DIMENSIONS: 50 MM	10	EA
STM-142239	WRENCH TRQ:1/2 IN;10-50 N M;LINEAR	WRENCH, TORQUE: DRIVE SIZE: 1/2 IN; RATING: 10-50 N M; GRADUATIONS: LINEAR; LENGTH: 325 MM	5	EA
STM-142247	SCKT WRNCH SET:3/4 INCH;STEEL;22-50 MM	SOCKET, WRENCH SET: TYPE: 3/4 INCH; MATERIAL: STEEL; SIZE RANGE: 22-50 MM	10	EA
STM-142251	ADAPTOR WRNCH SCKT:3/8 to 1/2 IN;LG 1/2	ADAPTOR, WRENCH SOCKET: DRIVE SIZE: 3/8 to 1/2 IN; LENGTH: 1/2 IN; MATERIAL: HIGH IMPACT STEEL; WRENCH SIZE: 3/8 to 1/2 IN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	10	EA
STM-142252	CALLIPER VRNR:DIGITAL VERNIER CALLIPET	CALLIPER, VERNIER: TYPE: DIGITAL VERNIER CALLIPET; RANGE: 0-150 MM; GRADUATIONS: 0.005 MM; MATERIAL: STAINLESS STL	10	EA
STM-142255	CALLIPER MCRMTR:0-240 MM	CALLIPER, MICROMETER: TYPE: C-35-50MM DIAL BORE GAUGE 240MM DEEP; RANGE: 0-240 MM	5	EA
STM-142262	KEY:ALLEN KEY SOCKET SET	KEY: TYPE: ALLEN KEY SOCKET SET; STYLE: GED IN19 PM-9 ALLEN KEY SET; MATERIAL: GED IN19 PM-9 ALLEN KEY SET; SPECIFICATION: MM & IN CH MM	10	EA
STM-142313	DIE:TAP/DIE SET THREADING DIE ASSORTED	DIE: TYPE: TAP/DIE SET THREADING DIE ASSORTED; CONFIGURATION: 45 PCS; DIMENSIONS: M6-M24 MM; THREAD: METRIC SET; MATERIAL: HSS; APPLICATION: TAP & DIE ASSORTED SET	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

69 of 98

STM-142321	HAMMER:SLEDGE;1.8 KG;STL;RUBBER	HAMMER: TYPE: SLEDGE; HEAD WEIGHT: 1.8 KG; HEAD MATERIAL: STL; HANDLE: RUBBER	10	EA
STM-142330	PLIERS RETNG RNG:CIRCLIP;LG 85-165 MM	PLIERS, RETAINING RING: TYPE: CIRCLIP; LENGTH: 85-165 MM; RING RANGE: 85-165 MM; TIP STYLE: INSIDE, STRAIGHT	10	EA
STM-142333	PLIERS RETNG RNG:CIRCLIP;LG 85-165 MM	PLIERS, RETAINING RING: TYPE: CIRCLIP; LENGTH: 85-165 MM; RING RANGE: 85-165 MM; TIP STYLE: OUTSIDE, STRAIGH	10	EA
STM-142407	TOOL KIT SPEC PURP:TOOL ENGRAVER,,DREMEL	DREMEL RIGHT ANGLE ATTACHMENT (575)	10	EA
STM-143670	LADDER STEP:HT 1570;ALUMINIUM;6 STP;6	LADDER, STEP: HEIGHT: 1570; MATERIAL: ALUMINIUM; LOAD RATING: 6 STP; STEP QUANTITY: 6; CROSSPIECE TYPE: 6 STEP	15	EA
STM-143896	BIT MSNRY:HSS JOBBER;16 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 16 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: UNKNOWN; HSS JOBBER DRILL 16.00MM	30	EA
STM-143897	BIT MSNRY:HSS JOBBER;13 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 13 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: UNKNOWN; HSS JOBBER DRILL 13.00MM	30	EA
STM-143898	BIT MSNRY:HSS JOBBER;12 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 12 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: UNKNOWN; HSS JOBBER DRILL 12.00MM	30	EA
STM-143899	BIT MSNRY:HSS JOBBER;10 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 10 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: UNKNOWN; HSS JOBBER DRILL 10.00MM	30	EA
STM-143900	BIT MSNRY:HSS JOBBER;8 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 8 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: UNKNOWN; HSS JOBBER DRILL 8.0MM	30	EA
STM-143901	BIT MSNRY:HSS JOBBER;6 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 6 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: UNKNOWN; HSS JOBBER DRILL 6.00MM	100	EA
STM-143903	BIT MSNRY:HSS JOBBER;3 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 3 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: STRAIGHT; HSS STRAIGHT SHANK JOBBER DRILL 3.00MM	100	EA
STM-143908	FILE HND:HALF ROUND SECOND ENGINEERS	FILE, HAND: CUT: HALF ROUND SECOND ENGINEERS; CUT DESIGN: SECOND ENGINEERS; SHAPE: HALF ROUND; LENGTH: 250 MM; SIZE: 250MM; TYPE: H/ROUND SECOND ENGINEERS FILE + HANDLE; 250MM (10INCH) H/ROUND SECOND ENGINEERS FILE AND HANDLE	10	EA
STM-143911	SAW:LOW PROFILE JUNIOR HACKSAW	SAW: TYPE: LOW PROFILE JUNIOR HACKSAW; DIMENSIONS: 27.4X2.3X11.5 CM; KENNEDY LOW PROFILE JUNIOR HACKSAW	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

70 of 98

STM-143912	SAW:42X2.6X15.5 CM	SAW: TYPE: PROFESSIONAL PLUS CUSHION GRIP HACKSAW; DIMENSIONS: 42X2.6X15.5 CM; KENNEDY PROFESSIONAL PLUS CUSHION GRIP HACKSAW	10	EA
STM-143917	PLIERS:MULTIGRIP;LG UNKNOWN;145/250	PLIERS: TYPE: MULTIGRIP; LENGTH: UNKNOWN; HANDLE: 145/250; GEDORE 145 / 250 MULTIGRIP PLIERS	10	EA
STM-143918	BENDER PIPE&CNDT:PIPE BENDER;15-22MM	BENDER, PIPE AND CONDUIT: TYPE: PIPE BENDER; SIZE: 15-22MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	10	EA
STM-143923	CUTTER PIPE:PIPE CUTTER;26-42 MM;26-42MM	CUTTER, PIPE: TYPE: PIPE CUTTER; CUTTING RANGE: 26-42MM; CUTTING MATERIAL: PLASTIC/PVC; PIPE SIZE: 26-42MM	10	EA
STM-143924	CHISEL SET HND:MTS WOOD;4 PC;UNKNOWN	CHISEL SET, HAND: TYPE: MTS WOOD; QUANTITY: 4 PC; SIZE RANGE: 6, 13, 19, 25 MM; MATERIAL: UNKNOWN; CHISEL MTS WOOD SET 4PC +OIL STONE WZ374	10	EA
STM-143927	HAMMER MLLT:RUBBER;24 OZ;RUBBER;HICKORY	HAMMER, MALLET: TYPE: RUBBER; HEAD WEIGHT: 24 OZ; HEAD MATERIAL: RUBBER; HANDLE: HICKORY; KENNEDY 24OZ BLACK RUBBER MALLET, HICKORYHANDLE	15	EA
STM-143931	CUTTER GLS:6-WHEEL;DIAMOND TIP	CUTTER, GLASS: CUTTER TYPE: 6-WHEEL; CUTTING END TYPE: DIAMOND TIP; GLASSCUTTER MTS 6-WHEEL	10	EA
STM-143943	SCREWDRIVER SET:ENGINEERS;STEEL;UNKNOWN	SCREWDRIVER, SET: TYPE: ENGINEERS; TIP TYPES: SLOT AND CROSS-HEAD; TIP MATERIAL: STEEL; TIP SIZE RANGE: UNKNOWN; QUANTITY: 15 PC; KENNEDY 15PCE ENGINEERS SCREWDRIVER SET	10	EA
STM-144281	LADDER STEP:HT 3290;STEEL;6 STP;6;6 STEP	LADDER, STEP: HEIGHT: 3290; MATERIAL: STEEL; LOAD RATING: 6 STP; QUANTITY: 1 EEZEEROLL MOUNT SAFETY STEP; GALVANIZED OR POWDER COATED FINISH; FOOT BRAKE LOCK MECHANISM; STABLE ROBUST CONSTRUCTION; ALL ROUND SAFETY RAILS; MOBILE WITH LOCKING SYSTEM FOR SAFETY; ALL STEEL CONSTRUCTION; NON SLIP SELF CLEANING TREADS; WIDE STAIRWAY TYPE STEPS; TOP STEP HEIGHT: 2560mmx OVERALL HEIGHT: 3290mm x LENGTH X WIDTHBASE DIMENSION: 1865x1140mm; LOCKING SYSTEM:KICK PEDALWITH HANDRAIL	10	EA
STM-145635	BIT TWST:5.0 MM;MORSE TAPER NO 1;HSS;LG	BIT, TWIST: DIAMETER: 5.0 MM; SHANK: MORSE TAPER NO 1; MATERIAL: HSS; LENGTH: 86.0 MM; TYPE: DRILL BIT; TIP: DRILL; STANDARD: DIN 338	50	EA
STM-145640	BIT TWST:6.0 MM;MORSE TAPER NO 1;HSS;LG	BIT, TWIST: DIAMETER: 6.0 MM; SHANK: MORSE TAPER NO 1; MATERIAL: HSS; LENGTH: 93.0 MM; TYPE: DRILL BIT; TIP: DRILL; STANDARD: DIN 338	50	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: **0**
 Page: **71 of 98**

STM-145645	BIT TWST:7.0 MM;MORSE TAPER NO 1;HSS;LG	BIT, TWIST: DIAMETER: 7.0 MM; SHANK: MORSE TAPER NO 1; MATERIAL: HSS; LENGTH: 109.0 MM; TYPE: DRILL BIT; TIP: DRILL; STANDARD: DIN 338	50	EA
STM-145650	BIT TWST:8.0 MM;MORSE TAPER NO 1;HSS;LG	BIT, TWIST: DIAMETER: 8.0 MM; SHANK: MORSE TAPER NO 1; MATERIAL: HSS; LENGTH: 117.0 MM; TYPE: DRILL BIT; TIP: DRILL; STANDARD: DIN 338	50	EA
STM-145721	LEVEL:LEVEL - 3 VIAL;1000 MM;3	LEVEL: TYPE: LEVEL - 3 VIAL; DIMENSIONS: 1000 MM; MATERIAL: ALUMINIUM CONSTRUCTION; VIALS: 3	15	EA
STM-145724	LEVEL:LEVEL - 3 VIAL - FREEMANA;600 MM;3	LEVEL: TYPE: LEVEL - 3 VIAL - FREEMANA; DIMENSIONS: 600 MM; MATERIAL: ALUMINIUM; VIALS: 3	20	EA
STM-145841	TAPE MEASNG:STANLEY GRIP TAPE MEASURE	TAPE, MEASURING: TYPE: STANLEY GRIP TAPE MEASURE; DIMENSIONS: LG 5 M; MATERIAL: RUBBER CASE	20	EA
STM-145843	TAPE MEASNG:STANLEY GRIP TAPE MEASURE	TAPE, MEASURING: TYPE: STANLEY GRIP TAPE MEASURE; DIMENSIONS: LG 8 M; MATERIAL: RUBBER CASE ME05825 MEASURING TAPE SELF LOCK 8M X 25MM S/S & RUBBER CASING MATT FINISH	30	EA
STM-146028	TOOL KIT SPEC PURP:TOOL ENGRAVER,;DREMEL	TOOL KIT, SPECIAL PURPOSE: COMPRISING: TOOL ENGRAVER,; TYPE: DREMEL; APPLICATION: REPLACEMENT CARTIDE TIP; KIT QUANTITY: 1	10	EA
STM-146087	TORCH CUTNG:LG 500 MM;BSP 3/8 IN;BRS/SS	TORCH, CUTTING: UNIT TYPE: UNIVERSAL CUTTING TORCH - 90DEG - W005803; COMMERCIAL SIZE: LG 500 MM; CONNECTION TYPE: BSP 3/8 IN; MATERIAL: BRS/SS	10	EA
STM-146366	DRILL PWR:2800 R/MIN;1.5-13 MM;13 MM;18	DRILL, POWER: TYPE: CORDLESS IMPACT DRILL BOSCH 06019G2102; SPEED: 2800 R/MIN; DRIVE SIZE: 1.5-13 MM; CHUCK SIZE: 13 MM; POWER: 18 V; POTENTIAL: 60 N M; POWER SOURCE: BATTERY	10	EA
STM-146367	GRINDER:180 LI GRINDER;115 MM	GRINDER: TYPE: CORDLESS BATTERY GRINDER 06019H9022; SIZE: 180 LI GRINDER; DISK SIZE: 115 MM	10	EA
STM-146369	SCREWDRIVER SET:CHUCK;CARBON STEEL;13 MM	SCREWDRIVER, SET: TYPE: CORDLESS BATTERY DRILL SCREWDRIVER 180-LI; TIP TYPES: CHUCK; TIP MATERIAL: CARBON STEEL; TIP SIZE RANGE: 13 MM; FEATURE: 06019F83KO; HANDLE MATERIAL: PLASTIC; QUANTITY: 1	10	EA
STM-146371	BLOWER:BLOWER CORDLESS BLOWER 06019F5100	BLOWER: TYPE: BLOWER CORDLESS BLOWER 06019F5100; CAPACITY: 18 V; POWER: 6 A; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA

The Supply of Consumables for Nuclear Operating Unit

STM-146388	WRNCH & SCKT SET:1;TOOLS	FILE, HAND: CUT: 1ST; CUT DESIGN: 1ST; SHAPE: FLAT FILE; LENGTH: 100 MM; SIZE: AS PER QUOTATION; PATTERN TYPE: AMERICAN; TYPE: FLAT; MANUF P/N: 11101101;	10	EA
STM-146707	STRIPPER:HAND;0.02 TO 10;1212150	STRIPPER: TYPE: HAND; RANGE: 0.02 TO 10; PHOENIX CONTACT PART NO:1212150	10	EA
STM-146709	PLIERS:CRIMPING;INSULATED	PLIERS: TYPE: CRIMPING; HANDLE: INSULATED; PHOENIX CONTACT PART NUMBER: 1212045	15	EA
STM-147050	TOOL:STRIPPING;FAST CONNECTION;N/A ACRE	TOOL: TYPE: STRIPPING; STYLE: FAST CONNECTION; DIMENSIONS: N/A ACRE; SIEMENS PART NO: 6GK1901-1GA00	15	EA
STM-147470	DEVICE:VICEGRIP;250MM	DEVICE: TYPE: VICEGRIP; APPLICATION: 250MM	10	EA
STM-150480	PLIERS:FENCING PLIER;LG 260 MM;INSULATED	PLIERS: TYPE: FENCING PLIER; LENGTH: 260 MM; HANDLE: INSULATED; MATERIAL: STEEL	10	EA
STM-147518	ROLLER PAINT:CLASSIC;225 MM	ROLLER, PAINT: TYPE: CLASSIC; DIAMETER: 225 MM; HAMILTON CLASSIC ROLLER, 225MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-147521	ROLLER PAINT:MOHAIR 225;225 MM	ROLLER, PAINT: TYPE: MOHAIR 225; DIAMETER: 225 MM; HAMILTON MOHAIR ROLLER, 225MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	30	EA
STM-147522	SCRAPER:PAINT;75 MM;STEEL	SCRAPER: TYPE: PAINT; DIMENSIONS: 75 MM; MATERIAL: STEEL; HAMILTON SCRAPER, 75MM	20	EA
STM-147561	WRENCH:OPEN END;22 MM;CHROME VANADIUM	GED7690610 - 7118-22 RECT OPEN END FITTING; WRENCH: TYPE: OPEN END; SIZE: 22 MM; MATERIAL: CHROME VANADIUM; SUPPL P/N: 987654;	20	EA
STM-147568	WRENCH:OPEN END;24 MM;CHROME VANADIUM	GED7690880 - 7118-24 RECT OPEN END FITTING; WRENCH: TYPE: OPEN END; SIZE: 24 MM; MATERIAL: CHROME VANADIUM; SUPPL P/N: 987654;	20	EA
STM-147571	WRENCH:OPEN END;27MM;CHROME VANADIUM	GED7690960 - 7118-27 RECT OPEN END FITTING; WRENCH: TYPE: OPEN END; SIZE: 27MM; MATERIAL: CHROME VANADIUM; SUPPL P/N: 987654;	20	EA
STM-147572	WRENCH:OPEN END;30MM;CHROME VANADIUM	GED7691260 - 7118-30 RECT OPEN END FITTING; WRENCH: TYPE: OPEN END; SIZE: 30MM; MATERIAL: CHROME VANADIUM; SUPPL P/N: 987654;	20	EA
STM-147576	WRENCH:OPEN END;32MM;CHROME VANADIUM	GED7687740 - 7118-32 RECT OPEN END FITTING; WRENCH: TYPE: OPEN END; SIZE:	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0
Page: 73 of 98

		32MM; MATERIAL: CHROME VANADIUM; SUPPL P/N: 987654;		
STM-147609	DRILL:13 MM;LG AS PER ITEM TEXT	BOSCH GSB 16RE 13MM IMPACT DRILL 750W 06012281K1; SUPPL P/N: 14271;	20	EA
STM-147615	DRILL:CORDLESS IMPACT DRILL;13 MM	DRILL: TYPE: CORDLESS IMPACT DRILL; CHUCK SIZE: 13 MM; BOSCH GSB 180 LI CORDLESS IMPACT DRILL + 1 X 2AH BAT; 06019F83K6; SUPPL P/N: 453935;	30	EA
STM-147622	GRINDER ELEC:ANGLE;AS PER ITEM TEXT	GRINDER, ELECTRIC: TYPE: ANGLE; BOSCH GWS 9-115 ANGLE GRINDER 900W 06013960K5; SUPPL P/N: 243096	30	EA
STM-147627	GRINDER:PENCIL;AS PER ITEM TEXT	GRINDER: TYPE: PENCIL; KBE2702543K GM5603 MICRO AIR DIE GRINDER; SUPPL P/N: 16830	35	EA
STM-147639	WRENCH IMPCT:1/2 IN;PNEUMATIC;NA	WRENCH, IMPACT: DRIVE SIZE: 1/2 IN; POWER SOURCE: PNEUMATIC; KBE2702316P IW500 1/2 INCH AIR IMPACT WRENCH; SUPPL P/N: 16825;	15	EA
STM-147641	WRENCH IMPCT:3/4 IN;PNEUMATIC;NA	WRENCH, IMPACT: DRIVE SIZE: 3/4 IN; POWER SOURCE: PNEUMATIC; KBE2702325S IW750 3/4 DR AIR IMPACT WRENCH; SUPPL P/N: 16826;	15	EA
STM-147648	WRENCH IMPCT:1 1/2 IN;PNEUMATIC;NA	WRENCH, IMPACT: DRIVE SIZE: 1 1/2 IN; POWER SOURCE: PNEUMATIC; KBE2701620A 1 DRIVE H/D PISTOL GRIPAIR IMPACT WRENCH; SUPPL P/N: 149481	15	EA
STM-147795	WHEEL WRE:CUP;ID AS PER ITEM TEXT	Steel Crimped Cup Brush 50MM	20	EA
STM-147797	WHEEL WRE:CYLINDRICAL;STEEL WIRE	Steel Crimped Cylindrical Brush 40MM	20	EA
STM-147802	WHEEL WRE:PENCIL BRUSH;STEEL WIRE	Steel Pencil Crimped Brush 22MM	20	EA
STM-147805	CALLIPER VRNR:CALIPER VERNIER 0-300	CALLIPER, VERNIER: TYPE: CALIPER VERNIER 0-300; RANGE: 0 TO 300 MM; GRADUATIONS: 0.05 MM; MATERIAL: STAINLESS STL;	20	EA
STM-147808	TOOL:EDGE FINDER;AS PER ITEM TEXT;0.375	KENNEDY EDGE FINDER 10.00MM BODY; CODE:KEN5181420K	20	EA
STM-147812	TOOL:EDGE FINDER;AS PER ITEM TEXT;0.500	KENNEDY EDGE FINDER 0.375INCH BODY; CODE: KEN5181410K	20	EA
STM-147814	TOOL:EDGE FINDER;AS PER ITEM TEXT;0.500	KENNEDY EDGE FINDER 0.500INCH BODY; CODE:KEN5181430K	20	EA
STM-147815	TOOL:EDGE FINDER;AS PER ITEM TEXT;0.500	KENNEDY COMBINATION EDGECENTRE FINDER 0.500INCH BODY; CODE: KEN5181440K	20	EA
STM-147817	TOOL:EDGE FINDER;AS PER ITEM TEXT;0.500	KENNEDY DOUBLE EDGE FINDER 0.500INCH; CODE: KEN5181460K	20	EA
STM-147818	TOOL:EDGE FINDER;AS PER ITEM TEXT;10 MM	KENNEDY PLAIN EDGE FINDER 0.500INCH BODY; CODE: KEN5181470K	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0
Page: 74 of 98

STM-147913	CALLIPER VRNR:CALIPER VERNIER;0-500 MM	CALLIPER, VERNIER: TYPE: CALIPER VERNIER; RANGE: 0-500 MM; GRADUATIONS: 0.05 MM; MATERIAL: STAINLESS STL; SUPPLIER CODE: AC126-020-11 VERNIER CALIPER	20	EA
STM-147931	PUNCH SET:CENTRE PUNCH;NA;4	PUNCH, SET: TYPE: CENTRE PUNCH ; RANGE SIZE: NA; MATERIAL: MADE FROM CARBON STEEL; SET QUANTITY: 4; SQUARE HEAD; CODE: KEN5182100K	30	EA
STM-147934	EXTRACTOR SET:AS PER ITEM TEXT;6 PIECE	EXTRACTOR SET: TYPE: AS PER ITEM TEXT; QUANTITY: 6 PIECE; SCREW EXTRACTOR SET; CODE: KEN0751160K	30	EA
STM-147937	WRNCH RTCHT DBL SCKT:REVERSAL RATCHET	WRENCH, RATCHET, DOUBLE SOCKET: TYPE: REVERSAL RATCHET; SOCKET SIZE: 1/2 IN; LENGTH: NA; MATERIAL: CHROME VANADIUM; METAL GRIP; CODE: KEN582640K	50	EA
STM-147942	BAR WRNCH:POWER BAR 1/2 INCH KENNEDY;1/2	BAR, WRENCH: TYPE: POWER BAR 1/2 INCH KENNEDY; DRIVE SIZE: 1/2 IN; LENGTH: 375 MM; MATERIAL: VALADIUM; GROZ POWERBAR	30	EA
STM-147945	HAMMER:BALL PEIN;2 LB;FIBRE GLASS HANDLE	HAMMER: TYPE: BALL PEIN; HEAD WEIGHT: 2 LB; HEAD MATERIAL: CARBON STEEL DROP-FORGED; HANDLE: FIBRE GLASS HANDLE; CODE: KEN5253500K	30	EA
STM-147947	HAMMER:DEAD BLOW;20oz OZ;POLYURETHANE	HAMMER: TYPE: DEAD BLOW; HEAD WEIGHT: 20oz OZ; HEAD MATERIAL: POLYURETHANE; HANDLE: FIBRE GLASS HANDLE; CODE: KEN5259440K	30	EA
STM-147950	HAMMER:DEAD BLOW;40 OZ;POLYURETHANE	HAMMER: TYPE: DEAD BLOW; HEAD WEIGHT: 40 OZ; HEAD MATERIAL: POLYURETHANE; HANDLE: FIBRE GLASS HANDLE; CODE: KEN5259500K	30	EA
STM-148294	BIT MSNRY:22.0 MM;LG 540 MM;STL	BIT, MASONRY: TYPE: B/S SDS DRILL BIT 22.0 X 540MM Q/CUT; DIAMETER: 22.0 MM; LENGTH: 540 MM; MATERIAL: STL; SHANK: DIA 10 MM	30	EA
STM-148295	DRILL:HILTI HAMMER DRILL BIT TE-Y 20/52	DRILL: TYPE: HILTI HAMMER DRILL BIT TE-Y 20/52; CHUCK SIZE: n/a MM; LENGTH: n/a IN; MATERIAL: N/A	50	EA
STM-148296	BIT MSNRY:20 MM;LG 540 MM;STL;0	BIT, MASONRY: TYPE: B/S SDS DRILL BIT 20X540MM Q/CUT; DIAMETER: 20 MM; LENGTH: 540 MM; MATERIAL: STL; SHANK: 0	50	EA
STM-148301	HAMMER:CLAW CARPENTER 600 STEEL H;600	HAMMER: TYPE: CLAW CARPENTER 600 STEEL H; HEAD WEIGHT: 600 ACRE; HEAD MATERIAL: CARPENTRY HAMMER; HANDLE: CARPENTRY HAMMER	40	EA
STM-148304	TAPE MEASNG:LG 8 M;STANLEY	TAPE, MEASURING: TYPE: STANLEY POWERLOCK TAPE MEASURE; DIMENSIONS: LG 8 M; MATERIAL: STANLEY	40	EA
STM-148307	SAW:BOSCH JIGSAW GST 650;450 W	SAW: TYPE: BOSCH JIGSAW GST 650; DIMENSIONS: 450 W	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

75 of 98

STM-148314	WRENCH CMBTN:SPANNER SET;6-32 MM	WRENCH, COMBINATION: TYPE: SPANNER SET; SIZE: 6-32 MM; LENGTH: VARIOUS; STYLE: RING-OPEN END; MATERIAL: GEDORE SPANNER SET	10	EA
STM-148321	KEY CHUCK:CHUCK AND SDS;13MM	KEY, CHUCK: KEY NUMBER: RUWAG KEY TYPE CHUCK AND SDS ADAPTOR; MATERIAL: CHUCK AND SDS; STYLE DESIGNATOR: 13MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-148322	HANDLE, SPANNER WRENCH	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: COMBINATION SPANNER SIZE: 10MM - METRIC; MATERIAL: GEDORE CHROME VANADIUM; TORQUE: HEAVY DUTY APPLICATION	20	EA
STM-148323	HANDLE, SPANNER WRENCH	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: COMBINATION SPANNER SIZE: 13MM - METRIC; MATERIAL: GEDORE CHROME VANADIUM; TORQUE: HEAVY DUTY APPLICATION	20	EA
STM-148324	HANDLE, SPANNER WRENCH	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: COMBINATION SPANNER SIZE: 17MM - METRIC; MATERIAL: GEDORE CHROME VANADIUM; TORQUE: HEAVY DUTY APPLICATION	20	EA
STM-148325	PLIERS:SIDE CUTTERS;LG 200 MM;INSULATED	PLIERS: TYPE: SIDE CUTTERS; LENGTH: 200 MM; HANDLE: INSULATED	20	EA
STM-148326	SAW HOLE:HSS	SAW, HOLE: SIZE: RS PRO HSS 16MM TO 63MM HOLE SAW SET; ARBOR: STARRETT KDPO7051-N 12 PIECE FASTCUT SET; TEETH: HSS; BLADE MATERIAL: BI-METAL INDUSTRIAL HOLE SAW KIT	10	EA
STM-150469	DRIVER NUT:6 MM NUT SCREWDRIVER;LG 125	DRIVER, NUT: SIZE: 6 MM NUT SCREWDRIVER; LENGTH: 125 MM; SHAFT: SOLID; HANDLE: STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-150470	DRIVER NUT:8 MM;LG 125 MM;STEEL;PLASTIC	DRIVER, NUT: SIZE: 8 MM; LENGTH: 125 MM; SHAFT: STEEL; HANDLE: PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-150472	DRIVER NUT:10 MM NUT SCREWDRIVER;LG 125	DRIVER, NUT: SIZE: 10 MM NUT SCREWDRIVER; LENGTH: 125 MM; SHAFT: SOLID; HANDLE: STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

76 of 98

STM-150473	DRIVER NUT:12 MM NUT SCREWDRIVER;LG 125	DRIVER, NUT: SIZE: 12 MM NUT SCREWDRIVER; LENGTH: 125 MM; SHAFT: STEEL; HANDLE: PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-150476	TAPE MEASNG:STANLEY;19 MM;STEEL	TAPE, MEASURING: TYPE: STANLEY; DIMENSIONS: 19 MM; MATERIAL: STEEL	5	EA
STM-150477	FRAME:JUNIOR HACKSAW;150 MM;STEEL	FRAME: TYPE: JUNIOR HACKSAW; SIZE: 150 MM; MATERIAL: STEEL; SPECIFICATION: HACKSAW	10	EA
STM-150483	PLIERS:LONG NOSE PLIER;LG 200 MM;STEEL	PLIERS: TYPE: LONG NOSE PLIER; LENGTH: 200 MM; HANDLE: INSULATED; MATERIAL: STEEL	10	EA
STM-150485	SET:SPANNERS;ALLOY;8-17 MM;TOOL STEEL	SET: TYPE: SPANNERS; SPECIFICATION: ALLOY; SIZE RANGE: 8-17 MM; MATERIAL: TOOL STEEL	10	EA
STM-150487	PLIERS:SIDE CUTTER;LG 250 MM;STEEL	PLIERS: TYPE: SIDE CUTTER; LENGTH: 250 MM; HANDLE: INSULATED PLASTIC; MATERIAL: STEEL	10	EA
STM-151116	TROWEL:GAUGING;280 MM	TROWEL: TYPE: GAUGING; BLADE SIZE: 280 MM	10	EA
STM-151129	TROWEL:TROWEL POINTING;175 MM;PLASTIC	TROWEL: TYPE: TROWEL POINTING; BLADE SIZE: 175 MM; MATERIAL: PLASTIC	10	EA
STM-151515	SEAL:SILICONE GUN;AS REQUIRED	BIT: TYPE: CORE DRILL; LENGTH: 320 MM; MATERIAL: HILTI; DIAMETER: 16 MM	20	EA
STM-151517	BIT:CORE DRILL (HILTI);LG 320 MM;HILT	BIT: TYPE: CORE DRILL (HILTI); LENGTH: 320 MM; MATERIAL: HILTI; DIAMETER: 18 MM	20	EA
STM-151519	BIT:HILTI CORE DRILL BIT;LG 320 MM;HILT	BIT: TYPE: HILTI CORE DRILL BIT; LENGTH: 320 MM; MATERIAL: HILTI; DIAMETER: 20 MM	20	EA
STM-151522	BIT:HILTI CORE DRILL;LG 320 MM;HILTI;22	BIT: TYPE: HILTI CORE DRILL; LENGTH: 320 MM; MATERIAL: HILTI; DIAMETER: 22 MM	20	EA
STM-151526	BIT:HILTI CORE DRILL;LG 320 MM;24 MM	BIT: TYPE: HILTI CORE DRILL; LENGTH: 320 MM; MATERIAL: HILTI - 24/320 SP-L; DIAMETER: 24 MM	20	EA
STM-151528	BIT:HILTI CORE DRILL BIT;LG 320 MM;25 MM	BIT: TYPE: HILTI CORE DRILL BIT; LENGTH: 320 MM; MATERIAL: HILTI - 25/320 SP-L; DIAMETER: 25 MM	20	EA
STM-151530	BIT:CORE DRILL BIT;LG 320 MM;HILTI;28 MM	BIT: TYPE: CORE DRILL BIT; LENGTH: 320 MM; MATERIAL: HILTI; DIAMETER: 28 MM	20	EA
STM-151536	BIT:CORE DRILL HILTI;LG 320 MM;30 MM	BIT: TYPE: CORE DRILL HILTI; LENGTH: 320 MM; MATERIAL: HILTI - 30/320 SP-L; DIAMETER: 30 MM	20	EA
STM-151537	BIT:CORE DRILL (HILTI);LG 320 MM;32 MM	BIT: TYPE: CORE DRILL (HILTI); LENGTH: 320 MM; MATERIAL: HILTI - 32/320 SP-L; DIAMETER: 32 MM	20	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: **0**
 Page: **77 of 98**

STM-151538	BIT: CORE DRILL HILTI; LG 430 MM; 37 MM	BIT: TYPE: CORE DRILL HILTI; LENGTH: 430 MM; MATERIAL: HILTI - B 37/430 P-U ABRAS; DIAMETER: 37 MM	20	EA
STM-151540	BIT: CORE DRILL (HILTI); LG 430 MM; 42 MM	BIT: TYPE: CORE DRILL (HILTI); LENGTH: 430 MM; MATERIAL: HILTI - B 42/430 P-U ABRAS; DIAMETER: 42 MM	20	EA
STM-151547	BIT: CORE DRILL; LG 430 MM; 47 MM	BIT: TYPE: CORE DRILL; LENGTH: 430 MM; MATERIAL: HILTI - B 47/430 P-U ABRAS; DIAMETER: 47 MM	20	EA
STM-151551	BIT: HILTI CORE DRILL BIT; LG 430 MM; 52 MM	BIT: TYPE: HILTI CORE DRILL BIT; LENGTH: 430 MM; MATERIAL: HILTI - B 52/430 P-U ABRAS; DIAMETER: 52 MM	20	EA
STM-151800	GRINDER: ANGLE; 115 MM	GRINDER: TYPE: ANGLE; SIZE: 115 MM	5	EA
STM-151981	BIT: HILTI HAMMER DRILL BIT; LG 14 MM	BIT: TYPE: HILTI HAMMER DRILL BIT; LENGTH: 14 MM; MATERIAL: SDS MAX	30	EA
STM-151982	BIT: HILTI HAMMER DRILL BIT; LG 18 MM	BIT: TYPE: HILTI HAMMER DRILL BIT; LENGTH: 18 MM; MATERIAL: SDS MAX	30	EA
STM-151983	BIT: HILTI HAMMER DRILL BIT; LG 20 MM	BIT: TYPE: HILTI HAMMER DRILL BIT; LENGTH: 20 MM; MATERIAL: SDS MAX	30	EA
STM-151984	BIT: HILTI HAMMER DRILL BIT; LG 22 MM	BIT: TYPE: HILTI HAMMER DRILL BIT; LENGTH: 22 MM; MATERIAL: SDS MAX	30	EA
STM-151985	BIT: HILTI HAMMER DRILL BIT; LG 24 MM	BIT: TYPE: HILTI HAMMER DRILL BIT; LENGTH: 24 MM; MATERIAL: SDS MAX	30	EA
STM-151986	BIT: HILTI HAMMER DRILL BIT; LG 28 MM	BIT: TYPE: HILTI HAMMER DRILL BIT; LENGTH: 28 MM; MATERIAL: SDS MAX	30	EA
STM-151987	CHISEL: HILTI POINTED CHISEL; TE-SX	CHISEL: TYPE: HILTI POINTED CHISEL; BLADE WIDTH: TE-SX ; LENGTH: 360 MM; MATERIAL: TE-SX SM POINTED	100	EA
STM-151988	CHISEL: HILTI POINTED CHISEL; TE-SX	CHISEL: TYPE: HILTI POINTED CHISEL; BLADE WIDTH: TE-SX ; LENGTH: 500 MM; MATERIAL: TE-SX SM POINTED	100	EA
STM-151990	WIRE: BINDING; 0.9 MM; LG 50 KG	WIRE: TYPE: BINDING; DIAMETER: 0.9 MM; LENGTH: 50 KG; MATERIAL: BINDING WIRE	5	EA
STM-151994	BLOWER: BOSCH PROFESSIONAL BLOWER	BLOWER: TYPE: BOSCH PROFESSIONAL BLOWER; CAPACITY: air speed of 270 km/h ACRE; POWER: Battery voltage 18 V; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-151995	TOOL: TWISTING FENCE TOOL HOOK REBAR; 300	TOOL: TYPE: TWISTING FENCE TOOL HOOK REBAR; STYLE: HOOK TIE WIRE TWISTER; DIMENSIONS: 300 MM; SPECIFICATION: REBAR	20	EA
STM-151997	DRILL: CORDLESS ROTARY DRILL; n/a MM	DRILL: TYPE: CORDLESS ROTARY DRILL; CHUCK SIZE: n/a MM; LENGTH: n/a IN; MATERIAL: TE 6-A36 CORDLESS ROTARY HAMMER	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

78 of 98

STM-152004	LEVEL:800 MM;LEVELS	LEVEL: TYPE: STABILA TYPE 70 STANDARD DUTY SPIRIT LEVEL; DIMENSIONS: 800 MM; VIALS: LEVELS	10	EA
STM-152005	SET:GEDORE D19TMZ SOCKET SET;GEDORE;27	SET: TYPE: GEDORE D19TMZ SOCKET SET; APPLICATION: 8 - 15, 16, 17, 19, 20, 22, 24, 27, 30, 32MM; SPECIFICATION: GEDORE; QUANTITY: 27; COMPRISING: SOCKET HEX	15	EA
STM-152008	PLIERS DGNL CUTNG:180 MM	PLIERS, DIAGONAL CUTTING: OVERALL LENGTH: 180 MM; SHORT NOSE FEATURE: STANLEY SIDE CUTTER DYNAGRIP PLIER	20	EA
STM-152009	HAMMER:ESTWING CLAW CARPENTER;E16C	HAMMER: TYPE: ESTWING CLAW CARPENTER; HEAD WEIGHT: E16C; HEAD MATERIAL: 16 OZ CURVED CLAW; HANDLE: SMOOTH FACE GENUINE LEATHER GRIP	10	EA
STM-152010	PLIERS:STANLEY STHT84113-8 PLIER;LG 200	PLIERS: TYPE: STANLEY STHT84113-8 PLIER; LENGTH: 200 MM; HANDLE: LINESMAN; MATERIAL: PLIER	20	EA
STM-152012	TAPE:STANLEY POWER LOCK;8M;POWERLOCK	TAPE: TYPE: STANLEY POWER LOCK; DIMENSIONS: 8M; MATERIAL: POWERLOCK	20	EA
STM-152014	TROWEL:GRIP PLASTERING;290 MM	TROWEL: TYPE: GRIP PLASTERING; BLADE SIZE: 290 MM	20	EA
STM-152016	PLIERS:STANLEY STHT84167-8;LG 250 MM;STL	PLIERS: TYPE: STANLEY STHT84167-8; LENGTH: 250 MM; HANDLE: CONCRETE PINNERS; MATERIAL: STL	20	EA
STM-152018	FLOAT:GRIP;float;PLASTIC	FLOAT: TYPE: GRIP; DIMENSIONS: float; MATERIAL: PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)	10	EA
STM-152020	LEVEL:STANLEY LEVEL BOX 400MM-10;LG 400	LEVEL: TYPE: STANLEY LEVEL BOX 400MM-10; DIMENSIONS: LG 400 MM; MATERIAL: STEEL; VIALS: HORIZONTAL AND VERTICAL	20	EA
STM-152022	CHISEL:GRIP G21055GR ELECTRICIAN BOLSTER	CHISEL: TYPE: GRIP G21055GR ELECTRICIAN BOLSTER; BLADE WIDTH: n/a; LENGTH: n/a; MATERIAL: ORANGE/BLACK	20	EA
STM-152023	SQUARE:ROSS F7750 BUILDERS, 600 X 400 MM	SQUARE: TYPE: ROSS F7750 BUILDERS, 600 X 400 MM; MATERIAL: STL	15	EA
STM-152024	JOINT:JOINTER BRICK LONG SQUARES;8 MM	JOINT: TYPE: JOINTER BRICK LONG SQUARES; DIMENSIONS: 8 MM; MATERIAL: PVC; APPLICATION: VICKERS 52.8	15	EA
STM-152030	SET:RED 21 SPIECE SPANNER SET;GEODRE	SET: TYPE: RED 21 SPIECE SPANNER SET; SPECIFICATION: GEODRE; QUANTITY: 21 PC; COMPRISING: 380X380X70MM; MATERIAL: TOOL STEEL	10	EA
STM-153028	TOOL:HUNTINGTON DRESSER HAND TOOL;N/A	TOOL: TYPE: HUNTINGTON DRESSER HAND TOOL; STYLE: N/A; DIMENSIONS: 760 MM; HUNTINGTON DRESSER HAND TOOL #1 - FB - REPAIR WHEEL DIA TO 760MM	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

79 of 98

STM-153030	BIT MSNRY:HSS JOBBER;5 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 5 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: STRAIGHT; DRILL HSS JOBBER 5.00MM FB - DIN338 - FULLYGROUND - M2 SILVER	50	EA
STM-153031	BIT MSNRY:HSS JOBBER;4 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 4 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: STRAIGHT; STM-143903	50	EA
STM-153032	BIT MSNRY:HSS JOBBER;2 MM;LG UNKNOWN	BIT, MASONRY: TYPE: HSS JOBBER; DIAMETER: 2 MM; LENGTH: UNKNOWN; MATERIAL: STEEL; SHANK: STRAIGHT; DRILL HSS JOBBER 2.00MM FB - DIN338 - FULLYGROUND - M2 SILVER	50	EA
STM-153033	KIT:HOLE SAW KIT;HOLES AW	KIT: TYPE: HOLE SAW KIT; APPLICATION: HOLES AW; HOLE SAW KIT PLASTIC CASE 7PC 16-51MM - 16, 20, 25, 32, 40, 51MM + ARBOURS	10	EA
STM-153035	SAW HND:5;600 MM;POLY HANDLE;N/A;UNKNOWN	SAW, HAND: THROAT DEPTH: 5; OVERALL LENGTH: 600 MM; HANDLE MATERIAL: POLY HANDLE; DESIGN TYPE: N/A; BLADE TYPE: UNKNOWN; BLADE LENGTH: 600 MM; SAW HAND 600X 5PT RIP LAS (10) - SUPERSAW POLY HANDLE	10	EA
STM-153036	SAW HND:8;600 MM;POLY HANDLE;N/A;UNKNOWN	SAW, HAND: THROAT DEPTH: 8; OVERALL LENGTH: 600 MM; HANDLE MATERIAL: POLY HANDLE; DESIGN TYPE: N/A; BLADE TYPE: UNKNOWN; BLADE LENGTH: 600 MM; SAW HAND 600X 8PT XCUT #899 (10) - CRAFTSMAN POLY HANDLE	10	EA
STM-153037	SAW:BACK;300 MM	SAW: TYPE: BACK; DIMENSIONS: 300 MM; SAW BACK 300MM 13 PT STAN (10) - SAWS-BACK	10	EA
STM-153227	TAPE MEASNG:TAPE MEASURE 5 X 19;5 M	TAPE, MEASURING: TYPE: TAPE MEASURE 5 X 19; DIMENSIONS: 5 M; MATERIAL: STEEL WIT RUBBER GRIP ME05519 MEASURING TAPE SELF LOCK 5M X 19MM S/S & RUBBER CASING MATT FINISH	10	EA
STM-155046	PLIERS VISE GRP:VICE GRIP 250MM GEDORE	PLIERS, VISE GRIP: TYPE: VICE GRIP 250MM GEDORE; CAPACITY: 250 MM;	10	EA
STM-156513	SQUARE CMBTN:STL;300 MM	SQUARE, COMBINATION: MATERIAL: STL; BLADE LENGTH: 300 MM; GRADUATION UNITS: GRIP GS7651 SQUARE RULER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-156532	LEVEL:SPIRIT;LG 300 MM;VERTI/HORI	LEVEL: TYPE: SPIRIT; DIMENSIONS: LG 300 MM; VIALS: VERTI/HORI	10	EA
STM-156533	SCKT WRNCH SET:GEDORE;GEDORE	SOCKET, WRENCH SET: TYPE: GEDORE RACHET SET 16 PIECE; MATERIAL: GEDORE; SIZE RANGE: 1/4 Socket Set 190 x 110 x 60 MM; SPECIFICATION: GEDORE	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

80 of 98

STM-156535	SET:POZI BITS 37 PIECE;TORK CRAFT	SET: TYPE: POZI BITS 37 PIECE; SPECIFICATION: TORK CRAFT; COMPRISING: POZI BITS	10	EA
STM-156536	KEY:TORK CRAFT 18 PIECE ALLEN KEYS	KEY: TYPE: TORK CRAFT 18 PIECE ALLEN KEYS; STYLE: HEX AND TORX; MATERIAL: ALLEN KEYS; SPECIFICATION: 18 PIECE	15	EA
STM-156537	RIVET:STANLEY RIVET GUN;MEDIUM DUTY IN	RIVET: TYPE: STANLEY RIVET GUN; DIAMETER: MEDIUM DUTY IN; LENGTH: N/A IN; HEAD DIAMETER: N/A IN	10	EA
STM-156538	LINER:BUILDING LINE;100 M;BUILDING	LINER: TYPE: BUILDING LINE; DIMENSIONS: 100 M; MATERIAL: BUILDING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-156540	SAW HOLE:TORK CRAFT HOLE SAW BITS SET	SAW, HOLE: SIZE: TORK CRAFT HOLE SAW BITS SET; ARBOR: 13 PIECE CARBON STEEL HOLES AW KIT	10	EA
STM-156541	TOOL BOX PORTBL:FOLD OPEN WITH HANDLE	TOOL BOX, PORTABLE: TYPE: FOLD OPEN WITH HANDLE; MATERIAL: ALUMINIUM; COLOR: N/A; SIZE: EMPTY TOOLBOX	10	EA
STM-156543	CROWBAR:LASHER WRECKING CROW BAR;STEEL	CROWBAR: TYPE: LASHER WRECKING CROW BAR; MATERIAL: STEEL; LENGTH: 19 MM	10	EA
STM-156544	CLAMP:TORK CRAFT G CLAMPS;8"/200 MM;145	CLAMP: TYPE: TORK CRAFT G CLAMPS; CONDUCTOR SIZE: 8"/200 MM; MATERIAL: G CLAMP; STANDARD: 240-53113927; MAXIMUM OPERATING POTENTIAL: 145 KV; SPECIFICATION: TORK CRAFT	10	EA
STM-156549	BLADE:PLANER BLADE SET;20 IN;STEEL	BLADE: TYPE: PLANER BLADE SET; DIMENSIONS: 20 IN; MATERIAL: STEEL; SPECIFICATION: MAC AFRICA; SPECIAL FEATURES: RYOBI MACHINE	10	EA
STM-156552	SAW:STANLEY HACK SAW;300 MM	SAW: TYPE: STANLEY HACK SAW; DIMENSIONS: 300 MM	10	EA
STM-156553	BLADE SAW:TORK CRAFT JIG SAW;VARIABLE	BLADE, SAW: SAW TYPE: TORK CRAFT JIG SAW; TOOTH DESIGN: VARIABLE; TEETH PER INCH: n/a; CUT MATERIAL: WOOD	10	EA
STM-156554	BLADE SAW:TORK CRAFT SKILL SAW BLADES	BLADE, SAW: SAW TYPE: TORK CRAFT SKILL SAW BLADES; TOOTH DESIGN: WOOD; TEETH PER INCH:	20	EA
STM-156596	BIT:TORK CRAFT 19 X DRILL BITS;LG 110 MM	BIT: TYPE: TORK CRAFT 19 X DRILL BITS; LENGTH: 110 MM; MATERIAL: STEEL	10	EA
STM-156597	GUN:SILICON GUN	GUN: TYPE: SILICON GUN	10	EA
STM-156598	SQUARE CMBTN:STANLEY STAINLESS STEEL;300	SQUARE, COMBINATION: MATERIAL: STANLEY STAINLESS STEEL; BLADE LENGTH: 300 MM; GRADUATION UNITS: STEEL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 81 of 98

STM-156602	PUNCH:TORK CRAFT CENTER PUNCHER SET;N/A	PUNCH: TYPE: TORK CRAFT CENTER PUNCHER SET;POINT SIZE: N/A; LENGTH: N/A; MATERIAL: MS	10	EA
STM-156603	INDICATOR:WATER LEVEL;N/A;N/A;500 MM;N/A	INDICATOR: TYPE: WATER LEVEL; DIMENSIONS: N/A; RANGE: N/A; SCALE: 500 MM; RATING: N/A; SPECIFICATION: STANLEY	5	EA
STM-156604	HAMMER MLLT:RUBBER;675 G;STEEL;LASHER	HAMMER, Mallet: TYPE: RUBBER; HEAD WEIGHT: 675 G; HEAD MATERIAL: RUBBER COMPOTHANE; HANDLE: STEEL; SPECIFICATION: LASHER	10	EA
STM-156605	PLIERS:COMBINATION PLIER;PLASTIC COATED	PLIERS: TYPE: COMBINATION PLIER; HANDLE: PLASTIC COATED	10	EA
STM-156606	TOOL:CUTTER SIDE;HAND;150 MM;STANLEY	TOOL: TYPE: CUTTER SIDE; STYLE: HAND; DIMENSIONS: 150 MM; SPECIFICATION: STANLEY	10	EA
STM-156607	SCISSORS:STEEL CUTTING SCISSORS SET	SCISSORS: BLADE STYLE: STEEL CUTTING SCISSORS SET; LENGTH: n/a; MATERIAL: STEEL CUTTING; HANDLE TYPE: PLASTIC	5	EA
STM-156608	SET:S/D INS.BIT SET MULTI 33PCE	SET: TYPE: S/D INS.BIT SET MULTI 33PCE; SPECIFICATION: TORK CRAFT; MATERIAL: FLAT,STAR,SQUARE BIT FOR CORDLESS	5	EA
STM-156609	DRILL PWR:18 V;N/A;13 MM;18 V;GSB180-LI	DRILL, POWER: TYPE: BOSCH CORDLESS IMPACT DRILL WITH BATTERY; SPEED: 18 V; DRIVE SIZE: N/A; CHUCK SIZE: 13 MM; POWER: 18 V; POTENTIAL: 2AH BATTERY; POWER SOURCE: GSB180-LI	5	EA
STM-156930	SET:GEDORE SPANNER SET 21 PIECE;GEDORE	SET: TYPE: GEDORE SPANNER SET 21 PIECE; SPECIFICATION: GEDORE; SIZE RANGE: 380X380X70 MM	10	EA
STM-156940	CHISEL COLD HND:LG 250 MM;25 MM	CHISEL, COLD HAND: LENGTH: 250 MM; BLADE WIDTH: 25 MM; MATERIAL: GRIP COLD CHISEL; TYPE: ORANGE/BLACK	5	EA
STM-156979	COMB:GRIP BRICK CHISEL HAMMER	COMB: TYPE: GRIP BRICK CHISEL HAMMER; MATERIAL: CODE: GH2551; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5	EA
STM-156981	HAMMER:CLAW STEEL HANDLE;500 G;CLAW	HAMMER: TYPE: CLAW STEEL HANDLE; HEAD WEIGHT: 500 G; HEAD MATERIAL: CLAW; HANDLE: STEEL	5	EA
STM-156982	SCRAPER:50 MM;PLASTIC;BLACK HANDLE	SCRAPER: TYPE:ACADEMY BRUSHWARE SCRAPER WITH HANDLE; DIMENSIONS: 50 MM; MATERIAL: PLASTIC; APPLICATION: BLACK HANDLE	5	EA
STM-156984	SCRAPER:80 MM;PLASTIC;BLACK HANDLE	SCRAPER: TYPE: ACADEMY BRUSHWARE SCRAPER WITH HANDLE; DIMENSIONS: 80 MM; MATERIAL: PLASTIC; APPLICATION: BLACK HANDLE	5	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

82 of 98

STM-156990	TROWEL:ROX TILING TROWEL CARBON;8x8x8 MM	TROWEL: TYPE: ROX TILING TROWEL CARBON; BLADE SIZE: 8x8x8 MM; MATERIAL: ROX TILING	5	EA
STM-156991	KIT:VICKERS P21 PLASTER HAWK;VICKERS	KIT: TYPE: VICKERS P21 PLASTER HAWK; APPLICATION: HAWKER PLASTER; SPECIFICATION: VICKERS	5	EA
STM-156993	LEVEL:SPIRIT TYPE 70;LG 800 MM;STEEL	LEVEL: TYPE: SPIRIT TYPE 70; DIMENSIONS: LG 800 MM; MATERIAL: STEEL; VIALS: HORIZONTAL AND VERTICAL	5	EA
STM-157480	TAPE MEASNG:POWERBLOCK;3 M;STEEL CASE	STANLEY 3M POWERBLOCK MEASURING TAPES FOR ONLINE PLUMBING MAINTENANCE. TAPE, MEASURING: TYPE: POWERBLOCK; DIMENSIONS: 3 M; MATERIAL: STEEL CASE	20	EA
STM-159561	TOOL:WIRE STRIPPER AND CRIMPER;AUTOMATIC	TOOL: TYPE: WIRE STRIPPER AND CRIMPER; STYLE: AUTOMATIC; DIMENSIONS: 210 MM; 8PK-371D :: AUTOMATIC WIRE STRIPPER & CRIMPER OAL: 21 0MM	30	EA
STM-159837	BIT:CONE CUTTER;LG 6 x 20 MM;HSS	BIT: TYPE: CONE CUTTER; LENGTH: 6 x 20 MM; MATERIAL: HSS; RS PRO HSS CONE CUTTER 6MM X 20MM; PART NO.: 221-620	5	EA
STM-159929	LADDER STEP:HT 1.2 M;ALUMINIUM;100 KG	LADDER, STEP: HEIGHT: 1.2 M; MATERIAL: ALUMINIUM; LOAD RATING: 100 KG; STEP QUANTITY: 4 STEP; CROSSPIECE TYPE: A - FRAME; PLATFORM: DOUBLE STEP	10	EA
STM-159930	LADDER STEP:HT 2 M;ALUMINIUM;120 KG	LADDER, STEP: HEIGHT: 2 M; MATERIAL: ALUMINIUM; LOAD RATING: 120 KG; STEP QUANTITY: 8 STEP; CROSSPIECE TYPE: ALUMINIUM	10	EA
STM-159931	LADDER:6 STEP LADDER;LG 1800 MM;150 KG	LADDER: TYPE: 6 STEP LADDER; LENGTH: 1800 MM; MATERIAL: ALUMINIUM; LOAD CAPACITY: 150 KG; CROSSPIECE TYPE: ALUMINIUM; CROSSPIECE SURFACE TYPE: PVC	10	EA
STM-159932	LADDER STEP:HT 1.8 M;ALUMINIUM;150 KG	LADDER, STEP: HEIGHT: 1.8 M; MATERIAL: ALUMINIUM; LOAD RATING: 150 KG; STEP QUANTITY: 6 STEP; CROSSPIECE SURFACE TYPE: ALUMINIUM; CROSSPIECE TYPE: STEPS; PLATFORM: DOUBLE SIDE STEP LADDER; SAFETY FEET: PVC; WIDTH: ±400 MM	10	EA
STM-159933	LADDER STEP:HT 4 M;ALUMINIUM;135 KG;12	LADDER, STEP: HEIGHT: 4 M; MATERIAL: ALUMINIUM; LOAD RATING: 135 KG; STEP QUANTITY: 12; CROSSPIECE TYPE: A - FRAME; WIDTH: 46.99 CM	6	EA
STM-160069	WRENCH ADJSTBL:25 MM;LG 200 MM;SHIFTING	SENATOR ADJUSTABLE WRENCH/SHIFTING SPANNER 200MM LONG, REQUIRED FOR MECHANICAL FITTER- PRODUCT CODE:SEN-501-4380K. WRENCH, ADJUSTABLE: JAW CAPACITY: 25 MM; LENGTH: 200 MM; MATERIAL: TOOL STEEL; TYPE: SHIFTING	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

83 of 98

STM-160073	WRENCH ADJUSTBL:36 MM;LG 300 MM	KENNEDY ADJUSTABLE WRENCH/SHIFTING SPANNER 300MM LONG, REQUIRED FOR MECHANICAL FITTER- PRODUCT CODE:KEN 5010-120K. WRENCH, ADJUSTABLE: JAW CAPACITY: 36 MM; LENGTH: 300 MM; MATERIAL: TOOL STEEL; TYPE: SHIFTING SPANNER	10	EA
STM-160080	PLIERS DGNL CUTNG:256 MM	GEDORE UNIVERSAL PLIERS/WATER PUMP PLIERS 250MM LONG, REQUIRED FOR MECHANICAL FITTER- PRODUCT CODE:GED 6410650.PLIERS, UNIVERSAL: OVERALL LENGTH: 256 MM	5	EA
STM-160097	WRENCH ADJUSTBL:32 MM;LG 255 MM;VICE GRIP	KENNEDY STRAIGHT JAW VICE GRIP WRENCH 255MM LONG, REQUIRED FOR MECHANICAL FITTER- PRODUCT CODE:KEN 5587-100K. WRENCH, ADJUSTABLE: JAW CAPACITY: 32 MM; LENGTH: 255 MM; MATERIAL: CHROME VANADIUM; TYPE: VICE GRIP	10	EA
STM-160107	SCREWDRIVER:INSULATED;LG 100 MM;50 MM;4	GEDORE STUBBY SLOTTED/FLAT BLACK POINT SCREWDRIVER- 1.0x5.5x25; REQUIRED FOR A MECHANICAL FITTER; PRODUCT CODE:36692. SCREWDRIVER: TYPE: INSULATED; LENGTH: 85MM MM; SHANK LENGTH: 25 MM; SHANK: ROUND; TIP: SLOTTED/FLAT BLACK POINT; TIP SIZE: 1 MM; HANDLE TYPE: PLASTIC; MATERIAL: CHROME VANADIUM MOLYBDENUM STEEL	10	EA
STM-160109	SCREWDRIVER:GP;LG 85 MM;25 MM;ROUND;PH2	GEDORE STUBBY PHILLIPS BLACK POINT SCREWDRIVER- 2x25; REQUIRED FOR A MECHANICAL FITTER; PRODUCT CODE:36693. SCREWDRIVER: TYPE: GENERAL PURPOSE; LENGTH: 85 MM; SHANK LENGTH: 25 MM; SHANK: ROUND; TIP: PHILLIPS TIP; TIP SIZE: PH2 MM; HANDLE TYPE: HARDENED PLASTIC GRIP; MATERIAL: CHROME VANADIUM MOLYBDENUM STEEL	10	EA
STM-160113	RULER SCAL:MEASURE;30;1 : 10 MM;LG 300	SENATOR 300MM STEEL RULE,PRODUCT CODE:SEN 5183-620K;REQUIRED FOR A MECHANICAL FITTER. RULER, SCALE: TYPE: MEASURE; NUMBER OF SCALES: 30; SCALE 1: 1 : 10 MM; LENGTH: 300 MM; MATERIAL: STAINLESS STEEL RULER	5	EA
STM-160115	SCKT WRNCH SET:1/2 INCE DRIVE;6 -32 MM	KENNEDY 30-PIECE KENGRIP SOCKET SET 1/2 INCE DRIVE COMPLETE WITH RATCHET & EXTENTIONS; REQUIRED FOR A MECHANICAL FITTER; PRODUCT CODE:KEN 5828-820K. SOCKET, WRENCH SET: TYPE: 1/2 INCE DRIVE; MATERIAL: CHROME VANADIUM STEEL; SIZE RANGE: 6 -32 MM; SPECIFICATION: N/A	10	EA
STM-160119	SCKT WRNCH SET:SOCKETS;5-13 MM;ISO 9001	KENNEDY 19-PIECE METRIC SOCKET SET 1/4 INCE DRIVE COMPLETE WITH RATCHET & EXTENTIONS; REQUIRED FOR A MECHANICAL FITTER; PRODUCT CODE:KEN 5824-893K. SOCKET, WRENCH SET: TYPE: SOCKETS; MATERIAL: CHROME VANADIUM STEEL;	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

84 of 98

STM-160123	PUNCH PIN:PARALLEL;3 - 8 (5 PIECE) MM;10	SET OF SIX(6) KENNEDY PARALLEL PIN PUNCHES;PRODUCT CODE:KEN-5181-200K, REQUIRED FOR A MECHANICAL FITTER.PUNCH, PIN: TYPE: PARALLEL; POINT DIAMETER: 3 - 10 (6 PIECE) MM; DIAMETER: +- 12MM; OVERALL LENGTH: +-100 MM; MATERIAL: CHROME VANADIUM STEEL; BODY STYLE: PARALLEL PIN PUNCH	5	EA
STM-160129	CHISEL COLD HND:LG 255 MM;25 MM	KENNEDY COLD FLAT CHISEL 25MMx255MM LONG,PRODUCT CODE:KEN-5056-460K, REQUIRED FOR A MECHANICAL FITTER. CHISEL, COLD HAND: LENGTH: 255 MM; BLADE WIDTH: 25 MM; MATERIAL: STL DROP FORGED	5	EA
STM-160131	FRAME HAND HCKSW:TUBULAR FRAME;STEEL	SENATOR 300MM ADJUSTABLE HACKSAW FRAME,PRODUCT CODE:SEN-5380-390K, REQUIRED FOR A MECHANICAL FITTER. FRAME, HAND HACKSAW: TYPE: TUBULAR FRAME; MATERIAL: STEEL; LENGTH: 300 MM; HANDLE MATERIAL: ALUMINUM + ABS + TPR	10	EA
STM-160134	FRAME HAND HCKSW:JUNIOR HACKSAW;LG 150	KENNEDY 150MM JUNIOR HACKSAW FRAMES,PRODUCT CODE:KEN-5380-600K, REQUIRED FOR A MECHANICAL FITTER. FRAME, HAND HACKSAW: TYPE: JUNIOR HACKSAW; MATERIAL: STEEL FRAME; LENGTH: 150 MM; HANDLE MATERIAL: TEMPERED STEEL; STANDARD: SABS APPROVED	10	EA
STM-160156	SCRIBER:DOUBLE ENDED;180 MM;TOOL STEEL	KENNEDY 180MM DOUBLE ENDED SCRIBERS,PRODUCT CODE:KEN-518-4370K, REQUIRED FOR A MECHANICAL FITTER. SCRIBER: TYPE: DOUBLE ENDED; DIMENSIONS: 180 MM; MATERIAL: TOOL STEEL	10	EA
STM-160208	WRENCH:SPEED BRACE;1/2 INCH DRIVE	KENNEDY 400MM LONG SPEED BRACERS,PRODUCT CODE:KEN-582-6560K, REQUIRED FOR A MECHANICAL FITTER. WRENCH: TYPE: SPEED BRACE; SIZE: 1/2 INCH DRIVE; MATERIAL: CHROMIUM-VANADIUM ALLOY TOOL STEELS	10	EA
STM-160211	WRENCH CMBTN:SPANNER SET;6-32 MM	SET x GEDORE COMBINATION SPANNERS - 6 TO 32MM; PRODUCT CODE:609374 No:7//26 M, REQUIRED FOR MECHANICAL FITTER. WRENCH, COMBINATION: TYPE: SPANNER SET; SIZE: 6-32 MM; LENGTH: VARIOUS; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL	10	EA
STM-160429	WRENCH TRQ:1/2 IN;80-400NM;0.00;LG NA	WRENCH, TORQUE: DRIVE SIZE: 1/2 IN; RATING: 80-400NM; GRADUATIONS: 0.00; LENGTH: NA;	20	EA
STM-160431	WRENCH TRQ:3/4 IN;150-800;0.00;LG NA	34662-2DG WRENCH, TORQUE: DRIVE SIZE: 3/4 IN; RATING: 150-800; GRADUATIONS: 0.00; LENGTH: NA;	10	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

85 of 98

STM-160432	WRENCH TRQ:3/4 IN;200-1000;0.00;LG NA	34662-3DG WRENCH, TORQUE: DRIVE SIZE: 3/4 IN; RATING: 200-1000; GRADUATIONS: 0.00; LENGTH: NA;	10	EA
STM-160462	GRINDER ELEC:PENCIL GRINDER;220 V;NA;500	GRINDER, ELECTRIC: TYPE: PENCIL GRINDER; POTENTIAL: 220 V; POWER: 500 W BOSCH GGS 5000 L DIE GRINDER 500W UP TO 8MM	10	EA
STM-160464	HEAT GUN ELEC:ELECTRIC;220 V;1600 W;NA	HEAT GUN, ELECTRIC: TYPE: ELECTRIC; POTENTIAL: 220 V; POWER: 1600 W; MATERIAL: PLASTIC; SPECIAL FEATURES: NA; BOSCH GHG 180 HEAT GUN 1600W	5	EA
STM-160476	MACHINE:ENGRAVING;220 V;NA;NA	MACHINE: TYPE: ENGRAVING; POTENTIAL: 220 V; CURRENT: NA; POWER: NA; OSA2799810K ELECTRIC ENGRAVER KIT	15	EA
STM-160603	PUNCH HOLW:HOLLOW PUNCH SET	PUNCH, HOLLOW: TYPE: HOLLOW PUNCH SET; DIAMETER: na; HOLE DIAMETER: na; KEN5181650K 6PCE HOLLOW PUNCH SET 619MM\	15	EA
STM-160612	SCREWDRIVER SET:SCREW DRIVER SET;B;0	SCREWDRIVER, SET: TYPE: SCREW DRIVER SET; TIP TYPES: B; TIP MATERIAL: FULLY HARDEN TIPS; TIP SIZE RANGE: 0; QUANTITY: 6 PC; WERA WER17346 SCREWDRIVER SET B,TIP 6PC CLASSIC	50	EA
STM-160613	STRAIGHTEDGE:ALUM STRAGHT EDGE RULER;MM	STRAIGHTEDGE: TYPE: ALUM STRAGHT EDGE RULER; GRADUATIONS: MM; LENGTH: 600 MM; WIDTH: 50 MM; THICKNESS: 5 MM; MATERIAL: ALUMINIUM; ME02060 ALUMINIUM STRAIGHT EDGE RULER TYPE B 600X50X5.0MM	20	EA
STM-160615	STRAIGHTEDGE:STRAIGHT EDGE RULER TYPE B	STRAIGHTEDGE: TYPE: STRAIGHT EDGE RULER TYPE B; GRADUATIONS: MM; LENGTH: 1000 MM; WIDTH: 50 MM; THICKNESS: 5 MM; MATERIAL: ALUMINIUM; ME02100 ALUMINIUM STRAIGHT EDGE RULER TYPE B;1000X50X5.0MM	20	EA
STM-160617	STRAIGHTEDGE:BUILDERS;NA;LG 2500 MM	STRAIGHTEDGE: TYPE: BUILDERS; GRADUATIONS: NA; LENGTH: 2500 MM; WIDTH: NA; THICKNESS: NA; MATERIAL: ALUMINIUM;	20	EA
STM-160619	TAPE MEASNG:TAPE MEASURE 3 X 16;3 M	TAPE, MEASURING: TYPE: TAPE MEASURE 3 X 16; DIMENSIONS: 3 M; MATERIAL: STEEL WIT RUBBER GRIP; ME05316 MEASURING TAPE SELF LOCK 3M X 16MM S/S & RUBBER CASING MATT FINISH	30	EA
STM-160626	FRAME HAND HCKSW:HACK SAW;STEEL FRAME	FRAME, HAND HACKSAW: TYPE: HACK SAW; MATERIAL: STEEL FRAME; LENGTH: 300 MM; HANDLE MATERIAL: STEEL; KENDO KEN30566 HEAVY DUTY HACKSAW 300MM	30	EA
STM-160644	WRENCH SET ALLN:ALLEN KEY SET;10 PIECES	WRENCH SET, ALLEN: TYPE: ALLEN KEY SET; SIZE: 1/16-3/8 INCH; SET QUANTITY: 10 PIECES; CODE: KEN6010970K	40	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

86 of 98

STM-160647	SCKT WRNCH SET:SOCKET SET HEX;4 - 55 MM	SOCKET, WRENCH SET: TYPE: SOCKET SET HEX; MATERIAL: CHROME VANADIUM; SIZE RANGE: 4MM X 55MM HEX BIT SOCKET 1/2	10	EA
STM-160671	BIT DRV SCKT:ALLEN 6 MM;1/2 SQUARE DRIVE	BIT, DRIVE SOCKET: TIP: ALLEN 6 MM; DRIVE SIZE: 1/2 SQUARE DRIVE IN; LENGTH: NA; SOCKET BRITO IMPACT ALLENKEY CODE: BRI9306	10	EA
STM-160673	BIT DRV SCKT:ALLEN 24 MM;LG NA	BIT, DRIVE SOCKET: TIP: ALLEN 24 MM; DRIVE SIZE: 3/4 SQUARE DRIVE IN; LENGTH: NA; SOCKET BRITO IMPACT ALLENKEY CODE: BRI9424	10	EA
STM-160674	BIT DRV SCKT:ALLEN 27 MM;1 SQUARE DRIVE	BIT, DRIVE SOCKET: TIP: ALLEN 27 MM; DRIVE SIZE: 1 SQUARE DRIVE IN; LENGTH: NA; SOCKET BRITO IMPACT ALLENKEY CODE: BRI9527	10	EA
STM-160678	LADDER:A-FRAME;LG 1800 MM;ALLUMINIUM;136	LADDER: TYPE: A-FRAME; LENGTH: 1800 MM; MATERIAL: ALLUMINIUM; LOAD CAPACITY: 136 KG; CROSSPIECE TYPE: AL; CODE: MTS1848	10	EA
STM-160685	PAD CSHNNG:KNEE PAD FOAM WITH STRAP	PAD, CUSHIONING: TYPE: KNEE PAD FOAM WITH STRAP; DIMENSIONS: one size fits all MM MM; CUSHIONING MATERIAL: NONSKID MATERIAL; SUPPORT MATERIAL: NONMARRING FACE; MTS1792 KNEE PADS MTS	20	EA
STM-160688	GUN AIR BLW	GUN, AIR BLOW: TYPE: GAV60A AIR BLOW GUN DUSTER IN BLISTER;	40	EA
STM-160695	HANDLE, SPANNER WRENCH:CHROME VANADIUM	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: ADJUSTABLE C HOOK WRENCH;1.1/43; MATERIAL: CHROME VANADIUM;	10	EA
STM-160699	HANDLE, SPANNER WRENCH:CHROME VANADIUM	HANDLE, SPANNER WRENCH: STYLE DESIGNATOR: ADJUSTABLE C HOOK WRENCH; MATERIAL: CHROME VANADIUM; 4.1/2 INCH 6.1/4 INCH (115160MM)ADJ	10	EA
STM-160717	PLIERS:COMBINATION;LG 200 MM	PLIERS: TYPE: COMBINATION; LENGTH: 200 MM; HANDLE: ALLOY STEEL INSULATED CODE:TC533200	40	EA
STM-160799	PLIERS DGNL CUTNG:190 MM	PLIERS, DIAGONAL CUTTING: OVERALL LENGTH: 190 MM; CODE: TC534190	30	EA
STM-160806	HANDLE SCKT WRNCH:CHROME VANADIUM	HANDLE, SOCKET WRENCH: STYLE DESIGNATOR: KING TONY RATCHET 1 REVERS.800MM; MATERIAL: CHROME VANADIUM; CODE:8779-32F	20	EA
STM-160819	HANDLE SCKT WRNCH:RATCHET 260MM 1/2 DR	HANDLE, SOCKET WRENCH: STYLE DESIGNATOR: RATCHET 260MM 1/2 DR; MATERIAL: CHROME VANADIUM; DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1/2 IN;	50	EA

The Supply of Consumables for Nuclear Operating Unit

STM-160821	HANDLE SCKT WRNCH:CHROME VANADIUM;SQUARE	HANDLE, SOCKET WRENCH: STYLE DESIGNATOR: KING TONY RATCHET REVERS . 500MM; MATERIAL: CHROME VANADIUM; DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 3/4 IN;	20	EA
STM-160824	HAMMER:4 LB HAMMER;4 LB;STEEL;RUBBER	HAMMER: TYPE: 4 LB HAMMER; HEAD WEIGHT: 4 LB; HEAD MATERIAL: STEEL; HANDLE: RUBBER;	20	EA
STM-160832	HANDLE SCKT WRNCH:CHROME VANADIUM;SQUARE	HANDLE, SOCKET WRENCH: STYLE DESIGNATOR: KING TONY POWER BAR 450MM; MATERIAL: CHROME VANADIUM; DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1/2 IN;	20	EA
STM-160833	HANDLE SCKT WRNCH:CHROME VANADIUM;SQUARE	HANDLE, SOCKET WRENCH: STYLE DESIGNATOR: KING TONY POWER BAR 450MM; MATERIAL: CHROME VANADIUM; DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 3/4 IN;	20	EA
STM-160836	HANDLE SCKT WRNCH:CHROME VANADIUM;SQUARE	HANDLE, SOCKET WRENCH: STYLE DESIGNATOR: KING TONY POWER BAR 1000MM; MATERIAL: CHROME VANADIUM; DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1 IN;	20	EA
STM-160839	HAMMER:BALL PEIN;32 OZ	HAMMER: TYPE: BALL PEIN; HEAD WEIGHT: 32 OZ; HEAD MATERIAL: CARBON STEEL DROP-FORGED; HANDLE: FIBREGLASS HANDLE 310MM & FULL POL H EAD; CODE: TC607900	40	EA
STM-160861	HAMMER:DEAD BLOW;1.4 KG;POLYURETHANE	HAMMER: TYPE: DEAD BLOW; HEAD WEIGHT: 1.4 KG; HEAD MATERIAL: POLYURETHANE; HANDLE: FIBRE GLASS HANDLE CODE:7851-48	20	EA
STM-160862	HAMMER:DEAD BLOW;2 KG;POLYURETHANE	HAMMER:DEAD BLOW;2 KG;POLYURETHANE	20	EA
STM-160863	HAMMER:DEAD BLOW;16 OZ;POLYURETHANE	HAMMER: TYPE: DEAD BLOW; HEAD WEIGHT: 16 OZ; HEAD MATERIAL: POLYURETHANE; HANDLE: FIBRE GLASS HANDLE; CODE: TC613450	40	EA
STM-161418	WRENCH TRQ:LST-2000;1 IN;2000 FT/LBS;NA	1" DR 2000 FT/LBS WRELESS LITHIUM SERIES II W/CALIBRATIOBN W/CASE; MANUFACTURER: HYTORC	3	EA
STM-161421	WRENCH TRQ:1 IN;AS PER ITEM TEXT	MXTP-03 1" SQ DRIVE TORQUE WRENCH; MANUFACTURER: HYTORC	2	EA
STM-161423	WRENCH TRQ:1 1/2 IN;AS PER ITEM TEXT	MXTP-05 1 1/2" SQ DRIVE TORQUE WRENCH; MANUFACTURER: HYTORC	2	EA
STM-161432	PUNCH KNCKOUT:CHASSIS;20 MM;3.5 MM	PUNCH, KNOCKOUT: TYPE: CHASSIS; HOLE SIZE: 20 MM; CAPACITY: 3.5 MM	5	EA
STM-164974	WRENCH SET ALLN:ALLEN KEY SET;8 PIECES	WRENCH SET, ALLEN: TYPE: ALLEN KEY SET; SIZE: 1.5MM - 8MM; QUANTITY: 8 PIECES; SUPPL P/N: KEN6013020K	20	EA

The Supply of Consumables for Nuclear Operating Unit

STM-164983	WHEEL ABR SV:A60 MEDIUM;3160 RPM;ID 31.75	WHEEL, ABRASIVE: GRIT: A60 MEDIUM; SPEED: 3160 RPM; INSIDE DIAMETER: 31.75 MM; OUTSIDE DIAMETER: 150 MM; THICKNESS: 20 MM; ABRASIVE MATERIAL: ALUMINIUM OXIDE; USAGE DESIGN: GENERAL; TYPE: TOOLPOST GRINDER; SUPPL P/N: YRK2352095K;	20	EA
STM-164987	TOOL:CHAMFERRING TOOL;PSSNR-2020K-12	OLDER, MACHINING TOOL: STYLE: PSSNR-2020K-12; HOLDER SIZE: 20 MM; MATERIAL: HARDENED STEEL; TYPE: 45° CHAMFER TOOL; MANUFACTURER: ISCAR	20	EA
STM-164991	HOLDER MACHG TL:PSSNL-2020K-12;;20 MM	HOLDER, MACHINING TOOL: STYLE: PSSNL-2020K-12;; HOLDER SIZE: 20 MM; MATERIAL: HARDENED STEEL; TYPE: 45° CHAMFER TOOL; MANUFACTURER: ISCAR	20	EA
STM-164993	HOLDER MACHG TL:PSSNL 2525 M12;25 MM	HOLDER, MACHINING TOOL: STYLE: PSSNL 2525 M12; HOLDER SIZE: 25 MM; MATERIAL: HARDENED STEEL; TYPE: 45° CHAMFER TOOL; MANUFATURER: ISCAR	20	EA
STM-166790	TOOL KIT:COMBINATION SET;list	TOOL KIT: TYPE: COMBINATION SET; DIMENSIONS: list; ROTORK TOOL KIT CONSIST OF: 1 X 42T-1/8" GEDORE HEXAGAN ALLEN KEY (CODE2647354) 1 X 42T-5/32" GEDORE HEXAGAN ALLEN KEY (CODE2647362) 1 X 42T-3/16" GEDORE HEXAGAN ALLEN KEY (CODE2647370) 1 X 42T-7/32" GEDORE HEXAGAN ALLEN KEY (CODE2647388) 1 X REVERSIBLE RATCHET (1/4" KENNEDY ORDER CODE KEN-582-4020K) 1 X SLIDING T HANDLE 1/4" (KENNEDY ORDER CODE KEN-582-4040K) 1 X 50MM EXTENSION BAR (1/4" KENNEDY ORDER CODE KEN-582-4060K) 1 X 250MM EXTENSION BAR (1/4" KENNEDY ORDER CODE KEN-582-4120K) 1 X 1/8" HEXAGON SCREWDRIVER BIT 1/4" DRIVE (KENNEDY ORDER CODE KEN-582-4840K) 1 X 5/32" HEXAGON SCREWDRIVER BIT 1/4" DRIVE (KENNEDY ORDER CODE KEN-582-4850K) 1 X 3/16" HEXAGON SCREWDRIVER BIT 1/4" DRIVE (KENNEDY ORDER CODE KEN-582-4860K) 1 X 7/32" HEXAGON SCREWDRIVER BIT 1/4" DRIVE (KENNEDY ORDER CODE KEN-582-4870K) 1 X BALL DRIVER L-WRENCH 9 PIECE SET INCH (ALLAN KEY SET) (KENNEDY ORDER CODE KEN-602-5730K)	40	EA

<p>STM-166827</p>	<p>TOOL KIT, GENERAL PURPOSE:CIRCLIP PLIERS</p>	<p>TOOL KIT, GENERAL PURPOSE: TYPE: CIRCLIP PLIERS; COMPRISING: COMBINATION; TOOL KIT CONSIST OF: EXTERNAL AND INTERNAL CIRCLIP PLIERS (GEDORE) 1 X STRAIGHT EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6701380 NO: 8000-A0) 1 X STRAIGHT EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6701460 NO: 8000-A1) 1 X STRAIGHT EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6701540 NO: 8000-A2) 1 X STRAIGHT EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6701620 NO: 8000-A3) 1 X STRAIGHT EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6701700 NO: 8000-A4) 1 X ANGLED EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6702270 NO: 8000-A 01) 1 X ANGLED EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6702350 NO: 8000 -A 11) 1 X ANGLED EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6702430 NO: 8000-A 21) 1 X ANGLED EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6702510 NO: 8000-A 31) 1 X ANGLED EXTERNAL CIRCLIP PLIERS GEDORE (CODE: 6702780 NO: 8000-A 41) 1 X STRAIGHT INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6703240 NO: 8000-J 0) 1 X STRAIGHT INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6703320 NO 8000-J 1) 1 X STRAIGHT INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6703400 NO: 8000-J 2) 1 X STRAIGHT INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6703590 NO: 8000-J 3) 1 X STRAIGHT INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6703670 NO: 8000-J 4) 1 X ANGLE INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6704130 NO: 8000-J01) 1 X ANGLE INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6704210 NO: 8000-J 11) 1 X ANGLE INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6704480 NO: 8000-J21) 1 X ANGLE INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6704560 NO: 8000-J 31) 1 X ANGLE INTERNAL CIRCLIP PLIERS GEDORE (CODE: 6704640 NO: 8000-J 41)</p>	<p>4</p>	<p>EA</p>
<p>STM-166828</p>	<p>TOOL KIT, GENERAL PURPOSE:COMBINATION</p>	<p>TOOL KIT, GENERAL PURPOSE: TYPE: REDUCERS AND EXTENSIONS; COMPRISING: COMBINATION; REDUCERS AND EXTENSIONS KIT CONSIST OF: 1 X REDUCER 3/8" TO 1/4" (GEDORE CODE 6236280 NO: 3020) 1 X REDUCER 1/2" TO 3/8" (GEDORE CODE 6143000 NO: 1930) 1 X EXTENTION 3/8" GEDORE CODE: 6236600 NO:3090/75 1 X EXTENTION 3/8" GEDORE CODE: 6236790 NO: 3090/125 1 X EXTENTION 3/8" GEDORE CODE: 6236870 NO: 3090/250</p>	<p>5</p>	<p>EA</p>

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

90 of 98

STM-166829	TOOL:MAGNETC;LIFTER;12 MM	TOOL: TYPE: MAGNETC; STYLE: LIFTER; DIMENSIONS: 12 MM; MAGNATIC LIFTER (GEDORE CODE: 6531280 NO: 640)	5	EA
STM-166830	PUNCH SET:PUNCHES;6 MM;HARDEND STEEL	PUNCH, SET: TYPE: PUNCHES; RANGE SIZE: 6 MM; MATERIAL: HARDEND STEEL; PUNCH SETS CONSIS OF: 1 X NUMBER SET GEDORE (CODE – 8605140 NO: 2200-6) 1 X LETTER SET GEDORE (CODE – 8605220NO: 2201-6)	5	EA
STM-166832	TOOL:ALLEN KEY 14MM GEDORE;14MM;14 MM	TOOL: TYPE: ALLEN KEY 14MM GEDORE; STYLE: 14MM; DIMENSIONS: 14 MM; ALLEN KEY 14MM GEDORE CODE NUMBER 012214 42L-14	10	EA
STM-166833	TOOL:ALLEN KEY 17MM GEDORE;17 MM;17 MM	TOOL: TYPE: ALLEN KEY 17MM GEDORE; STYLE: 17 MM; DIMENSIONS: 17 MM; ALLEN KEY 17MM GEDORE CODE 099323 42L-17	10	EA
STM-166835	PUNCH SET:PUNCHES;various MM	PUNCH, SET: TYPE: PUNCHES; RANGE SIZE: various MM; MATERIAL: HARDEND AND TEMPERED STEEL; PUNCHE SETS CONSIST OF: 1 X CHISEL AND PUNCH SET IN PVC STAND – 6 PIECES GEDORE (CODE: 8725200 NO: 106) 1 X DRIFT PUNCH SET IN PVC STAND – 6 PIECES GEDORE (CODE: 8753680 NO: 113) 1 X PIN PUNCH SET IN PVC STAND – 6 PIECES GEDORE (CODE: 8757670 NO 116A)	10	EA
STM-166836	TOOL KIT:COMBINATION RATCHET SPANNER SET	TOOL KIT: TYPE: COMBINATION RATCHET SPANNER SET; DIMENSIONS: VARIOUS MM; COMBINATION RATCHET SPANNER GEDORE SET CONSIST OF: 1 X 8MM COMBINATION RATCHET SPANNER GEDORE CODE 2297051 1 X 10MM COMBINATION RATCHET SPANNER GEDORE CODE 2297086 1 X 13MM COMBINATION RATCHET SPANNER GEDORE CODE 2297116 1 X 15MM COMBINATION RATCHET SPANNER GEDORE CODE2297132 1 X 17MM COMBINATION RATCHET SPANNER GEDORE CODE 2297159 1 X 19MM COMBINATION RATCHET SPANNER GEDORE CODE 2297175	10	EA
STM-167111	TOOL KIT:N/A	TOOL KIT: TYPE: 83 PC MECHANICAL/ ELECTRICAL TOOL KIT; DIMENSIONS: N/A STOCK NUMBER: RSA 1000MB (DRAPER) SUPPLIER: CHRISTENSEN TOOLS	20	EA
STM-168116	SCREWDRIVER SET:SLOTTED SCREW HOLDING;2	SCREWDRIVER, SET: TYPE: SLOTTED SCREW HOLDING; TIP TYPES: SLOTTED; TIP MATERIAL: STEEL; TIP SIZE RANGE: 3/16 and 1/4 IN; QUANTITY: 2; KLEIN TOOLS 85153K SLOTTED SCREW-HOLDING SCREWDRIVER SET, 3/16-INCH, 1/4-INCH SPLIT-BLADE FLAT HEAT DRIVER, POSITIVE GRIPPING ACTION, 2-PIECE	10	EA

The Supply of Consumables for Nuclear Operating Unit

STM-169786	LADDER STEP:HT 2.4 M;ALUMINIUM;125 KG;8	LADDER, STEP: HEIGHT: 1.2 M; MATERIAL: ALUMINIUM; LOAD RATING: 125 KG; STEP QUANTITY: 4 STEP; CROSSPIECE TYPE: 4 STEP MODEL: DASG 4	10	EA
STM-169787	LADDER STEP:HT 1.8 M;ALUMINIUM;125 KG	LADDER, STEP: HEIGHT: 1.8 M; MATERIAL: ALUMINIUM; LOAD RATING: 125 KG; STEP QUANTITY: 6 STEP; CROSSPIECE TYPE: 6 STEP MODEL: DASG 6	10	EA
STM-169788	LADDER STEP:HT 1.2 M;ALUMINIUM;125 KG	LADDER, STEP: HEIGHT: 2.4 M; MATERIAL: ALUMINIUM; LOAD RATING: 125 KG; STEP QUANTITY: 8; CROSSPIECE TYPE: 8 STEP MODEL: DASG 8	10	EA
STM-170070	TRAY:CLEAN OIL;450x345x50 L	TRAY: TYPE: CLEAN OIL; DIMENSIONS: 450x345x50 L; MATERIAL: ALUMINIUM OR STEEL,NON PLANT the pliers for the inner rings must have straight pins! The pliers for the outer rings must have angled pins Buyer to contact me for quote assistant	10	EA
STM-170071	PLIERS:LG 300 MM;INSULATED LEVER HANDLE	PLIERS: TYPE: OPEN CIRCLIP PLIER; LENGTH: 300 MM; HANDLE: INSULATED LEVER HANDLE; MATERIAL: STL; OPEN CIRCLIP PLIER EXTERNAL,HEAVY DUTY	10	EA
STM-170072	PLIERS:OPEN CIRCLIP PLIER;LG 300 MM;STL	PLIERS: TYPE: OPEN CIRCLIP PLIER; LENGTH: 300 MM; HANDLE: INSULATED LEVER HANDLE; MATERIAL: STL; OPEN CIRCLIP PLIER EXTERNAL,HEAVY DUTY	10	EA
STM-170313	TOOL:DUST REMOVAL;MANUAL OPERATED;10 CM	HILTI DUST REMOVAL SYSTEM TE DRS-4-A BOX, REQUIRED FOR CONCRETE DRILLING. TOOL: TYPE: DUST REMOVAL; STYLE: MANUAL OPERATED; DIMENSIONS: 10 CM	10	EA
STM-170314	HAMMER RTRY:18-22 SQUARE;1700 W;25;MOTOR	SUPPLY 1 x HILTI CORDLESS ROTARY HAMMER TE 4-A22 CASE, REQUIRED FOR CONCRETE DRILLING.	10	EA
STM-060944	TOOL:SPECIAL TOOL	TOOL: TYPE: SPECIAL TOOL; Fluke ii900 Sonic Industrial Imager	2	EA
STM-060944	TOOL:SPECIAL TOOL	TOOL: TYPE: SPECIAL TOOL; PAP6600-SIL. SMALL RAM PACKAGE. CONFORMS TO THE MACHINERY DIRECTIVE 2006/42/EC, OPERATING INSTRUCTION WITH CERTIFICATION INCLUDED. INCLUDES AIR ACTIVATED HYDRAULIC PUMP, 10FT (3M) OF HYDRAULIC HOSE W/QUICK CONNECTS, PRESSURE GAGE, CABLE ASSEMBLY, 5 TON (44.5 KN) CAPACITY RAM, AND METAL TOOL BOX. VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	2	EA

The Supply of Consumables for Nuclear Operating Unit

STM-100566	SOCKET SCKT WRNCH	SOCKET, SOCKET WRENCH: DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1 IN; CODE:459456; DESCRIPTION: KEN5838850K 46MM DEEP IMPACT SOCKET 1" SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-100566	SOCKET SCKT WRNCH	SOCKET, SOCKET WRENCH: DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1 IN; CODE:411297; DESCRIPTION: KEN5838851K 50MM DEEP IMPACT SOCKET 1" SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-100566	SOCKET SCKT WRNCH	SOCKET, SOCKET WRENCH: DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1 IN; CODE:987654; DESCRIPTION: KEN5838853K 55MM DEEP IMPACT SOCKET 1" SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-100566	SOCKET SCKT WRNCH	SOCKET, SOCKET WRENCH: DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1 IN; CODE:24151; DESCRIPTION: KEN5836630K 60MM DEEP IMPACT SOCKET 1" SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-100566	SOCKET SCKT WRNCH	SOCKET, SOCKET WRENCH: DRIVE END SHAPE: SQUARE; DRIVE SURFACE SIZE: 1 IN; CODE:987654; DESCRIPTION: KEN5838856K 65MM DEEP IMPACT SOCKET 1" SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	10	EA
STM-100779	WRENCH PIPE:.;LG .;STL	WRENCH, PIPE: MATERIAL: STL; CODE:24243; DESCRIPTION:KEN5882180K 18 STILLSON WRENCH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA
STM-100779	WRENCH PIPE:.;LG .;STL	WRENCH, PIPE: MATERIAL: STL; CODE:24242; DESCRIPTION:KEN5882180K 18 STILLSON WRENCH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	20	EA

The Supply of Consumables for Nuclear Operating Unit

STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 10MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23056; DESCRIPTION:KEN5822610K 10MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 13MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23059; DESCRIPTION:KEN5822660K 13MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 17MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23063; DESCRIPTION:KEN5822700K 17MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 21MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23067; DESCRIPTION:KEN5822740K 21MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 19MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23065; DESCRIPTION:KEN5822720K 19MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 22MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23068; DESCRIPTION:KEN5822750K 22MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA

The Supply of Consumables for Nuclear Operating Unit

Revision: 0

Page: 94 of 98

STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 24MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23070; DESCRIPTION:KEN5822770K 24MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 36MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23077; DESCRIPTION:KEN5822840K 36MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 41MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23080; DESCRIPTION:KEN5822870K 41MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 46MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23081; DESCRIPTION:KEN5822880K 46MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)..	40	EA
STM-100827	WRENCH CMBTN:SPANNER;AS PER ITEM TEXT	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 50MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23082; DESCRIPTION:KEN5822890K 50MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100827	WRENCH SET ALLN:BALL END;9;PLASTIC CASE	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 24MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23070; DESCRIPTION:KEN5822770K 24MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA

The Supply of Consumables for Nuclear Operating Unit

STM-100827	WRENCH SET ALLN:BALL END;9;PLASTIC CASE	WRENCH, COMBINATION: TYPE: SPANNER; SIZE: 36MM; STYLE: RING-OPEN END; MATERIAL: CHROME VANADIUM STL; CODE:23077; DESCRIPTION:KEN5822840K 36MM CHROME VANADIUM COMB SPANNER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100904	SOCKET:AS PER ITEM TEXT;AS PER ITEM TEXT	SOCKET: TYPE: AS PER ITEM TEXT; SIZE: AS PER ITEM TEXT; MATERIAL: AS PER ITEM TEXT; CODE:384051; DESCRIPTION:KEN5832050K 13MM IMPACT SOCKET 1/2 INCH SQ DR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100904	SOCKET:AS PER ITEM TEXT;AS PER ITEM TEXT	SOCKET: TYPE: AS PER ITEM TEXT; SIZE: AS PER ITEM TEXT; MATERIAL: AS PER ITEM TEXT; CODE:23852; DESCRIPTION:KEN5832090K 17MM IMPACT SOCKET 1/2 INCH SQ DR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100904	SOCKET:AS PER ITEM TEXT;AS PER ITEM TEXT	SOCKET: TYPE: AS PER ITEM TEXT; SIZE: AS PER ITEM TEXT; MATERIAL: AS PER ITEM TEXT; CODE:23854; DESCRIPTION:KEN5832110K 19MM IMPACT SOCKET 1/2 INCH SQ DR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100904	SOCKET:AS PER ITEM TEXT;AS PER ITEM TEXT	SOCKET: TYPE: AS PER ITEM TEXT; SIZE: AS PER ITEM TEXT; MATERIAL: AS PER ITEM TEXT; CODE:23859; DESCRIPTION:KEN5832160K 24MM IMPACT SOCKET 1/2 INCH SQ DR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA
STM-100904	SOCKET:AS PER ITEM TEXT;AS PER ITEM TEXT	SOCKET: TYPE: AS PER ITEM TEXT; SIZE: AS PER ITEM TEXT; MATERIAL: AS PER ITEM TEXT; CODE:384057; DESCRIPTION:KEN5832140K 22MM IMPACT SOCKET 1/2 INCH SQ DR; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	40	EA

The Supply of Consumables for Nuclear Operating Unit

Revision:

0

Page:

96 of 98

STM-160642	WRENCH SET ALLN:ALLEN KEY SET;1.5 - 10MM	WRENCH SET, ALLEN: TYPE: SET; SIZE: 5/64 - 1/4; SET QUANTITY: 9 PIECE; SUPPL P/N: KEN6011020K	20	EA
STM-160642	WRENCH SET ALLN:ALLEN KEY SET;1.5 - 10MM	WRENCH SET, ALLEN: TYPE: ALLEN KEY SET; SIZE: 1.5 - 10MM; SET QUANTITY: 9 PIECES; CODE: KEN6012970K	40	EA
STM-160676	CHISEL COLD HND:LG ASPER ITEM TEXT	KEN5051600K 6 X 100MM FLAT COLD CHISEL	30	EA
STM-160676	CHISEL COLD HND:LG ASPER ITEM TEXT	KEN5053260K 12 X 255MM FLAT COLD CHISEL	30	EA
STM-160692	WRENCH CMBTN:COMBINATION SPANNER;NA	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 10MM; LENGTH: NA; STYLE: OFFSET; MATERIAL: CHROME VANADIUM;	50	EA
STM-160692	WRENCH CMBTN:COMBINATION SPANNER;NA	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 13MM; LENGTH: NA; STYLE: OFFSET; MATERIAL: CHROME VANADIUM;	50	EA
STM-160692	WRENCH CMBTN:COMBINATION SPANNER;NA	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 17MM; LENGTH: NA; STYLE: DEEP OFFSET; MATERIAL: CHROME VANADIUM;	50	EA
STM-160692	WRENCH CMBTN:COMBINATION SPANNER;NA	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 19MM; LENGTH: NA; STYLE: DEEP OFFSET; MATERIAL: CHROME VANADIUM;	50	EA
STM-160692	WRENCH CMBTN:COMBINATION SPANNER;NA	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 24MM; LENGTH: NA; STYLE: DEEP OFFSET; MATERIAL: CHROME VANADIUM;	50	EA
STM-160692	WRENCH CMBTN:COMBINATION SPANNER;NA	WRENCH, COMBINATION: TYPE: COMBINATION SPANNER; SIZE: 27MM; LENGTH: NA; STYLE: DEEP OFFSET; MATERIAL: CHROME VANADIUM;	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	32mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	36mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	40mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	41mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	46mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	14 X 18-32mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 643	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	14 X 18-34mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 643	50	EA

The Supply of Consumables for Nuclear Operating Unit

STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	14 X 18-36mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 643	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	14 X 18-38mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 643	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	14 X 18-41mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 643	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	19mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	20mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	21mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	22mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	23mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	24mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	26mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	27mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	28mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	30mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 642	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	32mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 644	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	34mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 644	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	36mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 644	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	41mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 644	50	EA
STM-161779	WRENCH OPN END:CHROME VANADIUM STEEL	46mm-OPEN JAW WRENCHES FOR TORQUE BARS TYPE: 644	50	EA
STM-147953	CROWBAR:TOMMY BAR;HEAVY DUTY STEEL;LG	CROWBAR: TYPE: TOMMY BAR; MATERIAL: HEAVY DUTY STEEL; LENGTH: 600 MM; CODE: AFT0205	50	EA
STM-147953	CROWBAR:TOMMY BAR;HEAVY DUTY STEEL;LG	CROWBAR: TYPE: TOMMY BAR; MATERIAL: HEAVY DUTY STEEL; LENGTH: 450 MM; CODE: AFT0200	20	EA

3. ABBREVIATIONS

Abbreviation	Meaning given to the abbreviation
KNPS	Koeberg Nuclear Power Station
SSC	Short Supply Contract
PO	Purchase Order
PR	Purchase Requestion
NOU	Nuclear Operating Unit

4. TIMING AND PLANNING

- Period of contract - 5 years
- Start Date 2024/07/01
- Completion Date 2029/06/31

5. DELIVERY TIMES

The delivery times will be stipulated on the Purchase Order (PO), and it will be on and as and when required basis.

6. METHOD

This consumable contract will be mainly for stock replenishment. End users will request these items via the stock reservation requests system. If the stock is low, the Inventory Planner will do a material run as per their schedule. The Supplier will receive a PO to deliver and off load items at the Koeberg Nuclear Power Station Site Stores. Inventory Management will either distribute the items or replenish the bin location of the stock.