

Mossel Bay Municipality

TDR360/2022/2023

**SUPPLY AND DELIVERY OF MINIATURE SUBSTATIONS FOR
MOSSSEL BAY MUNICIPALITY**

CLOSING DATE: 15 DECEMBER 2022	CLOSING TIME: 12:00
---------------------------------------	----------------------------

NAME OF BIDDER* :

ADDRESS* :

:

:

:

TEL NUMBER* :

FAX NUMBER* :

E-MAIL* :

CENTRAL SUPPLIER DATABASE REG NO* :

B-BBEE LEVEL OF CONTRIBUTION* :

TENDER AMOUNT (VAT INCLUDED) * :(see pages 34-36).....

(* - TO BE COMPLETED BY BIDDER)

Prepared by:
Mossel Bay Municipality
PO Box 25
Mossel Bay
6500

INDEX

SECTION 1		PAGE
1.1	INVITATION TO TENDER	3
1.2	TENDER CONDITIONS AND INFORMATION	4
1.3	GENERAL CONDITIONS OF CONTRACT	11
SECTION 2		
2.1	SPECIAL CONDITIONS OF CONTRACT AND SPECIFICATIONS	17
2.2	PRICING SCHEDULE	34
SECTION 3		
3.1	MBD1: BID FOR REQUIREMENTS OF THE MUNICIPALITY OF MOSSEL BAY	37
SECTION 4		
4.1	MBD4: DECLARATION OF INTEREST	40
4.2	MBD5: DECLARATION FOR PROCUREMENT ABOVE R10 MILLION	43
4.3	MBD6.1: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017	44
4.4	MBD 6.2: DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS	50
4.5	MUNICIPAL RATES AND TAXES	57
4.6	AUTHORISED SIGNATORY	58
4.7	MBD8: DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES	59
4.8	MBD9: CERTIFICATE OF INDEPENDENT BID DETERMINATION	61
SECTION 5	DECLARATION	64
SECTION 6	CONTRACT FORM	65
	JOINT VENTURE AGREEMENT	67
	CHECKLIST	70

SECTION 1.1: INVITATION TO TENDER

CLOSING TIME: 12:00

CLOSING DATE: 15 DECEMBER 2022

TDR360/2022/2023: SUPPLY AND DELIVERY OF MINIATURE SUBSTATIONS FOR MOSSEL BAY MUNICIPALITY

Tenders are hereby invited from suppliers for the supply and delivery of Miniature Substations for the period ending 30 June 2025.

Tenders must be submitted on the original documents and remain valid for ninety (90) days after the closing date of the tender. Enquiries pertaining to the specifications can be addressed to Mr. Morné Olivier at telephone (044) 606-5083 or e-mail to molivier@mosselbay.gov.za. Enquiries pertaining to the completion of the documents can be addressed to Ms Nicole Saunders at telephone (044) 606-5194 or e-mail to nsaunders@mosselbay.gov.za.

A set of tender documents can be obtained at a non-refundable cost of R264 per set from Ms Nicole Saunders who may be contacted at telephone (044) 606-5194 **OR** it can be obtained on our website at www.mosselbay.gov.za/procurement/tenders-available, free of charge. Payments must be made at the cashiers at the **Mossel Bay Municipality's Main Building, 101 Marsh Street on the Lower Ground Floor (seaside)** prior to collecting the tender document and proof of payment must be submitted when collecting the tender document from the Supply Chain Management Offices, 101 Marsh Street, Mossel Bay.

Fully completed tender documents must be placed in a sealed envelope and placed in the **tender box at the Entrance of the Mossel Bay Town Hall, 101 Marsh Street, Mossel Bay by not later than 12h00 on Thursday, 15 December 2022** or be mailed to reach the **Tender Box, Mossel Bay Municipality, PO Box 25, Mossel Bay, 6500** before the specified closing date and time. The envelopes must be endorsed clearly with the number, title and closing date of the tender as above.

This tender is subject to Regulation 9 "Local Production and Content" of the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2017 submitting of MBD 6.2 is compulsory. Please note that the following local content thresholds apply:

- Steel Power Pylons, Monopole Pylons, Steel Substation Structures, Powerline Hardware, Street Light Steel Poles, Steel Lattice Towers with a minimum threshold of 100%;

1. The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on Friday, 11 November 2022.
2. Only the South African Bureau of Standards (SANS) approved technical specification number SATS 1286:2011 must be used to calculate local content.

The tender will be evaluated on the 80/20 or 90/10 Preference Points system as prescribed by the Preferential Procurement Regulations, 2017.

Receipts will be issued on request only for tenders handed in during office hours from Mondays to Fridays. Receipts will not be issued for tenders placed in the tender box after hours or which are received by mail.

The tender box will be emptied just after 12:00 on the closing date as above, hereafter all bids will be opened in public. Late tenders or tenders submitted by e-mail or fax will under no circumstances be accepted.

The Municipality reserves the right to withdraw any invitation to tender and/or to re-advertise or to reject any tender or to accept a part of it. The Municipality does not bind itself to accepting the lowest tender or award a contract to the bidder scoring the highest number of points.

It is expected of all Bidders who are not yet registered on the Central Supplier Database to register without delay on the prescribed form. The Municipality reserves the right not to award tenders to Bidders who are not registered on the Database.

**MR C PUREN
MUNICIPAL MANAGER**

SECTION 1.2: TENDER CONDITIONS AND INFORMATION

1.2.1 General and Special Conditions of Contract

The General Conditions of Contract (GCC) as well as Special Conditions of Contract (SCC) forming part of this set of tender documents will be applicable to this tender in addition to the conditions of tender. Where the GCC and SCC are in conflict with one another, the stipulations of the SCC will prevail.

1.2.2 Acceptance or Rejection of a Tender

The Municipality reserves the right to withdraw any invitation to tender and/or to re-advertise or to reject any tender or to accept a part of it. The Municipality does not bind itself to accepting the lowest tender or the tender scoring the highest points.

1.2.3 Validity Period

Bids shall remain valid for ninety (90) days after the tender closure date.

1.2.4 Cost of Tender Documents

Payment for tender documents, if specified, can be made via EFT or cash payments to the Municipality of Mossel Bay. Documents can also be obtained on our website at www.mosselbay.gov.za/procurement/tenders-available, free of charge.

1.2.5 Registration on Central Supplier Database

It is expected of all prospective service providers who are not yet registered on the Central Supplier Database to register without delay on the prescribed form. The Municipality reserves the right not to award tenders to prospective suppliers who are not registered on the Database.

1.2.6 Completion of Tender Documents

(a) The original tender document must be completed fully in black ink and signed by the authorised signatory to validate the tender. Section 5: DECLARATION must be completed and signed by the authorised signatory and returned. Failure to do so will result in the disqualification of the tender.

(b) Tender documents may not be retyped. Retyped documents will result in the disqualification of the tender.

(c) The complete original tender document must be returned. Missing pages will result in the disqualification of the tender.

(d) No unauthorised alteration of this set of tender documents will be allowed. Any unauthorised alteration will disqualify the tender automatically. Any ambiguity has to be cleared with contact person for the tender before the tender closure.

(e) The tender document as provided by the Municipality's Supply Chain Management Section will be the prevailing document in the event of an inconsistency between the completed submitted tender document by a bidder and the tender document provided by the Municipality.

1.2.7 Compulsory Documentation

1.2.7.1 Tax Clearance Certificate

(a) A copy of a Tax Compliance Status Pin, printed from the South African Revenue Service (SARS) website, must accompany the bid documents. The onus is on the bidder to ensure that their tax matters with SARS are in order.

(b) In the case of a Consortium/Joint Venture every member must submit a separate Tax Compliance Status Pin, printed from the SARS website, with the bid documents.

(c) If a bid is not supported by a Tax Compliance Status Pin as an attachment to the bid documents, the Municipality reserves the right to obtain such documents after the closing date to verify that the bidder's tax matters are in order. If no such document can be obtained within a period as specified by the Municipality, the bid will be disqualified.

(d) The Tax Compliance Status Pin will be verified by the Municipality on the SARS website.

1.2.8 Other Documentation

1.2.8.1 Construction Industry Development Board (CIDB) (If applicable)

When applicable, the bidder's CIDB registration number must be included with the tender. The Municipality will verify the bidder's CIDB registration during the evaluation process.

1.2.8.2 Municipal Rates, Taxes and Charges

(a) A copy of the bidder's and those of its director's municipal accounts (for the Municipality where the bidder pays his account) for the month preceding the tender closure date must accompany the tender documents. If such a copy does not accompany the bid document of the successful bidder, the Municipality reserves the right to obtain such documents after the closing date to verify that their municipal accounts are in order.

(b) Any bidder which is or whose directors are in arrears with their municipal rates and taxes or municipal charges due to any Municipality or any of its entities for more than three months and have not made an arrangement for settlement of same before the bid closure date will be unsuccessful.

(c) If a bidder rents their premises, proof must be submitted that the rental includes their municipal rates and taxes or municipal charges and that their rent is not in arrears.

1.2.9 Authorised Signatory

(a) A copy of the recorded Resolution taken by the Board of Directors, members, partners or trustees authorising the representative to submit this bid on the bidder's behalf must be attached to the Bid Document on submission of same.

(b) A bid shall be eligible for consideration only if it bears the signature of the bidder or of some person duly and lawfully authorised to sign it for and on behalf of the bidder.

(c) If such a copy of the Resolution does not accompany the bid document of the successful bidder, the Municipality reserves the right to obtain such document after the closing date to verify that the signatory is in

order. If no such document can be obtained within a period as specified by the Municipality, the bid will be disqualified.

1.2.10 Site / Information Meetings

(a) Site or information meetings, if specified, are compulsory. Bids will not be accepted from bidders who have not attended compulsory site or information meetings. Bidders that arrive 15 minutes or more after the advertised time the meeting starts will not be allowed to attend the meeting or to sign the attendance register. If a bidder is delayed, he must inform the contact person before the meeting commence and will only be allowed to attend the meeting if the chairperson of the meeting as well as all the other bidders attending the meeting, give permission to do so.

(b) All partners or the leading partner of a Joint Venture must attend the compulsory site or information meeting.

1.2.11 Samples

Samples, if requested, are to be provided to the Municipality with the tender document or as stipulated.

1.2.12 Quantities of Specific Items

If tenders are called for a specific number of items, the Municipality reserves the right to change the number of such items to be higher or lower. The successful bidder will then be given an opportunity to evaluate the new scenario and inform the Municipality if it is acceptable. If the successful bidder does not accept the new scenario, it will be offered to the second-placed bidder. The process will be continued to the Municipality's satisfaction.

1.2.13 Submission of Tender

(a) The tender must be placed in a sealed envelope, or envelopes when the two-envelope system is specified, clearly marked with the tender number, title as well as closing date and time and

placed in the **tender box at the Entrance of the Mossel Bay Town Hall, 101 Marsh Street, Mossel Bay by not later than 12:00 on Thursday, 15 December 2022.**

OR

- be mailed to reach the **Tender Box, Mossel Bay Municipality, PO Box 25, Mossel Bay, 6500** before the specified closing date and time.

(b) Faxed, e-mailed and late tenders will not be accepted. Tenders may be delivered by hand, by courier, or posted at the bidder's risk and must be received by the deadline specified above, irrespective of how they are sent or delivered.

1.2.14 Expenses Incurred in Preparation of Tender

The Municipality shall not be liable for any expenses incurred in the preparation and submission of the tender.

1.2.15 Contact with Municipality after Tender Closure Date

Bidders shall not contact the Mossel Bay Municipality on any matter relating to their bid from the time of the opening of the bid to the time the contract is awarded. If a bidder wishes to bring additional information to the notice of the Mossel Bay Municipality, it should do so in writing to the Mossel Bay Municipality. Any effort by the firm to influence the Mossel Bay Municipality in the bid evaluation, bid comparison or contract award decisions may result in the rejection of the bid.

1.2.16 Opening, Recording and Publications of Tenders Received

(a) Tenders will be opened on the closing date immediately after the closing time specified in the tender documents. If requested by any bidder present, the names of the bidders, and if practical, the total amount of each bid and of any alternative bids will be read out aloud.

(b) Details of tenders received in time will be recorded in a register which is open to public inspection.

(c) Faxed, e-mailed and late tenders will not be accepted.

1.2.17 Evaluation of Tenders

Tenders will be evaluated in terms of their responsiveness to the tender specifications and requirements as well as such additional criteria as set out in this set of tender documents.

1.2.18 Procurement Policy

Bids will be awarded in accordance with the Preferential Procurement Regulations, 2001 pertaining to the Preferential Procurement Policy Framework Act, No 5 of 2000 and its amendments as well as the Municipality's Supply Chain Management Policy.

1.2.19 Contract

(a) The successful bidder will be expected to sign the agreement in Section 6 of this bid document. The signing of both Parts of Section 6 of this bid document signifies the conclusion of the contract. The Municipality, at its discretion, may request the signing of an additional Service Level Agreement which, together with the signed tender document, will constitute the full agreement between the Municipality and the successful bidder.

1.2.20 Subcontracting

(a) The Contractor shall not subcontract the whole of the Contract.

(b) Except where otherwise provided by the Contract, the Contractor shall not subcontract any part of the Contract without the prior written consent of the Municipality, which consent shall not be unreasonably withheld.

(c) The contractual relationship between the Contractor and any subcontractors selected by the Contractor in consultation with the Municipality in accordance with the requirements of and a procedure contained within the Scope of Work, shall be the same as if the Contractor had appointed the subcontractor in terms of paragraph (b) above.

(d) Any consent granted in accordance with paragraph (b) or appointment of a subcontractor in accordance with paragraph (c) shall not imply a contract between the Municipality and the subcontractor, or a responsibility or liability on the part of the Municipality to the subcontractor and shall not relieve the Contractor from any liability or

obligation under the Contract and he shall be liable for the acts, defaults and neglects of any subcontractor, his agents or employees as fully as if they were the acts, defaults or neglects of the Contractor, his agents or employees.

(e) The Contractor shall not be required to obtain such consent for –

- (i) the provision of labour, or
- (ii) the purchase of materials which are in accordance with the Contract, or
- (iii) the purchase or hire of Construction Equipment.

1.2.21 Language of Contract

The contract documents will be compiled in English and the English versions of all referred documents will be taken as applicable.

1.2.22 Extension of Contract

The contract with the successful bidder may be extended should additional funds become available.

1.2.23 Stamp and Other Duties

The successful bidder will be liable for all duties and costs on legal documents resulting in the establishment of a contract and for the surety and retentions

1.2.24 Wrong Information Furnished

Where a contract has been awarded on the strength of the information furnished by the bidder which, after the conclusion of the relevant agreement, is proved to have been incorrect, the Municipality may, in addition to any other legal remedy it may have, recover from the contractor all costs, losses or damages incurred or sustained by the Municipality as a result of the award of the contract.

1.2.25 Past Practices

(a) The bid of any bidder may be rejected if that bidder or any of its directors have abused the municipality's supply chain management system or committed any improper conduct in relation to such system.

(b) The bid of any bidder may be rejected if it is or has been found that that bidder or any of its directors influenced or tried to influence any official or councillor with this or any past tender.

(c) The bid of any bidder may be rejected if it is or has been found that that bidder or any of its directors offered, promised or granted any official or any of his/her close family members, partners or associates any reward, gift, favour, hospitality or any other benefit in any improper way, with this or any past tender.

1.2.26 Validity of BEE certificates:

(a) If the certificate was issued by a verification agency the following must be on the face of the certificate:

SANAS logo, unique BVA number, must be an original certificate or certified copy of the original, the name and physical location of the bidder, the registration number and, where applicable, the VAT number of the bidder, the date of issue and date of expiry of the certificate, the certificate number for identification and reference, the scorecard that was used (for example EME, QSE or Generic), the name and / or logo of the Verification Agency, the certificate must be signed by the authorized person from the Verification Agency and the B-BBEE Status Level of Contribution obtained by the bidder.

(b) If certificate was issued by an Auditor/ Accounting Officers:

The Accounting Officer's or Registered Auditor's letter head with full contact details, the Accounting Officer's or Registered Auditor's practice numbers, the name and the physical location of the bidder, the registration number and, where applicable, the VAT number of the bidder, the date of issue and date of expiry, the B-BBEE Status Level of Contribution obtained by the measured entity, the total black shareholding and total black female shareholding, the B-BBEE Status Level of Contribution obtained by the bidder and must be an original certificate or certified copy of the original.

(c) If the certificate was issued by registered auditors approved by IRBA

Clearly identify the B-BBEE approved registered auditor by the auditor's individual registration number with IRBA and the auditor's logo, clearly record an approved B-BBEE Verification Certificate identification reference in the format required by the SASAE, reflect relevant information regarding the identity and location of the measured entity, identify the Codes of Good Practice or relevant Sector Codes applied in the determination of the scores, record the weighting points (scores) attained by the measured entity for each scorecard element, where applicable, and the measured entity's overall B-BBEE Status Level of Contribution, reflect that the B-BBEE Verification Certificate and accompanying assurance report issued to the measured entity is valid for 12 months from the date of issuance and reflect both the issuance and expiry date, and the B-BBEE Status Level of Contribution obtained by the bidder and must be an original certificate or certified copy of the original.

(d) A sworn affidavit prescribed by the B-BBEE Codes of Good Practice.

FAILURE TO COMPLY WITH THE ABOVEMENTIONED WILL RESULT IN NO PREFERENCE POINTS BEING AWARDED

1.2.27 Letter of Good Standing from the Commissioner of Compensation

(a) A valid Letter of Good Standing from the Compensation Commissioner or a copy thereof, must accompany the bid documents unless the bidder is registered on the Central Supplier Database and they have a valid Letter of Good Standing from the Compensation Commissioner or a copy thereof for the bidder on record. The onus is on the bidder to ensure that the Municipality has a valid Letter of Good Standing from the Compensation Commissioner or a copy thereof on record.

(b) In the case of a Consortium/Joint Venture every member must submit a separate valid Letter of Good Standing from the Compensation Commissioner or a copy thereof with the bid documents unless the member is registered on the Central Supplier Database and they have a valid Letter of Good Standing from the Compensation Commissioner or a copy thereof on record for all members of the Consortium/Joint Venture.

(c) If a bid is not supported by a valid Letter of Good Standing from the Compensation Commissioner or a copy thereof, either as an attachment to the bid documents or on record in the case of suppliers registered on the Central Supplier Database, the Municipality reserves the right to obtain such document after the closing date. If no such document can be obtained within a period as specified by the Municipality, the bid will be disqualified.

(d) If a bid is accompanied by proof of application for valid Letter of Good Standing from the Compensation Commissioner, the original or copy thereof must be submitted on/or before the final date of award.

(e) Should a bidder's Letter of Good Standing from the Compensation Commissioner expire during the contract period, a valid certificate must be submitted within an agreed upon time.

(f) The right is reserved to not award a tender if a valid Letter of Good Standing from the Compensation Commissioner or a certified copy thereof is not submitted within the requested time.

1.2.28 Negotiations

Should the tender prices be higher than the available funds of the client, the client reserves the right to negotiate with the successful bidder to limit the work in accordance with the tender specifications in order not to exceed the available budget.

1.2.29 Joint Ventures

The Joint venture agreement must be submitted as part of the bid documents;

- (a) No amendments to Joint venture agreement may be made without the prior approval of the Municipality; if not accepted by the Municipality and the Joint venture continue without approval the Joint venture contract can be cancelled as if poor performance had taken place;
- (b) Joint venture will only qualify for points for their B-BBEE status level as a legal entity, provided that the entity submits, together with the submission of the bid, their B-BBEE status level certificate issued in the name of the Joint venture.
- (c) All members of the Joint venture must submit, with the bid documents:
 - a valid tax clearance certificate or SARS tax pin, individually;
 - an agreement that clearly provides clarity of Profit and liability sharing; and
 - a resolution taken by the board of directors of the Joint venture and other information that agrees with the Joint venture agreement as detailed pages 66-68.
- (d) For the evaluation of functionality regarding a Joint venture refer to the functionality section.

1.2.29 Enquiries

Enquiries in connection with this tender, prior to the tender closure date, may be addressed to Mr. Morné Olivier at telephone (044) 606-5083 or e-mail to molivier@mosselbay.gov.za.

oooOOOooo

1.3 GENERAL CONDITIONS OF CONTRACT

1. Definitions

1. The following terms shall be interpreted as indicated:

- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the goods are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the goods covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price, which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 "Supplier" means the successful bidder who is awarded the contract to maintain and administer the required and specified service(s) to the State.
- 1.26 "Tort" means in breach of contract.
- 1.27 "Turnkey" means a procurement process where one service provider assumes total responsibility for all aspects of the project and delivers the full end product / service required by the contract.
- 1.28 "Written" or "in writing" means hand-written in ink or any form of electronic or mechanical writing.

2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services (excluding professional services related to the building and construction industry), sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific goods, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 Invitations to bid are usually published in locally distributed news media and on the municipality/municipal entity website.

4. Standards

- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information inspection

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent Rights

- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
- 6.2 When a supplier developed documentation / projects for the municipality / municipal entity, the intellectual, copy and patent rights or ownership of such documents or projects will vest in the municipality / municipal entity.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms: (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or (b) a cashier's or certified cheque.
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that goods to be produced or services to be rendered should at any stage be subject to inspections, tests and analyses, the bidder or contractor's premises shall be open, at all reasonable hours, for inspection by a representative of the purchaser or organization acting on behalf of the purchaser.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the goods to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the goods or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such goods or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Goods and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract goods may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected goods shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with goods, which do comply with the requirements of the contract. Failing such removal, the rejected goods shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute goods

- forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected goods, purchase such goods as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 22 of GCC.
- 9. Packing**
- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, and in any subsequent instructions ordered by the purchaser.
- 10. Delivery and documents**
- 10.1 Delivery of the goods and arrangements for shipping and clearance obligations, shall be made by the supplier in accordance with the terms specified in the contract.
- 11. Insurance**
- 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified.
- 12. Transportation**
- 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified.
- 13. Incidental Services**
- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any:
- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.
- 14. Spare parts**
- 14.1 As specified, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and; (b) in the event of termination of production of the spare parts: (i) advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.
- 15. Warranty**
- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated.

17. Prices

- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.

18. Variation orders

- 18.1 In cases where the estimated value of the envisaged changes in purchase does not vary more than 15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.

19. Assignment

- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the goods are required, or the supplier's services are not readily available.
- 21.4 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of penalties.
- 21.5 Upon any delay beyond the delivery period in the case of a goods contract, the purchaser shall, without cancelling the contract, be entitled to purchase goods of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

- 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
(a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2; (b) if the supplier fails to perform any other obligation(s) under the contract; or (c) if the supplier, in the judgement of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner, as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the supplier as having no objection and proceed with the restriction.
- 23.5 Any restriction imposed on any person by the purchaser will, at the discretion of the purchaser, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the purchaser actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
(i) the name and address of the supplier and / or person restricted by the purchaser;
(ii) the date of commencement of the restriction
(iii) the period of restriction; and
(iv) the reasons for the restriction. These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.
- 23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website

24. Antidumping and countervailing duties and rights

- 24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the supplier to the purchaser or the purchaser may deduct such amounts from moneys (if any) which may otherwise be due to the supplier in regard to goods or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure. 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

- 26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Notwithstanding any reference to mediation and/or court proceedings herein, (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
(b) the purchaser shall pay the supplier any monies due the supplier for goods delivered and / or services rendered according to the prescripts of the contract.
- 28. Limitation of Liability**
- 28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6; (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
- 29. Governing language**
- 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
- 30. Applicable law**
- 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified.
- 31. Notices**
- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties**
- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.
- 32.4 No contract shall be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.
- 33. Transfer of contracts**
- 33.1 The contractor shall not abandon, transfer, cede assign or sublet a contract or part thereof without the written permission of the purchaser
- 34. Amendment of contracts**
- 34.1 No agreement to amend or vary a contract or order or the conditions, stipulations or provisions thereof shall be valid and of any force unless such agreement to amend or vary is entered into in writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary shall be in writing, shall also be in writing.
- 35. Prohibition of restrictive practices**
- 35.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.
- 35.2 If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 Of 1998. 35.3 If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

SECTION 2.1: SPECIAL CONDITIONS OF CONTRACT & SPECIFICATIONS

2.1.1 Scope

- a) This standard covers the requirements for the manufacturing and supply of outdoor type miniature substations. It is applicable to medium voltage pre-fabricated MV/LV substations for systems with A.C. rated nominal voltages of 11kV. The specification is for Type B mini-substations up to and including a power rating of 1000 kVA for coastal applications.

2.1.2 Normative / informative references

- a) Miniature substations : SANS 1029, Edition 3.1 of 2016
Including specifications included as normative references forming part of SANS 1029, Edition 3.1
: Eskom specification for medium voltage miniature substations for systems with nominal voltages of 3.3 kV, 6.6 kV, 11 kV and 22 kV standard (240-56062752)
- b) Ring Main Units : SANS 1874, 2015
: Eskom specification for ring main units for systems with nominal voltages from 3.3 kV to 33 kV (240-56030406)
- c) Distribution transformers : SANS 780 Edition 5 of 2019.
- d) All departures from the requirements of the specification shall be stated; otherwise no departures will be permitted.

2.1.3 Technical Schedules

- a) The detailed specification of the equipment required is given in tabled form hereafter. It must be noted that Schedule A of each table gives information affecting and laying down the requirements for the equipment, whilst Schedule B is to be completed by the Tenderer in order to provide guarantees, technical and other particulars of the equipment offered and for acknowledgement of certain requirements.

Failure to submit the information in Schedule B, may be seen as submitting a non-responsive bid.

ITEM	DESCRIPTION	SCHEDULE A	SCHEDULE B (TO BE COMPLETED BY BIDDER)
1.	OPERATING CONDITIONS & GENERAL INFORMATION		
1.1	Nominal MV voltage	11kV	
1.2	Service conditions	a) humidity 98% b) ambient air pollution: Coastal / very heavy	
1.3	Altitude	Not exceeding 1800m	
1.4	Ambient air temperature	-10°C to 40°C	

1.5	Mini-sub type	Type B	
1.6	Mini-sub design	Modular	
2.	TRANSFORMER		
2.1	Rated lightning impulse withstand voltage level (MV equipment)	95kV	
2.2	Rated maximum power of the mini-sub kVA	a. 315 kVA b. 400 kVA c. 500 kVA d. 630 kVA e. 800 kVA	
2.3	Nominal voltage of system (Un) (kVrms)	11kV	
2.4	Transformer rated no-load secondary voltage	420V	
2.5	Rated short duration power frequency withstand voltage (50Hz)	28kV	
2.6	Number of phases	3	
2.7	Vector group	Dyn11	
2.8	System Frequency	50Hz	
2.9	Cooling	ONAN	
2.10	Method of sealing the cover (i.e. welded or bolted).	Bolted	
2.11	MV system earthing	Non-effective	
2.12	MV system fault level	20kA	
2.13	LV transformer neutral earthing	Solid connection of 70 mm ² copper to insulated LV neutral/earth bar	
2.14	Tap changer	a. Type: Offload, switch b. Secondary voltage regulation %	

		-5, - 2.5, 0, +2.5, +5	
2.15	Losses	a. No load losses, kW b. Load losses, kW	a. kW b. kW
2.16	MV bushing type	EN 50180 Type C with M16X2 thread	
2.17	Positioning of transformer bushings	a. Horizontal in a straight line b. bushing-centre spacing shall be \geq 180 mm c. distance between the outer bushing centres and the mini-sub metal enclosure shall be \geq 80 mm.	
2.18	Flat plate (e.g. glass, clear polycarbonate) oil level indicator fitted in accordance with SANS 780.	Yes	
2.19	Transformer overload protection facility	a. Fully integrated top-oil thermoelectric temperature-sensing element, capable of displaying the Top Oil Temperature °C and include two settable output contacts, one thereof for b. Tripping the tee-off Circuit Breaker through a 240V ac shunt-trip facility when the transformer top-oil temperature exceeds 98 °C. c. The relay used to provide the shunt-trip facility shall be housed in an enclosure and sealed with a stainless steel meter sealing wire and a 12 mm tinned copper ferrule. d. Top oil temperature gauge shall indicate the top oil temperature in degrees Celsius, and also include a separate resettable indicator for	

		Max Temperature °C. e. A dial type analogue gauge is preferred.	
2.20	Transformer winding material	a. MV winding – Cu b. LV winding - Cu	
2.21	Tank drain valve	Drain valve is required	
2.22	Transformer oil type	New oil, comply with SABS 555	
2.23	Manufacturer	For information	
3.	ENCLOSURE SPECIFICATION, MATERIALS AND CORROSION PROTECTION		
3.1	Base type (if not steel)	Steel, hot dip galvanised to SANS 121	
3.2	Is a base with a removable section required?	No	
3.3	Are roof lifting lugs required?	Yes	
3.4	Enclosure material (mini-sub enclosure, doors, lock protection facilities, and protection for photocell)	a. Standard version: Minimum 3mm thick 3CR12 or stainless steel b. High risk version: 6mm thick 3CR12 or stainless steel	
3.5	Is a lock protection facility required?	Yes	
3.6	Door locking mechanism:	a. Standard version: Three-point locking mechanism on each compartment door b. High risk version: Four-point locking mechanism (i.e. at the top-centre, bottom-centre, left-centre and right-centre) using bars operated by a heavy duty door handle shall be fitted.	
3.7	10mm Allen cap screw required in addition to locking mechanism on each	Yes	

	door		
3.8	Door accessories	<ul style="list-style-type: none"> a. Each switch compartment shall be provided with separate doors b. Door handles and door hinges shall be made from stainless steel, having measurements not less than 60mm wide and 6mm thick and not less than a 10mm diameter hinge pin. c. Doors shall be fitted with a restraining device to prevent whipping in windy weather. 	
3.9	Further requirements for the high risk version	<ul style="list-style-type: none"> a. All mini-sub doors (MV and LV) shall be recessed such that they are flush with the sides of the mini-sub enclosure. b. The doors shall be re-enforced using additional steel strength members diagonally welded from corner to corner on the inside surface of the door. c. Heavy duty hinges shall be fitted for the doors. 	
3.10	Is black epoxy tar paint required for the base?	Yes	
3.11	Suitable paint or coating system used to protect against corrosion	Spray painting of 3CR12 fabricated components – Epoxy/Polyurethane	
3.12	Corrosion protection for 3CR12 steel	Abrasive blasting and passivating before painting with one coat of appropriate primer and two coats of polyurethane based heat fused epoxy powder coating	
3.13	Paint colour	Avocado C12 in accordance with SANS 1091.	
3.14	LV assembly, material of structural parts	3CR12 or stainless steel	
3.15	Gland plate support structure and gland	Stainless steel	

	plates		
3.16	Packing / gasket between compartments	5mm thick cork gasket shall be installed between the mini-sub end compartments and the transformer tank section, between the base and the end compartments, and between the base and the transformer tank section.	
	Material of all bolts, nuts and studs	Brass, phosphor bronze, stainless steel, electro galvanised or cadmium plated steel. All bolts shall be fitted with locking washers.	
4	EARTHING		
4.1	LV earth busbar, if required	Separate LV earth bar and neutral bar required	
4.2	Is a separate earthing configuration required?	Separate MV earth bar required. Provide 70 mm ² copper connection between MV & LV earth	
5	MV COMPARTMENT AND EQUIPMENT		
5.1	Equipment required in MV compartment	Refer to RMU detail specification below Schedule A & B	
5.2	Configuration	a. Non-extensible b. 2 x switch disconnectors c. 1 x circuit breaker for local transformer feeder	
5.3	Current ratings	a. Switch disconnectors – 630A b. Circuit breaker – 200A	
5.4	Rated short duration power frequency rms withstand voltage level (MV equipment)	28kV	
5.5	Rated short time withstand rms current (MV equipment)	20kA	
5.6	Rated peak withstand current	50kA	
5.7	Dielectric medium	SF6	

5.8	Cable test facility required	Yes	
5.9	Cable "live" indication	Yes	
5.10	MV compartment barriers to be metallic	Yes	
5.11	Bushings	<p>a. Type C, complying to EN 50181</p> <p>b. Orientation – horizontal</p> <p>c. Bushings to have M16 x 2 thread and suitable for use on unscreened separable connectors (we currently use RICS boots)</p> <p>Bushing shall be fitted with M12 stainless steel reducing stems, M12 nut, washer and spring washers.</p>	
5.12	Transformer protection	Self powered protection relay	
5.13	CT ratios	200 / 100: 1A	
5.14	Protection CT type and class	5P10	
5.15	Type of MV cables to be terminated	3 core PILC up to 240mm ²	
5.16	Are earth fault indicators required?	Yes, with split core CT on one (1) MV cable	
5.17	RMU Manufacturer	For information	
5.18	RMU Make & model offered	For information	
6	LV ASSEMBLY		
6.1	Cables from the LV bushing of the transformer to the LV busbars to be flame retardant.	Yes	
6.2	LV Busbar finishing method	Tinned and colour coded	
6.3	Number of outgoing LV feeder bays	LV busbars and gland plate support structure pre-drilled to allow for up to 9 feeder bay,	
6.4	Gland plate arrangement	Provide six gland plates	
6.5	Are MCCBs to be used?	Yes	

6.6	Number and rating of each MCCB	a. 1 off, 150A, 3-pole 20kA b. 3 off, 200A, 3-pole 20kA c. 1 off, 250A, 3-pole 20kA	
6.7	MCCB Make & model offered	For information	
6.8	Are vertical fuse pillars to be used?	No	
6.9	Provide LV ammeters for all three phases?	Yes Instantaneous and maximum demand readings	
6.10	Provide one voltmeter with a selector switch to enable any one of the phase voltages to be read?	Yes	
6.11	Metering	a. SL7000-type bulk meter required to meter the consumption of the entire miniature substation. Allow for modem and automatic meter reading (AMR) function and antenna. b. No metering required for outgoing LV circuits c. Streetlight compartment: 3 phase kWh meter, 80 amperes d. Allow space for metering data concentrator.	
6.12	Provide main LV switch-disconnector in the LV compartment in order to isolate the LV busbars from the transformer?	a. Yes b. Switch disconnector wired to shunt trip from transformer thermometer output contacts. c. Switch disconnector suitably rated for transformer kVA rating.	
6.13	Provide a single-phase 16 A three-pin socket outlet in accordance with SANS 60884-1?	Yes	
6.14	Provide an LV compartment lampholder in accordance with SANS 61184?	No	

6.15	Standardized street lighting panel to be provided?	a. Yes b. Single pole 60A circuit breakers for outgoing streetlight circuits	
6.16	Rated supply voltage of closing and opening devices and auxiliary and control circuits	230V	
6.17	Auxiliary circuit wiring details	All auxiliary wiring shall be numbered using an approved type of numbering ferrule at both ends of the wire.	
7	LABELS AND NAME PLATES		
7.1	Method for attaching labels	Exterior labels: Pop-rivets Interior labels: Fixed with stainless steel screws.	
7.2	Primary voltage, secondary voltage and kVA rating stencilled on the front, centre.	Yes	
7.3	Stock number stencilled on the side or rear of the mini-sub.	No	
7.4	Other notices, nameplates and labels	a. 'Danger' notices as per OHS Act. Red lettering on a white background. b. LV & MV compartment door labels. The medium voltage compartment doors shall be provided with a "Danger Medium Voltage" label with letters not less than 40mm high. c. All labels for mounting on outdoor equipment shall be of an approved non-corrosive material and shall be fixed with stainless steel screws.	
8.	DOCUMENTATION TO BE SUPPLIED WITH THE TENDER		
8.1	Drawings	a. General arrangement drawings	

8.2	Test reports & certificates	a. Type test certificate for RMU b. Transformer test report c. SANS 780 (edition 5) certificate for transformer	
9.	SUPPLY AND DELIVERY		
9.1	Details: Manufacturer	Name and Address
9.2	Delivery Time	To Stores, from date of order placementweeks
9.3	Mass of equipment (for rigging purposes)	a. Standard version 315 kVA b. Standard version 400 kVA c. Standard version 500 kVA d. Standard version 630 kVA e. Standard version 800 kVA f. High risk version 315 kVA g. High risk version 400 kVA h. High risk version 500 kVA i. High risk version 630 kVA j. High risk version 800 kVA	

2.1.4 M V COMPARTMENT (With compact, metal-enclosed indoor switchgear in accordance with IEC 298.)

a) To contain the following:

- Standard specifications for Ring Main Unit switchgear.

2.1.4.1 General Conditions

- These specifications apply to factory-built, RMU type, metal-enclosed indoor switchgear.
- The equipment to be supplied shall come in the form of a compact switchboard and shall meet the following requirements:
 - Easy to install

- Safe and easy to operate
- Compact
- Low maintenance

2.1.4.2 Standards

- In order to be accepted, the switchgear shall comply with the requirements stated in the latest editions of the following recommendations, standard and specifications:
 - IEC standards
 - IEC 298 MV metal-enclosed switchgear,
 - IEC 265 MV switches,
 - IEC 129 AC disconnectors and earthing switches,
 - IEC 694 common clauses for MV switchgear standards,
 - IEC 56 MV AC circuit breakers,
 - IEC 801 monitoring and control
 - EC 529 degrees of protection procured by enclosures (IP code).

2.1.4.3 Service conditions

- The RMU shall be suitable for operations at a height of less than 1000 meters above sea level.
- The RMU shall be capable of operating normally within the following temperature range:
 - Maximum air temperature: + 40 °C
 - Minimum air temperature: - 25 °C
- Manufacturer shall declare whether RMU is able to operate in air temperature higher than + 40 °C and if current derating is necessary.
- The RMU shall be capable of being operated in electrically exposed locations.
- The RMU shall be capable of being installed in either concrete indoor substations or in compact metal substations and kiosks with an IP54 rating. Manufacturer shall give all details regarding its solution for free-standing outdoor installations when requested.

2.1.4.4 System Parameters

Network	Three phases - Three wires
Rated Voltage	17,5kV
Service Voltage	11kV
System Frequency	50 Hz
Lightning Impulse withstand Voltage	95kV
Power Frequency withstand voltage	28kV rms - 1 min
Rated Normal Current	
Line switch	630 A
Transformer feeder (circuit breaker)	200 A
Rated Short time current withstand (1 sec)	20 kA

Rated Short circuit making capacity of line switches and earthing switches	50 kA peak at Rated Voltage
Number of operations at rated short circuit current on line switches, earthing switches and CB	5 closing operations
Rated load interrupting current Line switch	630 A rms
Rated cable charging interrupting current Line switch	30 A
Rated magnetizing interrupting current Line switch	16 A
Number of mechanical operations Line switches and earthing switches Circuit breaker	1000 O/C 2000 O/C
Number of electrical operations at full loop current	100 O/C
Number of operations at rated short circuit current on circuit breaker	3 breaking operations

- a) All of the switchgear shall be capable of withstanding this current without any damage being caused, in accordance with the recommendations IEC 694 § 4.5, 4.6, 4.7 and IEC 298 § 4.5.

2.1.4.5 General stipulations regarding the design and development of switchgear

2.1.4.5.1 Introduction

- a) The RMU shall meet the criteria for compact, metal-enclosed indoor switchgear in accordance with IEC 298.
b) It shall include, within the same metal enclosure, the number of MV functional units required for connection, power supply and protection of transformers, i.e. Two (2) "network" switch disconnectors, One (1) "transformer protection" feeders, earthing switches.

2.1.4.5.2 Switchboards

- a) The switchgear and busbar shall all be contained in a stainless-steel enclosure filled with SF6 at 0.2 bar (200 kPa) relative pressure to ensure the insulation and breaking functions. Sealed for life, the enclosure shall meet the "sealed pressure system" criterion in accordance with the IEC 298 standard (appendix GG & 2.3 and 3.3): a system for which no handling of gas is required throughout the 30 years of service life. So, refilling valve is not required. In addition, manufacturer shall confirm that maximum leakage rate is lower than 0,1 % / year.
b) It shall provide full insulation, making the switchgear insensitive to the environment (temporary flooding, high humidity), IPX7 degrees of protection in accordance with recommendation IEC 529 & 14.2.7.

- c) Thus assembled, the active parts of the switchgear shall be maintenance-free and the switchboard shall be low-maintenance.
- d) The switchboards shall have an IP2XC protection index.
- e) The tank shall be made of at least 2 mm AISI 304 unpainted stainless steel and be able to withstand an accidental internal overpressure of at least 3 bars (3000 kPa)
- f) The colour shall be RAL 9002 for the enclosure and RAL9005 for the mimic panel.
- g) The switchboards shall be suitable for mounting on a trench, utilities space or base.
- h) Each switchboard shall be identified by an appropriately sized label which clearly indicates the functional units and their electrical characteristics.
- i) The switchgear and switchboards shall be designed so that the position of the different devices is visible to the operator on the front of the switchboard and operations are visible as well.
- j) In accordance with the standards in effect, the switchboards shall be designed so as to prevent access to all live parts during operation without the use of tools.

2.1.4.5.3 Dielectric medium

- a) SF6 gas is the preferred dielectric medium for MV RMUs. Oil filled switchgear will not be considered. SF6 gas used for the filling of the RMU shall be in accordance with IEC 376.
- b) It is preferable to fit an absorption material in the tank to absorb the moisture from the SF6 gas and to regenerate the SF6 gas following arc interruption.

2.1.4.5.4 Earthing of metallic parts

- a) There shall be continuity between the metallic parts of the switchboard and cables so that there is no electric field pattern in the surrounding air, thereby ensuring the safety of people.
- b) The substation frames shall be connected to the main earth busbar without dismantling any busbars.

2.1.4.5.5 Earthing of the main circuit

- a) The cables shall be earthed by an earthing switch with short-circuit making capacity, in compliance with IEC 129 standard. The earthing switch can only be operated when the switch is open.
- b) The earthing switch shall be fitted with its own operating mechanism and manual closing shall be driven by a fast-acting mechanism, independent of operator action.
- c) The moving contacts of the earthing switch shall be visible in the closed position through transparent covers.
- d) Mechanical interlocking systems shall prevent access to the operating shaft to avoid all operator errors such as closing the earthing switch when the switch is closed.

2.1.4.5.6 "Network" disconnectors

- a) They shall be maintenance-free, with breaking in low pressure SF6 gas. The position of the power contacts and earthing contacts shall be clearly visible on the front of the switchboard. The position indicator shall provide positive contact indication in accordance with IEC 265-1 standard. In addition, manufacturer shall prove reliability of indication in accordance with IEC 129 § 6.105 standard.

- b) The switches shall be of the "increased operating frequency" in accordance with IEC 265-1 § 3.104 standard. They shall have 3 positions, open-disconnected, closed and earthed, and will be constructed in such a way that natural interlocking prevents unauthorized operations.
- c) The switches shall be fully mounted and inspected in the factory.
- d) Manual opening and closing will be driven by a fast-acting mechanism, independent of operator action.
- e) Each switch can be fitted with an electrical operating mechanism in an especially reserved location, without any modification of the operating mechanism and without de-energizing the switchboard.
- f) The switch and earthing switch operating mechanism shall have a mechanical endurance of at least 1000 operations.

2.1.4.5.7 "Transformer protection" feeders

By circuit-breakers

- a) The circuit breakers shall be of the maintenance-free, low pressure SF6 gas type. The position of the power and earthing contacts shall be clearly visible on the front of the switchboard. The position indicator shall provide positive contact indication in accordance with IEC 265-1 standard. In addition, manufacturer shall prove reliability of indication in accordance with IEC 129 § 6.105 standard.
- b) The circuit breakers shall have three (3) positions: open-disconnected, closed and earthed and shall be constructed in such a way that natural interlocks prevent all unauthorized operations.
- c) They shall be fully mounted and inspected in the factory.
- d) An operating mechanism can be used to manually close the circuit breaker and charge the mechanism in a single movement.
- e) It shall be fitted with a local system for manual tripping by an integrated push button. There will be no automatic reclosing.
- f) The circuit breaker shall be associated with an integrated protection unit that will operate without any auxiliary power supply and shall include:
 - Three toroid transformers incorporated in the transformer tee-off bushings,
 - An electronic relay,
 - A low energy release,
 - A "fast-on" test receptacle for protection testing (with or without CB tripping)
- g) The protection system will ensure circuit breaker tripping as of a minimum operating current (I_s) which is the rated current of the transformer being protected and may be set to following ratings from 8 to 200A. Following settings shall be available:
 - Range 1 - 8 to 80 A: 8, 10, 12, 15, 18, 22, 28, 36, 46, 56, 68, 80
 - Range 2 - 20 to 200 A: 20, 25, 30, 37, 45, 55, 70, 90, 115, 140, 170, 200
- h) Phase to phase protection shall be able to work from 1,2 time the minimum operating current I_s .
- i) Upon request, ground fault protection shall also be provided.

- j) Electrical characteristics of the circuit-breaker function shall be at least greater than following values
- Rated current: 200A
 - Short-circuit breaking capacity: 20 kA / 12kV
 - 20 kA / 17,5 kV

2.1.4.5.8 RMU bushings and Cable terminations

2.1.4.5.8.1 Bushing

- a) It is preferable to have all bushings accessible from the front of the RMU. Bushing along the sides or the rear of the RMU is not acceptable.
- b) The bushing should be conveniently located for working with cables specified and allow for the termination of these cables in accordance with the instructions supplied for the MV 400 series, 400 A plug-in or 630 A M16 bolted connectors on line switch and for the MV 200 series 200 a plug-in connectors on transformer protection feeder.
- c) The profiles of the cable connection bushings shall be in compliance with EN-50181 standard.

2.1.4.5.8.2 Cable clamps

- a) A non-ferromagnetic cable clamp arrangement must be provided for all network cables terminated on the RMU

2.1.4.5.8.3 Padlocking facilities

- a) The circuit breakers and earthing switches can be locked in the open or closed position by 1 to 3 padlocks 6 to 8mm in diameter.

2.1.4.5.8.4 Voltage indicator lamps and phase comparators

- a) Each function shall be equipped with a voltage indicator box on the front of the device to indicate whether or not there is voltage in the cables. The capacitive dividers will supply low voltage power to the lamps.
- b) Three inlets can be used to check the synchronization of phases.
- c) This device shall be in compliance with IEC 1958 standard.

2.1.4.5.8.5 Safety of people

- a) Any accidental overpressure inside the sealed chamber will be limited by the opening of a pressure limiting device in the lower part of the enclosure. Gas will be released to the rear of the switchboard away from the operator. Manufacturer shall provide type test report to prove compliance with IEC 298 appendix AA 'Internal fault'.

2.1.4.5.8.6 Operating lever

- a) An anti-reflex mechanism on the operating lever shall prevent any attempts to reopen immediately after closing of the switch or earthing switch.
- b) All manual operations will be carried out on the front of the switchboard.
- c) The effort exerted on the lever by the operator should not be more than 250 N for the switch and 250 N for the circuit breaker.

2.1.4.5.8.7 Front plate

- a) The front plate shall have an IP2XC degree of protection. The front shall include a clear mimic diagram which indicates the different functions.
- b) The position indicators shall give a true reflection of the position of the main contacts. They shall be clearly visible to the operator.
- c) The lever operating direction shall be clearly indicated in the mimic diagram.
- d) The manufacturer's plate shall include the switchboard's main electrical characteristics.

2.1.4.5.8.8 Cable insulation testing

- a) It must be possible to test the core or the sheath insulation of the network cables while the RMU remains energized at rated voltage. It shall be preferable to carry out the phase by phase testing through a built-in facility without necessity to have an access to cable compartment. The maximum test voltage shall be less than 42 kV DC for 10 minutes.

2.1.4.5.8.9 Remote control of the RMU's

- a) A limited number of applications for remote operation of the RMU are required.
- b) Remote operation of the RMU's line switches must be possible using motors fitted to the operating mechanism. Fuse-switches combination does not need to be motorised.
- c) It shall be possible to fit the motors either directly in manufacturing plant or on site when required. Installation on site shall be possible with the RMU fully energised and manufacturer should provide detailed instructions for installation to the control mechanism. Auxiliary contacts for remote indication of switch status are also required.
- d) The fitting of the motors to the mechanism must not in any way impede or interfere with the manual operation of the switches. An auxiliary contact to prevent motorised operation of the mechanism while the operating handle is inserted into the operating point must also be provided
- e) The tenderer may wish to advise of options and cost for remote tele control units of the RMU and MV network tele control system.

2.1.4.5.8.10 Finishing

- a) The device shall be fully designed for use in a hot, humid atmosphere and shall be low-maintenance.
- b) All metallic parts shall have rust protection.
- c) Two lifting rings shall be installed on the top of the switchboards for handling.

2.1.4.6 TYPE AND ROUTINE TESTS

- a) According to the composition of the switchboard, various type test certificates can be supplied:
 - Impulse withstand test
 - Temperature-rise test
 - Short-time withstand current test
 - Mechanical operation test
 - Checking of degree of protection,

- Switch, circuit breaker, earthing switch making capacity.
 - Switch, circuit breaker breaking capacity.
 - Internal arc with stand.
 - Checking of partial discharge on complete unit.
- b) In addition, for switches, test reports on rated breaking and making capacity shall be supplied.
- c) For earthing switches, test reports on making capacity, short-time withstand current and peak short-circuit current shall be supplied.
- d) The routine tests carried out by the manufacturer shall be backed by test reports signed by the factory's quality control department. They shall include the following:
- Conformity with drawings and diagrams
 - Measurement of closing and opening speeds
 - Measurement of operating torque
 - Checking of filling pressure
 - Checking of gas-tightness
 - Checking of partial discharges on individual components
 - Dielectric testing and main circuit resistance measurement

2.1.4.7 QUALITY

- a) When requested by the customer, the supplier shall provide proof that he applies a quality procedure in compliance with the standard, namely:
- Use of a quality manual approved and signed by a top management representative
 - Periodic updating of the manual so that it reflects the quality control procedures in effect
 - ISO 9001 certification

SECTION 2.2: PRICING SCHEDULE

Pricing Instructions mean the criteria as set out below, read together with all Parts of this contract document, which it will be assumed in the contract that the tenderer has taken into account when developing his prices.

- 2.2.1 The short descriptions and category number given in the pricing schedule below are brief descriptions used to identify the activities for which prices are required.
- 2.2.2 For the purpose of the pricing schedule, the following words shall have the meanings hereby assigned to them:
- | | |
|-----------|--|
| Unit: | The unit of measurement for each item of work. |
| Quantity: | The number of units of work for each item. |
| Rate: | The agreed payment per unit of measurement. |
| Amount: | The product of the quantity and the agreed rate for an item. |
| Sum: | An agreed lump sum payment amount for an item, the extent of which is described in the Scope of Work, but the quantity of work which is not measured in any units. |
- 2.2.3 A rate, sum, percentage fee and/or price as applicable, is to be entered against each item in the pricing schedule. An item against which no price is entered will be considered as a no offer and the bidder will not be evaluated.
- 2.2.4 The rates, sums, percentage fees and prices in the pricing schedule are to be fully inclusive prices described under the several items. Such prices and rates are to cover all costs and expenses that may be required in and for the execution of the work described, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit.
- 2.2.5 Where quantities are given in the pricing schedule, these are provisional and do not necessarily represent the actual amount of work to be done. The quantities of work accepted and certified for payment will be used for determining payments due and not the quantities given in the pricing schedule. In respect of time based services, the allocation of staff must be agreed with the employer before such services are rendered.
- 2.2.6 All rates, sum, percentage fees or prices (as applicable) tendered in the pricing schedule shall be final and binding and shall not be subject to any variation throughout the period of the contract.
- 2.2.7 Only firm pricing will be accepted, non-firm prices (including prices subject to rates of exchange variations) will not be considered.
- 2.2.8 The bid will be evaluated based on the total cost of contract, meaning the rates multiplied with the estimated quantities. Should the bidder fail to submit a price for each line item as stated, the bid will be seen as non-responsive.
- 2.2.9 Prices should be inclusive of VAT and all other costs, including delivery costs.
- 2.2.10 Preferred and alternative bidders may be appointed depending on responsiveness.

ITEM NR.	DESCRIPTION	RATE	PRICE PER SUBSTATION (INCLUSIVE OF VAT, SUPPLY AND DELIVERY) Year 1 period ending 30 June 2023	PRICE PER SUBSTATION (INCLUSIVE OF VAT, SUPPLY AND DELIVERY) Year 2 1 July 2023 to 30 June 2024	PRICE PER SUBSTATION (INCLUSIVE OF VAT, SUPPLY AND DELIVERY) Year 3 1 July 2024 to 30 June 2025
1.	Miniature substation, standard version, With metal enclosed RMU, 315kVA	each			
2.	Miniature substation, standard version, With metal enclosed RMU, 400kVA	each			
3.	Miniature substation, standard version, With metal enclosed RMU, 500kVA	each			
4.	Miniature substation, standard version, With metal enclosed RMU, 630kVA	each			
5.	Miniature substation, standard version, With metal enclosed RMU, 800kVA	each			
6.	Miniature substation, high risk version, With metal enclosed RMU, 315kVA	each			
7.	Miniature substation, high risk version, With metal enclosed RMU, 400kVA	each			
8.	Miniature substation, high risk version, With metal enclosed RMU, 500kVA	each			
9.	Miniature substation, high risk version, With metal enclosed RMU, 630kVA	each			
10.	Miniature substation, high risk version, With metal enclosed RMU, 800kVA	each			
TOTAL					

ESTIMATED QUANTITIES THAT WILL BE USED FOR EVALUATION PURPOSES IS AS FOLLOWS:
NB: THE ESTIMATE QUANTITIES IS ONLY FOR EVALUATION PURPOSES AND WILL BE USE DURING THE EVALUATION PROCESS. NOT TO BE USED IN THE PRICING SCHEDULE.

Item	Description	Estimated Quantities
1.	Miniature substation, standard version, With metal enclosed RMU, 315kVA	1
2.	Miniature substation, standard version, With metal enclosed RMU, 400kVA	1
3.	Miniature substation, standard version, With metal enclosed RMU, 500kVA	2
4.	Miniature substation, standard version, With metal enclosed RMU, 630kVA	1
5.	Miniature substation, standard version, With metal enclosed RMU, 800kVA	1
6.	Miniature substation, high risk version, With metal enclosed RMU, 315kVA	1
7.	Miniature substation, high risk version, With metal enclosed RMU, 400kVA	1
8.	Miniature substation, high risk version, With metal enclosed RMU, 500kVA	2
9.	Miniature substation, high risk version, With metal enclosed RMU, 630kVA	1
10.	Miniature substation, high risk version, With metal enclosed RMU, 800kVA	1

SECTION 3.1: MBD1: BID FOR THE REQUIREMENTS OF THE MUNICIPALITY OF MOSSEL BAY

**PART A
INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE MOSSEL BAY MUNICIPALITY					
BID NUMBER:	TDR360/2022/2023	CLOSING DATE:	15 DECEMBER 2022	CLOSING TIME:	12:00
DESCRIPTION	SUPPLY AND DELIVERY OF MINIATURE SUBSTATIONS FOR MOSSEL BAY MUNICIPALITY				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).					

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT:

The Tender Box Mossel Bay Municipality P O Box 25 MOSSEL BAY 6500					
Or					
deposited in the tender box at the Entrance of the Mossel Bay Town Hall, 101 Marsh Street, Mossel Bay					
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
TAX COMPLIANCE STATUS	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		<input type="checkbox"/> Yes

	<input type="checkbox"/> No		<input type="checkbox"/> No
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]			
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER PART B:3]
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE	R
SIGNATURE OF BIDDER	DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT	SCM	CONTACT PERSON	Mr. Morné Olivier
CONTACT PERSON	Ms Nicole Saunders	TELEPHONE NUMBER	(044) 606-5083
TELEPHONE NUMBER	(044) 606-5194	FACSIMILE NUMBER	N/A
FACSIMILE NUMBER	N/A	E-MAIL ADDRESS	molivier@mosselbay.gov.za
E-MAIL ADDRESS	nsaunders@mosselbay.gov.za		

PART B
TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED – (NOT TO BE RE-TYPED) OR ONLINE
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA .
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.6	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.7	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? <input type="checkbox"/> YES <input type="checkbox"/> NO
<p>IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.</p>	

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.
NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

DATE:

SECTION 4.1 MBD4: DECLARATION OF INTEREST

1. No bid will be accepted from persons in the service of the state*.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**
 - 3.1 Full Name of bidder or his or her representative:
 - 3.2 Identity Number:
 - 3.3 Position occupied in the Company (director, trustee, shareholder²):
 - 3.4 Company registration number:
 - 3.5 Tax Reference Number:
 - 3.6 VAT Registration Number:
 - 3.7 The names of all directors / trustees / shareholder's members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
 - 3.8 Are you presently in the service of the state? **YES / NO**
 - 3.8.1 If so, furnish particulars.
.....

* MSCM Regulations: "in the service of the state" means to be –

- (a) a member of –
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

3.9 Have you been in the service of the state for the past twelve months? **YES / NO**

3.9.1 If so, furnish particulars.

.....

3.10 Do you, have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.10.1 If so, furnish the following particulars:

.....

3.11 Are you, aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If so, furnish particulars

.....

3.12 Are any of the company's directors, managers, principal shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If so, furnish particulars.

.....

3.13.1 Are any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in service of the state? **YES / NO**

3.13.2 If so, furnish particulars.....

3.14. Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract? **YES / NO**

3.14.1 If yes, furnish particulars:.....

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number	Income Tax Number

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

SECTION 4.2: MBD 5: Declaration for procurement above R10 million

For all procurement expected to exceed R10 million (VAT included), bidders must complete the following questionnaire:

1. Are you by law required to prepare annual financial statements for auditing? **YES/NO**
- 1.1 If yes, submit audited annual financial statements for the past three years or since the date of establishment during the past three years.
.....
.....
.....
2. Do you have any outstanding undisputed commitments for municipal services towards a municipality or any other service provider in respect of which payment is overdue for more than 30 days? **YES/NO**
- 2.1 If no, this serves to certify that the bidder has no undisputed commitments for municipal services towards a municipality or other service provider in respect of which payment is overdue for more than 30 days.
.....
.....
.....
- 2.2 If yes, provide particulars:
.....
.....
.....
3. Has any contract been awarded to you by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract? **YES/NO**
- 3.1 If yes, furnish particulars.
.....
.....
.....
4. Will any portion of goods or services to be sourced from outside the Republic and, if so, what portion and whether any portion of payment from the municipality entity is expected to be transferred out of the Republic? **YES/NO**
- 4.1 If yes, furnish particulars.
.....
.....
.....

SECTION 4.3 MDB 6.1: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2

- a) The value of this bid is estimated to exceed/not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 or 90/10 preference point system shall be applicable; or
- b) Either the 80/20 or 90/10 preference point system will be applicable to this tender (*delete whichever is not applicable for this tender*).

1.3 Points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contributor.

1.4 The maximum points for this bid are allocated as follows:

	POINTS	POINTS
PRICE	80	90
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20	10
Total points for Price and B-BBEE must not exceed	100	100

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2.

- (i)

3.

4.

4.1

A maximum of 80 or 90 points is allocated for price on the following basis:

or

$$P_s = 80 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right) \text{ or}$$
$$P_s = 90 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

P_{min} = Price of lowest acceptable bid

4.2 FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME-GENERATING PROCUREMENT

4.3 POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

or

90/10

$$Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right) \text{ or } Ps = 90 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmax = Price of highest acceptable bid

5. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

5.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

6. BID DECLARATION

6.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

7. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

7.1 B-BBEE Status Level of Contributor: . =(maximum of 10 or 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

8. SUB-CONTRACTING

8.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES		NO	
-----	--	----	--

8.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....
- iv) Whether the sub-contractor is an EME or QSE

(Tick applicable box)

YES		NO	
-----	--	----	--

- v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at least 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

9. DECLARATION WITH REGARD TO COMPANY/FIRM

9.1 Name of company/firm:.....

9.2 VAT registration number:.....

9.3 Company registration number:.....

9.4 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One person business/sole propriety

- ☐ Close corporation
- ☐ Company
- ☐ (Pty) Limited

[TICK APPLICABLE BOX]

9.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....

.....

.....

.....

9.6 COMPANY CLASSIFICATION

- ☐ Manufacturer
- ☐ Supplier
- ☐ Professional service provider
- ☐ Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

9.7 MUNICIPAL INFORMATION

Municipality where business is situated:

Registered Account Number:

Stand Number:.....

9.8 Total number of years the company/firm has been in business:.....

9.9 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBEE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to

make less favourable arrangements due to such cancellation;

- (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution.

WITNESSES

1.

2.

.....
SIGNATURE(S) OF BIDDERS(S)

DATE:

ADDRESS

.....

.....

SECTION 4.4: MBD 6.2: DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) makes provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, where in the award of bids local production and content is of critical importance, such bids must be advertised with the specific bidding condition that only locally produced goods, services or works or locally manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on [http://www.thedti.gov.za/industrial development/ip.jsp](http://www.thedti.gov.za/industrial%20development/ip.jsp) at no cost.

- 1.6 A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation

2. Definitions

- 2.1. **“bid”** includes written price quotations, advertised competitive bids or proposals;
- 2.2. **“bid price”** price offered by the bidder, excluding value added tax (VAT);
- 2.3. **“contract”** means the agreement that results from the acceptance of a bid by an organ of state;
- 2.4. **“designated sector”** means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. **“duly sign”** means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility (close corporation, partnership or individual).
- 2.6. **“imported content”** means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its subcontractors) and which costs are inclusive of the costs abroad (this includes labour or intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. **“local content”** means that portion of the bid price which is not included in the imported content, provided that local manufacture does take place;
- 2.8. **“stipulated minimum threshold”** means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. **“sub-contract”** means the primary contractor’s assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.

3. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

<u>Description of services, works or goods</u>	<u>Stipulated minimum threshold</u>
Steel Substation Structures	100%
Powerline hardware	100%

4. Does any portion of the services, works or goods offered have any imported content?

(Tick applicable box)

YES		NO	
-----	--	----	--

- 4.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za.

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

6. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION
(REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

ISSUED BY: (Procurement Authority / Name of Institution):

.....

NB

1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.

2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thdti.gov.za/industrial_development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),
do hereby declare, in my capacity as
of(name of bidder entity), the following:

(a) The facts contained herein are within my own personal knowledge.

(b) I have satisfied myself that:

- (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (ii) the declaration templates have been audited and certified to be correct.

(a) The local content percentage (%) indicated below has been calculated using the formula given in clause

3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

(d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.

(e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2011 promulgated under the Preferential Policy Framework Act (PPFA), 2000 (Act No. 5 of 2000).

SIGNATURE: _____

DATE: _____

WITNESS No. 1 _____

DATE: _____

WITNESS No. 2 _____

DATE: _____

Annex C

Local Content Declaration - Summary Schedule

(C1)	Tender No.	TDR360/2022/2023				Note: VAT to be excluded from all calculations	
(C2)	Tender description	SUPPLY AND DELIVERY OF MINIATURE SUBSTATIONS FOR NOSSEL BAY MUNICIPALITY					
(C3)	Designated product(s)						
(C4)	Tender Authority						
(C5)	Tendering Entity name						
(C6)	Tender Exchange Rate	Pula		EU		GBP	
(C7)	Specified local content %						

Calculation of local content									Tender summary			
	Tender item no's	List of items	Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
	1.	Miniature substation, standard version, With metal enclosed RMU, 315kVA							1			
	2.	Miniature substation, standard version, With metal enclosed RMU, 400kVA							1			
	3.	Miniature substation, standard version, With metal enclosed RMU, 500kVA							2			

	4.	Miniature substation, standard version, With metal enclosed RMU, 630kVA								1			
	5.	Miniature substation, standard version, With metal enclosed RMU, 800kVA								1			
	6.	Miniature substation, high risk version, With metal enclosed RMU, 315kVA								1			
	7.	Miniature substation, high risk version, With metal enclosed RMU, 400kVA								1			
	8.	Miniature substation, high risk version, With metal enclosed RMU, 500kVA								2			
	9.	Miniature substation, high risk version, With metal enclosed RMU, 630kVA								1			
	10.	Miniature substation, high risk version, With metal enclosed RMU, 800kVA								1			

(C20) Total tender value

(C21) Total Exempt imported content

(C22) Total Tender value net of exempt imported content

(C23) Total Imported content

(C24) Total local content

(C25) Average local content % of tender

Date:

SECTION 4.5: MUNICIPAL RATES AND SERVICES

Names of Directors/Partners/Senior Managers	Physical residential address of the Director/Partner/Senior Manager	Residential Municipal Account number(s)	Name of Municipality

NB: Please attach copy/copies of Municipal Account(s)

DECLARATION

I, THE UNDERSIGNED (NAME)

CERTIFY THAT THE INFORMATION FURNISHED ABOVE IS CORRECT. I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

SECTION 4.6: AUTHORITY FOR SIGNATORY

We, the undersigned, hereby authorize Mr / Mrs acting in his/her capacity

as of the business trading as to sign all

documentation in connection with Tender

NAME OF MEMBERS / DIRECTORS	SIGNATURE	DATE

Note: If bidders attached a copy of their Authorised Signatory is it not necessary to complete this form.

SECTION 4.7: MBD8: DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. wilfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	<p>Is the bidder or any of its directors listed on the National Treasury's database as a company or person prohibited from doing business with the public sector?</p> <p>(Companies or persons who are listed on this database were informed in writing of this restriction by the National Treasury after the audi alteram partem rule was applied).</p> <p>The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.</p>	<p>Yes</p> <p><input type="checkbox"/></p>	<p>No</p> <p><input type="checkbox"/></p>
4.1.1	If so, furnish particulars:		
4.2	<p>Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?</p> <p>The Register Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.</p>	<p>Yes</p> <p><input type="checkbox"/></p>	<p>No</p> <p><input type="checkbox"/></p>

4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.7.1	If so, furnish particulars:		

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME)CERTIFY THAT THE

INFORMATION FURNISHED ON THIS DECLARATION FORM TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

SECTION 4.8 MBD 9: CERTIFICATE OF INDEPENDENT BID DETERMINATION

1. This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
2. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging). ² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
3. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
4. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
5. In order to give effect to the above, the attached Certificate of Bid Determination (MBD9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

**TDR360/2022/2023: SUPPLY AND DELIVERY OF MINIATURE SUBSTATIONS FOR MOSSEL BAY
MUNICIPALITY**

in response to the invitation for the bid made by:

MOSSEL BAY MUNICIPALITY

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:

 (a) has been requested to submit a bid in response to this bid invitation;
 (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.

8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.

9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SECTION 5: DECLARATION

1. I hereby declare that I have read, understood, agree and comply with all of the sections below, if included, that it shall be deemed to form and be construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations, 2017;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
2. I confirm that I am duly authorised to sign this document.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES

1.

2.

DATE:

SECTION 6: CONTRACT FORM: PART 1 (TO BE FILLED IN BY THE BIDDER)**MBD 7.1**

BOTH THE SERVICE PROVIDER (PART 1) AND THE LESSEE (PART 2) MUST FILL THIS FORM IN DUPLICATE. BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE LESSEE WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

1. The following documents shall be deemed to form and be read and construed as part of this agreement:

- (i) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations, 2017;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination
 - Special Conditions of Contract;
- (ii) General Conditions of Contract; and
- (iii) Other (specify)

2. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.

I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.

3. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.

4. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES

1.

2.

DATE:

SECTION 6: CONTRACT FORM: PART 2 (TO BE FILLED IN BY THE PURCHASER)

1. I..... in my capacity as **Director: Infrastructure Services**
accept your bid under reference number **TDR360/2022/2023** dated..... for the supply of
goods/works indicated hereunder and/or further specified in the annexure(s).
2. An official order indicating delivery instructions is forthcoming.
3. I undertake to make payment for the goods/works delivered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery note.

ITEM NO	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)

4. I confirm that I am duly authorized to sign this contract.

SIGNED ATON.....

NAME (PRINT)

SIGNATURE

OFFICIAL STAMP

WITNESSES

1.

2.

DATE

THE RESOLUTION TAKEN BY THE BOARD OF DIRECTORS OF A JOINT VENTURE

RESOLUTION of a meeting of the Board of Directors / Members / Partners of

NAME OF TENDERER (Must agree with bidder details)

Held at _____ on _____
(Place) (Date)

RESOLVED THAT:

1. The enterprise submits a Tender to Mossel Bay Municipality in respect of the following:

TDR360/2022/2023: SUPPLY AND DELIVERY OF MINIATURE SUBSTATIONS FOR MOSSEL BAY MUNICIPALITY

(list all the legally correct full names and registration numbers, if applicable, of the Enterprises forming the Joint Venture).

_____ and

_____ and

_____ and

_____ and

_____ and

_____ and

2. Mr./Mrs./Ms. _____

In his/her capacity as _____

and who will sign as follows: _____

(SPECIMEN SIGNATURE)

be, and is hereby, authorised to sign the Tender and all other documents and/or correspondence in connection with and relating to the Tender, as well as to sign any contract, and or all documentation resulting from the award of the Tender to the **Joint Venture** enterprise mentioned above.

3. The enterprise in the form of a joint venture accept jointly and several liability, with parties under item 1 above for the fulfilment of the obligations of the joint venture deriving from, and in any way connected with the contract to be entered with the Mossel Bay Municipality in respect of the project described above under item 1.

4. The **Joint Venture** enterprise chooses as its domicilium citandi et executandi for all purposes arising from the joint venture agreement and contract with the Mossel Bay Municipality in respect of the project under item 1:

(Physical Address) _____

Note: The resolution **must be signed by all directors or members / partners** of the bidding enterprise. Should the space provided below not be enough for all the directors to sign, please provide a separate sheet in the same format below:

NB: **COMPULSARY TO BE COMPLETED** IN CASE OF JOINT VENTURE

NAME		ID NUMBER	DIRECTORS/OWNERS PERSONAL TAX NO	SIGNATURE
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

Name of Joint Venture	
Names of Each Enterprise:	
(1) Name and Address of Enterprise:	
(2) Name and Address of Enterprise:	
(3) Name and Address of Enterprise:	
Has an original valid Tax Clearance Certificate been submitted for each enterprise:	Yes <input type="checkbox"/> No <input type="checkbox"/>
CIDB Registration Number(s), if applicable:	

Submit your Joint Venture Agreement together with this tender document. If no Joint Venture Agreement is submitted, the tender will be seen as non-responsive.

SIGNED ON BEHALF OF JOINT VENTURE _____

MOSSEL BAY MUNICIPALITY

COMPULSARY DOCUMENTATION/CHECKLIST TO TENDER DOCUMENT

Please ensure that the following forms have been duly completed and signed and that all documents as requested, are attached to the tender document: (Failure to submit this documentation will result in the tender being non-responsive). **(To be completed and signed by the Bidder):**

Nr	Description	YES	NO
1.	Valid tax clearance certificate and PIN		
2.	Valid original OR valid copy of B-BBEE certificate or sworn affidavit as per legislation		
3.	Valid letter OR valid copy of Letter of Good Standing from the Compensation Commissioner		
4.	Copy of the latest (month prior to tender closure) <u>Municipal Accounts</u> of the following:		
	- Business		
	- Directors/Members/Owners of the Business		
	OR		
	Copy of the <u>Lease Agreements</u> or <u>Rental Statement</u> of the following:		
	- Business		
	- Directors/Members/Owners of the Business		
5.	Copy of CIDB registration (if applicable)	N/A	N/A
6.	MBD 1 – Is the form duly completed and signed?		
7.	MBD 4 – Is the form duly completed?		
8.	MBD 5 – Declaration for procurement above R10 million.		
9.	MBD 6.1 – Is the form duly completed and signed?		
10.	MBD 6.2 – Is the forms duly completed and signed?	N/A	N/A
11.	Authorised Signatory – Is the form completed OR resolution attached?		
12.	All required sections <u>completed and signed</u> by the Authorised Signatory?		
13.	MBD 8 – Is the form duly completed and signed?		
14.	MBD 9 – Is the form duly completed and signed?		

15.	Declaration - Is the form duly completed and signed?		
16.	Contract form - Is the form duly completed and signed?		
ADDITIONAL DOCUMENTS APPLICABLE TO THIS TENDER			
17.	Section 2.1.3 – to be completed.		

I, confirm that all compulsory documents for this tender is duly completed, signed and attached to this tender document.

.....
Signature

.....
Date