1	1	1	DESCRIPTION SECTION NO. 1	UNIT	QUANTI
1	1	1	BILL NO. 1		
1	1	1	PRELIMINARIES		
1	1	1	BUILDING AGREEMENT AND PRELIMINARIES		
		1	All prices/rates to be net, excluding Value Added Tax		
		1	General		
		1	1) The agreement is to be the JBCC Series 2000 Principal Building Agreement (Edition 4.1) prepared by the Joint Building Contracts Committee, March 2005- has V6.2		
1	1	1	ii) The preliminaries are to be the JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee, March 2005 edition and shall be deemed to be incorporated herein		
1	1	1	(s) Tenderers are referred to the abovementioned documents for the full intent and meaning of each clause thereof (hereinafter referred to by heading and clause number only) for which such allowance must be made as may be considered necessary		
1	1	1	iii) Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading		
1	1	1	v) Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")		
		1	vi Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")		
			vi) If Alternative A as set out in clause BIO.3 hereinafter is to be used for the adjustment of the preliminaries each item priced is to be allocated to one or more of the three categories, where *F* denotes a fixed amount (amount not to be varied),		
1	1	1	The denotes an amount variable in proportion to value and "The denotes an amount in proportion to time."		
1	1	1	vi) Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bidd" or "Bidder"		
1	1	1	AL DEFINITIONS AND INTERPRETATION		
1	1	1	Clause 1.0 Clause 1.1 Definition of "Commencement Date" is added:		
1	1	1	*Commencement date" means the date that the agreement, made in terms of the Form of Offer and Acceptance, comes into effect		
1	1	1	Clause 1.1 Definition of "Construction Guarantee" is amended by replacing it with the following:		
1	1	1	"Construction guarantee" means guarantee at call obtained by the contractor from an institution approved by the employer in terms of the employer's construction guarantee form as selected in the schedule		
1	1	1	Clause 1.1 Definition of "Construction Period" is amended by replacing it with the following:		
1	1	1	"Construction period" means the period commencing on the commencement date and ending on the date of practical completion		
		1	Clause 1.1 Definition of "Corrupt Practice" is added:		
		1	"Corrupt Practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution		
		1	Chause 1.1 Definition of "Fraudulent Practice" is added:		
	-	-	Clause 1.1 Definition of "Praviouent Practice" is adoed: "Fraudulent Practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any tenderer and includes collusive practice among tenderers (prior to or after the tender		
2	1	1	Pradulent Practice: means a multipresentation or racts find order to influence a procurement process or the execution of a Contract to the certified and presentation or racts find order to influence a procurement process or the execution of a Contract to the certified and presentation or a Contract to the Contract to		
2	1	1	Clause 1.1 Definition of "Interest" is amended by replacing it with the following:		
			"Interest" means the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be the rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public		
2	1	1	Finance Management Act, 1999 (Act No. 1 of 1999).		
2	1	1	Clause 1.1 Definition of "Principal Agent" is amended by replacing it with the following:		
2	1	1	"Principal Agent" means the person or entity appointed by the employer and named in the schedule. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by a reconsensative of the employer as named in the schedule.		
		1	Clause 1.1 Definition of "Security" is amended by replacing it with the following:		
		1	"Security" means the form of security provided by the employer or contractor, as stated in the schedule, from which the contractor or employer may recover expense or loss		
-					
		1	Clause 1.6 is amended by replacing the words "prepaid registered post, telefax or e-mail" with "prepaid registered post or telefax"		
		1	Clause 1.6.4 is amended by replacing it with the following:		
		1	No clause		
2			Fixed: Value related: Time related:	Item	
2	1	1	OBJECTIVE AND PREPARATION		
2	1	1	A2 OFFER, ACCEPTANCE AND PERFORMANCE		
2	1	1	Clause 2.0		
2	1	1 2	Facet: Value related: Time related:	Item	
2	1	1	A3 DOCUMENTS		
2	1	1	Cause 3.0		
			Clause 3.2.1 is amended by replacing "14.1" with "14.0" Clause 3.7 is amended by the addition of the following: The contractor shall supply and keep a copy of the JBCC Series 2000 Principal Building Agreement and Preliminaries applicable to this		
		1	contract on the site, to which the employer, principal agent and agents shall have access at all times. Clause 3.10 is amended by replacing the second reference to "principal agent" with the word "employer"		
-		1 3	Fixed:Value related: Time related:	Item	
2	1	1	aa design responsibility		
2	1	1	Cause 4.0		
2	1	1	Clause 4.3 is amended by replacing it with the following: No clause		
2	1	1 4	Fixed:Value related: Time related:	Item	
2	1	1	AS EMPLOYERS AGENTS		
2	1	1	Clause 5.0		
2	1	1	Clause 5.1.2 is amended to include clauses 32.6.3, 34.3, 34.4 and 38.5.8		
2	1	1 5	Fixed:Value related: Time related:	Item	
2	1	1	AG SITE REPRESENTATIVE		
2	1	1	Chuse 6.0		
2	1	1 6	Fixed: Value related: Time related:	Item	
		1	AZ COMPLIANCE WITH REGULATIONS		
		1	Clause 7.0		
			Fixed: Value related: Time related:	Item	
		1 /	AS WORKS RISK	nent	
		1	Clause 8.0		
			Fixed: Value related: Time related:	Item	
		1	A9 INDEMNITIES		
3	1	1	Clause 9.0		
3	1	1 9	Fixed:Value related: Time related:	Item	
3	1	1	A10 WORKS INSURANCES		
3	1	1	Clause 10.0		
			The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property configuous to the		
ä	1	1	site, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract General Insurances (slause 10		
3		1	site, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract		

				1	i	
3	1	1	(b) The contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works			
3	1	1	(c) The employer shall carry the risk of damage to or destruction of the works and material paid for by the employer that is the result of the excepted risks as set out in 10.6			
			(d) Where the employer bears the risk in terms of this contract, the contractor shall, if requested to do so, reinstate any damage or destroyed portions of the works and the costs of such reinstatement shall be measured and valued in terms of 32.6)		
1	1	1	hereof			
1	1	1	10.6 injury to Persons or loss of or damage to Properties			
3	1	1	(a) The contractors shall be lable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever laring out of or in the course of or caused by the execution of the works in whose due to any act or neglect of any person for whose actions the employer is seality librarion of the works in whose due to any act or neglect of any person for whose actions the employer is seality librarion.			
			(b) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site,			
3	1	1	whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally failable			
3	1	1	(c) The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion			
			(d) Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works	.		
4	1	1	will telinal adequately assure to insure to the special training states in the contract against the death of or injury to persons of unanage to soon property consequent on soon removable more reference with the special training and property consequent to soon property consequent to			
4	1	1	(e) The contractor shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the works			
	1	1	10.7 High risk insurance			
4			In the event of the project being executed in a geological area classified as a "High Bisk Area", that is an area which is subject to highly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or doline			
4	1	1	formation the following will apply:			
4	1	1	10.7.1 Damage to the works			
			The contractor shall, from the commencement date of the works until the date of the certificate of practical completion bear the full risk of and hereby indemnifies and holds harmless the employer against any damage to and/or destruction of the			
4	1	1	works consequent upon a catastrophic ground movement as mentioned above. The contractor shall take such precautions and security measures and other steps for the protection of the works as he may deem necessary.			
4	1	1	10.7.2 Injury to persons or loss of or damage to property			
	1	1	The contractor shall be liable for and hereby indemnifies and holds harmless the employer against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of or caused by a catastrophic ground movement as mentioned above.	:		
-	•	•	upon personal injuries to di une destri di any personi windinsoeren restating indui, a bing dut di di cased uy a diadatrophic gi dutin invenienta a mentodeto adove.			
			The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property contiguous to the			
4	1	1	site, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract.			
4	1	1	10.7.3 it is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and fability as mentioned in 10.7.1 and 10.7.2 will 1			
			10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages			
4	1	1	may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered on indivisible whole.			
4	1	1	[0 Fixed: Value related: Time related:	Item	1	
4	1	1	A11 LIABILITY INSURANCES			
4	1	1	Clause 11.0			
,	1		11 Fixed: Value related: Time related:	Item		
	1	1	A12 EFFECTING INSURANCES	iteiii	1	
4		1				
4	1		Clause 12.0			
4	1		2 Fixed: Value related: Time related:	Item	1	
4	1	1	A13. No clause			
4	1		3 Fixed:Value related: Time related:	Item	1	
5	1	1	AAS SECURITY			
5	1	1	Clause 14.0			
5	1	1	Clauses 14.1 - 14.8 are amended by replacing them with the following:			
5	1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutandi in terms of 31.8(A)			
5	1	-	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over			
5	1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer compiles with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor			
5	1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.2 In repect of contracts with a contract sum above Rt million, the contractor shall have the right to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security shall be provided to the employer within twenty-one coll calendar days within twenty-one call calendar days.			
5 5	1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.2 In respect of contracts with a contract and above Rt million, the contractor shall have the right to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security shall be provided to the employer with the selected security within terms of 14.7 shall be deemed to have been selected.			
5 5 5	1 1 1	1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.2 In respect of contracts with a contract sum above R1 million, the contractor shall have the right to select the security to be provided in terms of 14.3, 14.4, 15.0 r 14.6, as stated in the schedule. Such security shall be provided within twenty-one (21) calendar days from commencement date. Should the contractor fall to elect the security to be provided or should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contract of the security as a cash deposit of ten per cent (10%) of the contract sum (seculding VAT) has been selected:			
5 5 5 5	1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the obligations to refund the payment reduction security or portions thereof to the contractor shall be contracted to the contractor of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security shall be provided to the employer within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date			
5 5 5 5	1 1 1	1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.2 In respect of contracts with a contract sum above R1 million, the contractor shall have the right to select the security to be provided in terms of 14.3, 14.4, 15.0 r 14.6, as stated in the schedule. Such security shall be provided within twenty-one (21) calendar days from commencement date. Should the contractor fall to elect the security to be provided or should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contract of the security as a cash deposit of ten per cent (10%) of the contract sum (seculding VAT) has been selected:			
5 5 5 5 5	1 1 1 1 1 1	1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over its collaptions to refund the payment reduction security in protrions thereof to the contractor of the contractor o			
5 5 5 5 5	1 1 1 1 1 1 1 1	1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his deligations to refund the payment reduction security in or portions thereof to the contractor with a contractor shall be mutation security or portions thereof to the contractor with a contractor shall contract such as contracts with a contract such as contracts with a contract shall be contract shall be provided in the schedule. Such security viable provided in the employer within twenty-one (21) calendar days from commencement date. Should the contractor fall to select the security to be provided or should the contractor fall to provide security within twenty-one (21) calendar days from commencement date, the security is the terms of 14.7 shall be employer. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) has been selected: 14.3.1 The contractor shall furnish the employer with a cash deposit equal in value to ten per cent (10%) of the contract sum (excluding VAT). Within twenty-one (21) calendar days from commencement date 14.3.2 Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor.			
5 5 5 5 5	1 1 1 1 1 1	1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his deligations to refund the payment reduction security or portions thereof to the contractor has been selected to the contractor of the contractor with the provision of 33.4 in which event the employer's entitlement shall take precedence over his deligations to refund the payment reduction security or portions thereof to the contractor of the contractor fall to select the security to be provided or should the contractor fall to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Should the contractor fall to provide the employer with the selected security within twenty-one [21] calendar days of the contractor of the contractor of the contractor of the provided or should the contractor fall to provide the employer with the selected security within twenty-one [21] calendar days of the contract of the payment of the contractor shall furnish the employer with a cash deposit of the per cent [10%] of the contractor shall furnish the employer with a cash deposit on the shall furnish the employer with a cash deposit on the contractor shall furnish the employer with a cash deposit on the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent [3%] of the contract value (excluding VAT), and refund the balance to the contractor 14.3.3 Within twenty-one [21] calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent [1%] of the contract value (excluding VAT)			
5 5 5 5 5 5	1 1 1 1 1 1 1 1	1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his deligations to refund the payment reduction security in or portions thereof to the contractor with a contractor shall be mutation security or portions thereof to the contractor with a contractor shall contract such as contracts with a contract such as contracts with a contract shall be contract shall be provided in the schedule. Such security viable provided in the employer within twenty-one (21) calendar days from commencement date. Should the contractor fall to select the security to be provided or should the contractor fall to provide security within twenty-one (21) calendar days from commencement date, the security is the terms of 14.7 shall be employer. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) has been selected: 14.3.1 The contractor shall furnish the employer with a cash deposit equal in value to ten per cent (10%) of the contract sum (excluding VAT). Within twenty-one (21) calendar days from commencement date 14.3.2 Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor.			
5 5 5	1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the deligations to reduct the payment reduction recovery or portions thereof to the contractor of the contractor fall to select the security to be provided or should the contractor fall to provide the employer within twenty-one [21] calendar days from commencement date. Should the contractor fall to select the security to be provided or should the contractor fall to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Should the resemble of the expense of a 73.1 the deemed to have been selected. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) has been selected: 14.3.1 The contractor shall furnish the employer with a cash deposit equal in value to ten per cent (10%) of the contract sum (excluding VAT) within twenty-one [21] calendar days from commencement date 14.3.2 Within twenty-one [21] calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.3 Within twenty-one [21] calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.4.0 On the date of payment of the amount in the final payment certificate, the employer			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the deligations to refund the payment reduction security or pertinons thereof to the contractor of the contractor o			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his collipations to refund the payment reduction security in protrions thereof to the contractor of the contractor of the payment reduction security in protrions thereof to the contractor of the percent (10%) of the contract of the contractor of the contractor of the percent (10%) of the contract of the contractor of the contractor of the percent (10%) of the contract sum (excluding VAT) has been selected: 14.3.1 The contractor shall furnish the employer with a cash deposit of the percent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (2%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.3 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (2%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.4.0 The balance of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cent (2%) of the contract value (excluding VAT) and re			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his collipations to refund the payment reduction security in protrions thereof to the contractor of the contractor of the payment reduction security in protrions thereof to the contractor of the percent (10%) of the contract of the contractor of the contractor of the percent (10%) of the contract of the contractor of the contractor of the percent (10%) of the contract sum (excluding VAT) has been selected: 14.3.1 The contractor shall furnish the employer with a cash deposit of the percent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (2%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.3 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (2%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.4.0 The balance of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cent (2%) of the contract value (excluding VAT) and re			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the deligations to reduct the payment reduction recovery or portions thereof to the contractor of the deligations to reduce the security provided or the provided or should the contractor fail to select the security to be provided or should the contractor fail to provide the employer within twenty-one [21] calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Should the contract or the security as a cash deposit of ten per cent [10%] of the contract sum (excluding VAT) has been selected: 14.3.1 The contractor shall furnish the employer with a cash deposit qually in the contract same (excluding VAT) and refund the balance to the contractor. 14.3.2 Within twenty-one [21] calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent [3%] of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.3 Within twenty-one [21] calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent [3%] of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.4.0 On the date of payment of the a			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the deligation to refund the payment reduction security or portions thereof to the contractor of			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover agence and loss from the payment reduction in terms of 31.8 [A) 14.1.2 The employer shall be entitled to recover agence and loss from the payment reduction in terms of 31.8 [A) 14.1.2 The employer shall be entitled to recover agence and loss from the payment reduction in terms of 31.8 [A) 14.1.2 The employer shall be entitled to recover agence and loss from the payment reduction security or portions thereof to the contractor 14.2 In respect of contracts with a contract sum above R1 million, the contractor fail to select the security to be provided in terms of 14.3.1 [A, 4, 14.5 or 14.6, as stated in the schedule. Such security within twenty-one [21] calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Should the contract state (excluding VAT) as each deposit of the employer with a scale deposit of the employer with a scale deposit of the employer with a selected security within twenty-one [21] calendar days from commencement date. 14.3.1 The contractor shall furnish the employer with a cach deposit equal in value to ten per cent [10] of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.2 Within twenty-one [21] calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent [15] of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.4 On the date of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cent [15] of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.4 The employer shall be entitled to recover ag			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the deligation to reduct the payment reduction security or portions thereof to the contractor of the contractor fall to select the security to be provided or should the contractor fall to provide the employer with newthy-one [21] calendar days from commencement date. Should the contractor fall to select the security to be provided or should the contractor fall to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Should the terms of 4.7 A) that t			
5 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be entitled to recover agencs and loss from the payment reduction in terms of 31.8 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.2 In respect of contracts with a contract sum above R1 million, the contractor fail to select the security to be provided in terms of 14.3.1.4.4.1.5 or 14.6, as stated in the schedule. Such security within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. 14.3.1 The contractor shall furnish the employer with a cach deposit of ten per cent (10%) of the contract sum (excluding VAT) as been selected: 14.3.2 Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (28) of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.4 On the date of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cent (18) of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.4 On the date of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cent (18) of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.5 The payties supressly agree that neither the employer one and loss from the cas			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8[A) 14.1.2 The employer shall be emitided or recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor. 14.2 In respect of contracts with a contract sum above R1 million, the contractor shall be not contractor fail to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fail to provide the contractor shall furnish the employer with the selected security within twenty-one (21) calendar days from commencement date. 14.3.1 Where security as a cash deposit of ten per cent (10%) of the contract sam (secluding VAT) has been selected. 14.3.2 Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (18%) of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.4 On the date of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cent (18) of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.4 The employer shall be emitted to recover agencies and loss from the each deposit in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's emitlement shall take precedence over his obligations to refund the cash deposit security or porti			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be emitided or recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor and the contractor shall formed days from commencement date. Should the contractor fail to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the xchedule. Such security within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) as been selected. 14.3.1 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.2 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (15%) of the contract value (excluding VAT) and refund the balance to the contractor 14.3.2 Where security as a variable entitled to recover expense and loss from the cash deposit in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his call			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be emitted to recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over the obligations to refund the payment reduction security or portions thereof to the contractor 14.2 In respect of contracts with a contract sum above R1 million, the contractor fail to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the xchedule. Such security within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contract sum (excluding VAT) has been selected. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date 14.3 Which is been by-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.2 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.2 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (15%) of the contract value (excluding VAT) and refund the balance to the contractor 14.3.2 Where security as a final date of payment of the amount in the final payment certificate, the employer shall reduce the eac			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be emitided or recover agencies and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor and the contractor shall formed days from commencement date. Should the contractor fail to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the xchedule. Such security within twenty-one (21) calendar days from commencement date. Should the contractor fail to select the security to be provided or should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contractor fail to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. 14.3 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) as been selected. 14.3.1 Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (15%) of the contract value (excluding VAT), and refund the balance to the contractor 14.3.2 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (15%) of the contract value (excluding VAT) and refund the balance to the contractor 14.3.2 Where security as a variable entitled to recover expense and loss from the cash deposit in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his call			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be emitided or recover agenes and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.1 in respect of contracts with a contract sum above R1 million, the contractor shall be well to entitle the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security within twenty-one (21) calendar days from commencement date. Should the contractor fall to elect the security to be provided or should the contractor fall to provide the employer with the selected security within twenty-one (21) calendar days from commencement date. Should the contract shall be effected security within twenty-one (21) calendar days from commencement date. 14.3.1 Where security as a cash deposit of ten per cent (10%) of the contract stall unit will be provided in the contractor shall furnish the employer with a selected security within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent (18%) of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.2 Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (18%) of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.4 On the date of payment of the amount in the final payment certificate, the employer shall reduce the cash deposit to the contractor. 14.3.5 The employer shall be emitted to recover agenes and loss from the cash deposit in terms of 33.0 provided that the employer complies with the provisions of 33.4 in wh			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over too obligations to refund the payment reduction security or portions thereof to the contractor. 14.2 In respect of contracts with a contract sum above R1 million, the contractor shall have the right to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security whill be provided to the employer within the employer with the selected security within twenty-one [21] calendar days from commencement date. Provided on the provided of incompletion of the security to be provided on rhould the contractor fall to provide the employer with the selected security within twenty-one [21] calendar days from commencement date. Provided on the provided of incompletion of the contract sum (excluding VAT) within twenty-one [21] calendar days from commencement date. 14.3 Where security as a cash deposit of ten per cent [10%] of the contract sum (excluding VAT) within twenty-one [21] calendar days from commencement date. 14.3.2 Within twenty-one [21] calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cent [15%] of the contract value (excluding VAT), and refund the balance to the contractor. 14.3.4 On the date of payment of the amount in the final payment certificate, the employer shall refund the remainder of the cash deposit to an amount equal to one per cent [15%] of the contract value (excluding VAT) and refund the balance to the contractors with the capital security or portions benefit on the cash deposit to early third party. 14.3.4 The employer shall be entitled to recover expense and loss from the cash deposit in terms of 33.			
5 5 5			14.1.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutand in terms of 31.8(A) 14.1.2 The employer shall be netitled to recover expense and test from the payment reduction is terms of 33.0 provided that the employer compiles with the provisions of 33.4 in which event the employer's entitlement shall take precedence over too dollgations to refund the payment reduction security or postnost share of the contractor shall have the right to select the security to be provided in terms of 14.3, 14.7, 14.5 or 14.6, as stated in the schedule. Such security shall be provided to the employer within teethy-one [21] celendar days from commencement date. Should the contractor lab to select the security to be provided or should the contractor lab to provide the employer within teethy-one [21] celendar days from commencement date. 14.3 In the contractor shall furnish the employer with a cash deposit equal in value to ten per cent [100] of the contract shall furnish the employer with a cash deposit equal in value to ten per cent [100] of the contract shall furnish the employer with a cash deposit equal in value to ten per cent [100] of the contract shall furnish the employer with a cash deposit equal in value to ten per cent [100] of the contract shall furnish the employer with a cash deposit equal in value to ten per cent [100] of the contract value (excluding VAT), and refund the balance to the contractor. 14.3 Within twenty-one [21] celendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent [100] of the contract value (excluding VAT), and refund the balance to the contractor. 14.3 On the date of payment of the amount in the final payment certificate, the employer shall refund the remainder of the cash deposit to an amount equal to one per cent [100] of the contract value (excluding VAT) and refund the balance to whe contractor shall furnish the employer and the employer shall refund the employer shall re			
5 5 5			14.1 The payment reduction of the value certified in a payment certificate shall be mutation mutand in terms of 31.8[A) 14.1 The payment reduction of the value certified in a payment certificate shall be mutation in terms of 33.0 provided that the employer camplies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over too collegations to reduce the payment reduction in section by provided in the payment reduction payment reduction in the payment reduction of the contract value (excluding VAT) and reduction the reduction of the payment reduction of the canh deposit to a			
5 5 5			14.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutated in terms of 31.8 [A] 14.1 The proposer shall be entitled to recover expense and loss from the payment refraction in terms of 31.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over this obligations to reduce the payment reduction security or potential security and the percent of the contractor. 14.2 In respect of contracts with a contract sum above 81 million, the contractor will have the right to select the security to be provided in terms of 14.3, 14.4, 14.5 or 14.6, as stated in the schedule. Such security whall be provided to the employer with more of 14.7 shall be deemed to have been selected. 14.3 When the security in terms of 14.7 shall be deemed to have been selected. 14.3.1 The contractor shall furnish the employer with a cash deposit day of the contract sum (excluding VAT) has been selected. 14.3.2 Whith twenty-one [21] calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three per cert [18] of the contract value (excluding VAT) and refund the balance to the contractor. 14.3.3 Within twenty-one [21] calendar days of the date of fund completion of the works the employer shall reduce the cash deposit to an amount equal to three per cert [18] of the contract value (excluding VAT) and refund the halance to the contractor. 14.3.3 Whith twenty-one [21] calendar days of the date of fund completion of the works the employer shall reduce the cash deposit to an amount equal to one per cert [18] of the contract value (excluding VAT) and refund the halance to the contractor. 14.3.4 The contractor shall furnish the employer of the amount in the final payment certificate, the employer shall reduce the cash deposit to an amount equal to one per cert [18] of the contract value (excluding VAT) and refund the halance to the contractor. 14.3.5 The expense of			
5 5 5			14.1 The payment reduction of the value certified in a payment certificate shall be mutatis mutated in terms of 31.8 [A) 14.1 The proposer shall be emitted to recover expense and but so from the payment reduction in terms of 31.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to reduce the payment reduction is exertly as protein connection to the payment reduction in terms of 31.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to require the payment certificate, the contract table sall have the pight to select the security to be provided or shauld the contractor fail to provide the employer with the selected security within hearthy-one [21] calendar days from commencement date. 14.3 Where security as a cash depost of temper cert [10%] of the contract table selected. 14.3.1 The contractor shall furnish the employer with a cash deposit of the port cert [10%] of the contract table [Clifco] of the contract value [clifco] of the contract table [clifco] of the contract value [clifco] of the contract table [clifco] of the contract table [clifco] of the contract table [clifco] of the co			
5 5 5			14.1 The payment reduction of the value certified in a payment certificate shall be maked in natural in terms of \$1.3 (A) 14.1 The payment reduction of the value certified to recover opense and loss from the payment reduction in terms of \$1.0 provided that the employer complies with the provisions of \$3.4 in which event the employer's entitlement shall take precedence over its obligations to reduce the payment reduction exercity or postions from the contract of the contract of \$4.2 to report of contracts with a contract with the soliton take of the contract of the contract of \$4.2 to report of contracts with a contract of the contract of \$4.2 to report of contract with the contract of \$4.3 to require the contract of \$4.3 to reduce the contract of \$4.3 to reduc			
5 5 5			14.1 The payment reduction of the value certified in a payment certificate shall be made in natural in terms of 31.8/4) 14.1 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 31.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over its obligations to reflore the payment reduction country or provision free of the contract of the provision of the provision of the provision of the contract of the loss of the los	tem (tem	1	
5 5 5			14.1 The payment reduction of the value certified in a payment certificate shall be maked in natural in terms of \$1.3 (A) 14.1 The payment reduction of the value certified to recover opense and loss from the payment reduction in terms of \$1.0 provided that the employer complies with the provisions of \$3.4 in which event the employer's entitlement shall take precedence over its obligations to reduce the payment reduction exercity or postions from the contract of the contract of \$4.2 to report of contracts with a contract with the soliton take of the contract of the contract of \$4.2 to report of contracts with a contract of the contract of \$4.2 to report of contract with the contract of \$4.3 to require the contract of \$4.3 to reduce the contract of \$4.3 to reduc		1	

6	1	1		Clause 15.1.1 is amended by replacing it with: No clause		
				Clause 15.1 is amended by the addition of the following clause: 15.1.4 An acceptable health and safety plan, required interms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within twenty-one (21) calendar daysof		
6	1	1		Clause 15.2.1 is amended by replacing it with the following clause:		
6	1	1		Give the contractor possession of the site within ten (10) working days of the contractor complying with the terms of 15.1.4		
6	1	1	15	Fixed: Value related: Time related:	Item	1
6	1	1		A16 ACCESS TO THE WORKS		
6	1	1		Clause 16.0		
6	1	1	16	Fixed:Value related: Time related:	Item	1
6	1	1		AL7 CONTRACT INSTRUCTIONS		
6	1	1		Clause 17.0		
6	1	1	17	Fixed:Value related: Time related:	Item	1
6	1	1		A18 SETTING OUT OF THE WORKS		
6	1	1		Clause 18.0		
				The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such		
6	1	1		encroachments. The contractor shall perform tolerance control checks regularly throughout the contract period and report on this at regular interval to the Principal Agent in the approved format. Should the contractor fail to comply with this requirement to the satisfaction of the Principal Agent, progressively as the structure is being constructed, the Employer will commission a Registered Land Surveyor to do so on the Contractor's behalf and at the Contractor's Expense.		
7	1	1	18	Facd: Value related: Time related:	Item	1
7	1	1		A19 ASSIGNMENT		
7	1	1		Clause 19.0		
7	1	1	19	Faed:Value related: Time related:	Item	1
7	1	1		A20 NOMINATED SUB-CONTRACTORS		
7	1	1		Clause 20.0		
7	1	1		Clause 20.1.3 is amended by replacing it with the following: No Clause Note: See item 89.1 hereinafter for adjustment of attendance on nominated subcontractors executing work allowed for under provisional sums		
7	1	1	20	Fixed:Value related: Time related:	Item	1
7	1	1		A21 SELECTED SUBCONTRACTORS		
7	1	1		Clause 21.0		
7	1	1	21	Fixed: Value related: Time related: AZZ EMPLOYERS DIRECT CONTRACTORS	Item	1
,	1	1		AZZ EMPLOYEKS DIRECT CONTRACTORS Clause 22.0		
,		1		The Contractor shall allow the direct contractors and employers agents access to the work, allocate reasonable space in the building for storage of their materials, took and equipment, all to the satisfaction of the Principal Agent. The contractor		
7	1	1		shall also allow the direct contractors, etc. free of charge, use of their ablution facilities and water and power supply to the and shall in no way hinder or prevent the execution of their works. Attendance may be priced against the relevant specified items in the hills of quantities.		
7	1	1	22	Fixed: Value related: Time related:	Item	1
7	1	1		A23 CONTRACTOR'S DOMESTIC SUBCONTRACTORS		
7	1	1		Chuse 22.0		
7	1	1	23	Fixed:Value related: Time related:	Item	1
7	1	1		COMPLETION		
7	1	1		A24 PRACTICAL COMPLETION		
7	1	1		Clause 24.0		
7	1	1	24	Fixed:Value related: Time related:	Item	1
7	1	1		AZS WORK'S COMPLETION		
7	1	1		Clause 25.0		
7	1	1	25	Fixed: Value related: Time related:	Item	1
7	1	1		A26 FINAL COMPLETION		
,	1	1		Clause 26.0 Clause 26.12 is amended by inserting it next to 26.1.2		
,	1	1	26	Facet: Value related: Time related:	Item	1
7	1	1		AZZ LATENT DEFECTS LIABULTY PERIOD	iciii	
7	1	1		Cause 27.0		
7	1	1	27	Fixed:Value related: Time related:	Item	1
7	1	1		A28 SECTIONAL COMPLETION		
7	1	1		Clause 28.0		
7	1	1	28	Fixed:Value related: Time related:	Item	1
7	1	1		A29 REVISION OF DATE FOR PRACTICAL COMPLETION		
7	1	1		Clause 29.0		
				Clause 29.1.1 shall be deemed to be omitted and replaced by the following: Inclement weather shall be defined as weather in excess of the average rainfall (volume and period) for each calender month over the past ten (10) years as recorded by the nearest commonly recognised weather bureau in the region of the project It shall be deemed that the contractor has adequately allowed in his programme and tendered rates for expenses which might result from delays due to average or		
8	1	1		below rainfall as described above		
8	1	1	29	Fixed: Value related: Time related:	Item	1
8	1	1		A30 PENALTY FOR NON-COMPLETION		
8	1	1	20	Clause 30.0 Faed: Value related: Time related:	Item	
a R	1	1	30	Paced: Value related: Imme related: PAYMENT	.tem	1
8	1	1		ASI INTERIM PAYMENT TO THE CONTRACTOR		
8	1	1		Cluse 31.0		
8	1	1		Interim payment to the contractor (clause 31)		
8	1	1		Clause 31.5.2 is amended by replacing "14.7.1" with "14.0"		
8	1	1		Clause 31.8 is amended by replacing it with the following two alternative clauses:		
8	1	1		Alternative A		
P	1	1		31.8(A) Where a security is selected in terms of 14.1; 14.5 or 14.6, the value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage addustments:		
8	1	1		adjustments: 31.8(A),1 Ninety-five per cent (95%) of such value in interim payment certificates issued up to the date of practical completion		
8	1	1		31.8(A).2 Ninety-seven per cent (97%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion		
8	1	1		31.8(A),3 Ninety-nine per cent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6		
					ļ	- 1

8	1	1		31.8/A/4 One hundred per cent [100%] of such value in the final payment certificate in terms of 34.6 except where the amount certified is in favour of the employer. In such an event the payment reduction shall remain at the adjustment level applicable to the final payment certificate			
8	1	1		Alternative 8			
	1	1		31.8(B) Where security is a payment reduction in terms of 14.7 has been selected, the value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following			
8	1	1		percentage adjustments: 33.8(01.1 Ninety per cent (90%) of such value in interim payment certificates issued up to the date of practical completion.			
8	1	1		31.8(8).2 Ninety-seven per cent (97%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion.			
8	1	1		31.8(8).3 Ninety-nine per cent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6			
	1	1		31.8(8).4 One hundred per cent (100%) of such value in the final payment certificate in terms of 34.6 except where the amount certified is in favour of the employer. In such an event the payment reduction shall remain at the adjustment level applicable to the final payment certificate.			
8	1	1		Clause 31.9 is amended by replacing "seven (7) calender days" with "thirty (30) calender days" and by deleting the words "subject to the contractor giving the employer a tax invoice for the amount due			
8	1	1		Clause 31.12 is amended by deleting the following: Payment shall be subject to the employer giving the contractor a tax invoice for the amount due			
8	1	1		A32 ADJUSTMENT TO THE CONTRACT VALUE			
9	1	1		Clause 32.0			
9	1	1		Clauses 32.5.1, 32.5.4 and 32.5.7 are amended by the addition of the following at the end of the sentence: "due to no fault of the contractor"			
9	1	1	31	Facet:Value related:Time related: A33 RECOVERY OF EXPENSE AND LOSS	Item	1	
9	1	1		Clause 33.0			
9	1	1	32	Fixed: Value related:Time related:	Item	1	
9	1	1		A34 FINAL ACCOUNT AND FINAL PAYMENT			
9	1	1		Chuse 34.0			
	1	1		Clause 34.1 is amended by removing 8 next to 34.1 Clause 34.2 is amended by inserting 8 next to 34.2 Clause 34.8 is amended by deleting the words "where security as a fixed construction guarantee in terms of 14.4 has been selected or where payment reductions has been applied in terms of 14.7.1" Clause 34.13 is amended by replacing "seven (7) calendar days" with "thirty (30) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the			
9	1	1	33	amount due* Faed: Value related: Time related:	Item	1	
9	1	1		ASS PAYMENT TO OTHER PARTIES	Kem		
9	1	1		Clause 35.0			
9	1	1	34	Fixed:Value related: Time related:	Item	1	
9	1	1		CANCELLATION			
9	1	1		A36 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT			
9	1	1		Clause 36.0			
9	1	1		Clause 36.1 is amended by the addition of the following: 36.1.3 refuses or neglects to comply strictly with any of the conditions of contract 36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa	1		
9	1	1		36.1.5 in the judgement of the employer, has engaged in corrupt or fraudulent practices in competing for or in executing the contract			
9	1	1		Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"			
٥	1	1		Clause 36.0 is amended by the addition of the following clause: 36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever.			
9	1	1	35	Faed: Value related: Time related:	Item	1	
9	1	1		A37 TERMINATION BY EMPLOYER - LOSS AND DAMAGE			
9	1	1		Clause 37.0			
9	1	1	36	Fixed:Value related: Time related:	Item	1	
9	1	1		A37 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE			
9	1	1		Clause 37.0			
9	1	1		Clause 37.3.5 is amended by replacing "ninety (90)" with "one-hundred and twenty (120)". Clause 37.0 is amended by the addition of the following clause:			
				37.5 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated			
9	1	1		and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever.			
9	1	1	37	Fixed:Value related:Time related: A38 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT	Item	1	
10	1	1		Clouse 38.0			
10	1	1		Clause 38.5.4 is amended by replacing "ninety (90)" with "one-hundred and twenty (120)" Clause 38.0 is amended by the addition of the following clause:			
10	1	1		38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw from the vision. The contractor is the contractor of any fine or cities of respection or on the executed of any other cities whatsoever.			
10	1	1	38	and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever. Faed: Value related: Time related:	Item	1	
10	1	1		A39 CANCELLATION - CESSATION OF THE WORKS			
10	1	1		Clause 39.0			
10	1	1		Clause 39.3.5 is amended by the addition of the following at the end of the sentence: "within one hundred and twenty (120) working days of completion of such report"			
10	1	1	39	Fixed: Value related: Time related:	Item	1	
10	1	1		DISPUTE AND DISPUTE SETTLEMENT			
10	1	1		Chuse 40.0			
				Clause 40.2.2 is amended by replacing "one (1) year"with "three (3) years" Clause 40.6 is amended by removing the reference to: No clause Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following: Whether or			
10	1	1	40	not mediation resolves the disjoute, the parties shall bear their own cost concerning the mediation and equally share the costs of the mediator and related costs Faed: Value related: Time related:			
10	1	1	40	Fixed:	Item	1	
10	1	1		A41 STATE CLAUSES			
10	1	1		Clause 41.0			
10	1	1	41	Fixed: Value related: Time related:	Item	1	
10	1	1		CONTRACT VARIABLES			
10	1	1		THE SCHEDULE (C1.2 CONTRACT DATA)			
10	1	1		AAQ PRE-TENDER INFORMATION Clause 42.0			
10	1	1		Lausse 42.0 Tenderers are referred to the notes to tenderers for variables pertaining to this contract.			
10	1	1	42	Fixed: Value related: Time related:	Item	1	
10	1	1		A42 POST-TENDER INFORMATION			
10	1	1		Clause 42.0			
10	1	1		The required post-tender information shall be inserted in the agreement after consultation with the contractor			

10	1	1		Fixed: Value related: Time related: SECTION B: IBCC PREJIMINARIES	Item	1	
10	1	1		81.0 DEFINITIONS AND INTERPRETATION			
10	1	1		8.1.1 Definitions and interpretation			
10	1	1		See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section.			
10	1	1	44	Fixed:Value related: Time related:	Item	1	
10	1	1		82.0 DOCUMENTS			
10	1	1		92.1 Checking of documents			
11	1	1	45	Fixed: Value related: Time related:	Item	1	
11	1	1		82.2 Provisional bills of quantities			
11	1	1	46	Fixed: Value related: Time related:	Item	1	
11	1	1		82.3 Availability of construction documentation			
11	1	1	47	Fixed:Value related: Time related:	Item	1	
11	1	1		82.4 Interests of agents			
11	1	1	48	Fixed:	Item	1	
11	1	1		82.5 Priced documents			
11	1	1		Fixed:Value related: Time related:	Item	1	
11	1	1		82.6 Tender submission			
11	1	1		Clause 2.6 is amended by replacing "IBCC Form of Tender" with "Form of Offer and Acceptance (C1.1)".			
11	1	1		Fixed:Value related: Time related:	Item	1	
11	1	1		83.0 THE SITE 83.1 Defined works area			
11	1	1		The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the Principal Agent on handing over of the site			
11	1	1			Item	1	
11	1	1		83.2 Geotechnical investigation	il.	•	
11	1	1		Fixed:Value related: Time related:	Item	1	
11	1	1		B3.3 Inspection of the site			
11	1	1		Tenderers shall complete the Sile Inspection Certificate included in the tender documents and return the same with the tender submission			
11	1	1	53	Fixed: Value related: Time related:	Item	1	
11	1	1		83.4 Existing premises occupied			
11	1	1	54	Fixed: Value related: Time related:	Item	1	
11	1	1		83.5 Previous work - dimensional accuracy			
11	1	1	55	Fixed: Value related: Time related:	Item	1	
11	1	1		83.6 Previous work - defects			
11	1	1	56	Fixed:Value related: Time related:	Item	1	
11	1	1		83.7 Services - known			
11	1	1		Fixed: Value related: Time related:	Item	1	
11	1	1		83.8 Services - unknown			
11	1	1		Fixed: Value related: Time related:	Item	1	
11	1	1		83.9 Protection of trees			
11 11	1	1		Fixed: Value related: Time related: 83.10 Articles of value	Item	1	
11	1	1		Sactor Annues in value Fixed: Value related: Time related:	Item	1	
11	1	1		83.11 Inspection of adjoining properties	il.	•	
11	1	1		Fixed:Value related: Time related:	Item	1	
11	1	1		B4.0 MANAGEMENT OF CONTRACT			
11	1	1		B4.1 Management of the works			
11	1	1	62	Fixed:Value related: Time related:	Item	1	
11	1	1		84.2 Programme for the works			
11	1	1	63	Fixed: Value related: Time related:	Item	1	
12	1	1		B4.3 Progress meetings			
12	1	1	64	Fixed:	Item	1	
12	1	1		B4.4 Technical meetings			
12	1	1		Fixed: Value related: Time related:	Item	1	
12	1	1		84.5 Labour and plant records			
12	1	1		Fixed: Value related: Time related:	Item	1	
12	1	1		85.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS' INSTRUCTIONS			
12	1	1		BS.1 Samples of materials	Item		
12	1	1		Fixed: Value related: Time related: SS 2 Workmarchito samples	item	1	
12	1	1		Fixed: Value related: Time related:	Item	1	
12	1	1		BS 3 Shop drawings		1	
12	1	1		Fixed: Value related: Time related:	Item	1	
12	1	1		BS.4 Compliance with manufacturers instructions			
12	1	1		Fixed:Value related: Time related:	Item	1	
12	1	1		B60 TEMPORARY WORKS AND PLANT			
12	1	1		B6.1 Deposits and fees			
12	1	1	71	Fixed:Value related: Time related:	Item	1	
12	1	1		B6.2 Enclosure of the works			
12	1	1	72	Fixed:Value related: Time related:	Item	1	
12	1	1		86.3 Advertising			
12	1	1		Fixed:Value related: Time related:	Item	1	
12	1	1	,	B6.4 Plant, equipment, sheds and offices	I	1	

						İ	1 1
12	1	1	74	Fixed:Value related: Time related:	Item	1	
12	1	1		B6.5 Main notice board			
12	1	1		Fixed:Value related:Time related:	Item	1	
12	1	1		B.6.5 Subcontractors notice board Fixed: Value related: Time related:	Item		
12	1	1		87.0 TEMPORARY SERVICES	item		
12	1	1		87.1 Location			
12	1	1		Fixed:Value related:Time related:	Item	1	
12	1	1		87.2 Water			
12	1	1	78	Fixed:Value related: Time related:	Item	1	
12	1	1		B7.3 Electricity			
12	1	1		Fixed: Value related: Time related: Time related:	Item	1	
12	1	1		87.4 Telecommunication facilities			
12	1	1	-	Fixed: Value related: Time related:	Item	1	
12	1	1		87.5 Ablution facilities Fixed: Value related: Time related:			
12	1	1		Fixed: Value related: Time related: BB.O PRIME COST AMOUNTS	Item	1	
12	1	1		88.1 Responsibility for prime cost amounts			
12	1	1	82	Fixed: Value related: Time related:	Item	1	
13	1	1		9.0 ATTENDANCE ON N/S SUBCONTRACTORS			
12	1	1		89.1 General attendance			
12	1	1	83	Fixed:Value related: Time related:	Item	1	
13	1	1		89.2 Special attendance			
13	1	1	84	Fixed: Value related: Time related: Time related:	Item	1	
13	1	1		89.3 Commissioning - fuel, water and electricity			
13	1	1	-	Fixed: Value related: Time related:	Item	1	
13	1	1		BIOD FINANCIAL ASPECTS BIOL Statutory taxes, duties and levies			
13	1	1		Provision is made in the summary of these bills of quantities for the inclusion of Value Added Tax (VAT)			
13	1	1		Fixed: Value related: Time related:	Item	1	
13	1	1		B10.2 Payment for preliminaries			
13	1	1	87	Fixed:Value related:Time related:	Item	1	
13	1	1		B10.3 Adjustment of preliminaries			
13	1	1		Clauses 810.3.1 and 810.3.2 are amended by replacing "within fifteen (15) working days of taking possession of the site" with "in his priced bills of quantities / lump sum document submitted with his tender offer".			
13	1	1	88	Fixed:Value related: Time related:	Item	1	
13	1	1		B10.4 Payment certificate cash flow			
13	1	1		Fixed: Value related: Time related:	Item	1	
13	1	1		BIL GENERAL			
13	1	1		811.1 Protection of the works Fixed: Value related: Time related:			
13	1	1		Page: Value related: Imme related: B11.2 Protection / isolation of existing / sectionally occupied works	Item	1	
13	1	1		Fixed: Value related: Time related:	Item	1	
13	1	1		B11.3 Security of the works			
13	1	1	92	Fixed: Value related: Time related:	Item	1	
13	1	1		B11.4 Notice before covering work			
13	1	1	93	Fixed:Value related: Time related:	Item	1	
13	1	1		11.5 Disturbance			
13	1	1	94	Fixed: Value related: Time related:	Item	1	
13	1	1		B11.6 Environmental disturbance			
13	1	1		Fixed: Value related: Time related:	Item	1	
13	1	1		811.7 Works cleaning and clearing Fixed:	Item		
13	1	1		**************************************		1	
13	1	1		Fixed:Value related: Time related:	Item	1	
13	1	1		BI19 Overhand work			
13	1	1	98	Fixed:Yalur related: Time related:	Item	1	
13	1	1		B11.10 Instruction manuals and guarantees			
13	1	1	99	Fixed:Value related: Time related:	Item	1	
13	1	1		B11.11 As built information			
13	1		100	Fixed: Value related: Time related:	Item	1	
13	1	1		811.12 Tenant installations			
13	1			Fixed: Value related: Time related:	Item	1	
13	1	1		B12. SCHEDUE OF VARIABLES B12.1 Schedule of variables			
15	1	1		812.1 Schedule of variables This schedule contains all variables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-			
14	1	1		This scriedule contains all visuables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-tender categories form part of these Preliminaries.			
14	1	1		Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross-referenced to the applicable clause of the schedule. Key cross reference clauses are italicised in [] brackets.			
14	1	1		12.1 PRE TENDER INFORMATION			
14	1	1		12.1.1 Provisional Bills of Quantities			
14	1	1		[2.2] The quantities are provisional -YES			
14	1	1		12.1.2 Availability of construction documentation			
14	1	1		[2.3] Construction of documentation is complete-YES			

4	1	1		12.1.3 Interest of agents
4	1	1		[2.4] Details: NIL
4	1	1		12.1.4 Defined works area
4	1	1		[3.1] Details: The work area will be pointed out to the contractor by the principal agent to the contractor who will sign written acknowledgement therefore before commencing operations.
4	1	1		12.1.5 Geotechnical investigation
4	1	1		N/A
4	1	1		12.1.6 Existing premises occupied
4	1	1		[3.4] Specific requirements: The premises will be in use and occupied during the course of this contract. The contractor shall execute the works in such a manner as will least interfere with the general routine of the occupants of the premises and shall minimize any nuisance from dust, noise or other causes.
4	1	1		12.1.7 Previous work - dimensional accuracy
				The contractor shall, within reasonable period after taking possession of the site, but not exceeding ten (10) percent of the constructor period or twenty (20) working days whichever is the lesser, check existing levels, lines, profiles and the like affecting the works and satisfy himself as to the dimensional accuracy of work previously executed. The contractor shall forthwith inthin principal agent and request a contract structurion regarding any dimensional nancuracy found in work
4	1	1		previously executed
1	1	1		12.1.8 Previous work - defects
1	1	1		The contractor on becoming aware of a defect in work previously executed shall forthwith notify the principal agent requesting a contract instruction regarding such defect
ı	1	1		12.1.9 Services - known
	1	1		Existing services and points of connection are shown on the site plan or will be pointed out on the site by the principal agent
	1	1		12.1.10 Protection of trees
	1	1		[3.9] Specific requirements: Only those trees and shrubs indicated as such on the drawings shall be removed or cut back. The remainder of the trees and shrubs shall be left undamaged.
	1	1		12.1.11 Inspection of adjoining properties
	1	1		The contractor shall make his own arrangements with the owners of adjoining properties in order to execute the works
	1			The contractor shall make its own arrangements wan the owners or adjoining properties in order to execute the works 12.1.12 Enclosure of the works
	1	1		
	1	1		The contractor shall erect, maintain and remove on completion, hoardings with gantries, fans, safety screens, barriers, access gates, covered gangways and the like as necessary for the enclosure of the works and elements thereof all for the protection of the public and others:
	1	1		12.1.13 Offices
				The contractor shall provide, maintain and remove on completion of the works an office for the exclusive use of the principal agent, minimum size 4 x 3 x 3m high internally, suitable insulated and ventilated, provided with electric lighting, and
	1	1		Hered with boarded cover, each, chair, of remind stood (chair) stood (chair) and the chair of th
	1	1		12.1.14 Main notice board
				(6.5) Specific requirements: The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m, constructed of suitable boarding with flat smooth surface and with edging bead 19mm
				thick round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoxeful, where hoxeful is a provided, of fixed to an including a suitable supporting structure of limber or limber o
	1	1		sans serill lettering.
	1	1		12.1.15 Subcontractors' notice board
	1	1		(6.6) Specific requirements: Nil.
	1	1		12.1.16 Water
	1	1		[7.2] Option A (by contractor) VES Option B (by employer - free of charge) NO Option C (by b employer - metered) NO
	1	1		22.1.17 Electricity
	1	1		[7.3] Option A (by contractor) YES Option B (by employer - free of charge) NO Option C (by b employer - metered)NO
	1	1		12.1.18 Telecommunications
	1	1		[7.4] Telephone NO Facsimile NO E-mail VES
	1	1		12.1.19 Abbution facilities
	1			
		1		[7.5] Option A (by contractor) YES Option B (by employer - free of charge) NO Option C (by employer - metered) NO
	1	1		12.1.20 Protection of existing/sectionally occupied works
	1	1		[11.2] Protection is required YES
	1	1		12.1.21 Special attendance
	1	1		[9.2] Subcontractor (1) details:Subcontractor (2) details:Subcontractor (3) details:Subcontractor (4) details:
	1	1		12.1.22 Protection of works
	1	1		[31.1] Specific requirements: N/A
	1	1		12.1.23 Disturbance
				[11.5] Specific requirements: The contractor shall keep the site, structures, etc well watered during operations to prevent dust and shall provide and erect and remove on completion of the works all necessary temporary dust screens all to the
	1	1		satisfaction of the principal agent.
	1	1		12.1.24 Environmental disturbance
	1	1		[11.6] Specific requirements:1V/A
	1	1		12.2 POST-TENDER INFORMATION
	1	1		12.2.1 Payment of preliminaries
	1	1		[10.2] Option A (pro-rated) YES/NO Option 8 (cakulates) YES/NO
	1	1		12.2.2 Adjustment of preliminaries
	1	1		(10.3) Option A (three categories) YES/NO Option 8 (detailed breakdown) YES/NO
	1	1		12.23 Additional agreed preliminaries items
	1	1		Details: N/A
	1	1		SECTION C: SPECIFIC PRELIMINARIES
	1	1		Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item.
	1	1		CL CONTRACT DRAWINGS
				The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of
	1	1		The criatories is stocked with or text including its stocked with or text including it
	1	1	102	Fixed: Value related: Time related: Item
	1	1		C2 GENERAL PREAMBLES
				These tender documents "Model Preambles for Trades (Latest Edition) as issued by the Association of South African Quantity Surveyors which are obtainable on ASAQS website alternatively a copy can be e-mailed on request from the Quantity
	1	1		Surveyor Offices, and shall be read in conjunction with the bills of quantities and be referred to for the full descriptions of work to be done and materials to be used. No claim arising from brevity of description of items fully described in the said Perambles for Toales will be entertained.
	1	1		The contractor is referred to the Model Preambles for Trades (Lutest Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.
	1	1		Supplementary preambles are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles shall take precedence over the provisions of the said Model Preambles
	1	1		The contractor's prices for all items throughout these bits of quantities must take account of and include for all of the obligations, requirements and specifications given in the said Model Preambles and in any supplementary preambles
	1	1	103	Fixed: Value related: Time rel
			103	
	1	1		C3TRADE NAMES
				Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the cloning state for submission of tenderer's for over the proport of or an attenuate product is not obtained, the product described shall be deemed to have been tendered for.
	1	1		
	1	1	104	Fixed: Value related: Time related: Item

16	1	1		C4 IMPORTED MATERIALS AND EQUIPMENT		1	
				Where imported items are listed in the tender documents, the tenderer shall provide all the information called for, failing which the price of any such item, materials or equipment shall be excluded from currency fluctuations. (refer to Schedule of Imported Materials and Equipment to be completed by tenderer). Notwithstanding any provisions elsewhere regarding the adjustment of contract prices, the price of any item, material or equipment listed in terms of this clause shall be excluded			
16	1	1		from the Contract Price Adjustment Provisions (if applicable).			
16 16	1	1	105	Facet:	Item	1	
16	1	1		CS VIEWING I THE SITE IN SECURITY AREAS The site is situated in a security area and the tenderer must arrange with the unit commander or other responsible officer to obtain permission to enter the site for tendering purposes.			
16	1	1	106		Item	1	
16	1	1		CG COMMENCEMENT OF WORK IN SECURITY AREAS			
16	1	1		As the works fall within a security area the contractor must give the unit commander or other responsible officer notice before commencement of the works. Should the contractor fail to make such arrangements, admission to the site may be refused and any additional costs will be for the contractor's account.			
16	1	1	107		Item	1	
16	1	1		C7 ENTRANCE PERMITS TO SECURITY AREAS			
				As the works fall within a security area the contractor shall obtain entrance permits for his personnel and workmen entering the area and shall comply with all regulations and instructions which may be issued from time to time regarding the			
17	1	1	108	protection of persons and property under the control of the Defence Force, Police or chief security officer. Fixed: Value related: Time related:	Item	1	
17	1	1		C8 SECURITY CHECK OF PERSONNEL			
	1			The principal agent may require the contractor to have his personnel and workmen, or a certain number of them, security classified in the event of the principal agent requesting the removal of a person or persons from the works for security			
17	1	1	109	reasons, the contractor shall do so forthwith and shall thereafter ensure that such person or persons are denied access to the works and the site and/or any document or information relating to the works. Fixed: Value related: Time related:	Item	1	
17	1	1	10.	CS PROHIBITION OF TAKING PHOTOGRAPHS	ne		
				The contractor shall obtain prior authorisation from the employer for the making of any sketches or the taking of any photographs of any site, installation, building or civil works belonging to the employer and shall ensure that all personnel,			
17	1	1	110	subcontractors and other persons entering the site shall comply with this requirement as well. Faed: Value related: Time related:	Item		
17	1	1	110	Sacci Value related Inter related	item	,	
				It is required of the contractor to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document.			
				Provision for pricing of HIV/AIDS awareness is made under the two items below hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained. The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-			
17	1	1		compliance, the principal agent, notwithstanding the provisions of Clause A 31 of "Section 1: Preliminaries (Section A)" or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
17	1	1		C10.1 AWARENESS CHAMPION			
17	1	1		Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance with the HIV/AIDS Specification.			
17	1	1	111	Fixed: Value related: Time related: CLIO.2 AWARENESS WORKSHOPS	Item	1	
1/	1	1		CIDIZ AWARENESS WORKSHOPS Selection and appointment of a competent Service Provider approved by the principal agent, provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi-			
17	1	1		media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS Specification.			
17	1	1	117	Fixed: Value related: Time related:	Item	1	
17	1	1		CLO 3 POSTERS, BOOKLETS, VIDEOS, ETC. Provision, displaying, maintaining and replacing when necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/IAIDS Specification.			
17	1	1	113	Fixed: Value related: Time related:	Item	1	
17	1	1		C10.4 ACCESS TO CONDOMS			
				Provision and maintenance of condom dispensers fixed in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period, all in accordance with the			
17	1	1	11/	HIV/AIDS Specification. Faed: Value related: Time related:	Item	,	
18	1	1		C10.5 CO-OFFRATION OF CONTRACT FOR COST MANAGEMENT	iciii		
				It is specifically agreed that the contractor accepts the obligation of assisting the principal agent in implementing proper cost management. The contractor will be advised by the principal agent of all cost management procedures which will be			
18	1	1		implemented to ensure that the final building cost does not exceed the budget. The principal agent undertakes to make available to the contractor all budgetary allowances and cost assessments/reports to enable the proper procedures to be implemented and the contractor shall attend all cost plan review and cost management meetings. The contractor undertakes to extend these procedures, as necessary, to all subcontractors			
18	1	1	115	Fixed:Value related: Time related:	Item	1	
18	1	1		C10.6 MONITORING			
18	1	1		Monitoring MIV/AIDS awareness of workers, providing the principal agent with access to information including making available all reports, thoroughly completed and reflecting the correct information, for the duration of the construction period and close out, all in accordance with the HIV/AIDS Specification.			
18	1	1	116	Fixed: Value related: Time related:	Item	1	
18	1	1		C11 OCCUPATIONAL HEALTH AND SAFETY ACT			
18	1	1		The contractor shall comply with all the requirements set out in the Construction Regulations, 2003 issued under the Occupational Health and Safety Act, 1993 (Act No. 85 of 1993).			
				The contractor must take note that compliance with the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is compulsory, in the event of partial or total non-compliance, the principal agent non-invitivationaling the provisions of clause ASI.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment. Provision for princing of the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is			
18	1	1		made under this clause and it is explicitly pointed out that all requirements of the aforementioned are deemed to be priced hereunder and no additional claims in this regard shall be entertained.			
18	1	1	117	Faed: Value related: Time related:	Item	1	
18	1	1		C11.1 OCCUPATIONAL HEALTH AND SAFETY MEASURES IN WORKPLACES COVID-19 (C19 OHS)			
18	1	1		The contractor shall comply with all the requirements set out in the COVID-19 health and Safety Baseline Specification as contained within these tender documents and 2003 issued under the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) in particular Hazardous Biological Agents Regulations governing workplaces in relation to Coronavirus Disease 2019 cause by SABS-CoV-2 and the COVID-19 Occupational Health and Safety Measures in Workplace COVID-19 (12) OHS), 2020.			
				The contractor must take note that compliance with the COVID-19 Health and Safety Baseline Specification as contained within these tender documents and 2003 issued under the Occupational Health and Safety Act, 1993 (Act No 8s of 1993) in			
40				particular Hazardous Biological Agents Regulations governing workplaces in relation to Coronavirus Disease 2019 cause by SARS-CoV-2 and the COVID-19 Occupational Health and Safety Measures in Workplace COVID-19 (C19 OHS), 2020 is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of clause A31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate			
18	1	1		until the contractor provides satisfactory groof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment. Provision for pricing of the COVID-19 Health and Safety Baseline Specification and Occupational Health and Safety Act in particular Hazardous Biological Agents Regulations governing workplaces in relation to Corona virus Disease 2019 cause by			
19	1	1		SABS-CoV-2 and the COVID-19 Occupational Health and Safety Measures in Workplace COVID-19 (C19 OHS), 2020 is made under this clause and it is explicitly pointed out that all requirements of the aforementioned are deemed to be priced hereunder and no additional claims in this regard shall be entertained.			
19	1	1	118	Fixed:Value related: Time related:	Item	1	
19	1	1		C12 REPORTING BY CONTRACTOR			
19	1	1		The contractor is required to complete the attached Contractors Monthly Report which is to be submitted together with the contractors payment claim. Payment of the contractor is conditional on this information being accurate and timeously provided.			
19	1	1	119	Fixed:Value related: Time related:	Item	1	
19	1	1		C13 LOCAL LABOUR AND BUILDING MATERIALS			
19	1	1		C13.1 GENERAL			
19	1	1		Allow for monthly submission of proof of employment of local skilled and unskilled labour to the principal agent.			
				It is a general requirement of this contract that persons normally resident in the locality of the works (local labour) be given preference for employment on the contract. Should adequate and appropriate labour not be available within the locality, other labour may be subject to satisfactory proof being provided that every reasonable endeavour has been made to employ local labour. The contractor shall identify the local community leaders with the purpose of negotiating with them			
19	1	1		regarding the utilisation of local labour in the construction process. The contractor shall furthermore give preference, wherever possible to the employment of single heads of households, women and youth. The contractor shall, in general, maximise the involvement of the local community.			
19	1	1	120	Fixed:Value related:Time related:	Item	1	
19	1	1		C13.2 LOCAL BUILDING MATERIALS			
19	1	1		Preference shall be given to the supply of materials produced or manufactured in the Pretoria region provided that: a) Such materials comply in all respects with the specific requirements of Prasa Norms, Guidelines and Standards (NGS) specification. b) The availability of such materials shall not constitute grounds for any claim for increased cost in respect thereof			
19	1			Section 1: Preliminaries		1	1

Carried to Final Summary

					i		
PAGE NO SEC					LOCAL CONTENT THRESHOLD	QUANTITY	RATE
1	2	1	SECTION NO. 2 BILL NO. 1	H2			
1	2	1	ALTERATIONS, DEMOLITIONS, ETC.	H2 H2			
1	2	1	PREAMBLES	HZ			
1	2	1	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
1	2	1	SUPPLEMENTARY PREAMBLES				
1	2	1	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill				
1	2	1	GENERAL NOTES				
			For further preambles and full descriptions of items not fully described in this Bill, reference must be made to supplementary preambles and descriptions in the other Bills of this Section. Such supplementary				
1	2	1	preambles and descriptions shall apply equally GENERAL				
1	2	1	In taking down and removing existing work the utmost care shall be observed to prevent any structural or other damage to remaining portions of the building and the Contractor shall provide all shoring,				
1	2	1	needing, strutting, etc. to ensure stability				
1	2	1	Any water supply and other piping that may be encountered and which is found necessary to disconnect or cut shall, after such disconnection or cutting has been authorised by the Representative/Agent, be effectively stopped off				
1	2	1	EXISTING BUILDINGS				
			The existing buildings will be in use and occupied during the progress of the contract and the Contractor will be required to carry out the works in such a manner as will least interfere with the occupants and with the minimum of disturbance				
1	2	1	with the minimum of disturbance SIZE PERTAINING TO EXISTING WORK				
1	-	•	The Contractor is advised to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the correctness of sizes of all new work. All sizes given in relation to existing				
1	2	1	work are approximate.				
1	2	1	MAKING GOOD DAMAGED WORK				
1	2	1	The Contractor shall make good in all trades to existing work where damaged or disturbed through the alterations with all necessary new materials to match the existing				
1	2	1	FORMING NEW OPENINGS OR ALTERING OPENINGS IN EXISTING WALLS Descriptions of forming new openings or altering openings in existing walls shall be deemed to include breaking out for and forming new brick, in-situ concrete or prestressed concrete lintels, including all				
1	2	1	Descriptions of forming new openings or altering openings in existing walls shall be deemed to include breaking out for and forming new brick, in-situ concrete or prestressed concrete lintels, including all reinforcement, formwork, turning pieces, etc.				
1	2	1	BUILDING UP OPENINGS				
1	2	1	Descriptions of building up existing openings where given in number shall be deemed to include preparing existing surfaces all around, brickwork properly toothed and bonded to existing, wedging up and making good on both sides as described				
1	2	1	PAINTWORK				
1	2	1	Where plasterwork on walls, ceilings, etc. are required to be patched or made good, prices are to include for the appropriate priming coat and one coat undercoat to receive paint finishing coats which are measured elsewhere				
1	2	1	The contractor must protect all work not removed such as walls, floors, doors, windows, fittings, etc. from damage during the progress of the work and provide all necessary materials for doing so.				
			Tenderers are advised to visit the site before tendering and satisfy themselves as to the nature and extent of the works, means of access to the site and availability of working space. No claims will be				
1	2	1	entertained due to the tenderer having failed to comply				
1	2	1	PROCEDURE OF WORK The Representative/Agent reserves the right to direct the order in which the contract will be executed, should circumstances necessitate such action.				
1	2	1	LOSS BY THEFT, FIRE OR OTHERWISE				
1	2	1	The risk of loss, theft, fire, storm, riot or otherwise of the buildings to be demolished and the materials therein shall rest entirely with the contractor immediately upon the handing over of the site.				
1	2	1	WATER AND OTHER PIPING				
2	2	1	Any water supply or other piping that may be met with and found necessary to disconnect or cut are to be effectually stopped off or grubbed up and removed and any new connections that may be necessary and are to be made with proper fittings				
2	2	1	ELECTRICAL AND OTHER SERVICES				
2	2	1	Special care is to be exercised not to unnecessarily interfere with any electric light, bell, power, telephone or other wires and fittings that may be met with and due notice must be given to the Architect. The contractor must protect all work not removed such as walls, floors, doors, windows, fittings, etc. from damage during the progress of the work and provide all necessary materials for doing so.				
2	2	1	The contractor must protect all work not removed such as wais, hoors, doors, windows, rittings, etc. from damage during the progress of the work and provide all necessary materials for doing so. OCCUPATION OF EXISTING BUILDINGS				
			Tenderers are advised that the existing buildings will be in occupation during the building operations and due allowance must be made for the work being carried out in such a manner as will least interfere with				
2	2	1	the general routine of the occupants.				
2	2	1	NOISE PREVENTION The contractor shall take special care to minimise noisy operations during business hours. Such measures will include, inter alia, the use of silent compressors and strict control of workmen.				
-	•	•	The contractor shall demolish the portions of existing structures or buildings with a minimum amount of damage to adjoining buildings, materials, pavings, etc. Any damage caused is to be made good at his own				
2	2	1	expense with materials to match the existing.				
2	2	1	ALTERATIONS TO OPENINGS				
2	2	1	Where the Contractor is required to form openings, after openings or brick up openings in existing walls all brickwork shall be made good at jambs including properly bonding to existing. Brickwork in bricking up openings shall be wedged and pinned up to				
2	2	1	MAKING GOOD, ETC				
2	2	1	Prices are to include for making good in all trades to existing work, where damaged or disturbed through alterations, with all necessary new materials to match existing and leave complete and perfect in every respect.				
			Prices are to include for making good in all trades to existing work, where damaged or disturbed through alterations, with all necessary new materials to match existing and leave complete and perfect in every				
2	2	1	respect. REMOVAL OF PIXTING WORK	H2			
2	2	1	Take out and remove doors, windows, etc. including thresholds, sills, etc. (new doors & windows elsewhere).	H3			
2	2		L. Damaged timber single door size overall 813 x 2032mm high from half brick wall. DR101	No	N/A	RATE ONLY	,
2	2		Damaged timber single door size overall 813 x 2032mm high from one brick wall. DR101	No	N/A	RATE ONLY	
2	2	1	3 Damaged double door size overall 1 612 x 2032mm high from one brick wall. DR100	No	N/A	RATE ONLY	
2	2	1 4	Damaged Windows complete. WN100	No	N/A	RATE ONLY	
2	2	1	Take down and remove roofs, floors, panelling, ceilings, partitions, etc.:	Н3			
2	2		6 Carefully examine entire roof area for leaks and remove damaged roof parts, including roof trusses, concrete roofs,etc.		N/A	RATE ONLY	
2	2	1 (Remove all ceilings complete Take out and remove ironmongery, including preparing for new sets.	m² H3	N/A	RATE ONLY	
2	2		Take out and remove nonlindingly, incoding preparing on new sets. 7 Toilet paper holder.		N/A	RATE ONLY	,
2	2		3. Liquid soap dispenser.	No	N/A	RATE ONLY	.
2	2		Paper towel dispenser.		N/A	RATE ONLY	
2	2	1 10) Towelrail.	No	N/A	RATE ONLY	
2	2	1	Taking out/off and removing sundry metalwork	Н3			
2	2		Remove damaged burglar proofing	m²	N/A	RATE ONLY	
2	2	1	Hacking up/off and removing tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc	Н3			
2	2		Wall tiles. § Floor tiles.		N/A N/A	RATE ONLY	
3	-	- 1				CONLY	ı

1	2	1	14 Tile skirting 100mm high.	m	N/A	RATE ONLY	,
	2	1	Take out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)	нз			
	2	1	15 Wash hand basin with brackets, taps, etc. and all necessary piping, etc.	No	N/A	RATE ONLY	,
3	2	1	16 Water closet suite complete with flushing system and all necessary piping, etc.	No	N/A	RATE ONLY	,
3	2	1	PREPARATORY WORK TO EXISTING SURFACES Hacking off and removing paint from existing plaster and prepare surfaces to receive new paint.	H2			
3	2	1	Hacking on ano removing paint from existing plaster and prepare surfaces to receive new paint. 17 Hacking face of existing painted wall to receive new paint (elsewhere).	H3 m²	N/A	RATE ONLY	,
3	2	1	17 manual nace of existing pointed wan to receive new point (exervence). MAKE GOOD FINISHES, ETC.	m- H2	N/A	KATE UNL	
2	2	1	Make good internal granolithic, screed, plaster, etc. to match existing:	H3			
3	2	1	18 Plaster on walls in patches.	m²	100% Cement Products	RATE ONLY	,
3	2	1	19 Making good cement plaster on walls where tiles removed.	m²	100% Cement Products	RATE ONLY	,
3	2	1	BUDGETARY ALLOWANCES	H2			
3	2	1	20 Allow the amount of R 5 000.00 for external alterations/vegetation, etc. This work shall be measured on completion and priced at agreed rates.	Item	N/A	RATE ONL	5000
3	2	1	TOTAL ALTERATIONS, DEMOLITIONS, ETC.				
3	2	2	SECTION NO. 2	H2			
3	2	2	BILL NO. 2	H2			
3	2	2	WATERPROOFING	H2			
3	2	2	PREAMBLES				
3	2	2	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
3	2	2	SUPPLEMENTARY PREAMBLES				
3	2	2	Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill				
3	2	2	Waterproofing Under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Waterproofing of roofs, basements, etc shall be deemed to include additional labour to turn-ups and turn-downs				
3	2	2	DAMP-PROOFING OF WALLS AND FLOORS	H2 H2			
3	2	2	One layer of approved 375 micron embossed damp proof course	нз			
3	2	2	1 In walls, window cills, etc.	m²	N/A	RATE ONLY	,
3	2	2	Two coats bitumen emulsion waterproof coating:	нз			
3	2	2	2 On walls to receive wall tiling.	m²	N/A	RATE ONLY	,
3	2	2	JOINT SEALANTS, ETC	H2			
3	2	2	Two part grey polysulphide sealing compound including backing cord, bond breaker, primer, etc.	нз			
3	2	2	3 Point 6mm wide joint between ceramic sanitayware and wall with type 2 one component, silicone rubber base joint sealing compound.	m	N/A	RATE ONLY	,
3	2	2	4 3 x 35mm In saw cut joints in floors	m	N/A	RATE ONLY	,
3	2	2	5 Rake out 12mm thick expansion joint filler to a depth of 10mm, apply approved primer, insert packing strip and fill with type 2 gungrade polysulphide base joint sealing compound.	m	N/A	RATE ONLY	,
4	2	2	TOTAL WATERPROOFING				
4	2	3	SECTION NO. 2	H2			
4	2	3	BILL NO. 3	H2			
4	2	3	ROOF COVERING	H2			
4	2	3	PREAMBLES				
4	2	3	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
4	2	3	SUPPLEMENTARY PREAMBLES				
4	2	3	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill				
4	2	3	Straight cutting	H2			
4	2	3	Descriptions of all roof coverings are deemed to include for all straight cutting				
4	2	3	PROFILED SHEETING OF METAL, FIBRE-CEMENT, PLASTICS, ETC.	H2			
4	2	3	Roof slates, manufactured in accordance with SANS 803:2005, size 610 x 406 x 7mm thick, fixed at a pitch of 30Å*; each slate twice nailed with 63 x 2,5mm copper clout nail to sawn softwood battens at 250mm centres, fixed to trusses with slates fastened together with copper disc rivets.	нз			
4	2	3	1 Roof coverings, etc.	m²	100% Cement Product	RATE ONLY	,
4	2	3	Flashings, etc.:	нз			
4	2	3	2 flashing.	m	100% Steel Products	RATE ONLY	,
4	2	3	3 Ridge cappings.	m	100% Cement Product	RATE ONLY	,
4	2	3	ROOF INSULATION	H2			
4	2	3	Fibreglass reinforced aluminium foil faced resin bonded glass fibre flexible insulation with galvanised straining wires fixed in strict accordance with the manufacturer's instructions:	нз			
	2		100mm Thick fibreglass roof insulation laid taut over purlins (purlins at approximately 1100mm centres) with minimum 100mm side laps and fixed concurrent with roof covering including galvanised steel	?			
4	2	3	4 straining wires, etc.	m²	N/A	RATE ONLY	
2	2	3	TOTAL ROOF COVERING SECTION NO. 2	H2			
4	2	4	SECTION NO. 2 BILL NO. 4	H2 H2			
4	2	4	BILL NO. 4 CARPENTRY AND JOINERY	H2 H2			
4	2	4	PREAMBLES PREAMBLES	***			
4	2	4	PREAMMELS Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
4	2	4	Tenderles are to refer to the Model Presmoles for Trades (Latest Edition) and Supplementary Preamoles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES				
4	2	4	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill	H2			
4	2	4	Straight cutting	-			
4	2	4	Descriptions of all roof coverings are deemed to include for all straight cutting				
4	2	4	DOORS, ETC.	H2			
			2 Panel door with bolection mouldopen inward, overall size 1 612 x 2032mm high. Guarantee: 10-year, Application: Semi-exterior, Door: 2 Panel door with bolection mould (Code: SD16/1612/OI), Door width:	-			
5	2	4	1612mm, Door height: 2032mm.	нз			
5	2	4	1 Door size overall 1 612 x 2032mm high. (DR100)	No	N/A	RATE ONLY	,
5	2	4	6 Panel door, overall size 813 x 2032mm high. Door range: Guarantee: 1-year, Application: Semi-exterior, Door: 6 Panel door, Door width: 813mm, Door height: 2032mm. (frames elsewhere):	нз			
5	2	4	2 Door size overall 813 x 2032mm high. (DR101)	No	N/A	RATE ONLY	,
5	2	4	FINANCIAL PROVISIONS	H2			
	2	4	3 Allow the amount of R.5,000.00 for Joinery Work. This work shall be measured on completion and priced at agreed rates.	Item	N/A	RATE ONL	5000
>					1	1	

					1	1	1
5	2	5	SECTION NO. 2	H2		1	
5	2	5	BILL NO.5	H2			
5	2	5	CEILINGS, PARTITIONS AND ACCESS FLOORING	H2			
5	2	5	PREAMBLES				
5	2	5	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
5	2	5	SUPPLEMENTARY PREAMBLES				
5	2	5	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill				
5	2	5	Descriptions				
5	2	5	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete				
5	2	5	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "boilted", the boits are measured elsewhere				
5	2	5	Proprietary suspended ceilings				
	2	5	CEILING TIMBERS, BEADS, INSULATION, ETC	H2			
5	2	5	SOFT CHING	H2			
5	2	5		HZ			
5	2	5	30mm closed tongue & amy; grove malu go ceiling, with Mineral instural facing, fixed at right angles to 138.4 38mm timber brandering fixed to te beams at 700mm centres, units grove language context. Seld by pillable interlocking joint using the tongue and grove lap, Ceiling primeter to be frinkled using polystyrene corridor (elsewhere specified) and proper paged for decoration, all his accordance with the manufacturer's recommendations. Application: and up ceiling, Board thickness 30mm, Board facing, Mineral natural, H-value: 1.25, Core density: 344g/min ² paint with Matt paint(colour to be selected) to nev interior gryptum certificial boards. Surface to be clean, dry and dust free with a moisture content of less than 1.2%. Prime surface with one coat Plaster Primer with an overcoating time of 4 hours and finish with two coats Matt paint with an overcoating time of 4 hours.	н3			
	2	5	1 On ceiling.	m²	N/A	RATE ONL	
	2	5	2 On cornices.	m	N/A	RATE ONL	′
	2	5	TOTAL CEILINGS, PARTITIONS AND ACCESS FLOORING				
	2	6	SECTION NO. 2	H2			
	2	6	BILL NO.6	H2			
	2	6	IRONMONGERY	H2			
	2	6	PREAMBLES				
	2	6	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	2	6	SUPPLEMENTARY PREAMBLES				
	2	6	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill				
	2	6	Finishes to ironmongery				
			Where applicable finishes to ironmongery are indicated by suffices in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelied GE Grey				
	2	6	where applicable intones to fromongery are indicated by surrors in accordance with the rollowing list: is satin prome acquered th Unformitian piated St. Satin circumium piated St. Sat				
	2	6	HINGES, BOLTS, ETC.	H2			
	2	6	Stainless steel:	нз			
	2	6	1 100mm Butt hinges.	No	100% Steel Products	RATE ONL	,
	2	6	LOCKS	H2			
	2	6	Stainless steel:	нз			
	2	6	2 Cylinder sash lock with stainless steel forend.	No	N/A	RATE ONL	,
	2	6	WC indicator cylinder sash lock with stainless steel forend and indicator.	No	N/A	RATE ONL	
	2	6	Wit makator cylinder sasni ock with stanness steel rorend and indicator. HANDLES	H2		ONL	
	2						
	-	6	Natural Anodised Aluminium:	Н3			
	2	6	4 Lever handle with rose.	No	N/A	RATE ONL	
	2	6	5 Tubular spring loaded pull handle on and including cylinder backplate.	No	N/A	RATE ONL	′
	2	6	DOOR CLOSERS	H2			
	2	6	5 Standard overhead door closer in accordance with SABS 1510 with adjustable closing force strength 2-4, adjustable arm, etc.	No	100% Steel Products	RATE ONL	′
	2	6	SIGNAGE	H2			
	2	6	6 150 x 150 x 3mm thick stainless steel pictogram sign with ""Toilet"	No	100% Steel Products	RATE ONL	,
	2	6	BATHROOM FITTINGS	H2			
	4	U		n2			
	2	6	1,2/1,5mm thick satin finished stainless steel automatic hands free hand dryer size 280 x 207 x 245mm high with 2 vandal proof lock screws and key wrench, plugged and screwed to the wall with stainless steel 7 screws, 200 W motor connected to 230/240 volt power supply. With 5 year warranty.	No	100% Steel Products	RATE ONL	,
	2	6	8 Stainless Steel Toilet Tissue Dispenser, overall size 130 x 135 x 256mm high, installed by a installation team.	No	100% Steel Products	RATE ONL	,
	2	6	SUNDRIES	H2			
	2	6	9 Floor mounted door stop.	No	100% Steel Products	RATE ONL	,
	2	6	FINANCIAL PROVISIONS	H2			
			The items described hereunder cover work which is not fully defined at tender stage and which is intended to be executed by the Contractor and/or his Sub-Contractors. The amounts shown shall be used as				
	2	6	The items described hereunder cover work which is not fully defined at tender stage and which is intended to be executed by the Contractor and/or his Sub-Contractors. The amounts shown shall be used as directed by the Representative/ Agent and shall be deducted in whole or in part if not required.				
	2	6	10 Allow the amount of R 5 000.00 (Thirty Thousand Rand) for installation of Fittings not specified.	Item	N/A	RATE ONL	5000
	2	6	TOTAL IRONMONGERY				
	2	7	SECTION NO. 2	H2			
	2	7	BILL NO.7	H2			
		7	METALWORK	H2			
	2		PREAMBLES				
	2	7			1	1	
	-		Tandarars are to refer to the Model Dreambles for Trude (I start Edition) and Supplementary Dreambles for further description and supplementary or to refer to the Model Dreambles for Trude (I start Edition) and Supplementary Dreambles for further description and supplementary or to refer to the Model Dreambles for Trude (I start Edition) and Supplementary Dreambles for further description and supplementary or to the Model Dreambles for Trude (I start Edition) and Supplementary Dreambles for further description and supplementary or to the Model Dreambles for Trude (I start Edition) and Supplementary Dreambles for Supplementary Dreambles fo				1
	2	7	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	-	7	SUPPLEMENTARY PREAMBLES				
	2	7	SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norma, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill				
	2	7	SUPPLEMENTARY PREAMBLES	Н2			
	2 2 2	7 7 7	SUPPLEMENTARY PREAMBLES Notes: LT enderers are advised to study the Praxa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Praxa Specifications before pricing this bill Descriptions of boils shall be deemed to include nuts and washers Descriptions of expansion anchors and boils and chemical anchors and boils shall be deemed to include nuts, washers and mortices in	H2 H2			
	2 2 2	7 7 7	SUPPLEMENTARY PREAMBLES Notes: LT enderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill Descriptions of boils shall be deemed to include nuts and washers Descriptions of expansion anchors and boils and chemical anchors and boils shall be deemed to include nuts, washers and mortices in brickwork or concrete Metalwork described as "holed for boilt(s)" shall be deemed to exclude the boils unless otherwise described PRESSED STEEL DOOR FRAMES				
	2 2 2	7 7 7	SUPPLEMENTARY PREAMBLES Notes: LT enderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill Descriptions of boils shall be deemed to include nuts and washers Descriptions of expansion anchors and boils and chemical anchors and boils shall be deemed to include nuts, washers and mortices in brickwork or concrete Metalwork described as "holed for boil(s)" shall be deemed to exclude the boils unless otherwise described				
	2 2 2	7 7 7 7	SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill Descriptions of boils shall be deemed to include nuts and washers Descriptions of expansion anchors and boils and chemical anchors and boils shall be deemed to include nuts, washers and mortices in brinkwork or concrete Metalianism described is "holed for boility" shall be deemed to exclude the boils unless otherwise described PRESSED STEEL DOOR PRAMES 1,6mm Thick Single rebated frames suitable for half brick walls complete with hoop iron anchors weided to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock	H2	100% Steel Products	RATE ONL:	,
	2 2 2 2 2 2 2 2 2 2	7 7 7 7 7 7 7 7	SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill Descriptions of bolts shall be deemed to include nuts and wishers Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brinckwork or concrete Metalwork described as "holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described PRESSED STEEL DOOR FRAMES 1,6mm Thick Single rebated frames suitable for half brick walls complete with hoop iron anchors welded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of IXDmm standard heavy duty brass but things welded to frame. 1 Frame for door size 813 x 2032mm high. 1,6mm Thick Single rebated frames suitable for one brick walls complete with hoop iron anchors welded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock shorters are striking plate suitable for cylinder locks, three rubber shock shorters are striking plate suitable for cylinder locks, three rubber shock shorters are striking plate suitable for cylinder locks, three rubber shock shorters.	H2 H3 No	100% Steel Products	RATE ONL	,
	2 2 2 2 2 2 2 2	7 7 7 7 7	SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill Descriptions of bolts shall be deemed to include nuts and washers Descriptions of expansion anchors and bolts and disensive and bolts shall be deemed to include nuts, washers and mortices in brinckwork or concrete Metalwork described s" holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described PRESSED STEEL DOOR FRAMES 1,6mm Thick Single rebated frames suitable for half brick walls complete with hoop iron anchors wedded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 3D0mm standard heavy duty trass but things wedded to frame. 1 Frame for door size 813 x 2032mm high. 1,6mm Thick Single rebated frames suitable for one brick walls complete with hoop iron anchors wedded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 3D0mm standard heavy duty brass butt hinges wedded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 3D0mm standard heavy duty brass butt hinges wedded to frame.	H2 H3 No H3			
	2 2 2 2 2 2 2 2 2 2	7 7 7 7 7 7 7 7	SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill Descriptions of boils shall be deemed to include nuts and washers Descriptions of expansion anchors and boils and chemical anchors and boils shall be deemed to include nuts, washers and mortices in brinkwork or concrete Metalianism described is "holed for boilty" shall be deemed to exclude the boils unless otherwise described PRESSED STEEL DOOR FRAMES 1,6mm Thick Single rebated frames suitable for half brick walls complete with hoop iron anchors weided to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 300mm standard heavy duty brass butt hinges welded to frame. 1 Frame for door size 813 x 2032mm high.	H2 H3 No	100% Steel Products	RATE ONL	
	2 2 2 2 2 2 2 2	7 7 7 7 7	SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill Descriptions of bolts shall be deemed to include nuts and washers Descriptions of expansion anchors and bolts and disensive and bolts shall be deemed to include nuts, washers and mortices in brinckwork or concrete Metalwork described s" holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described PRESSED STEEL DOOR FRAMES 1,6mm Thick Single rebated frames suitable for half brick walls complete with hoop iron anchors wedded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 3D0mm standard heavy duty trass but things wedded to frame. 1 Frame for door size 813 x 2032mm high. 1,6mm Thick Single rebated frames suitable for one brick walls complete with hoop iron anchors wedded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 3D0mm standard heavy duty brass butt hinges wedded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 3D0mm standard heavy duty brass butt hinges wedded to frame.	H2 H3 No H3			

2				ů.	i	
2	7	3 Frame for door size 1 612 x 2032mm high.	No	100% Steel Products	RATE ONLY	
	7	STEEL WINDOWS	H2			
2	7	Standard residential type steel windows with burglar bars to fixed and opening sections:	Н3			
2	7	4 Steel windows with burglar bars (On Various sizes, window schedule by the architect to be available during construction stage)	No	100% Steel Products	RATE ONLY	
2	7	FINANCIAL PROVISIONS	H2			
2	7	The items described hereunder cover work which is not fully defined at tender stage and which is intended to be executed by the Contractor and/or his Sub-Contractors. The amounts shown shall be used as directed by the Representative/ Agent and shall be deducted in whole or in part if not required.				
-	7	5 Allow the amount of R 20,000.00 metalwork not specified. This work shall be measured on completion and priced at agreed rates.				
2	,	5. Allow the amount of it. 20,000.00 metalwork not specified. This work shall be measured on completion and priced at agreed rates.	Item	100% Steel Products	RATE ONLY	
2	7	TOTAL METALWORK				
2	8	SECTION NO. 2	H2			
2	8	BILL NO. 8	H2			
2	8	PLASTERING	H2			
2	8	PREAMBLES				
2	8	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
2	8	SUPPLEMENTARY PREAMBLES				
2	8	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill				
,	8		H2			
-	-	Floor preparation to include grout grinding, levelling and skim coating surface with new mortar ready to receive new screed	HZ			
2	8	Wall preparation to include grout grinding, levelling and skim coating surface with new mortar ready to receive new plaster/backing				
2	8	Screeds on concrete:	Н3			
2		All surfaces to be clean and free from oil, dust or shutter release agents and concrete surfaces to be chipped or scarified to remove laitance. Apply epoxy into cavity at one point only to avoid entrapping air. 1 Applied in accordance with approved manufacturer's specifications by approved applicators.	m²	N/A	RATE ONLY	
2	8	Applied in accordance with approved manufacturer's specifications by approved applicators. INTERNAL PLASTER and EXTERNAL PLASTER ON WALLS	H2		CONLI	
-	-					
2	8	All existing bricks to be cleaned with Brick wash, Acid based detergent, Replace any bricks applicable with 222 x 106 x 73mm, 51 bricks per m³ and sealed with brick dressing from manufacturer	Н3			
2	8	2 Plaster on walls	m²	100% Cement Products	RATE ONLY	
2	8	3 In narrow widths.	m²	100% Cement Products	RATE ONLY	
2	8	CRACK REPAIRS	H2			
2	8	Repairs to non-structural cracks in walls:	нз			
2	8	4 Cut a 6mm wide x 15mm deep saw cut above and below the crack and plaster with 5:1 cement mortar to form a v-joint.	m	100% Cement Products	RATE ONLY	
2	8	TOTAL PLASTERING				
2	9	SECTION NO. 2	H2			
,		BILL NO. 9	H2			
-	9					
2	9	TILING	H2			
2	9	PREAMBLES				
2	9	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
2	9	SUPPLEMENTARY PREAMBLES				
2	9	Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill				
		Descriptions Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and	H2			
2	9	descriptions of tiling on concrete floors etc				
2	9	WALLTILING	H2			
•	-					
2	9	Slate tiles, size 300 x 300mm fixed to internal wall plaster backing with tile adhesive mixed with bonding liquid in lieu of water with diagonal joints continuous in both directions and grouted with tile grout (elsewhere specified), excess grout on the surface to be cleaned with water as work proceeds. Apply natural stone sealer as per manufacturer's recommendations.	нз			
			ri s			
2	9	1 On walls.	m²	N/A	RATE ONLY	
			m²		RATE ONLY	
2	9	2 In splashbacks, etc.	m² m²	N/A N/A	RATE ONLY	
		2 In splathbacks, etc. FLOOR TILING	m²			
2	9	2 In splantbacks, etc. FLOOR TILING Rustic cement wash based tiles, size 600 x 500 x 20mm thick, with 5 mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-diry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000	m² m² H2			
2	9	2 In splanbbacks, etc. FLOOR TILING Ruisc cement with based bles, die 600 x 500 x 500m blick, with 5-8mm diagonal joints continuous in both directions ground with suitable grout, excess grout on the surface to be channed with water as the work proceeds, bedded in a cement slurry on 25-30mm blick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 Mil degree of Accuracy.	m² m²	N/A	RATE ONLY	
2	9	2 In splantbacks, etc. FLOOR TILING Rustic cement wash based tiles, size 600 x 500 x 20mm thick, with 5 mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-diry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000	m² m² H2			
2 2	9 9	2 In splanbbacks, etc. FLOOR TILING Ruisc cement with based bles, die 600 x 500 x 500m blick, with 5-8mm diagonal joints continuous in both directions ground with suitable grout, excess grout on the surface to be channed with water as the work proceeds, bedded in a cement slurry on 25-30mm blick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 Mil degree of Accuracy.	m² m² H2	N/A	RATE ONLY	
2 2 2	9 9	2 In splanbbacks, etc. FLOOR TLING Rustic cement wash based tiles, size 600 x 500 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface Bed on 150mm subbase, conforming to SAMS 12000 MI degree of Accuracy. 3 On Booss.	m² m² H2 H3	N/A	RATE ONLY	
2 2 2 2 2	9 9 9	2 In splashbacks, etc. FLOOR TILING Rustic cement wash based tiles, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SAMS 12000 M degree of Accuracy. 3 On Rooss. 4 100mm High skirring.	m² m² H2 H3 m²	N/A	RATE ONLY	
2 2 2 2 2	9 9 9 9	2 In splanbbacks, etc. FLOOR TILING Rustic cement wash based sites, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 Mid degree of Accuracy. 3 On floors. 4 100mm High skirting. CORNER PROTECTORS, DIVIDING STRIPS, ETC.	m² m² H2 H3 m² m	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2	9 9 9 9 9	2 In splashbacks, etc. FLOOR TILING Ruits: Cement with based lifes, size 600 x 600 x 20mm thick, with 5 mm diagonal joints continuous in both directions grounded with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete turface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On floors. 4 100mm High skirting. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm High aluminium straight trim fixed in strict accordance with the manufacturer's instructions.	m² m² H2 H3 m² m	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2	9 9 9 9 9 10	2 In splashbacks, etc. FLOOR TILING Rustic cement wash based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceeds, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 3 On floors. 4 100mm High skirsting. CORNER PROFICETORS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2	m ² m ² H2 H3 m ² m H2	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 10 10	2 In splashbacks, etc. FLOOR TLING Rustic cement wash based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MJ degree of Accuracy. 3 On floors. 4 100mm High skirting. CORNER PROTECTIONS, DIVIDING STRIPS, ETC. 5 12mm High skiminium straight from fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10	m ² m ² H2 H3 m H2 H12 H12	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 9 10	2 In splanbbacks, etc. FLOOR TLING Rustic cement with based bits, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions ground with suitable grout, excess grout on the surface to be channed with water as the work proceeds, bedded in a cement shurry on 25-30mm thick semi-day mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 on floors. 4 100mm high shring. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm high slaminium straight frim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING	m ² m ² H2 H3 m ² m H2	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 10 10 10	2 In splanbbacks, etc. FLOOR TLING Rusis: cement with based bits, size 600 x 500 x 20mm thick; with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds. Ledded in a cement subrry on 25-30mm thick semi-diry montar screed and tumped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 1200D MI degree of Accuracy. 3 on floors. 4 100mm High shirting. CORNER PROTECTIONS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES	m ² m ² H2 H3 m H2 H12 H12	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 9 10	2 In splanbbacks, etc. FLOOR TLING Rustic cement with based bits, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions ground with suitable grout, excess grout on the surface to be channed with water as the work proceeds, bedded in a cement shurry on 25-30mm thick semi-day mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 on floors. 4 100mm high shring. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm high slaminium straight frim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING	m ² m ² H2 H3 m H2 H12 H12	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 10 10 10	2 In splanbbacks, etc. FLOOR TLING Rusis: cement with based bits, size 600 x 500 x 20mm thick; with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds. Ledded in a cement subrry on 25-30mm thick semi-diry montar screed and tumped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 1200D MI degree of Accuracy. 3 on floors. 4 100mm High shirting. CORNER PROTECTIONS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES	m ² m ² H2 H3 m H2 H12 H12	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Rustic Cement with based stes, size 600 x 600 x 20mm thick, with 5 8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tumped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 of Rofors. 4 100mm High skirting. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section	m ² m ² H2 H3 m H2 H12 H12	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Ruits: Cement with based Ses, size 600 x 600 x 20mm thick, with 5 8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete turface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On floors. 4 100mm High skirsing. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm High aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION No. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and ampdification of work in this section SUPPLEMENTARY PREAMBLES	m² m² H2 H3 m H2 H2 H2 H2	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Rustic cement work based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbasis, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm High skirting. CORNER PROTECTIONS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim faced in strict accordance with the manufacturer's instructions. TOTAL, TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and ampdification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NOS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill	m² m² H2 H3 m² m H2 H2 H42 H42 H42	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TLING Rustic cement wash believed five, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On floors. 4 100mm right skirting. CORNER PROTISCTIONS, DIVIDING STRIPS, ETC. 5 12mm high skirting and summinimum straight from fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREMANLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY RELAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install 4mm clear glasing on all missing and broken casements	m² m² H2 H3 m² m H42 H2 H42 H42 H42	N/A N/A N/A	RATE ONLY RATE ONLY	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TLING Rustic crement wash based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm High skirting. CORNER PROTECTORS, DIVDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. 10TAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NOSS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY	m² m² H2 H3 m² m H42 H2 H42 H42 H42	N/A N/A N/A	RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 9 100 100 100 100 100 100	2 In splashbacks, etc. FLOOR TILING Ruits cement with based lies, size 600 x 600 x 20mm thick, with 5 8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On Roosa. 4 100mm High skirting. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Preas Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Preas Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install Arms clear glating on all missing and broken casements Provision of 822 000 for plasing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sites, window schedule by the architect to be available during construction	m² m² H2 H3 m² m H2 H2 H2 H2 H2 H3	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 9 100 100 100 100 100 100	2 In splashbacks, etc. FLOOR TILING Rustic cement with based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbasis, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm High skirting. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim faced in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install 4mm clear glazing on all missing and broken casements Provision of R22 000 for glazing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sizes, window schedule by the architect to be available during construction 1 stage)	m² m² H2 H3 m² m H42 H42 H42 H42 H3 Surn	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Ruits cement with based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbasis, conforming to SANS 1200D MI degree of Accuracy. 3 On floors. 4 100mm High Alaminium straight trim flaed in strict accordance with the manufacturer's instructions. 10TAL TILING 5 ECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Preas Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Preas Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install Amm clear glazing on all missing and broken casements TOPS, SHELVES, MIRRORS, ETC. Mirrors to comply with SABS 1228 Class A. Mirrors to comply with SABS 1228 Class A. Mirrors to comply with SABS 1228 Class A.	m² m² H2 H3 m² m H42 H42 H42 H42 H43 Ssum H42	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TLING Rustic cement wash based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm High skirting. CORNER PROTECTORS, DIVDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. 10TAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install damm clear glazing on all missing and broken casements Provision of RZZ Q00 for glazing replacement. This work shall be measured on completion and priced at agreed rates. (In Various sizes, window schedule by the architect to be available during construction 1 stage) Tools, SHELVES, MIRRORS, ETC.	m² m² H2 H3 m² m H42 H42 H42 H42 H43 Ssum H42	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Ruits cement with based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbasis, conforming to SANS 1200D MI degree of Accuracy. 3 On floors. 4 100mm High Alaminium straight trim flaed in strict accordance with the manufacturer's instructions. 10TAL TILING 5 ECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Preas Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Preas Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install Amm clear glazing on all missing and broken casements TOPS, SHELVES, MIRRORS, ETC. Mirrors to comply with SABS 1228 Class A. Mirrors to comply with SABS 1228 Class A. Mirrors to comply with SABS 1228 Class A.	m² m² H2 H3 m² m H2 H2 H42 H42 H42 H42 H43 Sum H42 H43	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 100 100 100 100 100 100 100	2 In splashbacks, etc. FLOOR TILING Rustic cement work based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbasis, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm High skirting. CORNER PROTECTIONS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim faced in strict accordance with the manufacturer's instructions. 10TAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amostification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install 4mm clear glasing on all missing and broken casements Provision of R22 000 for glasing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sizes, window schedule by the architect to be available during construction 1 2 1889) 100S, SELEVES, MIRRORS, ETC. Mirrors to comply with SARS 1228 Class A. 6 min Schwert Rose glass gooper backed mirrors with polished edges holed for and fixed with chromium plated dome capped mirror scress with rubber buffers to plugs in brickwork or concrete and foam backing strip all round.	m² m² H2 H3 m² m H2 H2 H42 H42 H42 H43 H3 H3	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 100 100 100 100 100 100 100	2 In splashbacks, etc. FLOOR TLING Rustice cement wash based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal pinits continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 on floors. 4 100mm ligh skirting. CORNER PROTECTIORS, DIVIDING STRIPS, ETC. 5 12mm ligh skirting. SECTION NO. 2 BILL NO. 10 GLAZING PREMANLES Torderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREMANLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install damm clear glazing on all missing and broken casements Provision of RZ2 000 for glazing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sizes, window schedule by the architect to be available during construction 1 state) 10 SECULYS, MIRRORS, ETC. Mirrors to comply with SABS 1226 Class A. 6mm Sheered flooring biss copper backed mirrors with polished edges holed for and fixed with chromium plated dome capped mirror screes with rubber buffers to plugs in brickwork or concrete and foam backing strip at rounce: 2 Mirrors to comply with SABS 1236 Class A.	m² m² H2 H3 m² m H2 H2 H42 H42 H42 H43 H3 H3	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Rusts: Cement wash based ties, size 600 x 600 x 20mm thick, with 5-6 mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick sensi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On floors. 4 100mm high starting. CORNER PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Pacifities and Part B of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install dism clear glaing on all missing and broken casements Provision of #22 000 for glasing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sizes, window schedule by the architect to be available during construction 1 stage) Minors to comply with SABS 1236 Class A. General Steeler of No. 2 SECTION NO. 2	m² m² H2 H3 m² m H2 H2 H4	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Ruits cement want based ties, size 600 x 600 x 20mm thick, with 5 mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work proceeds, bedded in a cement sturry on 25-30mm thick sensi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm Righ skirting. COBNLE PROTECTORS, DIVIDING STRIPS, ETC. 5 12mm Righ aluminium straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTARY PREAMBLES Notes: 1. Tenderers are adviced to study the Prasa Norma, Guidelines and Standards (NGS) for Station Facilities and Part B of the Prasa Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Provision of R22 200 for glazing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sizes, window schedule by the architect to be available during construction 1 stage) TOPS, SHELVES, MIRRORS, ETC. Mirror size 600 x 900mm high. TOTAL A GLAZING SECTION NO. 2 BILL NO. 11	m² m² H2 H3 m² m H2 H2 H2 H4 H3 H3 No H42 H4 H3	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Rusticement wash based lies, size 600 x 600 x 20mm thick, with 5 8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On Rooss. 4 100mm High aluminism straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING 5 SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are no refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and ampdification of work in this section SUPPLEMENTARY PREAMBLES Tenderers are advised to study the Preas Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Preas Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install dmm clear glazing on all missing and broken casements TOPS, SHELIVES, MIRRORS, ETC. Mirrors to comply with SABS 1230 Class A. Mirrors to comply with SABS 1230 Class A. Mirrors to comply with SABS 1230 Class A. Mirrors show the specification before bulgs in brickwork or concrete and foam backing stips all rouncit. 2 Mirrors to comply with SABS 1230 Class A. m² m² H2 H3 m² m H2 H2 H4	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 11 11	2 In splashbacks, etc. FLOOR TILING Rusic cement wash based lies, size 600 x 600 x 20mm thick, with 5-8mm diagonal pinits continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sprocede, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbasis, conforming to SANS 12000 MI degree of Accuracy. 3 On Roors. 4 100mm High skirting. CORNER PROTECTIONS, DIVIDING STRIPS, ETC. 5 12mm high aluminium straight trim fixed in strict accordance with the manufacturer's instructions. 10TAL TILING SECTION NO. 2 BILL NO. 10 GLAZING PREAMRLES Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section SUPPLEMENTIARY PREAMBLES Notes: 1.Tenderers are advised to study the Prasa Norms, Guidelines and Standards (NGS) for Station Facilities and Part 8 of the Prasa Specifications before pricing this Bill GLAZING TO STEEL WITH PUTTY Install farm clear glazing on all missing and broken casements Provision of 82 000 for glazing replacement. This work shall be measured on completion and priced at agreed rates. (On Various sites, window schedule by the architect to be available during construction backing strip all round: 2 1 strage) 1 OTAL TILING SECTION NO. 2 BILL NO. 1 PAINTWONK Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section	m² m² H2 H3 m² m H2 H2 H2 H4 H3 H3 No H42 H4 H3	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10	2 In splashbacks, etc. FLOOR TILING Rusticement wash based lies, size 600 x 600 x 20mm thick, with 5 8mm diagonal joints continuous in both directions grouted with suitable grout, excess grout on the surface to be cleaned with water as the work sproceed, bedded in a cement slurry on 25-30mm thick semi-dry mortar screed and tamped using a rubber mallet on a 100mm thick concrete surface bed on 150mm subbase, conforming to SANS 12000 MI degree of Accuracy. 3 On Rooss. 4 100mm High aluminism straight trim fixed in strict accordance with the manufacturer's instructions. TOTAL TILING 5 SECTION NO. 2 BILL NO. 10 GLAZING PREAMBLES Tenderers are no refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and ampdification of work in this section SUPPLEMENTARY PREAMBLES Tenderers are advised to study the Preas Norms, Guidelines and Standards (NGS) for Station Facilities and Part B of the Preas Specifications before pricing this bill GLAZING TO STEEL WITH PUTTY Install dmm clear glazing on all missing and broken casements TOPS, SHELIVES, MIRRORS, ETC. Mirrors to comply with SABS 1230 Class A. Mirrors to comply with SABS 1230 Class A. Mirrors to comply with SABS 1230 Class A. Mirrors show the specification before bulgs in brickwork or concrete and foam backing stips all rouncit. 2 Mirrors to comply with SABS 1230 Class A. m² m² H2 H3 m² m H2 H2 H2 H4 H3 H3 No H42 H4 H3	N/A N/A N/A	RATE ONLY RATE ONLY RATE ONLY RATE ONLY RATE ONLY	22000	

					ì	
9	2	11	PAINTWORK TO NEW WORK and PREVIOUSLY PAINTED SURFACES	H2		
9	2	11	PAINTWORK	H2		
9	2	11	Approved Quality Matt paint (colour to be selected by architect) to new exterior cement plaster. Surface to be clean, dry and dust free with a moisture content of less than 12%. Prime surface with one coat Plaster Primer with an overcoating time of 4 hours and finish with two coats Matt paint with an overcoating time of 4 hours.	нз		
9	2	11	1 Internal and external plastered walls, columns, recessed bands, etc.	m²	N/A	RATE ONLY
9	2	11	ON METAL SURFACES	H2		
			Aluminium oleoresinous paint (colour to be selected) to previously decorated solvent based exterior shop primed mild steel.			
9	2	11	Remove all shop-primer and corrosion products from the steel by means of sand bilasting steel to a bright metal condition, and a cleanliness standard of \$a2% minimum. Prime surface with one coat Primer for Steel with an overcoating time of 18 hours. Apply one coat undercoat with an overcoating time of 18 hours and finish with two coats Aluminium Paint with an overcoating time of 18 hours.	нз		
9	2	11	2 Door frames and linings.	m²	N/A	RATE ONLY
9	2	11	3 Windows with burglar bars. (On Various sizes, window schedule by the architect to be available during construction stage)	m²	N/A	RATE ONLY
9	2	11	TOTAL PAINTWORK			
9	2 2		BUILDERS WORK SUMMARY 1 ALTERATIONS	Page		33
10	2		2 WATERPROOFING	Page		51
10	2		3 ROOF COVERING, ETC.	Page		55
10	2		4 CARPENTRY AND JOINERY	Page		58
10	2		5 CEILINGS PARTITIONS AND ACCESS FLOORING	Page		64
10	2		6 IRONMONGERY	Page		68
10	2		7 METALWORK	Page		72
10	2		8 PLASTERING	Page		75
10	2		9 TILING	Page		79
10	2		10 GLAZING	Page		87
10	2		11 PAINTWORK	Page		91
			Sub-Total			
10	2		SUBTOTAL - Carried to Final Summary			

AMOUNT	AMOUNT	
1 1		

PAGE NO	SEC NO	BILL NO	Item	Description		Unit	LOCAL CONTENT THRESHOLD	Qty	Rate	Amount
1		3	1	SECTION NO. 3 1 BILL 1: RETICULATION AND DISTRIBUTION BOARDS						
1			1 1.1	Distribution Boards						
				Distribution boards complete with all MCBs, switchgear, accessories, sheet metal frames, sub-frames, busbars, terminals, wiring, conduit terminations,						
1		3	1	labelling, fixtures and fittings as specified, with all equipment fitted and equipped in factory all strictly as per schematic diagram. (Please note that the distribution board's shop drawing should be submitted to the Engineer for approval prior to manufacture). DB-X: MLVB						
1		3	1.1.1	UB-A: MILVB	Supply Install	No. No.	N/A	RATE ONLY		
1		3	1.1.2	DB-B	Supply Install	No. No.	N/A	RATE ONLY		
			1.1.3	DB-C	Supply	No.	N/A	RATE ONLY		
1		3	1		Install	No.				
1		3	1.2	Low voltage cables 600/1 000V PVC/PVC/SWA/PVC multi-core copper cable installed in sleeves (sleeves measured elsewhere)						
1		3	1.2.1	35mm² 4 Core	Supply	m m	90% Electrical cables	RATE ONLY		
1		3	1 1.2.2	16mm² 4 Core	Supply	m	90% Electrical cables	RATE ONLY		
				towal term	Install	m	000 Flooridad ashlas	RATE ONLY		
1		3	1 1.2.3	10mm ^x 4 Core	Supply Install	m m	90% Electrical cables	KATE ONLY		
1		3	1 1.3	Low voltage cable terminations (Lugs, Glands & Shrouds) Make off and terminate the LV cable, complete with glands and shrouds including connection of cable to equipment terminals						
1		3	1 1.3.1	35mm² 4 Core	Supply	No.	90% Electrical cables	RATE ONLY		
		_			Install	No.				
1		3	1 1.3.2	16mm² 4 Core	Supply Install	No. No.	90% Electrical cables	RATE ONLY		
1		3	1 1.3.3	10mm² 4 Core	Supply	No. No.	90% Electrical cables	RATE ONLY		
1		3	1 1.4	Earthing Conductors						
1		3	1 1.4.1	Bare stranded copper earth conductor installed in sleeves (sleeves measured elsewhere) 16mm²	Supoli	m	90% Electrical cables	RATE ONLY		
1		,	1.4.1	A01111	Supply Install	m m	2070 Electrical Cables	MALE UNLY		
1		3	1 1.4.2	10mm ²	Supply Install	m m	90% Electrical cables	RATE ONLY		
PAGE NO	SEC NO	BILL NO	Carried f	orward to next page Description		Unit		Qty	Rate	Amount
:		3		Brought forward from previous page Earthing conductor terminations						
		3	1 1.5 1	Make off and terminate earth conductor, including lugs and connections						
:	2	3	1 1.5.1	16mm²	Supply Install	No. No.	90% Electrical cables	RATE ONLY		
:	2	3	1 1.5.2	10mm²	Supply	No.	90% Electrical cables	RATE ONLY		
					Install	No.				
	2	3	1 1.6	Earth Rods SABS approved copper earth rod						
	2	3	1 1.6.1	2400mm long 16mm diameter	Supply	No.	90% Electrical cables	RATE ONLY		
					Install	No.				
1	2	3	1 1.7	Sleeves						
:	2	3	1	High density (or equal and approved) polyethylene (HDPE) sleeve with double wall construction, corrugated outer wall and smooth inner wall finish inclusive of couplers, bends, etc						
:	2	3	1 1.7.1	110mm diameter	Supply Install	m m	100% HDPE	RATE ONLY		
	2	3	1 1.7.2	50mm diameter	Supply	m	100% HDPE	RATE ONLY		
	,	3	1 1.8	Draw wires	Install	m				
			1	Draw wire drawn into sleeves and conduits including approximately 300mm slack in boxes, distribution board, etc.						
1	2	3	1 1.8.1	1.6mm² Galvanised steel draw wire	Supply Install	m m	90% Electrical cables	RATE ONLY		
			1 1.9	Excavations						
-		3	1	All excavations, back filling and compaction must be done manually using local labour Excavate for cable and sleeve trench including temporary support of sides, keeping excavations dry, backfilling and compacting to the Engineer's						
			1	specification						
			1 1.9.1	Pickable Soil		m³	N/A	RATE ONLY		
:			1 1.9.2	For Soft Rock For Hard Rock		m³	N/A	RATE ONLY		
			1 1.9.4	Bedding under and filling around cables comprising sifted sand	Supply	m³	N/A	RATE ONLY		
					Install	m³	N/A	RATE ONLY		
			1 1.10	Cable Tape and Markers						
	2	3	1 1.10.1	PVC warning marking tape	Supply Install	m m	N/A	RATE ONLY		
	2	3	1.10.3	Concrete route markers	Supply	No.	100% Cement	RATE ONLY		
-		-	Carried f	orward to next page						
PAGE NO	SEC NO	BILL NO	Item	Description Brought forward from previous page		Unit		Qty	Rate	Amount
	В	3	1 1.11	Manholes complete with heavy duty trafficable covers						
	3	3	1 1.11.1	1000 x 1000 x 800 mm	Supply	No.	100% Steel Product	RATE ONLY		
3	3	3	1 1.11.2	600 x 600 x 800 mm	Supply	No.	100% Steel Product	RATE ONLY		
					Install	No.				
			1 1.12	Area Lights Installed and mounted on poles, including poles, excavation to install poles, lamps, 5A circuit breaker and 2 x 2.5mm ² PVC conductors from circuit breaker to luminate on too of note.						
		3	1	breaker to luminaire on top of pole.						

			Type B26: Surface mounted high pressure die-cast aluminium powder coated body with injection-moulded, high-impact, non-discolouring acrylic diffuser, the diffuser shall be held to the body by four captive stainless steel Allen head screws C/w 2 x 9W LED TS lamps, 600 lumens, IP6S and						
3	3	1 1.12.1	electronic control gear.	Supply Install	No. No.	N/A	RATE ONLY		
3	3	1 1.12.2	Type 51: Post top LED luminaire c/w top cover, high pressure powder coated die-cast aluminium base and gear plate, high impact acrylic protector, SSW LED lamp, 6 490 lumens, IP66, electronic control gear and 3.6m galvanised steel pole.	Supply	No.	N/A	RATE ONLY		
3	3	1 1.13	Galvanised steel conduits Galvanised steel conduit including bending, short lengths, draw boxes, cutting bands, jointing, couplings, saddles and accessories as per SABS 1065.	Install	No.				
3	3	1 1.13.1	Fixed to surface or laid in or flush mounted in brickwork, dry walls (partitions), concrete, roof space or ceiling void. The rate to allow for the conduit mounting brackets to suspend conduits from concrete slab as would be required in the ceiling void. 20mm	Supply	_	100% Steel Product	RATE ONLY		
3	3	1 1.14	Galvanised boxes	Install	m m	100% Steel Floudct	NATE ONLY		
3	3	1	Surface or flush mounted galvanised boxes with one, two, three or four way or back entry as required, including fluing to conduit with the necessary locknuts, adaptors, bushes, etc., installed chased in brickwork, on surface in ceiling or cast in concrete, excluding coverplates.						
3	3	1 1.14.1	20mm	Supply Install	No. No.	100% Steel Product	RATE ONLY		
PAGE NO SEC N	IO BILL N		orward to next page Description Brought forward from previous page		Unit		Qty	Rate	Amount
4	3	1 1.15	PVC insulated conductors						
4	3	1 15 1	600/1000V PVC insulated conductors drawn into conduit or installed in wiring channel including conductor identification labels, terminating, etc. 2.5 mm²	Supat-	m	90% Electrical cables	RATE ONLY		
4	3	1.15.1	L.J. 111011	Supply Install	m m	50/9 Electrical Cables	NATE UNLY		
4	3	1 1.16 1	Bare copper earth conductors Earth conductors drawn into conduit or installed in wiring channel including conductor identification labels, terminating, etc.						
4	3	1 1.16.1	2.5 mm²	Supply Install	m m	90% Electrical cables	RATE ONLY		
4	3	1 1.17	Photocell						
4	3	1	Photocell installed in a suitably sized rectangular bulkhead luminaire housing with clear UV stabilised high impact acrylic lens and labelling as specified						
4	3	1 1.17.1	16A, 230V, Photocell	Supply Install	No. No.	N/A	RATE ONLY		
4	3	1 1.18 1 1.18.1	Testing and commissioning Testing and commissioning of the works covered within this bill.		Item	N/A	RATE ONLY		
PAGE NO SEC N	IO BILL N		orward to Summany Page Description		Unit		Qty	Rate	Amount
5	3		2. BILL 2: BUILDING BLOCKS - ELECTRICAL INSTALLATIONS						
5	3	2 2.1	PVC conduits PVC conduit including bending, short lengths, draw boxes, cutting bands, jointing, couplings, saddles and accessories as per SABS 1065. Fixed to						
5	3	2	surface or laid in or flush mounted in brickwork, dry walls (partitions), concrete, roof space or ceiling void. The rate to allow for the conduit mounting brackets to suspend conduits from concrete slab as would be required in the ceiling void.						
5	3	2 2.1.1	20mm	Supply Install	m m	100% PVC Product	RATE ONLY		
5	3	2 2.1.2	25mm	Supply Install	m m	100% PVC Product	RATE ONLY		
5	3	2 2.2	PVC round boxes Surface of flush mounted 60mm deep PVC conduit round boxes with one, two, three or four way or back entry as required, including fixing to conduit with the necessary locknuts, adaptors, bushes, etc., installed in brickwork, on surface in ceiling void or cast in concrete inclusive of coverplates, where necessary.						
5	3	2 2.2.1	20mm	Supply	No. No.	100% PVC Product	RATE ONLY		
5	3	2 2.2.2	25mm	Supply	No.	100% PVC Product	RATE ONLY		
5	3	2 2.3	Galvanised boxes	Install	No.				
5	3	2	Surface or flush mounted galvanised boxes with one, two, three or four way or back entry as required, including fixing to conduit with the necessary locknuts, adaptors, bushes, etc., installed chased in brickwork, on surface in ceiling or cast in concrete, excluding coverplates.						
5	3	2 2.3.1	100 x 50 x 50mm	Supply Install	No. No.	100% Steel Product	RATE ONLY		
5	3	2 2.3.2	100 x 100 x Somm	Supply Install	No. No.	100% Steel Product	RATE ONLY		
5	3	2 2.4	Cable Ladders and Trays Heavy Duty Galvanised Cable Ladders and Trays complete with cantilever hangers or suspension rods complete with all joints, bends, tees, splicing etc						
5	3	2	as specified on the Drawings and the Quality Specifications.	Supri		1009/ Stool Broduct	DATE ON!!		
5	3	2 2.4.1	130mm wide cable ladder 200mm wide cable ladder	Supply Install Supply	m m	100% Steel Product 100% Steel Product	RATE ONLY		
5	3	2 2.4.3	300mm wide wiremesh cable tray	Install	m m	100% Steel Product	RATE ONLY		
		Carried fo	orward to next page	Install	m				
PAGE NO SEC N	IO BILL N) Item	Description Brought forward from previous page		Unit		Qty	Rate	Amount
6	3	2 2.5	PVC insulated conductors						
6	3	2 2.5.1	600/1000V PVC insulated conductors drawn into conduit or installed in wiring channel including conductor identification labels, terminating, etc. 2.5 mm²	Supply	m	90% Electrical cables	RATE ONLY		
				Install	m m				
6	3	2 2.5.2	4.0 mm²	Supply Install	m m	90% Electrical cables	RATE ONLY		
6 6	3	2 2.6	Insulated earth conductors Earth conductors drawn into conduit or installed in wiring channel including conductor identification labels, terminating, etc.						
6	3	2 2.6.1	2.5 mm²	Supply Install	m m	90% Electrical cables	RATE ONLY		
6	3	2 2.7	Bare copper earth conductors						

-	3	2	Earth conductors drawn into conduit or installed in wiring channel including conductor identification labels, terminating, etc.		ı	I.	1	ı	1 1	
6	3	2 2.7.1	2.5 mm²	Supply	m	90% Electrical cables	RATE ONLY			
			Annal .	Install	m					
6	3	2 2.7.2	4.0 mm ²	Supply Install	m m	90% Electrical cables	RATE ONLY			
6	3	2 2.8	Socket outlets Socket outlet complete with all necessary chrome fixing screws, steel cover plates, labeling, cradles, including all holes, drilling, etc							
6	3	2 2.8.1	16A, 230V, 3-pin single switched socket outlet, 2-pin slimline switched socket outlet, flush wall mounted	Supply	No.	N/A	RATE ONLY			
				Install	No.					
6	3	2 2.8.2	16A, 230V, 3-pin double switched socket outlet, wall mounted	Supply Install	No. No.	N/A	RATE ONLY			
6	3	2 2.8.3	16A, 230V, 3-pin dedicated single switched socket outlet with shaved earth pin, 2-pin slimline socket outlet, wall mounted	Supply	No.	N/A	RATE ONLY			
6	3	2 2.8.4	16A, Wireless service outlet point	Supply	No.	N/A	RATE ONLY			
				Install	No.					
6	3	2 2.9	Isolators Isolator complete with box, cover plate and accessories.							
6	3	2 2.9.1	20A DP Single phase isolator, flush mounted	Supply	No.	N/A	RATE ONLY			
6	3	2 2.9.2	20A DP Single phase isolator, surface mounted	Supply	No.	N/A	RATE ONLY			
6	3	2 2.9.3	20A DP Single phase isolator, surface mounted, weatherproof, IP56	Install	No.	N/A	RATE ONLY			
6	3	2 2.9.3	ZUA DY Single priase isolator, surface mounted, weather proof, ir-so	Install	No.	N/A	RATE UNLT			
PAGE NO SE	C NO BILL	Carried f	forward to next page Description		Unit		Qty	Rate	Amount	
			Brought forward from previous page							
7	3	2 2.10	Light switches Light switch complete with all necessary chrome fixing screws, steel cover plates, labeling, cradles, including all holes, drilling, etc inclusive of termination of circuit wiring onto switch terminals.							
,	3	-	Thing with armen terminal.							
7	3	2 2.10.1	16A, 230V, 1 Lever 1 Way	Supply Install	No. No.	N/A	RATE ONLY			
7	3	2 2.10.2	16A, 230V, 1 Lever 2 Way	Supply	No.	N/A	RATE ONLY			
7	3	2 2.11	Photocell	Install	No.					
7	3	2 2.11	Photocell installed in a suitably sized rectangular bulkhead luminaire housing with clear UV stabilised high impact acrylic lens and labelling as specified							
7	3	2 2.11.1	16A, 230V, Photocell	Supply	No.	N/A	RATE ONLY			
	3	2 2.12	Occupancy Sensors	Install	No.					
7	3	2 2.12	Ceiling/concrete slab mounted occupancy sensors for lighting control							
7	3	2 2.12.1	10A, 250V, Passive 360° occupancy sensor	Supply	No.	N/A	RATE ONLY			
				Install	No.					
7	3	2 2.13	Light fittings SABS approved light fittings as per the specification, complete with lamps, machine or wood screws, bolts, installed and connected as specified. All fittings shall be similar or equal to (and subject to approval) the light fittings specified in the schedule of light fittings.							
7	3	2	Please note that all ceiling mounted light fittings shall be delivered with 3m of 1,5mm² flexible cabtyre with a 5 amp 3 pin plug top fitted.							
7	3	2 2.13.1	Type B5: Surface mounted emergency exit light c/w 2 x 9W T5 lamps, 110 lumens per lamp with running pictogram, directional arrows, electronic control gear, 3m x 1.5mm² 3Core Flex Cable, 5A Unswitched Socket Outlet, Plug Top and self contained one hour battery backup.							
				Supply Install	No. No.	N/A	RATE ONLY			
7	3	2 2.13.2	Type C1-53W LED recessed panel fitting	Supply	No. No.	N/A	RATE ONLY			
7	3	2 2.13.3	Type A1- 36W LED recessed panel fitting	Supply	No.	N/A	RATE ONLY			
				Install	No.					
7	3	2 2.13.4	Type E1: Round bulkhead light fitting with unbreakable polycarbonate diffuser c/w 20W LED lamp, 2 000 lumens, IP65 and electronic control gear.	Supply	No.	N/A	RATE ONLY			
				Install	No.	N/A	NATE ONLY			
PAGE NO SE	C NO BILL	Carried f NO Item	orward to next page Description		Unit		Qty	Rate	Amount	
8	3	2 2.14	Brought forward from previous page Telecommunications distribution board							
8	3	2 2.14	Telecommunications distribution board Flush mounted distribution board, lockable, complete with 20mm thick wooden back board							
8	3	2 2.14.1	300 x 300 x 150mm deep	Supply Install	No. No.	N/A	RATE ONLY			
8 -	3	2 2.15	Telecommunications outlets Galvanised steel epoxy powder coated cradles and covers mounted on power skirting or wall complete with removable blank inserts.							
8	3	2 2.15.1	Galvanised steel epoxy powder coated cradles and covers mounted on power skirting or wall complete with removable blank inserts. RI45 socket outlet - Wall Mounted	Supply	No.	100% Steel Product	RATE ONLY			
Ü	-			Install	No.		- 5/46/1			
8 8	3	2 2.16 2 2.16.1	Television outlets Galvanised steel epoxy powder coated cradles and covers complete with removable blank inserts as specified.							
				Supply	No. No.	100% Steel Product	RATE ONLY			
8	3	2 2.17	Testing and commissioning	mutail						
8	3		Testing and commissioning of the works covered within this bill.		Item	N/A	RATE ONLY			
		Carried f	forward to next page							
PAGE NO SE	C NO BILL	NO Item	orward or less, page Description Brought forward from previous page		Unit		Qty	Rate	Amount	
9	3	2 2.18	Earthing and lightning protection system installations							
9	3	2	Allowance should be made for the following electrical equipment.							
9	3	2	70mm ² PVC stranded copper conductor 600V/1000V grade drawn in conduit-down conductors shall be bonded to steel roof with M6 20mm long brass bolts, nuts and washers. Copper conductor shall be equiped with hexagon criped lig for bonding/termination.							
9	3	2	70mm ² bare stranded copper conductor laid in trench for the creation of ring earth electrode in trench, 800mm below ground.							
9	3	2	8mm diameter solid aluminium round conductor surface mounted on aluminium guides							
					I	l .	1	l	1 1	

			Joint between dissimilar materials to be done by crimping lugs on the two types of materials and bond the lugs with M6 20mm long brass bolts, nuts		I	İ	l i		ı	
9	3	2	and washers.							
9	3	2	Earth electrodes to be extensible copper clad steel rods 12mm diameter and 1500mm long driven into the ground to a depth of not less than 600mm below finished ground level.							
9	3	2	Bonding between stranded copper conductors and earth electrodes to be done by CAD weld method. Bonding to steel reinforcing to be done with a U clamp, the copper conductor to be equipped with a lug.							
9	3	2	Test points to be created between down conductors and earth electrode conductors equipped with lugs and bonded with M6 20mm long brass bolts, nuts and washers.							
9	3	2	Site survey to be done prior to the installation and the soil resistivity shall be measured, the prevailing site conditions checked and a proposal submitted to the Engineer regarding the type of earthing.							
9	3	2	Draw boxes, conduits equipped with draw wire placed in position for casting into concrete or screed, for building in or chased into concrete or brickwork and for surface mounted in ceiling voids including bending, threading, jointing, short lengths, draw boxes, couplings, bends, tees and saddles, etc. as specified.							
9	3	2 2.18.1	Conduct soil resistivity tests and submit results		Item	N/A	RATE ONLY			
9	3	2 2.18.2		Supply Install	m m	100% PVC Products	RATE ONLY			
9	3	2 2.18.3		Supply Install	m m	90% Electrical cables	RATE ONLY			
9	3	2.18.4		Supply Install	m m	90% Electrical cables	RATE ONLY			
PAGE NO SEC N	IO BILL N		orward to next page Description		Unit		Qty	Rate	Amount	
10	3	2 2.18.5	Brought forward from previous page Test points between down conductor and earth electrode conductor installed complete with lugs, bolts, nuts and washers as specifed.							
10	,	_ 2.20.3		Supply Install	No. No.	N/A	RATE ONLY			
10	3	2 2.18.6		Supply Install	No. No.	N/A	RATE ONLY			
10	3	2 2.18.7		Supply Install	No. No.	N/A	RATE ONLY			
10	3	2 2.18.8		Supply Install	No. No.	90% Electrical cables	RATE ONLY			
10	3	2 2.18.9		Supply Install	m m	90% Electrical cables	RATE ONLY			
10	3	2 2.18.10		Supply Install	m m	90% Electrical cables	RATE ONLY			
10	3	2 2.18.11		Supply Install	No. No.	90% Electrical cables	RATE ONLY			
10	3	2 2.18.12		Supply Install	No. No.	N/A	RATE ONLY			
10	3	2 2.18.13	Allow for any other cost you may deem necessary to complete the installation of the lightning protection system.		Item	N/A	RATE ONLY			
10	3	2 2.18.14	Testing and Commissioning		Sum	N/A	RATE ONLY			
10	3	2 2.18.15	Issue earth resistance test certificate		Sum	N/A	RATE ONLY			
PAGE NO SEC N	IO BILL N	O Item	Description						Amount	
			SUMMARY							
11	3	1	1 BILL 1: RETICULATION AND DISTRIBUTION BOARDS						0	
11	3	2	2 BILL 2: BUILDING BLOCKS - ELECTRICAL INSTALLATIONS						0	
			FINAL SUMMARY: BUILDING WORKS (EXCLUDING VAT)						0	

PAGE NO	SEC NO	BILL NO	Item	Description	Unit	LOCAL CONTENT THRESHOLD	Qty	Rate	Amount
1	4		1	BILL 1 - HOT AND COLD WATER INSTALLATION					
1	4		1	ITEMS IN RED WERE ADDED AFTER TENDER FOR FULL FUNCTIONALITY					
				All rates supplied in this bill of quantities will be deemed to include scaffolding to any height and					
1	4		1	fixing of cold and hot water pipes up to and including roof height.					
				All pipes shall be deemed to include in the rates all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete					
1	4		1	slab.					
-			-						
1	4		1 1	Cold and Hot Water Piping					
				Supply, deliver, install and pressure test of copper Class 0 SANS 460 piping c/w consumables,					
1	4			supports, hangers, anchors, etc				ļ	
1	4			Dia. 15mm pipe	m		RATE ONLY		
1	4		1 1,1,2	Dia. 22mm pipe	m	N/A	RATE ONL	Ί	
1	4			Supply, deliver, install and pressure test of HDPE piping c/w consumables, fittings and supports					
1	4			Dia. 75mm pipe	m	100% HDPE	RATE ONLY	(
1	4		1						
				Carry forward to next page					
				Carried forward from the previous page					
1	4		1 2	Isolating Valves					
1	4			Dia. 15mm	No	70% Gate valve	RATE ONL	1	
1	4		1 2.2	Dia. 22mm	No	70% Gate valve	RATE ONL	(I	
1	4		1 3	Non-Return Valves					
1	4		1 3.1	Dia.75mm	No	70% PRV	RATE ONLY	,	
1	4		1 4	Pressure Reducing Valve (Adjustable)					
1	4		1 4.1	Dia. 75mm, with gauge	No	70% PRV	RATE ONLY	(I	
1	4		1 5	Extra over copper pipework as follows:					
1	4		1 5.1		l				1 1
1	4			. Dia. 15mm Equal Tee	No	N/A	RATE ONLY	,	
1	4			! Dia. 22mm Equal Tee	No	N/A	RATE ONLY		
1	4			Elbows					
1	4		1 6,1,1	Dia. 15mm 90° elbow	No	N/A	RATE ONLY	ř	1
1	4			Dia. 22mm 90° elbow	No		RATE ONLY	1	1
1	4		1						
1	4		1 7	Testing and commissioning of the entire system	Sum	N/A	RATE ONL	1	1 1
				Allow for submission of workshop drawings, technical data sheets and as-built drawings for	l				1 1
1	4		1 8	approval	Sum	N/A	RATE ONLY	Í	
				Carry forward to summary					

	SEC NO	BILL	NO II	em	Description BILL 2 - FIRE PROTECTION	Unit	LOCAL CONTENT THRESHOLD	Qty	Rate	Amount
					BILL 2 - FIRE PROTECTION Tenderers are referred to the specification and drawings numbered annexed to these bills of quantities for the mechanical work, for the full					
					descriptions of the following Items which are to be read and priced in conjunction with the said specification and drawings. All Fire Protection					
1	4		2		Equipment, including portable extinguishers, hose reels, hydrants and compliance to SANS 10400					
1	4		2		Fire Protection Services shall be as per relevant specifications, schedules, scope of works, drawings and technical information. Fire Protection equipment offered shall generally be of a good quality standard and shall be approved.					
1	4		2		Fire Protection equipment offered shall generally be of a good quality standard and shall be approved. The engineer and/or Client will authorize the installation as well as ordering equipment by way of signing off each pre-defined building area's audit.					
1	4		2		and scope of works report					
1	4		2	3	Fire Fighting Equipment					
					Supply, deliver and install the following Fire extinguisher					
1	4				Fire extinguisher 4.5kg DCP with backing boards	No.	N/A	RATE ONLY		
1	4				Photoluminescent signage	Sum	100% Steel Products	RATE ONLY		
					Fire hose reels					
1	4				25mm x 30mL fire hose reels Photoluminescent signage	No. Sum	N/A 100% Steel Products	RATE ONLY		
1	4		2	3.4	Priotoiuminescent signage	Sum	100% Steel Products	KATE UNLY		
					Fire hydrant					
1	4				65mm fire hydrant complete with boosters and valves	No.	Fire Hydrants	RATE ONLY		
1	4		2	3.6	Photoluminescent signage	Sum	100% Steel Products	RATE ONLY		
1	4		,	4	Ploing					
1	*		•		Supply, deliver and Install pipework complete with supports and accessories:	l				
					Medium grade, seamless galvanised mild steel	l				
1	4			4.1	25mm dia piping including painting	m	100% Steel Products	RATE ONLY		
1	4		2	4.2	65mm dia piping including painting	m	100% Steel Products	RATE ONLY		
					HDPE class 16					
1	4		2		110mm dia piping	m	100% HDPE	RATE ONLY		
						l				
					Carry forward to next page Carried forward from the previous page	l				
					Carried forward from the previous page	l				
2	4		2	5	Extra over pipework as follows:	l				
					90 Degree Bends	l				
2	4				25mm dia galvanised	No.	100% Steel Products	RATE ONLY		
2	4		2	5.2	65mm dia galvanised	No.	100% Steel Products 100% HDPE	RATE ONLY RATE ONLY		
2	4		2	5.3 5.4	25mm dia HDPE 75mm dia HDPF	No. No	100% HDPE 100% HDPE	RATE ONLY		
•			-	3.4	7-7-1111 Gai 11-7-2	140.	100% HDT L	IONIE ONEI		
					Reducers					
2	4				75mm to 65mm dia	No.	100% Steel Products	RATE ONLY		
2	4				110mm to 25mm dia HDPE 110mm to 75mm dia HDPE	No. No.	100% HDPE 100% HDPE	RATE ONLY		
2	4		2	5.7	110mm to 75mm da nove	NO.	100% HDPE	KATE UNLY		
					Tees					
2	4				110x110x110mm dia HDPE	No.	100% HDPE	RATE ONLY		
2	4				110x110x75mm dia HDPE	No.	100% HDPE	RATE ONLY		
2	4		2	5.1	110x110x25mm dia HDPE	No.	100% HDPE	RATE ONLY		
2	4		2	6	Valves	l				
					Supply, deliver and install the following complete:	l				
					The state of the s	L				
2	4		2	6.1	110mm dia isolation valves	No. No.	70% Gate valve 70% Gate valve	RATE ONLY		
2	4				eomm dia isolation valves 25mm dia isolation valves	No.	70% Gate valve	RATE ONLY		
2	4		2	6.4	110mm non-return valves	No.	70% PRV	RATE ONLY		
2	4				110mm strainers	No.				
2	4		2	6.6	110mm adjustable pressure reducing valve	No.	70% PRV	RATE ONLY		
2	4		2	-	Fire alarm and suppression system	Sum	N/A	RATE ONLY		
2	4		2		Fire Detection	Sum	N/A N/A	RATE ONLY		
-	,		-	-			·			
					150 x 150mm Ref F13 /F14 /F15 /F16 /F17 /F18 /F19 /F20 /F21 /F31 /F27 /E1 /E2 /E3 /E6 /E10 /E29 /PV7 /F41 anodised aluminiumplate with fire exit,	l				
2	4		2	9	fire alarms, fire extinguisher, fire hose reel or fire hydrant symbols	Sum	100% Steel Products	RATE ONLY		
2	4			10	Allow for trenching 1m deep by 500mm wide for fire connection points to ring main piping	m	N/A	RATE ONLY		
2	4		2	10	Anow for dentring an deep by Bound Wide for fire connection points to ring main piping		N/A	NATE UNLY		
2	4		2		Fire doors	l				
2					Supply, deliver and install the following complete:	l				
2	4		2	11	Class A fire doors, 60min fire rating with weather seal and self-closing, single	No	N/A	RATE ONLY		
2	4			12	Allow for submission of workshop drawings, technical data sheets and as-built drawings for approval	Sum	N/A	RATE ONLY		
	4		2	12	whow for submission of workshop drawings, technical data sheets and as-dulit drawings for approval	Sum	N/A	NATE UNLY		
2						l				
2										
2										
2					Carry forward to summary					
2					Carry forward to summary					

AGE NO SEC N	О В	ILL NO	Iten	n Description BILL 3 - BUILDING DRAINAGE RETICULATION	Unit	LOCAL CONTENT THRESHOLD	Qty	Rate	Amount
1	4		3	All pipes shall be deemed to include in the rates all necessary adaptors, couplers, brackets, reducers, expansion sockets, couplings necessary in joining of pipes and drilling of holes in the concrete slab and walls.					
1	4		3	1 Piping Supply, deliver and install soil and waste drainage piping. PVC pipe fixed vertically or horizontally on any structure i.e concrete or brick walls etc.					
1	4		3 1	1 50mm PVC SV SABS pipes	m	100% PVC Products	RATE ONLY		
1	4			2 110mm PVC SV SABS pipe	m		RATE ONLY		
1	4			Extra over pipework Supply, deliver and install soil and waste pipe fittings, junctions, bends, etc complete with rodding eye, pan connectors, branches, etc.					
1	4			1 110mmx45° PVC UG L/Hand IE junction	No	100% PVC Products	RATE ONLY		
1	4			2 110mmx45° PVC UG plain bend	No No		RATE ONLY		
1	4			3 110mmx45° R/Hand IE junction	No		RATE ONLY		
1	4			4 110mmx45° ABC PVC UG IE end (RE)	No		RATE ONLY		
1	4			5 110mm PVC P trap gully + overflow	No		RATE ONLY		
1	4			6 Dish gully tops	No		RATE ONLY		
1	4			7 110mm PVC UG gully hopper heads	No		RATE ONLY		
1	4			8 50mmx45° PVC SV IE bends	No		RATE ONLY		
1	4				No		RATE ONLY		
1	4			1 110mmx90° PVC SV IE bend	No		RATE ONLY		
1	4			1 110mmx110mm PVC SV IE junction	No		RATE ONLY		
1	4			1 110mm 2 way vent valve	No		RATE ONLY		
1	4			1 110mmx50mm PVC SV horn bend	No		RATE ONLY		
1	4			1 50mm 2 way vent valves	No		RATE ONLY		
1	4			2 110mmx45° PVC UG plain junction	No		RATE ONLY		
1	4			2 50mmx90° PVC SV plain junction	No		RATE ONLY		
1	4			2 50mmx90° PVC SV plain juiction	No		RATE ONLY		
1	4			2 50mmx90° PVC SV IE bends	No		RATE ONLY		
1	4			2 50mmx90° PVC SV IE junction	No		RATE ONLY		
1	4			2 600mmx600mm concrete surrounds frames & cover (heavy duty)	No		RATE ONLY		1
1	4				No		RATE ONLY		
1	-		J 2.	E municies, accomment / John W. Accommodph		20070 CEITICITE	OIVE		
				Pressure testing of entire piping system in accordance with the requirements as set out in 10252-2. All pipes need to be pressure	1				1
1	4		3	3 tested, documented and signed-off by main contractor, quality assurance offices, project engineer, etc	Sum	N/A	RATE ONLY		
1	4		3	4 Allow for submission of workshop drawings, technical data sheets and as-built drawings for approval	Sum	N/A	RATE ONLY		
				Carry forward to summary					

PAGE NO SEC NO	Bill N	No Description	Amount
1	3	1 BILL 1 - HOT AND COLD WATER INSTALLATION	
1	3	2 BILL 2 - FIRE PROTECTION	
1	3	3 BILL 3 - BUILDING DRAINAGE RETICULATION	
		Total excluding VAT	

TOTAL AMOUNT CARRIED TO FINAL SUMMARY

PAGE NO	SEC NO	BILL NO	ITEM NO	DESCRIPTION	UNIT	LOCAL CONTENT THRESHOLD	QUANTITY	RATE	AMOUNT	
1		5 1		SECTION NO.5	H2					
1		5 1		BILL NO. 1	H2					
1		5 1		PROVISIONAL SUMS	H2					
1		5 1		The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2008 Edition)	H2					
1		5 1		Under no circumstances may any Provisional Sum or P. C Item be altered.						
				Unless a specific percentage mark up for attendence is indicated in the rate column, the amounts priced by the contractor for attendence against each Provisional Sum shall be deemed to be						
1		5 1	ı	Lump Sum and shall not be adjusted unless the scope of the sub-contract varies significantly.						
1		5 1	ı	Provisional Sums contained herein may be omitted or reduced at the employer's sole discretion and the contractor shall not be entitled to claim for any loss by way of reductions or omissions of any discount, or percentage relating to the Provisional Sums pr P.C. Amounts or any loss of profit related thereto.						
1		5 1	ı	BUDGETARY ALLOWANCES : SUNDRY BUILDERS WORK ITEMS NOT MEASURABLE OR IDENTIFIABLE AT TENDER STAGE	H2					
1		5 1	. :	Allow a sum of R126 500.00 for builderswork in connection with services	Item	N/A	1	126500	126500	
1		5 1	ı	ALLOW THE FOLLOWING PROVISIONAL SUMS	H2					
1		5 1	ı	HVAC INSTALLATION	нз					
1		5 1	. :	Provide the amount of R60 000.00 for Heat Pump Split Units installed complete.	Item	N/A	1	60000	60000	
1		5 1		3 Profit on above item.	%IT	N/A			0	
1		5 1		4 Attendance on ditto.	%IT	N/A			0	
1		5 1	ı	SANITARY FITTINGS	нз					
1		5 1		5 Provide the amount of R150 000.00 for Sanitary fittings installed complete.	Item	N/A	1	150000	150000	
1		5 1		6 Profit on above item.	%IT	N/A			0	
1		5 1		7 Attendance on ditto.	%IT	N/A			0	
1		5 1		JOINERY FITTINGS	нз					
1		5 1		8 Provide the amount of R88 800.00 for Joinery fittings installed complete.	Item	N/A	1	88800	88800	
		5 1		9 Profit on above item.	%IT	N/A	-	00000	0	
		5 1		Attendance on ditto	%IT	N/A			0	
		5 1		EXTERNAL CIVIL SERVICES INSTALLATION	нз	N/A			0	
1		5 :		1 Provide the amount of R910 000.00 for External Civil Services complete.	Item	N/A	1	910000	910000	
1				2 Profit on above item.	%IT	N/A			0	
1		5 1		3 Attendance on ditto.	%IT	N/A			0	
1		5 1		PERIMETER WALLING & FENCING	Н3					
1		5 1	1 1	4 Provide the amount of R420 000.00 for Perimeter walling and fencing complete.	Item	100% Steel Product	1	420000	420000	
1		5 1		5 Profit on above item.	%IT	N/A			0	
1		5 1		6 Attendance on ditto.	%IT	N/A			0	
1		5 1		DIRECTIONAL SIGNAGE	нз					
1		5 1	1	7 Provide the amount of R150 000.00 for Directional Signage complete.	Item	100% Steel Product	1	150000	150000	
1		5 1	1 1	8 Profit on above item.	%IT	N/A			0	
1		5 1	1 19	9 Attendance on ditto.	%IT	N/A			0	
1		5 1	ı	APPOINTMENT OF CONSULTANTS	нз					
				Allow a provisional amount of R900 000.00 for the appointment of consultants i.e., Architect, Civil&Structural Engineer, Electrical& Mechanical Engineer and Health&Safety Consultants. Consultants must be professionally registered with their relevant professional bodie e.g. ECSA, SACPCMP, SACAP. Consultants must also have a professional indemnity insurance of R1m per						
1		5 1	1 21	O consultant. Professional fees will be adjusted at R225 000.00 per consultant.	Sum		1	900000	900000	
1		5 1	1 2:	1 Profit on above item.	%IT				0	
1		5 1		2 Attendance on ditto. TOTAL PROVISIONAL SUMS	96IT				0	
1		5	-	FINAL SUMMARY					Ĭ	
1		,		**************************************						
1		5		1 PRELIMINARIES					0	
1		5	:	2 BUILDING WORK (TOTAL)						
				MAIN BUILDING					0	
1		5	1	3 ELECTRICAL & MECHANICAL ENGINEER			RATE PER H	DUR	0	
1		5		4 CIVIL & STRUCTURAL ENGINEER			RATE PER H	DUR	0	
1		5		5 ARCHITECT			RATE PER H	DUR	0	
				6 HEALTH & SAFETY CONSULTANT			RATE PER H	DUR	0	
1		5		Sub-Total					0	
2		5		Contingency @7,5%					0	
2		5		SUBTOTAL	ST				0	
,		5		Value Added Tax (15%)	TAX		0.15		0	
2		5		Total carried to form of tender	ST				0	
						•			. "	