











Road Accident Fund










Furniture and Finishes Schedule v03 2023



NOTE: These finishes, furniture elements and accessories were chosen specifically to align the interiors of the Road Accident Fund interiors with their Brand Strategy.


A	OFFICE CHAIRS				
	Item	Description	Image	2023/06/14	QUANTITY
1	Operators Chair	<p>Design : High Back Back : Black Mesh Fabric Seat : Upholstered - see options below</p> <p>A swivel and tilt with a 'Roma' synchronous mechanism. Mechanism should operate on a coiled spring which caters for various body weights by means of a tension adjuster. A preferred position lockable backrest lever and the other lever to operate the gas height mechanism. The body weight tension control must have a variable range of 40-120 kg with a static load of 125 kg in accordance with BIFMA standards. Ergonomically designed and contoured seat (no deeper than 470mm) with a waterfall front. Arm rests : Fixed poly-flexi armrest in Black. Chrome 5-star die-cast aluminium base with heavy-duty open dual castors (65 mm dia.) with steel in to ensure quick alignment in any direction and total manoeuvrability.</p>			
1.1	Operators Chair Upholstery	<p>Back : Black mesh fabric</p> <p>Seat : Weavers World Range : Vulcan Colour : Black 1</p>			1 843
2	Operators Chair for persons with back injuries	<p>Must be certified/ endorsed/ designed in conjunction with the Chiropractor's Association of SA. Mid-height backrest. Ergonomically designed and contoured seat (no longer/deeper than 470mm) with a waterfall front. Ergonomically designed backrest to function independent from the seat. Preferred position backrest lock. Gas height adjustable. Chrome 5-star die-cast aluminium base with heavy-duty open dual castors (65 mm dia.) with steel in to ensure quick alignment in any direction and total manoeuvrability. Arm rests : Fixed poly-flexi fixed armrest or height adjustable in Black</p>			
2.1	Operators Chair for persons with back injuries Upholstery	<p>Back : Weavers World Range : Magnetic Colour : 67</p> <p>Seat : Weavers World Range : Vulcan Colour : Black 1</p>			3









	Item	Description	Image	2023/06/14	QUANTITY
3	Manager & Senior Manager Operators Chair	High Back Synchronous swivel and tilt mechanism on a 5 Star Polished Aluminium Base on heavy-duty open dual castors (65 mm dia.) with steel in to ensure quick alignment in any direction and total manoeuvrability. Mechanism should operate on a coiled spring which caters for various body weights by means of a tension adjuster. A preferred position lockable backrest lever and the other lever to operate the seat gas height adjustment mechanism. The body weight tension control must have a variable range of 40-120 kg with a static load of 125 kg in accordance with BIFMA standards. Ergonomically designed and contoured seat (no deeper than 470mm) with a waterfall front. Fully Upholstered. Arm rests : Fixed pivot flexible Polyurethane in Black			
3.1	Manager & Senior Manager Operators Chair Upholstery	Back : Weavers World Range : Magnetic Colour : 67 Seat : Black Fabric Weavers World Range : Vulcan Colour : Black 01			817
4	Operators Chair for extra large/tall person	<ul style="list-style-type: none"> Swivel and lockable tilt, height adjustable high back chair on a Polished Chrome 5-star/spider, 20 castor heavy duty base. Donati Synchronous mechanism(Super max). The mechanism must lock both the movement of the backrest in the preferred position and the other operate the gas height adjustment. Heavy duty gas height adjustment. Heavy duty inner shell. Heavy duty foam on back and seat. Back and seat to move independent from each other. Ergonomically shaped High backrest. Ergonomically shaped and contoured waterfall seat front. Chair certified and rated to carry 150kg. Suitable for long hours of work Flexible pivot arms 			
4.1	Operators Chair for extra large/tall person Upholstery	Back : Weavers World Range : Magnetic Colour : 67 Seat : Weavers World Range : Vulcan Colour : Black 01			4
5	Snr Managers Visitors and Meeting Table Chair	Chrome tubular 4 legged base with Black Polypropylene armrests and waterfall-front ergonomically shaped fully upholstered seat pan. Back : Black Mesh Seat : Fully upholstered Weavers World Range : Vulcan Colour : Black 01			142
5.1	Pigeon Hole Unit Short version to stand on top of a Standard Workstation	Material : Heavy Duty Steel Finish : Industrial Powder Coating Colour : Silver or White Hammer Finish With two 305mm high dividers per shelf to create 9 equal sized bins Bin size : 305mm x 305mm 450mm high x 914mm wide x 305mm deep Number of shelves : 4 (Top and bottom inclusive)			6















		Item	Description	Image	2023/06/14	QUANTITY
B		RECEPTION COUNTERS, CASUAL SEATING & OCCASIONAL TABLES				
6		Waiting Area Ottoman 1 600 x 850mm	Ottoman with Chromed flat box-shaped metal legs Can be upholstered in two-tone contrast or single upholstery			
	6.1a	Waiting Area Ottoman Two-tone contrasting upholstery	Two-tone contrasting upholstery for Ottoman : SEAT : 100% Natural Full Grain Commercial Quality Leather Colour : Stone			10
	6.1b	Waiting Area Ottoman Fabric Option 2	FRAME : Weavers World Design : Align Stripe (Railroaded - Stripes run vertically) Colour : Almond Code : 8643			
7		Waiting Area Occasional Chair Type 2	Comfort Creations Design : Zoom Chair Chrome tubular arms & legs with slip-on ribbed PU arm rest covers			
	7.1	Waiting Area Occasional Chair Type 2 Upholstery Option 1	Upholstery Option 1 100% Natural Full Grain Commercial Quality Leather Colour : Black			
	7.2	Waiting Area Occasional Chair Type 2 Upholstery Option 2	Upholstery Option 2 Weavers World Design : Pixel Colour : Cosmic Code : 1006	 Cosmic 1006		39
	7.3	Waiting Area Occasional Chair Type 2 Upholstery Option 3	Upholstery Option 3 100% Natural Full Grain Commercial Quality Leather Colour : Deep Red			39
8		Waiting/Pause Area Occasional Chair Type 3	Comfort Creations Design : Troy Cube Chair with polished chrome bar shaped legs and base.			
	8.1	Waiting/Pause Area Occasional Chair Type 3 Upholstery Option 2	Upholstery Option 2 100% Natural Full Grain Commercial Quality Leather Colour : Black			39




	Item	Description	Image	2023/06/14	QUANTITY
8.2	Waiting/Pause Area Occasional Chair Type 3 Upholstery Option 3	Upholstery Option 3 Weavers World Design : Meta Colour : Pseudo Code : 9165	 Pseudo 9165		39
9	Waiting Area Side/Occasional Table	Resin top on chromed steel dowel/rod cross shaped sleigh legs Size : 550 x 500 x 500mm high Top colour : White			63
10	Training Room Table	Rectangular tiltable top for ease of storage PG Bison Mellowood HPL African Wenge with square Black PU edge on Silver Powder Coated frame. 4 x Lockable black casters Must include Perforated metal <u>modesty panel</u> powder coated to match frame			74
11	Training Room Chair	Chrome tubular frame four legged armchair with Black injection-moulded polypropylene square punched backrest with integral armrests. To include heavy-duty black feet end caps. Upholstered seat panel with waterfall front edge and ergonomically shaped seat. Must be Stackable.			
11.1	Training Room Chair Upholstery (Seat only) Upholstery Option 2	Back : Square punched PU Seat : Weavers World Range : Magnetic Colour : 67			148
12	Bench-type Waiting Area seating	Perforated Stainless Steel airport style bench seating mounted on a polished aluminium frame. WITHOUT ARMRESTS. Available as single, double, three and four seaters. Three and four configurations more cost effective.			
12.1		Triple (3) Seater without arms			33
C	PAUSE AREA FURNITURE				
13	Pause Area Round or Square table (to seat 4)	Top : 750 x 750mm square or 750mm dia round solid core HPL laminate compact top 12mm thick in white with black solid core with standard rounding corner profile Base : Silver Powder Coated Steel 4 star base with adjustable ferules for levelling purposes To be provided fully assembled. For indoor use only.	  Standard Rounding		147







	Item	Description	Image	2023/06/14	QUANTITY
14	Pause Area high bench chair	Scoop Bar/counter Stool Colour : White Polished chrome thin solid rod sleigh base with ribbed slip-on PU footrest cover in grey			54
15	Pause Area chair	Plastic stackable plastic chair with four metal legs. Leg tops encapsulated in the plastic. White Black Red Lime Yellow			588
16	16.1 Microwave oven	30 litre Colour : Black or Silver			20
	16.2 Microwave oven	50 litre Colour : Black or Silver			30
17	Pause Area Fridge	Approx. 180cm High Upright Fridge Colour : White or Silver Capacity : 350 litres approx. Features : Single door refrigerator only - no freezer compartment Frost free A+ Energy Rating Graphics for information purposes only.			70
D	STANDARD OFFICE FURNITURE (DESKS, PEDESTALS, CREDENZAS, ETC.)				
18	Standard Workstation - singles only	22mm Matte White HPL top with square edges to match on 50 x 45mm silver powder coated tubular metal frame or similar approved. Top Size : 800 x 1600mm 2 x 80mm dia grommet holes, one at each end (white caps inclusive) and metal cable tray. Adjustable ferules on all legs for levelling. <u>Always individual workstations</u> Can be used alone or individual workstations banked together in clusters of 2, 4, 6 and 8			1 760
19	Modesty Panel - All solitary applications of standard workstations	White gloss opaque Perspex strip bolted to undercarriage of the desk. All edges to be well rounded. Size : 1 150 x 300 x 5mm Pre-drilled holes : 3 x 5mmØ; centred and 440mm apart Attached with 3 x 4mmØ x 25mm long waterhead screws with flat domed Philips heads			
20	Power/Data packs to underside of workstation -	Supplied and installed complete to underside of workstation top, all inclusive : Modular electrical power outlet system with 4 outlet configuration 2 x Normal Power points 2 x Dedicated Power Points per workstation			1 760
21	Interconnecting Cable set 1 x Dedicated power 1 x Normal Power	Length : 3m			1 760
22	Input Cable set 1 x Dedicated Power 1 x Normal Power	Length : 3m			1 760








	Item	Description	Image	2023/06/14	QUANTITY
23	Mobile Pedestal To be used in conjunction with Standard Workstation	On Casters. Top to be flush with body. 10mm black rubber buffer between drawers and carcass. <u>To fit under desk.</u> 410 x 610 x 630mm high Matte White HPL to match existing all round with 3 drawers consisting of : * Pen & Pencil Tray * Standard Drawer * Deep filing drawer * Fully lockable * 210mm SS round bar handles	 		1 760
24	Walk-in Centre, Direct Claims & Client Service Centre Front Office Workstation - singles only 	22mm Matte White HPL top with square edges to match on a standard workstation 50 x 45mm silver powder coated tubular metal frame or similar approved. Top Size : 1 000 x 1600mm with overhang to the front. 2 x 80mm dia grommet holes, one at each end (white caps inclusive) and metal cable tray. Adjustable ferules on all legs for levelling. <u>Always individual workstations with screens inbetween</u>			83
25	Modesty Panel	White gloss opaque Perspex strip bolted to undercarriage of the desk. All edges to be well rounded. Size : 1 150 x 300 x 5mm Pre-drilled holes : 3 x 5mmØ; centred and 440mm apart Attached with 3 x 4mmØ x 25mm long waferhead screws with flat domed Philips heads	 		83
26	Power/Data packs to underside of workstation -	Supplied and installed complete to underside of workstation top, all inclusive : Modular electrical power outlet system with 4 outlet configuration 2 x Normal Power points 2 x Dedicated Power Points per workstation			83
27	Interconnecting Cable set 1 x Dedicated power 1 x Normal Power	Length : 3m			83
28	Input Cable set 1 x Dedicated Power 1 x Normal Power	Length : 3m			83
29	Mobile Pedestal	On Casters. Top to be flush with body. 10mm black rubber buffer between drawers and carcass. <u>To fit under desk.</u> 410 x 610 x 630mm high Matte White HPL to match existing all round with 3 drawers consisting of : * Pen & Pencil Tray * Standard Drawer * Deep filing drawer * Fully lockable * 210mm SS round bar handles	 		83
30	30.1 Mini high-density, top retrieval A4 filer at workstation (to be shared by two employees) Price should include Items 30.2 and 30.3 below. Complete working unit with all components and hardware ready to take file boxes	Top thickness : 32mm Bottom thickness : 22mm Side thickness : 22mm Steel frame inner thickness : 1.6mm Steel thickness of drawers : 1.2mm Overall Size : 1 120 x 600 x 988mm high Number of equal drawers : Three (3) Colour : White matte HPL to match workstation tops Handles : Stainless steel bar handles fitted horizontally Fully lockable with anti-tilt mechanism. All rollers, glides, casters to be superior commercial quality (Accuride or similar approved)	 		1 656
	30.2 Mini high density, top retrieval A4 filer at workstation Hardware Part 1 - SET of 3 PER 3 DRAWERS COMPLETE	Full metal base plate Size : 525 x 992mm x 1.2mm thick	 		1 656












	Item	Description	Image	2023/06/14	QUANTITY
	30.3	Mini high density, top retrieval A4 filer at workstation Hardware Part 2 - SET of 3 x 2 PER 3 DRAWERS COMPLETE	Floating Metal T-Bar 2 per drawer, 3 sets per cabinet (6) 		1 656
	31	Desk Based Screens. To be used in conjunction with Standard Workstations.	500mm high Aluminium Famed desk based screens covered in fabric on both sides. To be fitted between workstations over length and breadth. Screen configuration consists of Desk-based screens in 2 sizes 		
		Upholstery Desk Based Screens. To be used in conjunction with Standard Workstations. Upholstery Options	Both sides in one colour Weavers World Range : Vulcan Colours : Pesto 46 Stone 36 Salt 55 Antarctic 3013 		
	31.1	Screen 1 Screen size : 1600 x 500mm high			884
	31.2	Screen 2 Screen size : 800 x 500mm high			2 532
	32	Manager & Senior Manager Workstation Overall size : 1900 x 1900mm Desk : 1600 x 750 x 720mm high Pedenza : 1600 x 600 x 600mm high 	Note assembly configuration. 22mm thick Matte White HPL top with square edges on to match on 50 x 45mm silver powder coated tubular metal frame or similar approved with 2 legs with ferules and two square spacers for attaching to Pedenza. 3 x 80mm diameter White Cable grommet with cover linking exterior, service cupboard and desk top Pedenza Carcass : Matte White HPL all round with lockable silver roller door and one swing door. Interior and drawer frontals : White HPL. Sliding portion to contain 1 adjustable metal shelf and a set of 3 drawers. Internal set of drawers to consist of : * Pen & Pencil Tray * Standard Drawer * Deep filing drawer * Recessed top groove for opening drawers 		817
	33	Modesty Panel - Manager & Senior Manager Workstation	White gloss opaque Perspex strip bolted to undercarriage of the desk. All edges to be well rounded. Size : 1 150 x 300 x 5mm Pre-drilled holes : 3 x 5mmØ; centred and 440mm apart Attached with 3 x 4mmØ x 25mm long waferhead screws with flat domed Philips heads 		817
	34	Credenza	Free Standing Size : 450 x 900 x 800mm high Matte White HPL all round with silver roller door. One adjustable powder coated steel shelf. Fully lockable 		1 634
	35	Swing Door Cupboard	Matte White HPL all round and inside. Brushed Stainless Steel Bar handles fitted vertically. Fully lockable. Four (4) adjustable steel shelves. Size : 450 x 1100 x 1500mm high 		149







	Item	Description	Image	2023/06/14	QUANTITY
36	Meeting Table (to seat 4)	1200mm diameter Natural Beech Veneer table top with square edging to match and single silver epoxy coated pole leg with circular black base plate.			17
37	Manager's, Senior Manager's Visitor's Chair and Meeting Table Chairs	Chrome tubular 4 legged base with Black Polypropylene armrests and waterfall-front ergonomically shaped fully upholstered seat pan. Back : Black Mesh Seat : Fully upholstered Weavers World Range : Vulcan Colour : Black 01			68
38	Consultation Room chair	Chrome tubular 4 legged base with Black Polypropylene armrests and waterfall-front ergonomically shaped fully upholstered seat pan. Back : Black Mesh Seat : Fully upholstered Weavers World Range : Vulcan Colour : Black 01			32
39	Consultation Room Table	1200mm diameter Bamboo Caramel Veneer or Similar approved table top with square edging to match and single silver epoxy coated pole leg with black base plate.			8
40	Free Standing - must be able to connect to each other. For Managers only.	Fully upholstered on both sides To be upholstered in a combination of fabrics 1200 wide x 1500mm high and 900 wide x 1500mm high only Frame : Natural Anodized Aluminium powder coated silver To include all connectors, feet, etc.			
	Free Standing Screens Upholstery Option 1 For Free standing (Managers) and Senior Manager's Cubicles alike.	Weavers World Design : Orbit Colour : Rainforest (Lime) Code : 8290 <u>Co-ordinate fabric :</u> Weavers World Design : Align Stripe Colour : Folklore Code : 8642 (Railroaded - Stripes run vertically)			
40.1		Screen size : 900 x 1500mm high			365
40.2		Screen size : 1200 x 1500mm high			894
	Free Standing Screens Upholstery Option 2 For Free standing (Managers) and Senior Manager's Cubicles alike.	Weavers World Design : Orbit Colour : Blizzard (Turquoise) Code : 8289 This is NOT a blue, but a true Turquoise. <u>Co-ordinate fabric :</u> Weavers World Design : Align Stripe Colour : Tidepool (Turquoise) Code : 8647 (Railroaded - Stripes run vertically)			
40.3		Screen size : 900 x 1500mm high			365
40.4		Screen size : 1200 x 1500mm high			894
	Free Standing Screens Upholstery Co-ordinate 1 For Free standing (Managers) and Senior Manager's Cubicles alike.	Weavers World Design : Align Stripe Colour : Almond Code : 8643 (Railroaded - Stripes run vertically)			
40.5		Screen size : 900 x 1500mm high			365
40.6		Screen size : 1200 x 1500mm high			894

















	Item	Description	Image	2023/06/14	QUANTITY
	Free Standing Screens Upholstery Co-ordinate 2	Weavers World Design : Align Plain Colour : Bisque (Grey Beige/ Stone) Code : 8659 (Railroaded - Stripes run vertically)			
	40.7	Screen size : 900 x 1500mm high			365
	40.8	Screen size : 1200 x 1500mm high			894
	40.9	Steel silver powder coated half- moon stabilizing feet per pair (2) for free standing screens			1 250
	40.10	Connecting components between 2 screens - full compliment to join 2 screens			5 034
41	Fabric & Glass Screens for Senior Manager's cubicles only. Must be able to fully connect to form a modular enclosure.	Upholstered on both sides (inclusive of foam padding) to 1250mm high with 850mm (actual glazing height excluding frame) high safety glazed top section. To be upholstered in a combination of fabrics. Overall height : 2100mm Widths required : 1200mm and 900mm only Frame : Natural Anodized Aluminium To include all curved corner pieces, connectors and necessary components to assemble and stabilize. Complete with door frame, painted door, handle, lock set, etc. to form a square office. NOTE : It is imperative that the door portion/section measures 900mm overall, otherwise the combined components will not create a square			
	41.1	Door, door finish and door furniture for Item above 40mm thick hollow core Door 900mm wide x 2030mm high Install Semi-solid flush door with 3,2mm plain hardboard covering on both sides, hung to aluminium frame with hinges, etc. complete	PLASCON Plascon Architectural Grey & Aluminium Collection Colour : Chicago Times Code : GR-B05 Finish : Satin Enamel One coat : Universal Undercoat Two coats (minimum) : Chicago Times	 Paint finish per door, supply and apply	61
	41.2	Door, door finish and door furniture for Item above 40mm thick hollow core Door 900mm wide x 2030mm high Install Semi-solid flush door with 3,2mm plain hardboard covering on both sides, hung to aluminium frame with hinges, etc. complete	DCL South Africa Design : Trinity Material : Solid Brushed Stainless Steel lever handle on rose with matching escutcheon plate. With cylinder lock and three (3) keys per door.	 Supply and install	61
	41.3	Complete 900mm wide modular door inclusive of stabilizing frame to match 900mm wide screen module, inclusive of all door furniture, hardware and paint finish		 Supply and install complete door and frame	61
	Modular Glazed Screens Upholstery Option 1 For Free standing (Managers) and Senior Manager's Cubicles alike.	Weavers World Design : Orbit Colour : Rainforest (Lime) Code : 8290 Co-ordinate fabric : Weavers World Design : Align Stripe Colour : Folklore Code : 8642 (Railroaded - Stripes run vertically)	 		
	41.4	Screen size : 900 x 2100mm high with 850mm high (glazing portion without frame) clear safety glazed top panel			46
	41.5	Screen size : 1200 x 2100mm high 850mm high (glazing portion without frame) clear safety glazed top panel			122
	MOdular Glazed Screens Upholstery Option 2 For Free standing Senior Manager's Cubicles	Weavers World Design : Orbit Colour : Blizzard (Turquoise) Code : 8289 Co-ordinate fabric : Weavers World Design : Align Stripe Colour : Tidepool (Turquoise) Code : 8647 (Railroaded - Stripes run vertically)	 		

	Item	Description	Image	2023/06/14	QUANTITY
	41.6	Screen size : 900 x 2100mm high with 850mm high clear safety glazed top panel			46
	41.7	Screen size : 1200 x 2100mm high 850mm high clear safety glazed top panel			122
		Modular Glazed Screens Upholstery Co-ordinate 1 For Free standing (Managers) and Senior Manager's Cubicles alike.	Weavers World Design : Align Stripe Colour : Almond Code : 8643 (Railroaded - Stripes run vertically)		
	41.8	Screen size : 900 x 2100mm high with 850mm high (glazing portion without frame) clear safety glazed top panel			46
	41.9	Screen size : 1200 x 2100mm high 850mm high (glazing portion without frame) clear safety glazed top panel			122
		Modular Glazed Screens Upholstery Co-ordinate 2 For Free standing (Managers) and Senior Manager's Cubicles alike.	Weavers World Design : Align Plain Colour : Bisque (Grey Beige/ Stone) Code : 8659 (Railroaded - Stripes run vertically)		
	41.10	Screen size : 900 x 2100mm high with 850mm high (glazing portion without frame) clear safety glazed top panel			46
	41.11	Screen size : 1200 x 2100mm high 850mm high (glazing portion without frame) clear safety glazed top panel			122
	41.12	Labour and extra-over materials (screens priced elsewhere) to construct a Senior Manager's cubicle that, on average, consists of : 1 x door and frame (900mm wide) 3 x 900mm screens 5 x 1200mm screens All components to join screens			61
E EXECUTIVE and HEAD OF DEPARTMENT (HOD) OFFICE FURNITURE					
42	Executive & HOD Workstation Overall size : 1900 x 1900mm Desk : 1600 x 750 x 720mm high Credenza : 1600 x 600 x 600mm high	Note assembly configuration. Desk top & Credenza carcass exterior : Bamboo Caramel vertical Veneer or Similar approved all round, including service cupboard swing door. 3 x 80mm diameter Grey Cable grommet with cover linking exterior, service cupboard and desk top Desk Frame : 50 x 45mm silver powder coated tubular metal frame or similar approved with 2 legs with ferules and two square spacers for attaching to Credenza <u>Credenza</u> : Roller door to storage systems to be silver, fully lockable with one adjustable metal shelf. Internal surfaces to unit to be matte white HPL. Vertical mounted SS bar handle to service cupboard door. Interior : Matte White HPL	  		8
43	Modesty Panel ALL Executive and HOD workstations	White gloss opaque Perspex strip bolted to undercarriage of the desk. All edges to be well rounded. Size : 1 150 x 300 x 5mm Pre-drilled holes : 3 x 5mmØ; centred and 440mm apart Attached with 3 x 4mmØ x 25mm long waterhead screws with flat domed Phillips heads			8

	Item	Description	Image	2023/06/14	QUANTITY
44	Executive and HOD Mobile Pedestal	On Casters. Top to be flush with body. 10mm black rubber buffer between drawers and carcass. To fit under desk. 410 x 610 x 630mm high White HPL carcass and Bamboo Caramel Vertical veneer or Similar approved drawer frontals. Three drawers consisting of : * Pen & Pencil Tray * Standard Drawer * Deep filing drawer * Fully lockable * 210mm SS round bar handles			8
45	Executive and HOD Freestanding Credenza	Carcass : Bamboo Caramel Vertical Veneer or Similar approved all round. Inner : White HPL with one adjustable powder coated steel shelf. Lockable Silver Roller door. Size : 450 x 900 x 800mm high			16
46	Executive and HOD Desk Chair	Executive high-back chair with headrest upholstered in Black 100% genuine leather. Backrest made from injection-moulded nylon/glass fibre filled structure with standard 100 mm wide lower back (lumbar vertebrae) support with 30 mm adjustment range. Injection-moulded ergonomically contoured polypropylene seat pan manufactured from superior quality 60 mm thick CFC-free polyurethane-moulded seat foam with a shaw hardness of 45 compression strength and 67 kg/m³ density. The seat height must be adjustable within a 90-120 mm range by means of a class 4-type gas cylinder. Designed with shock absorbing effects to enhance comfort and minimise the chances of spinal injury when sitting down. Synchronised 'point effect' mechanism with 100 mm backrest offset. 2D (90 mm height and 50 mm depth adjustable) armrests manufactured from polypropylene and the height adjustable arms to be assembled with a comfortable soft-touch PU arm capping. Mechanism lockable in 5 pre-determined positions or point to point contact (follow me mode), with backrest 'return prevention' safety function. The synchronous movement of the seat and backrest to allow a tilt ratio of 1:2, seat 11° and 22° on the backrest. The body weight tension control has a variable range of 40-120 kg with a static load of 140 kg in accordance to BIFMA standards. Five star chrome die-cast aluminium base on heavy-duty open dual castors (65 mm dia.) with steel in to ensure quick alignment in any direction and total manoeuvrability. The rotating headrest that can also adjust by 60mm in height	 		8
47	Executive and HOD Swing Door Cupboard	Carcass and doors : White Matte HPL Size : 450 x 1100 X 1800mm high Fully lockable with 4 adjustable steel shelves. Brushed SS Bar handles to be fitted vertically.	 		24

	Item	Description	Image	2023/06/14	QUANTITY
48	Executive and HOD Meeting Table	1200mm diameter Bamboo Veneer or Similar approved table top with square edging to match and single silver epoxy coated steel pole leg with black steel circular base plate.			7
49	Executive and HOD Meeting and Visitors Chair	Chromed wrap sleigh base frame manufactured of oval tubing. Polished aluminium Swan armrests with polypropylene arm cappings. Upholstery : Commercial quality genuine leather with horizontal stitching Colour : Black			42
50	Office Fridge - All qualifying personnel (Snr Manager and up)	Approx. 180cm High Upright simple Fridge Colour : White or Silver Capacity : 350 litres approx. Features : Single door refrigerator only - no freezer compartment Frost free A+ Energy Rating Graphics for information purposes only.			86
51	Executive and HOD Personal Assistant Workstation Overall size : 1800 x 1900mm Desk : 1600 x 750 x 720mm high Credenza : 1800 x 600 x 600mm high	NOTE : Desk assembly configuration Desk top : White Matte HPL with square edges to match with 3 x 80mm diameter Grey Cable grommet with cover linking exterior, service cupboard and desk top Desk Frame : 50 x 45mm silver powder coated tubular metal frame or similar approved with 2 legs with ferules and two square spacers for attaching to Credenza Roller door Credenza combo : White Matte HPL carcass with silver roller door, fully lockable, and Door on service cupboard to be Bamboo Caramel Vertical Veneer or Similar approved with vertically mounted SS bar handle, complete with one adjustable metal shelf. Internal surfaces to unit to be white HPL.			8
52	Executive and HOD Personal Assistant Mobile Pedestal	Mobile Pedestal - Fully lockable Bamboo Caramel vertical veneer or Similar approved all round. Top flush with carcass, 10mm black rubber buffer between drawers and carcass. On Casters. To fit under desk. 410 x 800 x 630mm high 3 drawers consisting of : * Pen & Pencil Tray * Standard Drawer * Deep filing drawer * 210mm SS round bar handles			8
53	Modesty Panel	White gloss opaque Perspex strip bolted to undercarriage of the desk. All edges to be well rounded. Size : 1 150 x 300 x 5mm Pre-drilled holes : 3 x 5mmØ; centred and 440mm apart Attached with 3 x 4mmØ x 25mm long waferhead screws with flat domed Philips heads			8
54	HOD Personal Assistant Screens	1800mm high Natural Anodized Aluminium frame with upholstered bottom section and clear glass upper section. Including all connectors and stabilizing feet. Bottom 40% to be upholstered Top 60% glazed			

	Item	Description	Image	2023/06/14	QUANTITY
	HOD Personal Assistant Screens Upholstery Option 1	Weavers World Range : Network Colour : Equity 10333	 Equity 10333		
54.1		Upholstery Option 1 Screen size : 900 x 1800mm high			6
54.2		Upholstery Option 1 Screen size : 1200 x 1800mm high			5
	HOD Personal Assistant Screens Upholstery Option 2	Weavers World Range : Network Colour : Lex 10334	 Lex 10334		
54.3		Upholstery Option 2 Screen size : 900 x 1800mm high			6
54.4		Upholstery Option 2 Screen size : 1200 x 1800mm high			5
	HOD Assistant Screens Upholstery Option 3	Weavers World Range : Network Colour : Cloudswood 10338	 Cloudswood 10338		
54.5		Upholstery Option 3 Screen size : 900 x 1800mm high			6
54.6		Upholstery Option 3 Screen size : 1200 x 1800mm high			5
54.7		Steel silver powder coated stabilizing feet per pair (2) for free standing screens			18
54.8		Connecting components between 2 screens - full compliment to join 2 screens from top to bottom			34
55	HOD PA Operators Chair	<p>Mid-back Operator's chair upholstered in Black Genuine Leather. Backrest made from injection-moulded nylon/glass fibre filled structure with standard 100 mm wide lower back (lumbar vertebrae) support with 30 mm adjustment range. Injection-moulded ergonomically contoured polypropylene seat pan manufactured from superior quality 60 mm thick CFC-free polyurethane-moulded seat foam with a shaw hardness of 45 compression strength and 67 kg/m³ density. The seat height must be adjustable within a 90-120 mm range by means of a class 4-type gas cylinder. Designed with shock absorbing effects to enhance comfort and minimise the chances of spinal injury when sitting down. Synchronised 'point effect' mechanism with 100 mm backrest offset.</p> <p>Mechanism lockable in 5 pre-determined positions or point to point contact (follow me mode), with backrest 'return prevention' safety function. The synchronous movement of the seat and backrest to allow a tilt ratio of 1:2, seat 11° and 22° on the backrest. The body weight tension control has a variable range of 40-120 kg with a static load of 140 kg in accordance to BIFMA standards.</p> <p>Five star chrome die-cast aluminium base on heavy-duty open dual castors (65 mm dia.) with steel in to ensure quick alignment in any direction and total manoeuvrability.</p>	 		8

	Item	Description	Image	2023/06/14	QUANTITY
56	Meeting Room, Boardroom and Dining Room Chair	Chromed wrap sleigh base frame manufactured of oval tubing. Polished aluminium Swan armrests with polypropylene arm cappings. Independent backrest. Upholstery : Commercial quality genuine leather horizontally stitched. Colour : Black			82
57	Boardroom Table	Custom made Boardroom table with bamboo caramel vertical veneer top and 32mm thick straight edge to match. Silver powder coated wedged tubular structure and legs. Inclusive of double sided cable tray running the full length of the table (underside centred) 2 x Pop-up data and power connectivity boxes in black, one at each end 12 Seater Rectangular Approx. size : 1800 x 3600mm		Custom Made  	1
58	Boardroom Table	Custom made Boardroom table with bamboo caramel vertical veneer top and 32mm thick straight edge to match. Silver powder coated wedged tubular structure and legs. Inclusive of double sided cable tray running the full length of the table (underside centred) 6 x Pop-up data and power connectivity boxes in black, one at each end 18 Seater Rectangular Approx. size : 1800 x 5600mm	 	Custom Made	1
59	Boardroom Table	Custom made Boardroom table with bamboo caramel vertical veneer top and 32mm thick straight edge to match. Silver powder coated wedged tubular structure and legs. Inclusive of double sided cable tray running the full length of the table (underside centred) 8 x Pop-up data and power connectivity boxes in black and 30 x integral microphones and modesty panels 30 Seater Segmented Approx. size : 3 500 x 10 500mm	 	Custom Made	1
60	Boardroom Table	Custom made Boardroom table with bamboo caramel vertical veneer top and 32mm thick straight edge to match. Silver powder coated wedged tubular structure and legs. Inclusive of double sided cable tray running the full length of the table (underside centred) 4 x Pop-up data and power connectivity boxes in black and 30 x integral microphones and modesty panels 10 Seater Square Approx. size : 2400 x 2400mm Two identical symmetric tops	 	Custom Made	1
61	Consultation Room chair	Chrome tubular 4 legged base with Black Polypropylene armrests and waterfall-front ergonomically shaped fully upholstered seat pan. Back : Black Mesh Seat : Fully upholstered in commercial quality genuine leather Colour : Black			242
62	Meeting Table	Custom made meeting table with bamboo caramel vertical veneer OR Similar approved top and 32 mm thick straight edge to match. Silver powder coated tubular structure and legs.	 	Custom Made 	
62.1	Meeting Table	12 Seater Rectangular Approx. size : 1300 x 4200mm inclusive of 4 x power/data pop-up compartments			2

	Item	Description	Image	2023/06/14	QUANTITY
	62.2	Meeting Table	10 Seater Rectangular Approx. size : 1100 x 3300mm		19
	62.3	Meeting Table	8 Seater Rectangular Approx. size : 1100 x 2500mm		2
	62.4	Meeting Table	6 Seater Rectangular Approx. size : 1100 x 1800mm		2
63	Dining Room Table	Custom made Dining Room table with bamboo caramel vertical veneer OR Similar approved top and 32mm thick straight edge to match. Silver powder coated wedged tubular structure and legs. 12 Seater Rectangular Approx. size : 1300 x 4500mm		Custom Made	1
64	Store Room Shelving	Battleship Grey powder coated heavy duty steel bolted static shelving with solid shelves, side and back panels/plates for storage of fully laden archive boxes. SAB5 ISO9001 quality approved/endorsed enclosed bolted shelf units of approximately 2200mm high X 457mm deep x 1100mm wide with bolted static shelves (includes the top shelf that forms part of the carcass/shell/frame). •Archive box size : 360 x 440 x 280mm high. •Shelf to take 3 archive boxes side-by-side – short, marked side (360mm) facing the front. •Clear height between shelves to be 320mm minimum to easily accommodate a standard archive box with its lid on. •Shelf units to be manufactured from commercial thickness and strength cold rolled steel and all parts to be powder coated battleship grey. •All shelf units to be fully demountable.			1 210
65	Kick-step for Store Room	• At least 1 per storeroom - 1 x circular 0,4m high <u>commercial quality powder coated metal</u> 'kick step' storeroom safety steps on spring loaded retractable castors in grey or black to enable staff to reach higher shelves. When weight is put on it, the castors automatically retract so that the step sits firmly and safely on the floor. The bottom contact surface is a solid rubber strip that holds the step in place when in use.			55