ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M0200	GENERAL REQUIREMENTS AND PROVISIONS					
M020.01	Information signboards					
	Informmation Board	No	2.00		-	100% Steel
M020.05	Project Liaison Committee					
	(a) Cost of Project Liaison Committee	Prov Sum	1.00	25,500.00	25,500.00	
	(b)The Contractor's overhead charges and profit in respect of sub-item DM020.05 (a)	%	25,500.00			
M020.06	Training					
	(a) Engineering skills	Prov Sum	1		50,000.00	
	(d) Training Venue	LS	1		-	
	(e) Renumeration of worker undergoing training	Prov Sum	1		5,000.00	
	(f) Contractors handling cost and other charges in respect of (a,b,c) to e	%	55,000.00			
BM200	Provisional Sums					
	(a) Provision for use by the Engineer of independent Geotechnical laboratory	Prov. Sum			70,000.00	
	(b) Compliance with Disaster Management Act. 57 of 2002 and its regulation(COVID-19)	Prov. Sum			30,000.00	
	(c) Engineer's Supervision for Duration of Construction	PC Sum	1		150,000.00	
M0200	TOTAL CARRIED FORWARD TO SUMMAR	Y				l

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M0300	CONTRACTOR'S ESTABLISHMENT ON SITE AND GENERAL OBLIGATIONS					
M030.01	Fixed obligations	LS	1		-	
M030.03	Time-related obligations (a) General obligations	month	4		-	
	(b) Occupational health and safety obligations (one safety officers)	month	4		-	
M0300	TOTAL CARRIED FORWARD TO S	UMMAF	RY		-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
B1400	HOUSING, OFFICES AND LABORATORIES FOR THE CONTRACTOR'S SITE PERSONNEL					
B14.01	Office accommodation:					
	(a) Offices (minimum 63m² floor area all incluisve)	m <sup>2</sup>	63.00		-	
	(e) Ablution units (minimum 5 m² floor area)	No.	4.00		-	
B14.02	Office furniture:					
	(a) Portable Chairs	No.	10.00		-	
	(d) Office Table	No.	4.00		-	
	(f) Conference Tables	No.	1.00		-	
B14.03	Offices fittings, installations and equipment	LS	1.00			
B14.08	Provision of Services and Running cost of the office					
	(a) Fixed costs	LS	1.00			
	(b) Running costs	month	4.00		-	
B14.10	Provision of Photostat Facilities	month	4.00		-	
B1400	TOTAL CARRIED TO SUMMARY				_	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M0500	ACCOMMODATION OF TRAFFIC					
M050.01 LI	Accommodation of traffic and mainteining temporary deviations (including provision of flagman and all relevent temporary signs)	month	4.00		-	
M0500	TOTAL CARRIED TO SUMMARY				-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M1100	PAVEMENT LAYERS REPAIR					
M110.01 LI	Removal and excavating material from existing pavements (except milled material)					
	(a)Areas up to 50m <sup>2</sup>	m <sup>3</sup>	250.00		-	
	(c)Areas greater than 50m <sup>2</sup>	m <sup>3</sup>	50		-	
M110.02	Removal and excavating material from existing pavements clearing with grader up to 30mm	m²	900		-	
M110.03 LI	Backfilling of base layer for surface failures with (98% of modified AASHTO density):  (a) Chemically stabilised gravel excavated from the existing pavement  (i) Areas up to 50m <sup>2</sup>	m³	187.50		-	
	(ii) Areas greater than 50 m <sup>2</sup>	m <sup>3</sup>	37.50		-	
	(d) Asphalt surfacing (continuously graded medium) (i) Areas up to 50m²	t	-			
	(ii) Areas greater than 50m <sup>2</sup> (paver)	t	-		Rate only	
M110.04 LI	Backfilling of pavement layers to compaction as specified					
	(a) Subbase layer (95% of modified AASHTO density) (G7/G6) (i)Areas up to 50m <sup>2</sup>	m <sup>3</sup>	50.00		-	
	(ii)Areas greater than 50m <sup>2</sup>	m <sup>3</sup>	-		Rate only	
	(b) Selected layer (93% of modified AASHTO density) (i)Areas up to 50m <sup>2</sup>	m <sup>3</sup>	-		Rate only	
	(ii)Areas greater than 50m²	m <sup>3</sup>	-		Rate only	
M110.05	Binder variations					
M110.06	(a) Penetration-grade bitumen Variation in active filler content	t	-		Rate Only	
	(a)Cement	t	-		Rate Only	100% Cement
	(b)Lime	t	-		Rate Only	
M1100	TOTAL CARRIED FORWARD				-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
	BROUGHT FORWARD				-	
M110.07	Overhaul on material hauled in excess of 5,0 km (a) Spoil material	m³-km	50.00		-	
M110.10	Establishment and transportation of milling machine	No	1.00		Rate Only	
M140.06	Application of fog spray:					
	(a) 60% Spray-grade emulsion (minimum 0,64L/m²)	L	630.00		-	
	(b) 30% Spray-grade emulsion (minimum 0,64L/m2)	L	-		Rate Only	
M1100	TOTAL CARRIED FORWARD TO SUMMA	ARY			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M1210	REPAIR OF POTHOLES					
M121.01 LI	Pothole repair using 50mm hot mix continuously graded asphalt REPAIR OF POTHOLES	m <sup>2</sup>	1135.00			
	Repair of edge breaks using hot mix continuously graded asphalt REPAIR OF SURFACE FAILURES	m	180.00		-	
	Repair of surface failures hot mix continuously graded asphalt	m <sup>2</sup>	105.00			
M1230	TEMPORARY REPAIR					
M123.01 LI	Temporary repair of potholes, edge breaks and surface failures using cold mix asphalt surfacing from the following sources:					
	(a) Commercial sources					
	(i) Pothole repair (<0.5m2)	No	15.00			
	( strong ropul ( strong)		10.00			
M1200	TOTAL CARRIED TO SUMMARY					

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	ocal Conten
<b>M1300</b> M130.01 LI	SEALING OF ACTIVE CRACKS  Cleaning of active cracks with hot compressed air and sealing cracks as specified  (a) Stabilisation cracks					
	(i)Without bandage	m	-		Rate Only	
	(ii)With bandage ("Sealmac 150" or similar) 200mm id	m	350.00		-	
	(d) Longitudinal cracks	m	350.00		-	
M1320	CRACKSEALING PER INDIVIDUAL ITEM					
M132.01 LI	Cracksealing per individual item (b) Priming of cracks (MSP1 or similar)	litre	50.00		-	
	(c) Sealant (hot applied sealant)	litre	50.00		-	
M1300	TOTAL CARRIED TO SUMMARY				-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M1600	SURFACE TREATMENT - TEXTURE CORRECTION (SINGLE SEAL)					
BM160.01 LI	Single Seals using B8 (80/100) road grade bitumen on existing surface, (chip and seal/spray)					
	(b) Using 4,75 mm aggregate	m²			Rate Only	
	(b) Using 6,7 mm aggregate	m²	6500		R -	
	(c) Using 9,5 mm aggregate	m²			Rate Only	
M1600	TOTAL CARRIED FORWARD TO SUMMARY				-	
IVI I OUU	I O I AL CAUDILL I OUMAND TO SUMMANT				•	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Contet
M2100	REPAIR AND MAINTENANCE OF INLET AND OUTLET STRUCTURES					
M210.01 LI	Excavation	m <sup>3</sup>	5.00		-	
M210.02 LI	Backfilling (a)Using the excavated material	m <sup>3</sup>	5.00		-	
	(b)Using stabilised excavated material	m <sup>3</sup>	5.00		-	
M210.03 LI	Reconstruction of inlet and outlet structures					
	(a)Concrete (class 20/19)	m <sup>3</sup>	2.00		-	
	(b)Brickwork (230mm width)	m²	12.00		-	
	(c ) Plastering	m <sup>2</sup>	24.00		-	
	(d) Pre-cast Concrete inlets	No	5.00		-	
M210.04	Accessories (a) Provisional sum for the cost of accessories	Prov Sum	1.00	15,000.00	15,000.00	
	(b) Contractor's overhead charges and profit in respect of sub-item BM210.04 (a)	%	15,000.00		-	
M210.05 LI	Demolition of existing structures					
	(a) Plain concrete	m <sup>3</sup>	10.00		-	
	(c) Brickwork	m <sup>2</sup>	10.00		-	
M210.07	Steel reinforcement (a)Mild steel bars	t	0.50		-	100% Steel
	(b)High tensile steel bars	t	0.50		-	100% Steel
	(c ) Welded steel mesh (Ref 311)	kg	250.00		-	100% Steel
M210.08	Overhaul on material hauled in excess of 5,0 km					
	(a)Excavated material to spoil	m³-km	75.00		-	
	(b)Existing structures demolished	m³-km	100.00		-	
M2100	TOTAL CARRIED FORWARD TO SUMM	IARY				

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M2400	CLEANING OF PREFABRICATED CULVERTS					
M240.01 LI	Cleaning of prefabricated culverts, inlet and outlet areas	no	10			
M2400	TOTAL CARRIED FORWARD TO SUM	MARY	I		-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	<b>Local Content</b>
M2500	CLEANING OF CONCRETE DRAINS AND CHANNELS					
M250.01 LI	channels: Various road sections					
	(a)(i) Hand cleaning	m	350		-	
M250.02 LI	(b) Extra over for sweeping of concrete drainage channels	m	350		-	
M2500	TOTAL CARRIED FORWARD TO SUM	MARY			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M2600	CLEANING AND MAINTENANCE OF EXISTING EARTH CHANNELS					
M260.01 LI	Cleaning earth drains and channels	m <sup>3</sup>	-		Rate Only	
M260.02 LI	Repairing of earth drains and channels	m <sup>3</sup>	-		Rate Only	
M260.04	Overhaul on material hauled in excess of 5,0 km	m <sup>3</sup> -km	-		Rate Only	
M2600	TOTAL CARRIED FORWARD TO SUM	MARY				

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M3200	COLLECTION AND REMOVAL OF DEBRIS AND LITTER					
M320.01 LI	Clearing of the road reserve					
	(a) Urban roads:	km	1			
M3200	TOTAL CARRIED FORWARD TO SUM	IMARY			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	Local Content
M3300	SHOULDER REPAIRS					
M330.01 LI	Reinstating gravel shoulders					
	(a)Ripping, watering, mixing, placing and compacting existing shoulders to 93% of modified AASHTO density	m <sup>3</sup>	0		Rate Only	
	(b)Extra over sub-item M330.01 (a) for adding extra material from borrowpits outside the road reserve	m <sup>3</sup>	0		Rate Only	
	(c ) Extra over sub-item M330.01 (a) for stabilising material	m <sup>3</sup>	0		Rate Only	
	(d) Blading	km	0		Rate Only	
	(e ) Cutting of mitre drains	m	0		Rate Only	
	Overhaul on material hauled in excess of 1,0 km	m³-km	0		Rate Only	
M3300	TOTAL CARRIED FORWARD TO SUMM	ARY				

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M4100	ERECTION AND REPAIR OF PERMANENT ROAD TRAFFIC SIGNS					
M410.01 LI	Erection or re-erection of road signs with a surface area of:					
	(a)Up to 2m <sup>2</sup>	m <sup>2</sup>	25.00		-	100% Steel
	(b)Exceeding 2m <sup>2</sup> but not 10m <sup>2</sup>	m <sup>2</sup>	-		Rate only	100% Steel
	(c) Exceeding 10m <sup>2</sup>	m <sup>2</sup>	-		Rate only	100% Steel
M410.02 LI	Road sign supports (overhead road sign strutures excluded) (b) Timber:					
	(i)100mm diameter	m	-		Rate only	100% Steel
	(ii)125mm diameter	m	-		Rate only	100% Steel
	(iii)150mm diameter	m	-			
	(iv)175mm diameter	m	-		Rate only	100% Steel
	(v) Steel tubing - 100mm square tube	t	0.50		-	100% Steel
M410.04 LI	Excavation and backfilling for road sign supports (not applicable to reference marker board posts)	m <sup>3</sup>	3.00		_	100% Steel
M410.05 LI	Extra over item M410.04 for cement-treated soil backfill	m <sup>3</sup>	1.00		-	100% Cement
IVI4 1 U. 1 U	Hazard plates (a ) W401 sign (150 x 600mm)					
	(i) Sign only	No	8.00		-	100% Steel
	(ii) Post only	No	8.00		-	100% Steel
M4100		•			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M4100	BROUGHT FORWARD				-	
	(b) W401 sign (200 x 800mm)					
	(i) Sign only	No	8.00		-	100% Steel
	(ii) Post only	No	1.00		-	100% Steel
	(c) W401 sign (300 x 1200mm)					
	(i) Sign only	No	-		Rate Only	100% Steel
	(ii) Post only	No	-		Rate Only	100% Steel
M410.12 LI	Concrete in road sign footings (class 20/19)	m3	2.00		-	
M410.14 LI	Removal of road sign supports	No	20.00		-	
M410.15	Procurement of road signs					
	(a)Purchase of manufactured road signs	Prov Sum	1		15,000.00	
	(b) The Contractor's overhead charges and profit in respect of sub-	%	15,000.00		-	
M4100	TOTAL CARRIED FORWARD TO SU	IMMAR	Υ			

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M4400	GUARDRAIL ERECTION AND MAINTENANCE					
M440.01 LI	Supply and erection of new galvanised guardrails					
	(i) Conventional guardrail (3.8m eff. length)	m	0	600.00	-	100% Steel
	(ii) EU standard guardrail (4.0m eff Length)	m	0	650.00	Rate only	100% Steel
M440.02	Supply and erection of new galvanised factory bent to a radius of less than 45 m	m	25	600.00		
M440.03 LI	Extra over for erection of guardrail posts					
	(a) Additional timber posts for items M440.01 and M440.02	No	9	175.00		
	(b) Backfilling guardrail post with soilcrete	No	9	220.00		
	(c) Backfilling guardrail post with concrete	No	0	300.00		
M440.04 LI	End units					
	(a) End wings	No	4	600.00	Rate only	100% Steel
	(b) Femilian sections in accordance with the drawings where single guardrail sections are	No	4	600.00		100% Steel
	(c)Terminal sections in accordance with the drawings where double guardrail sections are used	No	0	600.00		100% Steel
M440.05 LI	Guardrail reflectors	No	18	150.00		
M440.06 LI	Removal of damaged guardrails and re- erection of guardrails with new, recovered or renovated material (a) Guardrails					
	(i) Conventional guardrail (3.8m eff. length)	m	0	600.00	Rate only	100% Steel
	(ii) EU standard guardrail (4.0m eff. length)	m	0	650.00	Rate only	100% Steel
M4400	TOTAL CARRIED FORWARD				_	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M4400	BROUGHT FORWARD	•			-	
	(b) End wings (i) Conventional guardrail (3.8m eff. length)	No			Rate only	100% Steel
	(ii) EU standard guardrail (4.0m eff Length)	No			Rate only	100% Steel
	(c ) Terminal sections with single guardrails					
	(i) Conventional guardrail (3.8m eff. length)	No			Rate only	100% Steel
	(ii) EU standard guardrail (4.0m eff Length)	No			Rate only	100% Steel
	(d) Terminal sections with double guardrails					
	(i)Conventional guardrail (3.8m eff. length)	No			Rate only	100% Steel
	(ii)EU standard guardrail (4.0m eff Length)	No			Rate only	100% Steel
	(e) Guardrail posts (i)Conventional guardrail (3.8m eff. length)	No			Rate only	100% Steel
	(ii)EU standard guardrail (4.0m eff Length)	No			Rate only	100% Steel
M4400	TOTAL CARRIED FORWARD TO SUMMA	IRY	<u> </u>		-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M4600	ROAD MARKING					
M460.02	Retro-reflective road-marking paint:					
	(a) White lines (broken or unbroken) (i) 100mm wide	km	1.00			
	(ii) 200mm wide	km	0.10			
	(iii) 500mm wide	km	0.10			
	(b) Yellow lines (broken or unbroken) (i) 100mm wide	km	2.00			
	(ii) 150mm wide	km	3.00			
	(d) White lettering and symbols	m <sup>2</sup>	160.00			
M460.07	Establishment of painting team including pre-marking per road	no	3.00			
M4600	TOTAL CARRIED FORWARD TO SUMN	IARY			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M4700	MAINTENANCE OF LAY-BYES AND REST AREAS					
M470.02 LI	Provision of refuse bins, gazebos, tables and chairs					
	(a) Provision of concrete refuse bins	no.	2			
	(b) Provision of concrete benches of 3 sitter	no.	3			
M4700	TOTAL CARRIED FORWARD TO SUMMARY	1	I	I	-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M6300	REMOVAL OF UNDESIRABLE VEGETATION: PHYSICAL					
M630.01 LI	Eradication of undesirable	m2	125			
M630.02 LI	Tree felling on instruction of the Engineer					
	(a) Girth 151 mm to 500 mm	No	2.00			
	(b) Girth 501 mm to 1000 mm	No	4.00			
	(c) Girth 1 001 mm to 2000 mm	No	1.00			
	(d) Girth 2 001 mm to 4000 mm	No			Rate Only	
	(e) Girth larger than 4000 mm	No			Rate Only	
	-					
M6300	TOTAL CARRIED FORWARD TO SUM	<b>MARY</b>			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M8100	MINOR REPAIRS TO STRUCTURES					
M810.01 LI	Minor repairs to structures					
	(a)Minor repairs to structures	Prov Sum	1.00	10,000.00	10,000.00	
	(b)The Contractor's overhead charges and profit in respect of sub-item M810.01 (a)	%	10,000		-	
M8100	TOTAL CARRIED FORWARD TO SUMMARY		<u>I</u>			

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
M9100	DAYWORKS SCHEDULE					
M910.01	Labour during normal working hours					
	(a) Unskilled	h	9.00		Rate Only	
	(b) Semi-skilled	h	9.00		Rate Only	
	(c) Skilled	h	9.00		Rate Only	
	(d) Ganger	h	9.00		Rate Only	
	(e) Flagmen	h	9.00		Rate Only	
M9100	TOTAL CARRIED FORWARD				-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
	BROUGHT FORWARD		1		-	
M910.03	Transport and equipment (a) Tipper Trucks					
	(i) 3 to 5 ton capacity	h	9.00		Rate Only	
	(ii) More than 5 ton capacity	h	9.00		Rate Only	
	(b) TLB - Tractor, loader, backhoe (0.5m3 bucket)	h	9.00		Rate Only	
	(c ) Grader (CAT 140 G or similar)	h	9.00		Rate Only	
	(d) Compactor (Bomag BW 90)	h	9.00		Rate Only	
	(e) Water truck (5 000 litre)	h	9.00		Rate Only	
	(f) Mechanical broom	h	9.00		Rate Only	
	(g) Suitable truck/bus for transporting labourers (40 seater)	h	9.00		Rate Only	
	(h) Safety vehicle for pre-marking purposes	h	9.00		Rate Only	
	(i) Compressor (air) including hoses and tools(up to10m3/min)	h	9.00		Rate Only	
	(j) Dew atering pump including generators and accessories (500l/min)	h	9.00		Rate Only	
	(k) Mobile concrete mixers (150l)	h	9.00		Rate Only	
	(I) Flat bed truck (6 ton)	h	9.00		Rate Only	
	(m) Light delivery vehicle (LDV)	h	9.00		Rate Only	
	(n) Centremount cranes (20ton)	h	9.00		Rate Only	
M9100	TOTAL CARRIED FORWARD	<u> </u>			-	

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	OCAL CONTENT
M9100	BROUGHT FORWARD				-	
	(o) Portable generator set	h	9.00		Rate Only	
	(p) Establishment of a TLB - Tractor, loader, backhoe (0.5m3 bucket)	No	9.00		Rate Only	
	(q) Establishment of grader (CAT 140 G or similar)	No	9.00		Rate Only	
M910.04 LI	Procurement of materials (a) Procurement of materials (grass cutters, chainsaws, etc)	Prov Sum	1.00	15,000.00	15,000.00	
	(b) The Contractor's overhead charges and profit in respect of sub-item BM910.04 (a)	%	15,000		-	
M9100	TOTAL CARRIED FORWARD TO SUMI	MARY				

### CONTRACT NO:EDM/27/2021-2022

### POTHOLE REPAIR, RE-SEALING AND GENERAL MAINTANANCE ON TOURISM ROUTES EHLANZENI DISTRICT MUNICIPALITY

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
B100	SOCIAL FACILITATION					
B100.01	Provision for Social Consultant and establishment					
	(a) Initial facilitation processes (including establishment of PSC & Liasing with Local Authorities)	Prov Sum	1		10,000.00	
	(b) Monitoring activities on a Monthly basis	Prov Sum	1		60,000.00	
	(c) Contractor's handling costs, profit and all other charges in respect of subitem B100.01 above	%	70,000.00			
В	TOTAL CARRIED FORWARD TO SUMMARY					

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	LOCAL CONTENT
D100	OCCUPATIONAL HEALTH AND SAFETY AC	T				
C100.01	Contractor's initial obligations in respect of the Occupational Health and Safety Act and Construction regulations	Lump Sum	1			
C100.03	Submission of the Health and Safety File	Lump Sum	1			
C100.04	Provision for OHS consultant	Prov Sum	1	45,000.00	45,000.00	
C100.05	Medical Surveillance Program for all employees, Entry, Exit and Annual Medica	Prov Sum	1	15,000.00	15,000.00	
	(a) Contractor's handling costs, profit and a other charges in respect of subitem D100.04 and D100.05 above	I II Prov Sum	1	4,500.00	4,500.00	
C100.07	Safety Signs					
	(a) Site Notice Boards	No	2			100% Steel
	(b) Site office direction sign	No	5			100% Steel
	(c) No smoking signs	No	5			100% Steel
C100.08	Safety Equipment					
	(a) Fire Extinguishers (9kg)	No	2			100% Steel
С	TOTAL CARRIED FORWARD TO SUMMARY					

### SCOPE C (SINGLE SEAL)

SECTION	DESCRIPTION	AMOUNT
M0200	GENERAL REQUIREMENTS AND PROVISIONS	
M0300	CONTRACTOR'S ESTABLISHMENT ON SITE AND GENERAL OBLIGATIONS	
B1400	HOUSING, OFFICES AND LABORATORIES FOR THE CONTRACTOR'S SITE PERSONNEL	
M0500	ACCOMMODATION OF TRAFFIC	
M1100	PAVEMENT LAYERS REPAIR	
M1200	REPAIR OF POTHOLES, EDGE BREAKS AND SURFACE FAILURES	
M1300	CRACK SEALING	
BM1600	SURFACE TREATMENT - TEXTURE CORRECTION (SINGLE SEAL)	
M2100	REPAIR AND MAINTENANCE OF INLET AND OUTLET STRUCTURES	
M2400	CLEANING OF PREFABRICATED CULVERTS	
M2500	CLEANING OF CONCRETE DRAINS AND CHANNELS	
M2600	CLEANING AND MAINTENANCE OF EXISTING EARTH CHANNELS	
M3200	COLLECTION AND REMOVAL OF DEBRIS AND LITTER	
M3300	SHOULDER REPAIRS	
M4100	ERECTION AND REPAIR OF PERMANENT ROAD TRAFFIC SIGNS	
M4400	GUARDRAIL ERECTION AND MAINTENANCE	
M4600	ROAD MARKINGS	
M4700	MAINTENANCE OF LAY-BYES AND REST AREAS	
M6100	CONTROLLING VEGETATION GROWTH: MOWING AND CUTTING	
M6300	REMOVAL OF UNDESIRABLE VEGETATION: PHYSICAL ERADICATION	
M8100	MINOR REPAIRS TO STRUCTURES	
M9100	DAYWORKS SCHEDULE	
	TOTAL SCHEDULE A: POTHOLE REPAIR AND MAINTANACE	

### **CALCULATION OF TENDER SUM**

	AMOUNT
CONTRACT NO:EDM/27/2021-2022 POTHOLE REPAIR, RE-SEALING AND GENERAL MAINTANANCE ON TOURISM ROU EHLANZENI DISTRICT MUNICIPALITY	
TOTAL SCHEDULE A: POTHOLE REPAIR AND MAINTANANCE	
TOTAL PART B : SOCIAL FACILITATION	
TOTAL PART C : OCCUPATIONAL HEALTH AND SAFETY ACT	
SUB-TOTAL A,B,C & D	
ADD CONTIGENCIES @ 10%	
SUBTOTAL E	
ADD VAT @ 15%	
TENDER SUM CARRIED FORWARD TO FORM C1.1	