

# CAPRICORN DISTRICT MUNICIPALITY



## SUPPLY AND DELIVERY OF RAPID RESPONSE VEHICLE (RE-ADVERT)

**BID NO:** COR-A04/2021/2022

**CLOSING DATE:** 16 NOVEMBER 2022 @ 11H00

---

| BIDDER DETAILS                  | BIDDING PROCEDURE ENQUIRIES<br>MAY BE DIRECTED TO:                                                                             |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| BIDDER NAME:                    | MR. TIRO PLUSA / MS. VIOLET<br>MASEMOLA                                                                                        |
| CONTACT NUMBER:                 | 015 294 1039/ 015 294 1210                                                                                                     |
| EMAIL ADDRESS:                  | <a href="mailto:pilusat@cdm.org.za">pilusat@cdm.org.za</a> /<br><a href="mailto:masemolav@cdm.org.za">masemolav@cdm.org.za</a> |
| <a href="#">RECEIPT NUMBER:</a> |                                                                                                                                |

**TOTAL BID AMOUNT:** \_\_\_\_\_



**PART: A: INVITATION TO BID:**

**MBD1**

|                                                                                                                                                                                                                                                             |                                                          |               |                                     |                                                          |              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|---------------|-------------------------------------|----------------------------------------------------------|--------------|
| <b>YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (CAPRICORN DISTRICT MUNICIPALITY)</b>                                                                                                                                                              |                                                          |               |                                     |                                                          |              |
| BID NUMBER:                                                                                                                                                                                                                                                 | <b>COR-A04/2021/2022</b>                                 | CLOSING DATE: | <b>16 November 2022 @ 11H00</b>     | CLOSING TIME:                                            | <b>11:00</b> |
| BID DESCRIPTION                                                                                                                                                                                                                                             | Supply And Delivery Of Rapid Response Vehicle            |               |                                     |                                                          |              |
| TOTAL BID PRICE                                                                                                                                                                                                                                             |                                                          |               |                                     |                                                          |              |
| <b>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7) or SERVICE LEVEL AGREEMENT OF CAPRICORN DISTRICT MUNICIPALITY.</b>                                                                                             |                                                          |               |                                     |                                                          |              |
| BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (Capricorn District Municipality, 41 Biccard Street, Polokwane) not later than <b>11:00</b> on <b>16 November 2022</b>                                                                   |                                                          |               |                                     |                                                          |              |
| An official and compulsory site inspection will be held on <b>07 November 2022</b> Capricorn District Municipality, Council Chamber, 41 Biccard Street, S23°54'44.12196" E29°27'24.72336" at <b>10:00</b> .                                                 |                                                          |               |                                     |                                                          |              |
| The Bid box is generally open 24 hours, 7 days a week.                                                                                                                                                                                                      |                                                          |               |                                     |                                                          |              |
| Completed Bid document, fully priced and signed must be sealed in an envelope marked " Bid number and Bid description"                                                                                                                                      |                                                          |               |                                     |                                                          |              |
| Bidders should ensure that bids are delivered timeously to the correct address. If the bid is late, it will not be accepted for consideration.                                                                                                              |                                                          |               |                                     |                                                          |              |
| <b>Bids documents containing the Conditions of Bid and other requirements in terms of the Supply Chain Management Policy will be downloaded from e-tender Publication Portal at <a href="http://www.etenders.gov.za">www.etenders.gov.za</a> at no fee.</b> |                                                          |               |                                     |                                                          |              |
| <b>SUPPLIER INFORMATION</b>                                                                                                                                                                                                                                 |                                                          |               |                                     |                                                          |              |
| NAME OF BIDDER                                                                                                                                                                                                                                              |                                                          |               |                                     |                                                          |              |
| POSTAL ADDRESS                                                                                                                                                                                                                                              |                                                          |               |                                     |                                                          |              |
| STREET ADDRESS                                                                                                                                                                                                                                              |                                                          |               |                                     |                                                          |              |
| TELEPHONE NUMBER                                                                                                                                                                                                                                            | CODE                                                     |               | NUMBER                              |                                                          |              |
| CELLPHONE NUMBER                                                                                                                                                                                                                                            |                                                          |               |                                     |                                                          |              |
| FACSIMILE NUMBER                                                                                                                                                                                                                                            | CODE                                                     |               | NUMBER                              |                                                          |              |
| E-MAIL ADDRESS                                                                                                                                                                                                                                              |                                                          |               |                                     |                                                          |              |
| VAT REGISTRATION NUMBER                                                                                                                                                                                                                                     |                                                          |               |                                     |                                                          |              |
| TAX COMPLIANCE STATUS                                                                                                                                                                                                                                       | TCS PIN:                                                 |               | OR                                  | CSD No:                                                  |              |
| B-BBEE STATUS LEVEL NUMBER                                                                                                                                                                                                                                  | -----                                                    |               |                                     |                                                          |              |
| B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]                                                                                                                                                                                          | <input type="checkbox"/> Yes <input type="checkbox"/> No |               | B-BBEE STATUS LEVEL SWORN AFFIDAVIT | <input type="checkbox"/> Yes <input type="checkbox"/> No |              |
| <b>[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES &amp; QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]</b>                                                                                       |                                                          |               |                                     |                                                          |              |

|                                                                                               |                                                                                    |                                                                          |                                                                                        |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED? | <input type="checkbox"/> Yes <input type="checkbox"/> No<br>[IF YES ENCLOSE PROOF] | ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED? | <input type="checkbox"/> Yes <input type="checkbox"/> No<br>[IF YES, ANSWER PART B:3 ] |
| TOTAL NUMBER OF ITEMS OFFERED                                                                 |                                                                                    | TOTAL BID PRICE                                                          | R                                                                                      |
| SIGNATURE OF BIDDER                                                                           | .....                                                                              | DATE                                                                     |                                                                                        |
| CAPACITY UNDER WHICH THIS BID IS SIGNED                                                       |                                                                                    |                                                                          |                                                                                        |
| BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:                                               |                                                                                    | TECHNICAL INFORMATION MAY BE DIRECTED TO:                                |                                                                                        |
| MUNICIPALITY                                                                                  | CAPRICORN DISTRICT                                                                 |                                                                          |                                                                                        |
| CONTACT PERSON                                                                                | MR. TIRO PLUSA/ MS VIOLET MASEMOLA                                                 | CONTACT PERSON                                                           | Letebele Makgoba                                                                       |
| TELEPHONE NUMBER                                                                              | 015 294 1039/015 294 1210                                                          | TELEPHONE NUMBER                                                         | 015 294 1261                                                                           |
| FACSIMILE NUMBER                                                                              | N/A                                                                                | FACSIMILE NUMBER                                                         | N/A                                                                                    |
| E-MAIL ADDRESS                                                                                | <a href="mailto:pilusat@cdm.org.za">pilusat@cdm.org.za</a>                         | E-MAIL ADDRESS                                                           | <a href="mailto:makgobal@cdm.org.za">makgobal@cdm.org.za</a>                           |

## PART B

### TERMS AND CONDITIONS FOR BIDDING

#### 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR ONLINE**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

#### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE [WWW.SARS.GOV.ZA](http://WWW.SARS.GOV.ZA).
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

#### 3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?  
☐ YES ☐ NO
- 3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA?  
☐ YES ☐ NO
- 3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?  
☐ YES ☐ NO
- 3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?  
☐ YES ☐ NO
- 3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

☐ YES ☐ NO

IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.


**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

**NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....

DATE: .....



BID NOTICE  
RESPONSIVENESS AND EVALUATION CRITERIA



|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| FORM "A"     | BID FORM                                                           |
| FORM "B"     | GENERAL UNDERTAKING BY THE BIDDER                                  |
| FORM "C"     | GENERAL CONDITIONS OF CONTRACT                                     |
| FORM "D"     | GENERAL PROCEDURES                                                 |
| SBD 5        | NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME                        |
| MBD 5        | DECLARATION FOR PROCUREMENT ABOVE R10 MILLION                      |
| MBD 8        | DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES     |
| FORM "E"     | SPECIAL CONDITIONS OF CONTRACT (IF ANY)                            |
| FORM "F"     | BID SPECIFICATIONS                                                 |
| MBD 3.1      | SCHEDULE OF PRICES                                                 |
| MBD 6.1      | PREFERENTIAL PROCUREMENT FORM                                      |
| ANNEXURE "A" | <i>EVALUATION PROCESS AND CRITERIA</i>                             |
| ANNEXURE "B" | DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES     |
| MBD 4        | DECLARATION OF INTEREST                                            |
| ANNEXURE "C" | CERTIFICATE FOR MUNICIPAL SERVICES AND PAYMENTS                    |
| ANNEXURE "D" | AUTHORISATION FOR DEDUCTION OF OUTSTANDING AMOUNTS OWED TO COUNCIL |
| MBD 9        | CERTIFICATE OF INDEPENDENT DIB DETERMINATION                       |



**BID: COR-A04/2021/2022**

**DIRECTORATE: CORPORATE SERVICES**

Bids are hereby invited for the **Supply and delivery of Rapid Response Vehicle**

Bidders should ensure that bids are delivered timorously to the correct address. If the bid is late, it will not be accepted for consideration

The Municipality shall adjudicate and award bids in accordance with B-BBEE status level of contribution on points for contribution, on 80/20 point system. prospective bidders must accept that the bid will be adjudicated, according to the said legislation. Bids will remain valid for 90 (ninety) days.

**N.B: NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE (as defined in Regulation 1 of the Local Government: Municipal supply chain Management Regulations)**

**Mr. Ramakuntwane Selepe**  
**Municipal Manager**

## RESPONSIVENESS AND EVALUATION CRITERIA

### CAPRICORN DISTRICT MUNICIPALITY WILL CONSIDER NO BID UNLESS ITS MEETS THE FOLLOWING RESPONSIVENESS CRITERIA

- The bid must be properly received in a sealed envelope clearly indicating the description of the service and the bid number for which the bid is submitted.
- The bid must be deposited in the relevant bid box as indicated on the notice of the bid on or before the closing date and time of the bid.
- A valid Central Supplier Database Number (CSD)
- Bid forms must be completed in full and each page of the bid initialed.
- Submission of a Joint Venture Agreement, where applicable, which has been properly signed by all parties.
- Proof of payment of municipal rates and taxes or letter from tribal authority or valid lease agreement must be attached.
- Complies with the requirements of the bid and technical specifications.
- Registered in the relevant contractor category in the Construction Industry Development Board Register of Contractor (CIDB) in case of construction work
- Adheres to Pricing Instructions.
- Financial ability to execute contract
- Comply in full and observe the requirements of the Notice to Bidders
- Experience with similar work – demonstrate a track record of a projects of similar scope and size
- **The tenderer must subcontract a minimum of 30% for a contract above R30 million to –**
  - a. an EME or QSE;
  - b. an EME or QSE which is at least 51% owned by black people;
  - c. an EME or QSE which is at least 51% owned by black people who are youth;
  - d. EME or QSE which is at least 51% owned by black people who are women;
  - e. an EME or QSE which is at least 51% owned by black people with disabilities;
  - f. an EME or QSE which is 51% owned by black people living in rural or underdeveloped areas or townships;
  - g. a cooperative which is at least 51% owned by black people;
  - h. an EME or QSE which is at least 51% owned by black people who are military veterans; or
  - i. more than one of the categories referred to in paragraphs (a) to (h).

## EVALUATION OF BIDS

- a) Policy, the Preferential Procurement Policy Framework Act, and other applicable legislations.
- b) The Council reserves the right to accept all, some, or none of the bids submitted – either wholly or in part – and it is not obliged to accept the lowest bid.

### PHASE 1: PLEASE NOTE

- a) The person committed a corrupt or fraudulent act during the procurement process or in the execution of the contract, or
- b) An official or other role player committed any corrupt or fraudulent act during the procurement process or in the execution of the contract that benefited that person.

**The Municipal Manager may reject the bid or quote of any person if that person or any of its directors has:**

- c) Failed to pay municipal rates and taxes or municipal service charges and such rates, taxes and charges are in arrears for more than three months;
- d) Failed, during the last five years, to perform satisfactorily on a previous contract with the Capricorn District Municipality or any other organ of State after written notice was given to that bidder that performance was unsatisfactory;
- e) Abused the supply chain management system of the Municipality or have committed any improper conduct in relation to this system;
- f) Been convicted of fraud or corruption during the past five years;
- g) Willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
- h) Been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No. 12 of 2004) or has been listed on National Treasury's database as a person prohibited from doing business with public sector.

**FORM A**

**BID NO: COR-A04/2021/2022**

I/We, the undersigned:

- a) Bid to supply and deliver to Capricorn District Municipality all or any of the supplies and to render all the articles, goods, materials, services or the like described both in this and the other Schedules to this Contract;
- b) Agree that we will be bound by the specifications, prices, terms and conditions stipulated in those Schedules attached to this bid document, regarding delivery and execution;
- c) Further agree to be bound by those conditions, set out in Forms, MBD's, SBD's and the Annexures attached hereto, should this bid be accepted in whole or in part;
- d) Confirm that this bid may only be accepted by the Capricorn District Municipality by way of a duly authorized Letter of Acceptance; and,
- e) Declare that, the relevant authorized person thereto will initial each page of the bid document and amendments.
- f) Declare that all information provided in respect of the bidder as well as the bid documents submitted are true and correct.
- g) Declare that documentary proof regarding aspects of the bid process or accidental thereto will, when required, be submitted to the satisfaction of the Municipality.

Signed at ..... this ..... Day of ..... 2022

**Signature of the Bidder:** \_\_\_\_\_

**Name of Bidder:** \_\_\_\_\_

**Professional Registration No, if any, attach proof)**

\_\_\_\_\_

**Address:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**As Witness:**

1. \_\_\_\_\_

2. \_\_\_\_\_

**Particular of Sole Proprietors and partners in partnerships**

| <b>Name</b> | <b>Identity Number</b> | <b>Personal Income Tax Number</b> |
|-------------|------------------------|-----------------------------------|
|             |                        |                                   |
|             |                        |                                   |
|             |                        |                                   |
|             |                        |                                   |
|             |                        |                                   |
|             |                        |                                   |

**(Attach of identity Document, if bidder is a Sole Proprietor and/or partners in partnership)**

**State in cases where the bidder is a Company, Corporation of Firm by what authority the person signing does so, whether by Articles of Association, Resolution, Power of Attorney or otherwise.**

**I/We the undersigned am/are authorized to enter into this contract of behalf of:**

**by virtue of \_\_\_\_\_**

**dated \_\_\_\_\_ a certified copy if which is attached to this bid.**

**Signature of authorized person: \_\_\_\_\_**

**Name of Firm: \_\_\_\_\_**

**Postal Address: \_\_\_\_\_**

**Date: \_\_\_\_\_**

**As witness: 1. \_\_\_\_\_**

**2. \_\_\_\_\_**

Please Note:

*The prices at which bids are prepared to supply the goods and materials or perform the services must be placed on the column on the Form provided for that purpose.*

**Failure on the part of the bidder to sign the Form of Bid and initial each page of this bid document will result in a bid being disqualified.**

Bank account details of bidder:

Bank: \_\_\_\_\_

Branch: \_\_\_\_\_

Branch Code: \_\_\_\_\_

Account Number: \_\_\_\_\_

Type of Account: \_\_\_\_\_

**PROOF THAT MUNICIPAL ACCOUNT IS PAID IN FULL TO BE ATTACHED (ARRANGEMENTS MADE WITH COUNCIL WILL BE TAKEN INTO CONSIDERATION).**

**NOTE: THE AUTHORIZED SIGNATORY MUST SIGN ANY ALTERATIONS TO THE BIDDER DOCUMENT IN FULL**

**ANY COMPLETION OF THE BIDDER DOCUMENT IN ERASABLE INK WILL NOT BE ACCEPTED**

## BIDDING INFORMATION

Details of person responsible for bidding process

Name \_\_\_\_\_

Contact number \_\_\_\_\_

Address of office submitting bid \_\_\_\_\_

\_\_\_\_\_

Telephone \_\_\_\_\_

Fax no \_\_\_\_\_

E-mail address \_\_\_\_\_

VAT Registration Number \_\_\_\_\_

Has an original and valid tax clearance certificate been attached? Yes/No

Has a B-BBEE status level verification certificate been submitted? Yes/No

IF YES, WHO WAS THE CERTIFICATE ISSUED BY?

AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CC):

A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN NATIONAL  
ACCREDITATION SYSTEM (SANAS):

A REGISTERED:

(Tick applicable box)

☐

☐

☐

**(A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE)**

ARE YOU THE ACCREDITED REPRESENTATIVE: Yes/No  
IN SOUTH AFRICA FOR THE GOODS/SERVICES/WORKS OFFERED? (IF YES ENCLOSE PROOF)

**AUTHORITY FOR SIGNATORY**

Signatories for close corporation and companies shall conform their authority by attaching to this form a duly signed and dated copy of the relevant resolution of their members or their board of directors, as the case may be.

An example for a company is shown below:

“By resolution of the board of directors passed on \_\_\_\_\_ 20\_\_\_\_\_

Mr/Ms. \_\_\_\_\_

Has been duly authorized to sign all documents in connection with the bid for

Contract \_\_\_\_\_ No \_\_\_\_\_

And any Contract, which may arise there from on behalf of

Signed on behalf of the company:

In his/her capacity as:

Date: \_\_\_\_\_

Signature of signatory

As witness: 1. \_\_\_\_\_

2. \_\_\_\_\_

## GENERAL UNDERTAKINGS BY THE BIDDER

### DEFINITION

1. **“Acceptable bid”** means any bid, which in all respects, complies with conditions of bid and specifications as set out in the bid document, including conditions as specified in the Preferential Procurement Regulation (of 2011).
2. **“Chairperson”** means the chairperson of the Capricorn District Municipality Bid Adjudication Committee.
3. **“Municipal Manager”** means the Municipal Manager of the Municipality.
4. **“Committee”** refers to the Bid Adjudication Committee.
5. **“Council”** refers to Capricorn District Municipality.
6. **“Member”** means a member of the Bid Adjudication Committee.
7. **“Service providers”** refers to the bidders who have been successful in being awarded Council contracts.
8. **“SMMs”** (Small, medium and Micro Enterprises) refers to separate and distinct business entities, including co- operative enterprises and NGOs, managed by one owner or more, as defined in the National Small Business (Act 102 of 1996).
9. **“Contract”** refers to legally binding agreement between Capricorn District Municipality and the service provider.
10. **“Bid”** means a written offer in a prescribed or stipulated form in response to an invitation by the Municipality for the provision of services or goods.
11. **“Contractor”** means any natural or legal person whose bid has been accepted by the Council.
12. **“Closing time”** means the date and hour specified in the bid documents for the receipt of bids.
13. **“Order”** means an official written order issued for the supply of goods or the rendering of a service in accordance of the accepted bid or price quotation.
14. **“Written” or “in writing,”** means hand written in ink or any form of mechanical writing in printed form.

## INTERPRETATION:

1. In this agreement clause headings are for convenience and shall not be used in its interpretation and, unless the context clearly indicates a contrary intention:
2. An expression which denotes: -
3. Any reference to any statute, regulation or other legislation or official policy shall be a reference to that statute, regulation or other legislation or national policy as at the signature date, and as amended or re-enacted from time to time;
4. When any number of day is prescribed, such shall be reckoned exclusively of the first and inclusively of the last day, unless the last day falls on a day which is not a business day, in which case the last day shall be the next succeeding day which is a business day;
5. Where any term is defined within a particular clause, other than the interpretation clause, that term shall bear the meaning ascribed to it in that clause wherever it is used in this agreement.

I/we hereby tender:

To supply all or any of the supplies and/or to render all or any of the services described in the attached documents {Forms, Schedule(s) and/or Annexure(s) to the Capricorn District Municipality.

On the terms and conditions and accordance with the specifications stipulated in the bid documents (and which shall be taken as part of and incorporated into, this bid);

At the prices and on the terms regarding time for delivery and/or execution inserted therein.

I/we agree further that:

The offer herein shall remain binding upon me/us and open for acceptance by the Capricorn District Municipality during the validity period indicated and calculated from the closing time of the bid.

This bid and its acceptance shall be subject to the terms and conditions contained in the Forms, Scheduled(s) and/or Annexure(s) attached hereto with which I am /we are fully acquitted.

Notwithstanding anything to the contrary in the Form(s), Schedule(s) and /or Annexure(s) attached hereto:

If I/we withdraw my/our bid within the period for which I/we have agreed that the bid shall remain open for acceptance, or fail to fulfill the contract when called upon to do so, the Capricorn District Municipality may, without prejudice to its other rights, agree to the withdrawal of my/our tender or cancel the contract that may have been entered into between me/us and the Municipality;

In such event, I/we will then pay to the Municipality any additional expenses incurred by the Municipality for having either to accept any less favourable bid or, if new bids have to be invited, the additional expenditure incurred by the invitation of new bids and by the subsequent acceptance of any less favourable bid;

The Municipality shall also have the right in these circumstances, to recover such additional expenditure by set-off against monies which may be due or become due to me/us under this or any other bid or contract or against any guarantee or deposit

that may have been furnished by me/us or on my/our behalf for the due fulfillment of this or any other bid or contract;

Pending the ascertainment of the amount of such additional expenditure the Municipality may retain such monies, guarantee or deposit as security for any loss the Municipality may sustain, as determined hereunder, by reason of my/our default.

Any legal proceedings arising from this bid may in all respects be launched or instituted against me/us and if/we hereby

undertake to satisfy fully any sentence or judgment which may be obtained against me/us as a result of such legal proceedings and I/we undertake to pay the Capricorn District Municipality legal costs on an attorney and own client;

If my/our bid is accepted that acceptance may be communicate to me/us by letter or facsimiles and that proof of delivery of such acceptance to SA Post Office Ltd or the production of a document confirming that a fax has been sent, shall be treated as delivery to me/us.

The law of the Republic of South Africa shall govern the contract created by the acceptance to this tender.

I/we have satisfied myself/ourselves as to the correctness and validity of this tender, that the price(s) and rate(s) quoted cover all the work/items(s) specified in the tender documents and that the price(s) and rate(s) cover all my/our obligations under a resulting contract and that I/we accept that any mistakes regarding price(s) and calculations will be at my/our risk.

I/we accept full responsibility for the proper execution and conditions defaulting on me/us under this agreement as the principal(s) liable for the fulfillment of this contract.

**I/we declare that I/we have participated /no participated in the submission of any other bid for the supplies/services described in the attached documents. If your answer here is yes, please state the names(s) of the other Bid(s) involved: \_\_\_\_\_**

## General Conditions of Contract

### 1 DEFINITION

The following terms shall be interpreted as indicated:

- 1.1 **"Closing time"** means the date and hour specified in the bidding documents for the receipt of Bids
- 1.2 **"Contract"** means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 **"Contract price"** means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 **"Corrupt practice"** means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 **"Countervailing duties"** are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 **"Country of origin"** means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components
- 1.7 **"Day"** means calendar day.
- 1.8 **"Delivery"** means delivery in compliance of the conditions of the contract or order.
- 1.9 **"Delivery ex stock"** means immediate delivery directly from stock actually on hand.
- 1.10 **"Delivery into consignees store or to his site"** means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the goods are so delivered and a valid receipt is obtained.
- 1.11 **"Dumping"** occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12 **"Force majeure"** means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

- 1.13 **“Fraudulent practice”** means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 **“GCC”** means the General Conditions of Contract.
- 1.15 **“Goods”** means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 **“Imported content”** means that portion of the bidding price represented by the cost of component parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the goods covered by the bid will be manufactured.
- 1.17 **“Local content”** means that portion of the bidding price, which is not included in the imported content provided that local manufacture does take place.
- 1.18 **“Manufacture”** means the production of products in a factory using labour, materials, component and machinery and includes other related value-adding activities.
- 1.19 **“Order”** means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 **“Project site,”** where applicable, means the place indicated in bidding documents.
- 1.21 **“Purchaser”** means the organization purchasing the goods.
- 1.22 **“Republic”** means the Republic of South Africa.
- 1.23 **“SCC”** means the Special Conditions of Contract.
- 1.24 **“Services”** means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 **“Supplier”** means the successful bidder who is awarded the contract to maintain and Administer the required and specified service(s) to the State.
- 1.26 **“Tort”** means in breach of contract.
- 1.27 **“Turnkey”** means a procurement process where one service provider assumes total responsibility for all aspects of the project and delivers the full end product / service required by the contract

1.28 **“Written”** or “in writing” means hand-written in ink or any form of electronic or mechanical writing.

## **2. Application**

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services (excluding professional services related to the building and construction industry), sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific goods, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

## **3. General**

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a nonrefundable fee for documents may be charged
- 3.2 Invitations to bid are usually published in locally distributed news media and on the municipality/municipal entity website.

## **4. Standards**

- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

## **5. Use of contract documents and information inspection**

- 5.1 The supplier shall not, without the purchaser’s prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance
- 5.2 The supplier shall not, without the purchaser’s prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GC Clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier’s performance under the contract if so required by the purchaser

- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

## **6. Patent Rights**

- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of Patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
- 6.2 When a supplier developed documentation / projects for the municipality / municipal entity, the intellectual, copy and patent rights or ownership of such documents or projects will vest in the municipality / municipal entity.

## **7. Performance security**

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder Furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - (b) a cashier's or certified cheque.
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified.

## **8. Inspections, tests and analyses**

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that goods to be produced or services to be rendered should at any stage be subject to inspections, tests and analyses, the bidder or contractor's premises shall be open, at all reasonable hours, for inspection by a representative of the purchaser or organization acting on behalf of the purchaser.
- 8.3 If there are no inspections requirements indicated in the bidding documents and no mention is Made in the contract, but during the contract period it is decided that inspections shall be

carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.

- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the goods to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the goods or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such goods or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Goods and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract goods may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected goods shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with goods, which do comply with the requirements of the contract. Failing such removal the rejected goods shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute goods forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected goods, purchase such goods as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 22 of GCC.

## **9. Packing**

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, and in any subsequent instructions ordered by the purchaser.

## **10. Delivery and documents**

- 10.1 Delivery of the goods and arrangements for shipping and clearance obligations, shall be made by the supplier in accordance with the terms specified in the contract.

## **11. Insurance**

- 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified.

## **12. Transportation**

- 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified.

## **13. Incidental Services**

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any:
- (a) Performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - (b) Furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - (c) Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
  - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
  - (e) Training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

## **14. Spare parts**

- 14.1 As specified, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- (a) Such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
  - (b) In the event of termination of production of the spare parts:
    - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and

- (ii) Following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

## **15. Warranty**

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

## **16. Payment**

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the Delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated.

## **17. Prices**

- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price

adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.

## **18. Variation orders**

- 18.1 In cases where the estimated value of the envisaged changes in purchase does not vary more than 15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.

## **19. Assignment**

- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

## **20. Subcontracts**

- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

## **21. Delays in the performance**

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the goods are required, or the supplier's services are not readily available. 21.4 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of penalties.
- 21.4 Upon any delay beyond the delivery period in the case of a goods contract, the purchaser shall, without cancelling the contract, be entitled to purchase goods of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

## **22. Penalties**

- 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, sum calculated on the delivered price of the delayed goods or unperformed interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

## **23. Termination for default**

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (b) If the supplier fails to perform any other obligation(s) under the contract; or
  - (c) If the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner, as it deems appropriate, goods, works of service similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years. 23.4 If a purchaser intends imposing a restriction on a supplier or any person associate time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the supplier as having no objection and proceed with the restriction.
- 23.4. Any restriction imposed on any person by the purchaser will, at the discretion of the purchaser, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first- mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the purchaser actively associated.
- 23.5 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
- (i) The name and address of the supplier and / or person restricted by the purchaser;
  - (ii) The date of commencement of the restriction
  - (iii) The period of restriction; and

- (iv) The reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

- 23.6. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website

#### **24. Antidumping and countervailing duties and rights**

- 24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favorable difference shall on demand be paid forthwith by the supplier to the purchaser or the purchaser may deduct such amounts from moneys (if any) which may otherwise be due to the supplier in regard to goods or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.

#### **25. Force Majeure**

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

#### **26. Termination for insolvency**

- 26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the purchaser.

## **27. Settlement of Disputes**

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Notwithstanding any reference to mediation and/or court proceedings herein,
  - (a) The parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
  - (b) The purchaser shall pay the supplier any monies due the supplier for goods delivered and / or services rendered according to the prescripts of the contract.

## **28. Limitation of Liability**

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement Pursuant to Clause 6;
  - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
  - (b) The aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment

## **29. Governing language**

- 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

## **30. Applicable law**

- 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified.

## **31. Notices**

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address

furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.

- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

## **32. Taxes and duties**

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country. 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.
- 32.4 No contract shall be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.

## **33. Transfer of contracts**

- 33.1 The contractor shall not abandon, transfer, cede assign or sublet a contract or part thereof without the written permission of the purchaser

## **34. Amendment of contracts**

- 34.1 No agreement to amend or vary a contract or order or the conditions, stipulations or provisions thereof shall be valid and of any force unless such agreement to amend or vary is entered into in writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary shall be in writing, shall also be in writing.

## **35. Prohibition of restrictive practices**

- 35.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.
- 35.2 If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the Purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 Of 1998.
- 35.3 If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from

conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.



## THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME

### INTRODUCTION

The National Industrial Participation (NIP) Programme, which is applicable to all government procurement contracts that have an imported content, became effective on the 1 September 1996. The NIP policy and guidelines were fully endorsed by Cabinet on 30 April 1997. In terms of the Cabinet decision, all state and parastatal purchases / lease contracts (for goods, works and services) entered into after this date, are subject to the NIP requirements. NIP is obligatory and therefore must be complied with. The Industrial Participation Secretariat (IPS) of the Department of Trade and Industry (DTI) is charged with the responsibility of administering the programme.

### 1 PILLARS OF THE PROGRAMME

- 1.1 The NIP obligation is benchmarked on the imported content of the contract. Any contract having an imported content equal to or exceeding US\$ 10 million or other currency equivalent to US\$ 10 million will have a NIP obligation. This threshold of US\$ 10 million can be reached as follows:
  - (a) Any single contract with imported content exceeding US\$10 million, or
  - (b) Multiple contracts for the same goods, works or services each with imported content exceeding US\$3 million awarded to one seller over a 2-year period which in total exceeds US\$10 million, or
  - (c) A contract with a renewable option clause, where should the option be exercised the total value of the imported content will exceed US\$10 million. or
  - (d) Multiple suppliers of the same goods, works or services under the same contract, where the value of the imported content of each allocation is equal to or exceeds US\$ 3 million worth of goods, works or services to the same government institution, which in total over a two (2) year period exceeds US\$10 million.
- 1.2 The NIP obligation applicable to suppliers in respect of sub-paragraphs 1.1 (a) to 1.1 (c) above will amount to 30 % of the imported content whilst suppliers in respect of paragraph 1.1 (d) shall incur 30% of the total NIP obligation on a *pro-rata* basis.
- 1.3 To satisfy the NIP obligation, the DTI would negotiate and conclude agreements such as investments, joint ventures, sub-contracting, licensee production, export promotion, sourcing arrangements and research and development (R&D) with partners or suppliers a period of seven years has been identified as the time frame within which to discharge the obligation

## 2. REQUIREMENTS OF THE DEPARTMENT OF TRADE AND INDUSTRY

- 2.1 In order to ensure effective implementation of the program, successful bidders (contractors) are required to, immediately after the award of a contract that is in excess of **R10 million** (ten million Rand), submit details of such a contract to the DTI for reporting purposes.
- 2.2 The purpose for reporting details of contracts in excess of the amount of R10 million (ten million Rand) is to cater for multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as provided for in paragraphs 1.1. (b) to 1.1. (d) Above.

## 2 BID SUBMISSIONS AND CONTRACT REPORTING REQUIREMENTS OF BIDDERS AND SUCCESSFUL BIDDERS (CONTRACTORS)

### 3

- 3.1 Bidders are required to sign and submit this Standard Bidding Document (SBD 5) together with the bid on the closing date and time.
- 3.2 In order to accommodate multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as indicated in sub-paragraphs 1.1 (b) to 1.1 (d) above and to enable the DTI in determining the NIP obligation, successful bidders (contractors) are required, immediately after being officially notified about any successful bid with a value in excess of R10 million (ten million Rands), to contact and furnish the **DTI with the following information**:
  - Bid / contract number.
  - Description of the goods, works or services.
  - Date on which the contract was accepted.
  - Name, address and contact details of the government institution.
  - Value of the contract.
  - Imported content of the contract, if possible.
- 3.3 The information required in paragraph 3.2 above must be sent to the Department of Trade and Industry, Private Bag X 84, Pretoria, 0001 for the attention of Mr Elias Malapane within five (5) working days after award of the contract. Mr Malapane may be contacted on telephone (012) 394 1401, facsimile (012) 394 2401 or e-mail at [Elias@thedti.gov.za](mailto:Elias@thedti.gov.za) for further details about the programme.

## 4 PROCESSES TO SATISFY THE NIP OBLIGATION

- 4.1 Once the successful bidder (contractor) has made contact with and furnished the DTI with the information required, the following steps will be followed:
  - a. the contractor and the DTI will determine the NIP obligation;
  - b. the contractor and the DTI will sign the NIP obligation agreement;
  - c. the contractor will submit a performance guarantee to the DTI;
  - d. the contractor will submit a business concept for consideration and approval by the DTI; upon approval of the business concept by the DTI, the contractor will submit detailed business plans outlining the business concepts;
  - e. the contractor will implement the business plans; and
  - f. the contractor will submit bi-annual progress reports on approved plans to the DTI.

4.2 The NIP obligation agreement is between the DTI and the successful bidder (contractor) and, therefore, does not involve the purchasing institution.

**Bid number: COR-A04/2021/2022**

**Closing date: 16 November 2022 @ 11H00**

**Name of bidder:** .....

**Postal address:** .....

**Signature:** ..... **Name (in print):** .....

**Date:** .....



**DECLARATION FOR PROCUREMENT ABOVE R10 MILLION (ALL APPLICABLE TAXES INCLUDED)**

For all procurement expected to exceed R10 million (all applicable taxes included), bidders must complete the following questionnaire

- 1 Are you by law required to prepare annual financial statements for auditing? YES / NO
- 1.1 If yes, submit audited annual financial statements for the past three years or since the date of establishment if established during the past three years.

.....

.....

- 2 Do you have any outstanding undisputed commitments for municipal services towards any Municipality for more than three months or any other service provider in respect of which payment is overdue for more than 30 days? YES / NO

- 2.1 If no, this serves to certify that the bidder has no undisputed commitments for municipal services towards any municipality for more than three months or other service provider in respect of which payment is overdue for more than 30 days.

If yes, provide particulars.

.....

.....

.....

\* Delete if not applicable

- 3 Has any contract been awarded to you by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract? YES / NO

If yes, furnish particulars

.....

.....

- 4 Will any portion of goods or services be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality / municipal entity is expected to be transferred out of the Republic? YES / NO

If yes, furnish particulars

.....

.....

### CERTIFICATION

I, THE UNDERSIGNED (NAME) .....

CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM IS CORRECT.


I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....  
Signature

.....  
Date

.....  
Position

.....  
Nam



## DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
  - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
  - b. been convicted for fraud or corruption during the past five years;
  - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).

**4 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid**

| Item  | Question                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Yes                                        | No                                        |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------|
| 4.1   | <p>Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?<br/>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p><b>The Database of Restricted Suppliers now resides on the National Treasury's website(<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) and can be accessed by clicking on its link at the bottom of the home page.</b></p> | <p>Yes</p> <p><input type="checkbox"/></p> | <p>No</p> <p><input type="checkbox"/></p> |
| 4.1.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                           |
| 4.2   | <p>Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?</p> <p><b>The Register for Tender Defaulters can be accessed on the National Treasury's website (<a href="http://www.treasury.gov.za">www.treasury.gov.za</a>) by clicking on its link at the bottom of the home page.</b></p>                                                                                                                                                                                                                                                                        | <p>Yes</p> <p><input type="checkbox"/></p> | <p>No</p> <p><input type="checkbox"/></p> |
| 4.2.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                           |
| 4.3   | <p>Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>Yes</p> <p><input type="checkbox"/></p> | <p>No</p> <p><input type="checkbox"/></p> |
| 4.3.1 | If so, furnish particulars:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                           |

| Item  | Question                                                                                                                                                                                                                               | Yes                             | No                             |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------|
| 4.4   | Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months? | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 4.4.1 | If so, furnish particulars:                                                                                                                                                                                                            |                                 |                                |
| 4.5   | Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?                         | Yes<br><input type="checkbox"/> | No<br><input type="checkbox"/> |
| 4.7.1 | If so, furnish particulars:                                                                                                                                                                                                            |                                 |                                |

### CERTIFICATION

I, THE UNDERSIGNED (FULL NAME) .....

CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....

Signature

.....

Date

.....

Position

.....

Name of Bidder

## **GENERAL PROCEDURES**

### **1 General Directives**

- 1.1 The following general procedures contained in this document have been laid down by the Council and are applicable to all bids, orders and contracts, unless otherwise approved by the Council prior to the invitation of the bids.
- 1.2 Where applicable, special conditions or procedures are also laid down by the Council to cover specific supplies or services.
- 1.3 Where such special conditions or procedures are in conflict with the general conditions and procedures, the special conditions or procedures shall apply.
- 1.4 The bidder shall satisfy himself/herself with the conditions and circumstances of the bid. By bidding, the bidder shall deem to have satisfied himself/herself as to all the conditions and circumstances of the bid.
- 1.5 Formal contract are concluded with the contractors only where this requirement is stated in the bid invitation.
- 1.6 All bids with regard to the bidding of a service e.g. materials, cleaning services; professional services, etc. shall be subject to the negotiation of a Service Level agreement between the successful contractor and the Municipality. The acceptance of this Service Level Agreement is subject to the approval by the Council of the Municipality.
- 1.7 The written acceptance of bid shall be posted to the bidder or contractor concerned by registered or certified mail.

### **2 Issuing of bid documents**

On the date that the advertisement appears in the Municipality's Tender Bulletin, and or media, prospective bidders may request copies of the tender documentation.

The Supply Chain Management Unit will keep a register and potential bidders should sign for receipt of the bid documentation. If a fee is payable, an official receipt must be issued before the bid document is handed to the bidder.

No bid responses from any bidder should be accepted if sent via the Internet, e-mail or fax.

Only the Supply Chain Management Unit will have direct communication between the potential bidders and will facilitate all communication between potential bidders and the Municipality with regard to any advertised bid. No line function staff should be allowed to communicate with potential bidders without the approval by the Manager: Supply Chain Management Unit.

The Supply Chain Management Unit will only consider request for the extension of the closing dates of advertised bid if the postponed date can be advertised in the media used

to advertise before the original closing date. The closing time may be postponed only if all potential bidders can be advised of the postponed time, in writing, before the original closing time.

The decision to extend the closing date or time rests with the Manager: Supply Chain Management Unit, who must ensure compliance with all relevant rules and regulations and must confirm prior to the action being taken.

### **3 Payment of bid documents**

To ensure that only bona fide bidders collect documentation, and to recover printing costs, bid documents will be issued only after payment of the following amounts to the cashier:  
The price of  
Bid document for bid document is as indicated on the bid notice/advert.

### **4 Public Invitation for competitive bids**

The following are procedures for the invitation of competitive bids:

- 4.1 Invitation to prospective providers to submit bids must be by means of a public advertisement in newspapers commonly circulating locally, the website of the municipality or any other appropriate ways (which may include an advertisement in the Government Tender Bulletin) and

### **5 Public advertisement must contain the following:**

- (i) The closure date for the submission of bids, which may not be less than 30 days in the case of transactions over R10 million (Vat included), or which are of a long term nature, or 14 days in any other case, from the date on which the advertisement is placed in a newspaper; subject to (iii) below; and
- (ii) Accounting officer may determine a closure date for the submission of bids which is less than the 30 or 14 days requirement, but only if such shorter period can be justified on the grounds of urgency or emergency or any exceptional case where it is impractical or impossible to follow the official procurement process.
- (iii) Bids submitted must be sealed.

### **6 The following information must appear in any advertisement:**

- Bid number;
- Description of the requirements;
- The place where the bid documents can be obtained;
- The date, time and venue where site inspection/briefing session will be (if applicable);
- Closing date and time;
- The fee applicable that must be paid before the bid documents will be issued; and
- The name and telephone numbers of the contact person for any enquiries

## **7 Site meetings of briefing sessions**

A fully explanatory site inspection must be conducted before the close of the bids to ensure that the bidders understand the scope of the project and that they can comply with the conditions and requirements.

It should be a condition that prospective bidders attend a site inspection and non-attendance should invalidate a bid, where a site inspection/briefing session is applicable

## **8 Handling of bids submitted in response to public invitation**

### **8.1 Closing of bids**

All bids will close at **11H00** on a date as stipulated on the advertisement, which must be reflected in the bid document.

Bids are late if they are received at the address indicated in the tender documents after the closing date and time.

A late bid should not be admitted for consideration and where practical should be returned unopened to the bidder accompanied by explanation.

### **8.2 Opening of bids**

Bids are opened in public as soon as possible after the closure in the presence of the Manager: Supply Chain Management or his/her delegate.

The official opening the bids should in each case read out the name of the bidder and the amount of the bid.

The bid should be stamped with the official stamp of the Municipality and endorsed with the signatures of the person opening it and of the person in whose presence it was opened.

Bids should be recorded in a register kept for that purpose.

### **8.3 Validity Period of the bids**

The validity periods should not exceed 90 (ninety) days and is calculated from the date of bid closure endorsed on the front cover of the bid document.

Should the validity period expire on a Saturday, Sunday or Public holiday, the bid must remain valid and open for acceptance until the closure on the following working date.

### **8.4 Consideration of bids**

The Council takes all bids duly admitted into consideration.

The Council reserves the right to accept the lowest or any bid received.

The decision by the Municipality regarding the awarding of a contract must be final and binding

## **8.5 Evaluation of bids**

The following are criteria against which all bids responses will be evaluated:

### **8.5.1 Compliance with bid conditions;**

- Bid submitted on time,
- Bid forms signed and each page initialled
- All essential information provided
- Submission of an original Tax Clearance Certificate
- Submission of Company Registration Certificate
- Submission of a Joint Venture Agreement, which has been properly signed by all parties
- Payment of Municipal Fees
- Meeting technical specifications and comply with bid conditions;
- The downloaded tender document should be bundled

### **8.5.2 Financial ability to execute the contract; and**

- (i) The number of points scored for achieving Government's Broad-Based Black Economic Empowerment objectives and points scored for price.
- (ii) Only bidders who are registered in the relevant professional body will be considered. This requirement will remain in force as long as it is a requirement of that specific professional body.
- (iii) The Joint Ventures, all companies, which are part of the joint venture, must be registered with the professional body. The company that meets the requirement of professional body will be considered.

## **9 Evaluation of bids on functionality and price**

9.1 All bids received will be evaluated on functionality and price.

9.2 The conditions of bid may stipulate that a bidder must score a specified minimum number of points for functionality to qualify for further evaluation.

- I. The number of points scored for achieving Government's Broad-Based Black Economic Empowerment objectives must be calculated separately and must be added to the points scored for price.
- II. Only bid with the highest number of points will be selected.

## **10 Acceptance of bids**

Successful bidders must be notified at least by registered post of the acceptance of their bids, but that acceptance however, will only take effect after completion of the prescribed contract form.

The successful service provider will be required to sign the service level agreement.

Unsuccessful bids should not be returned to bidders, but should be placed on record for audit purposes.

A register or records should be kept of all bids accepted

## **11 Publication of bids results**

The particulars of the successful bidders should be published in the Municipality's Tender Bulletin, website as well as the newspaper on which the bid was advertised.

## **12 Cancellation and re-invitation of bids**

- I. In the event that in the application of the 80/20 preference point system as stipulated in the bid documents, all bids received exceed the estimated Rand Value of R50 000 000.00, the bid invitation must be cancelled. If one or more of the acceptable bid(s) received are within the R50 000 000.00 threshold, all bids received must be evaluated on the 80/20 preference point system
- II. In the event that, in the application of the 90/10 preference point system as stipulated in the bid documents, all bids received are equal to or below R50 000 000.00, the bid must be cancelled. If one or more of the acceptable bid(s) received are above the R50 million threshold, all bids received must be evaluated on the 90/10 preference point system

If a bid was cancelled as indicated above, the correct preference point system must be stipulated in the bid documents of the re-invited bid.

Municipal Manager may, prior to the award of a bid, cancel the bid if:

- Due to changed circumstances, there is no longer a need for the services, works or goods requested. Municipal Manager must ensure that only goods, services or works that are required to fulfil the needs of the institution are procured. Or
- Funds are no longer available to cover the total envisaged expenditure. Municipal Manager must ensure that the budgetary provisions exist prior to inviting bids: or
- No acceptable bids are received (If all bids received are rejected, the institution must review the reasons justifying the rejection and consider making revisions to the specific conditions of contract, design and specifications, scope of the contract, or a combination of these, before inviting new bids)

## **13 Sale and Letting of Asset**

The Preferential Procurement Regulations, 2011 is not applicable to the sale and letting of assets

In instances where assets are sold or leased by means of a bidding process, the bid must be awarded to the bid with the highest price.

**BID NUMBER: COR-A04/2021/2022**

**SPECIAL CONDITIONS OF CONTRACT (IF APPLICABLE)**

The following special conditions is a requirement for this tender and failure to submit proof relating to the below requirements will lead to automatic disqualification. Note that copies of the required proof must be valid for three months from tender closing.

Proof of registration as manufacturer, importer, and builder (MIB) certificates on vehicles.

Proof of homologation certificate from NCRS.

Proof of ISO 9001-2015 registration

Proof of vehicle and equipment manuals relating to: 1x operator manual, 1x vehicle service book, 1x maintenance manual, 1x spare parts manual



**BID NUMBER: COR-A04/2021/2022**

**BID SPECIFICATIONS**

**1. SCOPE OF WORK**

1.1 Bidders are expected to supply the chassis and mounting of the specified equipment for the vehicles.

1.2 Bidders are expected to submit 3 dimensional drawings with the tender document. Also, to provide vehicle information relating to vehicle weight calculations, centre of gravity, wheelbase, under body clearance, approach, departure angle, length of vehicle height and width of vehicle, in particular to fire engine.

1.3 Bidders to manufacture a one 4x4 rapid intervention vehicle with two fuel tanks.

1.4 Hydraulic Rescue equipment offered must have successfully passed testing by a third party as required by NFPA 1936 Standard on Powered Rescue Tool Systems.

**2. DELIVERABLES**

The one (1) 4x4 rapid intervention vehicle deliverables are as follows:

- 2.1 Procurement, manufacturing, and delivery of one (1) 4x4 rapid intervention vehicle.
- 2.2 Bidders to submit vehicles registration certificate, roadworthy certificate, license disc and registration number fitted by the supplier in the municipality's name.
- 2.3 Vehicles are to be supplied with minimum 120 000km or 5 years' maintenance plan, for chasin and super structure.
- 2.4 Bidders are expected to deliver all such vehicles to specific locations as directed by Capricorn District Municipality.
- 2.5 Bidders must disclose brand name for chassis and fire pumps
- 2.6 Bidders are expected to provide operator training during delivery of the RIV
- 2.7 Municipality to conduct pre and post manufacturing inspection on the fire engine minimum of two visit.

- 2.8 Bidders are to adhere strictly to statutory requirement relating to South African National Road Traffic Act, SANS codes, EN and NFPA codes where applicable.
- 2.9 Bidders must have performed their previously appointments to their completion without being terminated due to any reason(s).
- 2.10 Bidders are expected to supply a three (3) years warranty relating to chassis, fire body, paint, plumbing on the fire engine. The warranty for fire pump is one (1) year whilst for water and foam tank is ten (10) years.
- 2.11 Fire engine is to be branded with Capricorn District Municipality insignia on both doors and tanker side of fire engine.

### 3. 4x4 RAPID INTERVENTION VEHICLE SPECIFICATIONS

#### BRAND NAME (DISCLOSE BRAND NAME:

| Model Description        | Measurements                                                                                                                                                                                                                                                         | Service Provider submitted specifications |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>CHASSIS- CAB</b>      |                                                                                                                                                                                                                                                                      |                                           |
| Drive Cab                | A two-door all steel/metal cab is required. The body shall be waterproof and shall be insulated against heat.<br><br>The driver's seat shall be adjustable for driver's comfort. A passenger seat is required for the passenger side. All seats shall be upholstered |                                           |
| Over-Fender/Wheel-Arches | The factory front wheel arches will be replaced with a 50mm wider flare to accommodate the wider track of the vehicle. Arches to be painted body colour.                                                                                                             |                                           |
| Ground Clearance         | Minimum 240mm                                                                                                                                                                                                                                                        |                                           |
| <b>ENGINE</b>            |                                                                                                                                                                                                                                                                      |                                           |
| Engine                   | Vehicle must be fitted with a six-cylinder diesel engine.                                                                                                                                                                                                            |                                           |
| Displacement             | Minimum displacement of 4000cc                                                                                                                                                                                                                                       |                                           |
| <b>FUEL</b>              |                                                                                                                                                                                                                                                                      |                                           |
| Fuel                     | Two (2) 90-liter diesel fuel tanks.                                                                                                                                                                                                                                  |                                           |

| Model Description                  | Measurements                                                                                                                                                                                                                                                                                                                                                                                      | Service Provider submitted specifications |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                                    | A vehicle with one tank cannot be accepted                                                                                                                                                                                                                                                                                                                                                        |                                           |
| <b>TRANSMISSION AND DRIVETRAIN</b> |                                                                                                                                                                                                                                                                                                                                                                                                   |                                           |
| Transmission                       | <p>Manual transmission is required with five (5) forward and one (1) reserve gears.</p> <p>The transmission offered shall feature a selectable two-speed (high/low range) four-wheel drive, which shall be manually engaged from the hubs.</p> <p>These vehicles shall be equipped with a differential lock. A gearbox with synchronized gear selection in all the forward gears is required.</p> |                                           |
| Drivetrain                         | The vehicle will be delivered with a final drive ratio of 4.88:1                                                                                                                                                                                                                                                                                                                                  |                                           |
| <b>CLUTCH</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                   |                                           |
| Clutch Upgrade                     | <p>The clutch will be upgraded to a heavy-duty clutch in order to accommodate the added weight of the vehicle.</p> <p>The clutch offers:<br/>Increased clamping force</p> <p>High burst strength premium grade friction material<br/>Anti-burst spheroidal graphite pressure plate casting</p>                                                                                                    |                                           |
| <b>CHASSIS</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                   |                                           |
| Chassis                            | The chassis must be suited for heavy-duty service, with adequate strength, capacity for the intended load to be sustained, and the type of service required                                                                                                                                                                                                                                       |                                           |
| <b>BRAKES</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                   |                                           |

| Model Description  | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                            | Service Provider submitted specifications |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Brake Booster      | The standard single diaphragm brake booster will be upgraded to a larger double diaphragm brake booster to increase stopping power.                                                                                                                                                                                                                                                                                                                     |                                           |
| Front Brakes       | The front brakes will be high performance slotted disc brakes.                                                                                                                                                                                                                                                                                                                                                                                          |                                           |
| Rear Brakes        | The rear brakes will be high performance slotted disc brakes. Drum brakes will not be accepted.                                                                                                                                                                                                                                                                                                                                                         |                                           |
| Brake Features     | <p>Cast from a proprietary High-Carbon cast iron alloy.</p> <p>Machined to tolerances up to three times tighter than the industry norm. MTR (Max Temperature Recording) system.</p> <p>Dynamic balancing resulting in smooth vibration-free operation.</p> <p>Proprietary (dry) disc surface coating for quicker bed-in and max friction coefficient.</p> <p>Wide spiral slots which clear friction gasses, debris and water from the disc surface.</p> |                                           |
| Handbrake Upgrade  | The handbrake must be modified by changing the cam angle to pull more cable, this allows the operator to pull efficiently on the handle to produce the extra force needed at the handbrake shoes to hold the vehicle safely.                                                                                                                                                                                                                            |                                           |
| <b>SUSPENSION</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                           |
| Suspension Upgrade | The vehicle will be delivered registered as a Code 10 vehicle with the following components:                                                                                                                                                                                                                                                                                                                                                            |                                           |

| Model Description          | Measurements                                                                                                                                                                                                                                                                                    | Service Provider submitted specifications |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Rear Suspension            | <p>The rear differential will be replaced with a 2700kg rated differential. The standard differential will not be accepted.</p> <p>Standard leaf springs will be replaced with heavy duty leaf springs certified for the added weight.</p> <p>Adjustable load sensing valve will be fitted.</p> |                                           |
| Front Suspension           | The front suspension will be upgraded to accommodate the weight of the winch, bulbar and larger tyres.                                                                                                                                                                                          |                                           |
| Radius Arms                | <p>Billet radius arms to be supplied to ensure correct steering geometry with the HD suspension.</p> <p>Standard radius arms will not be accepted.</p>                                                                                                                                          |                                           |
| GVM Upgrade                | The vehicle will be delivered registered as a code 10 vehicle with a SABS tested & certified GVM of 4,200kg to accommodate the added weight.                                                                                                                                                    |                                           |
| Test Report + Registration | <p><b>The following must be supplied:</b></p> <p>Test Report: Proof of homologation certificate from NCRS.</p>                                                                                                                                                                                  |                                           |
| <b>TYRES</b>               |                                                                                                                                                                                                                                                                                                 |                                           |
| Tyres                      | <p><b>Tyres:</b></p> <p>The vehicle must be fitted with 285/70R17 All-Terrain tyres to accommodate the added weight and to deliver better performance off-road. The wider profile also offers better grip and handling.</p>                                                                     |                                           |
| <b>WHEELS</b>              |                                                                                                                                                                                                                                                                                                 |                                           |

| <b>Model Description</b>                               | <b>Measurements</b>                                                                                                                                                                                                    | <b>Service Provider submitted specifications</b> |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Configuration                                          | Vehicle to be fitted with single tyres in the rear.                                                                                                                                                                    |                                                  |
| Wheels                                                 | The wheels will have a -25mm offset to give the vehicle a wider track and increased stability.<br>Wheels must each have a 1500kg load rating. Test certificate to be supplied.                                         |                                                  |
| <b>STEERING</b>                                        |                                                                                                                                                                                                                        |                                                  |
| Steering                                               | Right hand drive steering                                                                                                                                                                                              |                                                  |
| <b>REVERSE CAMERA</b>                                  |                                                                                                                                                                                                                        |                                                  |
| Reverse camera                                         | A reverse camera must be fitted to the vehicle and be incorporated into the rear-view mirror.<br><br>The camera must have the ability to be switched on permanently to allow vision behind the vehicle whilst driving. |                                                  |
| <b>ADDITIONAL FITMENTS</b>                             |                                                                                                                                                                                                                        |                                                  |
| Additional Fitments                                    | The following additional fitting must be installed:<br>- Snorkel<br>-Running Boards                                                                                                                                    |                                                  |
| Operator Manuals                                       | The tender to submit the vehicle and equipment manuals relating to:<br>1x operator manual<br>1x vehicle service book<br>1x maintenance manual<br>1x spare parts manual                                                 |                                                  |
| <b>ALTERNATOR UPGRADE</b>                              |                                                                                                                                                                                                                        |                                                  |
| Alternator                                             | OEM Alternator will be upgraded to a unit which will allow for simultaneous use of all scene/emergency lighting plus charging of all equipment batteries.                                                              |                                                  |
| <b>REPLACEMENT OF BUMPER WITH WINCH AND SPOTLIGHTS</b> |                                                                                                                                                                                                                        |                                                  |
| Replacement of bumper with                             | Vehicle shall be fitted with a heavy-duty replacement type bumper.                                                                                                                                                     |                                                  |

| Model Description      | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Service Provider submitted specifications |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| winch and spotlights   | <p>The bumper shall have mountings for a winch and spotlights.</p> <p>An electric winch with 5 ton pulling power with at least 30-meter synthetic rope shall be mounted on the bulbar. Winch must have a lifetime warranty on mechanical components.</p> <p>LED spotlights will be fitted to the bull bar with the following specifications and must shall carry a lifetime warrantee:</p> <ul style="list-style-type: none"> <li>• Watts: 33</li> <li>• LED's: 9</li> <li>• Raw Lumens: 2736</li> <li>• Lux @ 10m: 2115.35</li> <li>• Peak Beam Intensity: 211535 cd</li> </ul> |                                           |
| <b>TOWBAR</b>          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| Tow bar                | The vehicle will be fitted with a full width replacement bumper with tow bar manufactured from mild steel and powder coated black. Provision will be made to fit the OEM tail lights behind a protective grille. Two recovery shackles must be fitted.                                                                                                                                                                                                                                                                                                                           |                                           |
| <b>SUPER STRUCTURE</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| Super structure        | <p>The load bin is to be removed and in its place a body with the following specifications must be fitted:</p> <p>There shall be two (2) lockable storage compartments. One (1) compartment shall be located on the passenger side and one (1) on the driver side. The compartments shall be fabricated as separate modules and bolted to each side of the water tank by means of heavy-duty brackets and high tensile bolts.</p>                                                                                                                                                |                                           |

| Model Description          | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                 | Service Provider submitted specifications |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                            | The compartments shall be manufactured entirely from folded Aluminium plate and welded on the folded seems. The compartment door opening shall be flanged around the entire perimeter for added strength. Each locker shall be fitted with one (1) adjustable shelf.                                                                                                                                                                         |                                           |
| <b>LOCKER COMPARTMENTS</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                           |
| Compartment doors          | The storage compartments shall have aluminium hinged doors, slam lock latches, and gas shocks to hold them in the open position.                                                                                                                                                                                                                                                                                                             |                                           |
| Compartment Lighting       | LED strip illumination lights shall be provided in each locker compartment and activate by means of an on/off switch located in the cab. LED strip light to span at least 75% of the locker door width must be installed.                                                                                                                                                                                                                    |                                           |
| Open Compartment Light     | One (1) red LED "Open Compartment" light shall be provided and installed in the front of the cab. This light shall activate when a compartment door is open.                                                                                                                                                                                                                                                                                 |                                           |
| <b>WATER AND FOAM TANK</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                           |
| Water and foam tank        | <p>A 350-liter water tank with 50l foam cell shall be provided. (Approximate dimensions 750mm H x 1350mm L x 750mm W)</p> <p>The tank sides and baffle plates shall be manufactured from 4.5mm aluminium. The tank floor shall be manufactured from 4.5mm aluminium with a 12-degree slope towards the centre which will allow complete emptying of tank. Tank to be baffled with an anti-vortex plate over the tank to pump connection.</p> |                                           |

| Model Description                     | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Service Provider submitted specifications |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                                       | <p>The tank lids shall be manufactured from 4.5mm aluminium which will be sealed and bolted to the tank. The tank shall have a combination vent and manual fill tower. Inside of the fill tower shall be fastened a combination vent/overflow pipe with minimum ID of 100mm designed to run vertically through the tank.</p> <p>Manhole inspection lid to be provided. Manhole to be used for top filling of water tank.</p> <p>An overflow larger than filling pipe to be fitted and tank sump to be fitted with a drain valve of 22mm.</p> <p>The overflow pipe will terminate behind the rear wheels of the unit. The tank to pump connection will run underneath the tank and connect to the pump via a flexible hard suction rubber hose and 4-bolt clamp system. The pump will flood with water the moment the valve is opened eliminating the use of a primer pump.</p> <p>The tank shall carry a lifetime warrantee.</p> |                                           |
| <b>FIRE FIGHTING PUMP</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| Ultra-High-pressure firefighting pump | <p>The vehicle will be fitted with an ultra-high-pressure pump that include the following:</p> <p>Module consisting of an engine, piston pump, 1x delivery hose with high pressure nozzle (fog gun), water tank and foam tank.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                           |

| Model Description                        | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Service Provider submitted specifications |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                                          | The engine and pump to be mounted on anti-vibrant silent block by the rust proof frame                                                                                                                                                                                                                                                                                                                                                                                                           |                                           |
| <b>FOAM SYSTEM</b>                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| Foam System                              | <p>The vehicle will be fitted with a Class-A foam system with the following specifications:</p> <p>Performance @ 10 Bar</p> <ul style="list-style-type: none"> <li>- 750 LPM at .50%</li> <li>- 375 LPM at 1%</li> </ul> <p><i>Certified NFPA performance</i><br/>Strainers (WATER &amp; FOAM)</p> <ul style="list-style-type: none"> <li>- Two (2) In-line industrial brass strainers</li> </ul> <p>The venture mixing system must allow a mixing ratio of 0% to 6% with manual regulation.</p> |                                           |
| <b>FIRST AID HIGH PRESSURE HOSE REEL</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| First Aid High Pressure Hose Reel        | <p>One axial feed high pressure aluminium hose-reel with rewind handle. Hose reel to be supplied with nozzle equipment with foam cone and adjustable between jet and fog</p> <p>The locking device to be installed with the pump and encompassing the following:</p> <p>Temperature 150 degrees<br/>Hose length 50m<br/>Nominal hose diameter 11mm<br/>Maximum operating pressure hose 180bar</p>                                                                                                |                                           |
| <b>PLUMBING</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| Plumbing                                 | All rigid piping is designed not to cause any obstruction and limit friction and loss of pressure to a minimum.                                                                                                                                                                                                                                                                                                                                                                                  |                                           |

| Model Description              | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Service Provider submitted specifications |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                                | <p>All piping to be hot dip galvanized inside and outside.</p> <p>Stainless Steel Outlet Manifold &amp; Valves:</p> <p>One (1) 50mm full bore manual control discharge ball valve c/w 65mm Female</p> <p>Aluminium BIC coupling, blank cap and chain.</p> <p>Two (2) 25mm full-bore manual controlled ball valve outlets to the Hose Reels.</p> <p>One (1) 25mm full-bore manual controlled tank return ball valve.</p> <p>One (1) 50mm full-bore manual controlled Nylon tank fill ball valves c/w 65mm Male BIC</p> |                                           |
| <b>TANK TO PUMP PLUMBING</b>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                           |
| Tank to pump plumbing          | One (1) 80mm 12v electrically actuated tank to pump butterfly valve.                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                           |
| <b>FINISH</b>                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                           |
| Slip-resistant walkway surface | All exterior surfaces designated as stepping, standing, and walking areas shall have a slip-resistant finish.                                                                                                                                                                                                                                                                                                                                                                                                         |                                           |
| <b>ELECTRICAL</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                           |
| Electrical                     | <p>Electrical wiring and cables must be fastened to the frame or body structure of the apparatus and shall be furnished with protective looms, grommets, and other devices at each point where they pass through body panels or structural members or wherever they lay against a sharp metal edge.</p> <p>Where any through-the-frame connectors are provided, any such</p>                                                                                                                                          |                                           |

| Model Description           | Measurements                                                                                                                                                                                                                                                                                                                                                                                                   | Service Provider submitted specifications |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                             | <p>connector and/or wiring shall be protected from shearing or tearing.</p> <p>The body 12-Volt electrical system shall be designed specifically for the apparatus body. Wiring diagrams will be supplied.</p> <p>All wiring shall run via a clearly marked fuse box indicating the final destination of the wiring.</p> <p>A comprehensive wiring diagram shall be supplied with the vehicle on delivery.</p> |                                           |
| Inverter                    | <p>Vehicle must be fitted with a 700-Watt Pure Sine Inverter to accommodate battery charging.</p> <p>Pure Sine Wave output</p> <p>Input and output are fully isolated</p> <p>Multiple levels of protection; overload, short circuit and over temperature and load-controlled cooling fan.</p>                                                                                                                  |                                           |
| Inverter Remote             | <p>The Inverter Remote on/off switch allows control of the inverter from a convenient location inside the cabin allowing the inverter to be installed out of sight.</p>                                                                                                                                                                                                                                        |                                           |
| <b>COMPARTMENT LIGHTING</b> |                                                                                                                                                                                                                                                                                                                                                                                                                |                                           |
| Compartment lighting        | <p>All equipment compartments shall be provided with LED lighting mounted to the top of the compartment. LED strip light to span at least 75% of the locker door width.</p> <p>Compartment lights shall switch on by means of door activation. A warning light in the cab shall indicate when locker lights are on.</p>                                                                                        |                                           |

| Model Description                     | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Service Provider submitted specifications |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <b>ELECTRONIC SIREN AND PA SYSTEM</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                           |
| Public Address System                 | <p>Meets SAE requirements</p> <p>For use with one or two 100-watt siren speakers</p> <p>Hands-free operation Includes hard-wired or plug-in noise cancelling microphone, microphones that are not noise cancelling will not be accepted.</p> <p>Includes Radio Repeat and Public Address 18 siren tones</p> <p>Select siren tones at time of installation via a momentary switch for department standardization in the Stellenbosch district.</p> <p>Customize the placement of each siren tone on the rotary knob</p> <p>Faceplate volume control knob</p> <p>Two manual functions allow for additional siren tone choices PTT (push to talk) switch on microphone overrides all siren functions</p> <p>Combination On/Off and horn ring transfer switch</p> <p>Pre-wired unidirectional microphone</p> <p>Adjustable pre-set radio repeat volume</p> <p>Input polarity protection</p> <p>Output short circuit protection</p> <p>External spade-type fuse Bi-polarity horn/ring control activation</p> |                                           |

| Model Description       | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Service Provider submitted specifications |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                         | <p>Quick disconnect plug for ease of service or replacement</p> <p>Siren must be able to perform a full diagnostic test of amplifier and speakers without activating the speaker. This mitigates the risk of causing hearing damage in the station building when operational tests are performed.</p> <p>Adjustable bail bracket allows the mounting of the siren in a variety of positions</p> <p>12VDC</p> <p>Dimensions: 63mm H x 152mm W x 178mmD</p> <p>Five-year warranty</p> |                                           |
| Siren Speaker           | <p>The vehicle must be fitted with two siren speakers.</p> <p>Speakers must be built into the bulbar and be protected by a powder coated mild steel grille.</p> <p>Speaker must meet the following specifications:<br/>All-weather nylon composite construction.</p> <p>73mm depth</p>                                                                                                                                                                                              |                                           |
| <b>GROUND LIGHTS</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                           |
| Ground lights x 4       | <p>Installed as part of superstructure design, flush mounted under vehicle body.</p> <p>1000 lumen output(each).</p>                                                                                                                                                                                                                                                                                                                                                                |                                           |
| LED emergency light bar | <p>One (1) red LED light bar shall be mounted on chassis cab roof and have the following specifications:</p>                                                                                                                                                                                                                                                                                                                                                                        |                                           |

| Model Description | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Service Provider submitted specifications |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                   | <p>Equipped with six RED forward-facing LED modules.</p> <p>Equipped with two RED rear facing LED modules.</p> <p>Each module must have a minimum of 3 red LED's<br/>4 x Six diode Linear-LED corner modules must be fitted.</p> <p>Approvals: SAE J595 Class 1</p> <p>Black polycarbonate base</p> <p>Low current draw</p> <p>Extruded aluminium platform for long life dependability</p> <p>Centre dividers with LIM (Liquid Injection Moulded) seals protect internal components from water infiltration</p> <p>Sealing points, ensuring light bar integrity in all weather conditions</p> <p>Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals</p> <p>Point to point wiring between the I/O board and each light head allows for easy reconfiguration</p> <p>Advanced Thermal Design reduces the stress on LEDs during extended dwell time</p> <p>Easily upgraded or serviced in the field<br/>Smoked Lenses to be supplied 12 VDC<br/>Six diode corner amps: 1.0/peak and 0.4/avg per corner<br/>Size: 143cm</p> |                                           |

| Model Description                                                            | Measurements                                                                                                                                                                                                                                                                                                                                    | Service Provider submitted specifications |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                                                                              | Five-year warranty                                                                                                                                                                                                                                                                                                                              |                                           |
| <b>SCENE LIGHTING: VEHICLE TO BE FITTED WITH THE FOLLOWING SCENE LIGHTS:</b> |                                                                                                                                                                                                                                                                                                                                                 |                                           |
| Rear Mounted Scene Lights x 2                                                | Multi-voltage: 9-30V<br>Number of LED's: 4<br>Power Consumption: 31 W<br>Luminous Flux (measured): 3,000lm<br>Light Temperature: 6000 K<br>Ambient Temperature: -40°C to +50°C<br>Housing Material: Aluminium<br>Optics: Lens & Reflector Lens<br>Material: Nylon Connection:<br>Integrated DT Connector + 800 mm adapter cable with open wires |                                           |
| Side Mounted Scene Lights x 2                                                | Each side locker will be fitted with one (1) flush mounted LED scene light with 1000 lumen capacity.                                                                                                                                                                                                                                            |                                           |
| Portable Scene Light – Rechargeable                                          | Floodlight lens standard<br>8-degree Spot lens included<br>Hard coated lenses<br>100% Solid state electronics<br>3,500 usable lumens<br>Built-in Lithium-Ion Battery<br>2000 Charging cycle rated<br>Inductive (non-contact) vehicle charger                                                                                                    |                                           |

| Model Description                                                                                                                                                  | Measurements                                                                                                                                                                                                                                                                                                                                                             | Service Provider submitted specifications |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Light Mast-Pneumatic                                                                                                                                               | <p>Mast to be pneumatic capable of extending 1570mm from the vehicle roof and to be fitted with:</p> <p>Watt:83<br/>Amp draw: 5.76<br/>LED's: 9<br/>Raw Lumens:8,190<br/>Lux @ 10m: 21.5<br/>Peak beam intensity: 2.150 cd</p> <p>The mast to be lower in protective housing, with low profile red LED at highest level for visibility and ascertain optimum safety.</p> |                                           |
| <b>EQUIPMENTS: THE FOLLOWING EQUIPMENTS MUST BE SUPPLIED AND FITTED ON THE VEHICLE</b>                                                                             |                                                                                                                                                                                                                                                                                                                                                                          |                                           |
| Foldable aluminium ladder                                                                                                                                          | <p>One (1) combination Jack-knife "A" aluminium ladder shall be fitted to the roof of the vehicle.</p> <p>The ladder shall be fitted in such a way that it is secured during driving but also easily removable for immediate use.</p>                                                                                                                                    |                                           |
| Pike pole                                                                                                                                                          | One (1) pike pole shall be supplied and fitted.                                                                                                                                                                                                                                                                                                                          |                                           |
| Universal break in tool                                                                                                                                            | One (1) hooligan tool shall be supplied and fitted.                                                                                                                                                                                                                                                                                                                      |                                           |
| Entry Axe                                                                                                                                                          | Tool Steel Entry Axe                                                                                                                                                                                                                                                                                                                                                     |                                           |
| DCP extinguisher                                                                                                                                                   | One 9kg DCP extinguisher will be fitted to the vehicle                                                                                                                                                                                                                                                                                                                   |                                           |
| Bolt cutter                                                                                                                                                        | One 650mm bolt cutter shall be supplied and fitted                                                                                                                                                                                                                                                                                                                       |                                           |
| <b>HYDRAULIC RESCUE EQUIPMENT:</b><br>1 x Set of Hydraulic Rescue tools shall be fitted on vehicle.<br>The tools must be fitted in custom brackets on the vehicle. |                                                                                                                                                                                                                                                                                                                                                                          |                                           |

| Model Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Measurements                                                                                                                                                                | Service Provider submitted specifications |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| <p>Preference shall be given to tenderers who offer extended warranties. The hydraulic rescue equipment shall be NFPA 1936 compliant</p> <p>Maximum working pressure not less than 720 bar.</p> <p>Pump must have 3-stage pump technology for high flow/speed in 2nd stage (quicker rescue operations) and lower flow/speed in 3rd stage for more tool control.</p> <p>Fitted with single maintenance friendly flat-face couplers (easy to clean) for coaxial one hose system.</p> <p>Auto-lock couplers: for safety reasons couplers shall be provided with a locking device to prevent accidental uncoupling during operation (acc. EN13204 norm). Couplers shall have a two-step unlocking system.</p> <p>Couplers should be flat-face type to prevent dirt entering the couplers and hydraulic system and for ease of cleaning the couplers.</p> <p>For ease of handling the couplers shall be one hand operated and only one push needed to connect the couplers.</p> <p>Possibility to disconnect couplers without using a release valve and while the system is under flow.</p> <p>The price shall include full training for individuals in the proper use and care of hydraulic rescue tools. Training shall be performed at a time and location convenient for the purchaser.</p> |                                                                                                                                                                             |                                           |
| <b>The following Tools are required:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                             |                                           |
| Power Motor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <p>Engine: petrol driven; minimum 3.1 HP / 2.3 kW.</p> <p>2-tool connection / simultaneous operation of 2 tools.</p> <p>Maximum working pressure not less than 720 bar.</p> |                                           |

| Model Description | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Service Provider submitted specifications |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                   | <p>Hydraulic pump: 2 x three-stage axial.<br/>Flow 1st – 2nd – 3rd stage: min. 2 x 2900 – 2 x 1300 - 2 x 550 cc/min.</p> <p>Capacity oil tank not less than 4000 cc.</p> <p>Equipped with two single flat face auto-lock couplers for a coaxial hose system.</p> <p>Equipped with oil level indicator for quick and easy checking oil level from the outside.</p> <p>Weight including hydraulic oil, engine oil, fuel and couplers shall not exceed 23 kg.</p> <p>Dimensions (LxWxH) shall not exceed 455x315x460 mm.<br/>Engine and pump unit must be fully protected by steel frame including soft grip carrying handle.</p> |                                           |
| Hoses x 2         | <p>Max. working pressure bar/Mpa 720 / 72</p> <p>Length 10m</p> <p>Fitted with two single flat-face couplers (one on each side) for coaxial one hose system</p> <p>Weight, ready for use kg 4.7</p> <p>Temperature range °C -20 + 55</p> <p>NFPA 1936 compliant</p> <p>EN 13204 classification</p> <p>Safety factors / tests hydraulic safety ratio hose 4:1</p> <p>Supplied with:</p>                                                                                                                                                                                                                                         |                                           |


| Model Description | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Service Provider submitted specifications |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                   | <ul style="list-style-type: none"> <li>• Bend restrictor on both sides</li> <li>• Hose binders</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                           |
| Hydraulic cutter  | <p>In fully open position blades must have U-shape design allowing the blades to pull material into the cutting recess</p> <p>Blade opening at the tips of the blades bigger than 180 mm<br/>Maximum force not less than 1350 kN</p> <p>Cutting round bar (acc. to EN13204) not less than 41 mm<br/>Cutting capacity acc. EN13204 at least category K</p> <p>Cutting capacity acc. NFPA1936 at least A8 B8 C7 D9 E9 F4</p> <p>To improve durability, the blades must be machined from high grade tool steel and not forged</p> <p>Aluminium blade holder fitted with a set of steel protection covers to shield the front of the tool from damage during the rescue operation</p> <p>Maximum working pressure not less than 720 bar.</p> <p>Equipped with a single flat face auto-lock coupler for a coaxial hose system.</p> <p>Weight including hydraulic oil should be below 16 kg.</p> <p>Dimensions (LxWxH) shall not exceed 760 x 280 x 205 mm.<br/>To assist the operator and increase safety while working in dark or poorly lit circumstances the carrying handle shall have integrated LED lights.</p> |                                           |

| Model Description  | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Service Provider submitted specifications |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                    | <p>Certified according to EN13204 and/or NFPA1936 norm by an independent test institute.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                           |
| Cutter Mount       | <p>Bracket shall be made from tough, corrosion free material.</p> <p>Easily Re-adjustable</p> <p>No metal-to-metal contact</p> <p>UV resistant</p> <p>Must Include fasteners</p>                                                                                                                                                                                                                                                                                                                                                                                                                        |                                           |
| Hydraulic Spreader | <p>Minimum spreading force 25 mm from tips (acc. to EN13204) not less than 40 kN.</p> <p>Spreading opening not less than 725 mm.</p> <p>Maximum spreading force at steel tips not less than 275 kN.</p> <p>Pulling force not less than 45 kN.</p> <p>Pulling distance not less than 610 mm.</p> <p>Squeezing force not less than 55 kN.</p> <p>Maximum working pressure not less than 720 bar.</p> <p>Weight including hydraulic oil shall not exceed 14.5 kg.</p> <p>Dimensions (LxWxH) shall not exceed 820x290x220 mm.</p> <p>Fitted with a single flat-face coupler for coaxial one hose system</p> |                                           |

| Model Description | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Service Provider submitted specifications |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                   | <p>To assist the operator and increase safety while working in dark or poorly lit circumstances the carrying handle shall have integrated LED lights.</p> <p>Certified according to EN13204 and/or NFPA1936 norm by an independent test institute.</p>                                                                                                                                                                                                                                                                    |                                           |
| Spreader Mount    | <p>Bracket shall be made from tough, corrosion free material.</p> <p>Easily Re-adjustable</p> <p>No metal-to-metal contact</p> <p>UV resistant</p> <p>Must Include fasteners</p>                                                                                                                                                                                                                                                                                                                                          |                                           |
| Telescoping Ram   | <p>Pushing force first plunger not less than 215 kN</p> <p>Pushing force second plunger not less than 100 kN</p> <p>Number of plungers: 2</p> <p>Total stroke not less than 270 mm</p> <p>Retracted length not more than 340 mm</p> <p>Extended length more than 600 mm</p> <p>Maximum working pressure not less than 720 bar.</p> <p>Ram head equipped with integrated laser that marks the ramming spot for first time right positioning.</p> <p>Fitted with a single flat-face coupler for coaxial one hose system</p> |                                           |

| Model Description | Measurements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Service Provider submitted specifications |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
|                   | <p>Weight including hydraulic oil shall not exceed 9.2 kg</p> <p>Dimensions (LxWxH) shall not exceed 280x110x340 mm</p> <p>Certified according to EN13204 and/or NFPA1936 norm by an independent test institute.</p> <p>Equipped with high flow valve for quicker opening</p> <p>To assist the operator and increase safety while working in dark or poorly lit circumstances the ram shall have a total of integrated</p> <p>LED lights illuminating both the plunger and the base side of the ram.</p> <p><b><u>Accessories</u></b><br/>Extension pipe lengths 250 mm and 450 mm</p> |                                           |
| Ram Bracket       | <p>Bracket shall be made from tough, corrosion free material.</p> <p>Easily Re-adjustable</p> <p>No metal-to-metal contact</p> <p>UV resistant</p> <p>Must Include fasteners</p>                                                                                                                                                                                                                                                                                                                                                                                                       |                                           |
| SCBA Sets         | <p>Two complete sets of Self-Contained Breathing Apparatus must be supplied and fitted. A set shall consist of a Harness, Lung Demand Valve, Face Mask and a composite cylinder fitted with a pressure gauge on the cylinder and a flow excess valve.</p>                                                                                                                                                                                                                                                                                                                              |                                           |


| Model Description | Measurements                                                                                                                                                                                                               | Service Provider submitted specifications |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Accessories       | <p>One (1) each of the following accessories shall be supplied.</p> <ul style="list-style-type: none"> <li>• Vehicle hydraulic jack with handle</li> <li>• Wheel wrench</li> <li>• Pair of reflective triangles</li> </ul> |                                           |
| Branding          | Branding on the fire engine as specified by Chief Fire Officer from the municipality.                                                                                                                                      |                                           |



BID NUMBER: COR-A04/2021/2022

**SCHEDULE OF PRICES**

| DESCRIPTION                    | QTY | UNIT PRICE | TOTAL PRICE |
|--------------------------------|-----|------------|-------------|
| 4x4 Rapid Intervention vehicle | 1   |            |             |
| Sub Total:                     |     |            |             |
| VAT @15%:                      |     |            |             |
| <b>TOTAL:</b>                  |     |            |             |



**NB:** at the anniversary of the contract, price increase will be in line with the consumer price index (CPIX)

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

**NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.**

### 1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000.00 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000.00 (all applicable taxes included).

1.2 - The value of this bid is estimated to not exceed R50 000 000.00 (all applicable taxes included) and therefore the 80/20 system shall be applicable; or

- The 80/20-preference point system will be applicable to this tender.

*(delete whichever is not applicable for this tender).*

1.3 Points for this bid shall be awarded for:

- (a) Price; and

(b) B-BBEE Status Level of Contributor.

1.4 The maximum points for this bid are allocated as follows:

|                                                   | POINTS |
|---------------------------------------------------|--------|
| PRICE                                             | 80     |
| B-BBEE STATUS LEVEL OF CONTRIBUTOR                | 20     |
| Total points for Price and B-BBEE must not exceed | 100    |

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

## 2. DEFINITIONS

- (a) **“B-BBEE”** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **“B-BBEE status level of contributor”** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) **“bid”** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **“EME”** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **“functionality”** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents;
- (g) **“prices”** includes all applicable taxes less all unconditional discounts;

(h) **“proof of B-BBEE status level of contributor”** means:

- 1) B-BBEE Status level certificate issued by an authorized body or person;
- 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
- 3) Any other requirement prescribed in terms of the B-BBEE Act;

(i) **“QSE”** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;

(j) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

### 3. POINTS AWARDED FOR PRICE

#### 3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

or

90/10

$$P_s = 80 \left( 1 - \frac{P_t - P_{\min}}{P_{\min}} \right) \quad \text{or} \quad P_s = 90 \left( 1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

$P_s$  = Points scored for price of bid under consideration

$P_t$  = Price of bid under consideration

$P_{\min}$  = Price of lowest acceptable bid

### 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

| B-BBEE Status Level of Contributor | Number of points (90/10 system) | Number of points (80/20 system) |
|------------------------------------|---------------------------------|---------------------------------|
| 1                                  | 10                              | 20                              |
| 2                                  | 9                               | 18                              |
| 3                                  | 6                               | 14                              |
| 4                                  | 5                               | 12                              |
| 5                                  | 4                               | 8                               |
| 6                                  | 3                               | 6                               |
| 7                                  | 2                               | 4                               |
| 8                                  | 1                               | 2                               |
| Non-compliant contributor          | 0                               | 0                               |

## 5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

## 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: ..... = ..... (maximum of 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

## 7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

7.1.1 If yes, indicate:

i) What percentage of the contract will be subcontracted .....%

ii) The name of the sub-contractor .....

iii) The B-BBEE status level of the sub-contractor .....

iv) Whether the sub-contractor is an EME or QSE  
(Tick applicable box)

|     |  |    |  |
|-----|--|----|--|
| YES |  | NO |  |
|-----|--|----|--|

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

| Designated Group: An EME or QSE which is at least 51% owned by:   | EME<br>√ | QSE<br>√ |
|-------------------------------------------------------------------|----------|----------|
| Black people                                                      |          |          |
| Black people who are youth                                        |          |          |
| Black people who are women                                        |          |          |
| Black people with disabilities                                    |          |          |
| Black people living in rural or underdeveloped areas or townships |          |          |
| Cooperative owned by black people                                 |          |          |
| Black people who are military veterans                            |          |          |
| OR                                                                |          |          |
| Any EME                                                           |          |          |
| Any QSE                                                           |          |          |

8. **DECLARATION WITH REGARD TO COMPANY/FIRM**

8.1 Name of company/firm: .....

8.2 VAT registration number: .....

8.3 Company registration number: .....

8.4 TYPE OF COMPANY/ FIRM

☐ Partnership/Joint Venture / Consortium

☐ One-person business/sole propriety

☐ Close corporation

☐ Company

☐ (Pty) Limited

[TICK APPLICABLE BOX]

8.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....  
.....

.....  
.....  
.....

#### 8.6 COMPANY CLASSIFICATION

- ☐ Manufacturer
- ☐ Supplier
- ☐ Professional service provider
- ☐ Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

#### 8.7 MUNICIPAL INFORMATION

**Municipality where business is situated:** .....

**Registered Account Number:** .....

**Stand Number:** .....

8.8 Total number of years the company/firm has been in business: .....

8.9 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
  - (a) disqualify the person from the bidding process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;

- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution.

WITNESSES

- 1. ....
- 2. ....

.....  
SIGNATURE(S) OF BIDDERS(S)

DATE: .....

ADDRESS .....

.....  
.....

**N.B: ATTACH B-BBEE VERIFICATION CERTIFICATE**



**BID NO: COR-A04/2021/2022**

## **EVALUATION PROCESS AND CRITERIA**

The following evaluation process and criteria will be used to evaluate all bids submitted:

### **1. Administrative Compliance – Phase One**

1.1 All bids duly lodged will be examined to determine compliance with bidding requirements and conditions. Bids with obvious deviations from the requirements/conditions, will be eliminated from further evaluation.

#### **1.2 Critical Criteria:**

The following critical criteria have been identified for this bid and any non compliance thereto will lead to the bid being regarded as non-responsive and disqualified from further evaluation:

- Provide Central Supplier Database (CSD) number
- All Pages of the bid document must be initialed and signed where required.
- Compulsory briefing session must be attended
- Completed and signed declaration on past SCM practices form **(MBD8)**
- Completed and signed declaration of interest **(MBD4)**
- Signed J/V agreement submitted (Where applicable).
- Copy of municipal rates and taxes statement of account which is not older than three (3) months or lease agreement or letter from local authority.

### **2. Functionality– Phase Two**

Bidders must score a minimum of 70 points to proceed to the next phase of evaluation.


| <b>Functionality</b>                                                                                                                                                                                           | <b>Points</b> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Targeted goals                                                                                                                                                                                                 | <b>100</b>    |
| <b>Experience in Similar project (procurement, manufacturing and delivery of fire vehicles) Include minimum reference, registration plates, amounts and quantities from government departments or entities</b> |               |

| Functionality        | Points |
|----------------------|--------|
| 1 - 2 projects       | 30     |
| 3 - 4 projects       | 70     |
| 5 projects and above | 100    |

### 3. Price and Equity– Phase Three

The evaluation will be done by using **80/20**-point system as indicated below:

| Preference point system    | Points     |
|----------------------------|------------|
| Price                      | 80         |
| BBBEE SCORE                | 20         |
| <b>Total Maximum Score</b> | <b>100</b> |



## Good standing with SA Revenue Services

### *Complicate with Employment Equity Act 55 of 1998*

Attach a valid certificate from the Department of Labour, or a declaration by the designated employer, that the employer complies with the relevant chapters of the Employment Equity Act.

A failure to comply with the above is sufficient ground for rejection of any offer to conclude an agreement or for cancellation of the agreement.

### Definitions in terms of the last mentioned Act

**“designated employer** means:-

- a) an employer who employs 50 or more employees;
- b) an employer who employs fewer than 50 employees, but has a total annual turnover that is equal to or above the applicable annual turnover of a small business in terms of Schedule 4 to this Act.”

**“Schedule 4”**

### TURNOVER THRESHOLD APPLICABLE TO DESIGNATED EMPLOYERS

| Sector or sub sector in accordance with the Standard Industrial Classification | Total annual turnover |
|--------------------------------------------------------------------------------|-----------------------|
| Agriculture                                                                    | R 2,00 m              |
| Mining                                                                         | R 7,50 m              |
| Manufacturing                                                                  | R 10,00 m             |
| Electricity, Gas and Water                                                     | R10,00 m              |
| Construction                                                                   | R 5,00 m              |
| Retail and Motor Trade and Repair Services                                     | R 15,00 m             |
| Wholesale Trade and Repair Services                                            | R 25,00 m             |
| Catering, Accommodation and Other Trade                                        | R5,00 m               |
| Transport, Storage and Communications                                          | R 10,00 m             |
| Finance and Business Services                                                  | R 10,00 m             |
| Community, Social and Personal Services                                        | R 5,00 m              |

### **SMEE Status**

Provide details on the following:

Sectors/Sub-Sector in which located -----

Total Full-time Equivalent of paid Employees-----

Total Annual Turnover -----

Total Gross Asset Value-----

Size or Class (Medium, Small, Very Small, Micro) -----

Note =: If all of the above does not adhere to the definition of a single class, use the Total Annual only to decide on the class.



## MBD 4

### DECLARATION OF INTEREST

1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3.1 Full Name of bidder or his or her representative: .....

3.2 Identity Number: .....

3.3 Position occupied in the Company (director, trustee, hareholder<sup>2</sup>): .....

3.4 Company Registration Number: .....

3.5 Tax Reference Number:.....

3.6 VAT Registration Number: .....

3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.

3.8 Are you presently in the service of the state? **YES / NO**

3.8.1 If yes, furnish particulars. ....

.....

<sup>1</sup>MSCM Regulations: “in the service of the state” means to be –

- (a) a member of –
  - (i) any municipal council;
  - (ii) any provincial legislature; or
  - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

<sup>2</sup> Shareholder” means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months? ..... **YES / NO**

3.9.1 If yes, furnish particulars.....

.....

3.10 Do you have any relationship (family, friend, other) with persons  
in the service of the state and who may be involved with  
the evaluation and or adjudication of this bid? ..... **YES / NO**

3.10.1 If yes, furnish particulars.

.....

.....

3.11 Are you, aware of any relationship (family, friend, other) between  
any other bidder and any persons in the service of the state who  
may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars

.....  
.....

3.12 Are any of the company's directors, trustees, managers,  
principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars.

.....  
.....

3.13 Are any spouse, child or parent of the company's directors  
trustees, managers, principle shareholders or stakeholders  
in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars.

.....  
.....

3.14 Do you or any of the directors, trustees, managers,  
principle shareholders, or stakeholders of this company  
have any interest in any other related companies or  
business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars:

.....  
.....

4. Full details of directors / trustees / members / shareholders.

| Full Name | Identity Number | State Employee Number |
|-----------|-----------------|-----------------------|
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |

.....  
Signature

.....  
Date

.....  
Capacity

.....  
Name of Bidder

**ANNEXURE B****CERTIFICATE FOR MUNICIPAL SERVICES AND PAYMENTS**

TO: MUNICIPAL MANAGER, CAPRICORN DISTRICT MUNICIPALITY

FROM: \_\_\_\_\_ (Name of Bidder)

FURTHER DETAILS OF BIDDER(S); DIRECTORS/SHAREHOLDERS/PARTNERS, ETC.

| Directors/shareholders/<br>Partner | Physical address of the<br>Business | Municipal<br>Account<br>No. | Physical residential address<br>of<br>the<br>Director/Shareholder/Partner | Municipal<br>Account No. |
|------------------------------------|-------------------------------------|-----------------------------|---------------------------------------------------------------------------|--------------------------|
|                                    |                                     |                             |                                                                           |                          |
|                                    |                                     |                             |                                                                           |                          |
|                                    |                                     |                             |                                                                           |                          |
|                                    |                                     |                             |                                                                           |                          |

**NB: Please attach certified copy(ies) of ID document(s)**\_\_\_\_\_  
**Signatory**\_\_\_\_\_  
**Date****Witnesses**

1. \_\_\_\_\_

**Full Names**\_\_\_\_\_  
**Signature**\_\_\_\_\_  
**Date**

2. \_\_\_\_\_

**Full Names**\_\_\_\_\_  
**Signature**\_\_\_\_\_  
**Date**

## AUTHORISATION FOR DEDUCTION OF OUTSTANDING AMOUNTS OWED TO COUNCIL

TO: MUNICIPAL MANAGER, CAPRICORN DISTRICT MUNICIPALITY

FROM: \_\_\_\_\_ (Name of the Bidder or Consortium)

I, \_\_\_\_\_ the undersigned, hereby authorise the Capricorn District Municipality to deduct the full amount outstanding by the business organisation/Director/Shareholder/Partner, etc. from any payment due by us/me.

Signed at \_\_\_\_\_ Date \_\_\_\_\_ Month \_\_\_\_\_ 20 \_\_\_\_\_

Print Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Thus done and signed for and on behalf of the bidder/Contractor

\_\_\_\_\_  
Signatory

\_\_\_\_\_  
Date

Witnesses

1. \_\_\_\_\_

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

Full Names

2. \_\_\_\_\_

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

Full Names

RE ŠOMA LE SETŠHABA

## CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids<sup>1</sup> invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - a. take all reasonable steps to prevent such abuse;
  - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 4 In order to give effect to the above, the attached Certificate of Bid Determination (MBD
- 6 must be completed and submitted with the bid:
- <sup>1</sup> **Includes price quotations, advertised competitive bids, limited bids and proposals.**
- <sup>2</sup> **Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.**

## CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

---

**(Bid Number and Description)**

in response to the invitation for the bid made by:

---

**(Name of Municipality / Municipal Entity)**

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: \_\_\_\_\_ that:  
**(Name of Bidder)**

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) Has been requested to submit a bid in response to this bid invitation;
  - (b) Could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) Provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) Prices;
  - (b) Geographical area where product or service will be rendered (market allocation)
  - (c) Methods, factors or formulas used to calculate prices;
  - (d) The intention or decision to submit or not to submit, a bid;
  - (e) The submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) Bidding with the intention not to win the bid.

8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

**<sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract**

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

.....  
**Signature**

.....  
**Date**

.....  
**Position**

.....  
**Name of Bidder**