



PROVINCIAL HERITAGE RESOURCES AUTHORITY - GAUTENG

PRIVATE BAG X33, JOHANNESBURG, 2000
35 RISSIK STREET, SURREY HOUSE
JOHANNESBURG, 2000
TEL: 011 355 2500 – FAX: 011 355 2878

Ref.: H111/15


Enquiries: Tebogo Molokomme

Date: 09 October 2015

Vungandze Projects CC

Tel: 083 256 1292

E-mail: fvungandze@gmail.com



Dear Sir/Madam

Record of Decision:

Application for Letter of Exemption for the Proposed Additional Rand Water 210ml and Future 200ml Vlakfontein Reservoir, Ekurhuleni Metropolitan Municipality

The above-mentioned application was discussed by the PHRA-G Heritage Impact Assessment (HIA) Committee on Friday, 09 October 2015.


After reviewing your report, the Committee has made the following recommendations:

- a) It **AGREES** with the contents of the report, and the proposed development can therefore proceed.
- b) The approval of the proposed project is subject to the following conditions:
 - i. At any stage during the development, PHRA-G has the authority to visit or check the site.
 - ii. If it should happen that anything/plan change during the development, you are requested to come back to the committee to get the permission.
 - iii. Should any archaeological artefacts and graves be discovered during the development, the development must be halted and a Heritage Specialist must be called to investigate

the findings before the development can proceed. Alert the South African Heritage Resources Agency at this number: 021 462 4502.


- iv. The Registered Interested and Affected Parties, who have been part of the initial Public Participation process, can appeal this decision within 14 days from the receipt of this letter, to tebogo.molokomme@gauteng.gov.za. The PHRA-G Reference number and the name of the project must be clearly quoted in the letter.
- v. An A3 copy of this permit must be displayed on the main street façade and the most accessible side of the property for the 14 day appeal period.
- vi. The approval is valid for two years after date of issue and not transferable.
- vii. The applicant must adhere to all recommendations by the consultant.
- viii. This approval does not exempt the applicant from obtaining other necessary authority approvals as prescribed by other relevant legislation and regulations.
- ix. PHRA-G may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this approval for any reason.

Kind Regards



Ms T. Molokomme

Assistant Director



For the Heritage Impact Assessment (HIA) Committee
Provincial Heritage Resources Authority – Gauteng (PHRA-G)