

BILL OF QUANTITIES – SCHEDULED MATERIAL

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
1	Black PVC circuit breaker blank off 13mmx57mm.	Each	1			
2	Black PVC circuit breaker blank off 26mmx57mm.	Each	1			
3	White PVC circuit breaker blank off 9mmx54mm.	Each	1			
4	White PVC circuit breaker blank off 18mmx54mm.	Each	1			
5	Blank Off cover plate 4x4 white metal.	Each	1			
6	Blank Off cover plate 2x4 white metal.	Each	1			
7	Blank off Round Box Cover plate white metal.	Each	1			
8	Box Enclosure for Isolator with Cover Ivory / Cream 150 x 100 mm box.	Each	1			
9	1 way junction box 20mm PVC	Each	1			
10	2-way junction box 20mm PVC	Each	1			
11	3-way junction box 20mm PVC	Each	1			
12	4-way junction box 20mm PVC	Each	1			
13	1-way junction box 20mm galvanised	Each	1			
14	2-way junction box 20mm galvanised	Each	1			
15	3-way junction box 20mm galvanised	Each	1			
16	4-way junction box 20mm galvanised	Each	1			
17	Box Extension metal Surface Mount 4x4	Each	1			
18	Box Extension metal Surface Mount 2x4	Each	1			
19	Box Extension PVC Surface Mount 4x4	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
20	Box Extension PVC Surface Mount 2x4	Each	1			
21	Wire House Blue 1.5 mm ² .	Metre	1			
22	Wire House White 1.5 mm ² .	Metre	1			
23	Wire House Red 1.5 mm ² .	Metre	1			
24	Wire House Black 1.5 mm ² .	Metre	1			
25	Wire House Green & Yellow 1.5 mm ² .	Metre	1			
26	Wire House Blue 2.5 mm ² .	Metre	1			
27	Wire House White 2.5 mm ² .	Metre	1			
28	Wire House Red 2.5 mm ² .	Metre	1			
29	Wire House Black 2.5 mm ² .	Metre	1			
30	Wire House Green & Yellow 2.5 mm ² .	Metre	1			
31	Wire House Blue 4 mm ² .	Metre	1			
32	Wire House White 4 mm ² .	Metre	1			
33	Wire House Red 4 mm ² .	Metre	1			
34	Wire House Black 4 mm ² .	Metre	1			
35	Wire House Green & Yellow 4 mm ² .	Metre	1			
36	Wire House Blue 6 mm ² .	Metre	1			
37	Wire House White 6 mm ² .	Metre	1			
38	Wire House Red 6 mm ² .	Metre	1			
39	Wire House Black 6 mm ² .	Metre	1			
40	Wire House Green & Yellow 6 mm ² .	Metre	1			
41	10 mm ² 2 core armoured cable.	Metre	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
42	10 mm ² 2 core armoured cable aluminium.	Metre	1			
43	16 mm ² 2 core armoured cable.	Metre	1			
44	16 mm ² 2 core armoured cable aluminium.	Metre	1			
45	25 mm ² 2 core armoured cable.	Metre	1			
46	25 mm ² 2 core armoured cable aluminium.	Metre	1			
47	35 mm ² 2 core armoured cable.	Metre	1			
48	35 mm ² 2 core armoured cable aluminium.	Metre	1			
49	Cable ECC 2.5 mm ² × 4 Core.	Metre	1			
50	Cable ECC 35 mm ² × 4 Core.	Metre	1			
51	Cable ECC 4 mm ² × 2 Core.	Metre	1			
52	Cable ECC 4 mm ² × 4 Core.	Metre	1			
53	Cable ECC 25 mm ² × 4 Core.	Metre	1			
54	Isolator switch heavy-duty industrial grade virgin plastic weatherproof, 30amp IP66 rating, UV stabilized, 2 pole surface mount and pad lockable.	Each	1			
55	Isolator switch heavy-duty industrial grade virgin plastic weatherproof, 30amp IP66 rating, UV stabilized, 4 pole surface mount and pad lockable.	Each	1			
56	1.5 Volts MAX Alkaline AAA Battery.	Each	1			
57	1.5 Volts MAX Alkaline AA Battery.	Each	1			
58	9 Volts MAX Alkaline Battery	Each	1			
59	LED Bulkhead light fitting-round outdoor IP65 waterproof 18 Watts, plastic body bulkhead with opal	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
	polycarbonate cover and white colour.					
60	LED Bulkhead light fitting-round outdoor IP65 waterproof 18 Watts, plastic body bulkhead with opal polycarbonate cover and black colour.	Each	1			
61	LED Bulkhead light fitting-square outdoor IP65 waterproof 18 Watts, plastic body bulkhead with opal polycarbonate cover and white colour.	Each	1			
62	LED Bulkhead light fitting-square outdoor IP65 waterproof 18 Watts, plastic body bulkhead with opal polycarbonate cover and black colour.	Each	1			
63	White Cable Cabtyre 1.5 mm × 3 Core.	Metre	1			
64	White Cable Cabtyre 1.5 mm × 4 Core.	Metre	1			
65	Black Cable Cabtyre 2.5mm ² × 3 Core.	Metre	1			
66	Cable Cabtyre 2.5mm ² × 4 Core.	Metre	1			
67	Earth leakage Single Phase 63 Amp 3kA, No Overload Protection, Black and 26mm×57mm.	Each	1			
68	Earth leakage Single Phase 63 Amp 3kA, No Overload Protection, White and 20mm×57mm.	Each	1			
69	Earth leakage Single Phase 63 Amp 3kA, with Overload Protection, White and 20mm×57mm.	Each	1			
70	White Earth Leakage Three Phase 60 Amp 6 kA.	Each	1			
71	Black Earth Leakage Three Phase 60 Amp 6 kA.	Each	1			
72	Copper Ferrules 1.5 mm ² .	Each	1			
73	Copper Ferrules 2.5 mm ² .	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
74	Copper Ferrules 4 mm ² .	Each	1			
75	Copper Ferrules 6 mm ² .	Each	1			
76	Copper Ferrules 10 mm ² .	Each	1			
77	Copper Ferrules 16 mm ² .	Each	1			
78	Copper Ferrules 25 mm ² .	Each	1			
79	Copper Ferrules 35 mm ² .	Each	1			
80	Cable Tie 102 × 2.5 mm Black.	Each	1			
81	Cable Tie 153 × 3.6 mm Black.	Each	1			
82	Cable Tie 153 × 3.6 mm White.	Each	1			
83	Cable Tie 202 × 4.7 mm white.	Each	1			
84	Cable Tie 202 × 4.7 mm Black.	Each	1			
85	Cable Tie 370 × 4.8 mm White.	Each	1			
86	Cable Tie 370 × 7.6 mm White.	Each	1			
87	Cable Tie 389 × 4.8 mm Black.	Each	1			
88	Cable Tie 394 × 7.8 mm Black.	Each	1			
89	Cable Tie 710 × 9.0 mm White.	Each	1			
90	Cabtyre Flex Three Core Black 1.5 mm.	Metre	1			
91	low voltage joint kit double sleeve LV - 1.5 to 4mm ² .	Each	1			
92	low voltage joint kit double sleeve LV - 6 to 16mm ² .	Each	1			
93	low voltage joint kit double sleeve LV - 25 to 50mm ² .	Each	1			
94	Low voltage heat shrink cable joint kit LV - 1.5 to 4mm ² .	Each	1			
95	Low voltage heat shrink cable joint kit LV - 6 to 16mm ² .	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
96	Low voltage heat shrink cable joint kit LV - 25 to 50mm ² .	Each	1			
97	Suffix 1.5mm ² × 2 core plus earth black.	Metre	1			
98	Suffix 1.5mm ² × 4 core plus earth white.	Metre	1			
99	Suffix 10mm ² × 2 core plus earth white.	Metre	1			
100	Suffix 2.5mm ² × 2 core plus earth black.	Metre	1			
101	Suffix 2.5mm ² × 4 core plus earth white.	Metre	1			
102	Suffix 4mm ² × 2 core plus earth.	Metre	1			
103	Suffix 4mm ² × 4 core plus earth.	Metre	1			
104	Suffix 6mm ² × 2 Core plus earth white.	Metre	1			
105	Suffix 6mm ² × 2 Core plus earth black.	Metre	1			
106	10 Watts LED black floodlight.	Each	1			
107	20 Watts LED black floodlight.	Each	1			
108	30 Watts LED black floodlight.	Each	1			
109	50 Watts LED black floodlight.	Each	1			
110	100 Watts LED black floodlight.	Each	1			
111	Trunking PVC 16mm × 16mm.	Each	1			
112	Trunking PVC 22mm × 16mm.	Each	1			
113	Trunking PVC 25mm × 16mm.	Each	1			
114	Trunking PVC 40mm × 40mm.	Each	1			
115	Trunking PVC 100mm × 40mm.	Each	1			
116	Vinyl electrical tape black.	Each	1			
117	Vinyl electrical tape Red.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
118	Vinyl electrical tape green.	Each	1			
119	Vinyl electrical tape white.	Each	1			
120	Vinyl electrical tape yellow.	Each	1			
121	USB combo circuit 4x4, white	Each	1			
122	Socket outlet dedicated double plug 4x4, 16 Amp with double cover.	Each	1			
123	Socket outlet Dedicated single plug red 2x4 with red cover.	Each	1			
124	Socket outlet double plug 4x4 16 Amp with metal cover.	Each	1			
125	Socket Outlet Double plug 4x4 16 Amp with PVC Cover.	Each	1			
126	Socket outlet single plug 4x4 16 Amp with metal cover.	Each	1			
127	Socket Outlet Single plug 2x4 16 Amp with Metal cover.	Each	1			
128	Socket Outlet Trunking Inserts PVC 2x4 and 16 Amp.	Each	1			
129	12 Way DB samite	Each	1			
130	16 Way DB samite	Each	1			
131	20 way DB samite	Each	1			
132	12 Way DB DIN	Each	1			
133	16 Way DB DIN	Each	1			
134	20 way DB DIN	Each	1			
135	3 by 12 way DB box Industrial steel surf DIN DB IP54	Each	1			
136	Conduit galvanized saddle 20 mm spacer bar with accessories.	Each	1			
137	Conduit galvanized saddle 25 mm spacer bar with accessories.	Each	1			
138	Conduit galvanized saddle 32 mm spacer bar with accessories.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
139	Conduit galvanized saddle 40 mm spacer bar with accessories.	Each	1			
140	Conduit PVC saddle 20 mm spacer bar with accessories.	Each	1			
141	Conduit PVC saddle 25 mm spacer bar with accessories.	Each	1			
142	Conduit PVC saddle 32 mm spacer bar with accessories.	Each	1			
143	Conduit PVC saddle 40 mm spacer bar with accessories .	Each	1			
144	Ceiling Rose Plug Round 5 Amp PVC.	Each	1			
145	Clamp Half Saddle 20 mm Galvanized.	Each	1			
146	Clip Rocker 6 mm White/Cream.	Each	1			
147	Switch Four Lever Flush with Cover 2x4 metal.	Each	1			
148	Switch Four Lever Flush with Cover 2x4 PVC.	Each	1			
149	Switch Single one Lever one-way flush mount with metal cover.	Each	1			
150	Switch Single one Lever one-way flush mount with PVC cover.	Each	1			
151	Switch Single one lever two-way wall mount.	Each	1			
152	Switch three Lever flush with metal cover 2x4.	Each	1			
153	Switch three Lever flush with PVC Cover 2x4.	Each	1			
154	Switch two lever flush 4x4 with metal cover.	Each	1			
155	Switch Urn Three Lever.	Each	1			
156	Galvanized conduit pipe 20 mm	Metre	1			
157	PVC conduit pipe 20 mm	Metre	1			
158	Galvanized conduit 20 mm Flexible.	Metre	1			
159	PVC conduit 20 mm Flexible.	Metre	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
160	Galvanized conduit pipe 25 mm	Metre	1			
161	PVC conduit pipe 25 mm	Metre	1			
162	Galvanized conduit 25 mm Flexible.	Metre	1			
163	PVC conduit 25 mm Flexible	Metre	1			
164	PVC conduit pipe 32 mm	Metre	1			
165	Galvanized conduit pipe 32 mm	Metre	1			
166	PVC conduit pipe 40 mm	Metre	1			
167	Galvanized conduit pipe 40 mm	Metre	1			
168	Connector Strip 15 Amp 12 way 1.5mm ² to 2.5mm ² screw terminals block PVC.	Each	1			
169	Connector Strip 30 Amp 12 way 2.5mm ² to 6 mm ² screw terminals block PVC.	Each	1			
170	Connector Strip 20 Amp 12 way 2.5mm ² to 4 mm ² screw terminals block PVC.	Each	1			
171	Connector Strip 5 Amp 12 way 1.5mm ² to 2.5mm ² screw terminals block PVC.	Each	1			
172	Contacto Magnetic Coil 220 Volts.	Each	1			
173	230 VAC single phase contactor 18 Amp.	Each	1			
174	LC1D25 contactor.	Each	1			
175	DB Isolator switch 20 Amp 2.5 kA.	Each	1			
176	DB Isolator switch 20 Amp 3 kA.	Each	1			
177	M.C.B Single phase single pole 10 Amp 2.5 kA.	Each	1			
178	M.C.B Single phase single pole 10 Amp 5 kA.	Each	1			
179	M.C.B Single phase single pole 20 Amp 2.5 kA.	Each	1			
180	M.C.B Single phase single pole 20 Amp 3 kA.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
181	M.C.B Single phase single pole 20 Amp 5 kA.	Each	1			
182	M.C.B Single phase single pole 25 Amp 3 kA.	Each	1			
183	M.C.B Single phase single pole 30 Amp 3 kA.	Each	1			
184	M.C.B Single phase 40 Amp 5 kA.	Each	1			
185	M.C.B Single phase 5 Amp 5 kA.	Each	1			
186	M.C.B Single phase 50 Amp 6 kA.	Each	1			
187	M.C.B Single phase single pole 60 Amp 5 kA Moulded Case.	Each	1			
188	M.C.B Single phase single pole 63 Amp 6 kA	Each	1			
189	M.C.B Three phase three pole 100 Amp 5 kA.	Each	1			
190	M.C.B Three phase 3-pole 20 Amp 6 kA.	Each	1			
191	M.C.B Three phase 3-pole 30 Amp 3 kA	Each	1			
192	M.C.B Three phase 3-pole 40 Amp 5 kA.	Each	1			
193	M.C.B Three phase 3-pole 50 Amp 5 kA.	Each	1			
194	M.C.B Three phase 3-pole 60 Amp 5 kA.	Each	1			
195	M.C.B Three phase 3-pole 80 Amp 6 kA.	Each	1			
196	M.C.B Single phase single phase 10 Amp 5 kA.	Each	1			
197	M.C.B Single phase single pole 20 Amp 5 kA.	Each	1			
198	M.C.B Single phase single pole 32 Amp 5 kA.	Each	1			
199	M.C.B Single phase single pole 40 Amp 6 kA.	Each	1			
200	M.C.B Single phase single pole 63 Amp 5 kA.	Each	1			
201	M.C.B Single phase single pole 63 Amp 6 kA.	Each	1			
202	Geyser immersion heater element 3 kW 230 Volts	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
203	Geyser immersion heater element 2 kW non screw with Gasket ELK -130	Each	1			
204	Flange Gasket for Spiral Element (for 50 litre and 250 litre) 2kw Kwik heat Element.	Each	1			
205	Flange Gasket for Spiral Element 2 Kw ELK-130 for hydroboil.	Each	1			
206	Element for 2.5 Lt Zip Hydroboil 1.5 Kw 230 Volts	Each	1			
207	Zip Hydroboil heater element screw in type for Zip Hydroboil 1.5 kW.	Each	1			
208	Hydroboil heater element Kwik boil 5 Lt 2 kW.	Each	1			
209	Element Geyser Immersion 2 Kw 292 mm Long With Thermostat Pocket Hard Water.	Each	1			
210	Thermostat Geyser 279 mm Stem 6.3 Thick.	Each	1			
211	1.5 mm ² Wire Silicone Fire Resistant PH 30.	Metre	1			
212	1 mm ² single core flexible panel wire, various Colours.	Metre	1			
213	Elliptical lamp E27 HQI-E 70 Watts - 840 Cool White NDL.	Each	1			
214	Metal halide lamp pear shaped E/S HIE 100 Watts E27.	Each	1			
215	Energy saver 20 Watts cool white E/S.	Each	1			
216	Energy saver 20 Watts cool white B/C.	Each	1			
217	Black Gel type joint kit C/W ferrules for 3 x 1-2.5mm SQ.	Each	1			
218	led lamps 9 Watts GU 10cw.	Each	1			
219	Ballast HP Sodium / Metal Halide 100 Watts.	Each	1			
220	Ballast HP Sodium / Metal Halide 400 Watts.	Each	1			
221	Ballast HP Sodium / Metal Halide HP 70 Watts.	Each	1			
222	Ballast HP Sodium / Metal Halide VAC 70 Watts.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
223	Ballast HP Sodium 150 Watts.	Each	1			
224	Ballast Lamp 150 Watt Sodium.	Each	1			
225	Ballast Lamp Sodium 250-Watt Single Lamp.	Each	1			
226	Ballast Mercury / Metal Halide 250 Watts.	Each	1			
227	Ballast Mercury Four Connector Points 125 Watts.	Each	1			
228	Ballast PL/2D 13 Watts.	Each	1			
229	Lug 10 mm ² x 16 mm ² Hole.	Each	1			
230	Lug 10 mm ² x 8 mm Hole Not Insulated.	Each	1			
231	Lug 16 mm ² x 12 mm Hole.	Each	1			
232	Lug 2.5 mm ² x 4 mm Hole Insulated.	Each	1			
233	Lug 2.5 mm ² x 5 mm Hole Not Insulated.	Each	1			
234	Lug 2.5 mm ² x 6 mm Not Insulated.	Each	1			
235	Lug 4 mm ² x 6 mm Hole Not Insulated.	Each	1			
236	Lug 35 mm ² x 8 mm Hole Not Insulated.	Each	1			
237	fork lugs 0.5 mm to 1.5 mm to 6mm insulated.	Each	1			
238	fork lugs 4 mm ² to 6 mm ² insulated.	Each	1			
239	Pin lugs 0.5 mm ² to 1.5 mm to 6 mm ² insulated.	Each	1			
240	Pin lugs 4 mm ² to 6 mm ² insulated.	Each	1			
241	Lug 4 mm ² Insulated Red Spade Push in	Each	1			
242	Lug 6 mm ² x 6 mm Hole Not Insulated.	Each	1			
243	Pieces pin insulated terminal crimp terminal kit lugs.	Each	1			
244	Lug 6 mm ² x 8 mm hole not insulated.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
245	Lug 6.3 mm ² insulated blue female spade push on.	Each	1			
246	Cable Joint Kit No 0 Cast.	Each	1			
247	Cable Joint Kit No 1 Cast.	Each	1			
248	Cable Joint Kit No 2 Cast.	Each	1			
249	Cable Joint Kit No 3 Cast.	Each	1			
250	Cable Joint Kit No 4 Cast.	Each	1			
251	Box utility double switch socket outdoor weatherproof fiberglass.	Each	1			
252	Box utility 20 mm lid included.	Each	1			
253	Bulkhead for 100 Watts metal halide lamp.	Each	1			
254	Bulkhead lens 70 Watts sodium lamp.	Each	1			
255	Earth leakage single phase 30 Amp 3 kA no overload protection.	Each	1			
256	Earth leakage Single Phase 63 Amp 3kA, no overload protection, Black and 26mmx57mm.	Each	1			
257	Earth leakage single phase 63 Amp 3kA, no overload protection, white and 20mmx57mm.	Each	1			
258	Earth leakage three phase 60 Amp 6 kA.	Each	1			
259	Earth leakage single phase 60 Amp 6 kA no overload protection.	Each	1			
260	Extractor fan 294-Watt 300 x 300 mm.	Each	1			
261	Universal fan control switch fan controller wall mounted	Each	1			
262	Gland Cable No 0 Compression Metal.	Each	1			
263	Gland Cable No 0 Compression PVC.	Each	1			
264	Holder Edison Screw Porcelain E22.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
265	Holder Edison Screw Porcelain E27.	Each	1			
266	PVC T5 LED tube holder	Each	1			
267	PVC T8 LED tube holder	Each	1			
268	Holder Lamp Brass Edison Screw.	Each	1			
269	Hydro boil Cut Out Thermostat.	Each	1			
270	Ignite Sodium 230 Volts.	Each	1			
271	Ignite Sodium 70 Watts.	Each	1			
272	Isolator Double pole IP66 20-30A, 250V	Each	1			
273	Isolator Three phase IP66 20-30A, 400V	Each	1			
274	Isolator Three Phase 60 Amp 3 pole	Each	1			
275	Isolator Three Phase 60 Amp 4 pole	Each	1			
276	Isolator Double Pole 63 Amp 4x2	Each	1			
277	Isolator Double Pole 63 Amp 4x4	Each	1			
278	Lamp Dulux D Energy Saver 4 Pin Off Centre Cool White 26 Watts.	Each	1			
279	2 pin 13 Watts lamps.	Each	1			
280	Power ball 150 Watts 2pin.	Each	1			
281	Starters 4-20 Watts (2ft).	Each	1			
282	4 pin 26 Watts lamps.	Each	1			
283	18 Watts 2pin ballast x 1 lamp.	Each	1			
284	18 Watts 4 pin ballast x 2 lamp.	Each	1			
285	Multi-purpose lubricant, net volume 300g.	Each	1			
286	Wall plug and screw 5mm x 75mm.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
287	Wall plug and screw 8mm x 75mm.	Each	1			
288	Wall plug and screw 10mm x 75mm.	Each	1			
289	Three phase surge protectors.	Each	1			
290	Single phase surge protector.	Each	1			
291	T5 24 Watts LED lamp (2ft).	Each	1			
292	Mercury vapour 400 Watts globe.	Each	1			
293	400 Watts globe holder E/S.	Each	1			
294	LED lamp 150 Watts E/S.	Each	1			
295	70 Watts metal halide bulb Powerball light 2 pin.	Each	1			
296	Battery terminal clamps.	Each	1			
297	Mercury vapour 250 Watts globe.	Each	1			
298	18 Watts SMD LED Round, 1200lm and IP 20.	Each	1			
299	70 Watts E/S sodium globe.	Each	1			
300	360° Ceiling infrared motion sensor.	Each	1			
301	400 Watts sodium globe.	Each	1			
302	400 Watts sodium ballast.	Each	1			
303	100 Watts sodium lamp.	Each	1			
304	100 Watts sodium ballast.	Each	1			
305	400 Watts Metal Halide Lamp.	Each	1			
306	Plug top (3 Pin).	Each	1			
307	T5 2ft 16-20Watts LED tube	Each	1			
308	T5 4ft 16-20Watts LED tube	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
309	T5 5ft 16-20Watts LED tube	Each	1			
310	T8 2ft 16-20Watts LED tube	Each	1			
311	T8 4ft 16-20Watts LED tube	Each	1			
312	T8 5ft 16-20Watts LED tube	Each	1			
313	400 Watts mercury ballast.	Each	1			
314	35 Watts electronic ballast (2 × Lamp).	Each	1			
315	Thermostat Geyser 279 mm Stem 6.3 thick.	Each	1			
316	Geyser element 3 phase 3kW.	Each	1			
317	Geyser element 3 phase 4kW.	Each	1			
318	Timer electronic with reserve 24 Hrs. 230 Volts 21 Amp.	Each	1			
319	Trunking 16mm × 16 mm PVC.	Metre	1			
320	Trunking 40mm × 25 mm PVC.	Metre	1			
321	Trunking 100mm × 40 mm PVC.	Metre	1			
322	Trunking 100mm × 50 mm PVC.	Metre	1			
323	Electrical power skirting PVC, grey board, double ducts for cable.	Metre	1			
324	Urn Thermostat Switch 6.3 × 127mm².	Each	1			
325	Solenoid Kwik boil Valve Kit 20 mm Male Plug (Kwik boil level probe 12mm).	Each	1			
326	Spring Toggle Butterfly Bolt 5 mm × 50 mm.	Each	1			
327	Starter Lamp ST151 4-22 Watts.	Each	1			
328	Stopper Round 20 mm PVC Blank-off.	Each	1			
329	1200 mm × 600mm LED ceiling panel light fitting	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
330	600 mm × 600mm LED ceiling panel light fitting	Each	1			
331	Dustproof, closed channel, 4ft T8 double LED fitting with 16-20W LED tubes	Each	1			
332	Dustproof, closed channel, 5ft T8 double LED fitting with 16-20W LED tubes	Each	1			
333	Fitting incandescent 70 Watts sodium bulkhead	Each	1			
334	Fuse cartridge HRC 10 Amp 80 kA 73 mm fixing centres 24 x 86 mm Long	Each	1			
335	Fuse cartridge HRC 16 Amp 80 kA 55 mm porcelain.	Each	1			
336	Fuse cartridge HRC 4 Amp 80 kA.	Each	1			
337	Photocell Electronic 20 Amp	Each	1			
338	Photocell Plugin 10 Amp.	Each	1			
339	Plug Top Three Pin 5 Amp PVC.	Each	1			
340	Plug Top Three Pin 15 Amp Rubber.	Each	1			
341	Rocker Clip moulding 10 mm.	Each	1			
342	Rocker Clip moulding 12 mm Cream.	Each	1			
343	Rocker Clip moulding 8 mm White.	Each	1			
344	Isolator Switch Single Phase Double Pole 30 Amp.	Each	1			
345	Isolator switch three phase 4 pole 30 Amp.	Each	1			
346	Isolator three phase 4 pole 60 Amp 5 KA.	Each	1			
347	Lamp Dulux D energy saver two pin off centre cool white 26 Watts.	Each	1			
348	Lamp Energy Saver 18 Watts two pin off centre cool white.	Each	1			
349	Lamp Energy Saver 2 D 16 Watts.	Each	1			
350	Lamp Energy Saver BC Bayonet 26 Watts 25 x 150 mm.	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
351	Downlight white metal	Each	1			
352	Downlight chrome metal	Each	1			
353	Downlight gu10 lamp holder with earth	Each	1			
354	Lamp Holder PL, 2 Pin.	Each	1			
355	Lamp Holder PL, 4 Pin.	Each	1			
356	5 Watts LED downlight globe	Each	1			
357	9 Watts LED BC, cool white	Each	1			
358	9 Watts LED ES, cool white	Each	1			
359	Lamp Metal Halide 100 Watts.	Each	1			
360	Lamp Metal Halide 150 Watts.	Each	1			
361	Lamp Metal Halide Edison Screw Pear Shape 70 Watts.	Each	1			
362	Lamp Metal Halide Powerball Two Pin Tubular 70 Watts.	Each	1			
363	LED Lamp PL 9, 4 Pin	Each	1			
364	LED Lamp PL 9, 2 Pin	Each	1			
365	Heavy duty padlock keyed alike – brass 10 mm.	Each	1			
366	Heavy duty padlock keyed alike – brass 20 mm.	Each	1			
367	Heavy duty padlock alike – brass 30 mm.	Each	1			
368	Heavy duty padlock alike – brass 40 mm.	Each	1			
369	Aluminium Flexible Ducting (5 Inch /102mm).	Metre	1			
370	Aluminium ducting tape silver 48mmx50m.	Metre	1			
371	Decorative LED post top IP 65 and 54 Watts bekaray	Each	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
372	LEDLUME XP 1 2069C5307A1, Marine grade high-pressure die-cast aluminium, 4kg, Nominal voltage 198-264V - 50Hz.	Each	1			
373	LEDLUME XP 2 2069C5307A1, Marine grade high-pressure die-cast aluminium, 4.5kg, Nominal voltage 198-264V - 50Hz.	Each	1			
374	LEDLUME XP 3 2069C5307A1, Marine grade high-pressure die-cast aluminium, 9kg, Nominal voltage 198-264V - 50Hz.	Each	1			
375	LEDLUME XP 4 2069C5307A1, Marine grade high-pressure die-cast aluminium, 13kg, Nominal voltage 198-264V - 50Hz.	Each	1			
376	Trench digging backfilling and compacting 500mm Width and 500mm deep	Metre	1			
377	Trench digging backfilling and compacting 500mm Width and 750mm deep	Metre	1			
378	Trench digging backfilling and compacting 500mm Width and 1000mm deep	Metre	1			
379	Concrete mix filling 500mm width 100mm deep	Metre	1			
380	Tar mix filling 500mm width 100mm deep	Metre	1			
381	Issuing of COC after completion of work	Each	1			
382	Rate for Skilled labour	Hour	1			
383	Rate for Skilled labour after hours	Hour	1			
384	Rates for Skilled labour Saturdays	Hour	1			
385	Rates for Skilled labour Sundays	Hour	1			
386	Rate for Skilled labour Public Holidays	Hour	1			
387	Rate for Unskilled labour	Hour	1			
388	Rate for Unskilled labour after hours	Hour	1			
389	Rates for Unskilled Saturdays	Hour	1			

ITEM NO.	DESCRIPTION	Unit	QTY	First Year Rate	Second Year Rate	Third Year Rate
390	Rates for Unskilled Sundays	Hour	1			
391	Rate for Unskilled Public Holidays	Hour	1			
392	Call-out fee – for no work done or to be done.	Each	1			
393	Travelling cost	km	1			
Sub-total						
VAT @ 15%						
Total						

Percentage mark-up for non-schedule material (suppliers' quotation to be provided)

Description	Year 1	Year 2	Year 3
Percentage mark- up			

Note: PRASA reserves the right to award the service to more than one service provider.