

5 April 2023

RFQ 14 of 2023: SUPPLY, DELIVERY, AND INSTALLATION OF PROJECTORS AND SOUND SYSTEM IN THE HALLS AT QUNU HERITAGE & YOUTH CENTRE

The Nelson Mandela Museum (NMM) invites quotations from accredited service providers that are registered with the Central Supplier Database (CSD) for the Supply, Delivery, and installation of projectors and sound system Qunu Heritage & Youth Centre site, as per the specification below:

ITEM	PRODUCT DES	QUANTITY	
NO.			
1	Data Projector	2	
	Technology	3LCD Technology, RGB liquid crystal shutter,	
		0,67 inch with C2 Fine	
	Image	Colour Light Output - 7.000 Lumen -	
		900 Lumen (economy) In accordance with	
	IDMS15.4		
		White Light Output - 7.000 Lumen -	
		900 Lumen (economy) In accordance with ISO	
		21118:2020	
		Resolution - WUXGA	
		High Definition - Full HD	
		Aspect Ratio - 16:10	
		Contrast Ratio - Over 2.500.000: 1	

	Light source - Laser	
	Laser Light source - 20.000 hours Durability	
	High, 30.000 hours Durability Eco	
	Keystone Correction - Manual vertical: ± 30 °,	
	Manual horizontal ± 30 °	
	Colour Video Processing - 10 Bits	
	Colour Reproduction - Up to 1.07 billion	
	colours	
Optical	Throw Ratio - 1,35 - 2,20:1	
	Zoom - Manual, Factor: 1 - 1,6	
	Projection Lens Zoom Ratio - 1,35 - 2,2: 1	
	Lens - Optical	
	Lens Shift - Manual - Vertical ± 50 %, horizontal	
	± 20 %	
	Screen Size - 50 inches - 500 inches	
	Projection Distance Wide - 1,4 m - 14,8 m	
	Projection Distance Tele - 2,4 m - 23,8 m	
	Projection Distance Wide/Tele - 1,44 m -	
	23,84 m	
	Projection Lens F Number - 1,5 - 1,7	
	Projection Lens Focal Length - 20 mm -	
	31,8 mm	
	Projection Lens Focus – Manual	
Connectivity	Interface - USB 2.0-A, USB 2.0, RS-232C,	
	Ethernet interface (100 Base-TX / 10 Base-T),	
	Wireless LAN IEEE 802.11a/b/g/n/ac, Wireless	
	LAN b/g/g 25GHz, Wireless LAN a/n (5GHz),	
	VGA in (2x), VGA out, HDMI out, HDBaseT,	
	Miracast, Jack plug out, Jack plug in (2x), HDMI	
	(HDCP 2.3) (2x), USB 2 Type A playback	
	iProjection App - Ad-Hoc / Infrastructure	
1	l .	

ESC/VP.net, PJLin006B General Power consumption - 345 Watt, 258 Watt (economy), 0,3 Watt (standby), On mode power consumption as defined in JBMS- 84 287 Watt Supply Voltage - AC 100 V - 240 V, 50 Hz - 60 Hz Product dimensions - 440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection		Network Protocol - HTTPS, IPv6, SNMP,		
258 Watt (economy), 0,3 Watt (standby), On mode power consumption as defined in JBMS-84 287 Watt Supply Voltage - AC 100 V - 240 V, 50 Hz - 60 Hz Product dimensions - 440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		ESC/VP.net, PJLin006B		
mode power consumption as defined in JBMS-84 287 Watt Supply Voltage - AC 100 V - 240 V, 50 Hz - 60 Hz Product dimensions - 440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,	General	Power consumption - 345 Watt,		
Supply Voltage - AC 100 V - 240 V, 50 Hz - 60 Hz Product dimensions - 440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		258 Watt (economy), 0,3 Watt (standby), On		
Supply Voltage - AC 100 V - 240 V, 50 Hz - 60 Hz Product dimensions - 440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		mode power consumption as defined in JBMS-		
Product dimensions - 440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		84 287 Watt		
440 x 339 x 136 mm (Width x Depth x Height) Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		Supply Voltage - AC 100 V - 240 V, 50 Hz - 60 Hz		
Product weight - 8,4 kg Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		Product dimensions -		
Noise Level - Normal: 38 dB (A) - Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		440 x 339 x 136 mm (Width x Depth x Height)		
Economy: 27 dB (A) Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		Product weight - 8,4 kg		
Supported Temperature - Storage -10° C - 60° C Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		Noise Level - Normal: 38 dB (A) -		
Supported Humidity - Operation 20% - 80%, Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		Economy: 27 dB (A)		
Storage 10% - 90% on Ceiling Mount Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock,		Supported Temperature - Storage -10° C - 60° C		
Options - Connection and control box, Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Supported Humidity - Operation 20% - 80%,		
Document camera, External Speaker, HD Base-T Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Storage 10% - 90% on Ceiling Mount		
Transmitter, MB22 ceiling mount, Wireless LAN unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Options - Connection and control box,		
unit Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Document camera, External Speaker, HD Base-T		
Loudspeaker - 10 Watt What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application - Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Transmitter, MB22 ceiling mount, Wireless LAN		
What is in the box - Cable cover, Main unit, Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		unit		
Power cable, Remote control incl. batteries, User Guide, Warranty Documents Room Type/Application — Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Loudspeaker - 10 Watt		
User Guide, Warranty Documents Room Type/Application – Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		What is in the box - Cable cover, Main unit,		
Room Type/Application – Sports Hall/Big Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Power cable, Remote control incl. batteries,		
Conference Hall Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		User Guide, Warranty Documents		
Positioning - Ceiling Mounted Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Room Type/Application – Sports Hall/Big		
Warranty - 36 months Carry in Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Conference Hall		
Advanced Security - Kensington lock, Control panel lock, Features Security cable hole, Wireless LAN unit lock,		Positioning - Ceiling Mounted		
Features Security cable hole, Wireless LAN unit lock,		Warranty - 36 months Carry in		
	Advanced	Security - Kensington lock, Control panel lock,		
Wireless LAN security, Password protection	Features	Security cable hole, Wireless LAN unit lock,		
		Wireless LAN security, Password protection		

		2D Colour Modes - Dynamic, Cinema,		
		Presentation, sRGB, DICOM SIM		
		Video Colour Modes - Cinema, Dynamic,		
		Presentation, sRGB, DICOM SIM, Multi-		
		Partner, Extron IP Link, Extron XTP, AMX Device		
		Discovery, Control4 Simple Device Discovery		
		Protocol		
	Accessories	Mounting brackets, cables and any other		
		relevant accessories.		
2	Data Projector		1	
	4000 Ansi Lum	ens		
	XGA 1024 X 76			
	Contrast Ratio:			
	Throw Ratio: 8			
	Aspect Ratio: 4	:3 / 16:9		
	Keystone: Vert	ical +-40		
	Projection Dist			
	Input: 2 x VGA,			
	Control Port: R	S-232 / Mini – USB-B		
	Video Compati	bility: 1920 x 1080 Max		
	Noise: 35dB / 33dB			
	Accessories: Power Plug, VGA Cable, Remote Control			
	Projector Size:			
	Projector Weight: 3 KG			
3	Wall mount Grandview 200" 16:10 ratio cyber series motorised 2			
	white screen with IR and RF controls – 4.5 x 2.5 – the sizes are			
	to be confirmed on the site briefing			
4	Wall mount Pulldown White Screen – 1.1 x 1.9			
L	ı			

5	Accessories Safety Wire,		3
	for the	Ceiling Mount Brackets,	
	projectors	VGA/HDMI Cables	
6	Sound system	for the halls, with cordless microphones (Split	18 Speakers,
	into 3)		
	Ceiling flush m	ount speakers, 5.25" or more	Lavalier
	Low impedance	e 5.25" ceiling speaker for general-purpose audio	microphone
	and backgroun	d music applications	x 1
	High-quality fu	II-range speaker driver	
	Spring termina	ls	6 x
	Slim profile	Microphones	
	Metal driver chassis & grille		and any
	The bracket easily mounts into ceiling panels or wall boards		other
	Supplied as a single speaker		relevant
	Power rating (RMS/Peak): 20W/35W		accessories
	Frequency Res	ponse: 90Hz-14kHz	
	Impedance: 8 (Dhm	4 x hip mic
	Sensitivity: 91dB		
	Cut Out Ø: 165mm		
	Mounting Depth: 58mm		
	Dimensions (Ø		
	Weight: 900g		

RETURNABLE DOCUMENTS

Service providers are required to submit all the returnable documents together with their quotations. *Failure to provide all the Compulsory Returnable Documents at the closing date*

and time of this RFQ will result in a respondent's disqualification. Respondents are therefore urged to ensure that <u>all</u> these Documents are returned with their Proposals. Failure to submit the Supporting documents for functionality scoring will result in a scoring of zero.

COMPULSORY RETURNABLE DOCUMENTS

- Duly signed & completed **SBD 1** Invitation to BID
- Duly signed & completed **SBD 4** Declaration of Interests form.
- Duly signed & completed SBD 6.1 Preference points claim form
- Compulsory site briefing Quotations from service providers that did not attend the compulsory site inspection will not be considered
- Service providers MUST attend the compulsory site inspection to be held as follows:
 - o Venue: Qunu Heritage and Youth Centre

o Time: 12:15

o Date: 12 April 2023

SUPPORTING RETURNABLE DOCUMENTS (for functionality scoring)

• Reference Letters

• Electrician Certificate

ESSENTIAL SUPPORTING DOCUMENTS

Specific goals verification documents as stipulated below must be submitted on or before the closing date and time (failure to submit on or before the closing date will result in an automatic score of zero for preference)

APPLICABLE PREFERENCE POINTS ALLOCATION SYSTEM

- (1) Points for this shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

- (c) Where 80 points will be allocated for price and 20 points allocated for specific goals
- (2) The following specific goals are applicable to all procurements of a transaction value above R2 000 and up to R50 000 000
 - a. The NMM will utilize the following preference criteria;
 - i. Service providers within the OR Tambo region & Eastern Cape
 - ii. Historically Disadvantaged Individuals (Women, Youth, and People living with disabilities)
 - iii. SMMEs

b.

Category		Sub-categories	Specific goals points	Verification
				documents
Local Supplier	5	OR Tambo	5	
		supplier		
		Eastern Cape	4	
		Supplier		CIPC Registration
		Anywhere in	3	Certificate (CK) or
		South Africa		Proof of residence
		Non-South	0	
		African		
Women-	4	Black African	4	
owned		Women		CIPC Registration
supplier		Non-Black	2	Certificate (CK) and
		African Women		CSD Report
Youth Owned	4	Youth Owned (<	4	
Supplier		35-year-old		
		persons)		CIPC Registration
		Non-Youth	2	Certificate (CK) and
		Ownership (>		CSD Report
		35-year-old		
		persons)		

People living	3	People living	3	CSD Report
with		with disabilities		
disabilities				
Small Micro,	4	SME – Owned	4	CSD Report
Medium &		by people with		
Enterprises		disability		
		SME – Black	3	
		owned		Sworn Affidavit
				(BBBEE Affidavit)
		SME – Other	2	

EVALUATION CRITERIA

The received quotations will be evaluated using the 80/20 system (80 for Price and 20 for Specif Goals). The functionality will be scored at a maximum of 100 points whereby the bidder must obtain a **minimum of 75 points** to qualify for the financial evaluation according to the criteria captured in the table below:

Value: 1=Poor; 2=Average; 3=Good; 4=Very good; 5=Excellent

Criteria	Weight	Value
Reference Letters	60	6 letter or more = 60 points
Signed reference letters on the		
recommending company's letterhead		5 letters = 50 points
NB: Reference letters should not be older than five years		4 letters = 40 points Between 1 and 3 letters = 30
Submission of purchase orders or appointment letters WILL NOT be considered.		points Failure to submit or submission of irrelevant letter = 0

Criteria	Weight	Value
Electrician Engineering Certificate	40	A valid certificate = 40
		Invalid certificate or failure to
		submit = 0
Total	100	

QUOTATION SUBMISSIONS

- All quotations and accompanying documents must be forwarded to: supplychain@nelsonmandelamuseum.org.za
- NO FAXED OR HAND-DELIVERED QUOTATIONS SHALL BE ACCEPTED.
- Closing date for the submission of quotations is 14 April 2023 at 12:00

ENQUIRIES

All communications and inquiries/requests for clarification relating to this proposal should be directed to the contact person:

FOR BID ADMINISTRATION
Ms. M Mputa
Tel: 047 501 9504
Email: mihlali@nelsonmandelamuseum.org.za
Supply Chain Specialist
Technical Enquiries:
Mr. W. Quzu
Tel: 047 501 9524
Email: wandile@nelsonmandelamuseum.org.za
IT Office

NB: The NMM reserves the right to amend, modify or withdraw this RFQ at any time, without prior notice and without liability to compensate and/or reimburse any party.

Dr. Vuyani Booi

Chief Executive Officer