

1 Overview and purpose of the *goods and services*

Supply and delivery of gaskets and packings to Grootvlei Power station as when required for a period of 5 years. These spares are required as part of ensuring and improving reliability and availability of our plant.

2 Specification and description of the *goods*

The specifications and description of the goods are as follows:

Item nr	Description	Unit	Quantity	Rate	Price
0001588	GASKET, PRE-CUT: DIMENSIONS: ID 40 X OD 46 X THK 1 MM; TYPE: CYLINDER HEAD, COMPRESSOR; MATERIAL: CU; SHAPE: RD; REFERENCE NO: GKT628; GKT 628	EA	20		
0001590	GASKET, PRE-CUT: DIMENSIONS: ID 101 X OD 147 X THK 0.5 MM; TYPE: COMPRESSOR; MATERIAL: ASB; SHAPE: CIRCULAR; PCD: 136 MM; HOLES: (6) DIA 10 MM; MANUF P/N: GKT2051	EA	20		
0001591	GASKET, PRE-CUT: TYPE: COMPRESSOR 807; REFERENCE NO: GKT2	EA	20		
0001596	GASKET, PRE-CUT: TYPE: COMPRESSOR; MANUF P/N: GKT2488; REFERENCE NO: AG541635-P1	EA	20		
0001599	GASKET, PRE-CUT: TYPE: COMPRESSOR; REFERENCE NO: GKT2858	EA	20		
0001601	GASKET, PRE-CUT: DIMENSIONS: ID 10 X OD 16 X THK 1.5 MM; TYPE: 1ST STG CYLINDER HEAD GROUP; MATERIAL: CU; SHAPE: CIRCULAR; MANUF P/N: GKT-593; MODEL NO: SAB SABC SBB; FOR TYPE-H COMPRESSOR	EA	20		
0001603	GASKET, PRE-CUT: TYPE: COMPRESSOR; REFERENCE NO: GKT2040	EA	20		
0001605	GASKET, PRE-CUT: DIMENSIONS: ID 62 X OD 81 X THK 5 MM; TYPE: DELLE 400 KV 1600 A, PK6B AIR BLAST CB; MATERIAL: RUBBER SYNTHETIC; SHAPE: CIRCULAR; REFERENCE NO: 270258-026; COLOUR: A/A	EA	20		

0001609	GASKET, PRE-CUT: DIMENSIONS: ID 19 X OD 28 X THK 0.5 MM; TYPE: VALVE GUIDE; MATERIAL: CU; REFERENCE NO: GKT614; USED ON THIRD STAGE CYLINDER HEAD GROUP ON AIR COOLED RECIPROCATING TYPE H	EA	20		
0018962	GLAND, PACKING: TYPE: SEALING; MATERIAL: SS; STEAM STRAINER	EA	20		
0040812	GLAND, PACKING: TYPE: FAN; VAP 200 MAN M-TURBINE	EA	20		
0044011	GLAND, PACKING: TYPE: MONO PUMP S82M EFFL	EA	20		
0044548	GLAND, PACKING: TYPE: FOLLOWER	EA	20		
0046087	GLAND, PACKING: TYPE: FOLLOWER; MATERIAL: STL; DRAWING NO: R33430 REV 1	EA	20		
0046323	GLAND, PACKING: TYPE: UPPER ADJUSTABLE; REFERENCE NO: 394-20; S/PUMP	EA	20		
0046351	GLAND, PACKING: TYPE: TRANSFER PUMP; MATERIAL: CI	EA	20		
0046358	GLAND, PACKING: TYPE: SEALING; MATERIAL: STL; MODEL NO: HCD6N/8; REFERENCE NO: 306; FOR USE ON 50PCT KSB ELECTRIC FEED PUMP	EA	20		
0046359	GLAND, PACKING: SHAPE: RD; 100PCT F PUMP	EA	20		
0049816	GLAND, PACKING: TYPE: SLEEVE; HSB 10 FV PUMP	EA	20		
0066250	GLAND, PACKING: TYPE: FOLLOWER; VALVE HP STEAM	EA	20		
0078438	GLAND, PACKING: TYPE: FOLLOWER, KSB CW PUMP	EA	20		
0089692	GASKET, PRE-CUT: MANUF P/N: HPX 1131 T2; REFERENCE NO: JH 4 402-7; FOR USE COMPRESSOR TYPE XLE-NL GASKETNUT; 7 X 10 X 6	EA	20		
0089713	PACKING, PREFORMED: TYPE: NUT; SUPPL P/N: 302032-0119; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE	EA	20		

	CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).				
0094157	SHEET, GASKET: THICKNESS: 1 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: NEOPRENE	EA	26		
0094329	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 30 M; WIDTH: 1.2 M; MATERIAL: RUBBER INSERTION; SPECIFICATION: 25 KG; COLOR: BLACK; SUPPLIER NOTE: 25KG PER ROLL; ROLL MUST BE WRAPPED AND CLEARLY MARKED WITH SPECIFIC KILOGRAMS	KG	400		
0094350	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: VELLUMOID; SUPPLIER NOTE: THE ITEM MUST BE PROTECTIVE PACKED	KG	20		
0094351	PACKING, PREFORMED: INSIDE DIAMETER: 108 MM; OUTSIDE DIAMETER: 121 MM; THICKNESS: 6 MM; TYPE: V RING; MATERIAL: RUBBER; DRAWING NO: 4380 REV 1; 2 SIZE 20 INCH X 24 INCH, ROLL CRUSHER V120 FT 71 BIN 416-54; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	21		
0094358	GASKET, PRE-CUT: DELLE OCB66KV INSULATOR	EA	10		
0094370	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: GRAPHITE NON ASB IMPREGNATED; SPECIFICATION: BS 2815-1973 GR A; KLINGERITE; OILIT; COLOURED BLACK ON BOTH SIDE; BINDER SYNTHETIC RUBBER; PETROL AND OIL RESISTANT; TEMPERATURE UP O 480 DEG C; ONE = 9.259 KG	KG	100		
0094372	SHEET, GASKET: THICKNESS: 0.8 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: NON ASB COMPRESSED; REFERENCE NO: KLINGEROILIT; COLOUR BLACK; Non-GRAPHITE; BINDER SYNTHETIC RUBBER	KG	20		
0094671	PACKING, PREFORMED: INSIDE DIAMETER: 266 MM; OUTSIDE DIAMETER: 298 MM; THICKNESS: 35 MM; TYPE: RING; MATERIAL: RUBBER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE	EA	20		

	PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).				
0097144	GLAND, PACKING: TYPE: SOOTBLOWER CLYDE	EA	20		
0097145	PACKING, PREFORMED: TYPE: RING; SOOT BLOWER CLYDEVENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0097146	GLAND, PACKING: TYPE: VALVE SOOTBLOWER	EA	20		
0097396	GASKET, PRE-CUT: DIMENSIONS: ID 89 X OD 105 X THK 0.55 MM; TYPE: OUTER LANCE TUBE; MATERIAL: SS; SHAPE: RD; SUPPL P/N: 305656-0117; REFERENCE NO: 305656-0117	EA	73		
0099620	PACKING, PREFORMED: INSIDE DIAMETER: 80 MM; OUTSIDE DIAMETER: 90 MM; THICKNESS: 12 MM; TYPE: LIVE STEAM STRAINER BOILER 1, STEAM FEED PUMP; MATERIAL: ASB GRAPHITE; 45 DEGREE X 4 MM CHAMFERRED INSIDE ONE END; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	23		
0100794	GASKET, PRE-CUT: DIMENSIONS: ID 42 X OD 58 X THK 3 MM; TYPE: SOOTBLOWER; MATERIAL: CU; SHAPE: RD; SUPPL P/N: 304634-0117TU; MACHINED, LANCE	EA	44		
0100928	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: NON ASB COMPRESSED; CAT NO: KLINGERIT 1000 3XA; KLINGERIT 1000, C4324 PACKING, BLACK, JOINTING WITH FINE STEEL WIRE GAUSE INSERT AND GRAPHITE FINISHED	EA	20		
0101009	PACKING, BULK: WIDTH: 3.2 MM; THICKNESS: 3.2 MM; LENGTH: 2 M; MATERIAL: KLINGERITE; SHAPE: SQ; SUPPL P/N: 3222; KLINGER STYLE; KLINGER	KG	20		
0101011	PACKING, BULK: WIDTH: 6.5 MM; THICKNESS: 6.5 MM; LENGTH: 2 M; MATERIAL: GRAPHITE; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 180 BAR; PH VALUE RANGE: 1-14; TEMPERATURE RANGE: 200 DEG	KG	20		

	C; TYPE: FLEXYGRAF; SHAPE: SQ; SUPPL P/N: 3222; INCLUDING CORROSION INHIBITORS, CRYSTALLINE STRUCTURE, SELF LUBRICATING; KLINGER				
0101013	PACKING, BULK: WIDTH: 9.5 MM; THICKNESS: 9.5 MM; MATERIAL: GRAPHITE; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 180 BAR; PH VALUE RANGE: 1-14; TEMPERATURE RANGE: 200 DEG C; TYPE: FLEXYGRAF; SHAPE: SQ; SUPPL P/N: 3222; MATERIAL CERTIFICATE TO BE INCLUDED WITH THE FOLLOWING INFO: PURITY, DENSITY, MAX ASH CONTENT, LEACHABLE CHLORIDE CONTENT, LEACHABLE FLUORIDE CONTENT, LOW SULPHUR; KLINGER	KG	20		
0101014	PACKING, BULK: WIDTH: 12.5 MM; THICKNESS: 12.5 MM; MATERIAL: GRAPHITE; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 180 BAR; PH VALUE RANGE: 1-14; TEMPERATURE RANGE: 200 DEG C; TYPE: FLEXYGRAF; SHAPE: SQ; SUPPL P/N: 3222; FLEXIGRAF, INCLUDING CORROSION INHIBITORS, CRYSTALLINE STRUCTURE, SELF LUBRICATING, CERTIFICATE TO BE INCLUDED WITH THE FOLLOWING INFO: PURITY, DENSITY, MAX ASH CONTENT, LEACHABLE CHLORIDE CONTENT, LEACHABLE FLUORIDE CONTENT, LOW SULPHUR; ROLL; KLINGER	KG	35		
0101015	PACKING, BULK: WIDTH: 16 MM; THICKNESS: 16 MM; MATERIAL: GRAPHITE; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 180 BAR; PH VALUE RANGE: 1-14; TEMPERATURE RANGE: 200 DEG C; TYPE: FLEXYGRAF; SHAPE: SQ; SUPPL P/N: 3222; MATERIAL CERTIFICATE TO BE INCLUDED WITH THE FOLLOWING INFO: PURITY, DENSITY, MAX ASH CONTENT, LEACHABLE CHLORIDE CONTENT, LEACHABLE FLUORIDE CONTENT, LOW SULPHUR	KG	20		
0101029	PACKING, BULK: WIDTH: 12 MM; THICKNESS: 12 MM; MATERIAL: CARBON/GRAPHITE YARN; SHAPE: SQ; REFERENCE NO: 477-1; HP STEAM, NON ASBESTOS IMPREGNATED, WITH MOLYBDENUM CORROSION INHIBITOR; SPECIFICATION TO BE CERTIFIED; TFE DISPERSION 14 PCT, LEACHABLE CHLORIDE ION CONTENT 71PPM MAX, SULPHUR 42PPM MAX, TOTAL	KG	100		

	SULPHUR 439PPM MAX, TOTAL CHLORIDE 100PPM MAX; PURITY OF YARN 91.59 PCT; PRESSURE LIMIT 250 BAR, TEMPERATURE LIMIT -40 DEGREE CELSIUS TO 566 DEGREE CELSIUS; SHAFT VELOCITY LIMIT 15M/SEC, PH 0 TO 13; PRODUCT BRAND				
0101031	PACKING, BULK: WIDTH: 15.9 MM; THICKNESS: 15.9 MM; MATERIAL: CARBON FIBER; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 250 BAR; PH VALUE RANGE: 0-13; TEMPERATURE RANGE: -40 TO 566 DEG C; TYPE: GENERAL SERVICE; SHAPE: SQ; SUPPL P/N: 477-1; HP STEAM IMPREGNATED WITHM MOLYBDENUM CORROSION INHIBITOR, SPECIFICATION TO BE CERTIFIED, TFE DISPERSION: 14PCT, LEACHABLE CHLORIDE ION CONTENT 71PPM MAX, LEACHABLE SULPHURE 42PPM MAX, TOTAL SULPHUR: 439PPM MAX, TOTAL CHLORIDE 100PPM MAX, PURITY OF YARN 91.59 PCT, SHAFT VELOCITY LIMIT 15M/SEC	KG	70		
0101032	PACKING, BULK: WIDTH: 19 MM; THICKNESS: 19 MM; MATERIAL: CARBON FIBER; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 250 BAR; PH VALUE RANGE: 0-13; TYPE: GENERAL SERVICE; SHAPE: SQ; SUPPL P/N: 477-1; HP STEAM NON ASBESTOS, IMPREGNATED WITHM MOLYBDENUM CORROSION INHIBITOR, TO BE CERTIFIED, TFE DISPERSION 14PCT, LEACHABLE CHLORIDE ION CONTENT 71PPM MAX, LEACHABLE SULPHUR 42PPM MAX, TOTAL SULPHUR 439PPM MAX, TOTAL CHLORIDE 100PPM MAX, PURITY OF 91.59PCT, TEMPERATURE LIMIT -40 DEGREE CELSIUS TO 566 DEGREE CELSIUS, SHAFT VELOCITY LIMIT 15M/SEC, PH 0-13	KG	20		
0101077	GASKET, PRE-CUT: DIMENSIONS: DIA 200 X THK 2 MM; TYPE: HP SERVO MOTOR; MATERIAL: TEFLON; SHAPE: RD; OEM P/N: 5360-161, OEM: GE STEAM POWER SERVICE; 5160-161, OEM: GE STEAM POWER SERVICE; 5160-261, OEM: GE STEAM POWER SERVICE; DRAWING NO: B42.51600-0187 REV 0; REFERENCE NO: SZ50005252	EA	20		
0101152	GASKET, PRE-CUT: DIMENSIONS: ID 33 X OD 60 X THK 2 MM; TYPE: HP SERVO MOTOR; MATERIAL: TEFLON; SHAPE: RD; OEM P/N: 5160-162, OEM: GE STEAM POWER SERVICE; 5360-162, OEM: GE STEAM POWER	EA	20		

	SERVICE; DRAWING NO: B42.51600-0187 REV 0; REFERENCE NO: SZ50005468				
0101172	PACKING, BULK: WIDTH: 6 MM; THICKNESS: 6 MM; MATERIAL: NON ASB FIBER BRAIDED; LUBRICATION MATERIAL: PTFE/NIMO COMPOUNDED; SHAPE: SQ; MANUF P/N: 781; MODEL NO: STYLE 781; SUPPLIED IN 3KG ROLLS	KG	23		
0101173	PACKING, BULK: WIDTH: 8 MM; THICKNESS: 8 MM; MATERIAL: NON ASB FIBER BRAIDED; LUBRICATION MATERIAL: PTFE/NIMO COMPOUNDED; SHAPE: SQ; MANUF P/N: 781; MODEL NO: STYLE 781; SUPPLIED IN 3 KG ROLLS	KG	20		
0101174	PACKING, PREFORMED: THICKNESS: 10 MM; MATERIAL: NON ASB FIBER BRAIDED; MANUF P/N: 781; PTFE NICKEL & MOLY COMPOUNDED LUBRICANT SQUARE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	KG	20		
0101175	PACKING, BULK: WIDTH: 12 MM; THICKNESS: 12 MM; MATERIAL: NON ASB FIBER BRAIDED; LUBRICATION MATERIAL: PTFE/NIMO COMPOUNDED; SHAPE: SQ; MANUF P/N: 781; SUPPLIED IN 3KG ROLLS	KG	20		
0101794	GASKET, PRE-CUT: TYPE: PISTON SCREW; SUPPL P/N: GSK2742; ST WO	EA	20		
0101795	GASKET, PRE-CUT: MANUF P/N: GKT02490; FOR COMPRESSOR	EA	20		
0101796	GASKET, PRE-CUT: MANUF P/N: GKT2794; FOR COMPRESSOR	EA	20		
0101807	GASKET, PRE-CUT: MANUF P/N: GKT894F; FOR COMPRESSOR	EA	20		
0101808	GASKET, PRE-CUT: DIMENSIONS: WD 260 X LG 625 MM; ELIN 88KV TFR	EA	20		
0101809	GASKET, PRE-CUT: DIMENSIONS: OD 19 MM; SCARPO- MAG DISCON	EA	20		

0101810	GASKET, PRE-CUT: TYPE: CAP TO HEAD; WORTH TN COMP	EA	20		
0101812	GASKET, PRE-CUT: MANUF P/N: GKT2553; FOR COMPRESSOR	EA	20		
0101830	GASKET, PRE-CUT: SUPPL P/N: 159517219; DELLE 88KV CB	EA	20		
0101839	PACKING, PREFORMED: INSIDE DIAMETER: 323 MM; OUTSIDE DIAMETER: 343 MM; THICKNESS: 20 MM; TYPE: RING; MATERIAL: RUBBER SYNTHETIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	24		
0101840	PACKING, PREFORMED: INSIDE DIAMETER: 415 MM; OUTSIDE DIAMETER: 450 MM; THICKNESS: 38 MM; TYPE: RING; MATERIAL: RUBBER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	30		
0101863	GLAND, PACKING: DIMENSIONS: ID 50 X LG 31 MM; TYPE: FOLLOWER; MATERIAL: BRS	EA	20		
0101864	GLAND, PACKING: DIMENSIONS: ID 84 X LG 43 MM; TYPE: FOLLOWER; MATERIAL: BRS	PAA	20		
0101877	PACKING, PREFORMED: INSIDE DIAMETER: 32 MM; OUTSIDE DIAMETER: 38 MM; THICKNESS: 2 MM; TYPE: RING; MATERIAL: PVC; SPL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0101884	GLAND, PACKING: DIMENSIONS: ID 325 X LG 93 MM; TYPE: FOLLOWER; MATERIAL: BRS	EA	20		
0101885	GLAND, PACKING: DIMENSIONS: ID 393 X LG 209 MM; TYPE: FOLLOWER; MATERIAL: STL	EA	22		

0101912	PACKING, BULK: WIDTH: 13 MM; THICKNESS: 13 MM; MATERIAL: NON ASB; SHAPE: SQ; STAG STYLE 2000DA	KG	22		
0101913	PACKING, BULK: WIDTH: 19 MM; THICKNESS: 19 MM; LENGTH: 9.14 M; MATERIAL: GRAPHITE-FILLED EPTFE & ARAMID; APPLICATION: SLUICE AND ASH PUMP; MAX PRESSURE: 20 BAR; PH VALUE RANGE: 4.11; SPECIFICATION: DUAL 2211 CHESTERTON; TEMPERATURE RANGE: 260 DEG C; TYPE: BRAIDED; SHAPE: SQ; SUPPL P/N: STAG2000	KG	200		
0102072	PACKING, BULK: WIDTH: 16 MM; THICKNESS: 16 MM; LENGTH: 10 M; MATERIAL: GRAPHITE; SHAPE: SQ; SUPPL P/N: STAG2000-16	KG	20		
0102230	PACKING, BULK: WIDTH: 12 MM; THICKNESS: 12 MM; MATERIAL: NON ASB; SHAPE: SQ; SUPPL P/N: STAG2000; TO BE SUPPLIED IN 25KG BOXES	KG	20		
0102232	PACKING, PREFORMED: TYPE: WIPER RING; SUPPL P/N: W00750; VENDORS ARE RESPONSIBLE FOR ENSURING that they are PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102234	PACKING: TYPE: ROD; SUPPL P/N: 4224SD	EA	20		
0102235	PACKING: TYPE: ROD; SUPPL P/N: 40375	EA	20		
0102236	PACKING, PREFORMED: TYPE: WIPER RING; SUPPL P/N: W01000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102237	PACKING: TYPE: ROD; SUPPL P/N: 4224S	EA	20		
0102238	PACKING, PREFORMED: TYPE: WIPER RING; SUPPL P/N: W01250; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102243	PACKING: MATERIAL: FABRIC; SUPPL P/N: HC19682	EA	20		

0102244	GASKET, PRE-CUT: DIMENSIONS: 49 MM; MATERIAL: BRS; SHAPE: SQ; SUPPL P/N: HC29572	EA	20		
0102245	GASKET, PRE-CUT: DIMENSIONS: ID 1-3/2 IN; MATERIAL: KLINGERIT; SUPPL P/N: HC232	EA	20		
0102246	GASKET, PRE-CUT: MATERIAL: RUBBER; SUPPL P/N: UMC506	EA	20		
0102266	GASKET, PRE-CUT: DIMENSIONS: ID 50 X OD 57 MM	EA	20		
0102272	PACKING: MATERIAL: HALLPRENE; SUPPL P/N: 4037S	EA	20		
0102273	PACKING: MATERIAL: HALLPRENE; SUPPL P/N: R4224SD	EA	20		
0102276	GASKET, PRE-CUT: DIMENSIONS: ID 1-1/8 IN; MATERIAL: IRON ARMCO; DRGA	EA	20		
0102306	PACKING, PREFORMED: TYPE: RING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102316	PACKING: DIAMETER: 30 MM; SUPPL P/N: 7109QRICI/V	EA	20		
0102317	GLAND, PACKING: TYPE: SHAFT, D PUMP AAB 45-3 NF/NP 6724; SUPPL P/N: 511; 512; 509; REFERENCE NO: 1 PT 28P & 51G; 45-3 SECTION 50G, HYDROGEN PLANT	EA	20		
0102320	PACKING: TYPE: BAFFLE; SHAPE: RING; UPPER DE L	EA	20		
0102321	PACKING, PREFORMED: TYPE: RING, UPPER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102322	PACKING, PREFORMED: TYPE: RING; HALF LOWR NDE+LOWVENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		

0102328	PACKING: SUPPL P/N: S10-0163; H/PMP	EA	20		
0102330	PACKING, PREFORMED: TYPE: RING; SUPPL P/N: 121; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102337	GASKET, PRE-CUT: DIMENSIONS: ID 250 X OD 330 X THK 0.3 MM; MATERIAL: VELLUMOID	EA	20		
0102346	PACKING, PREFORMED: TYPE: RING; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102348	GLAND, PACKING: TYPE: MONO PUMP D900 NS; SHAPE: RD; REFERENCE NO: 1150822800; SPARES FOR MONO PUMP	EA	20		
0102349	PACKING, PREFORMED: TYPE: RING; SUPPL P/N: 36815; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102352	GASKET, PRE-CUT: SUPPL P/N: 401816; SKET	EA	20		
0102357	GLAND, PACKING: TYPE: MICROWIRE FILTER N7500B; SUPPL P/N: 6400113; 450LA22; DRAWING NO: B6400113 REV 1	EA	20		
0102360	GLAND, PACKING: TYPE: FLYGT PUMP; SUPPL P/N: 2776700	EA	20		
0102366	GLAND, PACKING: DIMENSIONS: 1-2 IN; SHAPE: SQ	EA	20		
0102367	GASKET, PRE-CUT: TYPE: HEAD; REFERENCE NO: B-9-4-009; BASTIAN ALLEN ELECTRODE STEAM BOILERS B0187, 380 VOLT, 352 KPA TYPE 29,70KN	EA	20		
0102371	GASKET, PRE-CUT: TYPE: COVER; SUPPL P/N: X1014 T56-52; X104T56-52; REFERENCE NO: 4402-3-4-5-6 & 7; VALVE INGERSOLL RAND TYPE XLE NL 16IN X 10IN 7IN AIR COMPRESSOR; HIGH PRESSURE	EA	20		

0102372	GASKET, PRE-CUT: TYPE: VALVE SEAT; MANUF P/N: X1014T 52-46; REFERENCE NO: 4402-3-4-5-6 & 7; UFD3 REGULATOR INGERSOLL RAND XLE NL 16 X 10 X 7IN AIR COMPRESSOR	EA	20		
0102373	GASKET, PRE-CUT: TYPE: OUTER HEAD	EA	20		
0102374	GASKET, PRE-CUT: TYPE: VALVE SEAT; SUPPL P/N: X1014 T 6863	EA	20		
0102376	GASKET, PRE-CUT: TYPE: PLUNGER GUIDE	EA	20		
0102377	GASKET, PRE-CUT: TYPE: METERING PIN	EA	20		
0102378	GASKET, PRE-CUT: TYPE: OUTSIDE WATER HEAD; MANUF P/N: IR 23599; REFERENCE NO: 4402-3-4-5-6 & 7; ITEM NO. 495 TYPE XLE NL 16 IN X 10 IN X 7 IN AIR COMPRESSOR	EA	20		
0102379	GASKET, PRE-CUT: DIMENSIONS: ID 335 X OD 405 X THK 1 MM; TYPE: FRAME TO TUBE PLATE; MATERIAL: KLINGERIT; 35MM WALL THICKNESS INGERSOLL COMP	EA	20		
0102380	GASKET: TYPE: INSIDE WATER HEAD; SUPPL P/N: W43286	EA	20		
0102382	GASKET, PRE-CUT: TYPE: FRAME HEAD; SUPPL P/N: 6421C1	EA	20		
0102383	GASKET, PRE-CUT: DIMENSIONS: ID 250 X OD 430 X THK 1.5 MM; TYPE: COVER; MATERIAL: KLINGERIT; CCA COMPRESSOR	EA	20		
0102384	GASKET, PRE-CUT: TYPE: COVER; SUPPL P/N: 5856C1	EA	20		
0102386	GASKET, PRE-CUT: MANUF P/N: K39A; PS 1605; COMPRESSOR	EA	20		
0102425	GASKET: TYPE: TANK PLATE	EA	20		
0102492	GASKET, PRE-CUT: SUPPL P/N: GC 99	EA	20		

0102495	GASKET, PRE-CUT: DIMENSIONS: ID 120 X OD 160 X THK 0.3 MM	EA	20		
0102504	GASKET: TYPE: LANCE TUBE; SUPPL P/N: 305656-0117	EA	47		
0102505	GASKET, PRE-CUT: DIMENSIONS: ID 42 X OD 58 X THK 3 MM; TYPE: FEED TUBE; MATERIAL: CU; SHAPE: RD; SUPPL P/N: 304634-0117TU; ANNEALED AFTER MACHINING	EA	28		
0102506	GASKET: TYPE: COMPANION FLANGE; SUPPL P/N: 318976; DIAMOND SOOTBLOWERS	EA	50		
0102514	GASKET, PRE-CUT: DIMENSIONS: ID 375 X OD 414 MM; TYPE: DE/NDE; SUPPL P/N: 51.39	EA	20		
0102515	GASKET, PRE-CUT: DIMENSIONS: ID 486 X OD 520 X THK 0.8 MM	EA	20		
0102516	GASKET, PRE-CUT: DIMENSIONS: ID 69.5 X OD 77 X THK 0.8 MM; SUPPL P/N: 31.36	EA	20		
0102517	GASKET, PRE-CUT: DIMENSIONS: ID 126 X OD 140 X THK 0.8 MM	EA	20		
0102518	GASKET, PRE-CUT: DIMENSIONS: ID 376 X OD 496 X THK 0.8 MM	EA	20		
0102519	GASKET, PRE-CUT: DIMENSIONS: ID 402 X OD 496 X THK 0.8 MM	EA	20		
0102520	GASKET, PRE-CUT: SUPPL P/N: 4180-G	EA	20		
0102521	GASKET, PRE-CUT: SUPPL P/N: 4991-G	EA	20		
0102522	GASKET, PRE-CUT: SUPPL P/N: 5413-G	EA	20		
0102525	GASKET, PRE-CUT: SUPPL P/N: 14273-G	EA	20		
0102529	GASKET SET: TYPE: OVERALL TOP; SUPPL P/N: PT68258; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		

0102530	GASKET SET: TYPE: OVERALL BOTTOM; SUPPL P/N: 68219; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102546	PACKING, PREFORMED: INSIDE DIAMETER: 50 MM; OUTSIDE DIAMETER: 65 MM; THICKNESS: 40 MM; TYPE: CLYDE SOOTBLOWER; MANUF P/N: 3000; ASSY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0102547	GLAND, PACKING: DIMENSIONS: ID 48 X OD 67 MM; TYPE: MOVING; MANUF P/N: 3000; 108MM LONG, FOR HOPK SOOT BLOWERS	EA	20		
0102554	PACKING, BULK: APPLICATION: JETIN HP PUMP MODEL 2000; TYPE: CHEVRON; MANUF P/N: 23554-313	EA	20		
0102557	PACKING: SHAPE: U; SUPPL P/N: 23554-108	EA	20		
0102590	GASKET, PRE-CUT: TYPE: VALVE; SUPPL P/N: 955-500-003; 955.500/003; ITEM NO 25 DELLE 400 KV AIR CIRCUIT BREAKERS	EA	20		
0103807	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: KLINGERITE GRAPHITE 2000 COATED; SPECIFICATION: BS 1832-2815A; BS 2815-1973; COMPOSITION COMPRESSED NON-ASBESTOS, BLACK, 3XA BOTH SIDES, MAXIMUM TEMPERATURE: 300 DEGREES CELCIUS, MAXIMUM PRESSURE: 40 BAR, NOT WIRE REINFORCED, ONE SHEET = 15.5 KG	KG	20		
0104037	GASKET, PRE-CUT: DIMENSIONS: ID 380 X OD 424 X THK 0.8 MM; REFERENCE NO: 11-61	EA	20		
0106312	PACKING, BULK: WIDTH: 25 MM; THICKNESS: 25 MM; MATERIAL: GRAPHITE; APPLICATION: MECHANICAL; MAX PRESSURE: STAT 20; ROTARY 68 BAR; PH VALUE RANGE: 4-10; TEMPERATURE RANGE: 260 DEG C; TYPE: BRAIDED ACRYLIC; SHAPE: SQ; SUPPL P/N: 1340; TO BE PACKED IN CARTONS OF 5 KG	KG	110		
0107051	PACKING, BULK: WIDTH: 8 MM; THICKNESS: 8 MM; SHAPE: SQ; MANUF P/N: 4788	KG	20		

0107053	PACKING, BULK: WIDTH: 12 MM; THICKNESS: 12 MM; SHAPE: SQ; MANUF P/N: 4788	KG	20		
0107827	GASKET, PRE-CUT: DIMENSIONS: ID 70 X OD 120 X THK 2 MM	EA	20		
0107831	GASKET, PRE-CUT: TYPE: COVER; STEAM TURBINE; FOR: 200 MM VALVE	EA	20		
0107863	GLAND, PACKING: TYPE: WATER PUMP	EA	20		
0107864	GASKET, PRE-CUT: TYPE: BROOMWADE AIR COMPRESSOR	EA	20		
0107868	GASKET, RING JOINT: INSIDE DIAMETER: 135 MM; OUTSIDE DIAMETER: 145 MM; THICKNESS: 1 MM; MATERIAL: CU; REFERENCE NO: C10500/26; FOR TYPE VC 350 DRY AIR COMPRESSOR; SHAPE: RD; TYPE: CYLINDER HEAD	EA	20		
0107870	GLAND, PACKING: TYPE: BDM 1000 COMPRESSOR; MATERIAL: CS; MANUF P/N: 20021-4; C20021-22; ITEM 35	EA	20		
0107871	GASKET, PRE-CUT: MATERIAL: CU; HOERBIGER COMPR	EA	20		
0107960	GASKET, PRE-CUT: TYPE: GUIDING ROD	EA	20		
0135230	SHEET, GASKET: THICKNESS: 12.7 MM; LENGTH: 1.22 M; WIDTH: 1.22 M; MATERIAL: TUFNOL KITE; TYPE INSULATION, MEDIUM WEAVE	KG	20		
0161735	SHEET, GASKET: THICKNESS: 0.25 MM; LENGTH: 30 M; WIDTH: 3.7 M; MATERIAL: PLASTIC; ROLL	M	30		
0172805	PACKING, BULK: WIDTH: 7.9 MM; THICKNESS: 7.9 MM; MATERIAL: CARBON FIBER; APPLICATION: PUMP AND VALVE; MAX PRESSURE: 250 BAR; PH VALUE RANGE: 0-13; TYPE: GENERAL SERVICE; SHAPE: SQ; SUPPL P/N: 477-1; MUST BE ASBESTOS FREE	KG	40		
0172807	PACKING, BULK: WIDTH: 10 MM; THICKNESS: 10 MM; MATERIAL: CARBON FIBER; SHAPE: SQ; SUPPL P/N:	KG	40		

	477-1; MUST BE ASBESTOS FREE, NOTE - ITEM MUST BE ORIGINAL PACKED				
0194143	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: FIBER; SUPPL P/N: C4324; KLINGERSIL; COLOUR ONE SIDE BLACK ONE SIDE GREEN	EA	50		
0194144	SHEET, GASKET: THICKNESS: 0.8 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: FIBER; REFERENCE NO: C4324; KLINGERSIL; COLOUR: ONE SIDE BLACK ONE SIDE GREEN	EA	35		
0194145	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: FIBER; SUPPL P/N: C4324; COLOUR ONE SIDE BLACK ONE SIDE GREEN; KLINGERSIL	EA	58		
0197973	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: GRAPHITE; REFERENCE NO: V15011Z31; SIGRAFLEX HOCHDRUCK ONLY; 0.5 MM SEAMLESS INTERLEAVED WITH 0.05 MM SS SHEETS	EA	120		
0197974	SHEET, GASKET: THICKNESS: 1 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: GRAPHITE SS WIRE REINFORCED; REFERENCE NO: V10011Z31	EA	49		
0197975	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: GRAPHITE; REFERENCE NO: V30011Z31; 0.5 MM SEAMLESS INTERLEAVED WITH 0.05 MM SS SHEETS	EA	80		
0210339	PACKING, BULK: WIDTH: 12.7 MM; THICKNESS: 12.7 MM; LENGTH: 8 M; MATERIAL: CARBON GRAPHITE; SHAPE: SQ; SUPPL P/N: 774; ONLY JOHN CRANE BRAND ACCEPTABLE, NOTE - THE ITEM MUST BE PROTECTIVE PACKED AND CLEARLY MARKED	EA	21		
0210363	SHEET, GASKET: THICKNESS: 0.5 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: ARAMID FIBER/NBR; SUPPL P/N: WEBA203; NOTE ONLY BURGMANN BRAND ACCEPTABLE, APPLICATION: OIL AND WATER, TEMPERATURE: 250 DEG C, PRESSURE: 50 BAR/725 PSI	EA	35		

0210819	SHEET, GASKET: THICKNESS: 0.4 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: VELLUMOID; SUPPLIER NOTE: EACH ROLL TO BE SEALED IN A PLASTIC BAG AND CLEARLY MARKED	M	20		
0211188	PACKING, BULK: WIDTH: 7.9 MM; THICKNESS: 7.9 MM; LENGTH: 8 M; MATERIAL: CARBON GRAPHITE; SHAPE: SQ; SUPPL P/N: G57; ONLY JOHN CRANE BRAND ACCEPTABLE, NOTE - THE ITEM MUST BE PROTECTED AND CLEARLY MARKED	EA	22		
0211189	PACKING, BULK: WIDTH: 6.3 MM; THICKNESS: 6.3 MM; LENGTH: 8 M; MATERIAL: CARBON GRAPHITE; SHAPE: SQ; SUPPL P/N: G57; ONLY JOHN CRANE BRAND ACCEPTABLE, NOTE - THE ITEM MUST BE PROTECTED, PACKED AND CLEARLY MARKED	EA	21		
0211221	PACKING, BULK: WIDTH: 9.5 MM; THICKNESS: 9.5 MM; LENGTH: 8 M; MATERIAL: CARBON GRAPHITE; SHAPE: SQ; SUPPL P/N: G57; ONLY JOHN CRANE BRAND ACCEPTABLE, NOTE - THE ITEM MUST BE PROTECTED PACKED AND CLEARLY MARKED	EA	28		
0211222	PACKING, BULK: WIDTH: 15.8 MM; THICKNESS: 15.8 MM; LENGTH: 8 M; MATERIAL: CARBON GRAPHITE; SHAPE: SQ; SUPPL P/N: G57; ONLY JOHN CRANE BRAND ACCEPTABLE, NOTE - THE ITEM MUST BE PROTECTED PACKED AND CLEARLY MARKED	EA	72		
0211974	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: GRAPHITE FLEXIBLE; SUPPL P/N: 2000; KLINGER; COLOUR BLACK; MAX TEMPERATURE 500 DEG C; WORKING TEMP 300 DEG C; MAX PRESSURE 100 BAR TO 10 MPA; WORKING PRESSURE 40 BAR TO 4 MPA; APPLICATIONS: STEAM FRF	EA	40		

0211975	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: GLASS FIBER/NBR; REFERENCE NO: C4430; KLINGERSIL; COLOUR ONE SIDE GREEN ONE SIDE WHITE; MAX TEMPERATURE 400 DEG C; WORKING TEMP 250 DEG C; MAX PRESSURE 60 BAR TO 6 MPA; WORKING PRESSURE 50 BAR TO 5 MPA	EA	150		
0212001	SHEET, GASKET: THICKNESS: 2 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: ARAMID FIBER NBR BONDED; SUPPL P/N: C4324; KLINGERSIL; COLOUR GREEN; MAX TEMPERATURE 300 DEG C; WORKING TEMP 150 DEG C; MAX PRESSURE 50 BAR TO 5 MPA; WORKING PRESSURE 40 BAR TO 4 MPA; APPLICATIONS STATOR COOLANT; HOT AND COLD POTABLE WATER, FUELS, HYDROCARBONS, LOW PRESSURE STEAM AND WATER AND HYDRAULIC OIL, NO FRF	EA	45		
0212002	SHEET, GASKET: THICKNESS: 2 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: GRAPHITE/FIBER SYNTHETIC; REFERENCE NO: KLINGER TOP GRAPH; KLINGER; COLOUR BLACK; MAX TEMPERATURE 500 DEG C; WORKING TEMP 300 DEG C; MAX PRESSURE 100 BAR TO 10 MPA; WORKING PRESSURE 40 BAR TO 4 MPA; APPLICATIONS STEAM FRF	EA	20		
0217147	SHEET, GASKET: THICKNESS: 2 MM; LENGTH: 1.5 M; WIDTH: 1.5 M; MATERIAL: PTFE; SUPPL P/N: 2003; PACKING, BULK, SHAPE FLAT; TOPCHEM	EA	57		
0217149	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1.5 M; WIDTH: 1.5 M; MATERIAL: PTFE 100 PCT; SUPPL P/N: HYGRADE LS; PACKING, BULK, SHAPE FLAT	EA	20		
0217150	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1.5 M; WIDTH: 1.5 M; MATERIAL: PTFE; SUPPL P/N: 2003; PACKING, BULK, SHAPE FLAT; TOPCHEM	EA	25		
0218752	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: NON ASB FIBER; SUPPL P/N: TOP MIC SW; KLINGER	EA	22		
0218753	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 2 M; WIDTH: 1.5 M; MATERIAL: NON ASB FIBER; SUPPL P/N: TOP MIC SW; KLINGER	EA	50		

0218754	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 2.4 M; WIDTH: 1.2 M; MATERIAL: RUBBER; TYPE INSERTION	KG	20		
0218755	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 2.4 M; WIDTH: 1.2 M; MATERIAL: RUBBER; TYPE INSERTION	KG	20		
0222704	PACKING: TYPE: GLAND; WIDTH: 10 MM; MATERIAL: BRAIDED; SHAPE: RD; DIAMETER: ID 60 X OD 80 X HT 85 MM; SUPPL P/N: 396741-010A; PACKING FEED TUBE, FOR USE ON DIAMOND POWER SOOTBLOWER IK525	EA	210		
0225471	PACKING, BULK: WIDTH: 24 MM; THICKNESS: 24 MM; MATERIAL: CARBON YARN SYNTHETIC; SHAPE: SQ; SUPPL P/N: 477; CHESTERTON	KG	20		
0225498	SHEET, GASKET: THICKNESS: 3 MM; MATERIAL: KLINGERITE; SUPPL P/N: 100	EA	23		
0226566	PACKING: TYPE: GLAND; MATERIAL: STL; SHAPE: RECT; DRAWING NO: CO-013-006220 REV 1; FOR PA FAN; DIMENSIONS: ID 10 X OD 80 X LG 140 MM	EA	20		
0229526	PACKING, PREFORMED: INSIDE DIAMETER: 20 MM; OUTSIDE DIAMETER: 30 MM; THICKNESS: 5 MM; TYPE: CHEVRON; REFERENCE NO: CH 118078; CONSUMABLES FOR TURBINE/AUXILIARY PLANT, SEAL HP CYL W/STM/ V/V SERVO; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0229527	GASKET, PRE-CUT: DIMENSIONS: ID 20 X OD 30 X THK 3.6 MM; MATERIAL: PTFE; SHAPE: RD; REFERENCE NO: CH 118078; PACKING TYPE CHEVRON, FOR TURBINE/AUXILIARY PLANT, SEAL HP CYL W/STM/ V / V SERVO	EA	20		
0229528	GASKET, PRE-CUT: DIMENSIONS: ID 20 X OD 30 X THK 4.5 MM; REFERENCE NO: CH 118078; PACKING TYPE CHEVRON, CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, SEAL HP CYL W/STM/ V/V SERVO	EA	20		
0229529	GASKET, PRE-CUT: DIMENSIONS: ID 20 X OD 30 X THK 4 MM; REFERENCE NO: CH 118078; PACKING TYPE	EA	20		

	CHEVRON, CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, SEAL HP CYL W/STM/ V/V SERVO				
0229530	GASKET, PRE-CUT: DIMENSIONS: ID 35 X OD 47 X THK 4.5 MM; REFERENCE NO: CH 185137; PACKING TYPE CHEVRON, CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, SEAL HP CYL W/STM/ V/V SERVO	EA	20		
0229531	GASKET, PRE-CUT: DIMENSIONS: ID 35 X OD 47 X THK 5.5 MM; REFERENCE NO: CH 185137; PACKING TYPE CHEVRON, CONSUMABLES FOR TURBINE AND AUXILIARY PLANT, SEAL HP CYL W/STM/ V/V SERVO	EA	20		
0230425	PACKING: TYPE: KNIFE GATE; REFERENCE NO: NG700-CW-SQ; SET, USED TO RECONDITION KNIFE GATE TYPE NG700-CW-SQ	EA	20		
0230427	SHEET, GASKET: THICKNESS: 1.5 MM; LENGTH: 1.5 M; WIDTH: 1.5 M; TYPE PACKING, REQUIRED FOR GENERAL USE IN PLANT	KG	27		
0230658	GASKET, PRE-CUT: TYPE: COMPANION FLANGE; PRESSURE RATING: 120 BAR; SUPPL P/N: 318976 - 1129; FOR USE ON SOOTBLOWERS	EA	20		
0231262	GASKET, PRE-CUT: DIMENSIONS: ID 110 X OD 160 X THK 1.5 MM; TYPE: TURBINE; MATERIAL: GRAPHITE; SHAPE: RD; PCD: 130 MM; HOLES: (4) DIA 15 MM; FOR USE ON FLANGES AND JOINTS ON TURBINE PLANT, HOCHDRUCK TYPE 2 BRAND ONLY	EA	20		
0231263	GASKET, PRE-CUT: DIMENSIONS: ID 45 X OD 80 X THK 3 MM; TYPE: TURBINE; MATERIAL: GRAPHITE; SHAPE: RD; FOR USE ON FLANGES AND JOINTS ON TURBINE PLANT, HOCKDRUCK TYPE 2 BRAND ONLY	EA	20		
0231264	GASKET, PRE-CUT: DIMENSIONS: ID 50 X OD 165 X THK 3 MM; TYPE: TURBINE; MATERIAL: GRAPHITE; SHAPE: RD; PCD: 125 MM; HOLES: (4) DIA 18 MM; FOR USE ON FLANGES AND JOINTS ON TURBINE PLANT, HOCHDRUCK TYPE 2 BRAND ONLY	EA	20		
0231265	GASKET, PRE-CUT: DIMENSIONS: ID 105 X OD 150 X THK 3 MM; MATERIAL: GRAPHITE; SHAPE: RD; FOR USE	EA	30		

	ON FLANGES AND JOINTS ON TURBINE PLANT, HOCHDRUCK TYPE 2 BRAND ONLY				
0231266	GASKET, PRE-CUT: DIMENSIONS: ID 162 X OD 285 X THK 1.5 MM; TYPE: TURBINE; MATERIAL: GRAPHITE; SHAPE: RD; PCD: 240 MM; HOLES: (8) DIA 22 MM; FOR USE ON FLANGES AND JOINTS ON TURBINE PLANT, HOCHDRUCK TYPE 2 BRAND ONLY	EA	40		
0231315	GASKET, PRE-CUT: TYPE: MOTOR; SUPPL P/N: 393728- 1123; SOOTBLOWERS	EA	20		
0231316	GASKET, PRE-CUT: TYPE: COVER PLATE; SUPPL P/N: 323447-2128; SOOTBLOWERS	EA	20		
0231317	GASKET, PRE-CUT: TYPE: COVER PLATE; SUPPL P/N: 339258-2122; SOOTBLOWERS	EA	20		
0231318	GASKET, PRE-CUT: TYPE: BEARING RETAINER; SUPPL P/N: 323449-2126; SOOTBLOWERS	EA	20		
0231319	GASKET, PRE-CUT: TYPE: HOUSING; SUPPL P/N: 323446-2129; SOOTBLOWERS	EA	20		
0231590	PACKING: TYPE: SOOTBLOWER FEED TUBE; SUPPL P/N: HG800-002; FEED TUBE SPARES FOR SOOTBLOWERS UNIT 2, 3/4, ASBESTOS FREE	EA	58		
0231591	GASKET, PRE-CUT: TYPE: FLANGE COMPANION; MATERIAL: NON ASB; SUPPL P/N: HG800-003; SPARES FOR HOPKINSON SOOTBLOWERS UNIT 2, 3 AND 4	EA	47		
0231592	GASKET: SUPPL P/N: HG800-004; TYPE OUTER LANCE, SPARES FOR HOPKINSON SOOTBLOWERS 2, 3 AND 4, ASBESTOS FREE	EA	62		
0231593	GASKET: TYPE: FEED TUBE; MATERIAL: NON ASB; SUPPL P/N: HG800-005; SPARES FOR HOPKINSON SOOTBLOWERS UNIT 2, 3 AND 4	EA	44		

0231594	GASKET, PRE-CUT: TYPE: HIGH TENSILE STUDS; MATERIAL: NON ASB; SUPPL P/N: HG800-006; SPARES FOR HOPKINSON SOOTBLOWERS UNIT 2, 3 AND 4	EA	36		
0231765	PACKING: SUPPL P/N: 907605-0008; SOOTBLOWER	EA	20		
0231810	GASKET, PRE-CUT: TYPE: SOOTBLOWER; SUPPL P/N: 393275-1138	EA	20		
0231929	PACKING: SUPPL P/N: 398443-010A; VALVE STEM, FOR USE ON SOOTBLOWER	EA	20		
0233755	GASKET, PRE-CUT: DIMENSIONS: WD 15 X LG 60 X THK 5 MM; TYPE: FILTER; MATERIAL: NEOPRENE; SUPPL P/N: BN398.03.2008; TO BE USE ON GENERATOR, EXCITER AND SLIPRINGS	EA	20		
0234769	GASKET, PRE-CUT: TYPE: FRAME; MATERIAL: RUBBER; SHAPE: RECT; DRAWING NO: FC 572 REV 1; FC 572 REV B REV 1; REFERENCE NO: KA 1832; MANUFACTURE FOR ASH HOPPER DOORS AS PER DRAWING, REQUIRED FOR UNITS 1, 2, 3, 4 AND 6; SIZE 5 FT 2 IN X 3 FT 5 3/4 IN X 2 1/4 IN WD X 1 1/16 THK	EA	21		
0234939	GASKET, RING JOINT: CROSS-SECTIONAL SHAPE: RD; INSIDE DIAMETER: 9-1/4 IN; OUTSIDE DIAMETER: 1 FT 1 IN; THICKNESS: 1/16 IN; MATERIAL: NON ASB; SUPPL P/N: 9 RH; FOR ASH HOPPER DOORS, UNITS 1, 2, 3, 4 AND 6	EA	20		
0234940	PACKING: TYPE: CYLINDER; MATERIAL: GRAPHITE; SHAPE: RD; DIAMETER: 3.502 IN; DRAWING NO: FC 407 REV 1; REFERENCE NO: KA 313; FOR ASH HOPPER DOORS, UNITS 1, 2, 3, 4/6, AS PER DRAWING, ASBESTOS FREE	EA	20		
0234949	PACKING, BULK: WIDTH: 1/2 IN; THICKNESS: 1/2 IN; LENGTH: 48 IN; MATERIAL: GRAPHITE; SHAPE: SQ; SUPPL P/N: FC 407 G; DRAWING NO: FC 407 REV 1; FOR ASH HOPPER DOORS, UNITS 1, 2, 3, 4 AND 6, ASBESTOS FREE, AS PER DRAWING	KG	22		
0236371	SHEET, GASKET: THICKNESS: 1 MM; LENGTH: 1.5 M; WIDTH: 1.2 M; MATERIAL: PTFE; FOR USE ON VALVES, UNITS 1, 2, 3, 4 AND 6, SEALING	EA	26		

0236372	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1 M; WIDTH: 1.2 M; MATERIAL: PTFE; SEALING, FOR USE ON VALVES, UNITS 1, 2, 3, 4 AND 6	EA	70		
0236373	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1 M; WIDTH: 1.2 M; MATERIAL: RUBBER SYNTHETIC BLACK; SEALING, FOR USE ON VALVES, UNITS 1, 2, 3, 4 AND 6	EA	71		
0236374	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1.5 M; WIDTH: 2 M; MATERIAL: KLINGERITE C4430; SEALING, FOR USE ON MILLS, UNITS 1, 2, 3, 4 AND 6	EA	35		
0236861	PACKING, BULK: WIDTH: 12.7 MM; THICKNESS: 12.7 MM; LENGTH: 8 M; MATERIAL: PTFE; SHAPE: SQ; STYLE C 1065	M	36		
0236862	PACKING, BULK: WIDTH: 8 MM; THICKNESS: 8 MM; LENGTH: 8 M; MATERIAL: PTFE; SHAPE: SQ; STYLE C 1065	M	28		
0236863	PACKING, BULK: WIDTH: 11.2 MM; THICKNESS: 11.2 MM; LENGTH: 8 M; MATERIAL: PTFE; SHAPE: SQ; STYLE C 1065	M	20		
0237364	PACKING, BULK: WIDTH: 15.8 MM; THICKNESS: 15.8 MM; LENGTH: 8 M; MATERIAL: PTFE; SHAPE: SQ; FOR USE ON ASH PUMPS, STYLE C1065	M	20		
0237365	PACKING, BULK: WIDTH: 9.5 MM; THICKNESS: 9.5 MM; LENGTH: 8 M; MATERIAL: PTFE; SHAPE: SQ; FOR USE ON ASH PUMPS, STYLE 1993	M	20		
0237389	PACKING: WIDTH: 9.5 MM; MATERIAL: GRAPHITE; SHAPE: SQ; THICKNESS: 9.5 MM; SLADE 3300G, FOR FEEDWATER VALVE APPLICATION, OPERATING TEMPERATURE AND PRESSURE 550 DEGREE CELSIUS AND 200 BAR RESPECTIVELY, MUST BE ORIGINALLY PACKED, MUST BE DELIVERED WITH THE RELEVANT OPERATING TECHNICAL INFORMATION, AND THE MATERIAL SAFETY DATA SHEET, MUST BE QUALITY CHECKED BY TURBINES ENGINEERING UPON DELIVERY	KG	50		
0238006	GASKET, PRE-CUT: DIMENSIONS: ID 225 X OD 375 X THK 1.5 MM; MATERIAL: GRAPHITE; SHAPE: RD; FOR	EA	21		

	USE ON FLANGES AND JOINTS ON TURBINE PLANT, HOCHDRUCK TYPE 2 BRAND ONLY, NO OF HOLES: 12				
0238811	GASKET SET: APPLICATION: MILL DOOR/INSPECTION COVER; SUPPL P/N: BOW 21 - 08/2; ITEMS TO BE PACKAGED AS A SET, INCLUDE LIST OF CONTENTS OF SET, CLEARLY MARKED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0238845	SHEET, GASKET: THICKNESS: 3 MM; LENGTH: 1.5 M; WIDTH: 1.5 M; MATERIAL: GORE; TYPE MILL, SHAPE SQUARE, REQUIRED FOR MILL LUBE OIL SYSTEM, UNITS 1, 2, 3, 4 AND 6	EA	80		
0240233	PACKING: TYPE: VALVE; WIDTH: 25 MM; MATERIAL: CARBON FIBER/GRAPHITE FOIL; SHAPE: SQ; THICKNESS: 25 MM; SUPPL P/N: 3300G; SLADE, REQUIRED FOR CW PUMPS 1 TO 4/ RESERVE	KG	40		
0240355	GASKET SET: TYPE: EFP; MODEL NO: HCD6N/8; FOR USE ON 50PCT KSB PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0240384	PACKING, PREFORMED: TYPE: RING; MATERIAL: COTTON/GRAPHITE; SUPPL P/N: 14353P; MODEL NO: M/P 6INX8IN; REFERENCE NO: 36; FOR USE ON PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0240385	PACKING, BULK: WIDTH: 9 MM; THICKNESS: 9 MM; MODEL NO: M/P 6INX8IN; REFERENCE NO: 37; FOR USE ON LONOVANE PUMP	KG	32		
0240399	PACKING, BULK: WIDTH: 9 MM; THICKNESS: 9 MM; LENGTH: 8 IN; MATERIAL: COTTON GRAPHITED; TYPE: RING; SHAPE: SQ; MODEL NO: M/P 3INX6IN; STEAM FEED EXTRACTION PUMP	EA	20		

0240408	GLAND, PACKING: TYPE: SPLIT; MODEL NO: M/P 4INX5IN; REFERENCE NO: 37; FOR MATHER AND PLATT MEDIVANE AUXILLARY COOLING WATER PUMP	EA	20		
0240409	PACKING, PREFORMED: TYPE: RING; MATERIAL: COTTON/GRAPHITE; MODEL NO: M/P 4INX5IN; REFERENCE NO: 38; FOR AUXILLARY COOLING WATER PUMP; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0242475	GASKET, SPIRAL WOUND: INNER RING INSIDE DIAMETER: 280 MM; OUTER RING OUTSIDE DIAMETER: 312 MM; PRESSURE RATING: 21 MPA; FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: AL; SHAPE: RD; USED ON HP HEATER FEED WATER INLET & OUTLET ISOLATING VALVE; MATERIAL CERTIFICATE REQUIRED	EA	20		
0242489	GASKET, SPIRAL WOUND: INNER RING INSIDE DIAMETER: 215 MM; OUTER RING OUTSIDE DIAMETER: 243 MM; PRESSURE RATING: 21 MPA; FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: AL; SHAPE: RD; USED ON ALL ELECTRIC FEED PUMPS; MATERIAL CERTIFICATE REQUIRED	EA	20		
0243335	GASKET, PRE-CUT: DIMENSIONS: ID 424 X OD 565 X THK 3 MM; TYPE: PIPE PF; MATERIAL: KLINGERSIL C4324; SHAPE: RD; PCD: 515 MM; HOLES: (16) DIA 26 MM; DRAWING NO: WL1/2722 REV 1	EA	20		
0243342	GASKET, PRE-CUT: DIMENSIONS: ID 564 X OD 670 X THK 3 MM; TYPE: PIPE PF; MATERIAL: KLINGERSIL C4324; SHAPE: RD; PCD: 620 MM; HOLES: (20) DIA 26 MM; DRAWING NO: WLI/2722 REV 1; REQUIRED FOR PF PIPING ON BABCOCK 8.5E MILLS, UNITS 1, 2, 3, 4 & 6	EA	38		
0243343	GASKET, PRE-CUT: DIMENSIONS: ID 424 X OD 550 X THK 3 MM; TYPE: PIPE PF; MATERIAL: KLINGERSIL C4324; SHAPE: RD; PCD: 510 MM; HOLES: (16) DIA 18 MM; DRAWING NO: WLI/2720 REV 1; REQUIRED FOR USE ON BURNER INLET PF PIPING, UNITS 1, 2, 3, 4 & 6	EA	39		
0243344	GASKET, PRE-CUT: DIMENSIONS: ID 134 X OD 513 X THK 3 MM; TYPE: PIPE PF; MATERIAL: KLINGERSIL	EA	20		

	C4324; SHAPE: RD; DRAWING NO: WLI/2720 REV 1; REQUIRED FOR USE ON PF PIPING & ISOLATING VALVE, UNITS 1, 2, 3, 4 & 6				
0243345	GASKET, PRE-CUT: DIMENSIONS: ID 530 X OD 750 X THK 3 MM; TYPE: BABCOCK 8.5E MILL OUTLET PF PIPING; MATERIAL: KLINGERSIL C4324; SHAPE: RD; PCD: 686 MM; HOLES: (16) DIA 28.5 MM; DRAWING NO: WLI/2720 REV 1; UNITS 1, 2, 3, 4 & 6	EA	18		
0243500	PACKING: TYPE: GASKET; LENGTH: 73 MM; WIDTH: ID 18 MM; MATERIAL: SS GR 316; SHAPE: CYL; THICKNESS: 16 MM; DIAMETER: 28.5 MM; SUPPL P/N: 022407001-AT; REFERENCE NO: 4372-000-01; APPLICATION: LIP GASKET SHEET	KG	20		
0244037	GASKET, PRE-CUT: DIMENSIONS: ID 325 X OD 385 X THK 2 MM; THICKNESS: 3 MM; TYPE: TOP COVER; MATERIAL: GRAPHITE; SHAPE: RD; SUPPL P/N: 0832644; FOR ELECTRODE BOILER, AS PER ATTACHED DRAWING AND SPARE PART NUMBER SPREADSHEET, TO BE STORED IN DRY WEATHER PROTECTED CONDITIONS, TYPE: THE200	EA	20		
0244041	GASKET, PRE-CUT: DIMENSIONS: ID 30 X OD 56 MM; THICKNESS: 3 MM; TYPE: INSULATOR; MATERIAL: METAFLEX; SHAPE: RD; SUPPL P/N: 0282015; FOR ELECTRODE BOILER; TYPE: THE200; AS PER ATTACHED DRAWING AND SPARE SPREADSHEET, TO BE STORED IN DRY WEATHER PROTECTED CONDITIONS	EA	20		
0244505	GASKET, SPIRAL WOUND: FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: SS GR 304; MANUF P/N: P-10854; REQUIRED FOR WAHLCO SO3 PLANT, 150	EA	22		
0244506	GASKET, SPIRAL WOUND: FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: SS GR 304; SHAPE: RD; MANUF P/N: P-10845; REQUIRED FOR WAHLCO SO3 PLANT; 150	EA	25		
0244541	GASKET, SPIRAL WOUND: FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: SS GR 304; SHAPE: RD; MANUF P/N: P-10910; REQUIRED FOR WAHLCO SO3 PLANT, 150	EA	20		

0244542	GASKET, SPIRAL WOUND: FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: SS GR 304; SHAPE: RD; MANUF P/N: P-10937; REQUIRED FOR WAHLCO SO3 PLANT; 150	EA	22		
0244543	GASKET, SPIRAL WOUND: FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: SS GR 304; SHAPE: RD; MANUF P/N: P-10840; REQUIRED FOR WAHLCO SO3 PLANT; 300	EA	20		
0244544	GASKET, SPIRAL WOUND: FILLER MATERIAL: CERAMIC; SHAPE: RD; SUPPL P/N: P-10945; REQUIRED FOR WAHLCO SO3 PLANT, HEATER, STANDARD STEEL CLAD	EA	20		
0244545	GASKET, SPIRAL WOUND: SHAPE: RD; MANUF P/N: P-10877; REQUIRED FOR WAHLCO SO3 PLANT; 300	EA	20		
0244546	GASKET, SPIRAL WOUND: WINDING MATERIAL: SS GR 304; SHAPE: RD; MANUF P/N: P-10863; REQUIRED FOR WAHLCO SO3 PLANT; 150	EA	20		
0244547	GASKET, SPIRAL WOUND: SHAPE: RD; SUPPL P/N: P-12943; REQUIRED FOR WAHLCO SO3 PLANT, MOLTEN SULPHUR STORAGE TANK, 24 INCH MANWAY	EA	20		
0244548	GASKET, PRE-CUT: TYPE: FILTER SEALING; SHAPE: RD; SUPPL P/N: P-13395; REQUIRED FOR WAHLCO SO3 PLANT	EA	20		
0244560	GASKET, SPIRAL WOUND: FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: SS GR 304; SHAPE: RD; MANUF P/N: P-10877; REQUIRED FOR WAHLCO SO3 PLANT, C6-3H	EA	20		
0247271	SHEET, GASKET: THICKNESS: 10 MM; LENGTH: 1 M; WIDTH: 1.2 M; MATERIAL: NEOPRENE; SUPPL P/N: DAN08NP25118/8; REQUIRED FOR USE ON COAL AND ASH PLANT, RED, NON LAMINATED	EA	40		
0249474	PACKING, BULK: WIDTH: 25 MM; THICKNESS: 25 MM; LENGTH: 20 M; TYPE: GLAND; LUBRICATION MATERIAL: GRAPHITE; SHAPE: SQ; USE ON UNIT 5, LOESCHE MILLING PLANT	EA	161		

0249480	PACKING, BULK: WIDTH: 10 MM; THICKNESS: 10 MM; LENGTH: 20 M; TYPE: GLAND; LUBRICATION MATERIAL: GRAPHITE; SHAPE: SQ; REQUIRED FOR USE ON UNIT 5, LOESCHE MILLING PLANT	EA	79		
0249635	GASKET, SPIRAL WOUND: INNER RING INSIDE DIAMETER: 5.18 MM; OUTER RING OUTSIDE DIAMETER: 6.18 MM; SUPPL P/N: 255590524; USED IN SPRAY WATER CONTROL VALVES; THK 347/CARB	EA	20		
0249818	PACKING, BULK: WIDTH: 15.8 MM; THICKNESS: 15.8 MM; APPLICATION: ASH PLANT SUPER SLURRY; TYPE: GLAND; SHAPE: SQ; SUPPL P/N: 1830	KG	67		
0250639	GASKET, PRE-CUT: DIMENSIONS: ID 2 X OD 3 IN; TYPE: STEAM; MATERIAL: KLINGER 2000; SHAPE: RD; DRAWING NO: FB7869/44-75 REV 1; REQUIRED FOR USE ON HOPKINSON SOOTBLOWERS OUTER LANCES, UNITS 2, 3 & 4	EA	24		
0252190	PACKING, PREFORMED: INSIDE DIAMETER: 26 MM; OUTSIDE DIAMETER: 46 MM; THICKNESS: 11 MM; TYPE: TURBINE FORCED COOLING VALVE GLAND; MATERIAL: GRAPHITE GR NUCLEAR; COLOR: GRAY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	80		
0252761	GASKET, PRE-CUT: TYPE: TIE ROD; SUPPL P/N: 3-0241; REQUIRED FOR USE ON PROCAL P200 FOR DUST MONITOR	EA	20		
0252764	GASKET, PRE-CUT: TYPE: MIRROR END; SUPPL P/N: 4-6077; REQUIRED FOR USE ON PROCAL P200 DUST MONITOR	EA	20		
0252766	GASKET, PRE-CUT: TYPE: VOID END; SUPPL P/N: 4-6111-00; REQUIRED FOR USE ON PROCAL P200 FOR DUST MONITOR	EA	20		
0252767	GASKET, PRE-CUT: TYPE: FLANGE; REQUIRED FOR USE ON PROCAL P200 FOR DUST MONITOR	EA	20		
0252869	GLAND, PACKING: DIMENSIONS: WD 15.8 MM X LG 8 M; MATERIAL: PTFE BRAIDED; SHAPE: SQ; SUPPL P/N:	EA	20		

	87453647; REQUIRED FOR DUST HOPPER AGI TATOR GLANDS ON FABRIC FILTER PLANT, ONLY JOHN CRANE BRAND ACCEPTABLE, STYLE 1993				
0252896	GASKET, PRE-CUT: DIMENSIONS: ID 1.39 M X OD 1.51 M X THK 2 MM; MATERIAL: NON ASB FIBER COMPRESSED BS 7531; SHAPE: RD; HOLES: (24) DIA 22 MM; DRAWING NO: 70211/B838/34571/0006 REV 1; REQUIRED FOR USE ON PF BURNERS, UNIT 1 TO 6	EA	20		
0252897	GASKET, PRE-CUT: DIMENSIONS: ID 915 MM X OD 1.02 M X THK 2 MM; MATERIAL: NON ASB FIBER COMPRESSED BS 7531; SHAPE: RD; HOLES: (24) DIA 18 MM; DRAWING NO: 70211/B838/34575/0020 REV 1; REQUIRED FOR USE ON PF BURNERS, UNIT 1 TO 6	EA	20		
0252898	GASKET, PRE-CUT: DIMENSIONS: ID 770 X OD 890 X THK 2 MM; MATERIAL: NON ASB FIBER COMPRESSED BS 7531; SHAPE: RD; HOLES: (28) DIA 26 MM; DRAWING NO: 70211/B838/34575/0021 REV 1; REQUIRED FOR USE ON PF BURNERS, UNIT 1 TO 6	EA	20		
0252899	GASKET, PRE-CUT: DIMENSIONS: ID 180 X OD 240 X THK 2 MM; MATERIAL: NON ASB FIBER COMPRESSED BS 7531; SHAPE: RD; HOLES: (6) DIA 14 MM; DRAWING NO: 70211/B838/34575/0024 REV 1; REQUIRED FOR USE ON PF BURNERS, UNIT 1 TO 6	EA	20		
0253031	PACKING, PREFORMED: INSIDE DIAMETER: 38 MM; OUTSIDE DIAMETER: 51 MM; THICKNESS: 10 MM; TYPE: U1 TO 6 KSB VALVE; MATERIAL: GRAPHITE GR NUCLEAR; COLOR: GRAY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		
0253032	PACKING, PREFORMED: INSIDE DIAMETER: 22 MM; OUTSIDE DIAMETER: 30 MM; THICKNESS: 10 MM; TYPE: U1 TO 6 KSB VALVE; MATERIAL: GRAPHITE GR NUCLEAR; COLOR: GRAY; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	EA	20		

0254972	GASKET, PRE-CUT: DIMENSIONS: ID 2-1/2 IN; TYPE: SKID FLANGE CONVERTER; SUPPL P/N: 10870; REFERENCE NO: 105RF	EA	20		
0254978	GASKET, SPIRAL WOUND: INNER RING MATERIAL: SS GR 304; FILLER MATERIAL: GRAPHITE; SUPPL P/N: 10873; REFERENCE NO: 150; 2-1/2 INCH	EA	20		
0254979	GASKET, PRE-CUT: DIMENSIONS: ID 8 IN; TYPE: BLUGARD; SUPPL P/N: 10934; REFERENCE NO: 150; INJECTION PROBES	EA	20		
0254980	GASKET, PRE-CUT: DIMENSIONS: ID 2-1/2 IN; TYPE: FLANGE RF; MATERIAL: SS GR 316; MANUF P/N: 18191; REFERENCE NO: 150	EA	20		
0256256	GLAND, PACKING: DIMENSIONS: ID 26 X OD 38 X LG 66 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	35		
0256257	GLAND, PACKING: DIMENSIONS: ID 25 X OD 41 X THK 66 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256258	GLAND, PACKING: DIMENSIONS: ID 32 X OD 46 X THK 65 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256259	GLAND, PACKING: DIMENSIONS: ID 19 X OD 24 X THK 41 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256260	GLAND, PACKING: DIMENSIONS: ID 19 X OD 32 X THK 40 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256261	GLAND, PACKING: DIMENSIONS: ID 25 X OD 41 X THK 30 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256262	GLAND, PACKING: DIMENSIONS: ID 44.7 X OD 70.4 X THK 160 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256263	GLAND, PACKING: DIMENSIONS: ID 28 X OD 40 X THK 50 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256264	GLAND, PACKING: DIMENSIONS: ID 28 X OD 46 X THK 55 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		

0256265	GLAND, PACKING: DIMENSIONS: ID 40 X OD 60 X THK 55 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256266	GLAND, PACKING: DIMENSIONS: ID 22 X OD 36 X THK 45 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256267	GLAND, PACKING: DIMENSIONS: ID 18 X OD 30 X THK 30 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	60		
0256268	GLAND, PACKING: DIMENSIONS: ID 22 X OD 35 X THK 46 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256269	GLAND, PACKING: DIMENSIONS: ID 12.5 X OD 19.8 X THK 21 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256275	GLAND, PACKING: DIMENSIONS: ID 20 X OD 30 X THK 60 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	46		
0256276	GLAND, PACKING: DIMENSIONS: ID 24 X OD 34 X THK 80 MM; TYPE: VALVE; MATERIAL: GRAPHITE	EA	20		
0256277	GASKET, PRE-CUT: DIMENSIONS: ID 58 X OD 80 X THK 4.5 MM; TYPE: VALVE; MATERIAL: METAFLEX; SHAPE: RD; PRESSURE RATING: 10 MPA; TEMPERATURE RATING: 530 DEG C	EA	20		
0256278	GASKET, PRE-CUT: DIMENSIONS: ID 47 X OD 66 X THK 4.5 MM; TYPE: VALVE; MATERIAL: METAFLEX; PRESSURE RATING: 10 MPA; TEMPERATURE RATING: 530 DEG C	EA	22		
0256279	GASKET, PRE-CUT: DIMENSIONS: ID 53 X OD 81 X THK 4.5 MM; TYPE: VALVE; MATERIAL: METAFLEX; PRESSURE RATING: 10 MPA; TEMPERATURE RATING: 530 DEG C	EA	20		
0256280	GASKET, PRE-CUT: DIMENSIONS: ID 125 X OD 150 X THK 4.5 MM; TYPE: VALVE; MATERIAL: METAFLEX; SHAPE: RD; PRESSURE RATING: 12 MPA; TEMPERATURE RATING: 530 DEG C	EA	20		
0256281	GASKET, PRE-CUT: DIMENSIONS: ID 65 X OD 92 X THK 4.5 MM; TYPE: VALVE; MATERIAL: METAFLEX; SHAPE: RD; PRESSURE RATING: 12 MPA; TEMPERATURE RATING: 530 DEG C	EA	20		

0256282	GASKET, PRE-CUT: DIMENSIONS: ID 216 X OD 245 X THK 4.5 MM; TYPE: VALVE; MATERIAL: METAFLEX; SHAPE: RD; PRESSURE RATING: 16 MPA; TEMPERATURE RATING: 200 DEG C	EA	20		
0256627	PACKING, BULK: WIDTH: 15.8 MM; THICKNESS: 15.8 MM; LENGTH: 12 M; MATERIAL: AERO DRUM MATERIAL ONLY, NON-COMPRESSING; APPLICATION: PUMP MAXIMUM SHAFT SPEED 12 M/S; MAX PRESSURE: 56 BAR; TEMPERATURE RANGE: -40 TO 260 DEG C; TYPE: CARIER; SHAPE: SQ; REFERENCE NO: STYLE 99	EA	46		
0501105	PACKING, BULK: WIDTH: 20.6 MM; THICKNESS: 20.6 MM; LENGTH: 10 M; MATERIAL: AERO DRUM MATERIAL ONLY; MAX PRESSURE: 56 BAR; PH VALUE RANGE: 3-12; TEMPERATURE RANGE: -15 TO 260 DEG C; TYPE: CARIER; SHAPE: SQ; 2.5 KG BOX; STYLE 99.	EA	31		
0552888	PACKING, BULK: WIDTH: 16 MM; THICKNESS: 16 MM; LENGTH: 12 M; MATERIAL: GRAPHITE-FILLED EPTFE & ARAMID; APPLICATION: ASH WATER/SLURRY; MAX PRESSURE: 20 BAR; PH VALUE RANGE: 4-11; SPECIFICATION: DUAL 2211 CHESTERTON; TEMPERATURE RANGE: 260 DEG C; TYPE: BRAIDED; LUBRICATION MATERIAL: FILCOAT; SHAPE: SQ; WEIGHT: 3.92 KG	KG	220		
0563075	GLAND, PACKING: DIMENSIONS: ID 13 X OD 22 X HT 24 MM; TYPE: VALVE; MATERIAL: GRAPHITE; SHAPE: ROUND; MANUF P/N: 398443-01 0A; ONE SET CONSISTS OF 5 RINGS; FOR USE ON POPPET VALVE FOR SOOTBLOWERS	EA	20		
0563904	PACKING, BULK: WIDTH: 19 MM2; THICKNESS: 19 MM2; LENGTH: 9.2 M; MATERIAL: AERO DRUM; APPLICATION: ASH; WATER; SLURRY; MAX PRESSURE: 56 BAR; PH VALUE RANGE: 3-12; TEMPERATURE RANGE: 260 DEG C; TYPE: CARIER; LUBRICATION MATERIAL: GRAPHITE/PTFE; SHAPE: SQ; STYLE 99; 2.5 KG BOX	EA	52		

0565172	GASKET: TYPE: BOND; DIMENSIONS: ID 800 MM; MATERIAL: RUBBER; SHAPE: ROUND; APPLICATION: LOAD CELL; USED ON THE WEIGH BRIDGE FOR COAL PLANT	EA	30		
0571094	SHEET, GASKET: THICKNESS: 2 MM; LENGTH: 1 M; WIDTH: 1 M; MATERIAL: GRAPHITE; REFERENCE NO: V0011Z31; USED ON HIGH TEMPERATURE FEEDWATER AND STEAM; 0.5 MM SEAMLESS INTERLEAVED WITH 0.05 MM SS SHEETS	EA	55		
0571415	GASKET, SPIRAL WOUND: INNER RING INSIDE DIAMETER: 67 MM; OUTER RING OUTSIDE DIAMETER: 143 MM; PRESSURE RATING: 120 BAR; FILLER MATERIAL: GRAPHITE; WINDING MATERIAL: GRAPHITE; SHAPE: ROUND; THICKNESS: 3.2 MM; MANUF P/N: 397735-01 0A; USED FOR SEALING APPLICATION ON VALVES	EA	30		
0581944	GASKET: TYPE: METAFLEX; DIMENSIONS: ID 280 X OD 315 X THK 4.5 MM; MATERIAL: GRAPHITE; APPLICATION: VALVE; SPECIFICATION: STYLE 304SS; METAFLEX GASKET; USED ON HP HEATER FEEDWATER ISOLATING	EA	40		
0609104	GASKET, SPIRAL WOUND: INNER RING INSIDE DIAMETER: 55 MM; OUTER RING OUTSIDE DIAMETER: 121 MM; PRESSURE RATING: 8 MPA; FILLER MATERIAL: GRAPHITE 304; WINDING MATERIAL: MS 304; SHAPE: CIRCULAR; THICKNESS: 4.5 MM; SUPPL P/N: TYLE-CRIR-121/87/68/55/4.5; USED ON AUX STEAM STRAINER GASKET; A CIRCULAR OR MODERATELY NONCIRCULAR SHAPED SEALING MATERIAL WITH AN APERTURE CONSTRUCTED OF SPRING-LIKE METAL STRIPS; PREFORMED INTO V-SHAPE; WITH SOFT FILLER AND DESIGN TO SEAL BETWEEN TWO NON-DEFORMING SURFACES; WHICH MAY HAVE AN INNER AND/OR OUTER; SOLID OR SPRIRAL WOUND COMPRESSION RING(S); IT IS A STRONG SPIRAL WOUND GASKET; WHICH ARE A POPULAR CHOICE FOR AN ARRAY OF CONDITIONS AND APPLICATION	EA	30		
0616591	PACKING: TYPE: SQ; LENGTH: 50 M; WIDTH: 5 MM; MATERIAL: FELT; SHAPE: SQ; THICKNESS: 5 MM; DIAMETER: 5 MM; MANUF P/N: Y20012183; 3 INCHES; FIG 7020; REF 930 X 931	EA	66		

0628098	GASKET: TYPE: SEALING; DIMENSIONS: 128 MM; MATERIAL: COMPOSITE; STYLE: FLAT; SHAPE: ROUND; APPLICATION: HP CONTROL CV SERVOMOTOR; OEM P/N: 5160-050, OEM: GE STEAM POWER SERVICE; DRAWING NO: B42.51600-0187; REFERENCE NO: SZ50003383	EA	30		
0628099	GASKET: TYPE: SEALING; DIMENSIONS: 510 X 470 MM; MATERIAL: COMPOSITE; STYLE: FLAT; SHAPE: RECTANGULAR; APPLICATION: HP CONTROL CV SERVOMOTOR; OEM P/N: 5160-051, OEM: GE STEAM POWER SERVICE; DRAWING NO: B42.51600-0187; REFERENCE NO: SZ50003384	EA	30		
0645940	GASKET, SPIRAL WOUND: STYLE: R; INNER RING INSIDE DIAMETER: 50 MM; FILLER OUTSIDE DIAMETER: 86 MM; FILLER INSIDE DIAMETER: 65 MM; OUTER RING OUTSIDE DIAMETER: 119 MM; PRESSURE RATING: 8 MPA; INNER RING MATERIAL: SS; FILLER MATERIAL: SS; WINDING MATERIAL: SS; SHAPE: ROUND; THICKNESS: 4.5 MM; 360 DEG C	EA	30		
0674665	PACKING, BULK: WIDTH: 19 MM; THICKNESS: 19 MM; LENGTH: 10 M; MATERIAL: PTFE/GRAPHITE CARBON REINFORCED; APPLICATION: 1830 SSP SLURRY PUMP AND SLUICE PUMP; MAX PRESSURE: 28 BAR; PH VALUE RANGE: 0-2; SPECIFICATION: CHESTERTON DUALPAC; TEMPERATURE RANGE: 260 DEG C; TYPE: SEAL; LUBRICATION MATERIAL: GRAPHITE/PTFE; SHAPE: SQUARE; WEIGHT: 4.54KG; SPEED: 18 M/S	EA	48		
0674671	PACKING, BULK: WIDTH: 16 MM; THICKNESS: 16 MM; LENGTH: 10 M; MATERIAL: PTFE/GRAPHITE CARBON REINFORCED; APPLICATION: 1830-SSP SLURRY PUMP AND SLUICE PUMP; MAX PRESSURE: 28 BAR; PH VALUE RANGE: 0-2; SPECIFICATION: CHESTERTON DUALPAC; TEMPERATURE RANGE: 260 DEG C; TYPE: SEAL; SHAPE: SQUARE; WEIGHT: 4.54 KG; SPEED: 18 M/S	EA	40		
0693022	GASKET: TYPE: SEALING; DIMENSIONS: WD 80 X LG 130 MM; MATERIAL: COMPOSITE; SHAPE: RECTANGULAR; APPLICATION: HP ESV SERVO MOTOR; OEM P/N: 7160-114, OEM: GE STEAM POWER SERVICE; DRAWING NO: A42.71600-0164 REV 0; REFERENCE NO: SZ50005834	EA	40		

Compiled by: Gloria Tshikomba

Date: 22.03.2024

Signature: *gtshikomba*