SBD 1 PART A INVITATION TO BID

e draw stylenia	Magazia.	\$1818 (1 <u>8.35)</u> (19.66) (1	egatoria profesionale profesionale	187 183 January 188 1834	sad pas	Secondari	ing the second of the	o de Stado e especió (
		52/2025/26	CLOSING DATE:	0011001	23/09/2025		OSING TIME:	11H00
			ON: STORM DAMAGED Y SCHOOL, MPHAANEN					
BID RESPONSE D	OCUM	ENTS MAY BE DI	EPOSITED IN THE BID B	OX SITUATED	AT (STREET ADD	RESS) N	10 43 CHURCH	STREET
POLOKWANE	English (
Please fill in the	e forn	ns by hand do	not type the forms.					
BIDDING PROCED	URE E	NQUIRIES MAY	BE DIRECTED TO	TECHNICAL I	NQUIRIES MAY	BE DIRE	CTED TO:	
CONTACT PERSO	N			CONTACT PE	RSON			
TELEPHONE NUM	BER			TELEPHONE	NUMBER			
FACSIMILE NUMBI	ER			FACSIMILE N	UMBER			
E-MAIL ADDRESS		·		E-MAIL ADDR	RESS			
SUPPLIER INFORI		N's						
NAME OF BIDDER								
POSTAL ADDRESS								
STREET ADDRESS		CODE			NUMBER			
TELEPHONE NUM		CODE			NUMBER			
CELLPHONE NUM		0005			NUMBER			
FACSIMILE NUMB		CODE			NUMBER			
E-MAIL ADDRESS VAT REGISTRA								
NUMBER	1014			1		- T		
SUPPLIER COMPLIANCE STA	ATHE	TAX COMPLIANCE			CENTRAL SUPPLIER			
COMPLIANCE STA	1100	SYSTEM PIN:		OR	DATABASE			
					No:	MAAA		
ARE YOU THE ACCREDITED				ADEVOLLE	ODEION BACES			
REPRESENTATIVE	I	□V	□N1-		OREIGN BASED OR THE GOODS		∐Yes	□No
SOUTH AFRICA FO	UK	∐Yes	□No	/SERVICES C			 [IF YES, ANSV	VER THE
/SERVICES		[IF YES ENCLO	SE PROOF]				QUESTIONNA	
OFFERED? QUESTIONNAIRE	TO BIT	DING FORFIGN	SLIPPLIFRS					
				DA (DCA)O				=e □ NO
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES NO			ES NO					
DOES THE ENTITY HAVE A BRANCH IN THE RSA?						ES NO		
			ESTABLISHMENT IN TH OF INCOME IN THE RSA'					ES INO
								_
IF THE ANSWER	IS "NO	" TO ALL OF TH	ANY FORM OF TAXATIO IE ABOVE, THEN IT IS N FRICAN REVENUE SER'	IOT A REQUIR	EMENT TO REGIS	STER FO	OR A TAX COM	S NO Pliance Status N.

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS, LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE. THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	RTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	***************************************
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

SBD4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2	Do you, or any person connect person who is employed by the	ed with the bidder, have a relation procuring institution? YES/NO	nship with any
2.2.1	If so, furnish particulars:		
2.3	partners or any person having interest in any other related er contract?	directors / trustees / shareholders a controlling interest in the enterp terprise whether or not they are be YES/NO	rise have any
	ECLARATION		• •
	I,	the	undersigned,

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

(name)...... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

	Signature	Date
	Position	Name of bidder
		SBD 6.1
F		M FORM IN TERMS OF THE PREFERENTIAL MENT REGULATIONS 2022
		rt of all tenders invited. It contains general orm for preference points for specific goals.
NB:	GENERAL CONDITIONS	THIS FORM, TENDERERS MUST STUDY THE DEFINITIONS AND DIRECTIVES APPLICABLE ENDER AND PREFERENTIAL PROCUREMENT
1.	GENERAL CONDITIONS	
1.1	The following preference pol	int systems are applicable to invitations to tender:
	(all applicable taxes in	equirements with a Rand value above R50 000 000
1.2	To be completed by the o	organ of state
	(delete whichever is not a	pplicable for this tender).
	a) The applicable preference system.	point system for this tender is the 80/20 preference point
1.3	Points for this tender (even i shall be awarded for:	n the case of a tender for income-generating contracts)
	(a) Price; and	
	(b) Specific Goals.	
1.4	To be completed by the or	gan of state:
	The maximum points for this	s tender are allocated as follows:

POINTS

PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of incomegenerating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1-rac{Pt-P\,min}{P\,min}
ight)$$
 or $Ps = 90\left(1-rac{Pt-P\,min}{P\,min}
ight)$ Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$$
 or $Ps = 90\left(1 + \frac{Pt - Pmax}{Pmax}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to

determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises owned by People with Disabilities	1	2	-	
(Submit: Disability certificate issued by health professionals)				
Enterprises owned by Women	4	7	_	
(Submit: Central Supplier Database (CSD).				
Small, Medium and Micro Enterprises (SMMEs).	1	2	-	
(Submit: Central Supplier Database (CSD).				
Enterprises owned by Youth.	1	4	-	
(Central Supplier Database (CSD).				
Enterprises located in Limpopo Province	3	5	-	
(Municipal Utility Bills or Lease Agreement or Proof of Residence from Tribal Authority/Municipal Council				

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
4.4.	Company registration number:
45	TYPE OF COMPANY/ FIRM


Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

SIGNATURE(S) OF TENDERER(S)

PAC : 352 /25/26

CONFIDENTIAL DOCUMENT



Ref

:

Date

: 03 September 2025

REQUEST FOR QUOTATION: STORM DAMAGED SCHOOLS PROGRAMME

1. INVITATION

- 1.1 The Limpopo Department of Public Works, Roads and Infrastructure invites Geotechnical Professional Service Providers to render Geotechnical investigations for the Department of Education Storm Damaged School's projects.
- 1.2 The school's are listed as follows:
 - Maimela Primary School
 - Mphaaneng Primary School
 - Mokomene Primary School
- 1.3 For Geotechnical Engineering works, the service provider to have at least one (1) professionally registered persons who is registered with ECSA or SACNASP as PrEng, PrTechEng. or Pr. Sci. Nat., with over 3 years of registration experience in borehole development projects.

2. SCOPE OF WORKS

The scope of works, site and related conditions are contained on the request for Task Order contained herein.

3. REQUIRED DOCUMENTS

- Company Profile
- Latest CSD Summary Report (No older than one week from date of quotation submission)
- Professional indemnity Cover or Professional Registration Certificate of Responsible person
- B-BBEE Certificate
- Programme of works



DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE

Ref.

Eng.

DATE

: 03 September 2025

TO

: Mr. MOTSOPYE N.J

DIRECTOR: DEMAND & ACQUISITION

FROM

: Mr. RANKWE RD

CD: EDUCATION INFRASTRUCTURE MANAGEMENT

SUBJECT

: MAIMELA PRIMARY SCHOOL - RFQ FOR GEOTECHNICAL

INVESTIGATION FOR THE CONSTRUCTION OF MAIMELA PRIMARY

SCHOOL

1. TECHNICAL SPECIFICATION FOR THE PROPOSED GEOTECHNICAL ENGINEERING

1.1. Brief Description

The purpose of the RFQ is to procure a competent specialist to conduct investigations for the soil conditions (Geotechnical Investigation) at the proposed site for Maimela Primary School building at Slaaphoek. The objective of the project is for Renovations and Additions to Storm-damaged Schools in Limpopo Province Cluster D. The scope of the project is summarised as follows:

- New buildings (Large Administration, Nutrition Centre, Computer & Library Combo Science & Life Science combo, 15 Classrooms, 4 Grade R Classroom Ablutions, Guardhouse)
- Stormwater management system
- Sewer reticulation and discharge
- Water supply and internal reticulation
- Internal paving

1.2. Project Location:


The site for the proposed development is located in Slaaphoek; Ga- Motlapema, Polokwane, within the area of Capricorn District of the Limpopo Province of South Africa.

Coordinates: 24°34'02"S 30°22'02"E



Figure 1: School Block Layout (source: Google Earth)

1.3. Description of the Scope of Work



The Professional Service Provider will be required to report on the following:

a) Renovations

- Assessment of four Classroom Blocks (Block C1, C2, C3 and C4), constructed from stock bricks
 - Foundations: assess the existing foundation type, depth of the foundations, and the strength of the concrete and type of rebar.
 - Floor: assess the steel rebar, level of the floor and strength of the concrete.
 - Walls: assess the stability and robustness of the wall, the strength of the bricks, and scan for brick force.

Geotechnical investigation:

- a) Excavation of a minimum of 4 inspection pits, sampling of at least 150kg of material at each location/horizon/strata, backfilling with granular material to replace the material sampled and compacting. The exact position of inspection pits to be determined by the Geotechnical Engineer in conjunction with LDPWRI Engineer based on site conditions;
- b) Logging and profiling will be carried out in accordance with "A guide to soil profiling for civil engineering purposes produced by the South African Institute for Engineering and Environmental Geologists (SAIEG), South African Institute of Civil Engineers (SAICE) Geotechnical Division and Association of Engineering Geologist (AEG) (1993), edited by ABA Brink and RM Bruin";
- c) DCP probes at each inspection pit, and additional probes as determined by the LDPWRI Engineer;
- d) Laboratory testing including grading, indicators and CBR testing on disturbed samples from the pits; and

The geotechnical report will contain but not be limited to information on the following:

- > Introduction.
- Terms of reference.
- Description of the planning stage, and the purpose for which the investigation was conducted,
- > Description of the site.
- Accessibility of the site,
- Listing of sources where data is available or was obtained from,
- Description of regional geology, vegetation, drainage and other general features of importance,

- Name of person responsible for the interpretation of the geophysical work and for the profiling,
- > Dates when the work was conducted,
- > Description of the types of field work undertaken and equipment used,
- Investigation Results,
- Description of hard rock geology identifying the type, quality, degree of weathering, fracturing, etc.,
- > Description of the soils encountered identifying their stability or potential problems they present in terms of tendency to heave, collapse, settle etc.,
- Description when potential for boulder and/or other obstructions to deep seated foundations.
- > Description of the problems experienced or to be expected,
- Description of ground-water and expected variations.
- > Excavatability and Suitability of in-situ material for reuse and for use as backfill material.
- At what depth can the trenches be excavated without needing the insides to be shored,
- > Classification of in-situ materials in terms of excavation including a recommendation for inclusion of allowances for intermediate and/ or hard material if required,
- > Allowable bearing capacity for in-situ materials;

Field and laboratory testing carried out i.e.:

- Types of tests conducted on the respective materials;
- Grading on natural materials;
- > Foundation Indicators and CBR testing on disturbed samples from the pits;
- Recommendations.
- Must be signed off by the responsible registered professional.

1.4. Deliverables

The Service Provider shall deliver the following deliverables as per the Infrastructure Delivery and Procurement Management (FIDPM) and the Gazetted outputs stated in Guidelines for Services and Processes for Estimating Fees for Persons Registered in terms of the Engineering Profession Act, 2000, (Act 46 of 2000):

- Filed work/site investigations.
- > Geotechnical Zones Plan, indicating the prelimary shallow Geotechnical testing or Assessment,
- > Provide a full dolomitic stability report if the study area is in a dolomitic area,

- ➤ Laboratory testing and analysing (Atterberg limits, hydrometer, sieve analysis, MOD, OMC, CBR, collapse potential etc.)
- > Detailed Investigation Report with Recommendations on foundation issues, in-situ materials use.

> Renovations

- The founding level of the existing foundations and the strength and type of the foundations
- The floor thickness and strength of concrete and the type of steel reinforcement and joints
- The strength of the existing bricks, the spacing type and the presence of brick force on the walls, and the strength of the walls, and the bricks.

1.5. Timeframes

The appointed Professional Service Provider may be invited to attend a project Inception Meeting with LDPWR&I and the User Department within five (5) working days of appointment as stipulated by the Employer.

At the time of the Inception Meeting, the Service Provider will be expected to submit and present a detailed Workplan / Programme reflecting all the tasks necessary to complete the assignment including the resource allocation and utilisation. The programme is to be accompanied by a Risk Register.

2. KEY PROFESSIONALS

CVs and Qualifications of the following registered professionals to be provided:

- **Principal Consultant (Key Consultant)**, i.e. the person who will provide the service or under whose active and personal direction, control and supervision the service is to be provided, will have to be professional registered with ECSA or SACNASP as PrEng, PrTechEng. or Pr. Sci. Nat., with more than 3 years post registration experience in Geotechnical Engineering work.
- **Surveyor** to be registered with PRLSA OR PR. S (SA), with more than 3 years post registration experience in topographical survey work.

	post registration experience in topographical survey work.	
2.1	1. Principal Consultant:	
	Name:	
	Role & Responsibilities:	
1	Qualifications:	
,	Years of Experience post registration:	

3. PRICING INSTRUCTION

The bill of quantity must be priced complete and the service provider must indicate any items priced elsewhere under the listed activities / tasks. All costs must be factored in even if line items are not indicated. No other costs shall be added after the appointment.

No.	Activity Description	Unit	Quantity	Rate	Amount
1.0	Desk study	Sum			
2.0	Site Investigations				
2.1	Visual Site Assessment	Sum			· · · · · · · · · · · · · · · · · · ·
2.2	Test Pitting with TLB	Sum			
2.3	Soil Profiling (per test pit)	Sum			
2.4	Soil Sampling	Sum			
3.0	Laboratory Testing				
3.1	Foundation or Road Indicator Tests (Sieve analysis, Atterberg, limits, CDR, etc.)	sum			
3.2	Consolidation / Settlement Tests	sum			
3.3	Soil Bearing Capacity Determination (DCP)	sum			
3.4	Concrete Strength Test	Sum			
3.5	Brick Testing	Sum			
4.0	Geotechnical Report	Sum			
5.0	Topographical Survey				
5.1	Site Survey	Sum			
5.2	Full package topographical survey deliverables	Sum			
6.0	Disbursements				***************************************
6.1	Travelling	Sum			
6.2	Accommodation	Sum			
6.3	Typing, Photocopying & binding	Sum			
				Sub-total	
			\	/AT @ 15%	
		•	TOT	AL OFFER	



DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE

Ref.

Eng.

DATE

: 03 September 2025

TO

: Mr. MOTSOPYE N.J

DIRECTOR: DEMAND & ACQUISITION

FROM

: Mr. RANKWE RD

CD: EDUCATION INFRASTRUCTURE MANAGEMENT

SUBJECT: MOKOMENE SECONDARY SCHOOL - RFQ FOR GEOTECHNICAL

INVESTIGATION FOR THE CONSTRUCTION OF MOKOMENE

SECONDARY SCHOOL

TECHNICAL SPECIFICATION FOR THE PROPOSED **GEOTECHNICAL ENGINEERING**

1.1. **Brief Description**

The purpose of the RFQ is to procure a competent specialist to conduct investigations for the soil conditions (Geotechnical Investigation) at the proposed site for Mokomene Secondary School building at Ga-Ramokgopa Village. The objective of the project is for Renovations and Additions to Storm-damaged Schools in Limpopo Province Cluster E. The scope of the project is summarised as follows:

- New buildings (Medium Admin block, Nutrition Centre, Classroom Blocks, Ablutions, Guardhouse)
- Stormwater management system
- Sewer reticulation and discharge
- Water supply and internal reticulation
- Paving

1.2. Project Location:

The site for the proposed development is located in Ga-Ramokgopa, Soekmekaar, within the area of the Capricorn District of the Limpopo Province of South Africa.

Coordinates: 23°28'09"S 29°49'00"E





Figure 1: Locality (source: Google Earth)

1.3. Description of the Scope of Work:



The Professional Service Provider will be required to report on the following:

a) Renovations

- Assessment of a eight blocks (Block A, B, G, H, I, K, M and L) Classroom Block, constructed from common stock bricks with plaster.
 - Foundations: assess the existing foundation type, depth of the foundations, and the strength of the concrete and type of rebar.
 - Floor: assess the steel rebar, level of the floor and strength of the concrete.
 - Walls: assess the stability and robustness of the wall, the strength of the bricks, and scan for brick force.

Geotechnical investigation:

- a) Excavation of a minimum of 4 inspection pits, sampling of at least 150kg of material at each location/horizon/strata, backfilling with granular material to replace the material sampled and compacting. The exact position of inspection pits to be determined by the Geotechnical Engineer in conjunction with LDPWRI Engineer based on site conditions:
- b) Logging and profiling will be carried out in accordance with "A guide to soil profiling for civil engineering purposes produced by the South African Institute for Engineering and Environmental Geologists (SAIEG), South African Institute of Civil Engineers (SAICE) Geotechnical Division and Association of Engineering Geologist (AEG) (1993), edited by ABA Brink and RM Bruin";
- c) DCP probes at each inspection pit, and additional probes as determined by the LDPWRI Engineer;
 - d) Laboratory testing including grading, indicators and CBR testing on disturbed samples from the pits; and

The geotechnical report will contain but not be limited to information on the following:

- > Introduction,
- > Terms of reference.
- Description of the planning stage, and the purpose for which the investigation was conducted,
- Description of the site,
- Accessibility of the site,
- Listing of sources where data is available or was obtained from,
- > Description of regional geology, vegetation, drainage and other general features of importance,

- > Name of person responsible for the interpretation of the geophysical work and for the profiling.
- > Dates when the work was conducted.
- Description of the types of field work undertaken and equipment used,
- > Investigation Results,
- Description of hard rock geology identifying the type, quality, degree of weathering, fracturing, etc.,
- Description of the soils encountered identifying their stability or potential problems they present in terms of tendency to heave, collapse, settle etc.,
- Description when potential for boulder and/or other obstructions to deep seated foundations,
- Description of the problems experienced or to be expected.
- > Description of ground-water and expected variations,
- Excavatability and Suitability of in-situ material for reuse and for use as backfill material.
- > At what depth can the trenches be excavated without needing the insides to be shored.
- > Classification of in-situ materials in terms of excavation including a recommendation for inclusion of allowances for intermediate and/ or hard material if required,
- Allowable bearing capacity for in-situ materials;

Field and laboratory testing carried out i.e.:

- Types of tests conducted on the respective materials;
- Grading on natural materials;
- Foundation Indicators and CBR testing on disturbed samples from the pits;
- > Recommendations.
- Must be signed off by the responsible registered professional.

1.4. Deliverables:

The Service Provider shall deliver the following deliverables as per the Infrastructure Delivery and Procurement Management (FIDPM) and the Gazetted outputs stated in Guidelines for Services and Processes for Estimating Fees for Persons Registered in terms of the Engineering Profession Act, 2000, (Act 46 of 2000):

- > Filed work/site investigations,
- > Geotechnical Zones Plan, indicating the prelimary shallow Geotechnical testing or Assessment.
- > Provide a full dolomitic stability report if the study area is in a dolomitic area,

- ➤ Laboratory testing and analysing (Atterberg limits, hydrometer, sieve analysis, MOD, OMC, CBR, collapse potential etc.)
- > Detailed Investigation Report with Recommendations on foundation issues, in-situ materials use.

Renovations

- The founding level of the existing foundations and the strength and type of the foundations
- The floor thickness and strength of concrete and the type of steel reinforcement and joints
- The strength of the existing bricks, the spacing type and the presence of brick force on the walls, and the strength of the walls, and the bricks.

1.5. Timeframes:

The appointed Professional Service Provider may be invited to attend a project Inception Meeting with LDPWR&I and the User Department within five (5) working days of appointment as stipulated by the Employer.

At the time of the Inception Meeting, the Service Provider will be expected to submit and present a detailed Workplan / Programme reflecting all the tasks necessary to complete the assignment including the resource allocation and utilisation. The programme is to be accompanied by a Risk Register.

2. KEY PROFESSIONALS

CVs and Qualifications of the following registered professionals to be provided:

- Principal Consultant (Key Consultant), i.e. the person who will provide the
 service or under whose active and personal direction, control and supervision the
 service is to be provided, will have to be professional registered with ECSA or
 SACNASP as PrEng, PrTechEng. or Pr. Sci. Nat., with more than 3 years post
 registration experience in Geotechnical Engineering work.
- **Surveyor** to be registered with PRLSA OR PR. S (SA), with more than 3 years post registration experience in topographical survey work.

	post registration experience in topographical survey work.
2.	.1. Principal Consultant:
	Name:
	Role & Responsibilities:
	Qualifications:
	Years of Experience post registration:

3. PRICING INSTRUCTION

The bill of quantity must be priced complete and the service provider must indicate any items priced elsewhere under the listed activities / tasks. All costs must be factored in even if line items are not indicated. No other costs shall be added after the appointment.

No.	Activity Description	Unit	Quantity	Rate	Amount	
1.0	Desk study	Sum				
2.0	Site Investigations					
2.1	Visual Site Assessment	Sum				
2.2	Test Pitting with TLB	Sum				
2.3	Soil Profiling (per test pit)	Sum		:		
2.4	Soil Sampling	Sum				
3.0	Laboratory Testing					
3.1	Foundation or Road Indicator Tests (Sieve analysis, Atterberg, limits, CDR, etc.)	sum				
3.2	Consolidation / Settlement Tests	sum				
3.3	Soil Bearing Capacity Determination (DCP)	sum		•		
3.4	Concrete Strength Test	Sum				
3.5	Brick Testing	Sum			· · · ·	
4.0	Geotechnical Report	Sum				
5.0	Topographical Survey					
5.1	Site Survey	Sum				
5.2	Full package topographical survey deliverables	Sum				
6.0	Disbursements					
6.1	Travelling	Sum				
6.2	Accommodation	Sum				
6.3	Typing, Photocopying & binding	Sum				
	VAT @ 15%					
						

DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE

Ref.

Eng.

DATE

: 03 September 2025

TO

: Mr. MOTSOPYE N.J

DIRECTOR: DEMAND & ACQUISITION

FROM

: Mr. RANKWE RD

CD: EDUCATION INFRASTRUCTURE MANAGEMENT

SUBJECT: MPHAANENG PRIMARY SCHOOL - RFQ FOR GEOTECHNICAL

INVESTIGATION FOR THE CONSTRUCTION OF MPHAANENG PRIMARY

SCHOOL

SPECIFICATION 1. TECHNICAL FOR THE PROPOSED **GEOTECHNICAL ENGINEERING**

1.1. **Brief Description**

The purpose of the RFQ is to procure a competent specialist to conduct investigations for the soil conditions (Geotechnical Investigation) at the proposed site for Mphaaneng Primary School building at Mphaaneng Village. The objective of the project is for Renovations and Additions to Storm-damaged Schools in Limpopo Province Cluster D. The scope of the project is summarised as follows:

- New buildings (Medium Administration, Nutrition Centre, Computer & Library Combo Science & Life Science combo, 6 Classrooms, 2 Grade R Classroom Ablutions, Guardhouse)
- Stormwater management system
- Sewer reticulation and discharge
- Water supply and internal reticulation
- Internal paving

1.2. Project Location:


The site for the proposed development is located in Mphaaneng Village; Gankoana, Polokwane, within the area of Sekhukhune District of the Limpopo Province of South Africa.

Coordinates: 24°17'41"S 29°45'59"E



Figure 1: School Block Layout (source: Google Earth)

1.3. Description of the Scope of Work



The Professional Service Provider will be required to report on the following:

a) Renovations

- Assessment of four Classroom Blocks (Block C, D and G), constructed from stock bricks
 - Foundations: assess the existing foundation type, depth of the foundations, and the strength of the concrete and type of rebar.
 - Floor: assess the steel rebar, level of the floor and strength of the concrete.
 - Walls: assess the stability and robustness of the wall, the strength of the bricks, and scan for brick force.

Geotechnical investigation:

- a) Excavation of a minimum of 4 inspection pits, sampling of at least 150kg of material at each location/horizon/strata, backfilling with granular material to replace the material sampled and compacting. The exact position of inspection pits to be determined by the Geotechnical Engineer in conjunction with LDPWRI Engineer based on site conditions;
- b) Logging and profiling will be carried out in accordance with "A guide to soil profiling for civil engineering purposes produced by the South African Institute for Engineering and Environmental Geologists (SAIEG), South African Institute of Civil Engineers (SAICE) Geotechnical Division and Association of Engineering Geologist (AEG) (1993), edited by ABA Brink and RM Bruin";
- DCP probes at each inspection pit, and additional probes as determined by the LDPWRI Engineer;
- d) Laboratory testing including grading, indicators and CBR testing on disturbed samples from the pits; and

The geotechnical report will contain but not be limited to information on the following:

- > Introduction,
- > Terms of reference.
- Description of the planning stage, and the purpose for which the investigation was conducted,
- Description of the site,
- > Accessibility of the site.
- Listing of sources where data is available or was obtained from.
- Description of regional geology, vegetation, drainage and other general features of importance.

- Name of person responsible for the interpretation of the geophysical work and for the profiling,
- > Dates when the work was conducted.
- Description of the types of field work undertaken and equipment used,
- > Investigation Results,
- Description of hard rock geology identifying the type, quality, degree of weathering, fracturing, etc.,
- Description of the soils encountered identifying their stability or potential problems they present in terms of tendency to heave, collapse, settle etc.,
- Description when potential for boulder and/or other obstructions to deep seated foundations,
- > Description of the problems experienced or to be expected,
- > Description of ground-water and expected variations,
- Excavatability and Suitability of in-situ material for reuse and for use as backfill material,
- At what depth can the trenches be excavated without needing the insides to be shored,
- Classification of in-situ materials in terms of excavation including a recommendation for inclusion of allowances for intermediate and/ or hard material if required,
- Allowable bearing capacity for in-situ materials;

Field and laboratory testing carried out i.e.:

- Types of tests conducted on the respective materials;
- Grading on natural materials;
- Foundation Indicators and CBR testing on disturbed samples from the pits;
- Recommendations.
- Must be signed off by the responsible registered professional.

1.4. Deliverables

The Service Provider shall deliver the following deliverables as per the Infrastructure Delivery and Procurement Management (FIDPM) and the Gazetted outputs stated in Guidelines for Services and Processes for Estimating Fees for Persons Registered in terms of the Engineering Profession Act, 2000, (Act 46 of 2000):

- Filed work/site investigations,
- Geotechnical Zones Plan, indicating the prelimary shallow Geotechnical testing or Assessment,
- > Provide a full dolomitic stability report if the study area is in a dolomitic area,

- ➤ Laboratory testing and analysing (Atterberg limits, hydrometer, sieve analysis, MOD, OMC, CBR, collapse potential etc.)
- ➤ Detailed Investigation Report with Recommendations on foundation issues, in-situ materials use.

➤ Renovations

- The founding level of the existing foundations and the strength and type of the foundations
- The floor thickness and strength of concrete and the type of steel reinforcement and joints
- The strength of the existing bricks, the spacing type and the presence of brick
 - · force on the walls, and the strength of the walls. and the bricks.

1.5. Timeframes

The appointed Professional Service Provider may be invited to attend a project Inception Meeting with LDPWR&I and the User Department within five (5) working days of appointment as stipulated by the Employer.

At the time of the Inception Meeting, the Service Provider will be expected to submit and present a detailed Workplan / Programme reflecting all the tasks necessary to complete the assignment including the resource allocation and utilisation. The programme is to be accompanied by a Risk Register.

2. KEY PROFESSIONALS

CVs and Qualifications of the following registered professionals to be provided:

- Principal Consultant (Key Consultant), i.e. the person who will provide the service or under whose active and personal direction, control and supervision the service is to be provided, will have to be professional registered with ECSA or SACNASP as PrEng, PrTechEng. or Pr. Sci. Nat., with more than 3 years post registration experience in Geotechnical Engineering work.
- **Surveyor** to be registered with PRLSA OR PR. S (SA), with more than 3 years post registration experience in topographical survey work.

,	ost registration experience in topographical survey work.
2.1. P ı	incipal Consultant:
Na	me:
Rol	e & Responsibilities:
Qua	lifications:
Yea	rs of Experience post registration:

3. PRICING INSTRUCTION

The bill of quantity must be priced complete and the service provider must indicate any items priced elsewhere under the listed activities / tasks. All costs must be factored in even if line items are not indicated. No other costs shall be added after the appointment.

No.	Activity Description	Unit	Quantity	Rate	Amount
1.0	Desk study	Sum			
2.0	Site Investigations	*******			
2.1	Visual Site Assessment	Sum			
2.2	Test Pitting with TLB	Sum			**
2.3	Soil Profiling (per test pit)	Sum			
2.4	Soil Sampling	Sum			
3.0	Laboratory Testing	,			
3.1	Foundation or Road Indicator Tests (Sieve analysis, Atterberg, limits, CDR, etc.)	sum			
3.2	Consolidation / Settlement Tests	sum			<u> </u>
3.3	Soil Bearing Capacity Determination (DCP)	sum			
3.4	Concrete Strength Test	Sum		*****	
3.5	Brick Testing	Sum			
4.0	Geotechnical Report	Sum		7811.71	
5.0	Topographical Survey	****			
5.1	Site Survey	Sum			
5.2	Full package topographical survey deliverables	Sum			, , , , , , , , , , , , , , , , , , , ,
6.0	Disbursements				
6.1	Travelling	Sum			\$ 160 ·
6.2	Accommodation	Sum			
6.3	Typing, Photocopying & binding	Sum			
			.1 .	Sub-total	
	AT @ 15%				
		·	ТОТ	AL OFFER	